ConTrXt comandi

ConTEXt comandi

it / italiano 10 maggio 2018

AfterPar	\AfterPar {}
	\Alphabeticnumerals {}
Alphabeticnumerals AMSTEX	\AMSTEX
Amstex	\AmSTeX
And	\And
abjadnaivenumerals	\abjadnaivenumerals {}
abjadnodotnumerals	\abjadnodotnumerals {}
-	-
abjadnumerals	\abjadnumerals {}
activatespacehandler	\activatespacehandler {}
acute	\acute {}
adaptcollector	\adaptcollector [] [=]
adaptfontfeature	\adaptfontfeature [] [=]
adaptpapersize	\adaptpapersize [] []
adattacampo	\adattacampo [] [=]
adattalayout	\adattalayout [] [=]
addfeature	\addfeature []
addfeature:direct	\addfeature {}
addfontpath	\addfontpath []
addtocommalist	\addtocommalist {} \
addtoJSpreamble	\addtoJSpreamble {} {}
addvalue	\addvalue {} {}
aftersplitstring	\aftersplitstring \at \to \
aftertestandsplitstring	\aftertestandsplitstring \at \to \
al	\al {} []
alignbottom	\alignbottom
aligned	\aligned [] {}
alignedbox	\alignedbox [] \ {}
alignedline	\alignedline {} {}
alignhere	\alignhere
alignmentcharacter	\alignmentcharacter
allineacentro	\allineacentro {}
allineadestra	\allineadestra {}
allineasinistra	\allineasinistra {}
allinputpaths	\allinputpaths
alphabeticnumerals	\alphabeticnumerals {}
alwayscitation	\alwayscitation [=.] []
alwayscitation:alternative	\alwayscitation [] []
alwayscitation:userdata	\alwayscitation [=] [=]
alwayscite	\alwayscite [=] []
alwayscite:alternative	\alwayscite [] []
alwayscite:userdata	\alwayscite [=] [=] \ambiente []
ambiente ambiente:string	\ambiente []
5	\ampersand
ampersand	\anchor [] [=] {}
	\anchor [] [] [] \an {}
ap apagina	\apagina []
appendetoks	\appendetoks \to \
appendgvalue	\appenderons \to \\appenderons e} \}
appendtocommalist	\appendtocommalist {} \
appendtoks	\appendtoks \to \
appendtoksonce	\appendtoksonce \to \
appendvalue	\appendvalue {} {}
apply	\apply {} {}
applyalternativestyle	\applyalternativestyle {}
applyprocessor	\applyprocessor {} {}
applytocharacters	\applytocharacters \ \{\}
applytofirstcharacter	\applytofirstcharacter \ \{\}
applytosplitstringchar	\applytosplitstringchar \ {}
applytosplitstringcharspaced	\applytosplitstringcharspaced \ \{\}
applytosplitstringline	\applytosplitstringline \ \{\}
applytosplitstringlinespaced	\applytosplitstringlinespaced \ \{\}
applytosplitstringword	\applytosplitstringword \ \{\}
applytosplitstringwordspaced	\applytosplitstringwordspaced \ \{\}
applytowords	\applytowords \ \{\\}
ap:instance	\HIGH {}
ap:instance:unitshigh	\unitshigh {}
arabicdecimals	\arabicdecimals {}
arabicexnumerals	\arabicexnumerals {}
arabicnumerals	\arabicnumerals {}
arg	\arg {}
asciistr	\asciistr {}

assignalfadimension	\assignalfadimension $\{\ldots\}$ \ $\{\ldots\}$ $\{\ldots\}$
assigndimen	\assigndimen \ {}
assigndimension	\assigndimension $\{\ldots\}$ \ $\{\ldots\}$ $\{\ldots\}$
assignifempty	\assignifempty \ \{\}
assigntranslation	\assigntranslation [=] \to \
assignvalue	\assignvalue {} \ {} {} {}
assignwidth	\assignwidth {} \ {} {}
assumelongusagecs	\assumelongusagecs \ \{\}
astype	\astype {}
attachment:instance	\ATTACHMENT [] [=]
attachment:instance:attachment	\attachment [] [=]
autocap	\autocap {}
autodirhbox autodirybox	\autodirhbox {} \autodirvbox {}
autodirvtop	\autodirvtop {}
autoinsertnextspace	\autoinsertnextspace
autointegral	\autointegral {} {}
automathematics	\automathematics {}
autosetups	\autosetups {}
autostarttesto	\autostarttesto \autostoptesto
availablehsize	\availablehsize
averagecharwidth	\averagecharwidth
BeforePar	\BeforePar {}
Big	\Big
Bigg	\Bigg
Biggl	\Biggl
Biggm	\Biggm
Biggr	\Biggr
Bigl	\Bigl
Bigm	\Bigm
Bigr	\Bigr
backgroundimage	\backgroundimage $\{\}$ $\{\}$ $\{\}$
backgroundimagefill	\backgroundimagefill $\{\}$ $\{\}$ $\{\}$
backgroundline	\backgroundline [] {}
bar	\bar {}
barracolori	\barracolori []
barrainterazione	\barrainterazione [] [=]
bar:instance	\BAR {}
bar:instance:hiddenbar	\hiddenbar {}
bar:instance:nobar bar:instance:overbar	\nobar {} \overbar {}
bar:instance:overbar bar:instance:overbars	\overbar \(\ldots\)
bar:instance:overbars bar:instance:overstrike	\overstrike \{\ldots\}
bar:instance:overstrikes	\overstrike \(\(\cdot\)
bar:instance:underbar	\underbar \{\}
bar:instance:underbars	\underbars {}
bar:instance:underdash	\underdash {}
bar:instance:underdashes	\underdashes {}
bar:instance:underdot	\underdot {}
bar:instance:underdots	\underdots {}
bar:instance:underrandom	\underrandom {}
bar:instance:underrandoms	\underrandoms {}
bar:instance:understrike	\understrike {}
bar:instance:understrikes	\understrikes {}
basegrid	\basegrid [=]
baselinebottom	\baselinebottom
baselineleftbox	\baselineleftbox {}
baselinemiddlebox	\baselinemiddlebox {}
baselinerightbox	\baselinerightbox {}
bbordermatrix	\bbordermatrix {}
bbox	\bbox {}
beforesplitstring	\beforesplitstring \at \to \
beforetestandsplitstring	\beginplock [] \andPlock
beginblock:example	\beginBLOCK [] \endBLOCK
beginhbox	\beginhox \endhox
beginofshapebox	\beginofshapebox \endofshapebox
beginvbox beginvtop	\beginvbox \endvbox \beginvtop \endvtop
begstrut	\begstrut \endstrut
bigg	\bigg
bigger	\bigger
biggl	\biggl
55	. 55

biggm	\biggm
biggr	\biggr
bigl	\bigl
bigm	\bigm
bigr	\bigr
bigskip	bigskip
bitmapimage	\bitmapimage [=] {}
blap	\blap {}
bleed	\bleed [=] {}
bleedheight	\bleedheight
bleedwidth	\bleedwidth
blockligatures	\blockligatures []
blocksynctexfile	\blocksynctexfile []
bodyfontenvironmentlist	\bodyfontenvironmentlist
bodyfontsize	\bodyfontsize
boldface	\boldface
booleanmodevalue	\booleanmodevalue {}
bordermatrix	\bordermatrix {}
bottombox	\bottombox {}
bottomleftbox	\bottomleftbox {}
bottomrightbox	\bottomrightbox {}
boxcursor	\boxcursor
boxmarker	\boxmarker {} {}
boxofsize	\boxofsize \ {}
boxreference	\boxreference [] \ {}
bpar	\bpar \epar
bpos	\bpos {}
breakhere	\breakhere
breve	\breve {}
bTABLE	\bTABLE [=] \eTABLE
bTABLEbody	\bTABLEbody [=] \eTABLEbody
bTABLEfoot	\bTABLEfoot [=] \eTABLEfoot
bTABLEhead	\bTABLEhead [=] \eTABLEhead
bTABLEnext	\bTABLEnext [=] \eTABLEnext
bTC	\bTC [=] \eTC
bTD	\bTD [=] \eTD
bTDs	\bTDs [] \eTDs
bTH	\bTH [=] \eTH
bTN	\bTN [=] \eTN
bTR	\bTR [=] \eTR
bTRs	bTRs [] \eTRs
bTX	\bTX [=.] \eTX
bTY	\bTY [=.] \eTY
btxabbreviatedjournal	\btxabbreviatedjournal {}
btxaddjournal	\btxaddjournal [] []
btxalwayscitation	\btxalwayscitation [=] []
btxalwayscitation: alternative	\btxalwayscitation [] []
btxalwayscitation: userdata	\btxalwayscitation [=] [=]
btxauthorfield	\btxauthorfield {}
btxdetail	\btxdetail {}
btxdirect	\btxdirect {}
btxdoif	\btxdoif \{\dots\} \\\
btxdoifcombiinlistelse	\btxdoif(\cdots) \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
btxdoifelse	\btxdoifelse \{\\} \\\.\}
btxdoifelsecombiinlist	\btxdoifelsecombiinlist \{\} \{\} \{\}
btxdoifelsesameasprevious	\btxdoifelsesameasprevious \\ \dagger \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
btxdoifelsesameaspreviouschecked btxdoifelseuservariable	\btxdoifelsesameaspreviouschecked \{\ldots\} \{\ldots\} \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
btxdoifnot	
	\btxdoifnot {} {}
btxdoifsameaspreviouscheckedelse	\btxdoifsameaspreviouscheckedelse \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
btxdoifsameaspreviouselse	\btxdoifsameaspreviouselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
btxdoifuservariableelse	\btxdoifuservariableelse {} {} {}
btxexpandedjournal	\btxexpandedjournal {}
btxfield	\btxfield {}
btxfieldname	\btxfieldname {}
btxfieldtype	\btxfieldtype {}
btxfirstofrange	\btxfirstofrange {}
btxflush	\btxflush {}
btxflushauthor	\btxflushauthor [] {}
btxflushauthorinverted	\btxflushauthorinverted {}
btxflushauthorinvertedshort	\btxflushauthorinvertedshort {}
btxflushauthorname	\btxflushauthorname {}

btxflushauthornormal	\btxflushauthornormal {}
btxflushauthornormalshort	\btxflushauthornormalshort {}
btxflushsuffix	\btxflushsuffix
btxfoundname	\btxfoundname {}
btxfoundtype	\btxfoundtype {}
btxhiddencitation	\btxhiddencitation []
btxhybridcite	\btxhybridcite [=] []
btxhybridcite:alternative	\btxhybridcite [] []
btxhybridcite:direct	\btxhybridcite {}
btxhybridcite:userdata	\btxhybridcite [=] [=]
btxlistcitation	\btxlistcitation [=] []
btxlistcitation:alternative	\btxlistcitation [] []
btxlistcitation:userdata	\btxlistcitation [=] [=]
btxloadjournalist	\btxloadjournalist []
btxoneorrange	\btxoneorrange {} {} {}
btxremapauthor	\btxremapauthor [] []
btxsavejournalist	\btxsavejournalist []
btxsetup	\btxsetup {}
btxsingularorplural	\btxsingularorplural \{\ldots\} \{\ldots\}
btxsingularplural	\btxsingularplural {} {} {}
btxtextcitation	\btxtextcitation [=] []
btxtextcitation:alternative	\btxtextcitation [] []
btxtextcitation:userdata	\btxtextcitation [=] [=]
buildmathaccent	\buildmathaccent {} {}
buildtextaccent	\buildtextaccent {} {}
buildtextbottomcomma	\buildtextbottomcomma {}
buildtextbottomdot	\buildtextbottomdot {}
buildtextcedilla	\buildtextcedilla {}
buildtextgrave	\buildtextgrave {}
buildtextmacron	\buildtextmacron {}
buildtextognek	\buildtextognek {}
Cap	\Cap {}
Caps	\Caps {}
CONTEXT	CONTEXT
ConTeXt	ConTeXt
Context	Context
ConvertConstantAfter	\ConvertConstantAfter \ \{\} \{\}
ConvertToConstant	\ConvertToConstant \ \{\} \{\}
calligrafico	\calligrafico
cambiaafontdeltesto	\cambiaafontdeltesto []
camel	\camel {}
campi	\campi [] []
cap	\cap {}
capello	\capello
capoverso:instance	\SECTION [] {}
capoverso:instance:assignment	\SECTION [=]
capoverso:instance:assignment:chapter	\chapter [=]
capoverso:instance:assignment:part	\part [=]
capoverso:instance:assignment:section	\section [=]
capoverso:instance:assignment:subject	\subject [=]
capoverso:instance:assignment:subsection	\subsection [=]
-	\subsubject [=]
capoverso:instance:assignment:subsubject	-
capoverso:instance:assignment:subsubsection	\subsubsection [=]
capoverso:instance:assignment:subsubsubject	\subsubsubject [=]
capoverso:instance:assignment:subsubsubsection	\subsubsubsection [=]
capoverso:instance:assignment:subsubsubsubject	\subsubsubsubject [=]
capoverso:instance:assignment:subsubsubsubsection	\subsubsubsubsection [=]
capoverso:instance:assignment:subsubsubsubsubject	\subsubsubsubsubject [=]
capoverso:instance:assignment:title	\title [=]
capoverso:instance:chapter	\chapter [] {}
capoverso:instance:ownnumber	\SECTION [] {} {}
capoverso:instance:ownnumber:chapter	\chapter [] {} {}
capoverso:instance:ownnumber:part	\part [] {}
capoverso:instance:ownnumber:section	\section [] {} {}
capoverso:instance:ownnumber:subject	\subject [] {} {}
capoverso:instance:ownnumber:subsection	\subsection [] {} {}
capoverso:instance:ownnumber:subsubject	\subsubject [] {}
capoverso:instance:ownnumber:subsubsection	\subsubsection [] {}
capoverso:instance:ownnumber:subsubsubject	\subsubsubject [] {}
capoverso:instance:ownnumber:subsubsubsection	\subsubsubsection [] {} {}
capoverso:instance:ownnumber:subsubsubsection	\subsubsubsubject [] {}
capoverso:instance:ownnumber:subsubsubsubsection	\subsubsubsubsection [] { } { }

capoverso:instance:ownnumber:subsubsubsubject	$\subsubsubsubsubject [] {} {}$
capoverso:instance:ownnumber:title	\title [] {}
capoverso:instance:part	\part [] {}
capoverso:instance:section	\section [] {}
capoverso:instance:subject	\subject [] {}
capoverso:instance:subsection	\subsection [] {}
capoverso:instance:subsubject	\subsubject [] {}
capoverso:instance:subsubsection	\subsubsection [] {}
capoverso:instance:subsubsection	\subsubsubject [] {}
-	
capoverso:instance:subsubsubsection	\subsubsubsection [] {}
capoverso:instance:subsubsubject	\subsubsubsubject [] {}
capoverso:instance:subsubsubsubsection	\subsubsubsubsection [] {}
capoverso:instance:subsubsubsubject	\subsubsubsubject [] {}
capoverso:instance:title	\title [] {}
catcodetablename	\catcodetablename
cbox	\cbox {}
centeraligned	\centeraligned {}
centerbox	\centerbox {}
centeredbox	\centeredbox {}
centeredlastline	\centeredlastline
centerednextbox	\centerednextbox {}
centerline	\centerline {}
centro	\centro
cfrac	\cfrac [] {} {}
characterkerning:example	\CHARACTERKERNING [] {}
chardescription	\chardescription {}
charwidthlanguage	\charwidthlanguage
	\check {}
check	
checkcharacteralign	\checkcharacteralign {}
checkedchar	\checkedchar {} {}
checkedfiller	\checkedfiller {}
checkedstrippedcsname	\checkedstrippedcsname \
checkedstrippedcsname:string	\checkedstrippedcsname
checkinjector	\checkinjector []
checknextindentation	\checknextindentation []
checknextinjector	\checknextinjector []
	\checkpage [] [=]
checkpage	
checkparameters	\checkparameters []
checkpreviousinjector	\checkpreviousinjector []
checksoundtrack	\checksoundtrack {}
checktwopassdata	\checktwopassdata {}
checkvariables	\checkvariables [] [=]
chemical	\chemical [] []
chemicalbottext	\chemicalbottext {}
chemicalmidtext	\chemicalmidtext {}
chemicalsymbol	\chemicalsymbol []
chemicaltext	\chemicaltext {}
chemicaltoptext	\chemicaltoptext {}
chim	\chim {} {}
chineseallnumerals	\chineseallnumerals {}
chinesecapnumerals	\chinesecapnumerals {}
chinesenumerals	\chinesenumerals {}
circondato	\circondato [=] {}
citation	\citation [=] []
citation:alternative	\citation [] []
citation:direct	\citation {}
citation:userdata	\citation [=] [=]
cite	\cite [=] []
cite:alternative	\cite [] []
cite:direct	\cite {}
cite:userdata	\cite [=] [=]
clap	\clap {}
classfont	\classfont {} {}
cldcommand	\cldcommand {}
cldcontext	\cldcontext {}
cldloadfile	\cldloadfile {}
	\cldprocessfile {}
clip	-
clip	\clip [=] {}
clonacampo	\clonacampo [] [] []
collect	\collect {}
collectedtext	\collectedtext [=] [=] {} {}
collectexpanded	\collectexpanded {}

colonna	\colonna []
colorcomponents	\colorcomponents {}
colore	\colore [] {}
colored	\colored [=] {}
colored:name	\colored [] {}
coloregrigio	\coloregrigio [] {}
coloronly	\coloronly [] {}
columnbreak	\columnbreak []
combinepages	\combinepages [] [=]
commalistelement	\commalistelement
commalistsentence	\commalistsentence [] []
commalistsize	\commalistsize
commento	\commento (,) (,) [=] {}
commento:instance	\COMMENT [] [=] {}
commento:instance:comment	\comment [] [=] {}
comparedimension	\comparedimension \{\ldots\} \{\ldots\}
comparedimensioneps	\comparedimensioneps \{\ldots\}
completebtxrendering	\completebtxrendering [] [=]
completecombinedlist:instance	\completoCOMBINEDLIST [=]
completecombinedlist:instance:content	\completocontent [=]
completelist	\completelist [] [=]
completelistoffloats:instance	\completelistofFLOATS [=]
completelistoffloats:instance:chemicals	\completelistofchemicals [=]
completelistoffloats:instance:figures	\completelistoffigures [=]
completelistoffloats:instance:graphics	\completelistofgraphics [=]
completelistoffloats:instance:intermezzi	\completelistofintermezzi [=]
completelistoffloats:instance:tables	\completelistoftables [=]
completelistofpublications	\completelistofpublications [] [=]
completelistofsorts	\completelistofsorts [] [=]
completelistofsorts:instance	\completelistofSORTS [=]
completelistofsorts:instance:logos	\completelistoflogos [=]
completelistofsynonyms	\completelistofsynonyms [] [=]
completelistofsynonyms:instance	\completelistofSYNONYMS [=]
completelistofsynonyms:instance:abbreviations	\completelistofabbreviations [=]
completeregister	\completeregister [] [=]
completeregister:instance	\completoREGISTER [=]
completeregister:instance:index	\completoindex [=]
complexorsimple	\complexorsimple \
complexorsimpleempty	\complexorsimpleempty \
complexorsimpleempty:argument	\complexorsimpleempty {}
complexorsimple:argument	\complexorsimple {}
component	\component []
component:string	\component
composedcollector	\composedcollector {}
composedlayer	\composedlayer {}
compresult confrontagruppocolori	\compresult \confrontagruppocolori []
confrontatavolozza	\confrontatavolozza []
constantdimen	\constantdimen \
constantdimenargument	\constantdimen \
constantemptyargument	\constantumenargument \
constantnumber	\constantnumber \
constantnumber	\constantnumber \
contentreference	\contentreference [] [=] {}
continuednumber	\continuednumber {}
continueifinputfile	\continuedfinputfile {}
convertargument	\convertargument \to \
convertcommand	\convertcommand \ \to \
convertedcounter	\convertedcounter [] [=]
converteddimen	\converteddimen {} {}
convertedsubcounter	\convertedsubcounter [] [] [=]
convertinumero	\convertinumero {} {}
convertmenth	\convertmenth {}
convertvalue	\convertvalue \to \
convertvboxtohbox	\convertvboxtohbox
copiacampo	\copiacampo [] []
copyboxfromcache	\copyboxfromcache {} {}
copylabeltext:instance	\copyLABELtesto [] [=]
copylabeltext:instance:btxlabel	\copybtxlabeltesto [] [=]
copylabeltext:instance:head	\copyheadtesto [] [=]
copylabeltext:instance:label	\copylabeltesto [] [=]
convlabeltext:instance:mathlabel	\copymathlabeltesto [] [=]

7.7.7.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4	\
copylabeltext:instance:operator	\copyoperatortesto [] [=]
copylabeltext:instance:prefix	\copyprefixtesto [] [=]
copylabeltext:instance:suffix	\copysuffixtesto [] [=]
copylabeltext:instance:taglabel	\copytaglabeltesto [] [=]
copylabeltext:instance:unit	\copyunittesto [] [=]
copypages	\copypages [] [=] [=]
copyparameters	\copyparameters [] []
copyposition	\copyposition {} {}
correggispaziobianco	\correggispaziobianco {}
corsivo	\corsivo
corsivograssetto	\corsivograssetto
countersubs	\countersubs [] []
counttoken	\counttoken \in \to \
counttokens	\counttokens \to \
cramped	\cramped {}
crampedclap	\crampedclap {}
crampedllap	\crampedllap {}
crampedrlap	\crampedrlap {}
ctop	\ctop {}
-	
ctxcommand	\ctxcommand {}
ctxdirectcommand	\ctxdirectcommand {}
ctxdirectlua	\ctxdirectlua {}
ctxfunction	\ctxfunction {}
ctxfunctiondefinition:example	\CTXFUNCTIONDEFINITION
ctxfunction:example	\CTXFUNCTION
ctxlatecommand	\ctxlatecommand {}
	• • • • • • • • • • • • • • • • • • • •
ctxlatelua	\ctxlatelua {}
ctxloadluafile	\ctxloadluafile {}
ctxlua	\ctxlua {}
ctxluabuffer	\ctxluabuffer []
ctxluacode	\ctxluacode {}
ctxreport	\ctxreport {}
-	
ctxsprint	\ctxsprint {}
currentassignmentlistkey	$\verb \currentassignmentlistkey $
currentassignmentlistvalue	\currentassignmentlistvalue
currentbtxuservariable	\currentbtxuservariable {}
currentcommalistitem	\currentcommalistitem
currentcomponent	\currentcomponent
currentenvironment	\currentenvironment
currentfeaturetest	\currentfeaturetest
currentinterface	\currentinterface
currentlabel:example	$\currentETICHETTA [] {}$
currentlanguage	\currentlanguage
	\currentlistentrydestinationattribute
currentlistentrydestinationattribute	
currentlistentrylimitedtext	\currentlistentrylimitedtext {}
currentlistentrynumber	\currentlistentrynumber
currentlistentrypagenumber	\currentlistentrypagenumber
currentlistentryreferenceattribute	\currentlistentryreferenceattribute {}
currentlistentrytitle	\currentlistentrytitle
currentlistentrytitlerendered	\currentlistentrytitlerendered
currentlistsymbol	· · · · · · · · · · · · · · · · · · ·
•	\currentlistsymbol
currentmainlanguage	$\c \c \$
currentmessagetext	\currentmessagetext
currentmoduleparameter	\currentmoduleparameter {}
-	-
currentoutputstream	\currentoutputstream
currentproduct	\currentproduct
currentproject	\currentproject
currentregime	\currentregime
•	<u> </u>
currentregisterpageuserdata	\currentregisterpageuserdata {}
currentresponses	\currentresponses
currenttime	\currenttime []
currentvalue	\currentvalue
currentxtablecolumn	\currentxtablecolumn
currentxtablerow	\currentxtablerow
d	\d {}
da	\da []
daqualcheparte	$\daqualcheparte {} {} []$
data	\data [=] []
datadioggi	\datadioggi []
datasetvariable	\datasetvariable $\{\ldots\}$ $\{\ldots\}$
dayoftheweek	\dayoftheweek $\{\ldots\}$ $\{\ldots\}$
•	\dayspermonth {} {}
dayspermonth	/παλολετποπρη ζλ ζλ

dddot	\dddot {}
ddot	\ddot {}
decrement	\decrement \
decrementcounter	\decrementcounter [] []
decrementedcounter	\decrementedcounter []
decrementpagenumber	\decrementpagenumber
decrementsubpagenumber	\decrementsubpagenumber
decrementvalue	\decrementvalue {}
decrement:argument	\decrement cd:parentheses-s
defaultinterface	\defaultinterface
defaultobjectpage	\defaultobjectpage
defaultobjectreference defcatcodecommand	\defaultobjectreference \defcatcodecommand \ {}
defconvertedargument	\defconvertedargument \ \{\}
defconvertedcommand	\defconvertedcommand \ \
defconvertedvalue	\defconvertedvalue \ \{\}
defineactivecharacter	\defineactivecharacter {}
definealternativestyle	\definealternativestyle [] []
defineanchor	\defineanchor [] [=] [=]
defineattachment	\defineattachment [] [] [=]
defineattribute	\defineattribute [] []
definebackground	\definebackground [] [] [=]
definebar	\definebar [] [=]
definebodyfontswitch	\definebodyfontswitch [] []
definebreakpoint	\definebreakpoint [] [=]
definebreakpoints	\definebreakpoints []
definebtx	\definebtx [] [=]
definebtxdataset	\definebtxdataset [] [] [=]
definebtxregister	\definebtxregister [] [=]
definebtxrendering	\definebtxrendering [] [=]
definebutton	\definebutton [] [=]
definecapitals	\definecapitals [] [] []
definecharacterkerning	\definecharacterkerning [] [] []
definecharacterspacing definechemical	\definecharacterspacing []
definechemicals	\definechemical [] {} \definechemicals [] [=]
definechemicalsymbol	\definechemicalsymbol [] []
definecollector	\definecollector [] [] []
definecolumnbreak	\definecolumnbreak [] []
definecombination	\definecombination [] [] [=]
definecomment	\definecomment [] [=]
definecomplexorsimple	\definecomplexorsimple \
definecomplexorsimpleempty	\definecomplexorsimpleempty \
definecomplexorsimpleempty:argument	\definecomplexorsimpleempty {}
definecomplexorsimple:argument	\definecomplexorsimple {}
defineconversionset	\defineconversionset [] []
definecounter	\definecounter [] [=]
definedataset	\definedataset [] [=]
definedelimitedtext	\definedelimitedtext [] [] []
definedfont defineeffect	<pre>\definedfont [] \defineeffect [] [] [=]</pre>
defineexpandable	\defineexpandable [] \ {}
defineexternalfigure	\defineexpandable [] \ [] \defineexternalfigure [] [] [=]
definefallbackfamily	\definefallbackfamily [] [] [] []
definefallbackfamily:preset	\definefallbackfamily [] [] []
definefieldbody	\definefieldbody [] [] [=]
definefieldbodyset	\definefieldbodyset [] []
definefieldcategory	\definefieldcategory [] [] [=]
definefileconstant	\definefileconstant {} {}
definefilefallback	\definefilefallback [] []
definefilesynonym	\definefilesynonym [] []
definefiller	\definefiller [] [=]
definefirstline	\definefirstline [] [] [=]
definefittingpage	\definefittingpage [] [=]
definefontalternative	\definefontalternative []
definefontfallback	\definefontfallback [] [] [] []
define fort family	\definefontfamily [] [] [] \definefontfamily []
definefontfamilypreset	\definefontfamilypreset [] [=]
<pre>definefontfamilypreset:name definefontfamily:preset</pre>	\definefontfamilypreset [] [] \definefontfamily [] [] []
definefontfeature	\definefontfeature [] [] [] \definefontfeature [] [] []
definefontfile	\definefontfile [] [] []
	and the second of the second o

definefontsize	\definefontsize []
definefontsolution	\definefontsolution [] [=]
defineformula	\defineformula [] [=]
defineformulaalternative	\defineformulaalternative [] []
defineformulaframed	\defineformulaframed [] [] [=]
defineframedcontent	\defineframedcontent [] [] [=]
defineframedtable	\defineframedtable [] []
definefrozenfont	\definefrozenfont [] []
defineglobalcolor	\defineglobalcolor [] [=]
defineglobalcolor:name	\defineglobalcolor [] []
definegraphictypesynonym	\definegraphictypesynonym [] []
definegridsnapping	\definegridsnapping [] []
defineheadalternative	\defineheadalternative [] [] [=]
definehelp	\definehelp [] [=]
definehigh	\definehigh [] [=]
definehighlight	\definehighlight [] [=]
definehspace	\definehspace [] []
definehypenationfeatures	\definehypenationfeatures [] [=]
defineindentedtext	\defineindentedtext [] [] [=]
defineindenting	\defineindenting [] []
defineinitial	\defineinitial [] [=]
defineinsertion	\defineinsertion [] [=]
defineinteraction	\defineinteraction [] [] [=]
defineinteractionbar	\defineinteractionbar [] [] [=]
defineinterfaceconstant	\defineinterfaceconstant {} {}
defineinterfaceelement	\defineinterfaceelement {} {}
defineinterfacevariable	\defineinterfacevariable {} {}
defineinterlinespace	\defineinterlinespace [] [] [=]
defineintermediatecolor	\defineintermediatecolor [] [] [=]
defineitemgroup	\defineitemgroup [] [=]
defineitems	\defineitems [] [=]
definelabelclass	\definelabelclass [] []
definelayer	\definelayer [] [=]
definelayerpreset	\definelayerpreset [] [=]
definelayerpreset:name	\definelayerpreset [] []
definelinefiller	\definelinefiller [] [=]
definelinenote	\definelinenote [] [=]
definelinenumbering	\definelinenumbering [] [=]
definelines	\definelines [] [=]
definelistalternative	\definelistalternative [] [] [=]
definelistextra	\definelistextra [] [=]
definelow	\definelow [] [=]
definelowhigh	\definelowhigh [] [=]
definelowmidhigh	\definelowmidhigh [] [=]
defineMPinstance	\defineMPinstance [] [=]
definemarginblock	\definemarginblock [] [=]
definemargindata	\definemargindata [] [=]
definemarker	\definemarker []
definemathaccent	\definemathaccent
definemathalignment	\definemathalignment [] [] [=]
definemathcases	\definemathcases [] [] [=]
definemathcommand	\definemathcommand [] [] {}
definemathdouble	\definemathdouble [] [] []
definemathdoubleextensible	\definemathdoubleextensible [] [] []
definemathematics	\definemathematics [] [=]
definemathextensible	\definemathextensible [] []
definemathfence	\definemathfence [] [=]
definemathfraction	\definemathfraction [] [=]
definemathframed	\definemathframed [] [] [=]
definemathmatrix	\definemathmatrix [] [] [=]
definemathornament	\definemathornament [] [=]
definemathover	\definemathover [] []
definemathoverextensible	\definemathoverextensible [] []
definemathovertextextensible	\definemathovertextextextensible [] []
definemathradical	\definemathradical [] [] [=]
definemathstackers	\definemathstackers [] [] [=]
definemathstyle	\definemathstyle []
definemathtriplet	\definemathtriplet [] []
definemathunder	\definemathunder [] []
definemathunderextensible	\definemathunderextensible [] []
definemathundertextextensible	\definemathundertextextensible [] []
definemathunstacked	\definemathunstacked [] []

1-6:	\4.6:
	\definemeasure [] []
definemessageconstant	\definemessageconstant {}
	\definemixedcolumns [] [=]
definemode	\definemode [] []
definemultitonecolor	\definemultitonecolor [] [=] [=]
definenamedcolor	\definenamedcolor [] [=]
definenamedcolor:name	\definenamedcolor [] []
definenamespace	\definenamespace [] [=]
definenarrower	\definenarrower [] [=]
definenote	\definenote [] [=]
defineornament:collector	\defineornament [] [=]
defineornament:layer	\defineornament [] [=]
defineoutputroutine	\defineoutputroutine [] [] [=]
defineoutputroutinecommand	\defineoutputroutinecommand []
<u>.</u>	\definepage [] []
	\definepagebreak [] []
	\definepagechecker [] [=]
definepagegrid	\definepagegrid [] [] [=]
definepagegridarea	\definepagegridarea [] [] [=]
definepagegridspan	\definepagegridspan [] [] [=]
definepageinjection	\definepageinjection [] [] [=]
definepageinjectional definepageinjectional ternative	\definepageinjectionalternative [] [=]
1 0 0	
	\definepageshift [] []
	\definepagestate [] [] [=]
definepairedbox	\definepairedbox [] [] [=]
defineparagraph	\defineparagraph [] [=]
defineparallel	\defineparallel [] []
	\defineparbuilder []
defineplacement	\defineplacement [] [=]
definepositioning	\definepositioning [] [=]
defineprefixset	\defineprefixset [] []
defineprocesscolor	\defineprocesscolor [] [=]
defineprocessor	\defineprocessor [] [=]
definepushbutton	\definepushbutton [] [=]
definepushsymbol	\definepushsymbol []
definerenderingwindow	\definerenderingwindow [] [] [=]
defineresetset	\defineresetset [] []
definescale	\definescale [] [=]
definescript	\definescript [] [=]
definesectionlevels	\definesectionlevels [] []
defineselector	\defineselector [] [=]
defineseparatorset	\defineseparatorset [] []
	\defineshift [] [=]
definesidebar	\definesidebar [] [=]
definesort	\definesort [] [] {}
	\definespotcolor [] [] [=]
	\definestyleinstance [] [] []
•	\definesubformula [] [] [=]
definesynonym	\definesynonym [] [] {} {}
	\definesystemattribute [] []
·	\definesystemattlibute [] \land \definesystemconstant \{\}
,	\definesystemconstant \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
•	\defineTABLEsetup [] [=]
defineTABLEsetup	
	\definetabulation [] []
	\definetextbackground [] [] [=]
	\definetextflow [] [=]
	\definetooltip [] [=]
	\definetransparency []
	\definetransparency [] [=]
· ·	\definetransparency [] []
•	\definetwopasslist {}
	\definetypeface [] [] [] [] [] []
	\definetypescriptprefix [] []
definetypescriptsynonym	\definetypescriptsynonym [] []
	\definetypesetting [] [=]
defineunit	\defineunit [] [=]
defineviewerlayer	\defineviewerlayer [] [=]
definevspace	\definevspace [] []
definevspacing	\definevspacing [] []
	\definevspacingamount [] []
	\definextable [] [=]
definisci	\definisci [] \ {}

definisciaccento	\definisciaccento
definisciambientefontdeltesto	\definisciambientefontdeltesto [] [] [=]
definisciblocco	\definisciblocco [] []
definiscibloccosezione	\definiscibloccosezione [] [=]
definiscibuffer	\definiscibuffer [] [] [=]
definiscicampo	\definiscicampo [] [] [] []
definiscicapoversi	\definiscicapoversi [] [=]
definiscicarattere	\definiscicarattere
definiscicolore	\definiscicolore [] [=]
definiscicolore:name	\definiscicolore [] []
definiscicomando	\definiscicomando
definisciconversione	\definisciconversione [] []
definisciconversione:list	\definisciconversione [] []
definiscidescrizione	\definiscidescrizione [] [] [=]
definiscidimensionicarta	\definiscidimensionicarta [] [=]
definiscidimensionicarta:name	\definiscidimensionicarta [] []
definiscielenco	\definiscielenco [] [=]
definiscielencocombinato	\definiscielencocombinato [] [=]
definiscienumerazione	\definiscienumerazione [] [] [=]
definiscietichetta	\definiscietichetta [] [] [=]
definiscifigurasimbolo	\definiscifigurasimbolo [] [] [=]
definiscifont	\definiscifont [] [=]
definiscifontdeltesto	\definiscifontdeltesto [] [] []
definiscifontdeltesto:argument	\definiscifontdeltesto [] [] []
definiscifont:argument	\definiscifont [] []
definisciformatoriferimento	\definisciformatoriferimento [] [=]
definiscigruppocolori	\definiscigruppocolori [] [x:y:z,]
definiscihbox	\definiscihbox [] []
definisciincorniciato	\definisciincorniciato [] [] [=]
definisciiniziatermina	\definisciiniziatermina [] [] [=]
definiscilayout	\definiscilayout [] [=]
definiscimakeup	\definiscimakeup [] [=]
definiscimarcatura	\definiscimarcatura [] [=]
definiscimenuinterazione	\definiscimenuinterazione [] [] [=]
definiscimodellotabella	\definiscimodellotabella [] [] []
definiscioggettomobile	\definiscioggettomobile [] [=]
definiscioggettomobile:name	\definiscioggettomobile [] []
definisciordinamento	\definisciordinamento [] []
definisciprofilo	\definisciprofilo [] [=]
definisciprogramma	\definisciprogramma [] []
definisciregistro	\definisciregistro [] [=]
definisciriferimento	\definisciriferimento [] []
definiscisezione	\definiscisezione []
definiscisimbolo	\definiscisimbolo [] []
definiscisinonimi	\definiscisinonimi [] [] []
definiscisinonimofont	\definiscisinonimofont [] [] [=]
definiscisottocampo	\definiscisottocampo [] []
definiscisovrapposizione	\definiscisovrapposizione [] []
definiscistackcampi	\definiscistackcampi [] [] [=]
definiscistile	\definiscistile [] [=]
definiscistilefont	\definiscistilefont [] []
definiscitabulato	\definiscitabulato [] []
definiscitavolozza	\definiscitavolozza [] [=] OPT
definiscitavolozza:name	\definiscitavolozza [] []
definiscitesta	\definiscitesta [] [=]
definiscitesto	\definiscitesto [] [] [] [] []
definiscitestoincorniciato	\definiscitestoincorniciato [] [] [=]
definiscitype	\definiscitype [] [] [=]
definiscityping	\definiscityping [] [=]
delimited	\delimited [] [] {}
delimitedtext	\delimitedtext [] [] {}
delimitedtext:instance	\DELIMITEDTEXT [] {}
delimitedtext:instance:aside	\aside [] {}
delimitedtext:instance:blockquote	\blockquote [] {}
delimitedtext:instance:quotation	\quotation [] {}
delimitedtext:instance:quote	\quote [] {}
delimitedtext:instance:speech	\speech [] {}
depthofstring	\depthofstring {}
depthonlybox	\depthonlybox {}
depthspanningtext	\depthspanningtext \{\ldots\} \\depthspanningtext \\depthspanningt
depthstrut	\depthstrut
descrizione:example	\DESCRIZIONE [] {} \par

	Maria
destra	\destra \determinacaratteristicheregistro [] [=]
determinacaratteristicheregistro determinacarattersticheelenco	\determinacaratteristicheelenco [] [=]
determinanumerotesta	\determinanumerotesta []
determinenoflines	\determinenoflines {}
devanagarinumerals	\devanagarinumerals {}
digits	\digits {}
digits:string	\digits
dimensiontocount	\dimensiontocount {} \
directboxfromcache	\directboxfromcache {} {}
directcolor	\directcolor []
directcolored	\directcolored [=]
directcolored:name	\directcolored []
directconvertedcounter	\directconvertedcounter \{\ldots\}
directcopyboxfromcache	\directcopyboxfromcache {} {}
directdummyparameter	\directdummyparameter {}
directgetboxllx	\directgetboxllx
directgetboxlly	\directgetboxlly
directhighlight directlocalframed	\directhighlight {} {} \directlocalframed [] {}
directluacode	\directluscode \{\ldots\}
directselect	\directiacode \(\(\cdot\)\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
directsetbar	\directsetbar {} OPT OPT OPT OPT OPT
directsetup	\directsetup {}
directsymbol	\directsymbol {} {}
directvspacing	\directvspacing {}
dis	\dis {}
disabledirectives	\disabledirectives []
disableexperiments	\disableexperiments []
disablemode	\disablemode []
disableoutputstream	\disableoutputstream
disableparpositions	\disableparpositions
disableregime	\disableregime
disabletrackers	\disabletrackers []
displaymath	\displaymath {}
displaymathematics	\displaymathematics {}
displaymessage	\displaymessage {}
distributedhsize	\distributedhsize \{\} \{\}
dividedsize	\dividedsize \{\} \{\}
doadaptleftskip	\doadaptleftskip {}
doadaptrightskip doaddfeature	\doadaptrightskip {} \doaddfeature {}
doassign	\doassign [] [=]
doassignempty	\doassignempty [] [=]
doboundtext	\doboundtext \{\} \\.\.\}
docheckassignment	\docheckassignment {}
docheckedpagestate	\docheckedpagestate \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
docheckedpair	\docheckedpair {}
documentvariable	\documentvariable {}
dodoubleargument	\dodoubleargument \ []
dodoubleargumentwithset	\dodoubleargumentwithset \ [] []
dodoubleempty	\dodoubleempty \ []
dodoubleemptywithset	\dodoubleemptywithset \ [] []
dodoublegroupempty	\dodoublegroupempty \ \{\}
doeassign	\doeassign [] [=]
doexpandedrecurse	\doexpandedrecurse {} {}
dofastloopcs	\dofastloopcs {} \
dogetattribute	\dogetattribute {}
dogetattributeid dogetcommacommandelement	\dogetattributeid {} \dogetcommacommandelement \from \to \
dogobbledoubleempty	\dogobbledoubleempty [] []
dogobblesingleempty	\dogobblesingleempty []
doif	\doif {} {}
doifallcommon	\doifallcommon {} {}
doifallcommonelse	\doifallcommonelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifalldefinedelse	\doifalldefinedelse {} {} {}
doifallmodes	\doifallmodes {} {}
doifallmodeselse	\doifallmodeselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifassignmentelse	\doifassignmentelse $\{\}$ $\{\}$
doifblackelse	\doifblackelse $\{\}$ $\{\}$
doifbothsides	\doifbothsides \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifbothsidesoverruled	\doifbothsidesoverruled $\{\ldots\}$ $\{\ldots\}$

	\
doifboxelse	\doifboxelse \{\} \{\}
doifbufferelse	\doifbufferelse \{\} \{\}
doifcolor	\doifcolor {} {}
doifcolorelse	\doifcolorelse {} {} {}
doifcommandhandler	\doifcommandhandler \ \{\} \\\
doifcommandhandlerelse	\doifcommandhandlerelse \ \{\} \{\}
doifcommon	\doifcommon \{\} \{\}
doifcommonelse	\doifcommonelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifcontent doifconversiondefinedelse	\doifcontent {} {} \ {}
doifconversionnumberelse	\doifconversiondefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifcounter	\doifconversionnumberelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifcounterelse	\doifcounter \(\lambda \\) \\doifcounterelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifcurrentfonthasfeatureelse	\doifcurrentfonthasfeatureelse \{\ldots\} \\\.\}
doifdefined	\doifdefined \{\ldots\} \\\
doifdefinedcounter	\doifdefinedcounter \{\ldots\\} \\\
doifdefinedcounterelse	\doifdefinedcounterelse \{\ldots\} \\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdefinedelse	\doifdefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdimensionelse	\doifdimensionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdimenstringelse	\doifdimenstringelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifdocumentargument	\doifdocumentargument {} {}
doifdocumentargumentelse	\doifdocumentargumentelse {} {} {}
doifdocumentfilename	\doifdocumentfilename {} {}
doifdocumentfilenameelse	\doifdocumentfilenameelse {} {} {}
doifdrawingblackelse	\doifdrawingblackelse {} {}
doifelse	\doifelse {} {} {}
doifelseallcommon	\doifelseallcommon {} {} {}
doifelsealldefined	\doifelsealldefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseallmodes	\doifelseallmodes \{\ldots\} \\\.\\\
doifelseassignment	\doifelseassignment \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseblack	\doifelseblack \{\ldots\} \\ \\.\\\
doifelsebox	\doifelsebox {} {} {}
doifelseboxincache	\doifelseboxincache {} {} {} {}
doifelsebuffer	\doifelsebuffer \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsecolor	\doifelsecolor {} {} {}
doifelsecommandhandler	\doifelsecommandhandler \ \{\} \{\}
doifelsecommon	\doifelsecommon {} {} {} {}
doifelsecommon doifelseconversiondefined	
	\doifelsecommon $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
doifelseconversiondefined	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:
doifelseconversiondefined doifelseconversionnumber	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:
doifelseconversiondefined doifelseconversionnumber doifelsecounter	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:
doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:
doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:
doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:
doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused	\doifelsecommon \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefinedcounter doifelsedimension	\doifelsecommon \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedimenstring	\doifelsecommon \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedimenstring doifelsedocumentargument	<pre>\doifelsecommon {} {} {} {} \doifelseconversiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymused {} {} \doifelsedefined {} {} {} \doifelsedefinedcounter {} {} {} \doifelsedimension {} {} {} \doifelsedimenstring {} {} {} \doifelsedocumentargument {} {} {}</pre>
doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedocumentargument doifelsedocumentfilename	<pre>\doifelsecommon {} {} {} {} \doifelseconversiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymused {} {} \doifelsedefined {} {} {} \doifelsedefinedcounter {} {} {} \doifelsedimension {} {} {} \doifelsedimenstring {} {} {} \doifelsedocumentargument {} {} {} \doifelsedocumentfilename {} {} {}</pre>
doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedefinedsounter doifelsedimension doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack	<pre>\doifelsecommon {} {} {} {} \doifelseconversiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymsed {} {} \doifelsedefined {} {} {} \doifelsedefinedcounter {} {} {} \doifelsedimension {} {} {} \doifelsedimenstring {} {} {} \doifelsedocumentargument {} {} {} \doifelsedocumentfilename {} {} {} \doifelsedrawingblack {} {}</pre>
doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedefinedsounter doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseempty	<pre>\doifelsecommon {} {} {} {} \doifelseconversiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymsed {} {} \doifelsedefined {} {} {} \doifelsedefinedcounter {} {} {} \doifelsedimension {} {} {} \doifelsedimenstring {} {} {} \doifelsedocumentargument {} {} {} \doifelsedorawingblack {} {} \doifelsedempty {} {}</pre>
doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedefinedsounter doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseempty doifelseemptyvalue	<pre>\doifelsecommon {} {} {} {} \doifelseconversiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymsed {} {} \doifelsedefined {} {} {} \doifelsedimension {} {} {} \doifelsedimenstring {} {} {} \doifelsedocumentargument {} {} {} \doifelsedocumentfilename {} {} {} \doifelsedrawingblack {} {} \doifelseempty {} {} {} \doifelseemptyvalue {} {} {</pre>
doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedefinedsounter doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvariable	<pre>\doifelsecommon {} {} {} {} \doifelseconversiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecounter fonthasfeature {} {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymsed {} {} \doifelsedefined {} {} {} \doifelsedefinedcounter {} {} {} \doifelsedimenstring {} {} {} \doifelsedocumentargument {} {} {} \doifelsedocumentfilename {} {} {} \doifelsedrawingblack {} {} \doifelseempty {} {} {} \doifelseemptyvariable {} {} {} \</pre>
doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsyntingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedefinedsounter doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseemptyvalue doifelseemptyvalue doifelseemptyvariable doifelseenv	\doifelsecommon \{\} \{\} \{\} \doifelseconversiondefined \{\} \{\} \doifelseconversionnumber \{\} \{\} \doifelseconversionnumber \{\} \{\} \doifelsecounter \{\} \{\} \doifelsecurrentfonthasfeature \{\} \{\} \doifelsecurrentsortingused \{\} \{\} \doifelsecurrentsynonymshown \{\} \{\} \doifelsecurrentsynonymused \{\} \{\} \doifelsedefined \{\} \{\} \{\} \doifelsedefinedcounter \{\} \{\} \doifelsedimenstring \{\} \{\} \doifelsedocumentargument \{\} \{\} \doifelsedocumentfilename \{\} \{\} \doifelsedrawingblack \{\} \{\} \doifelseemptyvalue \{\} \{\} \doifelseemptyvariable \{\} \{\} \doifelseemptyvariable \{\} \{\} \doifelseenv \{\} \{\}
doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsyntingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedefinedsounter doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseemptyvalue doifelseemptyvariable doifelseenv doifelsefastoptionalcheck	\doifelsecommon \{\} \{\} \{\} \doifelseconversiondefined \{\} \{\} \doifelseconversionnumber \{\} \{\} \doifelseconversionnumber \{\} \{\} \doifelsecounter \{\} \{\} \doifelsecurrentfonthasfeature \{\} \{\} \doifelsecurrentsortingused \{\} \{\} \doifelsecurrentsynonymshown \{\} \{\} \doifelsecurrentsynonymused \{\} \{\} \doifelsedefined \{\} \{\} \doifelsedefinedcounter \{\} \{\} \doifelsedimension \{\} \{\} \doifelsedimenstring \{\} \{\} \doifelsedocumentfilename \{\} \{\} \doifelsedrawingblack \{\} \{\} \doifelseemptyvalue \{\} \{\} \doifelseemptyvariable \{\} \{\} \doifelseenv \{\} \{\} \doifelsefastoptionalcheck \{\} \{\}
doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedefinedsounter doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvariable doifelseenv doifelsefastoptionalcheck doifelsefastoptionalcheck	\doifelsecommon \{\} \{\} \{\} \doifelseconversiondefined \{\} \{\} \doifelseconversionnumber \{\} \{\} \doifelseconversionnumber \{\} \{\} \doifelsecounter \{\} \{\} \doifelsecurrentfonthasfeature \{\} \{\} \doifelsecurrentsortingused \{\} \{\} \doifelsecurrentsynonymshown \{\} \{\} \doifelsecurrentsynonymsed \{\} \{\} \doifelsedefined \{\} \{\} \doifelsedfinedcounter \{\} \{\} \doifelsedinenstring \{\} \{\} \doifelsedinenstring \{\} \{\} \doifelsedocumentfilename \{\} \{\} \doifelsedrawingblack \{\} \{\} \doifelseemptyvalue \{\} \{\} \doifelseemptyvariable \{\} \{\} \doifelsefastoptionalcheck \{\} \{\} \doifelsefastoptionalcheck \{\} \{\}
doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedefinedsounter doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvalue doifelseenv doifelsefastoptionalcheck doifelsefastoptionalcheck doifelsefieldbody	\doifelsecommon \{\} \{\} \{\} \doifelseconversiondefined \{\} \{\} \doifelseconversionnumber \{\} \{\} \doifelseconversionnumber \{\} \{\} \doifelsecounter \{\} \{\} \doifelsecurrentfonthasfeature \{\} \{\} \doifelsecurrentsortingused \{\} \{\} \doifelsecurrentsynonymshown \{\} \{\} \doifelsecurrentsynonymsed \{\} \{\} \doifelsedefined \{\} \{\} \doifelsedfinedcounter \{\} \{\} \doifelsedinension \{\} \{\} \doifelsedinenstring \{\} \{\} \doifelsedocumentargument \{\} \{\} \doifelsedrawingblack \{\} \{\} \doifelseemptyvalue \{\} \{\} \doifelseemptyvariable \{\} \{\} \doifelsefastoptionalcheck \{\} \{\} \doifelsefastoptionalchecks \\\ \\ \doifelsefieldbody \{\} \{\} \{\}
doifelseconversiondefined doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedefinedsounter doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvalue doifelseenv doifelsefastoptionalcheck doifelsefastoptionalcheck doifelsefieldbody doifelsefieldcategory	<pre>\doifelsecommon {} {} {} {} \doifelseconversiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymsed {} {} \doifelsedefined {} {} {} \doifelsedefinedcounter {} {} \doifelsedinenstring {} {} {} \doifelsedocumentargument {} {} {} \doifelsedocumentfilename {} {} {} \doifelsedrawingblack {} {} \doifelseemptyvalue {} {} {} \doifelseemptyvariable {} {} {} \doifelsefastoptionalcheck {} {} \doifelsefastoptionalcheck {} {} \doifelsefieldbody {} {} {} \doifelsefieldcategory {} {} {} \doifelsefieldcat</pre>
doifelseconversiondefined doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedefinedsounter doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvalue doifelseenv doifelsefastoptionalcheck doifelsefieldcategory doifelsefigure	<pre>\doifelsecommon {} {} {} {} \doifelseconversiondefined {} {} {} \doifelseconversionnumber {} {} {} \doifelsecounter {} {} {} \doifelsecurrentfonthasfeature {} {} \doifelsecurrentsortingused {} {} \doifelsecurrentsynonymshown {} {} \doifelsecurrentsynonymsed {} {} \doifelsedefined {} {} {} \doifelsedefinedcounter {} {} {} \doifelsedimension {} {} {} \doifelsedimenstring {} {} {} \doifelsedocumentargument {} {} {} \doifelsedrawingblack {} {} \doifelseemptyvariable {} {} {} \doifelseemptyvariable {} {} {} \doifelsefastoptionalcheck {} {} \doifelsefastoptionalcheck {} {} \doifelsefieldcategory {} {} {} \doifelsefieldsefieldcategory {} {} {} \doifelsefieldsefigure {} {} {} \doifelsefigure {} {} {} \do</pre>
doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedefinedsounter doifelsedimenstring doifelsedocumentargument doifelsedocumentilename doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvalue doifelsefastoptionalcheck doifelsefastoptionalcheck doifelsefieldbody doifelsefigure doifelsefile	\doifelsecommon \{\} \{\} \{\} \doifelseconversiondefined \{\} \{\} \doifelseconversionnumber \{\} \{\} \doifelsecounter \{\} \{\} \doifelsecurrentfonthasfeature \{\} \{\} \doifelsecurrentsortingused \{\} \{\} \doifelsecurrentsynonymshown \{\} \{\} \doifelsecurrentsynonymsed \{\} \{\} \doifelsedefined \{\} \{\} \doifelsedefinedcounter \{\} \{\} \doifelsedimension \{\} \{\} \doifelsedimenstring \{\} \{\} \doifelsedocumentargument \{\} \{\} \doifelsedrawingblack \{\} \{\} \doifelseemptyvariable \{\} \{\} \doifelseemptyvariable \{\} \{\} \doifelsefastoptionalcheck \{\} \{\} \doifelsefisefieddody \{\} \{\} \doifelsefieldsefigure \{\} \{\} \doifelsefieldsefigure \{\} \{\} \doifelsefielsefield \{\} \{\} \doifelsefielsefield \{\} \{\} \doifelsefielsefield \{\} \{\} \doifelsefielsefield \{\} \{\} \doifelsefieldsefield \{\} \{\} \doifelsefieldsefield \{\} \{\} \doifelsefielsefield \{\} \{\} \doifelsefieldsefield \{\} \{\} \doifelsefielsefield \{\} \{\} \doifelsefielsefield \{\} \{\} \{\}
doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedefinedsounter doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvalue doifelsefastoptionalcheck doifelsefastoptionalcheck doifelsefieldbody doifelsefigure doifelsefile doifelsefile doifelsefile doifelsefiledefined	\doifelsecommon \{\} \{\} \{\} \doifelseconversiondefined \{\} \{\} \doifelseconversionnumber \{\} \{\} \doifelsecounter \{\} \{\} \doifelsecounter \{\} \{\} \doifelsecurrentfonthasfeature \{\} \{\} \doifelsecurrentsortingused \{\} \{\} \doifelsecurrentsynonymshown \{\} \{\} \doifelsecurrentsynonymsed \{\} \{\} \doifelsedefined \{\} \{\} \doifelsedefinedcounter \{\} \{\} \doifelsedimension \{\} \{\} \doifelsedimenstring \{\} \{\} \doifelsedocumentargument \{\} \{\} \doifelsedorifelsedocumentfilename \{\} \{\} \doifelsempty \{\} \{\} \doifelsemptyvariable \{\} \{\} \doifelsemptyvariable \{\} \{\} \doifelsefisefastoptionalcheck \{\} \{\} \doifelsefisefieldcategory \{\} \{\} \doifelsefieldsefieldcategory \{\} \{\} \doifelsefieldsefield \{\} \{\} \doifelsefieldsefield \{\} \{\} \doifelsefieldsefield \{\} \{\} \doifelsefieldsefieldefined \{\} \{\} \doifelsefieldsefieldefined \{\} \{\} \doifelsefieldsefieldefined \{\} \{\} \doifelsefieldsefieldefined \{\} \{\}
doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedefinedsounter doifelsedimension doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvalue doifelseenv doifelsefastoptionalcheck doifelsefieldbody doifelsefieldcategory doifelsefile doifelsefile doifelsefileexists	\doifelsecommon \{\} \{\} \{\} \\doifelseconversiondefined \{\} \{\} \\doifelseconversionnumber \{\} \{\} \\doifelseconversionnumber \{\} \{\} \\doifelsecounter \{\} \{\} \\doifelsecurrentfonthasfeature \{\} \{\} \\doifelsecurrentsortingused \{\} \{\} \\doifelsecurrentsynonymshown \{\} \\doifelsecurrentsynonymshown \{\} \\doifelsedefined \{\} \{\} \\doifelsedefinedcounter \{\} \{\} \\doifelsedefinedcounter \{\} \{\} \\doifelsedifelsedimension \{\} \{\} \\doifelsedifelsedocumentargument \{\} \{\} \\doifelsedifelsedocumentfilename \{\} \{\} \\doifelsedifelsempty \{\} \{\} \\doifelsemptyvariable \{\} \{\} \\doifelsemptyvariable \{\} \{\} \\doifelsefieldody \{\} \{\} \\doifelsefieldody \{\} \{\} \\doifelsefieldcategory \{\} \{\} \\doifelsefieldcategory \{\} \{\} \\doifelsefieldefined \{\} \{\} \\doifelsefieldefieldefined \{\} \{\} \\
doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedimension doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseenv doifelsefastoptionalcheck doifelsefieldbody doifelsefieldcategory doifelsefile doifelsefile doifelsefile doifelsefile doifelsefile doifelsefile doifelsefile doifelsefile doifelsefile doifelsefilesexists doifelsefirstchar	\doifelsecommon \{\} \{\} \{\} \doifelseconversiondefined \{\} \{\} \doifelseconversionnumber \{\} \{\} \doifelsecounter \{\} \{\} \doifelsecurrentfonthasfeature \{\} \{\} \doifelsecurrentsortingused \{\} \{\} \doifelsecurrentsynonymshown \{\} \{\} \doifelsecurrentsynonymsed \{\} \{\} \doifelsedefined \{\} \{\} \doifelsedefinedcounter \{\} \{\} \doifelsedimension \{\} \{\} \doifelsedimenstring \{\} \{\} \doifelsedocumentargument \{\} \{\} \doifelsedrawingblack \{\} \{\} \doifelseemptyvariable \{\} \{\} \doifelseemptyvariable \{\} \{\} \doifelsefisefisetoptionalchecks \{\} \{\} \doifelsefisefisetoptionalchecks \{\} \{\} \doifelsefisefieldcategory \{\} \{\} \doifelsefilesefiledefined \{\} \{\} \doifelsefilesefiledefined \{\} \{\} \doifelsefilesefiledefined \{\} \{\} \doifelsefilesefiledefined \{\} \{\} \doifelsefilesefileseined \{\} \{\} \{\} \doifelsefilesefilesined \{\} \{\} \{\} \doifelsefilesefileseined \{\} \{\} \{\} \doifelsefilesefileseined \{\} \{\} \{\}
doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvariable doifelsefastoptionalcheck doifelsefieldbody doifelsefieldcategory doifelsefile doifelsefile doifelsefileexists doifelsefilesefilegged	\doifelsecommon \{\} \\\\} \\\\} \\\\} \\\\} \\\} \\\} \\\\} \\\\} \\\\} \\\\} \\\} \\\\} \\\} \\\\} \\\\} \\\} \\\\} \\\\} \\\} \\\} \\\\\$ \\\\} \\\\\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\} \\\\\\\} \\\\} \\\\\\\\\\\\\\\\\\\} \\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedimenstring doifelsedocumentargument doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvariable doifelsefastoptionalcheck doifelsefieldcategory doifelsefiledefined doifelsefiledefined doifelsefileserists doifelsefileserists doifelsefileseflagged doifelseflagged	\doifelsecommon \{\} \\\\} \\\\} \\\\} \\\\} \\\} \\\} \\\\} \\\\} \\\} \\\} \\\\} \\\\} \\\\} * \\
doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefinedcounter doifelsedimension doifelsedocumentargument doifelsedrawingblack doifelseempty doifelseemptyvalue doifelseemptyvariable doifelsefastoptionalcheck doifelsefisefieldcategory doifelsefigure doifelsefile doifelsefile doifelsefileseintsts doifelseflagged doifelsefontchar doifelsefontfeature	\doifelsecommon \{\} \\\\} \\\\} \\\\} \\\\} \\\} \\\} \\\} \\\\} * \\\
doifelseconversionnumber doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedimension doifelsedimenstring doifelsedocumentargument doifelsedocumentfilename doifelsedrawingblack doifelseemptyvalue doifelseemptyvariable doifelseenv doifelsefastoptionalcheck doifelsefieldbody doifelsefieldcategory doifelsefile doifelsefile doifelsefile doifelsefile doifelsefilestits doifelsefilescits doifelsefilescits doifelseflagged doifelsefontfeature doifelsefontpresent	\doifelsecommon \{\} \{\} \{\} \\ \doifelseconversiondefined \{\} \{\} \\ \doifelseconversionnumber \{\} \{\} \\ \doifelsecounter \{\} \{\} \\ \doifelsecurrentfonthasfeature \{\} \{\} \\ \doifelsecurrentsortingused \{\} \{\} \\ \doifelsecurrentsynonymshown \{\} \{\} \\ \doifelsedefined \{\} \{\} \\ \doifelsedfinedcounter \{\} \{\} \\ \doifelsedimension \{\} \{\} \\ \doifelsedocumentargument \{\} \{\} \\ \doifelsedocumentfilename \{\} \{\} \\ \doifelsempty \{\} \{\} \\ \doifelsemptyvariable \{\} \{\} \\ \doifelsefinedcoute \{\} \{\} \\ \doifelsefinedcoute \{\} \{\} \\ \doifelsemptyvariable \{\} \{\} \\ \doifelsefinedcotek \{\} \{\} \\ \doife
doifelseconversiondefined doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedfined doifelsedfined doifelsedimension doifelsedimenstring doifelsedcumentargument doifelsedcumentfilename doifelsedrawingblack doifelseemptyvalue doifelseemptyvariable doifelseenv doifelsefastoptionalcheck doifelsefieldbody doifelsefieldcategory doifelsefiledefined doifelsefileexists doifelsefileseintchar doifelsefontfeature doifelsefontpresent doifelsefontsynonym	\doifelsecommon \{\} \{\} \{\} \\ \doifelseconversiondefined \{\} \{\} \{\} \\ \doifelseconversionnumber \{\} \{\} \{\} \\ \doifelsecounter \{\} \{\} \\ \doifelsecurrentfonthasfeature \{\} \{\} \\ \doifelsecurrentsortingused \{\} \{\} \\ \doifelsecurrentsynonymshown \{\} \{\} \\ \doifelsedefined \{\} \{\} \\ \doifelsedefined \{\} \{\} \\ \doifelsedinenstring \{\} \{\} \\ \doifelsedinenstring \{\} \{\} \\ \doifelsedocumentargument \{\} \{\} \\ \doifelsedocumentfilename \{\} \{\} \\ \doifelseempty \{\} \{\} \\ \doifelseemptyvalue \{\} \{\} \\ \doifelseemptyvariable \{\} \{\} \\ \doifelsefisetatoptionalcheck \{\} \{\} \\ \doifelsefisetieldcategory \{\} \{\} \\ \doifelsefiledefined \{
doifelseconversiondefined doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedefined doifelsedefined doifelsedefined doifelsedimension doifelsedocumentargument doifelsedocumentilename doifelsedrawingblack doifelseemptyvalue doifelseemptyvariable doifelsefastoptionalcheck doifelsefisedoty doifelsefieldbody doifelsefieldcategory doifelsefiledefined doifelsefileexists doifelsefilesexists doifelsefilesexists doifelsefilesexists doifelseflagged doifelsefontchar doifelsefontpresent doifelsefontsynonym doifelsefontsynonym doifelsehasspace	\doifelsecommon \{\} \\\\} \\\.\\\\.\\\\\\\\\\\\\
doifelseconversiondefined doifelsecounter doifelsecurrentfonthasfeature doifelsecurrentsortingused doifelsecurrentsynonymshown doifelsecurrentsynonymused doifelsedfined doifelsedfined doifelsedimension doifelsedimenstring doifelsedcumentargument doifelsedcumentfilename doifelsedrawingblack doifelseemptyvalue doifelseemptyvariable doifelseenv doifelsefastoptionalcheck doifelsefieldbody doifelsefieldcategory doifelsefiledefined doifelsefileexists doifelsefileseintchar doifelsefontfeature doifelsefontpresent doifelsefontsynonym	\doifelsecommon \{\} \{\} \{\} \\ \doifelseconversiondefined \{\} \{\} \{\} \\ \doifelseconversionnumber \{\} \{\} \{\} \\ \doifelsecounter \{\} \{\} \\ \doifelsecurrentfonthasfeature \{\} \{\} \\ \doifelsecurrentsortingused \{\} \{\} \\ \doifelsecurrentsynonymshown \{\} \{\} \\ \doifelsecurrentsynonymused \{\} \{\} \\ \doifelsedefined \{\} \{\} \\ \doifelsedefinedcounter \{\} \{\} \\ \doifelsedimenstring \{\} \{\} \\ \doifelsedimenstring \{\} \{\} \\ \doifelsedocumentfilename \{\} \{\} \\ \doifelsedrawingblack \{\} \{\} \\ \doifelseemptyvalue \{\} \{\} \\ \doifelseemptyvariable \{\} \{\} \\ \doifelsefisetatoptionalcheck \{\} \{\} \\ \doifelsefisetieldcategory \{\} \{\} \\ \doifelsefiledefined \{\} \{\} \\ \doifelsefiledefiledefined \{\} \{\} \\ \

doifelseinelement	\doifelseinelement \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseinputfile doifelseinsertion	\doifelseinputfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseinset	\doifelseinset \{\} \\\.\.\\ \\.\.\} \\\.\.\\
doifelseinstring	\doifelseinstring \{\} \{\} \{\}
doifelseinsymbolset	\doifelseinsymbolset \{\ldots\} \\ \\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseintoks	\doifelseintoks {} {} {}
doifelseintwopassdata	\doifelseintwopassdata $\{\}$ $\{\}$ $\{\}$
doifelseitalic	\doifelseitalic {} {}
doifelselanguage	\doifelselanguage $\{\}$ $\{\}$
doifelselayerdata	\doifelselayerdata $\{\}$ $\{\}$
doifelselayoutdefined	\doifelselayoutdefined \{\ldots\} \{\ldots\}
doifelselayoutsomeline	\doifelselayoutsomeline \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelselayouttextline	\doifelselayouttextline \{\ldots\} \\\.\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseleapyear doifelselist	\doifelseleapyear {} {} {} \doifelselist {} {}
doifelselocation	\doifelselocation \{\} \{\}
doifelselocfile	\doifelselocfile \{\} \{\}
doifelseMPgraphic	\doifelseMPgraphic \{\} \{\}
doifelsemainfloatbody	\doifelsemainfloatbody {} {}
doifelsemarkedpage	\doifelsemarkedpage {} {}
doifelsemarking	\doifelsemarking {} {}
doifelsemeaning	\doifelsemeaning \ \ \ \}
doifelsemessage	\doifelsemessage $\{\}$ $\{\}$ $\{\}$
doifelsemode	\doifelsemode $\{\}$ $\{\}$
doifelsenextbgroup	\doifelsenextbgroup {} {}
doifelsenextbgroupcs	\doifelsenextbgroupcs \ \
doifelsenextchar	\doifelsenextchar \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsenextoptional	\doifelsenextoptional \{\doifelsenextoptional \{\doife
doifelsenextoptionalcs	\doifelsenextoptionalcs \ \
doifelsenextparenthesis	\doifelsenextparenthesis {} {}
doifelsenonzeropositive	\doifelsenonzeropositive \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsenoteonsamepage doifelsenothing	\doifelsenoteonsamepage \(\cdot\); \(\cdot\); \(\cdot\)
doifelsenumber	\doifelsenumber \{\} \{\}
doifelseobjectfound	\doifelseobjectfound \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseobjectreferencefound	\doifelseobjectreferencefound {} {} {} {}
doifelseoddpage	\doifelseoddpage {} {}
doifelseoddpagefloat	$\doint \{\}$
doifelseoldercontext	\doifelseoldercontext \{\ldots\} \{\ldots\}
doifelseolderversion	\doifelseolderversion $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
doifelseoverlapping	\doifelseoverlapping \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
doifelseoverlay	\doifelseoverlay \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseparallel	\doifelseparallel {} {} {}
doifelseparentfile	\doifelseparentfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsepath doifelsepathexists	\doifelsepath \{\} \{\} \\doifelsepathexists \{\} \{\}
doifelsepatterns	\doifelsepatterns \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelseposition	\doifelseposition \{\} \{\}
doifelsepositionaction	\doifelsepositionaction \{\ldots\} \\ \ldots\}
doifelsepositiononpage	\doifelsepositiononpage \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}
doifelsepositionsonsamepage	\doifelsepositionsonsamepage {} {} {}
doifelsepositionsonthispage	\doifelsepositionsonthispage {} {} {}
doifelsepositionsused	\doifelsepositionsused $\{\ldots\}$ $\{\ldots\}$
doifelsereferencefound	\doifelsereferencefound $\{\ldots\}$ $\{\ldots\}$
doifelserightpagefloat	\doifelserightpagefloat {} {}
doifelserighttoleftinbox	\doifelserighttoleftinbox \{\} \{\}
doifelsesamelinereference	\doifelsesamelinereference \{\ldots\} \{\ldots\} \{\ldots\}
doifelsesamestring	\doifelsesamestring \{\} \{\} \{\}
doifelsesetups	\doifelsesetups \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsesomebackground	\doifelsesomebackground \{\ldots\} \\\.\\\
doifelsesomespace doifelsesomething	\doifelsesomespace \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsesometoks	\doifelsesomething \ldots \ldo
doifelsestringinstring	\doifelsestringinstring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifelsestructurelisthasnumber	\doifelsestructurelisthasnumber \{\ldots\} \\
doifelsestructurelisthaspage	\doifelsestructurelisthaspage {} {}
doifelsesymboldefined	\doifelsesymboldefined \{\ldots\} \{\ldots\}
doifelsesymbolset	\doifelsesymbolset {} {}
doifelsetext	\doifelsetext {} {} {}
doifelsetextflow	\doifelsetextflow $\{\ldots\}$ $\{\ldots\}$
1 (() 7 () () () () () () ()	
doifelsetextflowcollector	\doifelsetextflowcollector \{\ldots\} \{\ldots\}

doifelsetopofpage	\doifelsetopofpage {} {}
doifelsetypingfile	\doifelsetypingfile {} {} {}
doifelseundefined	\doifelseundefined {} {} {}
doifelseurldefined	\doifelseurldefined {} {} {}
doifelsevalue	\doifelsevalue {} {} {}
doifelsevaluenothing	\doifelsevaluenothing $\{\ldots\}$ $\{\ldots\}$
doifelsevariable	\doifelsevariable {} {} {}
doifempty	\doifempty {} {}
doifemptyelse	\doifemptyelse {} {}
doifemptytoks	\doifemptytoks \ {}
doifemptyvalue	\doifemptyvalue {} {}
doifemptyvalueelse	\doifemptyvalueelse {} {} {}
doifemptyvariable	\doifemptyvariable \{\ldots\} \{\ldots\}
doifemptyvariableelse	\doifemptyvariableelse \{\} \{\} \{\}
doifenv	\doifenv {} {}
doifenvelse	\doifenvelse {} {} {}
doiffastoptionalcheckcselse	\doiffastoptionalcheckcselse \ \
doiffastoptionalcheckelse	\doiffastoptionalcheckelse {} {}
doiffieldbodyelse	\doiffieldbodyelse {} {} {}
doiffieldcategoryelse	\doiffieldcategoryelse \{\ldots\} \\\.\}
doiffigureelse	\doiffigureelse {} {} {}
doiffile	\doiffile {} {}
doiffiledefinedelse	\doiffiledefinedelse \{\ldots\} \\\.\}
doiffileelse	\doiffileelse \{\doiffileelse
doiffileexistselse	\doiffileexistselse \{\} \{\}
doiffirstcharelse	\doiffirstcharelse \{\ldots\} \\\ \ldots\} \\\ \\ \ldots\} \\\ \ldots\} \\ \ldots\} \\\ \ldots\} \\\ \ldots\} \\\ \ldots\} \\\ \ldots\} \\ \ldots\} \\\ \ldots\} \\\ \ldots\} \\\ \ldots\} \\\ \ldots\} \\ \ldots\} \\\ \ldots\} \\\ \ldots\} \\\ \ldots\} \\\ \ldots\} \\ \ldots\} \\\ \ldots\} \\\ \ldots\} \\\ \ldots\} \\\ \ldots\} \\ \ldots\} \\ \ldots\} \\\ \ldots\} \\\ \ldots\} \\\ \ldots\} \\
doifflaggedelse	\doifflaggedelse {} {} {}
doiffontcharelse	\doiffontcharelse \\\\} \\\\} \\\\}
doiffontfeatureelse	\doiffontfeatureelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffontpresentelse	\doiffontpresentelse \{\ldots\} \\\.\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiffontsynonymelse	\doiffontsynonymelse \{\ldots\} \\\.\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifhasspaceelse	\doifhasspaceelse \{\ldots\} \\\.\}
doifhelpelse	\doifhelpelse \{\ldots\} \\doiffing \text{and } \ldots\}
doifincsnameelse	\doifincsnameelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinelementelse	\doifinelementelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinputfileelse	\doifinputfileelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinsertionelse	\doifinsertionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinset	\doifinset \{\} \{\}
doifinsetelse	\doifinsetelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinstring	\doifinstring \{\} \{\}
doifinstringelse	\doifinstringelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifinsymbolset	\doifinsymbolset \{\ldots\} \{\ldots\} \{\ldots\} \\
doifinsymbolsetelse	\doifinsymbolsetelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifintokselse	\doifintokselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifintwopassdataelse	\doifintwopassdataelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifitalicelse	\doifitalicelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiflanguageelse	\doiflanguageelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiflayerdataelse	\doiflayerdataelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiflayoutdefinedelse	\doiflayoutdefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiflayoutsomelineelse	\doiflayoutsomelineelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doiflagouttextlineelse	\doifloopyoorelgo \ \doifloopyoorelgo \ \ \doifloopyoorelgo \ \ \doifloopyoorelgo \ \doifloopyoopyoorelgo \ \doifloopyoopyoopyoopyoopyoopyoopyoopyoopyoop
doifleapyearelse	\doifleapyearelse \{\ldots\} \\doifleapyearelse \{\ldots\} \doifleapyearelse \{\ldots\} \doifleapyearelse \{\ldots\} \doifleap
doiflistelse	\doiflistelse \{\} \{\}
doiflocationelse	\doiflocationelse \{\ldots\} \\doiflocationelse \{\ldots\}
doiflocfileelse	\doiflocfileelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifMPgraphicelse	\doifMPgraphicelse \{\ldot\lambda} \\ \doifmainfleathodyslas \{\ldot\lambda} \\
doifmainfloatbodyelse	\doifmainfloatbodyelse {} {}
doifmarkingelse	\doifmarkingelse {} {} {}
doifmeaningelse	\doifmeaningelse \ \ \{} \{}
doifmessageelse	\doifmessageelse \{\} \{\} \{\}
doifmode	\doifmode {} {}
doifmodeelse	\doifnorthgroupsgalga \
doifnextbgroupcise	\doifnextbgroupcles \ \
doifnextbgroupelse	\doifnextbgroupelse {} {}
doifnextcharelse	\doifnextcharelse {} {} {}
doifnextoptionalcselse	\doifnextoptionalcselse \ \
doifnextoptionalelse	\doifnextoptionalelse \{\ldots\} \\doifnextoptionalelse \{\ldots\}
doifnextparenthesiselse	\doifnextparenthesiselse \{\doifnextparenthesiselse \}\doifnextparenthesiselse \{\doifnextparenthesiselse \{\doifnextparenthesiselse \{\doifnextparenthesiselse \{\doifnextparenthesiselse \{\doifnextparenthesiselse \{\doifnextparenthesiselse \}\doifnextparenthesiselse \{\doifnextparenthesiselse \{\doifnextparenthesiselse \}\doifnextparenthesiselse \{\doifnextparenthesiselse \{\doifnextparenthesiselse \}\doifnextparenthesiselse \{\doifnextparenthesiselse \}\doifnextparenthesiselse \{\doifnextparenthesiselse \}\doifnextparenthesiselse \{\doifnextparenthesiselse \{\doifnextparenthesiselse \}\doifnextparenthesiselse \}\doifnextparenthesiselse \{\doifnextparenthesise
doifnonzeropositiveelse	\doifnonzeropositiveelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnot	\doifnot \{\ldots\} \\doifnot \doifnot \\doifnot \\doifn
doifnotallcommon	\doifnotallcommon \\\\} \\\}
doifnotallmodes	\doifnotallmodes \{\ldots\} \{\ldots\} \\

doifnotcommandhandler	\doifnotcommandhandler \ \{\} \{\}
doifnotcommon	\doifnotcommon $\{\}$ $\{\}$
doifnotcounter	\doifnotcounter {} {}
doifnotdocumentargument	\doifnotdocumentargument {} {}
doifnotdocumentfilename	$ {}$
doifnotempty	\doifnotempty {} {}
doifnotemptyvalue	\doifnotemptyvalue {} {}
doifnotemptyvariable	\doifnotemptyvariable {} {}
doifnotenv	\doifnotenv {} {}
doifnoteonsamepageelse	\doifnoteonsamepageelse $\{\ldots\}$ $\{\ldots\}$
doifnotescollected	\doifnotescollected \{\ldots\} \\\
doifnotfile	\doifnotfile {} {}
doifnotflagged	\doifnotflagged {} {}
doifnothing	\doifnothing {} {}
doifnothingelse	\doifnothingelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifnotinset	\doifnotinset {} {}
doifnotinsidesplitfloat	\doifnotinsidesplitfloat {}
doifnotinstring	\doifnotinstring {} {}
doifnotmode	\doifnotmode {} {}
doifnotnumber	\doifnotnumber \{\ldots\} \\
doifnotsamestring	\doifnotsamestring $\{\}$ $\{\}$
doifnotsetups	\doifnotsetups {} {}
doifnotvalue	\doifnotvalue $\{\}$ $\{\}$
doifnotvariable	\doifnotvariable \{\ldots\} \\\.\\
doifnumber	\doifnumber {} {}
doifnumberelse	\doifnumberelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifobjectfoundelse	\doifobjectfoundelse $\{\}$ $\{\}$ $\{\}$
doifobjectreferencefoundelse	\doifobjectreferencefoundelse $\{\}$ $\{\}$ $\{\}$
doifoddpageelse	\doifoddpageelse {} {}
doifoddpagefloatelse	\doifoddpagefloatelse {} {}
doifoldercontextelse	\doifoldercontextelse \{\ldots\} \{\ldots\}
doifolderversionelse	\doifolderversionelse $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
doifoverlappingelse	\doifoverlappingelse $\{\}$ $\{\}$ $\{\}$
doifoverlayelse	\doifoverlayelse $\{\ldots\}$ $\{\ldots\}$
doifparallelelse	\doifparallelelse \{\} \{\} \{\}
doifparentfileelse	\doifparentfileelse \{\ldots\} \\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpathelse	\doifpathelse \{\} \{\}
doifpathexistselse	\doifpathexistselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpatternselse	\doifpatternselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifposition	\doifposition \{\} \{\}
doifpositionaction	\doifpositionaction \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpositionactionelse	\doifpositionactionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpositionelse	\doifpositionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpositiononpageelse	\doifpositiononpageelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifpositionsonsamepageelse	\doifpositionsonsamepageelse \{\doifpositionsonthignergeelse \}\doifpositionsonthignergeelse \
doifpositionsonthispageelse doifpositionsusedelse	\doifpositionsonthispageelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifreferencefoundelse	\doifreferencefoundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifrightpagefloatelse	\doifrightpagefloatelse {} {}
doifrighttoleftinboxelse	\doifrighttoleftinboxelse {} {}
doifsamelinereferenceelse	\doifsamelinereferenceelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsamestring	\doifsamestring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsamestringelse	\doifsamestringelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
doifsetups	\doifsetups {} {}
doifsetupselse	\doifsetupselse {} {}
doifsomebackground	\doifsomebackground {} {}
doifsomebackgroundelse	\doifsomebackgroundelse {} {}
doifsomespaceelse	\doifsomespaceelse {} {} {}
doifsomething	\doifsomething {} {}
doifsomethingelse	\doifsomethingelse {} {} {}
doifsometoks	\doifsometoks \ {}
doifsometokselse	\doifsometokselse \ \{\}
doifstringinstringelse	\doifstringinstringelse {} {} {} {}
doifstructurelisthasnumberelse	\doifstructurelisthasnumberelse {} {}
doifstructurelisthaspageelse	\doifstructurelisthaspageelse {} {}
doifsymboldefinedelse	\doifsymboldefinedelse {} {}
doifsymbolsetelse	\doifsymbolsetelse {} {}
doiftext	\doiftext {} {} {}
doiftextelse	\doiftextelse {} {}
doiftextflowcollectorelse	\doiftextflowcollectorelse $\{\ldots\}$ $\{\ldots\}$
doiftextflowelse	\doiftextflowelse $\{\}$ $\{\}$
doiftopofpageelse	\doiftopofpageelse {} {}

doiftypingfileelse	\doiftypingfileelse {} {}
doifundefined	\doifundefined \{\ldots\} \\ \\.\\}
doifundefinedcounter	\doifundefinedcounter \{\ldots\} \\
doifundefinedelse	\doifundefinedelse {} {}
doifunknownfontfeature	$\verb \doifunknownfontfeature {} {} {} $
doifurldefinedelse	\doifurldefinedelse {} {}
doifvalue	\doifvalue {} {}
doifvalueelse	\doifvalueelse {} {} {}
doifvaluenothing	\doifvaluenothing {} {}
doifvaluenothingelse	\doifvaluenothingelse {} {}
doifvaluesomething	\doifvaluesomething \{\ldots\} \\ \\.\\
doifvariable	\doifvariable {} {}
doifvariableelse	\doifvariableelse $\{\}$ $\{\}$ $\{\}$
doindentation	\doindentation
dollar	\dollar
doloop	\doloop {}
doloopoverlist	\doloopoverlist {} {}
donothing	\donothing
dontconvertfont	\dontconvertfont
dontleavehmode	\dontleavehmode
dontpermitspacesbetweengroups	\dontpermitspacesbetweengroups
dopositionaction	\dopositionaction {}
doprocesslocalsetups	\doprocesslocalsetups {}
doquadrupleargument	\doquadrupleargument \ [] [] []
doquadrupleempty	\doquadrupleempty \ [] [] []
doquadruplegroupempty	\doquadruplegroupempty \ {} {} {}
doquintupleargument	\doquintupleargument \ [] [] [] []
doquintupleempty	\doquintupleempty \ [] [] [] []
doquintuplegroupempty	\doquintuplegroupempty \ \{\} \{\} \{\} \{\}
dorechecknextindentation	\dorechecknextindentation
dorecurse	\dorecurse {} {}
dorepeatwithcommand	\dorepeatwithcommand [] \
doreplacefeature	\doreplacefeature {}
doresetandafffeature	\doresetandafffeature {}
doresetattribute	\dorestattribute {}
dorotatebox	\dorotatebox {} \ {}
dosetattribute	\dosetattribute \{\ldoss\}
dosetleftskipadaption	\dosetleftskipadaption {}
dosetrightskipadaption	\dosetrightskipadaption {} \dosetupcheckedinterlinespace {=}
dosetupcheckedinterlinespace dosetupcheckedinterlinespace:argument	\dosetupcheckedinterlinespace {}
dosetupcheckedinterlinespace:argument	\dosetupcheckedinterlinespace {}
doseventupleargument	\doseventupleargument \ [] [] [] [] [] []
doseventupleempty	\doseventupleempty \ [] [] [] [] [] []
dosingleargument	\dosingleargument \ []
dosingleempty	\dosingleempty \ []
dosinglegroupempty	\dosinglegroupempty \ {}
dosixtupleargument	\dosixtupleargument \ [] [] [] [] []
dosixtupleempty	\dosixtupleempty \ [] [] [] [] []
dostarttagged	\dostarttagged {} {} \dostoptagged
dostepwiserecurse	\dostepwiserecurse {} {} {} {}
dosubtractfeature	\dosubtractfeature {}
dotfskip	\dotfskip {}
dotoks	\dotoks \
dotripleargument	\dotripleargument \ [] []
dotripleargumentwithset	\dotripleargumentwithset \ [] []
dotripleempty	\dotripleempty \ [] []
dotripleemptywithset	\dotripleemptywithset \ [] []
dotriplegroupempty	\dotriplegroupempty \ \{\} \{\}
doublebond	\doublebond
dowith	\dowith {} {}
dowithnextbox	\dowithnextbox {} \ {}
dowithnextboxcontent	\dowithnextboxcontent \{\ldots\} \\\\ \\\\
dowithnextboxcontentcs	\dowithnextboxcontentcs \ \ \ \ \
dowithnextboxcs	\dowithnextboxcs \ \ {}
dowithpargument	\dowithpargument \
dowithrange	
	\dowithrange {} \
dowithwargument	<pre>\dowithrange {} \ \dowithwargument \</pre>
3	<u> </u>
dowithwargument dpofstring dummydigit	<pre>\dowithwargument \ \dpofstring {} \dummydigit</pre>
dpofstring	\dowithwargument \\ \dpofstring {}

n	\p
EveryLine	\EveryLine {}
EveryPar	\EveryPar {}
edefconvertedargument	\edefconvertedargument \ {}
efcmaxheight	\efcmaxheight {}
efcmaxwidth	\efcmaxwidth {}
efcminheight	\efcminheight {}
efcminwidth	\efcminwidth {}
efcparameter	\efcparameter {} {}
effect	\effect [] {}
elaborablocchi	\elaborablocchi [] [] [=]
elapsedseconds	\elapsedseconds
-	· -
elapsedtime	\elapsedtime
elementi	\elementi [=] {}
elemento	\elemento []
em	\em
emphasisboldface	\emphasisboldface
emphasistypeface	\emphasistypeface
emptylines	\emptylines []
emspace	\emspace
enabledirectives	\enabledirectives []
enableexperiments	\enableexperiments []
enablemode	
	\enablemode []
enableoutputstream	\enableoutputstream []
enableparpositions	\enableparpositions
enableregime	\enableregime []
enabletrackers	\enabletrackers []
enskip	\enskip
enspace	\enspace
-	
enumerazione:example	\ENUMERAZIONE [] {} \par
env	\env {}
envvar	\envvar {} {}
epos	\epos {}
equaldigits	\equaldigits {}
eTeX	\eTeX
etichetta:example	\ETICHETTA [] {}
executeifdefined	\executeifdefined {} {}
exitloop	\exitloop
exitloopnow	\exitloopnow
expandcheckedcsname	\expandcheckedcsname \ \{\}
expanded	\expanded {}
expandfontsynonym	\expandfontsynonym \ {}
expdoif	\expdoif {} {}
expdoifcommonelse	\expdoifcommonelse {} {} {}
expdoifelse	<u>-</u>
•	\expdoifelse {} {} {}
expdoifelsecommon	\expdoifelsecommon {} {} {}
expdoifelseinset	\expdoifelseinset $\{\}$ $\{\}$ $\{\}$
expdoifinsetelse	\expdoifinsetelse $\{\}$ $\{\}$ $\{\}$
expdoifnot	\expdoifnot {} {} {}
externalfigurecollectionmaxheight	\externalfigurecollectionmaxheight {}
externalfigurecollectionmaxwidth	\externalfigurecollectionmaxwidth {}
externalfigurecollectionminheight	\externalfigurecollectionminheight {}
externalfigurecollectionminwidth	\externalfigurecollectionminwidth {}
	<u> </u>
externalfigurecollectionparameter	\externalfigurecollectionparameter {} {}
fakebox	\fakebox
fastdecrement	\fastdecrement \
fastincrement	\fastincrement \
fastlocalframed	\fastlocalframed [] [=] {}
fastloopfinal	\fastloopfinal
fastloopindex	\fastloopindex
-	
fastscale	\fastscale {} {}
fastsetup	\fastsetup {}
fastsetupwithargument	\fastsetupwithargument {} {}
fastsetupwithargumentswapped	\fastsetupwithargumentswapped {} {}
fastswitchtobodyfont	\fastswitchtobodyfont {}
fastsxsy	\fastsxsy {} {}
feature	\feature [] []
feature:direct	\feature {} {}
fence	\fence
fenced	\fenced [] {}
fence:example	\FENCE {}
fetchallmarkings	\fetchallmarkings [] []
fetchallmarks	\fetchallmarks []

f - + - h	
fetchmark	\fetchmark [] []
fetchmarking	\fetchmarking [] []
fetchonemark	\fetchonemark [] []
fetchonemarking	\fetchonemarking [] []
fetchruntinecommand	\fetchruntinecommand \ \{\}
fetchtwomarkings	\fetchtwomarkings [] []
fetchtwomarks	\fetchtwomarks []
fieldbody	\fieldbody [] [=]
fifthoffivearguments	\fifthoffivearguments $\{\}$ $\{\}$ $\{\}$ $\{\}$
fifthofsixarguments	\fifthofsixarguments \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \\\
figuraesterna	\figuraesterna [] [=]
figurefilename	\figurefilename
figurefilepath	\figurefilepath
figurefiletype	\figurefiletype
figurefullname	\figurefullname
figureheight	\figureheight
figurenaturalheight	\figurenaturalheight
figurenaturalwidth	\figurenaturalwidth
figuresymbol	\figuresymbol [] [=]
figurewidth	\figurewidth
filename	\filename {}
filledhboxb	\filledhboxb {}
filledhboxc	\filledhboxc {}
fillabbank	\filledhboxg {}
filledhboxk	\filledhboxk {}
fillabban	\filledhboxm {}
filledhborr	\filledhboxr {}
filledhboxy filler	\filledhboxy {} \filler []
filterfromnext	\filter[] \filterfromnext \{\} \
filterfromvalue	\filterfromvalue \{\ldots\} \{\ldots\} \{\ldots\} \\ \text{OPT} \tex
filterpages	\filterinomvalue \(\text{\cdots} \\ \text{filterpages} \[\text{\cdots} \] \[\text{\cdots} \] \[\text{\cdots} \]
filterreference	\filterreference \{\dots\\\\}
findtwopassdata	\findtwopassdata \{\ldots\} \\\
finishregisterentry	\finishregisterentry [] [=]
firstcharacter	\firstcharacter
firstcounter	\firstcounter [] []
firstcountervalue	\firstcountervalue []
firstoffivearguments	\firstoffivearguments {} {} {} {} {}
firstoffourarguments	\firstoffourarguments {} {} {}
firstofoneargument	\firstofoneargument {}
firstofoneunexpanded	\firstofoneunexpanded {}
firstofsixarguments	\firstofsixarguments {} {} {} {} {} {}
firstofthreearguments	-
firstofthreearguments firstofthreeunexpanded	\firstofthreearguments {} {}
3	-
firstofthreeunexpanded	\firstofthreeunexpanded \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
firstofthreeunexpanded firstoftwoarguments	\firstofthreearguments {} {} {} \firstofthreeunexpanded {} {} {} \firstoftwoarguments {} {}
firstofthreeunexpanded firstoftwoarguments firstoftwounexpanded	\firstofthreearguments {} {} {} \firstofthreeunexpanded {} {} {} \firstoftwoarguments {} {} \firstoftwounexpanded {} {}
firstofthreeunexpanded firstoftwoarguments firstoftwounexpanded firstrealpage	\firstofthreearguments {} {} {} \firstofthreeunexpanded {} {} {} \firstoftwoarguments {} {} \firstoftwounexpanded {} {} \firstrealpage
firstofthreeunexpanded firstoftwoarguments firstoftwounexpanded firstrealpage firstrealpagenumber	\firstofthreearguments {} {} {} \firstofthreeunexpanded {} {} {} \firstoftwoarguments {} {} \firstoftwounexpanded {} {} \firstoftwounexpanded {} {} \firstrealpage \firstrealpagenumber \firstsubcountervalue [] [] \firstsubpagenumber
firstofthreeunexpanded firstoftwoarguments firstoftwounexpanded firstrealpage firstrealpagenumber firstsubcountervalue	\firstofthreearguments {} {} {} \firstofthreeunexpanded {} {} {} \firstoftwoarguments {} {} \firstoftwounexpanded {} {} \firstoftwounexpanded {} {} \firstrealpage \firstrealpagenumber \firstsubcountervalue [] []
firstofthreeunexpanded firstoftwoarguments firstoftwounexpanded firstrealpage firstrealpagenumber firstsubcountervalue firstsubpagenumber	\firstofthreearguments {} {} {} \firstofthreeunexpanded {} {} {} \firstoftwoarguments {} {} \firstoftwounexpanded {} {} \firstoftwounexpanded {} {} \firstrealpage \firstrealpagenumber \firstsubcountervalue [] [] \firstsubpagenumber
firstofthreeunexpanded firstoftwoarguments firstoftwounexpanded firstrealpage firstrealpagenumber firstsubcountervalue firstsubpagenumber firstsubpagenumber firstuserpage	\firstofthreearguments {} {} {} \firstofthreeunexpanded {} {} {} \firstoftwoarguments {} {} \firstoftwounexpanded {} {} \firstrealpage \firstrealpagenumber \firstsubcountervalue [] [] \firstsubpagenumber \firstsubpagenumber \firstsuspage
firstofthreeunexpanded firstoftwoarguments firstoftwounexpanded firstrealpage firstrealpagenumber firstsubcountervalue firstsubpagenumber firstuserpage firstuserpage	\firstofthreearguments {} {} {} \firstofthreeunexpanded {} {} \firstoftwoarguments {} {} \firstoftwounexpanded {} {} \firstrealpage \firstrealpagenumber \firstsubcountervalue [] [] \firstsubpagenumber \firstuserpage \firstuserpage \firstuserpagenumber \fitfieldframed [=] {} \fittopbaselinegrid {}
firstofthreeunexpanded firstoftwoarguments firstoftwounexpanded firstrealpage firstrealpagenumber firstsubcountervalue firstsubpagenumber firstuserpage firstuserpage firstuserpageinumber fitfieldframed fittopbaselinegrid flag	<pre>\firstofthreearguments {} {} {} \firstofthreeunexpanded {} {} \firstoftwoarguments {} {} \firstoftwounexpanded {} {} \firstrealpage \firstrealpagenumber \firstsubcountervalue [] [] \firstsubpagenumber \firstsuserpage \firstuserpage \firstuserpagenumber \fitfieldframed [=] {} \fittopbaselinegrid {} \flag {}</pre>
firstofthreeunexpanded firstoftwoarguments firstoftwounexpanded firstrealpage firstrealpagenumber firstsubcountervalue firstsubpagenumber firstuserpage firstuserpage firstuserpagenumber fitfieldframed fittopbaselinegrid flag floatuserdataparameter	<pre>\firstofthreearguments {} {} {} \firstofthreeunexpanded {} {} \firstoftwoarguments {} {} \firstoftwounexpanded {} {} \firstoftwounexpanded {} {} \firstrealpage \firstrealpagenumber \firstsubcountervalue [] [] \firstsubragenumber \firstsuserpage \firstuserpage \firstuserpagenumber \fitfieldframed [=] {} \fittopbaselinegrid {} \flag {} \floatuserdataparameter {}</pre>
firstofthreeunexpanded firstoftwoarguments firstoftwounexpanded firstrealpage firstrealpagenumber firstsubcountervalue firstsubpagenumber firstuserpage firstuserpage firstuserpagenumber fitfieldframed fittopbaselinegrid flag floatuserdataparameter flushbox	<pre>\firstofthreearguments {} {} {} \firstofthreeunexpanded {} {} \firstoftwoarguments {} {} \firstoftwounexpanded {} {} \firstoftwounexpanded {} {} \firstrealpage \firstrealpagenumber \firstsubcountervalue [] [] \firstsubragenumber \firstsuserpage \firstuserpage \firstuserpagenumber \fitfieldframed [=] {} \fittopbaselinegrid {} \flag {} \floatuserdataparameter {} \flushbox {} {}</pre>
firstofthreeunexpanded firstoftwoarguments firstoftwounexpanded firstrealpage firstrealpagenumber firstsubcountervalue firstsubpagenumber firstuserpage firstuserpage firstuserpagenumber fitfieldframed fittopbaselinegrid flag floatuserdataparameter flushbox flushboxregister	<pre>\firstofthreearguments {} {} {} \firstofthreeunexpanded {} {} \firstoftwoarguments {} {} \firstoftwounexpanded {} {} \firstoftwounexpanded {} {} \firstrealpage \firstrealpagenumber \firstsubcountervalue [] [] \firstsubragenumber \firstuserpage \firstuserpage \firstuserpagenumber \fitfieldframed [=] {} \fittopbaselinegrid {} \flag {} \floatuserdataparameter {} \flushbox {} {} \flushboxregister</pre>
firstofthreeunexpanded firstoftwoarguments firstoftwounexpanded firstrealpage firstrealpagenumber firstsubcountervalue firstsubpagenumber firstuserpage firstuserpage firstuserpagenumber fitfieldframed fittopbaselinegrid flag floatuserdataparameter flushbox flushboxregister flushcollector	\firstofthreearguments {} {} {} \firstofthreeunexpanded {} {} {} \firstoftwoarguments {} {} \firstoftwounexpanded {} {} \firstoftwounexpanded {} {} \firstoftwounexpanded {} {} \firstrealpage \firstrealpagenumber \firstsubcountervalue [] [] \firstsubpagenumber \firstuserpage \firstuserpage \firstuserpagenumber \fitfieldframed [=] {} \fitopbaselinegrid {} \flag {} \flushbox {} {} \flushboxregister \flushcollector []
firstofthreeunexpanded firstoftwoarguments firstoftwounexpanded firstrealpage firstrealpagenumber firstsubcountervalue firstsubpagenumber firstuserpage firstuserpage firstuserpagenumber fitfieldframed fittopbaselinegrid flag floatuserdataparameter flushbox flushboxregister flushcollector flushedrightlastline	\firstofthreearguments {} {} {} \firstofthreeunexpanded {} {} {} \firstoftwoarguments {} {} \firstoftwounexpanded {} {} \firstoftwounexpanded {} {} \firstoftwounexpanded {} {} \firstrealpage \firstrealpagenumber \firstsubcountervalue [] [] \firstsubpagenumber \firstuserpage \firstuserpagenumber \fitfieldframed [=] {} \fittopbaselinegrid {} \flag {} \floatuserdataparameter {} \flushbox {} {} \flushboxregister \flushcollector [] \flushedrightlastline
firstofthreeunexpanded firstoftwoarguments firstoftwounexpanded firstrealpage firstrealpagenumber firstsubcountervalue firstsubpagenumber firstuserpage firstuserpage firstuserpagenumber fitfieldframed fittopbaselinegrid flag floatuserdataparameter flushbox flushboxregister flushcollector flushedrightlastline flushlayer	\firstofthreearguments {} {} {} \firstofthreeunexpanded {} {} {} \firstoftwoarguments {} {} \firstoftwounexpanded {} {} \firstoftwounexpanded {} {} \firstrealpage \firstrealpage \firstrealpagenumber \firstsubcountervalue [] [] \firstsubpagenumber \firstuserpage \firstuserpage \firstuserpagenumber \fitfieldframed [=] {} \fittopbaselinegrid {} \flag {} \floatuserdataparameter {} \flushbox {} {} \flushboxregister \flushcollector [] \flushedrightlastline \flushlayer []
firstofthreeunexpanded firstoftwoarguments firstoftwounexpanded firstrealpage firstrealpage firstrealpagenumber firstsubcountervalue firstsubpagenumber firstuserpage firstuserpage fitfieldframed fittopbaselinegrid flag floatuserdataparameter flushbox flushboxregister flushcollector flushedrightlastline flushlayer flushlocalfloats	\firstofthreearguments {} {} {} \firstofthreeunexpanded {} {} {} \firstoftwoarguments {} {} \firstoftwounexpanded {} {} \firstoftwounexpanded {} {} \firstoftwounexpanded {} {} \firstrealpage \firstrealpagenumber \firstsubcountervalue [] [] \firstsubpagenumber \firstuserpage \firstuserpagenumber \fitfieldframed [=] {} \fittopbaselinegrid {} \flag {} \floatuserdataparameter {} \flushbox {} {} \flushboxregister \flushcollector [] \flushedrightlastline \flushlayer [] \flushlocalfloats
firstofthreeunexpanded firstoftwoarguments firstoftwounexpanded firstrealpage firstrealpage firstrealpagenumber firstsubcountervalue firstsubpagenumber firstuserpage firstuserpage firstuserpagenumber fitfieldframed fittopbaselinegrid flag floatuserdataparameter flushbox flushboxregister flushcollector flushedrightlastline flushlayer flushlocalfloats flushnextbox	\firstofthreearguments {} {} {} \firstofthreeunexpanded {} {} {} \firstoftwoarguments {} {} \firstoftwounexpanded {} {} \firstoftwounexpanded {} {} \firstoftwounexpanded {} {} \firstrealpage \firstrealpagenumber \firstsubcountervalue [] [] \firstsubpagenumber \firstuserpage \firstuserpagenumber \fitfieldframed [=] {} \fittopbaselinegrid {} \fittopbaselinegrid {} \floatuserdataparameter {} \flushbox {} {} \flushboxregister \flushcollector [] \flushcollector [] \flushlocalfloats \flushlocalfloats \flushnextbox
firstofthreeunexpanded firstoftwoarguments firstoftwounexpanded firstrealpage firstrealpage firstrealpagenumber firstsubcountervalue firstsubpagenumber firstuserpage firstuserpage firstuserpagenumber fitfieldframed fittopbaselinegrid flag floatuserdataparameter flushbox flushboxregister flushcollector flushedrightlastline flushlayer flushlocalfloats flushnextbox flushnotes	\firstofthreearguments {} {} {} \firstofthreeunexpanded {} {} {} \firstoftwoarguments {} {} \firstoftwounexpanded {} {} \firstoftwounexpanded {} {} \firstrealpage \firstrealpage \firstrealpagenumber \firstsubcountervalue [] [] \firstsubpagenumber \firstuserpage \firstuserpagenumber \fitfieldframed [=] {} \fittopbaselinegrid {} \flag {} \floatuserdataparameter {} \flushbox {} {} \flushboxregister \flushcollector [] \flushedrightlastline \flushlayer [] \flushlocalfloats \flushnextbox \flushnextbox \flushnotes
firstofthreeunexpanded firstoftwoarguments firstoftwounexpanded firstrealpage firstrealpage firstrealpagenumber firstsubcountervalue firstsubpagenumber firstuserpage firstuserpage firstuserpagenumber fitfieldframed fittopbaselinegrid flag floatuserdataparameter flushbox flushboxregister flushcollector flushedrightlastline flushlayer flushlocalfloats flushnextbox flushnotes flushoutputstream	\firstofthreearguments {} {} {} \firstofthreeunexpanded {} {} {} \firstoftwoarguments {} {} \firstoftwounexpanded {} {} \firstoftwounexpanded {} {} \firstrealpage \firstrealpage \firstrealpagenumber \firstsubcountervalue [] [] \firstsubpagenumber \firstuserpage \firstuserpagenumber \fitfieldframed [=] {} \fittopbaselinegrid {} \flag {} \floatuserdataparameter {} \flushbox {} {} \flushboxregister \flushcollector [] \flushedrightlastline \flushlayer [] \flushlocalfloats \flushnextbox \flushnotes \flushoutputstream []
firstofthreeunexpanded firstoftwoarguments firstoftwounexpanded firstrealpage firstrealpage firstrealpagenumber firstsubcountervalue firstsubpagenumber firstuserpage firstuserpage firstuserpagenumber fitfieldframed fittopbaselinegrid flag floatuserdataparameter flushbox flushboxregister flushcollector flushedrightlastline flushlayer flushlocalfloats flushnextbox flushnotes flushoutputstream flushshapebox	\firstofthreearguments {} {} {} \firstofthreeunexpanded {} {} {} \firstoftwoarguments {} {} \firstoftwounexpanded {} {} \firstoftwounexpanded {} {} \firstoftwounexpanded {} {} \firstrealpage \firstrealpage umber \firstsubcountervalue [] [] \firstsubpagenumber \firstuserpage \firstuserpagenumber \fitfieldframed [=] {} \fittopbaselinegrid {} \flag {} \floatuserdataparameter {} \flushbox {} {} \flushboxregister \flushcollector [] \flushedrightlastline \flushlayer [] \flushlocalfloats \flushnextbox \flushnextbox \flushoutputstream [] \flushshapebox
firstofthreeunexpanded firstoftwoarguments firstoftwounexpanded firstrealpage firstrealpage firstrealpagenumber firstsubcountervalue firstsubpagenumber firstuserpage firstuserpage firstuserpagenumber fitfieldframed fittopbaselinegrid flag floatuserdataparameter flushbox flushboxregister flushcollector flushedrightlastline flushlayer flushlocalfloats flushnextbox flushnotes flushoutputstream flushshapebox flushtextflow	\firstofthreearguments {} {} {} \firstofthreeunexpanded {} {} {} \firstoftwoarguments {} {} \firstoftwounexpanded {} {} \firstoftwounexpanded {} {} \firstrealpage \firstrealpage \firstrealpagenumber \firstsubcountervalue [] [] \firstsubpagenumber \firstuserpage \firstuserpagenumber \fitfieldframed [=] {} \fittopbaselinegrid {} \floatuserdataparameter {} \flushbox {} {} \flushboxregister \flushcollector [] \flushedrightlastline \flushlayer [] \flushlocalfloats \flushnextbox \flushnextbox \flushoutputstream [] \flushshapebox \flushshapebox \flushtextflow {}
firstofthreeunexpanded firstoftwoarguments firstoftwounexpanded firstrealpage firstrealpage firstrealpagenumber firstsubcountervalue firstsubpagenumber firstuserpage firstuserpage firstuserpagenumber fitfieldframed fittopbaselinegrid flag floatuserdataparameter flushbox flushboxregister flushcollector flushedrightlastline flushlayer flushlocalfloats flushnextbox flushnotes flushoutputstream flushshapebox flushtokens	\firstofthreearguments {} {} {} \firstofthreeunexpanded {} {} {} \firstoftwoarguments {} {} \firstoftwounexpanded {} {} \firstoftwounexpanded {} {} \firstoftwounexpanded {} {} \firstrealpage \firstrealpage umber \firstsubcountervalue [] [] \firstsubpagenumber \firstuserpage \firstuserpagenumber \fitfieldframed [=] {} \fittopbaselinegrid {} \flag {} \floatuserdataparameter {} \flushbox {} {} \flushboxregister \flushcollector [] \flushedrightlastline \flushlayer [] \flushlocalfloats \flushnextbox \flushnextbox \flushoutputstream [] \flushshapebox \flushshapebox \flushtextflow {} \flushtokens []
firstofthreeunexpanded firstoftwoarguments firstoftwounexpanded firstrealpage firstrealpage firstrealpagenumber firstsubcountervalue firstsubpagenumber firstuserpage firstuserpage firstuserpagenumber fitfieldframed fittopbaselinegrid flag floatuserdataparameter flushbox flushboxregister flushcollector flushedrightlastline flushlayer flushlocalfloats flushnextbox flushnotes flushoutputstream flushshapebox flushtokens flushtokens flushtokens flushtokes	\firstofthreearguments {} {} {} \firstofthreeunexpanded {} {} {} \firstoftwoarguments {} {} \firstoftwounexpanded {} {} \firstoftwounexpanded {} {} \firstrealpage \firstrealpagenumber \firstsubcountervalue [] [] \firstsubpagenumber \firstsuserpage \firstuserpage \firstuserpagenumber \fitfieldframed [=] {} \fittopbaselinegrid {} \flushbox {} {} \flushbox {} {} \flushboxregister \flushcollector [] \flushcollector [] \flushcollector [] \flushlocalfloats \flushnextbox \flushnextbox \flushnextbox \flushnotes \flushoutputstream [] \flushshapebox \flushtextflow {} \flushtokens [] \flushtokens [] \flushtokens [] \flushtokens [] \flushtokens []
firstofthreeunexpanded firstoftwoarguments firstoftwounexpanded firstrealpage firstrealpage firstrealpagenumber firstsubcountervalue firstsubpagenumber firstuserpage firstuserpage firstuserpagenumber fitfieldframed fittopbaselinegrid flag floatuserdataparameter flushbox flushboxregister flushcollector flushedrightlastline flushlayer flushlocalfloats flushnextbox flushnotes flushoutputstream flushshapebox flushtokens	\firstofthreearguments {} {} {} \firstofthreeunexpanded {} {} {} \firstoftwoarguments {} {} \firstoftwounexpanded {} {} \firstoftwounexpanded {} {} \firstoftwounexpanded {} {} \firstrealpage \firstrealpage umber \firstsubcountervalue [] [] \firstsubpagenumber \firstuserpage \firstuserpagenumber \fitfieldframed [=] {} \fittopbaselinegrid {} \flag {} \floatuserdataparameter {} \flushbox {} {} \flushboxregister \flushcollector [] \flushedrightlastline \flushlayer [] \flushlocalfloats \flushnextbox \flushnextbox \flushoutputstream [] \flushshapebox \flushshapebox \flushtextflow {} \flushtokens []

fontchar	\fontchar {}
fontcharbyindex	\fontcharbyindex {}
fontclass	\fontclass
fontclassname	\fontclassname {} {}
fontface	\fontface
fontfeaturelist	\fontfeaturelist [] []
fontsize	\fontsize
fontstyle	\fontstyle
forcecharacterstripping	\forcecharacterstripping
forcelocalfloats	\forcelocalfloats
forgeteverypar	\forgeteverypar
forgetparameters	\forgetparameters [] [=]
forgetragged	\forgetragged
formula	\formula [] \.\.
foundbox	\foundbox \{\ldots\}
fourthoffivearguments fourthoffivearguments	\fourthoffivearguments \{\ldots\} \{\ldots\} \{\ldots\} \\
fourthoffourarguments	\fourthoffourarguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
fourthofsixarguments frameddimension	\fourthofsixarguments \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \\frameddimension \{\ldots\}
framedparameter frazione:instance	\framedparameter {} \FRACTION {} {}
frazione:instance:binom	\binom {} {}
frazione:instance:dbinom	\dbinom \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
frazione:instance:dfrac	\dfrac {} {}
frazione:instance:frac	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
frazione:instance:sfrac	\\sfrac \{\} \\sfrac \{\}
frazione:instance:tbinom	\tbinom \{\ldots\} \\ \triangle \(\ldots \)
frazione:instance:xfrac	\xfrac \{\} \\xfrac \{\}
frazione:instance:xxfrac	\xxfrac \\\} \\}
freezedimenmacro	\freezedimenmacro \ \
freezemeasure	\freezemeasure [] []
frenchspacing	\frenchspacing
fromlinenote	\fromlinenote [] {}
frozenbox	\frozenhbox {}
frule	\frule \relax
GetPar	\GetPar
GIORNOSETTIMANA	\GIORNOSETTIMANA {}
GotoPar	\GotoPar
Greeknumerals	\Greeknumerals {}
gdefconvertedargument	\gdefconvertedargument \ \{\}
gdefconvertedcommand	\gdefconvertedcommand \ \
getboxfromcache	\getboxfromcache \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
getboxllx	\getboxllx
getboxlly	\getboxlly
getbufferdata	\getbufferdata []
getcommacommandsize	\getcommacommandsize []
getcommalistsize	\getcommalistsize []
getdayoftheweek	\getdayoftheweek {} {}
getdayspermonth	\getdayspermonth {} {}
getdefinedbuffer	\getdefinedbuffer []
getdocumentargument	\getdocumentargument {}
getdocumentargumentdefault	\getdocumentargumentdefault {} {}
getdocumentfilename	\getdocumentfilename {}
getdummyparameters	\getdummyparameters [=]
getemptyparameters	\getemptyparameters [] [=]
geteparameters	\geteparameters [] [=]
getexpandedparameters	\getexpandedparameters [] [=]
getfiguredimensions	\getfiguredimensions [] [=]
getfirstcharacter	\getfirstcharacter {}
getfirsttwopassdata	\getfirsttwopassdata {}
getfromcommacommand	\getfromcommacommand [] []
getfromcommalist	\getfromcommalist [] []
getfromtwopassdata	\getfromtwopassdata {} {}
getglyphdirect	\getglyphdirect {} {}
getglyphstyled	\getglyphstyled {} {}
getgparameters	\getgparameters [] [=]
getlasttwopassdata	\getlasttwopassdata {}
getlocalfloat	\getlocalfloat {}
getlocalfloats	\getlocalfloats
getMPdrawing	\getMPdrawing
getMPlayer	\getMPlayer [] [=] {}
getmessage	\getmessage {} {}

getnamedglyphdirect	\getnamedglyphdirect {} {}
getnamedglyphstyled	\getnamedglyphstyled {} {}
getnamedtwopassdatalist	\getnamedtwopassdatalist \ \{\}
getnaturaldimensions	\getnaturaldimensions
getnoflines	\getnoflines {}
getobject	\getobject {} {}
getobjectdimensions	\getobjectdimensions \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
getpaletsize	\getpaletsize []
getparameters	\getparameters [] [=]
getprivatechar	\getprivatechar {} \getprivateslot {}
getprivateslot getrandomcount	\getrandomcount \ \{\} \{\}
getrandomeount	\getrandomdimen \ \{\} \{\}
getrandomfloat	\getrandomfloat \ \{\} \{\}
getrandomnumber	\getrandomnumber \ \{\}
getrandomseed	\getrandomseed \
getraweparameters	\getraweparameters [] [=]
getrawgparameters	\getrawgparameters [] [=]
getrawnoflines	\getrawnoflines {}
getrawparameters	\getrawparameters [] [=]
getrawxparameters	\getrawxparameters [] [=]
getreference	\getreference [] []
getreferenceentry	\getreferenceentry {}
getroundednoflines	\getroundednoflines {}
getsubstring	\getsubstring {} {}
gettwopassdata	\gettwopassdata {}
gettwopassdatalist	\gettwopassdatalist {}
getuvalue	\getuvalue {}
getvalue	\getvalue {}
getvariable	\getvariable \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
getvariabledefault	\getvariabledefault {} {} {}
getxparameters giornosettimana	\getxparameters [] [=] \giornosettimana {}
globaldisablemode	\globaldisablemode []
globalenablemode	\globalenablemode []
globalletempty	\globalletempty \
globalpopbox	\globalpopbox
globalpopmacro	\globalpopmacro \
globalpreventmode	\globalpreventmode []
globalprocesscommalist	\globalprocesscommalist [] \
globalpushbox	\globalpushbox
globalpushmacro	\globalpushmacro \
globalpushreferenceprefix	$\verb \globalpushreferenceprefix {} \verb \globalpopreferenceprefix \\$
globalswapcounts	\globalswapcounts \ \
globalswapdimens	\globalswapdimens \ \
globalswapmacros	\globalswapmacros \ \
globalundefine	\globalundefine {}
glyphfontfile	\glyphfontfile {}
gobbledoubleempty	\gobbledoubleempty [] []
gobbleeightarguments gobblefivearguments	\gobbleeightarguments {} {} {} {} {} {} {} {}
gobblefiveoptionals	\gobblefivearguments {} {} {} {} \gobblefiveoptionals [] [] [] []
gobblefiveoptionals	\gobblefourarguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
gobblefouroptionals	\gobblefouroptionals [] [] []
gobbleninearguments	\gobbleninearguments \{\\}
gobbleoneargument	\gobbleoneargument {}
gobbleoneoptional	\gobbleoneoptional []
gobblesevenarguments	\gobblesevenarguments {} {} {} {} {} {}
gobblesingleempty	\gobblesingleempty []
gobblesixarguments	\gobblesixarguments {} {} {} {} {}
gobblespacetokens	\gobblespacetokens
gobbletenarguments	\gobbletenarguments \{\ldots\} \{
gobblethreearguments	\gobblethreearguments \{\ldots\} \{\ldots\}
gobblethreeoptionals	\gobblethreeoptionals [] []
gobbletwoarguments	\gobbletwoarguments {} {}
gobbletwooptionals	\gobbletwooptionals [] []
gobbleuntil	\gobbleuntil \
gobbleuntilrelax	\gobbleuntilrelax \relax
grabbufferdata	\grabbufferdata [] [] []
grabbufferdatadirect	\grabufferdatadirect {} {} {}
grabuntil grafiamanuale	\grabuntil {} \ \grafiamanuale
2. a. ramannare	/Rr ar ramamnara

grande	\grande
grassetto	\grassetto
grassettocorsivo	\grassettocorsivo
grassettoinclinato	\grassettoinclinato
grave	\grave {}
grayvalue	\grayvalue {}
greedysplitstring greeknumerals	\greedysplitstring \at \to \ \and \ \greeknumerals \{\ldots\}
griglia	\griglia [=]
grossofontdeltesto	\grossofontdeltesto
groupedcommand	\groupedcommand {} {}
gsetboxllx	\gsetboxllx {}
gsetboxlly	\gsetboxlly {}
gujaratinumerals	\gujaratinumerals {}
gurmurkhinumerals	\gurmurkhinumerals {}
hairspace halflinestrut	\hairspace \halflinestrut
halfstrut	\halfstrut
halfwaybox	\halfwaybox {}
handletokens	\handletokens \with \
hash	\hash
hat	\hat {}
hboxofvbox	\hboxofvbox
hboxreference	\hboxreference [] {}
hbox:example	\hboxBOX {}
hdofstring headhbox	\hdofstring {} \headhbox {}
headnumbercontent	\headnumbercontent
headnumberdistance	\headnumberdistance
headnumberwidth	\headnumberwidth
headreferenceattributes	\headreferenceattributes
headsetupspacing	\headsetupspacing
headtextcontent	\headtextcontent
headtextdistance	\headtextdistance
headtextwidth	\headtextwidth
headvbox headwidth	\headvbox {} \headwidth
heightanddepthofstring	\heightanddepthofstring {}
heightofstring	\heightofstring {}
heightspanningtext	\heightspanningtext {} {} {}
help:instance	\HELP [] {}
help:instance:helptext	\helptext [] {}
hglue	\hglue
hiddencitation	\hiddencitation []
hiddencite highlight	\hiddencite [] \highlight [] {}
highlight:example	\HIGHLIGHT {}
highordinalstr	\highordinalstr {}
hilo	\hilo [] {}
himilo	\himilo {} {}
hl	\hl []
horizontalgrowingbar	\horizontalgrowingbar [=]
horizontalpositionbar	\horizontalpositionbar [=]
hphantom hpos	\hphantom {} \hpos {} {}
hsizefraction	\hsizefraction {} {}
hsmash	\hsmash {}
hsmashbox	\hsmashbox
hsmashed	\hsmashed {}
hspace	\hspace [] []
htdpofstring	\htdpofstring {}
htofstring	\https://doi.org/10.1011/10.10
hyphen hyphenatedcoloredword	\hyphen \hyphenatedcoloredword {}
hyphenatedfile	\hyphenatedtoloredword \\\\rangle
hyphenatedfilename	\hyphenatedfile \{\ldots\}
hyphenatedhbox	\hyphenatedhbox {}
hyphenatedpar	\hyphenatedpar {}
hyphenatedurl	\hyphenatedurl {}
hyphenatedword	\hyphenatedword {}
INRSTEX	\INRSTEX
ibox	\ibox {}

ifassignment	\ifassignment \else \fi
iff	\iff
ifinobject	\ifinobject \else \fi
ifinoutputstream	\ifinoutputstream \else \fi
ifparameters	\ifparameters \else \fi
iftrialtypesetting	\iftrialtypesetting \else \fi
ignoreimplicitspaces	\ignoreimplicitspaces
ignorevalue	\ignorevalue {}
ignoto	\ignoto
immediatesavetwopassdata	\immediatesavetwopassdata {} {} {}
impliedby	\impliedby
implies	\implies
imposta	\imposta []
impostaallineamento	\impostaallineamento []
impostaampiezzariga	\impostaampiezzariga []
impostabarrainterazione	\impostabarrainterazione [] [=]
impostablocco	\impostablocco [] [=]
impostabloccosezione	\impostabloccosezione [] [=]
impostabuffer	\impostabuffer [] [=]
impostacampi	\impostacampi [] [=] [=]
impostacampo	\impostacampo [] [=] [=] [=]
impostacapoversi	\impostacapoversi [] [] [=]
impostacapoversi:assignment	\impostacapoversi [] [=]
impostacaption	\impostacaption [] [=]
impostacaptions	\impostacaptions [] [=]
impostacima	\impostacima [] [=]
-	\impostaclippling [=]
impostaclippling	\impostacolonne [=]
impostacolonne	-
impostacolore	\impostacolore []
impostacolori	\impostacolori [=]
impostacommento	\impostacommento [] [=]
impostacommentopagina	\impostacommentopagina [=]
impostadimensionicarta	\impostadimensionicarta [] [=]
impostadimensionicarta:name	\impostadimensionicarta [] []
impostaelementi	\impostaelementi [] [=]
impostaelencazioni	\impostaelencazioni [] [=]
impostaelenco	\impostaelenco [] [=]
impostaelencocombinato	\impostaelencocombinato [] [=]
impost nolons combinatorins to a combinatorins	
impostaelencocombinato:instance	\impostaCOMBINEDLIST [=]
impostaelencocombinato:instance:content	\impostaCUMBINEDLIST [=] \impostacontent [=]
-	-
impostaelencocombinato:instance:content	\impostacontent [=]
<pre>impostaelencocombinato:instance:content impostaenumerazioni</pre>	\impostacontent [=] \impostaenumerazioni [] [=]
<pre>impostaelencocombinato:instance:content impostaenumerazioni impostafondo</pre>	<pre>\impostacontent [=] \impostaenumerazioni [] [=] \impostafondo [] [=]</pre>
<pre>impostaelencocombinato:instance:content impostaenumerazioni impostafondo impostafontdeltesto</pre>	\impostacontent [=] \impostaenumerazioni [] [=] \impostafondo [] [=] \impostafontdeltesto []
<pre>impostaelencocombinato:instance:content impostaenumerazioni impostafondo impostafontdeltesto impostaforms</pre>	<pre>\impostacontent [=] \impostaenumerazioni [] [=] \impostafondo [] [=] \impostafontdeltesto [] \impostaforms [=]</pre>
<pre>impostaelencocombinato:instance:content impostaenumerazioni impostafondo impostafontdeltesto impostaforms impostaformule</pre>	<pre>\impostacontent [=] \impostaenumerazioni [] [=] \impostafondo [] [=] \impostafontdeltesto [] \impostaforms [=] \impostaformule [] [=]</pre>
<pre>impostaelencocombinato:instance:content impostaenumerazioni impostafondo impostafontdeltesto impostaforms impostaformule impostaincorniciato</pre>	<pre>\impostacontent [=] \impostaenumerazioni [] [=] \impostafondo [] [=] \impostaforms [=] \impostaformule [] [=] \impostaincorniciato [] [=] \impostainiziatermina [] [=]</pre>
<pre>impostaelencocombinato:instance:content impostaenumerazioni impostafondo impostafontdeltesto impostaforms impostaformule impostaincorniciato impostainiziatermina</pre>	<pre>\impostacontent [=] \impostaenumerazioni [] [=] \impostafondo [] [=] \impostafontdeltesto [] \impostaforms [=] \impostaformule [] [=] \impostaincorniciato [] [=] \impostainiziatermina [] [=] \impostainstestazione [] [=]</pre>
<pre>impostaelencocombinato:instance:content impostaenumerazioni impostafondo impostafontdeltesto impostaforms impostaformule impostaincorniciato impostainiziatermina impostainstestazione</pre>	<pre>\impostacontent [=] \impostaenumerazioni [] [=] \impostafondo [] [=] \impostaforms [=] \impostaformule [] [=] \impostaincorniciato [] [=] \impostainiziatermina [] [=]</pre>
<pre>impostaelencocombinato:instance:content impostaenumerazioni impostafondo impostafontdeltesto impostaforms impostaformule impostaincorniciato impostainiziatermina impostainstestazione impostainterazione</pre>	<pre>\impostacontent [=] \impostaenumerazioni [] [=] \impostafondo [] [=] \impostafontdeltesto [] \impostaforms [=] \impostaformule [] [=] \impostaincorniciato [] [=] \impostainiziatermina [] [=] \impostainstestazione [] [=] \impostainterazione [] [=] \impostainterazione []</pre>
<pre>impostaelencocombinato:instance:content impostaenumerazioni impostafondo impostafontdeltesto impostaforms impostaformule impostaincorniciato impostainiziatermina impostainstestazione impostainterazione impostainterazione:name</pre>	<pre>\impostacontent [=] \impostaenumerazioni [] [=] \impostafondo [] [=] \impostafontdeltesto [] \impostaforms [=] \impostaformule [] [=] \impostaincorniciato [] [=] \impostainiziatermina [] [=] \impostainstestazione [] [=] \impostainterazione [] [=] \impostainterazione [] \impostainterazione [] [=]</pre>
<pre>impostaelencocombinato:instance:content impostaenumerazioni impostafondo impostafontdeltesto impostaforms impostaformule impostaincorniciato impostainiziatermina impostainstestazione impostainterazione impostainterazione:name impostainterlinea impostainterlinea:argument</pre>	<pre>\impostacontent [=] \impostaenumerazioni [] [=] \impostafondo [] [=] \impostafontdeltesto [] \impostaforms [=] \impostaformule [] [=] \impostaincorniciato [] [=] \impostainiziatermina [] [=] \impostainstestazione [] [=] \impostainterazione [] [=] \impostainterazione [] \impostainteralinea [] [=] \impostainterlinea [] [=]</pre>
<pre>impostaelencocombinato:instance:content impostaenumerazioni impostafondo impostafontdeltesto impostaforms impostaformule impostaincorniciato impostainiziatermina impostainistestazione impostainterazione impostainterazione:name impostainterlinea impostainterlinea:argument impostainterlinea:name</pre>	<pre>\impostacontent [=] \impostaenumerazioni [] [=] \impostafondo [] [=] \impostafontdeltesto [] \impostaforms [=] \impostaformule [] [=] \impostaincorniciato [] [=] \impostainiziatermina [] [=] \impostainiziatermina [] [=] \impostainterazione [] [=] \impostainterazione [] \impostainteralinea [] [=] \impostainterlinea [] \impostainterlinea []</pre>
<pre>impostaelencocombinato:instance:content impostaenumerazioni impostafondo impostafontdeltesto impostaforms impostaformule impostaincorniciato impostainiziatermina impostainistestazione impostainterazione impostainterazione:name impostainterlinea impostainterlinea:argument impostainterlinea:name impostalayout</pre>	<pre>\impostacontent [=] \impostacontent [=] \impostafondo [] [=] \impostafontdeltesto [] \impostaforms [=] \impostaformule [] [=] \impostaincorniciato [] [=] \impostainiziatermina [] [=] \impostainstestazione [] [=] \impostainterazione [] [=] \impostainterazione [] \impostainterlinea [] [=] \impostainterlinea [] \impostainterlinea [] \impostainterlinea [] \impostainterlinea [] \impostainterlinea [] \impostalayout [] [=]</pre>
<pre>impostaelencocombinato:instance:content impostaenumerazioni impostafondo impostafontdeltesto impostaforms impostaformule impostaincorniciato impostainiziatermina impostainistestazione impostainterazione impostainterazione:name impostainterlinea impostainterlinea:argument impostainterlinea:name impostalayout impostalayout:name</pre>	<pre>\impostacontent [=] \impostacontent [=] \impostafondo [] [=] \impostafontdeltesto [] \impostaforms [=] \impostaformule [] [=] \impostaincorniciato [] [=] \impostainpostainiziatermina [] [=] \impostainstestazione [] [=] \impostainterazione [] [=] \impostainterazione [] \impostainterlinea [] [=] \impostainterlinea [] \impostainterlinea [] \impostalayout [] [=] \impostalayout []</pre>
<pre>impostaelencocombinato:instance:content impostaenumerazioni impostafondo impostafontdeltesto impostaforms impostaformule impostaincorniciato impostainiziatermina impostainistestazione impostainterazione impostainterazione:name impostainterlinea impostainterlinea:argument impostainterlinea:name impostalayout impostalayout:name impostalineemargine</pre>	<pre>\impostacontent [=] \impostacontent [=] \impostafondo [] [=] \impostafontdeltesto [] \impostaforms [=] \impostaformule [] [=] \impostaincorniciato [] [=] \impostainiziatermina [] [=] \impostainiziatermina [] [=] \impostainterazione [] [=] \impostainterazione [] \impostainteralinea [] [=] \impostainterlinea [] \impostainterlinea [] \impostainterlinea [] \impostalayout [] \impostalayout [] \impostalineemargine [] [=]</pre>
<pre>impostaelencocombinato:instance:content impostaenumerazioni impostafondo impostafontdeltesto impostaforms impostaformule impostaincorniciato impostainiziatermina impostainstestazione impostainterazione impostainterazione:name impostainterlinea impostainterlinea:argument impostainterlinea:name impostalayout impostalayout:name impostalineemargine impostalineenere</pre>	<pre>\impostacontent [=] \impostaenumerazioni [] [=] \impostafondo [] [=] \impostaformdeltesto [] \impostaforms [=] \impostaformule [] [=] \impostaincorniciato [] [=] \impostainiziatermina [] [=] \impostainstestazione [] [=] \impostainterazione [] [=] \impostainterazione [] \impostainterlinea [] [=] \impostainterlinea [] \impostainterlinea [] \impostalayout [] \impostalineemargine [] [=] \impostalineenargine [] [=] \impostalineenargine [] [=] \impostalineenargine [] [=] \impostalineenargine [] [=]</pre>
<pre>impostaelencocombinato:instance:content impostaenumerazioni impostafondo impostafontdeltesto impostaforms impostaformule impostaincorniciato impostainiziatermina impostainstestazione impostainterazione impostainterazione:name impostainterlinea impostainterlinea:argument impostainterlinea:name impostalayout impostalayout:name impostalineemargine impostalineenere impostalineeriempimento</pre>	<pre>\impostacontent [=] \impostacontent [=] \impostafondo [] [=] \impostafontdeltesto [] \impostaforms [=] \impostaformule [] [=] \impostaincorniciato [] [=] \impostainiziatermina [] [=] \impostainstestazione [] [=] \impostainterazione [] [=] \impostainterazione [] \impostainterlinea [] [=] \impostainterlinea [] \impostainterlinea [] \impostalineostalayout [] \impostalineostalineenere [=] \impostalineostalineenere [=] \impostalineostalineeriempimento [=]</pre>
<pre>impostaelencocombinato:instance:content impostaenumerazioni impostafondo impostafontdeltesto impostaforms impostaformule impostaincorniciato impostainiziatermina impostainstestazione impostainterazione impostainterazione:name impostainterlinea impostainterlinea:argument impostainterlinea:name impostalayout impostalayout:name impostalineemargine impostalineenere impostalineenere impostalineeriempimento impostalineesottili</pre>	<pre>\impostacontent [=] \impostacontent [=] \impostafondo [] [=] \impostafontdeltesto [] \impostaforms [=] \impostaformule [] [=] \impostaincorniciato [] [=] \impostainiziatermina [] [=] \impostainterazione [] [=] \impostainterazione [] [=] \impostainterazione [] \impostainterlinea [] [=] \impostainterlinea [] \impostainterlinea [] \impostainterlinea [] \impostalayout [] [=] \impostalineemargine [] [=] \impostalineenere [=] \impostalineesottili [=]</pre>
<pre>impostaelencocombinato:instance:content impostaenumerazioni impostafondo impostafontdeltesto impostaforms impostaformule impostaincorniciato impostainiziatermina impostainstestazione impostainterazione impostainterazione:name impostainterlinea:argument impostainterlinea:name impostalayout impostalayout:name impostalineemargine impostalineenere impostalineeriempimento impostalineesottili impostalineetesto</pre>	<pre>\impostacontent [=] \impostacontent [=] \impostafondo [] [=] \impostafontdeltesto [] \impostaforms [=] \impostaformule [] [=] \impostaincorniciato [] [=] \impostainiziatermina [] [=] \impostainterazione [] [=] \impostainterazione [] [=] \impostainterazione [] [=] \impostainterlinea [] [=] \impostainterlinea [] \impostainterlinea [] \impostalayout [] [=] \impostalineemargine [] [=] \impostalineenere [=] \impostalineesottili [=] \impostalineesottili [=] \impostalineetesto [=]</pre>
<pre>impostaelencocombinato:instance:content impostaenumerazioni impostafondo impostafontdeltesto impostaforms impostaformule impostaincorniciato impostainiziatermina impostainstestazione impostainterazione impostainterazione:name impostainterlinea:argument impostainterlinea:name impostainterlinea:name impostalayout impostalayout:name impostalineemargine impostalineenere impostalineeriempimento impostalineesottili impostalineetesto impostalingua</pre>	<pre>\impostacontent [=] \impostacontent [] [=] \impostafondo [] [=] \impostafontdeltesto [] \impostaforms [=] \impostaformule [] [=] \impostaincorniciato [] [=] \impostainiziatermina [] [=] \impostainterazione [] [=] \impostainterazione [] [=] \impostainteralinea [] [=] \impostainterlinea [] \impostainterlinea [] \impostainterlinea [] \impostalayout [] [=] \impostalineemargine [] [=] \impostalineenere [=] \impostalineesottili [=] \impostalineesottili [=] \impostalineetesto [=] \impostalineostalingua [] [=]</pre>
<pre>impostaelencocombinato:instance:content impostaenumerazioni impostafondo impostafontdeltesto impostaforms impostaformule impostaincorniciato impostainiziatermina impostainstestazione impostainterazione impostainterazione:name impostainterlinea:argument impostainterlinea:name impostalayout impostalayout:name impostalineemargine impostalineeriempimento impostalineesottili impostalineetesto impostalingua impostamaiuscole</pre>	<pre>\impostacontent [=] \impostacontent [] [=] \impostafondo [] [=] \impostafontdeltesto [] \impostaforms [=] \impostaformule [] [=] \impostaincorniciato [] [=] \impostainiziatermina [] [=] \impostainstestazione [] [=] \impostainterazione [] [=] \impostainterazione [] [=] \impostainterlinea [] [=] \impostainterlinea [] \impostainterlinea [] \impostalayout [] [=] \impostalineemargine [] [=] \impostalineenere [=] \impostalineesottili [=] \impostalineesottili [=] \impostalineostalingua [] [=] \impostalingua [] [=] \impostalinpostalingua [] [=] \impostalinpostalingua [] [=]</pre>
<pre>impostaelencocombinato:instance:content impostaenumerazioni impostafondo impostaforms impostaforms impostaformule impostaincorniciato impostainiziatermina impostainstestazione impostainterazione:name impostainterlinea:argument impostainterlinea:name impostalayout impostalayout:name impostalineemargine impostalineeriempimento impostalineesottili impostalingua impostamaiuscole impostamaiuscole</pre>	<pre>\impostacontent [=] \impostacontent [] [=] \impostafondo [] [=] \impostafontdeltesto [] \impostaforms [=] \impostaformule [] [=] \impostaincorniciato [] [=] \impostainteratione [] [=] \impostainterazione [] [=] \impostainterazione [] [=] \impostainterlinea [] [=] \impostainterlinea [] \impostainterlinea [] \impostainterlinea [] \impostalayout [] [=] \impostalineemargine [] [=] \impostalineente [] \impostalineesottili [=] \impostalineesottili [=] \impostalineostalingua [] [=] \impostamostalingua [] [=] \impostamostamaiuscole [] [=] \impostamostamakeup [] [=]</pre>
<pre>impostaelencocombinato:instance:content impostaenumerazioni impostafondo impostafontdeltesto impostaforms impostaformule impostaincorniciato impostainiziatermina impostainstestazione impostainterazione:name impostainterlinea:argument impostainterlinea:name impostalayout impostalayout:name impostalineemere impostalineenere impostalineesottili impostalineetesto impostalingua impostamaiuscole impostamarcatura</pre>	<pre>\impostacontent [=] \impostacontent [] [=] \impostafondo [] [=] \impostafontdeltesto [] \impostaforms [=] \impostaformule [] [=] \impostaincorniciato [] [=] \impostainteratione [] [=] \impostainterazione [] [=] \impostainterazione [] [=] \impostainteralinea [] [=] \impostainterlinea [] \impostainterlinea [] \impostainterlinea [] \impostalayout [] [=] \impostalineemargine [] [=] \impostalineentenere [=] \impostalineesttili [=] \impostalineetesto [=] \impostalingua [] [=] \impostamostamaiuscole [] [=] \impostamostamaiuscole [] [=] \impostamostamarcatura [] [=]</pre>
<pre>impostaelencocombinato:instance:content impostaenumerazioni impostafondo impostafontdeltesto impostaforms impostaformule impostaincorniciato impostainiziatermina impostainstestazione impostainterazione:name impostainterlinea:argument impostainterlinea:name impostalayout impostalayout:name impostalineemere impostalineeriempimento impostalineesottili impostalineetesto impostalingua impostamaiuscole impostamarcatura impostamarcatura impostamarcatura impostamaiuscone</pre>	<pre>\impostacontent [=] \impostacontent [] [=] \impostafondo [] [=] \impostafontdeltesto [] \impostaforms [=] \impostaforms [=] \impostaformule [] [=] \impostaincorniciato [] [=] \impostaintentariatermina [] [=] \impostaintentazione [] [=] \impostaintentazione [] \impostaintentazione [] \impostaintentinea [] \impostainterlinea [] \impostainterlinea [] \impostainterlinea [] \impostalayout [] [=] \impostalineemargine [] [=] \impostalineententententententententententententen</pre>
<pre>impostaelencocombinato:instance:content impostaenumerazioni impostafondo impostaforms impostaforms impostaformule impostaincorniciato impostainiziatermina impostainstestazione impostainterazione:name impostainterlinea:argument impostainterlinea:name impostalayout impostalayout:name impostalineemargine impostalineeriempimento impostalineetesto impostalingua impostamaiuscole impostamarcatura impostamenzione</pre>	<pre>\impostacontent [=] \impostacontent [] [=] \impostafondo [] [=] \impostafontdeltesto [] \impostaforms [=] \impostaformule [] [=] \impostaformule [] [=] \impostaincorniciato [] [=] \impostainostatermina [] [=] \impostainterazione [] [=] \impostainterazione [] [=] \impostainterazione [] \impostainterlinea [] \impostainterlinea [] \impostainterlinea [] \impostalayout [] [=] \impostalineemargine [] [=] \impostalineenere [=] \impostalineesottili [=] \impostalineesottili [=] \impostalingua [] [=] \impostamostamaticole [] [=] \impostamostamaticole [] [=] \impostamostamaticole [] [=] \impostamostamanicole [] [=] \impostamostamenuinterazione [] [=]</pre>
<pre>impostaelencocombinato:instance:content impostaenumerazioni impostafondo impostafontdeltesto impostaforms impostaformule impostaincorniciato impostainiziatermina impostainstestazione impostainterazione:name impostainterlinea:argument impostainterlinea:name impostalayout impostalayout:name impostalineemargine impostalineeriempimento impostalineesottili impostalineetesto impostalingua impostamaiuscole impostamarcatura impostamenzione impostamenzione impostamenzione impostamenzione impostamenzione impostamenzione impostamenzione impostamenzione impostanumerazionecapoversi</pre>	<pre>\impostacontent [=] \impostacontent [=] \impostafondo [] [=] \impostafontdeltesto [] \impostaforms [=] \impostaformule [] [=] \impostaformule [] [=] \impostaincorniciato [] [=] \impostainteratione [] [=] \impostainterazione [] [=] \impostainterazione [] [=] \impostainteralinea [] [=] \impostainterlinea [] \impostainterlinea [] \impostainterlinea [] \impostalayout [] [=] \impostalineemargine [] [=] \impostalineenere [=] \impostalineesottili [=] \impostalineesteto [=] \impostaminestalinea [] [=] \impostaminestalinea [] [=] \impostalinestalinea [] [=] \impostaminestalinea [] [=] \impostaminestalinea [] [=] \impostamantama [] [=] \impostamentamantama [] [=] \impostamentamantama [] [=] \impostamentamentaminestatione [] [=] \impostamentamentamentaminestatione [] [=] \impostamentamentamentamentamentamentamentamen</pre>
<pre>impostaelencocombinato:instance:content impostaenumerazioni impostafondo impostafontdeltesto impostaforms impostaformule impostaincorniciato impostainiziatermina impostainstestazione impostainterazione:name impostainterlinea:argument impostainterlinea:name impostalayout impostalayout:name impostalineemargine impostalineeriempimento impostalineesottili impostalineetesto impostalingua impostamaiuscole impostamarcatura impostanmenzione impostanmenzione impostanmenzione impostanmerazionecapoversi impostanumerazionepagina</pre>	<pre>\impostacontent [=] \impostacondo [] [=] \impostafondo [] [=] \impostafontdeltesto [] \impostaforms [=] \impostaformule [] [=] \impostaformule [] [=] \impostaincorniciato [] [=] \impostainostainteratione [] [=] \impostainterazione [] [=] \impostainterazione [] [=] \impostainterlinea [] \impostainterlinea [] \impostainterlinea [] \impostalayout [] [=] \impostalayout [] \impostalineemargine [] [=] \impostalineenere [=] \impostalineesottili [=] \impostalineestesto [=] \impostamostalinea [] [=] \impostamostamostamakeup [] [=] \impostamostamarcatura [] [=] \impostamostamostamarcatura [] [=] \impostamostamostamortaninea [] [=] \impostamostamostamortaninea [] [=] \impostamostamostamortaninea [] [=] \impostamostamostamortaninea [] [=] \impostamostamortaninea [] [=] \impostamostamortaninea [] [=] \impostamostamortaninea [] [=] \impostanumerazionea [] \impostanume</pre>
<pre>impostaelencocombinato:instance:content impostaenumerazioni impostafondo impostafontdeltesto impostaforms impostaincorniciato impostainiziatermina impostainstestazione impostainterazione impostainterlinea:name impostainterlinea:name impostalayout impostalineemargine impostalineeriempimento impostalineesottili impostalingua impostamaiuscole impostamaerazione impostamaerazione impostamaerazione impostalineore impostamaerazione impostamaerazione impostanumerazionecapoversi impostanumerazionerighe</pre>	<pre>\impostacontent [=] \impostacontent [] [=] \impostafondo [] [=] \impostafontdeltesto [] \impostaforms [=] \impostaformule [] [=] \impostaformule [] [=] \impostaincorniciato [] [=] \impostainostainteratione [] [=] \impostainterazione [] [=] \impostainterazione [] \impostainterlinea [] \impostainterlinea [] \impostainterlinea [] \impostalayout [] [=] \impostalayout [] \impostalineemargine [] [=] \impostalineenere [=] \impostalineesottili [=] \impostalineetesto [=] \impostamostalinea [] [=] \impostamostamakeup [] [=] \impostamostamakeup [] [=] \impostamostamostamakeup [] [=] \impostamostamostamakeup [] [=] \impostamostanumerazionecapoversi [=] \impostanumerazionecapoversi [=] \impostanumerazionerighe [] [=] \impostanumerazionerighe [] [=]</pre>
<pre>impostaelencocombinato:instance:content impostaenumerazioni impostafondo impostafontdeltesto impostaforms impostaformule impostaincorniciato impostainiziatermina impostainstestazione impostainterazione impostainterlinea:name impostainterlinea:name impostainterlinea:name impostalayout:name impostalineemargine impostalineeriempimento impostalineesottili impostalineetesto impostalingua impostamaiuscole impostamarcatura impostanumerazionecapoversi impostanumerazionepagina impostanumerazionerighe impostanumerazionerighe impostanumerazionerighe impostanumerazionerighe impostanumerazionerighe impostanumerazionerighe impostanumerazionerighe impostanumerazionerighe</pre>	<pre>\impostacontent [=] \impostaenumerazioni [] [=] \impostafondo [] [=] \impostafontdeltesto [] \impostaforms [=] \impostaformule [] [=] \impostaincorniciato [] [=] \impostainostainziatermina [] [=] \impostainterazione [] [=] \impostainterazione [] [=] \impostainterazione [] \impostainterlinea [] [=] \impostainterlinea [] \impostainterlinea [] \impostalayout [] [=] \impostalayout [] \impostalineemargine [] [=] \impostalineenere [=] \impostalineesottili [=] \impostalineetesto [=] \impostaminumeriaetesto [=] \impostamostamaiuscole [] [=] \impostamostamaniuscole [] [=] \impostamostamostamorazione [] [=] \impostamostanumerazione [] [=] \impostanumerazioneapoversi [=] \impostanumerazionerighe [] [=]</pre>
<pre>impostaelencocombinato:instance:content impostaenumerazioni impostafondo impostafontdeltesto impostaforms impostaincorniciato impostainiziatermina impostainstestazione impostainterazione impostainterlinea:name impostainterlinea:name impostalayout impostalineemargine impostalineeriempimento impostalineesottili impostalingua impostamaiuscole impostamaerazione impostamaerazione impostamaerazione impostalineore impostamaerazione impostamaerazione impostanumerazionecapoversi impostanumerazionerighe</pre>	<pre>\impostacontent [=] \impostacontent [] [=] \impostafondo [] [=] \impostafontdeltesto [] \impostaforms [=] \impostaformule [] [=] \impostaformule [] [=] \impostaincorniciato [] [=] \impostainostainteratione [] [=] \impostainterazione [] [=] \impostainterazione [] \impostainterlinea [] \impostainterlinea [] \impostainterlinea [] \impostalayout [] [=] \impostalayout [] \impostalineemargine [] [=] \impostalineenere [=] \impostalineesottili [=] \impostalineetesto [=] \impostamostalinea [] [=] \impostamostamakeup [] [=] \impostamostamakeup [] [=] \impostamostamostamakeup [] [=] \impostamostamostamakeup [] [=] \impostamostanumerazionecapoversi [=] \impostanumerazionecapoversi [=] \impostanumerazionerighe [] [=] \impostanumerazionerighe [] [=]</pre>

impostaoggettimobili	\ · · · · · · · · · · · · · · · · · · ·
1 66	\impostaoggettimobili [] [=]
impostaoggettomobile	\impostaoggettomobile [] [=]
impostaordinamento	\impostaordinamento [] [=]
impostaparranging	\impostaparranging []
impostapdp	\impostapdp [] [=]
impostapiustretto	\impostapiustretto [] [=]
impostaposizionamento	\impostaposizionamento [] [=]
impostaposizionamentoopposti	\impostaposizionamentoopposti [=]
	\impostaprogrammi [=]
impostaprogrammi	
impostaregistro	\impostaregistro [] [=]
impostaregistro:argument	\impostaregistro [] [=]
impostaregistro:instance	\impostaREGISTER [] [=]
impostaregistro:instance:index	\impostaindex [] [=]
	\impostarientro []
impostarientro	-
impostariferimento	\impostariferimento [=]
impostarighe	\impostarighe [] [=]
impostarigheriempimento	\impostarigheriempimento [=]
impostarigovuoto	\impostarigovuoto []
impostarotazione	\impostarotazione [=]
-	-
impostaschermointerazione	\impostaschermointerazione [=]
impostasegnosillabazione	\impostasegnosillabazione [=]
impostasetsimboli	\impostasetsimboli []
impostasfondi	\impostasfondi [] [=]
-	
impostasfondi:page	\impostasfondi [] [=]
impostasfondo	\impostasfondo [] [=]
impostasinonimi	\impostasinonimi [] [=]
impostaspaziatura	\impostaspaziatura []
impostaspaziobianco	\impostaspaziobianco []
impostaspezzamentooggettomobile	\impostaspezzamentooggettomobile [=]
impostatabelle	\impostatabelle [=]
impostatabulato	\impostatabulato [] [=]
impostatavolozza	\impostatavolozza []
. ⁻	
impostatesta	\impostatesta [] [=]
impostateste	\impostateste [] [=]
impostatesticima	\impostatesticima [] [] [] []
impostatestifondo	\impostatestifondo [] [] [] []
impostatestiincorniciati	\impostatestiincorniciati [] [=]
-	
impostatestiintestazioni	\impostatestiintestazioni [] [] [] []
impostatestipdp	\impostatestipdp [] [] [] []
	\impostatesto [] [=]
impostatesto	
-	\impostaLABELtesto [] [=]
impostatestoetichette:instance	\impostaLABELtesto [] [=] \impostabtylabeltesto [] [=]
<pre>impostatestoetichette:instance impostatestoetichette:instance:btxlabel</pre>	\impostabtxlabeltesto [] [=]
<pre>impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head</pre>	\impostabtxlabeltesto [] [=] \impostaheadtesto [] [=]
<pre>impostatestoetichette:instance impostatestoetichette:instance:btxlabel</pre>	\impostabtxlabeltesto [] [=]
<pre>impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head</pre>	\impostabtxlabeltesto [] [=] \impostaheadtesto [] [=]
<pre>impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel</pre>	\impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=]
<pre>impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator</pre>	\impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=]
<pre>impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix</pre>	\impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=]
<pre>impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix</pre>	\impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostasuffixtesto [] [=]
<pre>impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix</pre>	\impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=]
<pre>impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix</pre>	\impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostasuffixtesto [] [=]
<pre>impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit</pre>	\impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostasuffixtesto [] [=] \impostataglabeltesto [] [=] \impostaunittesto [] [=]
<pre>impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotesti</pre>	<pre>\impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostataglabeltesto [] [=] \impostataglabeltesto [] [=] \impostaunittesto [] [=] \impostatestotesti [] [] [] [] []</pre>
<pre>impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotesti impostatestotesti impostatestotesti impostatelleranza</pre>	<pre>\impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostasuffixtesto [] [=] \impostataglabeltesto [] [=] \impostaunittesto [] [=] \impostatestotesti [] [] [] [] \impostatolleranza []</pre>
<pre>impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotesti impostatestotesti</pre>	<pre>\impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostasuffixtesto [] [=] \impostataglabeltesto [] [=] \impostaunittesto [] [=] \impostatunittesto [] [] [] [] \impostatolleranza [] \impostatransizionepagina []</pre>
<pre>impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotesti impostatestotesti impostatestotesti impostatelleranza</pre>	<pre>\impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostasuffixtesto [] [=] \impostataglabeltesto [] [=] \impostaunittesto [] [=] \impostatestotesti [] [] [] [] \impostatolleranza []</pre>
<pre>impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotesti impostatestotesti</pre>	<pre>\impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostasuffixtesto [] [=] \impostataglabeltesto [] [=] \impostaunittesto [] [=] \impostatunittesto [] [] [] [] \impostatolleranza [] \impostatransizionepagina []</pre>
<pre>impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotesti impostatestotesti impostatestotesti impostatolleranza impostatype impostatyping</pre>	<pre>\impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostasuffixtesto [] [=] \impostataglabeltesto [] [=] \impostaunittesto [] [=] \impostatestotesti [] [] [] [] [] \impostatolleranza [] \impostatype [] [=] \impostatyping [] [=]</pre>
<pre>impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotesti impostatestotesti impostatestotesti impostatolleranza impostatype impostatyping impostaurl</pre>	<pre>\impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostasuffixtesto [] [=] \impostataglabeltesto [] [=] \impostaunittesto [] [=] \impostatunittesto [] [] [] [] [] \impostatolleranza [] \impostatypostatyping [] [=] \impostaupostaurl [=]</pre>
<pre>impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestoetichette:instance:unit impostatestoetsti impostatestolleranza impostatransizionepagina impostatype impostatyping impostaurl imposta:direct</pre>	<pre>\impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostasuffixtesto [] [=] \impostataglabeltesto [] [=] \impostaunittesto [] [] [] [] [] \impostatestotesti [] [] [] [] \impostatolleranza [] \impostatype [] [=] \impostatyping [] [=] \impostaurl [=] \imposta []</pre>
<pre>impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestoetsti impostatestoetsti impostatolleranza impostatransizionepagina impostatype impostatyping impostaurl imposta:direct in</pre>	<pre>\impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostasuffixtesto [] [=] \impostataglabeltesto [] [=] \impostaunittesto [] [] [] [] [] \impostatestotesti [] [] [] [] \impostatolleranza [] \impostatype [] [=] \impostatyping [] [=] \impostaurl [=] \imposta {} \in {} {} []</pre>
<pre>impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestoetichette:instance:unit impostatestoetsti impostatestolleranza impostatransizionepagina impostatype impostatyping impostaurl imposta:direct</pre>	<pre>\impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostasuffixtesto [] [=] \impostataglabeltesto [] [=] \impostaunittesto [] [] [] [] [] \impostatestotesti [] [] [] [] \impostatolleranza [] \impostatype [] [=] \impostatyping [] [=] \impostaurl [=] \imposta []</pre>
<pre>impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestoetsti impostatestoetsti impostatolleranza impostatransizionepagina impostatype impostatyping impostaurl imposta:direct in</pre>	<pre>\impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostasuffixtesto [] [=] \impostataglabeltesto [] [=] \impostaunittesto [] [] [] [] [] \impostatestotesti [] [] [] [] \impostatolleranza [] \impostatype [] [=] \impostatyping [] [=] \impostaurl [=] \imposta {} \in {} {} []</pre>
<pre>impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotesti impostatestotesti impostatolleranza impostatransizionepagina impostatype impostatyping impostaurl imposta:direct in inclinato</pre>	<pre>\impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostasuffixtesto [] [=] \impostataglabeltesto [] [=] \impostaunittesto [] [] [] [] [] \impostatestotesti [] [] [] [] \impostatransizionepagina [] \impostatype [] [=] \impostatyping [] [=] \impostat [=] \impostat [=] \impostat [] [] [] [] [] [] \impostat [] [] [] [] [] \impostat [] [] [] [] [] [] [] \impostat []</pre>
<pre>impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotesti impostatestotesti impostatolleranza impostatransizionepagina impostatype impostatyping impostaurl imposta:direct in inclinato inclinatograssetto includemenu</pre>	<pre>\impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostatypestatesto [] [=] \impostatypestatesto [] [=] \impostatunittesto [] [=] \impostatunittesto [] [] [] [] [] \impostatolleranza [] \impostatype</pre>
<pre>impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotetichette:instance:unit impostatestotesti impostatestolleranza impostatransizionepagina impostatype impostatyping impostaurl imposta:direct in inclinato inclinatograssetto includemenu includeversioninfo</pre>	<pre>\impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostatypestatesto [] [=] \impostataglabeltesto [] [=] \impostatunittesto [] [=] \impostatunittesto [] [] [] [] [] \impostatolleranza [] \impostatolleranza [] \impostatypestatyping [] [=] \impostatyping [] [=] \impostat [=] \imposta {} \in {} {} [] \inclinato \inclinatograssetto \includemenu [] \includeversioninfo {}</pre>
<pre>impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:operator impostatestoetichette:instance:suffix impostatestoetichette:instance:suffix impostatestoetichette:instance:unit impostatestoetichette:instance:unit impostatestotesti impostatelleranza impostatransizionepagina impostatype impostatyping impostaurl imposta:direct in inclinato inclinatograssetto includemenu includeversioninfo incorniciato</pre>	<pre>\impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostasuffixtesto [] [=] \impostataglabeltesto [] [=] \impostaunittesto [] [] [] [] [] \impostatostateltesto [] [] [] [] \impostatolleranza [] \impostatoratarizionepagina [] \impostatype [] [=] \impostatyping [] [=] \impostaurl [=] \imposta {} \in {} {} [] \inclinato \inclinatograssetto \includeversioninfo {} \incorniciato [=] {}</pre>
<pre>impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotetichette:instance:unit impostatestotesti impostatestolleranza impostatransizionepagina impostatype impostatyping impostaurl imposta:direct in inclinato inclinatograssetto includemenu includeversioninfo</pre>	<pre>\impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostatypestatytesto [] [=] \impostatypestatytesto [] [=] \impostatypestatytesto [] [] [] [] [] \impostatunittesto [] [] [] [] [] \impostatolleranza [] \impostatypestat</pre>
<pre>impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:operator impostatestoetichette:instance:suffix impostatestoetichette:instance:suffix impostatestoetichette:instance:unit impostatestoetichette:instance:unit impostatestotesti impostatelleranza impostatransizionepagina impostatype impostatyping impostaurl imposta:direct in inclinato inclinatograssetto includemenu includeversioninfo incorniciato</pre>	<pre>\impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostasuffixtesto [] [=] \impostataglabeltesto [] [=] \impostaunittesto [] [] [] [] [] \impostatostateltesto [] [] [] [] \impostatolleranza [] \impostatoratarizionepagina [] \impostatype [] [=] \impostatyping [] [=] \impostaurl [=] \imposta {} \in {} {} [] \inclinato \inclinatograssetto \includeversioninfo {} \incorniciato [=] {}</pre>
<pre>impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestoetichette:instance:unit impostatestotesti impostatelleranza impostatransizionepagina impostatype impostatyping impostaurl imposta:direct in inclinato inclinatograssetto includemenu includeversioninfo incorniciato incorniciato:instance</pre>	<pre>\impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostatypestatytesto [] [=] \impostatypestatytesto [] [=] \impostatypestatytesto [] [] [] [] [] \impostatunittesto [] [] [] [] [] \impostatolleranza [] \impostatypestat</pre>
<pre>impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:operator impostatestoetichette:instance:suffix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotesti impostatestotesti impostatolleranza impostatransizionepagina impostatype impostatyping impostaurl imposta:direct in inclinato inclinatograssetto includemenu includeversioninfo incorniciato incorniciato:instance incorniciato:instance:fitfieldframed incorniciato:instance:unframed</pre>	<pre>\impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostatioperatortesto [] [=] \impostatioperatortesto [] [] \impostatioperatortesto [] [] \impostatioperatortesto [] [] \impostatioperatortesto [] [] [] \impostatioperatortesto [] [] \impostatioperatortesto [] [] \impostatioperatortesto [] \impostatioperatortesto [] \impostatyping [] [] \impostatyping [] [] \impostatyping [] [] \impostatioperatortesto [] \inclinatoresto [] \inclinatoresto [] \inclinatoresto [] \inclinatoresto [] \incorniciato [] {} \fitfieldframed [] {} \intermed [] {} \inter</pre>
<pre>impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:operator impostatestoetichette:instance:suffix impostatestoetichette:instance:suffix impostatestoetichette:instance:unit impostatestoetichette:instance:unit impostatestotesti impostatestotesti impostatolleranza impostatransizionepagina impostatype impostatyping impostaurl imposta:direct in inclinato inclinatograssetto includemenu includeversioninfo incorniciato incorniciato:instance incorniciato:instance:fitfieldframed incorniciato:instance:unframed incrementa</pre>	<pre>\impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostatioperatortesto [] [=] \impostatioperatortesto [] [] \impostatioperatortesto [] \impostatioperatortesto [] \impostatioperatortesto [] \impostatyping [] [] \impostatyping [] [] \impostatyping [] [] \impostatioperatortesto [</pre>
<pre>impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:operator impostatestoetichette:instance:suffix impostatestoetichette:instance:suffix impostatestoetichette:instance:unit impostatestoetichette:instance:unit impostatestotesti impostatestotesti impostatolleranza impostatransizionepagina impostatype impostatyping impostaurl imposta:direct in inclinato inclinatograssetto includemenu includeversioninfo incorniciato incorniciato:instance incorniciato:instance:fitfieldframed incorniciato:instance:unframed incrementa incrementa:argument</pre>	<pre>\impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostasuffixtesto [] [=] \impostataglabeltesto [] [] \impostatunittesto [] [] [] [] [] \impostatestotesti [] [] [] [] \impostatolleranza [] \impostatoperatorepagina [] \impostatype [] [=] \impostatyping [] [=] \impostaurl [=] \impostaurl [=] \inclinato \inclinatograssetto \includemenu [] \includeversioninfo {} \incorniciato [=] {} \iffifieldframed [=] {} \intramed [=] {} \incrementa \ \incrementa dciparentheses-s</pre>
<pre>impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:operator impostatestoetichette:instance:suffix impostatestoetichette:instance:suffix impostatestoetichette:instance:unit impostatestoetichette:instance:unit impostatestotesti impostatestotesti impostatolleranza impostatransizionepagina impostatype impostatyping impostaurl imposta:direct in inclinato inclinatograssetto includemenu includeversioninfo incorniciato incorniciato:instance incorniciato:instance:fitfieldframed incorniciato:instance:unframed incrementa</pre>	<pre>\impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostataglabeltesto [] [=] \impostataglabeltesto [] [] \impostatunittesto [] [] [] [] [] \impostatestotesti [] [] [] [] \impostatolleranza [] \impostatypatatansizionepagina [] \impostatyping [] [=] \impostatyping [] [=] \impostaturl [=] \impostat [] [] \inclinato \inclinatograssetto \includeversioninfo {} \incorniciato [=] {} \iffitfieldframed [=] {} \intramed [=] {} \incrementa diparentheses-s \incrementcounter [] []</pre>
<pre>impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:operator impostatestoetichette:instance:suffix impostatestoetichette:instance:suffix impostatestoetichette:instance:unit impostatestoetichette:instance:unit impostatestotesti impostatestotesti impostatolleranza impostatransizionepagina impostatype impostatyping impostaurl imposta:direct in inclinato inclinatograssetto includemenu includeversioninfo incorniciato incorniciato:instance incorniciato:instance:fitfieldframed incorniciato:instance:unframed incrementa incrementa:argument</pre>	<pre>\impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostasuffixtesto [] [=] \impostataglabeltesto [] [] \impostatunittesto [] [] [] [] [] \impostatestotesti [] [] [] [] \impostatolleranza [] \impostatoperatorepagina [] \impostatype [] [=] \impostatyping [] [=] \impostaurl [=] \impostaurl [=] \inclinato \inclinatograssetto \includemenu [] \includeversioninfo {} \incorniciato [=] {} \iffifieldframed [=] {} \intramed [=] {} \incrementa \ \incrementa dciparentheses-s</pre>
<pre>impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:label impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestotesti impostatelleranza impostatyle impostatype impostatyping impostaurl impostacdirect in inclinato inclinatograssetto includemenu includeversioninfo incorniciato:instance incorniciato:instance:fitfieldframed incorniciato:instance:unframed incrementa incrementa incrementacounter incrementedcounter</pre>	<pre>\impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostampostamathlabeltesto [] [=] \impostampostampostampostatesto [] [=] \impostampostampostampostatesto [] [=] \impostampostatesto [] [=] \impostampostatesto [] [] [] \impostampostatesto [] [] [] [] \impostampostatestotesti [] [] [] [] \impostampostatestotesti [] [] [] \impostatestotesti [] [] [] \impostatestotesti [] [] [] \impostatestotesti [] [] [</pre>
<pre>impostatestoetichette:instance impostatestoetichette:instance:btxlabel impostatestoetichette:instance:head impostatestoetichette:instance:mathlabel impostatestoetichette:instance:operator impostatestoetichette:instance:prefix impostatestoetichette:instance:suffix impostatestoetichette:instance:taglabel impostatestoetichette:instance:unit impostatestoetichette:instance:unit impostatestotesti impostatestotesti impostatolleranza impostatransizionepagina impostatype impostatyping impostaurl imposta:direct in inclinato inclinatograssetto includemenu includeversioninfo incorniciato:instance incorniciato:instance incorniciato:instance:fitfieldframed incrementa incrementa:argument incrementcounter</pre>	<pre>\impostabtxlabeltesto [] [=] \impostaheadtesto [] [=] \impostalabeltesto [] [=] \impostamostamathlabeltesto [] [=] \impostaoperatortesto [] [=] \impostaprefixtesto [] [=] \impostataglabeltesto [] [=] \impostataglabeltesto [] [] \impostatunittesto [] [] [] [] [] \impostatestotesti [] [] [] [] \impostatolleranza [] \impostatypatatansizionepagina [] \impostatyping [] [=] \impostatyping [] [=] \impostaturl [=] \impostat [] [] \inclinato \inclinatograssetto \includeversioninfo {} \incorniciato [=] {} \iffitfieldframed [=] {} \intramed [=] {} \incrementa diparentheses-s \incrementcounter [] []</pre>

incrementvalue	\incrementvalue {}
	\indeptation
indentation	
infofont	\infofont
infofontbold	\infofontbold
inheritparameter	\inheritparameter [] []
inhibitblank	\inhibitblank
initializeboxstack	\initializeboxstack {}
iniziaalignment	\iniziaalignment [] \terminaalignment
iniziaallineacentro	\iniziaallineacentro \terminaallineacentro
iniziaallineadestra	\iniziaallineadestra \terminaallineadestra
iniziaallineasinistra	\iniziaallineasinistra \terminaallineasinistra
iniziaallmodes	\iniziaallmodes [] \terminaallmodes
iniziaambiente	\iniziaambiente [] \terminaambiente
iniziaambientebloccosezione	\iniziaambientebloccosezione [] \terminaambientebloccosezione
iniziaambiente:string	\iniziaambiente \terminaambiente
iniziaattachment:instance	\iniziaATTACHMENT [] [=] \terminaATTACHMENT
iniziaattachment:instance:attachment	
	\iniziaattachment [] [=] \terminaattachment
iniziabar	\iniziabar [] \terminabar
iniziabbordermatrix	\iniziabbordermatrix \terminabbordermatrix
iniziabitmapimage	\iniziabitmapimage [=] \terminabitmapimage
iniziabordermatrix	\iniziabordermatrix \terminabordermatrix
iniziabtxrenderingdefinitions	\iniziabtxrenderingdefinitions [] \terminabtxrenderingdefinitions
iniziabuffer	\iniziabuffer [] \terminabuffer
iniziabuffer:instance	\iniziaBUFFER \terminaBUFFER
iniziabuffer:instance:hiding	\iniziahiding \terminahiding
iniziacapoverso	\iniziacapoverso [] [=] \terminacapoverso
iniziacapoverso:instance	\iniziaSECTION [=] [=] \terminaSECTION
•	\iniziachapter [=] [=] \terminachapter
iniziacapoverso:instance:chapter	
iniziacapoverso:instance:part	\iniziapart [=] [=] \terminapart
iniziacapoverso:instance:section	\iniziasection [=] [=] \terminasection
iniziacapoverso:instance:subject	\iniziasubject [=] [=] \terminasubject
iniziacapoverso:instance:subsection	\iniziasubsection [=] [=] \terminasubsection
iniziacapoverso:instance:subsubject	\iniziasubsubject [=] [=] \terminasubsubject
iniziacapoverso:instance:subsubsection	\iniziasubsubsection [=] [=] \terminasubsubsection
iniziacapoverso:instance:subsubsubject	\iniziasubsubsubject [=] [=] \terminasubsubsubject
iniziacapoverso:instance:subsubsubsection	\iniziasubsubsubsection [=] [=] \terminasubsubsubsection
iniziacapoverso:instance:subsubsubject	\iniziasubsubsubject [=] [=] \terminasubsubsubject
iniziacapoverso:instance:subsubsubsubsection	\iniziasubsubsubsubsection [=] [=] \terminasubsubsubsect
iniziacapoverso:instance:subsubsubsubsubject	\iniziasubsubsubsubsubject [=] [\terminasubsubsubsubsubj
iniziacapoverso:instance:title	\iniziatitle [=] [\ \terminatitle
-	
iniziacatcodetable	\iniziacatcodetable \ \terminacatcodetable
iniziacenteraligned	\iniziacenteraligned \terminacenteraligned
iniziacharacteralign	\iniziacharacteralign [] \terminacharacteralign
iniziacheckedfences	\iniziacheckedfences \terminacheckedfences
iniziachemical	\iniziachemical [] [=] \terminachemical
iniziacodatabella	\iniziacodatabella [] \terminacodatabella
iniziacodatabulato	\iniziacodatabulato [] \terminacodatabulato
iniziacollect	\iniziacollect \terminacollect
iniziacollecting	\iniziacollecting \terminacollecting
iniziacolonne	\iniziacolonne [=] \terminacolonne
iniziacolore	\iniziacolore [] \terminacolore
	\iniziacolorintent [] \terminacolorintent
iniziacolorintent	
iniziacoloronly	\iniziacoloronly [] \terminacoloronly
iniziacolorset	\iniziacolorset [] \terminacolorset
iniziacolumnspan	\iniziacolumnspan [=] \terminacolumnspan
iniziacombination	\iniziacombination [] [=] \terminacombination
iniziacombination:matrix	\iniziacombination [] [] \terminacombination
iniziacommentopagina	\iniziacommentopagina \terminacommentopagina
iniziacommento:instance	\iniziaCOMMENT [] [=] \terminaCOMMENT
iniziacommento:instance:comment	\iniziacomment [] [=] \terminacomment
iniziacomponenet	\iniziacomponenet [] \terminacomponenet
iniziacomponenet:string	\iniziacomponenet\terminacomponenet
iniziacomponenet.string	\iniziacomponenet \terminacomponenet \iniziacontextcode \terminacontextcode
iniziacontextdefinitioncode	\iniziacontextdefinitioncode \terminacontextdefinitioncode
iniziactxfunction	\iniziactxfunction \terminactxfunction
iniziactxfunctiondefinition	\iniziactxfunctiondefinition \terminactxfunctiondefinition
iniziacurrentcolor	\iniziacurrentcolor \terminacurrentcolor
iniziacurrentlistentrywrapper	$\verb \iniziacurrentlistentrywrapper \verb \terminacurrentlistentrywrapper $
iniziadelimited	\iniziadelimited [] [] \terminadelimited
iniziadelimitedtext	\iniziadelimitedtext [] [] \terminadelimitedtext
iniziadelimitedtext:instance	\iniziaDELIMITEDTEXT [] [] \terminaDELIMITEDTEXT
iniziadelimitedtext:instance:aside	\iniziaaside [] [] terminaaside
	and the second s

```
iniziadelimitedtext:instance:blockquote
                                                       \iniziablockquote [...] [...] ... \terminablockquote
iniziadelimitedtext:instance:quotation
                                                       \iniziaquotation [...] [...] ... \terminaquotation
                                                       \iniziaquote [...] [...] ... \terminaquote
iniziadelimitedtext:instance:quote
                                                       \iniziaspeech [...] [...] ... \terminaspeech \iniziaDESCRIZIONE [..=..] ... \terminaDESCRIZIONE
iniziadelimitedtext:instance:speech
iniziadescrizione:example
                                                       \iniziaDESCRIZIONE [...] {...} ... \terminaDESCRIZIONE
iniziadescrizione:example:title
{\tt iniziadisplaymath}
                                                       \iniziadisplaymath ... \terminadisplaymath
                                                       \iniziadmath ... \terminadmath
iniziadmath
iniziadocument
                                                       \iniziadocument [..=..] ... \terminadocument
                                                       \iniziaeffect [...] ... \terminaeffect
iniziaeffect
iniziaeffect:example
                                                       \iniziaEFFECT ... \terminaEFFECT
                                                       \iniziaelement {...} [..=..] ... \terminaelement
iniziaelement
                                                       \iniziaelemento [...] ... \terminaelemento
iniziaelemento
iniziaembeddedxtable
                                                       \iniziaembeddedxtable [..=..] ... \terminaembeddedxtable
                                                       \iniziaembeddedxtable [...] ... \terminaembeddedxtable
iniziaembeddedxtable:name
iniziaenumerazione:example
                                                       \iniziaENUMERAZIONE [..=..] ... \terminaENUMERAZIONE
                                                       \iniziaENUMERAZIONE [...] {...} ... \terminaENUMERAZIONE
iniziaenumerazione:example:title
                                                       \iniziaexceptions [...] ... \terminaexceptions
iniziaexceptions
iniziaexpanded
                                                       \iniziaexpanded ... \terminaexpanded
\verb"inizia expanded collect"
                                                       \iniziaexpandedcollect ... \terminaexpandedcollect
                                                       \iniziaextendedcatcodetable \... \terminaextendedcatcodetable
\verb"inizia" extended catcode table
                                                       \iniziaexternalfigurecollection [...] ... \terminaexternalfigurecollect
{\tt inizia external figure collection}
                                                       \iniziafigura [...] [..=..] ... \terminafigura
iniziafigura
iniziafisso
                                                       \iniziafisso [...] ... \terminafisso
                                                       {\tt iniziafittingpage}
iniziafittingpage:instance
                                                       \iniziaFITTINGPAGE [..=..] ... \terminaFITTINGPAGE
iniziafittingpage:instance:MPpage
                                                       \iniziaMPpage [..=..] ... \terminaMPpage
                                                       \iniziaTEXpage [..=..] ... \terminaTEXpage
iniziafittingpage:instance:TEXpage
                                                       \iniziafloatcombination [..=..] ... \terminafloatcombination
iniziafloatcombination
                                                       \iniziafloatcombination [...] ... \terminafloatcombination
iniziafloatcombination:matrix
iniziafloattext:instance
                                                       \iniziaFLOATtesto [...] [...] \terminaFLOATtesto
                                                       iniziafloattext:instance:chemical
                                                       \iniziafiguretesto [...] [...] \terminafiguretesto
iniziafloattext:instance:figure
                                                       \iniziagraphictesto [...] [...] {...} ... \terminagraphictesto \iniziaintermezzotesto [...] [...] {...} ... \terminaintermezzotesto
iniziafloattext:instance:graphic
iniziafloattext:instance:intermezzo
                                                       \iniziatabletesto [...] [...] {...} ... \terminatabletesto
iniziafloattext:instance:table
                                                       \iniziafont [...] ... \terminafont
iniziafont
iniziafontclass
                                                       \iniziafontclass [...] ... \terminafontclass
iniziafontsolution
                                                       \iniziafontsolution [...] ... \terminafontsolution
                                                       \iniziaformula [...] ... \terminaformula
iniziaformula
                                                       \iniziaformula [..=..] ... \terminaformula
iniziaformula:assignment
                                                       \iniziaFORMULAformula [...] ... \terminaFORMULAformula
iniziaformula:instance
iniziaformula:instance:md
                                                       \iniziamdformula [...] ... \terminamdformula
                                                       \iniziampformula [...] ... \terminampformula
iniziaformula:instance:mp
                                                       \iniziasdformula [...] ... \terminasdformula
iniziaformula:instance:sd
iniziaformula:instance:sp
                                                       \iniziaspformula [...] ... \terminaspformula
iniziaformule
                                                       \mbox{\colored} \iniziaformule [...] ... \mbox{\colored}
                                                       \iniziaframedcell [..=..] ... \terminaframedcell
iniziaframedcell
iniziaframedcontent
                                                       \verb|\line| inizia framed content [...] ... \verb|\line| termina framed content|
                                                       \iniziaframedrow [..=..] ... \terminaframedrow
iniziaframedrow
                                                       \iniziaframedtable [...] [..=..] ... \terminaframedtable
iniziaframedtable
                                                       \iniziagridsnapping [...] ... \terminagridsnapping
iniziagridsnapping
iniziagridsnapping:list
                                                       \iniziagridsnapping [...] ... \terminagridsnapping
\verb"iniziahboxestohbox"
                                                       \iniziahboxestohbox ... \terminahboxestohbox
                                                       \iniziahboxregister ... \terminahboxregister
iniziahboxregister
                                                       \iniziaHELP [...] ... \terminaHELP
iniziahelp:instance
                                                       \iniziahelptext [...] ... \terminahelptext
iniziahelp:instance:helptext
                                                       \iniziahighlight [...] ... \terminahighlight
iniziahighlight
                                                       \iniziahyphenation [...] ... \terminahyphenation
iniziahyphenation
iniziaimath
                                                       \iniziaimath ... \terminaimath
                                                       \iniziaimpaccato [...] ... \terminaimpaccato
iniziaimpaccato
                                                       \iniziaincorniciato [...] [..=..] ... \terminaincorniciato
iniziaincorniciato
                                                       \iniziaindentedtext [...] ... \terminaindentedtext
iniziaindentedtext
iniziaindentedtext:example
                                                       \iniziaINDENTEDTEXT ... \terminaINDENTEDTEXT
                                                       \iniziainterazione [...] ... \terminainterazione
iniziainterazione
                                                       \iniziainterface ... \terminainterface
iniziainterface
iniziaintertext
                                                       \iniziaintertext ... \terminaintertext
                                                       iniziaitemgroup
                                                       \verb|\inizia| ITEMGROUP [...] [..=..] ... \verb|\termina| ITEMGROUP|
iniziaitemgroup:instance
iniziaitemgroup:instance:itemize
                                                       \iniziaitemize [...] [..=..] ... \terminaitemize
\verb"iniziaJScode"
                                                       \iniziaJScode ... \terminaJScode
iniziaJSpreamble
                                                       \iniziaJSpreamble ... \terminaJSpreamble
```

iniziaknockout	\iniziaknockout \terminaknockout
inizialayout	\inizialayout [] \terminalayout
inizialinealignment	\inizialinealignment [] \terminalinealignment
inizialineamargine	\inizialineamargine [] \terminalineamargine
inizialineamargine:assignment	
5 5	\inizialineamargine [=] \terminalineamargine
inizialineatesto	\inizialineatesto {} \terminalineatesto
inizialinecorrection	\inizialinecorrection $[\dots]$ \dots \terminalinecorrection
inizialinefiller	\inizialinefiller [] [=] \terminalinefiller
inizialinenumbering	\inizialinenumbering [] [=] \terminalinenumbering
inizialinenumbering:argument	\inizialinenumbering [] [] \terminalinenumbering
inizialinetable	\inizialinetable \terminalinetable
inizialinetablebody	\inizialinetablebody \terminalinetablebody
•	
inizialinetablecell	\inizialinetablecell [=] \terminalinetablecell
inizialinetablehead	\inizialinetablehead \terminalinetablehead
inizialocalfootnotes	\inizialocalfootnotes \terminalocalfootnotes
inizialocalheadsetup	\inizialocalheadsetup \terminalocalheadsetup
inizialocallinecorrection	\inizialocallinecorrection [] \terminalocallinecorrection
inizialocalnotes	\inizialocalnotes [] \terminalocalnotes
inizialocalsetups	\inizialocalsetups [] [] \terminalocalsetups
inizialocalsetups:string	\inizialocalsetups \terminalocalsetups
	<u>.</u>
inizialua	\inizialua \terminalua
inizialuacode	\inizialuacode \terminaluacode
inizialuaparameterset	$\$ inizialuaparameterset [] $\$ terminaluaparameterset
inizialuasetups	\inizialuasetups [] [] \terminaluasetups
inizialuasetups:string	\inizialuasetups \terminaluasetups
iniziaMPclip	\iniziaMPclip {} \terminaMPclip
iniziaMPcode	\iniziaMPcode {} \terminaMPcode
iniziaMPdefinitions	\iniziaMPdefinitions \{\} \terminaMPdefinitions
iniziaMPdrawing	\iniziaMPdrawing [] \terminaMPdrawing
iniziaMPenvironment	\iniziaMPenvironment [] \terminaMPenvironment
iniziaMPextensions	\iniziaMPextensions {} \terminaMPextensions
iniziaMPinclusions	\iniziaMPinclusions [] {} \terminaMPinclusions
iniziaMPinitializations	\iniziaMPinitializations \terminaMPinitializations
iniziaMPpositiongraphic	\iniziaMPpositiongraphic {} {} \terminaMPpositiongraphic
. • .	
iniziaMPpositionmethod	\iniziaMPpositionmethod {} \terminaMPpositionmethod
iniziaMPrun	\iniziaMPrun {} \terminaMPrun
iniziamakeup	\iniziamakeup [] [=] \terminamakeup
iniziamakeup:instance	\iniziaMAKEUPmakeup [=] \terminaMAKEUPmakeup
iniziamakeup:instance:middle	\iniziamiddlemakeup [=] \terminamiddlemakeup
iniziamakeup:instance:page	\iniziapagemakeup [=] \terminapagemakeup
iniziamakeup:instance:standard	\iniziastandardmakeup [=] \terminastandardmakeup
iniziamakeup:instance:text	\iniziatextmakeup [=] \terminatextmakeup
-	
iniziamarginblock	\iniziamarginblock [] \terminamarginblock
iniziamarkedcontent	\iniziamarkedcontent [] \terminamarkedcontent
iniziamathalignment:instance	\iniziaMATHALIGNMENT [=] \terminaMATHALIGNMENT
iniziamathalignment:instance:align	\iniziaalign [=] \terminaalign
iniziamathalignment:instance:mathalignment	\iniziamathalignment [=] \terminamathalignment
iniziamathcases:instance	\iniziaMATHCASES [=] \terminaMATHCASES
iniziamathcases:instance:cases	\iniziacases [=] \terminacases
iniziamathcases:instance:mathcases	\iniziamathcases [=] \terminamathcases
	\iniziaMATHMATRIX [=] \terminaMATHMATRIX
iniziamathmatrix:instance	
iniziamathmatrix:instance:mathmatrix	\iniziamathmatrix [=] \terminamathmatrix
iniziamathmatrix:instance:matrix	\iniziamatrix [=] \terminamatrix
iniziamathmode	\iniziamathmode \terminamathmode
iniziamathstyle	\iniziamathstyle [] \terminamathstyle
iniziamatrices	\iniziamatrices [=] \terminamatrices
iniziamaxaligned	\iniziamaxaligned \terminamaxaligned
iniziamenuinterattivo	\iniziamenuinterattivo [] \terminamenuinterattivo
iniziamettiformula	\iniziamettiformula [=] \terminamettiformula
iniziamettiformula:argument	\iniziamettiformula [] \terminamettiformula
iniziamiddlealigned	\iniziamiddlealigned \terminamiddlealigned
iniziamixedcolumns	\iniziamixedcolumns [] [=] \terminamixedcolumns
iniziamixedcolumns:instance	\iniziaMIXEDCOLUMNS [=] \terminaMIXEDCOLUMNS
iniziamixedcolumns:instance:boxedcolumns	\iniziaboxedcolumns [=] \terminaboxedcolumns
iniziamixedcolumns:instance:itemgroupcolumns	\iniziaitemgroupcolumns [=] \terminaitemgroupcolumns
iniziamode	\iniziamode [] \terminamode
iniziamodeset	\iniziamodeset [] {} \terminamodeset
iniziamodule	\iniziamodule [] \terminamodule
iniziamoduletestsection	\iniziamoduletestsection \terminamoduletestsection
iniziamodule:string	\iniziamodule \terminamodule
inizianamedsection	\inizianamedsection [] [=] [=] \terminanamedsection
inizianamedsubformulas	\inizianamedsubformulas [] {} \terminanamedsubformulas

inizianarrower	\inizianarrower [] \terminanarrower
inizianarrower:example	\iniziaNARROWER [] \terminaNARROWER
inizianegativo	\inizianegativo \terminanegativo
inizianicelyfilledbox	\inizianicelyfilledbox [=] \terminanicelyfilledbox
inizianointerference	\inizianointerference \terminanointerference
inizianotallmodes	\inizianotallmodes [] \terminanotallmodes
inizianota:instance	\iniziaNOTE [] \terminaNOTE
inizianota:instance:assignment	\iniziaNOTE [=] \terminaNOTE
inizianota:instance:assignment:endnote	\iniziaendnote [=] \terminaendnote
inizianota:instance:assignment:footnote	\iniziafootnote [=] \terminafootnote
inizianota:instance:endnote	\iniziaendnote [] \terminaendnote
inizianota:instance:footnote	\iniziafootnote [] \terminafootnote
inizianotext	\inizianotext \terminanotext
inizianotmode	\inizianotmode [] \terminanotmode
iniziaopposto	\iniziaopposto \terminaopposto
iniziaoutputstream	\iniziaoutputstream [] \terminaoutputstream
iniziaoverprint	\iniziaoverprint \terminaoverprint
iniziapagefigure	\iniziapagefigure [] [=] \terminapagefigure
iniziapagegrid	\iniziapagegrid [] [=] \terminapagegrid
iniziapagegridspan	\iniziapagegridspan [] [=] \terminapagegridspan
iniziapagegrid:example	\iniziaPAGEGRID [=] \terminaPAGEGRID
iniziapagelayout	\iniziapagelayout [] \terminapagelayout
iniziapar	\iniziapar [] [=] \terminapar
iniziaparagraphs	\iniziaparagraphs [] \terminaparagraphs
iniziaparagraphscell	\iniziaparagraphscell \terminaparagraphscell
iniziaparagraphs:example	\iniziaPARAGRAPHS \terminaPARAGRAPHS
iniziaparallel:example	\iniziaPARALLEL \terminaPARALLEL
iniziaparbuilder	\iniziaparbuilder [] \terminaparbuilder
iniziaplacefloat	\iniziaplacefloat [] [=] \terminaplacefloat
iniziaplacefloat:instance	\iniziamettiFLOAT [=] [=] \terminamettiFLOAT
iniziaplacefloat:instance:chemical	\iniziamettichemical [=] [=] \terminamettichemical
iniziaplacefloat:instance:figure	\iniziamettifigure [=] [=] \terminamettifigure
iniziaplacefloat:instance:graphic	\iniziamettigraphic [=] [\terminamettigraphic
iniziaplacefloat:instance:intermezzo	\iniziamettiintermezzo [=] [=] \terminamettiintermezzo
iniziaplacefloat:instance:table	\iniziamettitable [=] [=] \terminamettitable
iniziaplacepairedbox	\iniziaplacepairedbox [] [=] \terminaplacepairedbox
iniziaplacepairedbox:instance	\iniziamettiPAIREDBOX [=] \terminamettiPAIREDBOX
iniziaplacepairedbox:instance:legend	\iniziamettilegend [=] \terminamettilegend
iniziapositioning	\iniziapositioning [] [=] \terminapositioning
iniziapositionoverlay	\iniziapositionoverlay {} \terminapositionoverlay
iniziapositivo	\iniziapositivo \terminapositivo
iniziaposporre	\iniziaposporre [] \terminaposporre
iniziaprocessassignmentcommand	\iniziaprocessassignmentcommand [=] \terminaprocessassignmentcom
iniziaprocessassignmentlist	\iniziaprocessassignmentlist [=.] \terminaprocessassignmentlist
iniziaprocesscommacommand	\iniziaprocesscommacommand [] \terminaprocesscommacommand
iniziaprocesscommalist	\iniziaprocesscommalist [] \terminaprocesscommalist
iniziaprodotto	\iniziaprodotto [] \terminaprodotto
iniziaprodotto:string	\iniziaprodotto \terminaprodotto
iniziaprogetto	\iniziaprogetto [] \terminaprogetto
iniziaprogetto:string	\iniziaprogetto \terminaprogetto
iniziaprotectedcolors	\iniziaprotectedcolors \terminaprotectedcolors
iniziapubblicazione	\iniziapubblicazione [] [=] \terminapubblicazione
iniziarandomized	\iniziarandomized \terminarandomized
iniziarawsetups	\iniziarawsetups [] [] \terminarawsetups
·	\iniziarawsetups \ldots \terminarawsetups \ldots \terminarawsetups
iniziarawsetups:string	
iniziareadingfile	\iniziareadingfile \terminareadingfile
iniziaregime	\iniziaregime [] \terminaregime
iniziareusableMPgraphic	\iniziareusableMPgraphic \\\terminareusableMPgraphic
iniziariga	\iniziariga []
iniziarighe:instance	\iniziaLINES [=] \terminaLINES
iniziarighe:instance:lines	\inizialines [=] \terminalines
iniziascript	\iniziascript [] \terminascript
iniziasectionblock	\iniziasectionblock [] [=.] \terminasectionblock
iniziasectionblock:instance	\iniziaSECTIONBLOCK [=] \terminaSECTIONBLOCK
iniziasectionblock:instance:appendices	\iniziaappendices [=] \terminaappendices
iniziasectionblock:instance:backmatter	\iniziabackmatter [=] \terminabackmatter
iniziasectionblock:instance:bodymatter	\iniziabodymatter [=] \terminabodymatter
iniziasectionblock:instance:frontmatter	\iniziafrontmatter [=] \terminafrontmatter
iniziasectionlevel	\iniziasectionlevel [] [=] \terminasectionlevel
iniziasetups	\iniziasetups [] [\terminasetups
iniziasetups:string	\iniziasetups\terminasetups
iniziasfondo	\iniziasfondo [=] \terminasfondo

iniziasfondo:example	\iniziaSFONDO [=] \terminaSFONDO
iniziashift	\iniziashift [] \terminashift
iniziasidebar	\iniziasidebar [] [=] \terminasidebar
iniziasimplecolumns	\iniziasimplecolumns [=] \terminasimplecolumns
iniziasospeso	\iniziasospeso [=] {} \terminasospeso
iniziasospeso:argument	\iniziasospeso [] {} \terminasospeso
iniziasovrapponi	\iniziasovrapponi \terminasovrapponi
iniziaspecialitem:item	\iniziaspecialitem [] [] \terminaspecialitem
iniziaspecialitem:none	\iniziaspecialitem [] \terminaspecialitem
iniziaspecialitem:symbol	\iniziaspecialitem [] {} \terminaspecialitem
iniziasplitformula	\iniziasplitformula \terminasplitformula
iniziaspread	\iniziaspread \terminaspread
iniziastartstop	\inizia [] \termina
iniziastartstop:example	\iniziaSTARTSTOP \terminaSTARTSTOP
iniziastaticMPfigure	\iniziastaticMPfigure {} \terminastaticMPfigure
iniziastaticMPgraphic	\iniziastaticMPgraphic {} {} \terminastaticMPgraphic
iniziastretto	\iniziastretto [] [=] \terminastretto
iniziastretto:assignment	\iniziastretto [=] [] \terminastretto
iniziastretto:name	\iniziastretto [] [] \terminastretto
iniziastrictinspectnextcharacter	\iniziastrictinspectnextcharacter \terminastrictinspectnextcharacte
iniziastyle	\iniziastyle [=] \terminastyle
iniziastyle:argument	\iniziastyle [] \terminastyle
iniziastyle:instance	\iniziaSTYLE \terminaSTYLE
iniziasubformulas	\iniziasubformulas [] \terminasubformulas
iniziasubjectlevel	\iniziasubjectlevel [] [=] [=] \terminasubjectlevel
3	\iniziasubjectievei [] [] \terminasubjectievei \iniziasubsentence \terminasubsentence
iniziasubsentence	\iniziasubsentence \terminasubsentence \iniziasubstack \terminasubstack
iniziasubstack	
iniziasymbolset	\iniziasymbolset [] \terminasymbolset
iniziaTABLE	\iniziaTABLE [=] \terminaTABLE
iniziaTABLEbody	\iniziaTABLEbody [=] \terminaTABLEbody
iniziaTABLEfoot	\iniziaTABLEfoot [=] \terminaTABLEfoot
iniziaTABLEhead	\iniziaTABLEhead [=] \terminaTABLEhead
iniziaTABLEnext	\iniziaTABLEnext [=] \terminaTABLEnext
iniziatabella	\iniziatabella [] [=] \terminatabella
iniziatabella:name	\iniziatabella [] [=] \terminatabella
iniziatabelle	\iniziatabelle [] \terminatabelle
iniziatabelle:name	\iniziatabelle [] \terminatabelle
iniziatabulation:example	\iniziaTABULATION [] [=] \terminaTABULATION
iniziatabulato	\iniziatabulato [//] [=] \terminatabulato
iniziatabulato:instance	\iniziaTABULATE [. $^{\circ}$] [=] \terminaTABULATE
iniziatabulato:instance:fact	\iniziafact [] [=] \terminafact
iniziatabulato:instance:legend	\inizialegend [] [=] \terminalegend
iniziatesta	\iniziatesta [] {} \terminatesta
iniziatestatabella	\iniziatestatabella [] \terminatestatabella
iniziatestatabulato	\iniziatestatabulato [] \terminatestatabulato
iniziatesto	\iniziatesto \terminatesto
iniziatestoaiuto	\iniziatestoaiuto [] \terminatestoaiuto
iniziatestoetichetta:instance	\iniziaLABELtesto [] [] \terminaLABELtesto
iniziatestoetichetta:instance:btxlabel	\iniziabtxlabeltesto [] [] \terminabtxlabeltesto
iniziatestoetichetta:instance:head	\iniziaheadtesto [] [] \terminaheadtesto
iniziatestoetichetta:instance:label	\inizialabeltesto [] [\terminalabeltesto
iniziatestoetichetta:instance:mathlabel	\iniziamathlabeltesto [] [] \terminamathlabeltesto
iniziatestoetichetta:instance:operator	\iniziaoperatortesto [] [] \terminaoperatortesto
iniziatestoetichetta:instance:prefix	\iniziaprefixtesto [] [] \terminaprefixtesto
iniziatestoetichetta:instance:suffix	\iniziasuffixtesto [] [] \terminasuffixtesto
iniziatestoetichetta:instance:taglabel	\iniziataglabeltesto [] [] \terminataglabeltesto
iniziatestoetichetta:instance:unit	\iniziaunittesto [] [] \terminaunittesto
iniziatestoincorniciato:instance	\iniziaFRAMEDTEXT [] [=] \terminaFRAMEDTEXT
iniziatestoincorniciato:instance:framedtext	\iniziaframedtext [] [=] \terminaframedtext
iniziatexcode	\iniziatexcode \terminatexcode
iniziatexdefinition	\iniziatexdefinition \terminatexdefiniti
iniziatextbackground	\iniziatextbackground [] [=] \terminatextbackground
iniziatextbackgroundmanual	\iniziatextbackgroundmanual \terminatextbackgroundmanual
iniziatextbackground:example	\iniziaTEXTBACKGROUND [=] \terminaTEXTBACKGROUND
iniziatextcolor	\iniziatextcolor [] \terminatextcolor
iniziatextcolorintent	\iniziatextcolorintent \terminatextcolorintent
iniziatextflow	\iniziatextflow [] \terminatextflow
iniziatokens	\iniziatokens [] \terminatokens
iniziatransparent	\iniziatransparent [] \terminatransparent
iniziatypescript	\iniziatypescript [] [] \terminatypescript
iniziatypescriptcollection	\iniziatypescriptcollection [] \terminatypescriptcollection
iniziatyping:instance	\iniziaTYPING [=] \terminaTYPING
· J I	

```
iniziatyping:instance:argument
                                                          \iniziaTYPING [...] ... \terminaTYPING
iniziatyping:instance:argument:LUA
                                                          \iniziaLUA [...] ... \terminaLUA
iniziatyping:instance:argument:MP
                                                          \iniziaMP [...] ... \terminaMP
                                                          \iniziaPARSEDXML [...] ... \terminaPARSEDXML
iniziatyping:instance:argument:PARSEDXML
                                                          \iniziaTEX [...] ... \terminaTEX \iniziatyping [...] ... \terminatyping
iniziatyping:instance:argument:TEX
iniziatyping:instance:argument:typing
iniziatyping:instance:argument:XML
                                                          \iniziaXML [...] ... \terminaXML
iniziatyping:instance:LUA
                                                          \iniziaLUA [..=..] ... \terminaLUA
iniziatyping:instance:MP
                                                          \iniziaMP [..=..] ... \terminaMP
iniziatyping:instance:PARSEDXML
                                                          \iniziaPARSEDXML [..=..] ... \terminaPARSEDXML
iniziatyping:instance:TEX
                                                          \iniziaTEX [..=..] ... \terminaTEX
                                                          \iniziatyping [..=..] ... \terminatyping \iniziaXML [..=..] ... \terminaXML
iniziatyping:instance:typing
iniziatyping:instance:XML
\verb"iniziauniqueMPgraphic"
                                                         \iniziauniqueMPgraphic {...} {...} ... \terminauniqueMPgraphic
                                                         iniziauniqueMPpagegraphic
iniziaunpacked
                                                         \iniziaunpacked ... \terminaunpacked
iniziausableMPgraphic
                                                         \verb|\iniziausableMPgraphic {...} {...} ... \verb|\terminausableMPgraphic||
iniziauseMPgraphic
                                                         \iniziauseMPgraphic {...} {...} ... \terminauseMPgraphic
                                                         \iniziausemathstyleparameter \.....\terminausemathstyleparameter \iniziausingbtxspecification [...] ... \terminausingbtxspecification
iniziausemathstyleparameter
iniziausingbtxspecification
iniziavaia
                                                         \iniziavaia [...] ... \terminavaia
iniziavboxregister
                                                         \iniziavboxregister ... \terminavboxregister
                                                         \iniziavboxtohbox ... \terminavboxtohbox
iniziavboxtohbox
\verb"inizia v box to h box separator"
                                                         \iniziavboxtohboxseparator ... \terminavboxtohboxseparator
iniziaviewerlayer
                                                         \iniziaviewerlayer [...] ... \terminaviewerlayer
iniziaviewerlayer:example
                                                          \iniziaVIEWERLAYER ... \terminaVIEWERLAYER
                                                         \iniziavtopregister .....\terminavtopregister \iniziaxcell [...] [..=..] ... \terminaxcell
iniziavtopregister
iniziaxcell
iniziaxcellgroup
                                                         \iniziaxcellgroup [...] [..=..] ... \terminaxcellgroup
                                                         \iniziaxgroup [...] [..=..] ... \terminaxgroup
iniziaxgroup
iniziaxmldisplayverbatim
                                                         \iniziaxmldisplayverbatim [...] ... \terminaxmldisplayverbatim
                                                         \iniziaxmlinlineverbatim [...] ... \terminaxmlinlineverbatim
iniziaxmlinlineverbatim
iniziaxmlraw
                                                         \iniziaxmlraw ... \terminaxmlraw
iniziaxmlsetups
                                                         \iniziaxmlsetups [...] [...] ... \terminaxmlsetups
iniziaxmlsetups:string
                                                         \iniziaxmlsetups ... \terminaxmlsetups
                                                         \iniziaxrow [...] [..=..] ... \terminaxrow
iniziaxrow
                                                         \iniziaxrowgroup [...] [..=..] ... \terminaxrowgroup
iniziaxrowgroup
iniziaxtable
                                                         \iniziaxtable [..=..] ... \terminaxtable
iniziaxtablebody
                                                         \iniziaxtablebody [..=..] ... \terminaxtablebody
iniziaxtablebody:name
                                                         \iniziaxtablebody [...] ... \terminaxtablebody
iniziaxtablefoot
                                                         \iniziaxtablefoot [..=..] ... \terminaxtablefoot
                                                         \iniziaxtablefoot [...] ... \terminaxtablefoot
iniziaxtablefoot:name
                                                         \iniziaxtablehead [..=..] ... \terminaxtablehead
iniziaxtablehead
                                                         \iniziaxtablehead [...] ... \terminaxtablehead
iniziaxtablehead:name
                                                         \iniziaxtablenext [..=..] ... \terminaxtablenext
iniziaxtablenext
                                                         \iniziaxtablenext [...] ... \terminaxtablenext
iniziaxtablenext:name
                                                          \iniziaXTABLE [..=..] ... \terminaXTABLE
iniziaxtable:example
iniziaxtable:name
                                                         \iniziaxtable [...] ... \terminaxtable
inlinebuffer
                                                         \inlinebuffer [...]
                                                         \inlinedbox {...}
inlinedhov
                                                         \inlinemath {...}
inlinemath
inlinemathematics
                                                         \inlinemathematics {...}
inlinemessage
                                                         \inlinemessage {...}
                                                         \inlineordisplaymath {...} {...}
{\tt inlineordisplaymath}
inlineprettyprintbuffer
                                                         \inlineprettyprintbuffer {...} {...}
                                                          \inlinerange [...]
inlinerange
innerflushshapebox
                                                         \innerflushshapebox
input
                                                         \input {...}
                                                         \inputfilebarename
inputfilebarename
inputfilename
                                                         \inputfilename
inputfilerealsuffix
                                                         \inputfilerealsuffix
inputfilesuffix
                                                         \inputfilesuffix
inputgivenfile
                                                          \inputgivenfile {...}
input:string
                                                         \input ...
                                                         \inriga {...} [...]
inriga
                                                         \insertpages [...] [...] [..=..]
insertpages
installactionhandler
                                                         \installactionhandler {...}
                                                         \installactivecharacter ...
{\tt installactivecharacter}
                                                         \installalingua [...] [..=..]
installalingua
installalingua:name
                                                         \installalingua [...] [...]
installanddefineactivecharacter
                                                         \installanddefineactivecharacter ... {...}
                                                         \installattributestack \...
```

installattributestack

installautocommandhandler	$\verb \lambda installautocommand handler {} $
installautosetuphandler	\installautosetuphandler \ {}
installbasicautosetuphandler	$\$ \installbasicautosetuphandler \ $\{\}$ \
installbasicparameterhandler	\installbasicparameterhandler \ \{\}
installbottomframerenderer	\installbottomframerenderer {} {}
installcommandhandler	\installcommandhandler \ \{} \
installcorenamespace	\installcorenamespace {}
installdefinehandler	\installdefinehandler \ \{} \
installdefinitionset	\installdefinitionset \ \{\}
installdefinitionsetmember	\installdefinitionsetmember \ \\ \\
installdirectcommandhandler	\installdirectcommandhandler \ \{\}
installdirectparameterhandler	\installdirectparameterhandler \ \{\}
installdirectparametersethandler	\installdirectparametersethandler \ \{\}
installdirectsetuphandler	\installdirectsetuphandler \ \{\}
installdirectstyleandcolorhandler	\installdirectstyleandcolorhandler \ \{\}
installframedautocommandhandler installframedcommandhandler	\installframedautocommandhandler \ \{\} \
	\installframedcommandhandler \ \\
installeftframerenderer	\installeftframerenderer {} {}
installnamespace installoutputroutine	\installnamespace {}
•	\installoutputroutine \ \{\} \installpagearrangement \{\}
installpagearrangement installparameterhandler	\installparameterhandler \ \{\}
installparameterhashhandler	\installparameterhashhandler \ \\\}
installparametersethandler	\installparametersethandler \ \\\}
installparentinjector	\installparentinjector \ \{\}
installrightframerenderer	\installrightframerenderer {} {}
installrootparameterhandler	\installrootparameterhandler \ \{\dots\}
installsetuphandler	\installsetuphandler \ \{\\}
installsetuponlycommandhandler	\installsetuponlycommandhandler \ \{\}
installshipoutmethod	\installshipoutmethod {} {}
installsimplecommandhandler	\installsimplecommandhandler \ \{} \
installsimpleframedcommandhandler	\installsimpleframedcommandhandler \ \{\} \
installstyleandcolorhandler	\installstyleandcolorhandler \ {}
installswitchcommandhandler	\installswitchcommandhandler \ {} \
installswitchsetuphandler	\installswitchsetuphandler \ {}
installtexdirective	\installtexdirective {} {} {}
Installtexdirective	/Installective () ()
installtextracker	\installtextracker {} {} {}
installtextracker	<pre>\installtextracker {} {} {} \installtopframerenderer {} {} \installunitsseparator {} {}</pre>
installtextracker installtopframerenderer	\installtextracker {} {} {} \installtopframerenderer {} {}
installtextracker installtopframerenderer installunitsseparator	<pre>\installtextracker {} {} {} \installtopframerenderer {} {} \installunitsseparator {} {}</pre>
installtextracker installtopframerenderer installunitsseparator installunitsspace	<pre>\installtextracker {} {} \installtopframerenderer {} {} \installunitsseparator {} {} \installunitsspace {} {} \installversioninfo {} {} \integerrounding {}</pre>
installtextracker installtopframerenderer installunitsseparator installunitsspace installversioninfo	<pre>\installtextracker {} {} \installtopframerenderer {} {} \installunitsseparator {} {} \installunitsspace {} {} \installversioninfo {} {}</pre>
installtextracker installtopframerenderer installunitsseparator installunitsspace installversioninfo integerrounding	<pre>\installtextracker {} {} \installtopframerenderer {} {} \installunitsseparator {} {} \installunitsspace {} {} \installversioninfo {} {} \integerrounding {} \intertext {} \intorno []</pre>
installtextracker installtopframerenderer installunitsseparator installunitsspace installversioninfo integerrounding intertext	<pre>\installtextracker {} {} \installtopframerenderer {} {} \installunitsseparator {} {} \installunitsspace {} {} \installversioninfo {} {} \integerrounding {} \intertext {}</pre>
installtextracker installtopframerenderer installunitsseparator installunitsspace installversioninfo integerrounding intertext intorno invokepageheandler istltdir	<pre>\installtextracker {} {} \installtopframerenderer {} {} \installunitsseparator {} {} \installunitsspace {} {} \installversioninfo {} {} \integerrounding {} \intertext {} \intorno [] \invokepageheandler {} {} \istltdir</pre>
installtextracker installtopframerenderer installunitsseparator installunitsspace installversioninfo integerrounding intertext intorno invokepageheandler istltdir	<pre>\installtextracker {} {} \installtopframerenderer {} {} \installunitsseparator {} {} \installunitsspace {} {} \installversioninfo {} {} \integerrounding {} \intertext {} \intorno [] \intokepageheandler {} {} \istrtdir</pre>
installtextracker installtopframerenderer installunitsseparator installunitsspace installversioninfo integerrounding intertext intorno invokepageheandler istltdir istrtdir italiccorrection	<pre>\installtextracker {} {} \installtopframerenderer {} {} \installunitsseparator {} {} \installunitsspace {} {} \installversioninfo {} {} \integerrounding {} \intertext {} \intorno [] \intorno [] \isttdir \isttdir \italiccorrection</pre>
installtextracker installtopframerenderer installunitsseparator installunitsspace installversioninfo integerrounding intertext intorno invokepageheandler istltdir istrtdir italiccorrection italicface	<pre>\installtextracker {} {} {} \installtopframerenderer {} {} \installunitsseparator {} {} \installunitsspace {} {} \installversioninfo {} {} \integerrounding {} \intertext {} \intorno [] \intorno [] \isttdir \isttdir \italiccorrection \italicface</pre>
installtextracker installtopframerenderer installunitsseparator installunitsspace installversioninfo integerrounding intertext intorno invokepageheandler istltdir istrtdir italiccorrection italicface itemtag	<pre>\installtextracker {} {} {} \installtopframerenderer {} {} \installunitsseparator {} {} \installunitsspace {} {} \installversioninfo {} {} \integerrounding {} \intertext {} \intorno [] \invokepageheandler {} {} \isttdir \istrtdir \italiccorrection \italicface \itemtag []</pre>
installtextracker installtopframerenderer installunitsseparator installunitsspace installversioninfo integerrounding intertext intorno invokepageheandler istltdir istrtdir italiccorrection italicface itemtag jobfilename	<pre>\installtextracker {} {} {} \installtopframerenderer {} {} \installunitsseparator {} {} \installunitsspace {} {} \installversioninfo {} {} \integerrounding {} \intertext {} \intorno [] \invokepageheandler {} {} \isttldir \isttrdir \italiccorrection \italicface \itemtag [] \jobfilename</pre>
installtextracker installtopframerenderer installunitsseparator installunitsspace installversioninfo integerrounding intertext intorno invokepageheandler istltdir istrtdir italiccorrection italicface itemtag jobfilename jobfilesuffix	<pre>\installtextracker {} {} {} \installtopframerenderer {} {} \installunitsseparator {} {} \installunitsspace {} {} \installversioninfo {} {} \integerrounding {} \intertext {} \intorno [] \invokepageheandler {} {} \isttdir \isttdir \italiccorrection \italicface \itemtag [] \jobfilename \jobfilesuffix</pre>
installtextracker installtopframerenderer installunitsseparator installunitsspace installversioninfo integerrounding intertext intorno invokepageheandler istltdir istrtdir italiccorrection italicface itemtag jobfilename jobfilesuffix kap	<pre>\installtextracker {} {} {} \installtopframerenderer {} {} \installunitsseparator {} {} \installunitsspace {} {} \installversioninfo {} {} \integerrounding {} \intertext {} \intorno [] \invokepageheandler {} {} \istldir \istrtdir \italiccorrection \italicface \itemtag [] \jobfilename \jobfilesuffix \kap {}</pre>
installtextracker installtopframerenderer installunitsseparator installunitsspace installversioninfo integerrounding intertext intorno invokepageheandler istltdir istrtdir italiccorrection italicface itemtag jobfilename jobfilesuffix kap keeplinestogether	<pre>\installtextracker {} {} {} \installtopframerenderer {} {} \installunitsseparator {} {} \installunitsspace {} {} \installunitsspace {} {} \installversioninfo {} {} \integerrounding {} \intertext {} \intorno [] \invokepageheandler {} {} \istldir \istrdir \italiccorrection \italicface \itemtag [] \jobfilename \jobfilesuffix \kap {} \keeplinestogether {}</pre>
installtextracker installtopframerenderer installunitsseparator installunitsspace installversioninfo integerrounding intertext intorno invokepageheandler istltdir istrtdir italiccorrection italicface itemtag jobfilename jobfilesuffix kap keeplinestogether keepunwantedspaces	<pre>\installtextracker {} {} {} \installtopframerenderer {} {} \installunitsseparator {} {} \installunitsspace {} {} \installunitsspace {} {} \installversioninfo {} {} \integerrounding {} \intertext {} \intorno [] \invokepageheandler {} {} \istltdir \istrtdir \italiccorrection \italicface \itemtag [] \jobfilename \jobfilesuffix \kap {} \keeplinestogether {} \keeplinestogether {} \keeplinestogether {}</pre>
installtextracker installtopframerenderer installunitsseparator installunitsspace installversioninfo integerrounding intertext intorno invokepageheandler istltdir istrtdir italiccorrection italicface itemtag jobfilename jobfilesuffix kap keeplinestogether keepunwantedspaces kerncharacters	<pre>\installtextracker {} {} {} \installtopframerenderer {} {} \installunitsseparator {} {} \installunitsspace {} {} \installunitsspace {} {} \installversioninfo {} {} \integerrounding {} \intertext {} \intorno [] \invokepageheandler {} {} \istltdir \istrtdir \istrtdir \italiccorrection \italicface \itemtag [] \jobfilename \jobfilesuffix \kap {} \keeplinestogether {}</pre>
installtextracker installtopframerenderer installunitsseparator installunitsspace installversioninfo integerrounding intertext intorno invokepageheandler istltdir istrtdir italiccorrection italicface itemtag jobfilename jobfilesuffix kap keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals	<pre>\installtextracker {} {} {} \installtopframerenderer {} {} \installunitsseparator {} {} \installunitsspace {} {} \installunitsspace {} {} \installversioninfo {} {} \integerrounding {} \intertext {} \intorno [] \invokepageheandler {} {} \isttldir \istrldir \istrldir \italiccorrection \italicface \itemtag [] \jobfilename \jobfilesuffix \kap {} \keeplinestogether {} \keeplinestogether {} \keeplinestogether {} \keeplinestogether {} \keeplinestogether {} \keeplinestogetherenderenderenderenderenderenderenderen</pre>
installtextracker installtopframerenderer installunitsseparator installunitsspace installversioninfo integerrounding intertext intorno invokepageheandler istltdir istrtdir italiccorrection italicface itemtag jobfilename jobfilesuffix kap keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals	<pre>\installtextracker {} {} {} \installtopframerenderer {} {} \installunitsseparator {} {} \installunitsspace {} {} \installunitsspace {} {} \installversioninfo {} {} \integerrounding {} \intertext {} \intorno [] \invokepageheandler {} {} \istltdir \istrtdir \italiccorrection \italicface \itemtag [] \jobfilename \jobfilesuffix \kap {} \keeplinestogether {} \keeplinestogether {} \koreancirclenumerals {} \koreannumerals {}</pre>
installtextracker installtopframerenderer installunitsseparator installunitsspace installversioninfo integerrounding intertext intorno invokepageheandler istltdir istrtdir italiccorrection italicface itemtag jobfilename jobfilesuffix kap keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumeralsc	<pre>\installtextracker {} {} {} \installtopframerenderer {} {} \installunitsseparator {} {} \installunitsspace {} {} \installunitsspace {} {} \installversioninfo {} {} \integerrounding {} \intertext {} \intorno [] \invokepageheandler {} {} \istltdir \istrtdir \italiccorrection \italicface \itemtag [] \jobfilename \jobfilesuffix \kap {} \keeplinestogether {} \keeplinestogether {} \koreancirclenumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {}</pre>
installtextracker installtopframerenderer installunitsseparator installunitsspace installversioninfo integerrounding intertext intorno invokepageheandler istltdir istrtdir italiccorrection italicface itemtag jobfilename jobfilesuffix kap keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumeralsc koreannumeralsp	<pre>\installtextracker {} {} {} \installtopframerenderer {} {} \installunitsseparator {} {} \installunitsspace {} {} \installunitsspace {} {} \installversioninfo {} {} \integerrounding {} \intertext {} \intorno [] \invokepageheandler {} {} \istltdir \istrtdir \italiccorrection \italicface \itemtag [] \jobfilename \jobfilesuffix \kap {} \keeplinestogether {} \keeplinestogether {} \koreancirclenumerals {} \koreannumerals {}</pre>
installtextracker installtopframerenderer installunitsseparator installunitsspace installversioninfo integerrounding intertext intorno invokepageheandler istltdir istrtdir italiccorrection italicface itemtag jobfilename jobfilesuffix kap keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumeralsc koreannumeralsp koreanparentnumerals	<pre>\installtextracker {} {} {} \installtopframerenderer {} {} \installunitsseparator {} {} \installunitsspace {} {} \installunitsspace {} {} \installversioninfo {} {} \integerrounding {} \intertext {} \intorno [] \invokepageheandler {} {} \istltdir \istrtdir \italiccorrection \italicface \itemtag [] \jobfilename \jobfilesuffix \kap {} \keeplinestogether {} \keeplinestogether {} \koreancirclenumerals {} \koreannumerals {}</pre>
installtextracker installtopframerenderer installunitsseparator installunitsspace installversioninfo integerrounding intertext intorno invokepageheandler istltdir istrtdir italiccorrection italicface itemtag jobfilename jobfilesuffix kap keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumeralsc koreannumeralsp	<pre>\installtextracker {} {} {} \installtopframerenderer {} {} \installunitsseparator {} {} \installunitsspace {} {} \installunitsspace {} {} \installversioninfo {} {} \integerrounding {} \intertext {} \intorno [] \invokepageheandler {} {} \istltdir \istrtdir \italiccorrection \italicface \itemtag [] \jobfilename \jobfilesuffix \kap {} \keeplinestogether {} \keeplinestogether {} \koreancirclenumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreanparentnumerals {</pre>
installtextracker installtopframerenderer installunitsseparator installunitsspace installversioninfo integerrounding intertext intorno invokepageheandler istltdir istrtdir italiccorrection italicface itemtag jobfilename jobfilesuffix kap keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumeralsc koreannumeralsp koreanparentnumerals LAMSTEX	<pre>\installtextracker {} {} {} \installtopframerenderer {} {} \installunitsseparator {} {} \installunitsspace {} {} \installunitsspace {} {} \installversioninfo {} {} \integerrounding {} \intertext {} \intorno [] \invokepageheandler {} {} \istltdir \istrtdir \italiccorrection \italicface \itemtag [] \jobfilename \jobfilesuffix \kap {} \keeplinestogether {} \keeplinestogether {} \koreancirclenumerals {} \koreannumerals {}</pre>
installtextracker installtopframerenderer installunitsseparator installunitsspace installversioninfo integerrounding intertext intorno invokepageheandler istltdir istrtdir italiccorrection italicface itemtag jobfilename jobfilesuffix kap keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumeralsc koreannumeralsp koreanparentnumerals LAMSTEX LATEX	<pre>\installtextracker {} {} {} \installtopframerenderer {} {} \installunitsseparator {} {} \installunitsspace {} {} \installunitsspace {} {} \installversioninfo {} {} \integerrounding {} \intertext {} \intorno [] \invokepageheandler {} {} \istltdir \istrtdir \italiccorrection \italicface \itemtag [] \jobfilename \jobfilesuffix \kap {} \keeplinestogether {} \keeplinestogether {} \koreancirclenumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreanparentnumerals {} \koreanparentnume</pre>
installtextracker installtopframerenderer installunitsseparator installunitsspace installversioninfo integerrounding intertext intorno invokepageheandler istltdir istrtdir italiccorrection italicface itemtag jobfilename jobfilesuffix kap keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumeralsc koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LATEX LATEX	<pre>\installtextracker {} {} {} \installtopframerenderer {} {} \installunitsseparator {} {} \installunitsspace {} {} \installunitsspace {} {} \installversioninfo {} {} \integerrounding {} \intertext {} \intorno [] \invokepageheandler {} {} \istltdir \istrtdir \italiccorrection \italicface \itemtag [] \jobfilename \jobfilesuffix \kap {} \keeplinestogether {} \keeplunwantedspaces \kerncharacters [] {} \koreannumerals {} \koreanparentnumerals {} \kapparametric {} \koreanparentnumerals {} \kapparametric {} \kapparamet</pre>
installtextracker installtopframerenderer installunitsseparator installunitsspace installversioninfo integerrounding intertext intorno invokepageheandler istltdir istrtdir italiccorrection italicface itemtag jobfilename jobfilesuffix kap keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumeralsc koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LATEX LATEX LATEX	<pre>\installtextracker {} {} {} \installtopframerenderer {} {} \installunitsseparator {} {} \installunitsspace {} {} \installunitsspace {} {} \installversioninfo {} {} \integerrounding {} \intertext {} \intorno [] \invokepageheandler {} {} \istltdir \istltdir \italiccorrection \italicface \itemtag [] \jobfilename \jobfilesuffix \kap {} \keeplinestogether {} \keeplunwantedspaces \kerncharacters [] {} \koreannumerals {} \koreanstall {.</pre>
installtextracker installtopframerenderer installunitsseparator installunitsspace installversioninfo integerrounding intertext intorno invokepageheandler istltdir istrtdir italiccorrection italicface itemtag jobfilename jobfilesuffix kap keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumeralsc koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LamSTeX Latex Latex Lettera	<pre>\installtextracker {} {} {} \installtopframerenderer {} {} \installunitsseparator {} {} \installunitsspace {} {} \installunitsspace {} {} \installversioninfo {} {} \integerrounding {} \intertext {} \intorno [] \invokepageheandler {} {} \istltdir \istltdir \italiccorrection \italicface \itemtag [] \jobfilename \jobfilesuffix \kap {} \keeplinestogether {} \keepluwantedspaces \kerncharacters [] {} \koreannumerals {} \koreanstall {} \korea</pre>
installtextracker installtopframerenderer installunitsseparator installunitsspace installversioninfo integerrounding intertext intorno invokepageheandler istltdir istrtdir italiccorrection italicface itemtag jobfilename jobfilesuffix kap keeplinestogether keepunwantedspaces kerncharacters koreannumerals koreannumerals koreannumerals LAMSTEX LATEX LamSTeX Lettera Lettere	<pre>\installtextracker {} {} {} \installtopframerenderer {} {} \installunitsseparator {} {} \installunitsspace {} {} \installunitsspace {} {} \installversioninfo {} {} \integerrounding {} \intertext {} \intorno [] \invokepageheandler {} {} \istltdir \istltdir \italiccorrection \italicface \itemtag [] \jobfilename \jobfilesuffix \kap {} \keeplinestogether {} \keeplinestogether {} \koreancirclenumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \LAMSTEX \LAMSTEX \LAMSTEX \LATEX \Latera {} \Lettera {}</pre>
installtextracker installtopframerenderer installunitsseparator installunitsspace installversioninfo integerrounding intertext intorno invokepageheandler istltdir istrtdir italiccorrection italicface itemtag jobfilename jobfilesuffix kap keeplinestogether keepunwantedspaces kerncharacters koreannumerals koreannumerals koreannumerals LAMSTEX LATEX LATEX LamSTeX Latera Lettere LUAJITTEX	<pre>\installtextracker {} {} \installtopframerenderer {} {} \installunitsseparator {} {} \installunitsspace {} {} \installunitsspace {} {} \integerrounding {} \intertext {} \intorno [] \invokepageheandler {} {} \istltdir \istltdir \italiccorrection \italicface \itemtag [] \jobfilename \jobfilesuffix \kap {} \keeplinestogether {} \keeplinestogether {} \koreancirclenumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \LAMSTEX \LAMSTEX \LATEX \LateX \LateX \LateX \LateX \LateLettera {} \Lettere {} \LUAJITTEX</pre>
installtextracker installunitsseparator installunitsspace installversioninfo integerrounding intertext intorno invokepageheandler istltdir istrtdir italiccorrection italicface itemtag jobfilename jobfilesuffix kap keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsp koreanparentnumerals LAMSTEX LATEX LamSTEX Latet Lettera Lettere LUAJITTEX LUATEX	<pre>\installtextracker {} {} \installtopframerenderer {} {} \installunitsseparator {} {} \installunitsspace {} {} \installunitsspace {} {} \integerrounding {} \intertext {} \intorno [] \invokepageheandler {} {} \istltdir \istltdir \italiccorrection \italicface \itemtag [] \jobfilename \jobfilesuffix \kap {} \keeplinestogether {} \keeplinestogether {} \koreancirclenumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \LAMSTEX \LAMSTEX \LATEX \La</pre>

labellanguage:instance	\LABEL1ingua
labellanguage:instance:btxlabel	\btxlabellingua
labellanguage:instance:head	\headlingua
labellanguage:instance:label	\labellingua
labellanguage:instance:mathlabel	\mathlabellingua
labellanguage:instance:operator	\operatorlingua
labellanguage:instance:prefix	\prefixlingua
labellanguage:instance:suffix	\suffixlingua
labellanguage:instance:taglabel labellanguage:instance:unit	\taglabellingua \unitlingua
labeltexts:instance	\LABELtexts {} {}
labeltexts:instance:head	\headtexts {} {}
labeltexts:instance:label	\labeltexts {} {}
labeltexts:instance:mathlabel	\mathlabeltexts {} {}
languageCharacters	\languageCharacters {}
languagecharacters	\languagecharacters {}
languagecharwidth	\languagecharwidth {}
lastcounter	\lastcounter [] []
lastcountervalue	\lastcountervalue []
lastdigit	\lastdigit {}
lastlinewidth	\lastlinewidth
lastnaturalboxdp	\lastnaturalboxdp
lastnaturalboxht lastnaturalboxwd	\lastnaturalboxht \lastnaturalboxwd
lastpredefinedsymbol	\lastnaturarboxwd \lastpredefinedsymbol
lastrealpage	\lastrealpage
lastrealpagenumber	\lastrealpagenumber
lastsubcountervalue	\lastsubcountervalue [] []
lastsubpagenumber	\lastsubpagenumber
lasttwodigits	\lasttwodigits {}
lastuserpage	\lastuserpage
lastuserpagenumber	\lastuserpagenumber
lateluacode	\lateluacode {}
layeredtext	\layeredtext [=] [=] {}
layerheight	\layerheight
layerwidth	\layerwidth
	\lazysavetaggedtwopassdata {} {} {}
lazysavetaggedtwopassdata	
lazysavetwopassdata	\lazysavetwopassdata {} {} {}
lazysavetwopassdata lbox	\lazysavetwopassdata {} {} {} \lbox {}
lazysavetwopassdata	\lazysavetwopassdata {} {} {}
lazysavetwopassdata lbox leftbottombox	\lazysavetwopassdata {} {} {} \lbox {} \leftbottombox {}
lazysavetwopassdata lbox leftbottombox leftbox	<pre>\lazysavetwopassdata {} {} \lbox {} \leftbottombox {} \leftbox {}</pre>
lazysavetwopassdata lbox leftbottombox leftbox	<pre>\lazysavetwopassdata {} {} \lbox {} \leftbottombox {} \leftbox {} \lefthbox {} \leftLABELtesto {} \leftheadtesto {}</pre>
lazysavetwopassdata lbox leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label	<pre>\lazysavetwopassdata {} {} \lbox {} \leftbottombox {} \leftbox {} \lefthbox {} \leftLABELtesto {} \leftheadtesto {} \leftlabeltesto {}</pre>
lazysavetwopassdata lbox leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel	<pre>\lazysavetwopassdata {} {} \lbox {} \leftbottombox {} \leftbox {} \lefthbox {} \lefthbox {} \lefthabeLtesto {} \leftheadtesto {} \lefthabeltesto {} \leftmathlabeltesto {}</pre>
lazysavetwopassdata lbox leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline	<pre>\lazysavetwopassdata {} {} \lbox {} \leftbottombox {} \leftbox {} \lefthbox {} \lefthbox {} \lefthabeLtesto {} \leftheadtesto {} \lefthabeltesto {} \leftmathlabeltesto {} \lefthine {}</pre>
lazysavetwopassdata lbox leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrighthbox	<pre>\lazysavetwopassdata {} {} \lbox {} \leftbottombox {} \leftbox {} \lefthbox {} \leftLABELtesto {} \leftheadtesto {} \leftlabeltesto {} \leftmathlabeltesto {} \leftmathlabeltesto {} \leftline {} \leftorrighthbox {}</pre>
lazysavetwopassdata lbox leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrighthbox leftorrightvbox	<pre>\lazysavetwopassdata {} {} \lbox {} \leftbottombox {} \leftbox {} \lefthbox {} \leftLABELtesto {} \leftheadtesto {} \lefthabeltesto {} \lefthabeltesto {} \lefthathlabeltesto {} \leftboundaring \lefthabeltesto {} \lefthoughthabeltesto {} \lefthoughthabeltesto {} \leftorrighthbox {} \leftorrightybox {}</pre>
lazysavetwopassdata lbox leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrighthbox leftorrightvtop	<pre>\lazysavetwopassdata {} {} \lbox {} \leftbottombox {} \leftbox {} \lefthbox {} \leftLABELtesto {} \leftheadtesto {} \leftlabeltesto {} \lefthathlabeltesto {} \leftboundaring \leftheadtesto {} \lefth</pre>
lazysavetwopassdata lbox leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrighthbox leftorrightvbox	<pre>\lazysavetwopassdata {} {} \lbox {} \leftbottombox {} \leftbox {} \lefthbox {} \leftLABELtesto {} \leftheadtesto {} \leftlabeltesto {} \leftlabeltesto {} \leftline {} \leftorrightbox {} \leftorrightvbox {} \leftorrightvtop {} \leftskipadaption</pre>
lazysavetwopassdata lbox leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrighthbox leftorrightvtop leftskipadaption	<pre>\lazysavetwopassdata {} {} \lbox {} \leftbottombox {} \leftbox {} \lefthbox {} \leftLABELtesto {} \leftheadtesto {} \leftlabeltesto {} \lefthathlabeltesto {} \leftboundaring \leftheadtesto {} \lefth</pre>
lazysavetwopassdata lbox leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvtop leftskipadaption leftsubguillemot	<pre>\lazysavetwopassdata {} {} \lbox {} \leftbottombox {} \leftbox {} \lefthbox {} \leftLABELtesto {} \leftheadtesto {} \leftlabeltesto {} \leftlabeltesto {} \leftline {} \leftorrightbox {} \leftorrightvox {} \leftorrightvox {} \leftskipadaption \leftsubguillemot</pre>
lazysavetwopassdata lbox leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvbox leftorrightvtop leftskipadaption leftsubguillemot lefttopbox	<pre>\lazysavetwopassdata {} {} \lbox {} \leftbottombox {} \leftbox {} \lefthbox {} \leftLABELtesto {} \leftheadtesto {} \leftlabeltesto {} \leftlabeltesto {} \leftline {} \leftorrightbox {} \leftorrightvbox {} \leftorrightvbox {} \leftskipadaption \leftsubguillemot \lefttopbox {}</pre>
lazysavetwopassdata lbox leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvbox leftorrightvtop leftskipadaption leftsubguillemot lefttopbox lefttoright	<pre>\lazysavetwopassdata {} {} \lbox {} \leftbottombox {} \leftbox {} \leftbox {} \leftLABELtesto {} \leftheadtesto {} \leftlabeltesto {} \leftlabeltesto {} \leftline {} \leftorrightbox {} \leftorrightvbox {} \leftorrightvbox {} \leftskipadaption \leftsubguillemot \lefttorpbox {} \lefttorphy</pre>
lazysavetwopassdata lbox leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvbox leftorrightvtop leftskipadaption leftsubguillemot lefttopbox lefttoright lefttorighthbox	<pre>\lazysavetwopassdata {} {} \lbox {} \leftbottombox {} \leftbox {} \leftbox {} \lefthbox {} \lefthabeLtesto {} \leftheadtesto {} \lefthabeltesto {} \leftmathlabeltesto {} \leftorrighthbox {} \leftorrightvbox {} \leftorrightvbox {} \leftskipadaption \leftsubguillemot \lefttoright \lefttoright \lefttorightvbox {} \lefttorightvbox</pre>
lazysavetwopassdata lbox leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvbox leftorrightvtop leftskipadaption leftsubguillemot lefttoright lefttoright lefttorightbox lefttorightbox lefttoright lefttorightbox lefttorightbox lefttorightbox lefttorightbox lefttorightvbox lefttorightvbox lefttorightvbox lefttorightvtop letbeundefined	<pre>\lazysavetwopassdata {} {} \lbox {} \leftbottombox {} \leftbox {} \leftbox {} \lefthbox {} \lefthabeLtesto {} \lefthadtesto {} \lefthabeltesto {} \leftline {} \leftorrighthbox {} \leftorrightvbox {} \leftorrightvbox {} \leftskipadaption \leftsubguillemot \lefttoright \lefttoright \lefttoright \lefttorightvbox {} \lefttorightvoight \lefttorightvbox {} \lefttorightvoightvbox {} \lefttorightvoightvbox {} \lefttorightvtoightvbox {} \lefttorightvtoightvbox {} \lefttorightvtoightvbox {} \lefttorightvoightvbox {} \lefttorightvoightvbox {} \lefttorightvoightvbox {} \lefttorightvoightvbox {} \lefttorightvbox {} \lefttorightvbox</pre>
lazysavetwopassdata lbox leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvbox leftorrightvtop leftskipadaption leftsubguillemot lefttoright lefttoright lefttorightbox lefttorightbox lefttoright lefttorightbox lefttorightlemot lefttorightlemot lefttorightlemot lefttorightlefttorightvbox lefttorightvbox lefttorightvtop letbeundefined letcatcodecommand	<pre>\lazysavetwopassdata {} {} \lbox {} \leftbottombox {} \leftbox {} \leftbox {} \lefthbox {} \lefthbox {} \leftheadtesto {} \leftheadtesto {} \lefthabeltesto {} \leftnathlabeltesto {} \leftorrighthbox {} \leftorrightvbox {} \leftorrightvbox {} \leftskipadaption \leftsubguillemot \lefttoright \lefttoright \lefttorightvbox {} \l</pre>
lazysavetwopassdata lbox leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:mathlabel leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvtop leftskipadaption leftsubguillemot lefttorpbox lefttoright lefttorightbox lefttorightbox lefttoright lefttoright lefttoright lefttorightbox lefttorightbox lefttorightvbox lefttorightvbox lefttorightvbox lefttorightvtop letbeundefined letcatcodecommand letcscsname	<pre>\lazysavetwopassdata {} {} \lbox {} \leftbottombox {} \leftbox {} \leftbox {} \lefthbox {} \lefthbox {} \leftheadtesto {} \leftheadtesto {} \leftmathlabeltesto {} \leftline {} \leftorrighthbox {} \leftorrightvbox {} \leftskipadaption \leftsubguillemot \lefttopbox {} \lefttoright \leftoright \left \left</pre>
lazysavetwopassdata lbox leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvtop leftskipadaption leftsubguillemot lefttoright lefttoright lefttorightbox lefttorightbox lefttoright lefttoright lefttoright lefttorightbox lefttorightbox lefttorightbox lefttorightbox lefttorightbox lefttorightvbox lefttorightvtop letbeundefined letcatcodecommand letcscsname letcsnamecs	<pre>\lazysavetwopassdata {} {} \lbox {} \leftbottombox {} \leftbox {} \leftbox {} \lefthbox {} \leftheadtesto {} \leftheadtesto {} \leftlabeltesto {} \leftline {} \leftorrightbox {} \leftorrightvtop {} \leftskipadaption \leftsubguillemot \lefttoright \lefttoright \lefttorightvbox {} \lefttorightvop {} \leftcatcodecommand \leftcaname \leftca</pre>
lazysavetwopassdata lbox leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:mathlabel leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvtop leftskipadaption leftsubguillemot lefttorpbox lefttoright lefttorightbox lefttorightbox lefttorightbox lefttorightbox lefttorightlemot lefttorightbox lefttorightbox lefttorightvop lettseundefined letcatcodecommand letcscsname letcsnamecs letcsnamecsname	<pre>\lazysavetwopassdata {} {} {} \lbox {} \leftbottombox {} \leftbox {} \leftbox {} \lefthbox {} \lefthbox {} \leftheadtesto {} \leftheadtesto {} \leftlabeltesto {} \leftnathlabeltesto {} \leftorrightbox {} \leftorrightvor {} \leftorrightvor {} \leftskipadaption \leftsubguillemot \lefttoright \lefttoright \lefttorightvor {} \lefttorightvorightvor {} \lefttorightvorightvor {} \lefttorightvorightvor {} \lefttorightvorightvor {} \lefttorightvorightvor {} \lefttorightvorightvor {} \lettcatcodecommand \ldots \ldots \lettcscname \ldots \lcosname \ldots \ld</pre>
lazysavetwopassdata lbox leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:mathlabel leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvtop leftskipadaption leftsubguillemot lefttorpbox lefttoright lefttorightbox lefttorightbox lefttorightbox lefttorightbox lefttorightbox lefttorightbox lefttorightbox lefttorightvop letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter	<pre>\lazysavetwopassdata {} {} {} \leftbottombox {} \leftbottombox {} \leftbox {} \leftbox {} \lefthbox {} \lefthbox {} \leftheadtesto {} \lefthadtesto {} \lefthathlabeltesto {} \leftnathlabeltesto {} \leftorrightbox {} \leftorrightvop {} \leftorrightvtop {} \leftsubguillemot \leftsubguillemot \lefttoright \lefttorighttorightbox {} \lefttorightvtop {} \lefttorightvtop {} \lefttorightvtorightvtop {} \lefttorightvtop {} \lefttorightvtop {} \lefttorightvtop {} \lefttorightvop {</pre>
lazysavetwopassdata lbox leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:mathlabel leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvtop leftskipadaption leftsubguillemot lefttorpox lefttoright lefttorightbox lefttorightbox lefttorightbox lefttoright lefttoright lefttorightbox lefttorightbox lefttorightvop letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty	<pre>\lazysavetwopassdata {} {} {} \leftbottombox {} \leftbottombox {} \leftbox {} \leftbox {} \lefthbox {} \lefthactesto {} \leftheadtesto {} \lefthabeltesto {} \leftnathlabeltesto {} \leftorrightbox {} \leftorrightvop {} \leftorrightvop {} \leftorrightvop {} \lefttoright \lefttoright \lefttoright \lefttoright \lefttoright \lefttorightvop {} \lefttorightvop \</pre>
lazysavetwopassdata lbox leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:mathlabel leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvtop leftskipadaption leftsubguillemot lefttoright lefttorightbox lefttorightbox lefttorightbox lefttoright lefttoright lefttorightbox lefttorightvop letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue	<pre>\lazysavetwopassdata {} {} {} \leftbottombox {} \leftbottombox {} \leftbox {} \leftbox {} \leftLABELtesto {} \leftlabeltesto {} \leftlabeltesto {} \leftlabeltesto {} \leftline {} \leftorrighthox {} \leftorrightvop {} \leftorrightvop {} \leftskipadaption \leftsubguillemot \lefttoright \lefttoright \lefttoright \lefttorightvbox {} \lefttorightvop \lefttorightvop \leftscsname \leftcsname \leftcsna</pre>
lazysavetwopassdata lbox leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:mathlabel leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvtop leftskipadaption leftsubguillemot lefttoright lefttorightbox lefttorightbox lefttorightbox lefttorightbox lefttorightbox lefttorightbox lefttorightbox lefttorightvbox lefttorightvbox lefttorightvtop letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty	<pre>\lazysavetwopassdata {} {} {} \lbox {} \leftbottombox {} \leftbox {} \leftbox {} \leftbox {} \leftLABELtesto {} \leftlabeltesto {} \leftlabeltesto {} \leftline {} \leftorrighthbox {} \leftorrightvtop {} \leftorrightvtop {} \lefttoright \lefttoright \lefttoright \lefttoright \lefttorightvtop {} \leftseamediatesoname \ \csname \endcsname \letcsnamecs \csname \endcsname \ \letcsnamecsname \csname \endcsname \csname \endcsname \letdummyparameter {} \ \letgvalue {} \ \letgvalue empty {} \letgvalueempty {} \endcsname \letdumvalueempty {} \endcsname \l</pre>
lazysavetwopassdata lbox leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:mathlabel leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvtop leftskipadaption leftsubguillemot lefttoright lefttorightbox lefttorightbox lefttorightbox lefttoright lefttoright lefttorightbox lefttorightvop letbeundefined letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue	<pre>\lazysavetwopassdata {} {} {} \leftbottombox {} \leftbottombox {} \leftbox {} \leftbox {} \leftLABELtesto {} \leftlabeltesto {} \leftlabeltesto {} \leftlabeltesto {} \leftline {} \leftorrighthox {} \leftorrightvop {} \leftorrightvop {} \leftskipadaption \leftsubguillemot \lefttoright \lefttoright \lefttoright \lefttorightvbox {} \lefttorightvop \lefttorightvop \leftscsname \leftcsname \leftcsna</pre>
lazysavetwopassdata lbox leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvop leftskipadaption leftsubguillemot lefttoright lefttorightbox lefttoright lefttorightvop lettstorightvop lettstorightvop lettstorightvop lettorightvop lettorightvop lettorightvop lettorightvop lettorightvop letcatcodecommand letcscsname letcsnamecs letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax	<pre>\lazysavetwopassdata {} {} {} \lbox {} \leftbottombox {} \leftbotx {} \leftbox {} \leftbox {} \lefthbox {} \leftLABELtesto {} \leftLabeltesto {} \leftlabeltesto {} \leftline {} \leftorrightbox {} \leftorrightvtop {} \leftorrightvtop {} \lefttorright {} \lefttoright \lefttoright \lefttoright \lefttoright \lefttorightbox {} \lefttorightbox {} \lefttorightvop {} \lefttorightvop {} \lefttorightvop {} \lefttorightvop {} \lefttorightvop {} \lefttorightvop \csname \cndcsname \letcsnamecsname \csname \cndcsname \csname \letcsname \csname \cndcsname \csname \endcsname \letdummyparameter {} \ \letgvalue empty {} \letgvalue empty {} \letgvalueempty {} \letgvaluerlax {} </pre>
lazysavetwopassdata lbox leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvop leftskipadaption leftsubguillemot lefttoright lefttorightbox lefttorightvox lefttorightvop letttorightvop lettstorightvop lettsubdefined letcatcodecommand letcscsname letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera	<pre>\lazysavetwopassdata {} {} {} \lbox {} \leftbottombox {} \leftbotx {} \leftbox {} \leftbox {} \leftbox {} \leftLABELtesto {} \leftLabeltesto {} \leftmathlabeltesto {} \leftline {} \leftorrightbox {} \leftorrightvop {} \leftorrightvop {} \leftorrightvop {} \lefttoright \leftoright \lefttoright \lefttoright \lefttoright \lefttoright \lefttoright \lefttorightvop {} \lefttorightvop {} \lefttorightvop {} \lefttorightvop {} \lefttorightvop {} \lefttorightvop \csname \endcsname \letcsnamecs \csname \endcsname \left \lettersamecs \csname \endcsname \leftcsname \endcsname \lettdummyparameter {} \leftcspalue {} \leftcspalue {} \leftcspalue {} \leftcspalue {} \lettera {} \leftlettera {} \leftlettera {} \end{align*} \leftleftlooright \leftlooright \leftloo</pre>
lazysavetwopassdata lbox leftbottombox leftbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:mathlabel leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvbox leftorrightvtop leftskipadaption leftsubguillemot lefttoright lefttorightbox lefttorightvbox lefttorightvbox lefttorightpox letteraneet letcsnamecs letcsnamecs letcsnamecs letcsnamecs letcsnamecs letcyalueempty letgvalue letgvalueempty letgvalurelax lettera letterat letterat	<pre>\lazysavetwopassdata {} {} {} \lbox {} \leftbottcmbox {} \leftbotx {} \leftbotx {} \leftbox {} \lefthbox {} \lefthbox {} \leftheadtesto {} \leftheadtesto {} \leftheadtesto {} \leftmathlabeltesto {} \leftorrightbox {} \leftorrightvbox {} \leftorrightvbox {} \leftskipadaption \leftsubguillemot \lefttoright \lefttorighthox {} \lefttorighttorightvbox {} \lefttorightviphiphiphiphiphiphiphiphiphiphiphiphiphi</pre>
lazysavetwopassdata lbox leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:mathlabel leftlabeltext:instance:mathlabel leftline leftorrighthbox leftorrightvtop leftskipadaption leftsubguillemot lefttoright lefttorightbox lefttorightbox lefttorightvop lettstorightbox lefttoright lefttorightbox lefttorightbox lefttorightvop lettorightvop lettbeundefined letcascodecommand letcscsname letcsnamecs letcsnamecs letcsnamecsname letdummyparameter letempty letgvalue letgvalueempty letgvalurelax lettera letterampersand	<pre>\lazysavetwopassdata {} {} {} \lbox {} \leftbottcmbox {} \leftbotx {} \leftbotx {} \leftbox {} \lefthbox {} \lefthbox {} \leftheadtesto {} \leftheadtesto {} \leftheadtesto {} \leftmathlabeltesto {} \leftline {} \leftorrightbox {} \leftorrightvox {} \leftorrightvox {} \leftskipadaption \leftsubguillemot \lefttoright \lefttorightbox {} \lefttorightvox {} \lefttorightviphtox {} \lefttorightviphtox {} \lefttorightviphtox {} \lefttorightvox {} \lefttorightvox \csname \endcsname \lettcsnamecs \csname \endcsname \ \lettcsnamecs \csname \endcsname \csname \endcsname \lettcsnamecsname \csname \endcsname \csname \endcsname \csname \endcsname \csname \endcsname \csname \csname \endcsname \csname \csname \csname \endcsname \csname \csna</pre>

letterbgroup	\letterbgroup
letterclosebrace	\letterclosebrace
lettercolon	\lettercolon
letterdollar	\letterdollar
letterdoublequote	\letterdoublequote
lettere	\lettere {}
letteregroup	\letteregroup
letterescape	\letterescape
letterexclamationmark	\letterexclamationmark
letterhash	\letterhash
letterhat	\letterhat
letterleftbrace	\letterleftbrace
letterleftbracket	\letterleftbracket
letterleftparenthesis	\letterleftparenthesis
letterless	\letterless
lettermore	\lettermore
letteropenbrace	\letteropenbrace
letterpercent	\letterpercent
letterquestionmark	\letterquestionmark
letterrightbrace	\letterrightbrace
letterrightbracket	\letterrightbracket
letterrightparenthesis	\letterrightparenthesis
lettersinglequote	\lettersinglequote
letterslash	\letterslash
letterspacing	\letterspacing [] {}
lettertilde	\lettertilde
letterunderscore	\letterunderscore
letvalue	\letvalue {} \
letvalueempty	\letvalueempty {}
letvaluerelax	\letvaluerelax {}
lfence	\lfence {}
lhbox	\lhbox {}
limitatefirstline	\limitatefirstline {} {} {}
limitatelines	\limitatelines \{\ldots\} \{\ldots\}
limitatetext	\limitatetext {} {} {}
limitatetext:list	\limitatetext {} {} {}
lineanera	\lineanera [=]
lineasottile	\lineasottile
lineatesto	\lineatesto [] {}
lineenere	\lineenere [=]
lineeriempimento	\lineeriempimento [=] $\{\}$
lineesottili	\lineesottili [=]
linenote:instance	\LINENOTE {}
linenote:instance:linenote	\linenote {}
linespanningtext	\linespanningtext \{\ldots\} \{\ldots\}
lingua	\lingua []
linguaprincipale	\linguaprincipale []
lingua:example	\LANGUAGE
listcitation	\listcitation [=] []
listcitation:alternative	\listcitation [] []
listcitation:userdata	\listcitation [=] [=]
listcite	\listcite [=] []
listcite:alternative	\listcite [] []
listcite:userdata	\listcite [=] [=]
listnamespaces	\listnamespaces
llap	\lap {}
loadanyfile	\loadanyfile []
loadanyfileonce	\loadanyfileonce []
loadbtxdefinitionfile	\loadbtxdefinitionfile []
loadbtxreplacementfile	\loadbtxreplacementfile []
loadcldfile	\loadcldfile []
loadcldfileonce	\loadcldfileonce []
loadfontgoodies	\loadfontgoodies []
loadluafile	\loadluafile []
loadluafileonce	\loadluafileonce []
loadspellchecklist	\loadspellchecklist [] []
loadtexfile	\loadtexfile []
loadtexfileonce	\loadtexfileonce []
loadtypescriptfile	\loadtypescriptfile []
localframed	\localframed [] [=] {}
localframedwithsettings	\localframedwithsettings [] [=] {}
localhsize	\localhsize

localpopbox	\localpopbox
localpopmacro	\localpopmacro \
localpushbox	\localpushbox
localpushmacro	\localpushmacro \
localundefine	\localundefine {}
locatedfilepath	\locatedfilepath
locatefilepath	\locatefilepath {}
locfilename	\locfilename {}
lomihi	\lomihi {} {} {}
lowerbox	\lowerbox {} \ {}
lowercased	\lowercased {}
lowercasestring	\lowercasestring \to \
lowerleftdoubleninequote	\lowerleftdoubleninequote
lowerleftsingleninequote	\lowerleftsingleninequote
lowerrightdoubleninequote	\lowerrightdoubleninequote
lowerrightsingleninequote	\lowerrightsingleninequote
lowhigh:instance	\LOWHIGH [] {} {}
lowmidhigh:instance	\LOWMIDHIGH {} {}
lrtbbox	\lrtbbox \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
ltop	\ltop {}
luacode	\luacode {}
luaconditional	\luaconditional \
luaenvironment	\luaenvironment
luaexpanded	\luaexpanded {}
luaexpr	\luaexpr {}
luafunction	\luafunction {}
luajitTeX	\luajitTeX
luamajorversion	\luamajorversion
luaminorversion	\luaminorversion
luaparameterset	\luaparameterset {} {}
luasetup	\luasetup {}
luaTeX	\luaTeX
luaversion	\luaversion
lunghezzaelenco	\lunghezzaelenco
MESE	\MESE {}
METAFONT	METAFONT
METAFUN	METAFUN
METAPOST	METAPOST
MetaFont	\MetaFont
MetaFun	MetaFun
MetaPost	\MetaPost
MKII	MKII
MKIV	MKIV
MKIX	MKIX
MKVI	MKVI
MKXI	\MKXI
MONTHLONG	\MONTHLONG {}
MONTHSHORT	\MONTHSHORT {}
MPanchor	\MPanchor \{\dots\}
MPbetex	\MPbetex {}
MPc	\MPc {}
MPcode	\MPcode {} {}
MPcolor	\MPcolor {}
MPcoloronly	\MPcoloronly {}
MPcolumn	\MPcolumn {}
MPd	\MPd {}
MPdrawing	\MPdrawing \{\dots\}
MPfontsizehskip	\MPfontsizehskip {}
MPgetmultipars	\MPgetmultipars \{\ldots\}
MPgetmultishape	\MPgetmultishape \{\ldots\} \\\
MPgetposboxes	\MPgetposboxes \{\dots\}\{\dots\}
MPh	\MPh {}
MPII	MPII
MPIV	\MPIV
MPinclusions	\MPinclusions [] \{\}
MPleftskip	\MPleftskip {}
MP11	\MP11 {}
MPlr	\MPlr {}
MPls	\MPls {}
MPmenubuttons	\MPmenubuttons \{\dots\}
MPn	\MPn {}
MPoptions	\MPoptions {}

MPoverlayanchor	\MPoverlayanchor {}
MPp	\MPp {}
MPpage	\MPpage {}
MPpardata	\MPpardata {}
MPplus	\MPplus {} {}
MPpos	\MPpos {}
MPpositiongraphic	\MPpositiongraphic {} {=}
MPposset	\MPposset {}
MPr	\MPr {}
MPrawvar	\MPrawvar {} {}
MPregion	\MPregion {}
MPrest	\MPrest {} {}
MPrightskip	\MPrightskip {}
MPrs	\MPrs {}
MPstring	\MPstring {}
MPtext	\MPtext {}
MPtransparency	\MPtransparency {}
MPul	\MPul {}
MPur	\MPur {}
MPVI	\MPVI
MPv	\MPv {} {}
MPvar	\MPvar {}
MPvariable	\MPvariable {}
MPvv	\MPvv {} {}
MPw	\MPw {}
MPwhd	\MPwhd {}
MPx	\MPx {}
MPxy	\MPxy {}
MPxywhd	\MPxywhd {}
MPy	\MPy {}
m	\m [] {}
makecharacteractive	\makecharacteractive
makerawcommalist	\makerawcommalist [] \
makestrutofbox	\makestrutofbox
mapfontsize	\mapfontsize [] []
marcatura	\marcatura (,) (,) []
margindata	
mar grindata	
margindata:instance	\margindata [] [=] [=] {} \MARGINDATA [=] [=] {}
margindata:instance	\MARGINDATA [=] [=] {}
margindata:instance margindata:instance:atleftmargin	\MARGINDATA [=] [=] {} \atleftmargin [=] [=] {}
margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin	\MARGINDATA [=] [=] {} \atleftmargin [=] [=] {} \atrightmargin [=] [=] {}
<pre>margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner</pre>	\MARGINDATA [=] [=] {} \atleftmargin [=] [=] {} \atrightmargin [=] [=] {} \ininner [=] [=] {}
margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge	\MARGINDATA [=] [=] {} \atleftmargin [=] [=] {} \atrightmargin [=] [=] {} \ininner [=] [=] {} \ininneredge [=] [=] {}
margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin	\MARGINDATA [=] [=] {} \attention attention for each of the content of the con
margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge	\MARGINDATA [=] [=] {} \attentional trightmargin [=] [=] {} \ininner [=] [=] {} \ininner dge [=] [=] {} \ininnermargin [=] [=] {} \inleft [=] [=] {}
margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleftedge	\MARGINDATA [=] [=] {} \atleftmargin [=] [=] {} \atrightmargin [=] [=] {} \ininner [=] [=] {} \ininner margin [=] [=] {} \inleft [=] [=] {} \inleft [=] [=] {}
margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft	\MARGINDATA [=] [=] {} \attentional trightmargin [=] [=] {} \ininner [=] [=] {} \ininner dge [=] [=] {} \ininnermargin [=] [=] {} \inleft [=] [=] {}
margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleftedge	\MARGINDATA [=] [=] {} \atleftmargin [=] [=] {} \atrightmargin [=] [=] {} \ininner [=] [=] {} \ininner margin [=] [=] {} \inleft [=] [=] {} \inleft [=] [=] {}
margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin	\MARGINDATA [=] [=] {} \atleftmargin [=] [=] {} \ininner [=] [=] {} \ininner [=] [=] {} \ininnermargin [=] [=] {} \inileft [=] [=] {} \inleftdage [=] [=] {} \inleftmargin [=] [=] {}
margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inmargin	\MARGINDATA [=] [=] {} \atleftmargin [=] [=] {} \ininner [=] [=] {} \ininneredge [=] [=] {} \ininnermargin [=] [=] {} \inleft [=] [=] {} \inleftdage [=] [=] {} \inleftmargin [=] [=] {} \inmargin [=] [=] {}
margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inmargin margindata:instance:inother margindata:instance:inouter	\MARGINDATA [=] [=] {} \atleftmargin [=] [=] {} \ininner [=] [=] {} \ininneredge [=] [=] {} \ininnermargin [=] [=] {} \inleft [=] [=] {} \inleftdage [=] [=] {} \inleftmargin [=] [=] {} \intermargin [=] [=] {}
margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouteredge	\MARGINDATA [=] [=] {} \atleftmargin [=] [=] {} \ininner [=] [=] {} \ininneredge [=] [=] {} \ininnermargin [=] [=] {} \inleft [=] [=] {} \inleftmargin [=] [=] {} \inleftmargin [=] [=] {} \intermargin [=] [=] {} \inouter [=] [=] {} \inouteredge [=] [=] {}
margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inouteredge margindata:instance:inoutermargin	\MARGINDATA [=] [=] {} \attention \text{ [=] [=] {} \\ \ininner [=] [=] {} \\ \ininner \text{ [=] [=] {} \\ \ininner \text{ [=] [=] {} \\ \ininer \text{ [=] [=] {} \\ \inleft \text{ [=] [=] {} \\ \inleft \text{ [=] [=] {} \\ \inleft \text{ [=] [=] {} \\ \into \text{ [=] [=] {} \\ \inouther [=] [=] {} \\ \inouther \text{ [=] [=] [=] [=] [] {} \\ \inouther \text{ [=] [=] [=] [=] [] {} \\ \inouther \text{ [=] [=] [=] [] [] {} \\}
margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininermargin margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouteredge margindata:instance:inoutermargin margindata:instance:inoutermargin margindata:instance:inoutermargin margindata:instance:inoutermargin margindata:instance:inright	\MARGINDATA [=] [=] {} \atleftmargin [=] [=] {} \ininner [=] [=] {} \ininneredge [=] [=] {} \ininnermargin [=] [=] {} \inleft [=] [=] {} \inleftmargin [=] [=] {} \inleftmargin [=] [=] {} \intermargin [=] [=] {} \intermargin [=] [=] {} \inother [=] [=] {} \inouter [=] [=] {} \inoutermargin [=] [=] {} \inoutermargin [=] [=] {} \inoutermargin [=] [=] {}
margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inother margindata:instance:inouter margindata:instance:inouteredge margindata:instance:inoutermargin margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright	\MARGINDATA [=] [=] {} \atleftmargin [=] [=] {} \ininner [=] [=] {} \ininneredge [=] [=] {} \ininnermargin [=] [=] {} \inileft [=] [=] {} \inleft margin [=] [=] {} \inleftmargin [=] [=] {} \intermargin [=] [=] {} \intermargin [=] [=] {} \inother [=] [=] {} \inouter [=] [=] {} \inouter margin [=] [=] {} \inoutermargin [=] [=] {} \inright [=] [=] {} \inright [=] [=] {}
margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininermargin margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inoutermargin margindata:instance:inoutermargin margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inrightedge margindata:instance:inrightmargin	\MARGINDATA [=] [=] {} \atleftmargin [=] [=] {} \ininner [=] [=] {} \ininner dge [=] [=] {} \inintert [=] [=] {} \inintert [=] [=] {} \inleft [=] [=] {} \inleftmargin [=] [=] {} \inleftmargin [=] [=] {} \inother [=] [=] {} \inother [=] [=] {} \inouter [=] [=] {} \inouterdge [=] [=] {} \inoutermargin [=] [=] {} \inright [=] [=] {} \inright [=] [=] {} \inrightmargin [=] [=] {}
margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininermargin margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inouterdge margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext	\MARGINDATA [=] [=] {} \atleftmargin [=] [=] {} \ininner [=] [=] {} \ininner dge [=] [=] {} \ininteft [=] [=] {} \ininteft [=] [=] {} \inleft ftmargin [=] [=] {} \inleftmargin [=] [=] {} \interting ftmargin [=] [] \inother [=] [=] {} \inother [=] [=] {} \inother [=] [=] {} \inouter ftmargin [=] [=] {} \inouter ftmargin [=] [=] {} \inother ftmargin [=] [=] {} \inright ftmargin [=] [=] {}
margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inouterdge margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent	\MARGINDATA [=] [=] {} \attightmargin [=] [=] {} \ininner [=] [=] {} \ininner dge [=] [=] {} \ininteft [=] [=] {} \ininteft [=] [=] {} \inleft ftmargin [=] [=] {} \inleft ftmargin [=] [=] {} \intertightmargin [=] [=] {} \inother [=] [=] {} \inother [=] [=] {} \inother [=] [=] {} \inouter dge [=] [=] {} \inother [=] [=] {} \inright [=] [=] {} \inright ftmargin [=] [=] {} \inrightmargin [=] [=] {} \inarkcontent [] {}
margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:inineft margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inoutermargin margindata:instance:inoutermargin margindata:instance:ininght margindata:instance:inright margindata:instance:inrightedge margindata:instance:inrightmargin margindata:instance:margintext markcontent markinjector	\MARGINDATA [=] [=] {} \attightmargin [=] [=] {} \ininner [=] [=] {} \ininner dge [=] [=] {} \ininteft [=] [=] {} \ininteft [=] [=] {} \inleft [=] [=] {} \inleft [=] [=] {} \inleft margin [=] [=] {} \inter [=] [=] {} \inother [=] [=] {} \inother [=] [=] {} \inouter dge [=] [=] {} \inouter margin [=] [=] {} \inright [=] [=] {} \inright margin [=] [=] {} \inright mark ontent [] {} \inarkcontent [] {} \inarkinjector []
margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:inineft margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouterdge margindata:instance:inoutermargin margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent markinjector markpage	\MARGINDATA [=] [=] {} \atleftmargin [=] [=] {} \ininner [=] [=] {} \ininner dge [=] [=] {} \inintert [=] [=] {} \inintert [=] [=] {} \inleft [=] [=] {} \inleftmargin [=] [=] {} \inleftmargin [=] [=] {} \inother [=] [=] {} \inother [=] [=] {} \inother [=] [=] {} \inouter dge [=] [=] {} \inoutermargin [=] [=] {} \inright [=] [=] {} \inrightmargin [=] [=] {} \inrightmargin [=] [=] {} \inrightmargin [=] [=] {} \imarkcontent [] {} \imarkinjector [] \imarkpage [] []
margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:inineft margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inouteredge margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent markinjector markpage mat	\MARGINDATA [] [] {} \atleftmargin [] [] {} \ininner [] [] {} \ininner [] [] {} \ininner margin [] [] {} \ininner margin [] [] {} \inleft [] [] {} \inleft margin [] [] {} \inleftmargin [] [] {} \inder [] [] {} \inother [] [] {} \inother [] [] {} \inouter margin [] [] {} \inouter margin [] [] {} \inouter margin [] [] {} \inright [] [] {} \inright margin [] [] {} \inarkcontent [] {} \inarkinjector [] \inarkpage [] [] \inat {}
margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:inineft margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouterdge margindata:instance:inoutermargin margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent markinjector markpage	\MARGINDATA [=] [=] {} \atleftmargin [=] [=] {} \ininner [=] [=] {} \ininner dge [=] [=] {} \inintert [=] [=] {} \inintert [=] [=] {} \inleft [=] [=] {} \inleftmargin [=] [=] {} \inleftmargin [=] [=] {} \inother [=] [=] {} \inother [=] [=] {} \inother [=] [=] {} \inouter dge [=] [=] {} \inoutermargin [=] [=] {} \inright [=] [=] {} \inrightmargin [=] [=] {} \inrightmargin [=] [=] {} \inrightmargin [=] [=] {} \imarkcontent [] {} \imarkinjector [] \imarkpage [] []
margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:inineft margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inouteredge margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent markinjector markpage mat	\MARGINDATA [] [] {} \atleftmargin [] [] {} \ininner [] [] {} \ininner [] [] {} \ininner margin [] [] {} \ininner margin [] [] {} \inleft [] [] {} \inleft margin [] [] {} \inleftmargin [] [] {} \inder [] [] {} \inother [] [] {} \inother [] [] {} \inouter margin [] [] {} \inouter margin [] [] {} \inouter margin [] [] {} \inright [] [] {} \inright margin [] [] {} \inarkcontent [] {} \inarkinjector [] \inarkpage [] [] \inat {}
margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inouterage margindata:instance:inouterage margindata:instance:inright margindata:instance:inright margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent markinjector markpage mat matematica	\MARGINDATA [=] [=] {} \atleftmargin [=] [=] {} \ininner [=] [=] {} \ininner dege [=] [=] {} \ininnermargin [=] [=] {} \inineft [=] [=] {} \inleft [=] [=] {} \inleftmargin [=] [=] {} \inleftmargin [=] [=] {} \inother [=] [=] {} \inother [=] [=] {} \inouter dege [=] [=] {} \inouter dege [=] [=] {} \ininght [=] [=] {} \inright dege [=] [=] {} \inrightmargin [=] [=] {} \inarkcontent [] {} \imarkcontent [] {} \imarkpage [] [] \imat {} \imatematica [] {}
margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouterdge margindata:instance:inoutermargin margindata:instance:ininight margindata:instance:inright margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent markinjector markpage mat matematica math	\MARGINDATA [] [] {} \atleftmargin [] [] {} \intightmargin [] [] {} \ininner [] [] {} \ininner dege [] [] {} \inintert [] [] {} \inintert [] [] {} \inleft [] [] {} \inleft [] [] {} \inleft margin [] [] {} \inother [] [] {} \inouter [] [] {} \inouter [] [] {} \inouter dege [] [] {} \inouter margin [] [] {} \inright [] [] {} \inright margin [] [] {} \inrightmargin [] [] {} \imarkcontent [] {} \imarkcontent [] {} \imarkpage [] [] \imat {} \imatematica [] {} \imath [] {}
margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouterdge margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent markinjector markpage mat matematica math mathbf	\MARGINDATA [] [] {} \atleftmargin [] [] {} \intightmargin [] [] {} \ininner [] [] {} \ininner dege [] [] {} \ininnermargin [] [] {} \inleft [] [] {} \inleftedge [] [] {} \inleftmargin [] [] {} \inother [] [] {} \inother [] [] {} \inouter edge [] [] {} \inright [] [] {} \inright margin [] [] {} \inrightmargin [] [] {} \imarkcontent [] {} \imarkcontent [] {} \imarkpage [] [] \imath [] {}
margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouteredge margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent markinjector markpage mat matematica math mathbf mathbi	\MARGINDATA [] [] {} \atleftmargin [] [] {} \intightmargin [] [] {} \ininner [] [] {} \ininner dege [] [] {} \ininnermargin [] [] {} \inleft [] [] {} \inleft [] [] {} \inleft margin [] [] {} \innermargin [] [] {} \inother [] [] {} \inother [] [] {} \inouter dege [] [] {} \inoutermargin [] [] {} \inright [] [] {} \inright margin [] [] {} \inrightmargin [] [] {} \imarkontent [] {} \imarkontent [] {} \imarkinjector [] \imat {} \imath [] {}
margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouteredge margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent markinjector markpage mat matematica math mathbf mathbi mathblackboard mathbs	\MARGINDATA [] [] {} \atleftmargin [] [] {} \intightmargin [] [] {} \ininner [] [] {} \ininner dege [] [] {} \ininnermargin [] [] {} \inleft [] [] {} \inleftedge [] [] {} \inleftmargin [] [] {} \inother [] [] {} \inother [] [] {} \inouter edge [] [] {} \inouter edge [] [] {} \inouter edge [] [] {} \inright [] [] {} \inright edge [] [] {} \inrightmargin [] [] {} \imarkinjector [] \imarkontent [] {} \imarkinjector [] \imathundar f} \imathundar f] {} \imathundar f] \i
<pre>margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininnerdge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inouterdge margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent markinjector markpage mat matematica math mathbf mathbi mathblackboard mathbs mathcommand:example</pre>	\MARGINDATA [] [] {} \atleftmargin [] [] {} \intightmargin [] [] {} \ininner [] [] {} \ininner dege [] [] {} \ininnermargin [] [] {} \inleft [] [] {} \inleft [] [] {} \inleft dege [] [] {} \inleft margin [] [] {} \inother [] [] {} \inother [] [] {} \inouter edge [] [] {} \inouter margin [] [] {} \inoutermargin [] [] {} \inright dege [] [] {} \inright margin [] [] {} \imargin text [] [] {} \imarkontent [] {} \imarkontent [] {} \imarkinjector [] \imath f [] {} \imath f
margindata:instance margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleft margindata:instance:inleftmargin margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inoutermargin margindata:instance:iniputermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightedge margindata:instance:inrightmargin margindata:instance:margintext markcontent markinjector markpage mat matematica math mathbf mathbi mathblackboard mathbs mathcommand:example mathdefault	\MARGINDATA [] [] {} \atleftmargin [] [] {} \ininner [] [] {} \ininner dege [] [] {} \ininnermargin [] [] {} \inineft [] [] {} \inineftdge [] {} \inineftmargin [] {} \inineftmargin [] {
margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininneredge margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleftdge margindata:instance:inleftmargin margindata:instance:inother margindata:instance:inother margindata:instance:inouter margindata:instance:inouteredge margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightmargin margindata:instance:margintext markcontent markinjector markpage mat matematica math mathbf mathbi mathbcakboard mathbs mathcommand:example mathdefault mathdouble	\MARGINDATA [] [] {} \atleftmargin [] [] {} \ininner [] [] {} \ininner [] [] {} \ininner dege [] [
margindata:instance margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininner margindata:instance:ininnermargin margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouterdge margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightedge margindata:instance:inrightmargin margindata:instance:margintext markcontent markinjector markpage mat matematica math mathbf mathbi mathbckboard mathbs mathcommand:example mathdouble mathdoubleextensible:instance	\MARGINDATA [] [] {} \atleftmargin [] [] {} \ininner [] [] {} \ininner [] [] {} \ininner dege [] [] {} \ininnermargin [] [] {} \inleft [] [] {} \inleft [] [] {} \inleft [] [] {} \inleft [] [] {} \indeft [] [] {} \inother [] [] {} \inouter [] [] {} \inouter edge [] [] {} \inouter
margindata:instance:atleftmargin margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininner margindata:instance:ininnermargin margindata:instance:ininermargin margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouter margindata:instance:inoutermargin margindata:instance:inight margindata:instance:inright margindata:instance:inright margindata:instance:inrightmargin margindata:instance:inrightmargin margindata:instance:margintext markcontent markinjector markpage mat matematica math mathbf mathbl mathblackboard mathbs mathcommand:example mathdoubleextensible:instance mathdoubleextensible:instance mathdoubleextensible:instance	\MARGINDATA [] [] {} \atleftmargin [] [] {} \ininner [] [] {} \ininner [] [] {} \ininner dege [] [] {} \ininner margin [] [] {} \inineft [] [] {} \inleft [] [] {} \inleft margin [] [] {} \inleft margin [] [] {} \inother [] [] {} \inouter [] [] {} \inouter edge [] [] {} \inouter margin [] [] {} \inouter margin [] [] {} \inright [] [] {} \inright margin [] [] {} \inright margin [] [] {} \inargin text [] [] {} \inarkontent [] {} \inarkontent [] {} \inathen tall t [] {} \inathbi \inathbi \inathbi \inathbi \inathbi \inathbi \inathbi \inathdefault \inathdouble [] {} {} \inathdefault \inathdouble [] {} {} \indublebar {} {} \indublebar {} {}
margindata:instance margindata:instance:atrightmargin margindata:instance:ininner margindata:instance:ininner margindata:instance:ininnermargin margindata:instance:ininnermargin margindata:instance:inleft margindata:instance:inleftedge margindata:instance:inleftmargin margindata:instance:inmargin margindata:instance:inother margindata:instance:inouter margindata:instance:inouterdge margindata:instance:inoutermargin margindata:instance:inright margindata:instance:inright margindata:instance:inrightedge margindata:instance:inrightmargin margindata:instance:margintext markcontent markinjector markpage mat matematica math mathbf mathbi mathbckboard mathbs mathcommand:example mathdouble mathdoubleextensible:instance	\MARGINDATA [] [] {} \atleftmargin [] [] {} \ininner [] [] {} \ininner [] [] {} \ininner dege [] [] {} \ininnermargin [] [] {} \inleft [] [] {} \inleft [] [] {} \inleft [] [] {} \inleft [] [] {} \indeft [] [] {} \inother [] [] {} \inouter [] [] {} \inouter edge [] [] {} \inouter

mathdoubleextensible:instance:doubleparent	\doubleparent \{\ldots\}
mathdoubleextensible:instance:overbarunderbar	\overbarunderbar {} {}
mathdoubleextensible:instance:overbraceunderbrace	\overbraceunderbrace {} {}
mathdoubleextensible:instance:overbracketunderbracket	\overbracketunderbracket {} {}
mathdoubleextensible:instance:overparentunderparent	\overparentunderparent {} {}
mathextensible:instance	\MATHEXTENSIBLE \{\ldots\}
mathextensible:instance:cleftarrow	\cleftarrow \{\ldots\} \{\ldots\}
mathextensible:instance:crightarrow	\crightarrow {} {}
mathextensible:instance:crightoverleftarrow	\crightoverleftarrow \{\ldots\} \{\ldots\}
mathextensible:instance:eleftarrowfill	\eleftarrowfill {} {}
mathextensible:instance:eleftharpoondownfill	\eleftharpoondownfill {} {}
mathextensible:instance:eleftharpoonupfill	-
	\eleftharpoonupfill {} {}
mathextensible:instance:eleftrightarrowfill	\eleftrightarrowfill {} {}
mathextensible:instance:eoverbarfill	\eoverbarfill {} {}
mathextensible:instance:eoverbracefill	\eoverbracefill {} {}
mathextensible:instance:eoverbracketfill	\eoverbracketfill {} {}
mathextensible:instance:eoverparentfill	\eoverparentfill {} {}
mathextensible:instance:erightarrowfill	\erightarrowfill {} {}
5	
mathextensible:instance:erightharpoondownfill	\erightharpoondownfill {} {}
mathextensible:instance:erightharpoonupfill	\erightharpoonupfill {} {}
mathextensible:instance:etwoheadrightarrowfill	\etwoheadrightarrowfill {} {}
mathextensible:instance:eunderbarfill	\eunderbarfill {} {}
mathextensible:instance:eunderbracefill	\eunderbracefill {} {}
mathextensible:instance:eunderbracketfill	\eunderbracketfill {} {}
mathextensible:instance:eunderparentfill	\eunderparentfill {} {}
mathextensible:instance:mequal	\mequal {} {}
mathextensible:instance:mhookleftarrow	$\mbox{$\$
mathextensible:instance:mhookrightarrow	\mhookrightarrow {} {}
mathextensible:instance:mLeftarrow	\mLeftarrow {} {}
mathextensible:instance:mLeftrightarrow	\mLeftrightarrow {} {}
3	9
mathextensible:instance:mleftarrow	\mleftarrow {} {}
mathextensible:instance:mleftharpoondown	\mleftharpoondown \{\ldots\} \{\ldots\}
mathextensible:instance:mleftharpoonup	\mleftharpoonup {} {}
mathextensible:instance:mleftrightarrow	\mleftrightarrow {} {}
mathextensible:instance:mleftrightharpoons	\mleftrightharpoons {} {}
mathextensible:instance:mmapsto	\mmapsto {} {}
mathextensible:instance:mRightarrow	\mRightarrow \{\} \{\}
8	8
mathextensible:instance:mrel	\mrel {} {}
mathextensible:instance:mrightarrow	\mrightarrow \{\ldots\} \\ \ldots\}
mathextensible:instance:mrightharpoondown	\mrightharpoondown {} {}
mathextensible:instance:mrightharpoonup	\mrightharpoonup {} {}
mathextensible:instance:mrightleftharpoons	\mrightleftharpoons {} {}
mathextensible:instance:mrightoverleftarrow	
<u> </u>	\mrightoverleftarrow {} {}
mathextensible:instance:mtriplerel	\mtriplerel \{\ldots\} \\ \ldots\}
mathextensible:instance:mtwoheadleftarrow	\mtwoheadleftarrow {} {}
mathextensible:instance:mtwoheadrightarrow	\mtwoheadrightarrow {} {}
mathextensible:instance:tequal	\tequal {} {}
mathextensible:instance:thookleftarrow	\thookleftarrow {} {}
mathextensible:instance:thookrightarrow	\thookrightarrow {} {}
5	
mathextensible:instance:tLeftarrow	\tLeftarrow {} {}
mathextensible:instance:tLeftrightarrow	\tLeftrightarrow {} {}
mathextensible:instance:tleftarrow	\tleftarrow {} {}
mathextensible:instance:tleftharpoondown	\tleftharpoondown {} {}
mathextensible:instance:tleftharpoonup	\tleftharpoonup {} {}
mathextensible:instance:tleftrightarrow	
<u> </u>	\tleftrightarrow {} {}
mathextensible:instance:tleftrightharpoons	\tleftrightharpoons {} {}
mathextensible:instance:tmapsto	\tmapsto {} {}
mathextensible:instance:tRightarrow	\tRightarrow {} {}
mathextensible:instance:trel	\trel {} {}
mathextensible:instance:trightarrow	\trightarrow {} {}
mathextensible:instance:trightharpoondown	\trightharpoondown {} {}
mathextensible:instance:trightharpoonup	\trightharpoonup {} {}
mathextensible:instance:trightleftharpoons	\trightleftharpoons {} {}
mathextensible:instance:trightoverleftarrow	\trightoverleftarrow {} {}
mathextensible:instance:ttriplerel	\ttriplerel {} {}
mathextensible:instance:ttwoheadleftarrow	\ttwoheadleftarrow {} {}
mathextensible:instance:ttwoheadrightarrow	\ttwoheadrightarrow {} {}
<u> </u>	
mathextensible:instance:xequal	\xequal \{\}
mathextensible:instance:xhookleftarrow	\xhookleftarrow {} {}
mathextensible:instance:xhookrightarrow	\xhookrightarrow {} {}
mathextensible:instance:xLeftarrow	\xLeftarrow {} {}
mathextensible:instance:xLeftrightarrow	\xLeftrightarrow {} {}
3	5

mathextensible:instance:xleftarrow	$\xleftarrow {} {}$
mathextensible:instance:xleftharpoondown	$\xleft harpoondown {} {}$
mathextensible:instance:xleftharpoonup	\xleftharpoonup {} {}
mathextensible:instance:xleftrightarrow	\xleftrightarrow {} {}
mathextensible:instance:xleftrightharpoons	\xleftrightharpoons {} {}
mathextensible:instance:xmapsto	\xmapsto {} {}
mathextensible:instance:xRightarrow	\xRightarrow {} {}
mathextensible:instance:xrel	\xrel {} {}
mathextensible:instance:xrightarrow	\xrightarrow {} {}
mathextensible:instance:xrightharpoondown	\xrightharpoondown {} {}
mathextensible:instance:xrightharpoonup	\xrightharpoonup {} {}
mathextensible:instance:xrightleftharpoons	\xrightleftharpoons {} {}
mathextensible:instance:xrightoverleftarrow	\xrightoverleftarrow {} {}
mathextensible:instance:xtriplerel	\xtriplerel {} {}
mathextensible:instance:xtwoheadleftarrow	\xtwoheadleftarrow {} {}
mathextensible:instance:xtwoheadrightarrow mathfraktur	\xtwoheadrightarrow {} {} \mathfraktur
	,
mathframed:instance	\MATHFRAMED [=] {}
mathframed:instance:inmframed	\inmframed [=] {}
mathframed:instance:mcframed	\mcframed [=] {}
mathframed:instance:mframed	\mframed [=] {}
mathfunction	\mathfunction {}
mathit	\mathit
mathitalic	\mathitalic
mathop	\mathop {}
mathornament:example	\MATHORNAMENT {}
mathover	\mathover [] {} {}
mathoverextensible:example	\MATHOVEREXTENSIBLE {}
mathovertextextensible:instance	\MATHOVERTEXTEXTENSIBLE {} {}
mathradical:example	\MATHRADICAL [] {}
mathrm	\mathrm
mathscript	\mathscript
mathsl	\mathsl
mathss	\mathss
	• • • • • • • • • • • • • • • • • • • •
mathtext	\mathtext {}
mathtextbf	\mathtextbf {}
mathtextbi	\mathtextbi {}
mathtextbs	\mathtextbs {}
mathtextit	\mathtextit {}
mathtextsl	\mathtextsl {}
mathtexttf	\mathtexttf {}
mathtf	\mathtf
mathtriplet	\mathtriplet [] {} {} {}
mathtriplet:example	\MATHTRIPLET [] {} {} {}
mathtt	\mathtt
mathunder	\mathunder [] {} {}
mathunderextensible:example	\MATHUNDEREXTENSIBLE {}
mathundertextextensible:instance	\MATHUNDERTEXTEXTENSIBLE {} {}
mathunstacked:example	\MATHUNSTACKED
mathupright	\mathupright
mathword	\mathword {}
mathwordbf	\mathwordbf {}
mathwordbi	\mathwordbi {}
mathwordbs	\mathwordbs {}
mathwordit	\mathwordit {}
mathwordsl	\mathwordsl {}
mathwordtf	\mathwordtf {}
maxaligned	\maxaligned {}
mbox	\mbox {}
measure	\measure {}
measured	\measured {}
medskip	\medskip
medspace	\medspace
menuinterattivo	\menuinterattivo [] [=]
mese	\mese {}
message	\message {}
metaTeX	\metaTeX
mettielenco	\mettielenco [] [=]
mettielencocombinato	\mettielencocombinato [] [=]
mettielencocombinato:instance	\mettiCOMBINEDLIST [=]
mettielencocombinato:instance:content	\metticontent [=]
mettifiancoafianco	\mettifiancoafianco \{\ldots\} \{\ldots\}

mettiformula	\mettiformula []
mettiingriglia	\mettiingriglia [] {}
mettiingriglia:list	\mettiingriglia [] {}
mettinotepdp	\mettinotepdp [=]
mettinotepdplocali	\mettinotepdplocali [=]
mettinumeropagina	\mettinumeropagina
mettiregistro	\mettiregistro [] [=] \mettiREGISTER [=]
<pre>mettiregistro:instance mettiregistro:instance:index</pre>	\mettineGisien [] \mettiindex [=]
mettisegnalibro	\mettisegnalibro [] [] [=]
mettisottoformula	\mettisottoformula []
mettiunosullaltro	\mettiunosullaltro {} {}
mfence	\mfence {}
mfunction	\mfunction {}
mfunctionlabeltext	\mfunctionlabeltext {}
mhbox	\mhbox {}
middlealigned	\middlealigned {}
middlebox midhbox	\middlebox {} \midhbox {}
midsubsentence	\midsubsentence
minimalhbox	\minimalhbox {}
mixedcaps	\mixedcaps {}
mkvibuffer	\mkvibuffer []
moduleparameter	\moduleparameter {} {}
molecule	\molecule {}
mono	\mono
monograssetto	\monograssetto
mononormal	\mononormal
monthlong	\monthlong {}
monthshort mostraambientefontdeltesto	\monthshort {}
mostracolore	<pre>\mostraambientefontdeltesto [] \mostracolore []</pre>
mostracornice	\mostracoroice [] \mostracornice []
mostrafontdeltesto	\mostrafontdeltesto []
mostragriglia	\mostragriglia []
mostragruppocolori	\mostragruppocolori [] []
mostraimpostazioni	\mostraimpostazioni []
mostralyout	\mostralyout []
mostramakeup	\mostramakeup []
mostrasetsimboli	\mostrasetsimboli []
mostrastampa	\mostrastampa [] [=] \mostrastruts
mostrastruts mostratavolozza	\mostratavolozza [] []
mprandomnumber	\mprandomnumber
mtext	\mtext {}
NormalizeFontHeight	\NormalizeFontHeight \ \{\} \{\}
NormalizeFontWidth	\NormalizeFontWidth \ \{\} \{\}
NormalizeTextHeight	\NormalizeTextHeight {} {}
NormalizeTextWidth	\NormalizeTextWidth {} {} {}
Numeri	\Numeri {}
Numeriromani	\Numeriromani {}
namedheadnumber namedstructureheadlocation	\namedheadnumber {} \namedstructureheadlocation {}
namedstructureneadiocation	\namedstructureneadrocatron \(\lambda \\) \namedstructureuservariable \(\lambda \\) \(\lambda \\)
namedstructurevariable	\namedstructurevariable {} {}
namedtaggedlabeltexts	\namedtaggedlabeltexts {} {} {} {} {}
nascondiblocchi	\nascondiblocchi [] []
naturalhbox	\naturalhbox {}
naturalhpack	\naturalhpack {}
naturalvbox	\naturalvbox {}
naturalvcenter	\naturalvcenter {}
naturalvpack	\naturalvpack {}
naturalvtop naturalwd	\naturalvtop {} \naturalwd
negatecolorbox	\naturaiwd \negatecolorbox
negated	\negated {}
negthinspace	\negthinspace
newattribute	\newattribute \
newcatcodetable	\newcatcodetable \
newcounter	\newcounter \
newevery	\newevery \ \
newfrenchspacing	\newfrenchspacing

newmode	\newmode {}
newsignal	\newsignal \
newsystemmode	\newsystemmode {}
nextbox	\nextbox
nextboxdp	\nextboxdp
nextboxht	\nextboxht
nextboxhtdp	\nextboxhtdp
nextboxwd	\nextboxwd
nextcounter	\nextcounter [] []
nextcountervalue	\nextcountervalue []
nextdepth	\nextdepth
nextparagraphs	\nextparagraphs
nextparagraphs:example	\successivoPARAGRAPHS
nextrealpage	\nextrealpage
nextrealpagenumber	\nextrealpagenumber
nextsubcountervalue	\nextsubcountervalue [] []
nextsubpagenumber	\nextsubpagenumber
nextuserpage	\nextuserpage
nextuserpagenumber	\nextuserpagenumber
nientelineecimafondo	\nientelineecimafondo
nientelineintestazionepdp	\nientelineintestazionepdp
nientespazio	\nientespazio
nocap	\nocap {}
nocitation	\nocitation []
nocitation:direct	\nocitation {}
nocite	\nocite []
nocite:direct	\nocite {}
nodetostring	\nodetostring \ \{\}
noffigurepages noflines	\noffigurepages
	\noflines
noflocalfloats	\noflocalfloats
noheightstrut noindentation	\noheightstrut \noindentation
noitem	\noitem
nonfrenchspacing nonmathematics	\nonfrenchspacing \nonmathematics \{\daggerightarrow\}
normalboldface	\normalboldface
normale	\normale
normalframedwithsettings	\normalframedwithsettings [=] {}
normalitalicface	\normalitalicface
normalizebodyfontsize	\normalizebodyfontsize \ \{\}
normalizedfontsize	\normalizedfontsize
normalizefontdepth	\normalizefontdepth \ \{\} \{\} \{\}
normalizefontheight	\normalizefontheight \ \{\} \{\}
normalizefontline	\normalizefontline \ \{\} \{\}
normalizefontwidth	\normalizefontwidth \ \{\} \{\}
normalizetextdepth	\normalizetextdepth {} {} {}
normalizetextheight	\normalizetextheight {} {} {}
normalizetextline	\normalizetextline {} {} {}
normalizetextwidth	\normalizetextwidth {} {} {}
normalslantedface	\normalslantedface
normaltypeface	\normaltypeface
nota	\nota [] []
nota:instance	\NOTE [] {}
nota:instance:assignment	\NOTE [=]
nota:instance:assignment:endnote	\endnote [=]
nota:instance:assignment:footnote	\footnote [=]
nota:instance:endnote	\endnote [] {}
nota:instance:footnote	\footnote [] {}
notesymbol	\notesymbol []
notragged	\notragged
ntimes	\ntimes {} {}
numberofpoints	\numberofpoints {}
numeri	\numeri {}
numeriromani	\numeriromani {}
numeroformula	\numeroformula []
numeropagina	\numeropagina
numeropaginacompleto	\numeropaginacompleto
numerotesta	\numerotesta [] []
numerotestacorrente	\numerotestacorrente
obeydepth	\obeydepth
objectdepth	\objectdepth

objectheight	\objectheight
objectmargin	\objectmargin
objectwidth	\objectwidth
obox	\obox {}
offset	\offset [=] {}
offsetbox	\offsetbox [=] \ {}
onedigitrounding	\onedigitrounding {}
ordinaldaynumber	\ordinaldaynumber {}
ordinalstr	\ordinalstr {}
ornamenttext:collector	\ornamenttext [=] [=] {} {}
ornamenttext:direct	\ornamenttext [] {} {}
ornamenttext:layer	\ornamenttext [=] [=] {} {}
ornament:example	\ORNAMENT {} {}
outputfilename	\outputfilename
outputstreambox	\outputstreambox []
outputstreamcopy	\outputstreamcopy []
outputstreamunvbox	\outputstreamunvbox []
outputstreamunvcopy	\outputstreamunvcopy []
over	\over []
overlaybutton	\overlaybutton []
overlaybutton:direct	\overlaybutton {}
overlaycolor	\overlaycolor
overlaydepth	\overlaydepth
overlayfigure	\overlayfigure {}
overlayheight	\overlayheight
overlaylinecolor	\overlaylinecolor
overlaylinewidth	\overlaylinewidth
overlayoffset	\overlayoffset
•	•
overlayrollbutton	\overlayrollbutton [] []
overlaywidth	\overlaywidth
overloaderror	\overloaderror
overset	\overset {} {}
PAROLA	\PAROLA {}
PAROLE	\PAROLE {}
Parola	\Parola {}
Parole	\Parole {}
PDFcolor	\PDFcolor {}
PDFETEX	\PDFETEX
PDFTEX	\PDFTEX
PICTEX	\PICTEX
PiCTeX	\PiCTeX
PointsToBigPoints	\PointsToBigPoints {} \
PointsToReal	\PointsToReal {} \
PointsToWholeBigPoints	\PointsToWholeBigPoints {} \
PPCHTEX	\PPCHTEX
PPCHTeX	\PPCHTeX
PRAGMA	\PRAGMA
PtToCm	\PtToCm {}
pagearea	\pagearea [] []
pagebreak	\pagebreak []
pagefigure	\pagefigure [] [=]
pagegridspanwidth	\pagegridspanwidth {}
pageinjection	\pageinjection [] [=]
pageinjection:assignment	\pageinjection [=] [=]
pagestaterealpage	\pagestaterealpage {} {}
pagina	\pagina []
paletsize	\paletsize
paragraphs:example	\PARAGRAPHS
parola	\parola {}
paroladestra	\paroladestra [] {}
•	
pdfactualtext	\pdfactualtext \{\ldots\}
pdfbackendactualtext	\pdfbackendactualtext {} {}
pdfbackendcurrentresources	\pdfbackendcurrentresources
pdfbackendsetcatalog	\pdfbackendsetcatalog {} {}
pdfbackendsetcolorspace	\pdfbackendsetcolorspace {} {}
pdfbackendsetextgstate	\pdfbackendsetextgstate {} {}
pdfbackendsetinfo	\pdfbackendsetinfo {} {}
pdfbackendsetname	\pdfbackendsetname {} {}
pdfbackendsetpageattribute	$\verb \pdf backendsetpageattribute {} {}$
pdfbackendsetpageresource	\pdfbackendsetpageresource {} {}
pdfbackendsetpagesattribute	\pdfbackendsetpagesattribute {} {}
pdfbackendsetpattern	\pdfbackendsetpattern {} {}
•	1

pdfbackendsetshade	\pdfbackendsetshade {} {}
pdfcolor	\pdfcolor {}
pdfeTeX	\pdfeTeX
pdfTeX	\pdfTeX
ped	\ped {}
pedap	\pedap [] {} {}
ped:instance	\LOW {}
ped:instance:unitslow	\unitslow {}
percent	\percent
percentdimen	\percentdimen \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
perlungo	\perlungo {}
permitcaretescape	\permitcaretescape
permitcircumflexescape	\permitcircumflexescape
permitspacesbetweengroups	\permitspacesbetweengroups
persiandecimals persiannumerals	<pre>\persiandecimals {} \persiannumerals {}</pre>
phantom	\phantom {}
phantombox	\phantombox [=]
piccolo	\piccolo
piccolocorsivograssetto	\piccolocorsivograssetto
piccolofontdelcorpo	\piccolofontdelcorpo
piccolograssetto	\piccolograssetto
piccolograssettocorsivo	\piccolograssettocorsivo
piccolograssettoinclinato	\piccolograssettoinclinato
piccoloinclinato	\piccoloinclinato
piccoloinclinatograssetto	\piccoloinclinatograssetto
piccolonormale	\piccolonormale
piccolotype	\piccolotype
pickupgroupedcommand	\pickupgroupedcommand {} {} {}
placeattachments	\placeattachments
placebtxrendering	\placebtxrendering [] [=]
placecitation	\placecitation []
placecomments	\placecomments
placecurrentformulanumber	\placecurrentformulanumber
placedbox	\placedbox {}
placefloat	\placefloat [] [] {} {}
placefloatwithsetups	\placefloatwithsetups [] [] [] {}
placefloat:instance	\mettiFLOAT [] [] {} {}
placefloat:instance:chemical	\mettichemical [] [] {}
placefloat:instance:figure	\mettifigure [] [] {}
placefloat:instance:graphic	\mettigraphic [] [] {}
placefloat:instance:intermezzo	\mettiintermezzo [] [] {}
placefloat:instance:table	\mettitable [] [] {}
placeframed	\placeframed [] [=] {}
placehelp	\placehelp
placeinitial placelayer	\placeinitial [] \placelayer []
placelayer placelayeredtext	\placelayer [] \placelayeredtext [] [=] [=] {} {}
placelistoffloats:instance	\placelistofFLOATS [=]
placelistoffloats:instance:chemicals	\placelistofchemicals [=]
placelistoffloats:instance:figures	\placelistoffigures [=]
placelistoffloats:instance:graphics	\placelistofgraphics [=]
placelistoffloats:instance:intermezzi	\placelistofintermezzi [=]
placelistoffloats:instance:tables	\placelistoftables [=]
placelistofpublications	\placelistofpublications [] [=]
placelistofsorts	\placelistofsorts [] [=]
placelistofsorts:instance	\placelistofSORTS [=]
placelistofsorts:instance:logos	\placelistoflogos [=]
placelistofsynonyms	\placelistofsynonyms [] [=]
placelistofsynonyms:instance	\placelistofSYNONYMS [=]
placelistofsynonyms:instance:abbreviations	\placelistofabbreviations [=]
placelocalnotes	\placelocalnotes [] [=]
placement	\placement [] [=] {}
placement:example	\PLACEMENT [=] {}
placenamedfloat	\placenamedfloat [] []
placenamedformula	\placenamedformula [] {}
placenotes	\placenotes [] [=]
placepairedbox	\placepairedbox [] [=] {} {}
placepairedbox:instance	\mettiPAIREDBOX [=] {} {}
placepairedbox:instance:legend	\mettilegend [=] {} {}
placeparallel	\placeparallel [] [] [=]
placerawlist	\placerawlist [] [=]

placerenderingwindow	\placerenderingwindow [] []
popattribute	\popattribute \
popmacro	\popmacro \
popmode	\popmode []
popsystemmode	\popsystemmode {}
positionoverlay	\positionoverlay {}
positionregionoverlay	\positionregionoverlay {} {}
posizionanumerotesta	\posizionanumerotesta []
posizionatestotesta	\posizionatestotesta []
posizione	\posizione [=] (,) {}
postponenotes	\postponenotes
predefinedfont	\predefinedfont []
predefinefont	\predefinefont [] []
predefinesymbol	\predefinesymbol []
prefixedpagenumber	\prefixedpagenumber
prendibuffer	\prendibuffer []
prendibuffer:instance	\prendiBUFFER
prendimarcatura	\prendimarcatura [] []
prependetoks	\prependetoks \to \
prependgvalue	\prependgvalue {} {}
prependtocommalist	\prependtocommalist {} \
prependtoks	\prependtoks \to \
prependtoksonce	\prependtoksonce \to \
prependvalue	\prependvalue {} {}
presetdocument	\presetdocument [=]
presetfieldsymbols	\presetfieldsymbols []
presetlabeltext:instance	\presetLABELtesto [] [=]
presetlabeltext:instance:btxlabel	\presetbtxlabeltesto [] [=]
presetlabeltext:instance:head	\presetheadtesto [] [=]
presetlabeltext:instance:label	\presetlabeltesto [] [=]
presetlabeltext:instance:mathlabel	\presetmathlabeltesto [] [=]
presetlabeltext:instance:operator	\presetoperatortesto [] [=]
presetlabeltext:instance:prefix	\presetprefixtesto [] [=]
presetlabeltext:instance:suffix	\presetsuffixtesto [] [=]
presetlabeltext:instance:taglabel	\presettaglabeltesto [] [=]
presetlabeltext:instance:unit	\presetunittesto [] [=]
-	-
pretocommalist	\pretocommalist \{\dots\} \\\
pretocommalist prettyprintbuffer	\pretocommalist {} \\ \prettyprintbuffer {} {}
pretocommalist prettyprintbuffer prevcounter	<pre>\pretocommalist {} \ \prettyprintbuffer {} {} \prevcounter [] []</pre>
pretocommalist prettyprintbuffer prevcounter prevcountervalue	<pre>\pretocommalist {} \ \prettyprintbuffer {} {} \prevcounter [] [] \prevcountervalue []</pre>
pretocommalist prettyprintbuffer prevcounter prevcountervalue preventmode	<pre>\pretocommalist {} \ \prettyprintbuffer {} {} \prevcounter [] [] \prevcountervalue [] \preventmode []</pre>
pretocommalist prettyprintbuffer prevcounter prevcountervalue preventmode prevrealpage	<pre>\pretocommalist {} \ \prettyprintbuffer {} {} \prevcounter [] [] \prevcountervalue [] \preventmode [] \prevrealpage</pre>
pretocommalist prettyprintbuffer prevcounter prevcountervalue preventmode prevrealpage prevrealpage	<pre>\pretocommalist {} \ \prettyprintbuffer {} {} \prevcounter [] [] \prevcountervalue [] \preventmode [] \prevrealpage \prevrealpagenumber</pre>
pretocommalist prettyprintbuffer prevcounter prevcountervalue preventmode prevrealpage prevrealpagenumber prevsubcountervalue	<pre>\pretocommalist {} \ \prettyprintbuffer {} {} \prevcounter [] [] \prevcountervalue [] \preventmode [] \prevrealpage \prevrealpagenumber \prevsubcountervalue [] []</pre>
pretocommalist prettyprintbuffer prevcounter prevcountervalue preventmode prevrealpage prevrealpagenumber prevsubcountervalue prevsubpage	<pre>\pretocommalist {} \ \prettyprintbuffer {} {} \prevcounter [] [] \prevcountervalue [] \preventmode [] \prevrealpage \prevrealpagenumber \prevsubcountervalue [] [] \prevsubpage</pre>
pretocommalist prettyprintbuffer prevcounter prevcountervalue preventmode prevrealpage prevrealpagenumber prevsubcountervalue prevsubpage prevsubpage prevsubpagenumber	<pre>\pretocommalist {} \ \prettyprintbuffer {} {} \prevcounter [] [] \prevcountervalue [] \preventmode [] \prevrealpage \prevrealpagenumber \prevsubcountervalue [] [] \prevsubpage \prevsubpagenumber</pre>
pretocommalist prettyprintbuffer prevcounter prevcountervalue preventmode prevrealpage prevrealpagenumber prevsubcountervalue prevsubpage prevsubpage prevsubpagenumber prevsubpagenumber prevsubpagenumber	<pre>\pretocommalist {} \ \prettyprintbuffer {} {} \prevcounter [] [] \prevcountervalue [] \preventmode [] \prevrealpage \prevrealpagenumber \prevsubcountervalue [] [] \prevsubpage \prevsubpagenumber \prevsubpagenumber \prevsubpagenumber \prevsubpage</pre>
pretocommalist prettyprintbuffer prevcounter prevcountervalue preventmode prevrealpage prevrealpagenumber prevsubcountervalue prevsubpage prevsubpage prevsubpagenumber prevsuserpage prevuserpage prevuserpage	<pre>\pretocommalist {} \ \prettyprintbuffer {} {} \prevcounter [] [] \prevcountervalue [] \preventmode [] \prevrealpage \prevrealpagenumber \prevsubcountervalue [] [] \prevsubpage \prevsubpagenumber \prevuserpage \prevuserpage \prevuserpagenumber</pre>
pretocommalist prettyprintbuffer prevcounter prevcountervalue preventmode prevrealpage prevrealpagenumber prevsubcountervalue prevsubpage prevsubpage prevsubpagenumber prevsuserpage prevuserpage prevuserpagenumber primasottopagina	<pre>\pretocommalist {} \ \prettyprintbuffer {} {} \prevcounter [] [] \prevcountervalue [] \preventmode [] \prevrealpage \prevrealpagenumber \prevsubcountervalue [] [] \prevsubpage \prevsubpagenumber \prevuserpage \prevuserpage \prevuserpagenumber \primasottopagina</pre>
pretocommalist prettyprintbuffer prevcounter prevcountervalue preventmode prevrealpage prevrealpagenumber prevsubcountervalue prevsubpage prevsubpage prevsubpagenumber prevsuserpage prevuserpage prevuserpagenumber primasottopagina procent	<pre>\pretocommalist {} \ \prettyprintbuffer {} {} \prevcounter [] [] \prevcountervalue [] \preventmode [] \prevrealpage \prevrealpagenumber \prevsubcountervalue [] [] \prevsubpage \prevsubpagenumber \prevuserpage \prevuserpage \prevuserpagenumber \primasottopagina \procent</pre>
pretocommalist prettyprintbuffer prevcounter prevcountervalue preventmode prevrealpage prevrealpagenumber prevsubcountervalue prevsubpage prevsubpage prevsubpagenumber prevsuserpage prevuserpage prevuserpagenumber primasottopagina procent processaction	<pre>\pretocommalist {} \ \prettyprintbuffer {} {} \prevcounter [] [] \prevcountervalue [] \preventmode [] \prevrealpage \prevrealpagenumber \prevsubcountervalue [] [] \prevsubpage \prevsubpagenumber \prevsubrage \prevuserpage \prevuserpage \prevuserpagenumber \primasottopagina \procent \processaction [] [,=>,]</pre>
pretocommalist prettyprintbuffer prevcounter prevcountervalue preventmode prevrealpage prevrealpagenumber prevsubcountervalue prevsubpage prevsubpage prevsubpage prevsubpagenumber prevsuserpage prevuserpage prevuserpage prevuserpagenumber primasottopagina procent processaction processallactionsinset	<pre>\pretocommalist {} \ \prettyprintbuffer {} {} \prevcounter [] [] \prevcountervalue [] \preventmode [] \prevrealpage \prevrealpagenumber \prevsubcountervalue [] [] \prevsubpage \prevsubpagenumber \prevsubpagenumber \prevuserpage \prevuserpagenumber \primasottopagina \procent \processaction [] [,=>,] \processallactionsinset [] [,=>,]</pre>
pretocommalist prettyprintbuffer prevcounter prevcountervalue preventmode prevrealpage prevrealpagenumber prevsubcountervalue prevsubpage prevsubpage prevsubpagenumber prevsubpagenumber prevsuspagenumber prevuserpage prevuserpage prevserpagenumber primasottopagina procent processaction processassignlist	<pre>\pretocommalist {} \ \prettyprintbuffer {} {} \prevcounter [] [] \prevcountervalue [] \preventmode [] \prevrealpage \prevrealpagenumber \prevsubcountervalue [] [] \prevsubpage \prevsubpagenumber \prevsubpagenumber \prevuserpage \prevuserpagenumber \primasottopagina \procent \processaction [] [,=>,] \processassignlist [] \</pre>
pretocommalist prettyprintbuffer prevcounter prevcountervalue preventmode prevrealpage prevrealpagenumber prevsubcountervalue prevsubpage prevsubpage prevsubpagenumber prevsubpagenumber prevsuspagenumber prevsuspagenumber prevserpage prevserpage prevserpagenumber primasottopagina procent processaction processaliactionsinset processassignlist processassignmentcommand	<pre>\pretocommalist {} \ \prettyprintbuffer {} {} \prevcounter [] [] \prevcountervalue [] \preventmode [] \prevrealpage \prevrealpagenumber \prevsubcountervalue [] [] \prevsubpage \prevsubpagenumber \prevsubpagenumber \prevuserpage \prevuserpage \prevuserpagenumber \primasottopagina \procent \processaction [] [,=>,] \processassignlist [] \ \processassignmentcommand [=.] \</pre>
pretocommalist prettyprintbuffer prevcounter prevcounter prevcountervalue preventmode prevrealpage prevrealpagenumber prevsubcountervalue prevsubpage prevsubpage prevsubpagenumber prevsubpagenumber prevsuserpage prevuserpage prevuserpage prevuserpagenumber primasottopagina procent processaction processaction processassignlist processassignmentcommand processassignmentlist	<pre>\pretocommalist {} \ \prettyprintbuffer {} {} \prevcounter [] [] \prevcountervalue [] \preventmode [] \prevrealpage \prevrealpagenumber \prevsubcountervalue [] [] \prevsubpage \prevsubpagenumber \prevsubpagenumber \prevuserpage \prevuserpage \prevuserpagenumber \primasottopagina \procent \processaction [] [,=>,] \processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \</pre>
pretocommalist prettyprintbuffer prevcounter prevcountervalue preventmode prevrealpage prevrealpagenumber prevsubcountervalue prevsubpage prevsubpage prevsubpagenumber prevsubpagenumber prevsuserpage prevuserpage prevuserpage prevuserpagenumber primasottopagina procent processaction processaction processassignlist processassignmentcommand processassignmentlist processbetween	<pre>\pretocommalist {} \ \prettyprintbuffer {} {} \prevcounter [] [] \prevcountervalue [] \preventmode [] \prevrealpage \prevrealpagenumber \prevsubcountervalue [] [] \prevsubpage \prevsubpagenumber \prevsubrage \prevuserpage \prevuserpage \prevuserpage \prevuserpage \prevsubragenumber \primasottopagina \procent \processaction [] [,=>,] \processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \</pre>
pretocommalist prettyprintbuffer prevcounter prevcounter prevcountervalue preventmode prevrealpage prevrealpagenumber prevsubcountervalue prevsubpage prevsubpagenumber prevsubpagenumber prevsuserpage prevuserpage prevuserpage prevuserpagina procent processaction processaction processassignlist processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist	<pre>\pretocommalist {} \ \prettyprintbuffer {} {} \prevcounter [] [] \prevcountervalue [] \preventmode [] \prevrealpage \prevrealpage \prevrealpagenumber \prevsubcountervalue [] [] \prevsubpage \prevsubpagenumber \prevsubrage \prevuserpage \prevuserpage \prevuserpage \prevuserpage \prevuserpagenumber \primasottopagina \procent \processaction [] [,=>,] \processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbodyfontenvironmentlist \</pre>
pretocommalist prettyprintbuffer prevcounter prevcounter prevcountervalue preventmode prevrealpage prevrealpagenumber prevsubcountervalue prevsubpage prevsubpagenumber prevuserpage prevuserpage prevuserpagenumber primasottopagina procent processaction processaction processassignlist processassignmentcommand processassignmentlist processbetween processodyfontenvironmentlist processcolorcomponents	<pre>\pretocommalist {} \ \prettyprintbuffer {} {} \prevcounter [] [] \prevcountervalue [] \preventmode [] \prevrealpage \prevrealpage \prevrealpagenumber \prevsubcountervalue [] [] \prevsubpage \prevsubpagenumber \prevsubpage \prevuserpage \prevuserpage \prevuserpage \prevuserpage \prevsubragenumber \primasottopagina \procent \processaction [] [,=>,] \processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbodyfontenvironmentlist \ \processcolorcomponents {}</pre>
pretocommalist prettyprintbuffer prevcounter prevcounter prevcountervalue preventmode prevrealpage prevrealpagenumber prevsubcountervalue prevsubpage prevsubpagenumber prevuserpage prevuserpage prevuserpagenumber primasottopagina procent processaction processaction processassignlist processassignmentcommand processassignmentlist processbetween processcolorcomponents processcommacommand	<pre>\pretocommalist {} \ \prettyprintbuffer {} {} \prevcounter [] [] \prevcountervalue [] \preventmode [] \preverealpage \prevrealpage \prevrealpagenumber \prevsubcountervalue [] [] \prevsubpage \prevsubpagenumber \prevsubpagenumber \prevuserpage \prevuserpage \prevuserpagenumber \primasottopagina \procent \processaction [] [,=>,.] \processassignlist [] \ \processassignmentcommand [] \ \processbetween {} \ \processcolorcomponents {} \processcolorcomp</pre>
pretocommalist prettyprintbuffer prevcounter prevcounter prevcountervalue preventmode prevrealpage prevrealpagenumber prevsubcountervalue prevsubpage prevsubpagenumber prevuserpage prevuserpagenumber primasottopagina procent processaction processaction processassignlist processassignmentcommand processassignmentlist processbetween processcolorcomponents processcommacommand processcommacommand processcommacommand	<pre>\pretocommalist {} \ \prettyprintbuffer {} {} \prevcounter [] [] \prevcountervalue [] \preventmode [] \prevrealpage \prevrealpage \prevrealpagenumber \prevsubcountervalue [] [] \prevsubpage \prevsubpagenumber \prevsubpagenumber \prevuserpage \prevuserpage \prevuserpagenumber \primasottopagina \procent \processaction [] [,=>,.] \processassignlist [] \ \processassignmentcommand [] \ \processbetween {} \ \processcolorcomponents {} \processcolorcosmmacommand [] \ \processcommacommand [] \ \processcommacommalist [] \ \processcommacommand [] \</pre>
pretocommalist prettyprintbuffer prevcounter prevcounter prevcountervalue preventmode prevrealpage prevrealpagenumber prevsubcountervalue prevsubpage prevsubpagenumber prevuserpage prevuserpage prevuserpage prevuserpagina procent processaction processallactionsinset processassignist processassignmentcommand processassignmentlist processbetween processcolorcomponents processcommalist processcommalist processcommalist processcommalist processcommalist processcommalist processcommalist processcommalist	<pre>\pretocommalist {} \ \prettyprintbuffer {} {} \prevcounter [] [] \prevcountervalue [] \preventmode [] \preventmode [] \prevrealpage \prevrealpagenumber \prevsubcountervalue [] [] \prevsubpage \prevsubpagenumber \prevsubpagenumber \prevuserpage \prevuserpage \prevuserpagenumber \primasottopagina \procent \processaction [] [,=>,.] \processassignlist [] \ \processassignmentcommand [] \ \processbetween {} \ \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \</pre>
pretocommalist prettyprintbuffer prevcounter prevcounter prevcountervalue preventmode prevrealpage prevrealpage prevsubcountervalue prevsubpage prevsubpagenumber prevuserpage prevuserpage prevuserpagenumber primasottopagina procent processaction processallactionsinset processassignlist processassignmentcommand processassignmentlist processobetween processcolorcomponents processcommacommand processcommalist processcommalist processcommalist processcommalist processcommalist processcommalist processcommalist processcommalist processcontent	<pre>\pretocommalist {} \ \prettyprintbuffer {} {} \prevcounter [] [] \prevcountervalue [] \preventmode [] \prevrealpage \prevrealpage \prevrealpagenumber \prevsubcountervalue [] [] \prevsubpage \prevsubpagenumber \prevsubpagenumber \prevuserpage \prevuserpage \prevuserpagenumber \primasottopagina \procent \processaction [] [,=>,.] \processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbodyfontenvironmentlist \ \processcolorcomponents {} \processcommalist [] \ \processcontent {} \ \processcontent {} \</pre>
pretocommalist prettyprintbuffer prevcounter prevcounter preventmode prevrealpage prevrealpage prevsubcountervalue prevsubpage prevsubpage prevsubpagenumber prevuserpage prevuserpage prevuserpagenumber primasottopagina procent processaction processallactionsinset processassignlist processassignmentcommand processassignmentlist processbetween processcolorcomponents processcommacommand processcommalist processcommalist processcommalist processcommalist processcommalist processcontent processfile	<pre>\pretocommalist {} \ \prettyprintbuffer {} {} \prevcounter [] [] \prevcountervalue [] \preventmode [] \prevrealpage \prevrealpage \prevrealpagenumber \prevsubcountervalue [] [] \prevsubpage \prevsubpagenumber \prevsubpagenumber \prevuserpage \prevuserpage \prevuserpagenumber \primasottopagina \procent \processaction [] [,=>,.] \processassignlist [] \ \processassignmentlist [] \ \processassignmentlist [] \ \processbodyfontenvironmentlist \ \processcolorcomponents {} \processcommalist [] \ \processcommalist [] \ \processcommalist [] \ \processcontent {} \ \processcontent {} \ \processcontent {} \ \processcontent {} \ \processcile {} \processfile {} \end{array}</pre>
pretocommalist prettyprintbuffer prevcounter prevcounter preventmode prevrealpage prevrealpage prevsubcountervalue prevsubpage prevsubpage prevsubpagenumber prevuserpage prevuserpage prevuserpagenumber primasottopagina procent processaction processallactionsinset processassignlist processassignmentcommand processassignmentlist processbetween processodyfontenvironmentlist processcolorcomponents processcommacommand processcommalist processcommalist processcommalist processcommalist processcontent processfile processfile	<pre>\pretocommalist {} \ \prettyprintbuffer {} {} \prevcounter [] [] \prevcountervalue [] \preventmode [] \prevrealpage \prevrealpage \prevrealpagenumber \prevsubcountervalue [] [] \prevsubpage \prevsubpagenumber \prevsubpagenumber \prevuserpage \prevuserpagenumber \primasottopagina \procent \processaction [] [,=>,.] \processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processcolorcomponents {} \processcommalist [] \ \processcommalist [] \ \processcommalist [] \ \processcontent {} \ \processcontent {} \ \processcile {} \processfile {} \processfilemany {}</pre>
pretocommalist prettyprintbuffer prevcounter prevcounter preventmode prevrealpage prevrealpage prevsubcountervalue prevsubpage prevsubpage prevsubpage prevsubpagenumber prevuserpage prevuserpage prevuserpagenumber primasottopagina procent processaction processallactionsinset processassignist processassignmentcommand processassignmentlist processbetween processcolorcomponents processcommacommand processcommacommand processcommalist processcommalist processcommalist processcontent processfile processfile processfilenone	<pre>\pretocommalist {} \ \prettyprintbuffer {} {} \prevcounter [] [] \prevcountervalue [] \preventmode [] \prevrealpage \prevrealpage \prevrealpagenumber \prevsubcountervalue [] [] \prevsubpage \prevsubpagenumber \prevsubpagenumber \prevuserpage \prevuserpagenumber \primasottopagina \procent \processaction [] [,=>,.] \processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbodyfontenvironmentlist \ \processcolorcomponents {} \processcommalist [] \ \processcommalist [] \ \processcommalist [] \ \processcontent {} \ \processcontent {} \ \processfile {} \processfilemany {</pre>
pretocommalist prettyprintbuffer prevcounter prevcounter preventmode prevrealpage prevrealpage prevsubcountervalue prevsubpage prevsubpage prevsubpage prevsubpagenumber prevuserpage prevuserpage prevuserpage prevuserpagenumber primasottopagina procent processation processallactionsinset processassignlist processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcolorcomponents processcommalist processcommalist processcommalist processcontent processfile processfile processfilenone processfileonce	<pre>\pretocommalist {} \ \prettyprintbuffer {} {} \prevcounter [] [] \prevcountervalue [] \preventmode [] \prevrealpage \prevrealpage \prevrealpagenumber \prevsubcountervalue [] [] \prevsubpage \prevsubpagenumber \prevsubpagenumber \prevuserpage \prevuserpagenumber \primasottopagina \procent \processaction [] [,=>,.] \processasignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcontent {} \ \processcontent {} \ \processcontent {} \ \processfile any {} \processfilenone {} \pr</pre>
pretocommalist prettyprintbuffer prevcounter prevcountervalue preventmode prevrealpage prevrealpagenumber prevsubcountervalue prevsubpage prevsubpage prevsubpagenumber prevuserpage prevuserpagenumber primasottopagina procent processaction processalactionsinset processassignlist processassignmentcommand processassignmentlist processbetween processbodyfontenvironmentlist processcommacommand processcommalist processcommalist processcommalist processcommalist processcommalist processcommalist processcontent processfile processfile processfileonce processfirstactioninset	<pre>\pretocommalist {} \ \prettyprintbuffer {} {} \prevcounter [] [] \prevcountervalue [] \preventmode [] \prevrealpage \prevrealpage \prevrealpagenumber \prevsubcountervalue [] [] \prevsubpage \prevsubpagenumber \prevsubpagenumber \prevsubrage \prevuserpage \prevuserpagenumber \primasottopagina \procent \processaction [] [.,,=>.,] \processassignlist [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processcolorcomponents {} \processcommalist [] \ \processcommalist [] \ \processcommalist [] \ \processcontent {} \ \processcontent {} \ \processfile any {} \processfilenone {} \processfirstactioninset [] [,=>.,]</pre>
pretocommalist prettyprintbuffer prevcounter prevcountervalue preventmode prevrealpage prevrealpage prevsubcountervalue prevsubpage prevsubpage prevsubpage prevsubpagenumber prevuserpage prevuserpage prevuserpagenumber primasottopagina procent processaction processallactionsinset processassignmentcommand processassignmentlist processbetween processodyfontenvironmentlist processcommacommand processcommalist processcommalist processcommalist processcommalist processcotine processfile processfile processfile processfilenone processfirstactioninset processisolatedchars	<pre>\pretocommalist {} \ \prettyprintbuffer {} {} \prevcounter [] [] \prevcountervalue [] \preventmode [] \prevrealpage \prevrealpage \prevrealpagenumber \prevsubcountervalue [] [] \prevsubpage \prevsubpagenumber \prevsubrage \prevuserpage \prevuserpagenumber \primasottopagina \procent \processaction [] [,=>,.] \processallactionsinset [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcontent {} \ \processcontent {} \ \processcontent {} \ \processfile any {} \processfilenone {} \processfirstactioninset [] [,=>,] \processfirstactioninset [] [,=>,] \processisolatedchars {} \</pre>
pretocommalist prettyprintbuffer prevcounter prevcountervalue preventmode prevrealpage prevrealpagenumber prevsubcountervalue prevsubpage prevsubpage prevsubpage prevsubpage prevuserpage prevuserpage prevuserpage processaction processallactionsinset processassignmentcommand processassignmentlist processodyfontenvironmentlist processcolorcomponents processcommalist processcommalist processcommalist processcommalist processcommalist processcommalist processcommalist processcommalist processfile processfile processfile processfile processfilesonce processfirstactioninset processisolatedchars processisolatedwords	<pre>\pretocommalist {} \ \prettyprintbuffer {} {} \prevcounter [] [] \prevcountervalue [] \preventmode [] \prevrealpage \prevrealpage \prevrealpagenumber \prevsubcountervalue [] [] \prevsubpage \prevsubpagenumber \prevsubrage \prevuserpage \prevuserpagenumber \primasottopagina \procent \processaction [] [,=>,.] \processallactionsinset [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcontent {} \ \processcontent {} \ \processcontent {} \ \processfile any {} \processfilenone {} \processfirstactioninset [] [,=>,] \processisolatedchars {} \ \processisolatedchars {} \ \processisolatedwords {} \ \processisolatedwords {} \ \processisolatedwords {} \ \processisolatedchars {} \ \processisolatedwords {} \ \processisolatedchars {} \ \processisolatedwords {} \ \processisolatedchars {} \ \pro</pre>
pretocommalist prettyprintbuffer prevocunter prevocunter prevocuntervalue preventmode prevrealpage prevrealpage prevsubcountervalue prevsubpage prevsubpage prevsubpage prevsubpagenumber prevuserpage prevuserpagenumber primasottopagina procent processaction processallactionsinset processassignmentcommand processassignmentlist processobetween processcolorcomponents processcommalist processcommalist processcommalist processcommalist processcommalist processcomselist processcomselist processcomselist processcontent processfile processfile processfile processfilesone processfirstactioninset processisolatedchars processisolatedwords processlinetablebuffer	<pre>\pretocommalist {} \ \prettyprintbuffer {} {} \prevcounter [] [] \prevcountervalue [] \preventmode [] \preventmode [] \prevealpage \prevrealpage \prevsubcountervalue [] [] \prevsubpage \prevsubpagenumber \prevsubpagenumber \prevsubpagenumber \primasottopagina \procent \processaction [] [,=>,] \processassignist [] \ \processassignmentcommand [] \ \processassignmentlist [] \ \processbetween {} \ \processcolorcomponents {} \processcommalist [] \ \processcommalist [] \ \processcommalist [] \ \processcommalist [] \ \processcontent {} \ \processfile any {} \processfilenone {} \processisolatedchars {} \ \processisolatedchars {} \ \processisolatedbuffer []</pre>
pretocommalist prettyprintbuffer prevcounter prevcountervalue preventmode prevrealpage prevrealpagenumber prevsubcountervalue prevsubpage prevsubpage prevsubpage prevsubpage prevuserpage prevuserpage prevuserpage processaction processallactionsinset processassignmentcommand processassignmentlist processodyfontenvironmentlist processcolorcomponents processcommalist processcommalist processcommalist processcommalist processcommalist processcommalist processcommalist processcommalist processfile processfile processfile processfile processfilesonce processfirstactioninset processisolatedchars processisolatedwords	<pre>\pretocommalist {} \ \prettyprintbuffer {} {} \prevcounter [] [] \prevcountervalue [] \preventmode [] \prevrealpage \prevrealpage \prevrealpagenumber \prevsubcountervalue [] [] \prevsubpage \prevsubpagenumber \prevsubrage \prevuserpage \prevuserpagenumber \primasottopagina \procent \processaction [] [,=>,.] \processallactionsinset [] \ \processassignmentcommand [=] \ \processassignmentlist [=] \ \processbetween {} \ \processcolorcomponents {} \processcommacommand [] \ \processcommalist [] \ \processcontent {} \ \processcontent {} \ \processcontent {} \ \processfile any {} \processfilenone {} \processfirstactioninset [] [,=>,] \processisolatedchars {} \ \processisolatedchars {} \ \processisolatedwords {} \ \processisolatedwords {} \ \processisolatedwords {} \ \processisolatedchars {} \ \processisolatedwords {} \ \processisolatedchars {} \ \processisolatedwords {} \ \processisolatedchars {} \ \pro</pre>

processMPbuffer	\processMPbuffer []
processMPfigurefile	\processMPfigurefile {}
processmonth	\processmonth {} {} {}
processranges	\processranges [] \
processseparatedlist	\processseparatedlist [] [] {}
processtexbuffer	\processTEXbuffer []
processtokens	\processtokens \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
processuntil	\processuntil \
processxtablebuffer	\processxtablebuffer []
•	-
processyear	\processyear {} {} {} {}
prodotto	\prodotto []
prodotto:string	\prodotto
profiledbox	\profiledbox [] [=] {}
profilegivenbox	\profilegivenbox {}
progetto	\progetto []
progetto:string	\progetto
programma	\programma []
pseudoMixedCapped	\pseudoMixedCapped {}
pseudoSmallCapped	\pseudoSmallCapped {}
pseudoSmallcapped	\pseudoSmallcapped {}
pseudosmallcapped	\pseudosmallcapped {}
pulsante	\pulsante [=.] {} []
pulsantemenu:button	\pulsantemenu [=] {} {}
pulsantemenu:interactionmenu	\pulsantemenu [] [=.] {} {}
•	\BUTTON [=] {} []
pulsante:example	
pulsantinterazione	\pulsantinterazione [=] []
punti	\punti []
punti:assignment	\punti [=]
punto	\punto {}
purenumber	\purenumber {}
pusharrangedpages	\pusharrangedpages \poparrangedpages
pushattribute	\pushattribute \
pushbar	\pushbar [] \popbar
pushbutton	\pushbutton [] []
pushcatcodetable	\pushcatcodetable \popcatcodetable
pushcolore	\pushcolore [] \popcolore
pushendofline	\pushendofline \popendofline
pushindentation	\pushindentation \popindentation
pushMPdrawing	\pushMPdrawing \popMPdrawing
pushmacro	\pushmacro \
pushmathstyle	\pushmathstyle \popmathstyle
•	
pushmode	\pushmode []
pushoutputstream	\pushoutputstream []
pushpath	\pushpath [] \poppath
pushpunctuation	\pushpunctuation \poppunctuation
pushrandomseed	\pushrandomseed \poprandomseed
pushreferenceprefix	\pushreferenceprefix \{\ldots\}\ldots\\popreferenceprefix
pushsfondo	\pushsfondo [] \popsfondo
pushsystemmode	\pushsystemmode {}
putboxincache	\putboxincache {} {}
putnextboxincache	\putnextboxincache {} \ \ \
qquad	\qquad
quad	
quads	s []
qualcheriga	\qualcheriga []
quarterstrut	\quarterstrut
quitcommalist	\quitcommalist
quitprevcommalist	\quitprevcommalist
	\quittypescriptscanning
quittypescriptscanning	
ReadFile	\DecdEile []
ma man dhattam	\ReadFile {}
raggedbottom	raggedbottom
raggedcenter	\raggedbottom \raggedcenter
raggedcenter raggedleft	\raggedbottom \raggedcenter \raggedleft
raggedcenter raggedleft raggedright	\raggedbottom \raggedcenter \raggedleft \raggedright
raggedcenter raggedleft	\raggedbottom \raggedcenter \raggedleft \raggedright \raggedwidecenter
raggedcenter raggedleft raggedright	\raggedbottom \raggedcenter \raggedleft \raggedright
raggedcenter raggedleft raggedright raggedwidecenter	\raggedbottom \raggedcenter \raggedleft \raggedright \raggedwidecenter
raggedcenter raggedleft raggedright raggedwidecenter raisebox	<pre>\raggedbottom \raggedcenter \raggedleft \raggedright \raggedwidecenter \raisebox {} \ {}</pre>
raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext	<pre>\raggedbottom \raggedcenter \raggedleft \raggedright \raggedwidecenter \raisebox {} \ {} \randomizetext {}</pre>
raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber	<pre>\raggedbottom \raggedcenter \raggedleft \raggedright \raggedwidecenter \raisebox {} \ {} \randomizetext {} \randomnumber {} {}</pre>
raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter	<pre>\raggedbottom \raggedcenter \raggedleft \raggedright \raggedwidecenter \raisebox {} \ {} \randomizetext {} \randomnumber {} {} \rawcounter [] []</pre>

rawdoifinset	\rawdoifinset {} {} {}
rawdoifinsetelse	\rawdoifinsetelse \{\} \{\} \{\}
rawgetparameters	\rawgetparameters [] [=]
rawprocessaction	\rawprocessaction [] [,=>,]
rawprocesscommacommand rawprocesscommalist	\rawprocesscommacommand [] \ \rawprocesscommalist [] \
rawstructurelistuservariable	\rawstructurelistuservariable {}
rawsubcountervalue	\rawsubcountervalue [] []
rbox	\rbox {}
readfile	\readfile {} {} {}
readfixfile	\readfixfile {} {} {}
readjobfile	\readjobfile {} {} {}
readlocfile	\readlocfile {} {}
readsetfile	\readsetfile $\{\}$ $\{\}$ $\{\}$
readsysfile	\readsysfile $\{\}$ $\{\}$
readtexfile	\readtexfile \{\} \{\}
readxmlfile	\readxmlfile \{\} \{\}
realpagenumber	\realpagenumber
realSmallCapped	\realSmallCapped {}
realSmallcapped	\realSmallcapped {}
realsmallcapped recursedepth	\realsmallcapped {} \recursedepth
recurselevel	\recurselevel
recursestring	\recursestring
redoconvertfont	\redoconvertfont
referenceformat:example	\REFERENCEFORMAT {} {} []
referenceprefix	\referenceprefix
referring	\referring (,) (,) []
registerattachment	\registerattachment [] [=]
registerctxluafile	\registerctxluafile $\{\ldots\}$ $\{\ldots\}$
registerexternalfigure	\registerexternalfigure [] [] [=]
registerfontclass	\registerfontclass {}
registerhyphenationexception	\registerhyphenationexception [] []
registerhyphenationpattern	\registerhyphenationpattern [] [] \registermenubuttons [] []
registermenubuttons registersort	\registersort [] []
registersynonym	\registersynonym [] []
registerunit	\registerunit [] [=]
registro:instance	\REGISTER [] [++]
registro:instance:index	\index [] [++]
registro:instance:ownnumber	\REGISTER [] {} [++]
registro:instance:ownnumber:index	\index [] {} [++]
regolare	\regolare
reimpostamarcatura relatemarking	\reimpostamarcatura [] \relatemarking [] []
relatemarking	\relatemarking [] [] \relateparameterhandlers {} {} {} {}
relaxvalueifundefined	\relaxvalueifundefined {}
remainingcharacters	\remainingcharacters
removebottomthings	\removebottomthings
removedepth	\removedepth
removefromcommalist	$\mbox{removefromcommalist } \ldots \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$
removelastskip	\removelastskip
removelastspace	\removelastspace
removemarkedcontent	\removemarkedcontent []
removepunctuation	\removepunctuation
removesubstring removetoks	\removesubstring \from \to \ \removetoks \from \
removeunwantedspaces	\removetoks \from \\removetoks\removetoks\
replacefeature	\replacefeature []
replacefeature:direct	\replacefeature {}
replaceincommalist	\replaceincommalist \ {}
replaceword	\replaceword [] []
rescan	\rescan {}
rescanwithsetup	\rescanwithsetup $\{\ldots\}$
resetallattributes	\resetallattributes
resetandaddfeature	\resetandaddfeature []
resetandaddfeature:direct	\resetandaddfeature {}
resetbar	\resetbar
resetboxesincache	\resetboxesincache {}
resetbreakpoints resetbuffer	\resetbreakpoints \resetbuffer []
resetcharacteralign	\resetcharacteralign
- 00000mar a0001 ar 10m	/- 22220HaT 42201 411 EH

resetcharacterkerning	\resetcharacterkerning
resetcharacterspacing	\resetcharacterspacing
resetcharacterstripping	\resetcharacterstripping
resetcollector	\resetcollector []
resetcounter	\resetcounter [] []
resetdigitsmanipulation	\resetdigitsmanipulation
resetdirection resetfeature	\resetdirection \resetfeature
resetflag	\resetflag {}
resetfontcolorsheme	\resetfontcolorsheme
resetfontfallback	\resetfontfallback [] []
resetfontsolution	\resetfontsolution
resethyphenationfeatures	\resethyphenationfeatures
resetinjector	\resetinjector []
resetinteractionmenu	\resetinteractionmenu []
resetitaliccorrection resetlayer	\resetitaliccorrection \resetlayer []
resetlocalfloats	\resetlayer [] \resetlocalfloats
resetMPdrawing	\resetMPdrawing
resetMPenvironment	\resetMPenvironment
resetMPinstance	\resetMPinstance []
resetmarker	\resetmarker []
resetmode	\resetmode {}
resetpagenumber	\resetpagenumber
resetparallel	\resetparallel [] []
resetpath	\resetpath
resetpenalties resetprofile	\resetpenalties \\resetprofile
resetrecurselevel	\resetrecurselevel
resetreference	\resetreference []
resetreplacement	\resetreplacement
resetscript	\resetscript
resetsetups	\resetsetups []
resetshownsynonyms	\resetshownsynonyms []
resetsubpagenumber	\resetsubpagenumber
resetsymbolset	\resetsymbolset \resetsystemmode {}
resetsystemmode resettimer	\resettimer
resettrackers	\resettrackers
resettrialtypesetting	\resettrialtypesetting
resetusedsortings	\resetusedsortings []
resetusedsynonyms	\resetusedsynonyms []
resetuserpagenumber	\resetuserpagenumber
resetvalue	\resetvalue {}
resetvisualizers	\resetvisualizers \reshapebox {}
reshapebox resolvedglyphdirect	\resolvedglyphdirect \{\dots\} \\
resolvedglyphstyled	\resolvedglyphstyled {} {}
restartcounter	\restartcounter [] []
restorebox	\restorebox {} {}
restorecatcodes	\restorecatcodes
restorecounter	\restorecounter []
restorecurrentattributes	\restorecurrentattributes {}
restoreendofline	\restoreendofline
restoreglobalbodyfont reusableMPgraphic	\restoreglobalbodyfont \reusableMPgraphic {} {=}
reuseMPgraphic	\reuseMPgraphic \{\ldots\} \\\\
reuserandomseed	\reuserandomseed
revivefeature	\revivefeature
rfence	\rfence {}
rhbox	\rhbox {}
rif	\rif [] []
riferimento riferimentenzgina	\riferimento [] {}
riferimentopagina riferimentotesto	\riferimentopagina [] \riferimentotesto [] {}
riflessione	\riflessione {}
riga	\riga {}
rigariempimento	\rigariempimento [=]
rightbottombox	\rightbottombox {}
rightbox	\rightbox {}
righthbox	\righthbox {}
rightlabeltext:instance	\rightLABELtesto {}

rightlabeltext:instance:head	\rightheadtesto {}
rightlabeltext:instance:label	\rightlabeltesto {}
rightlabeltext:instance:mathlabel	\rightmathlabeltesto {}
rightline	\rightline {}
rightorleftpageaction	\rightorleftpageaction {} {}
rightskipadaption	\rightskipadaption
rightsubguillemot	\rightsubguillemot
righttoleft	\righttoleft
righttolefthbox	\righttolefthbox {}
righttoleftvbox	\righttoleftvbox {}
righttoleftvtop	\righttoleftvtop {}
righttopbox	\righttopbox {}
rigovuoto	\rigovuoto []
ring	\ring {}
rlap	\rlap {}
robustaddtocommalist	\robustaddtocommalist \{\dots\} \\\
robustdoifelseinset	\robustdoifelseinset \{\\} \\\.\} \\\.\}
robustdoifinsetelse	\robustdoifinsetelse \{\\} \{\\} \{\.\.\}
robustpretocommalist	\robustpretocommalist \{\dots\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
rollbutton:button	\rollbutton [=] []
rollbutton:interactionmenu	\rollbutton [] [=] []
roman	\roman
rtop	\rtop {}
ruledhbox	\ruledhbox {}
ruledhpack	\ruledhpack {}
ruledmbox	\ruledmbox {}
ruledtopv	\ruledtopv {}
ruledtpack	\ruledtpack {}
ruledvbox	\ruledvbox {}
ruledvpack	\ruledvpack {}
ruledvtop	\ruledvtop {}
runMPbuffer	\runMPbuffer []
runninghbox	\runninghbox {}
ruota	\ruota [=] {}
ScaledPointsToBigPoints	\ScaledPointsToBigPoints {} \
ScaledPointsToWholeBigPoints	\ScaledPointsToWholeBigPoints {} \
Smallcapped	\Smallcapped {}
safechar	\safechar {}
samplefile	\samplefile {}
sans	\sans
sansgrassetto	\sansgrassetto
sansnormal	\sansnormal
sansserif	\sansserif
savebox	\savebox {} {}
savebtxdataset	\savebtxdataset [] [=]
savebuffer	\savebuffer [=]
savebuffer:list	\savebuffer [] []
savecolore	\savecolore \restorecolore
savecounter	\savecounter []
savecurrentattributes	\savecurrentattributes {}
savenormalmeaning	\savenormalmeaning \
savetaggedtwopassdata	\savetaggedtwopassdata {} {} {} {}
savetwopassdata	\savetwopassdata {} {} {}
sbox	\sbox {}
scala	\scala [] [=] {}
schermo	\schermo []
	\SCRIPT
script:instance	
script:instance:ethiopic	\ethiopic
script:instance:hangul	\hangul
script:instance:hanzi	\hanzi
script:instance:latin	\latin
script:instance:nihongo	\nihongo
script:instance:test	\test
script:instance:thai	\thai
scrividentroelenco	\scrividentroelenco [] [=] {}
scriviinelenco	\scriviinelenco [] [=] {} {}
secondoffivearguments	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:
secondoffourarguments	\secondoffourarguments $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
secondofsixarguments	\secondofsixarguments $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
secondofthreearguments	\secondofthreearguments {} {} {}
secondofthreeunexpanded	\secondofthreeunexpanded {} {} {}
secondoftwoarguments	\secondoftwoarguments {} {}

secondoftwounexpanded	\secondoftwounexpanded \{\ldots\} \{\ldots\}
seeregister:instance	\vediREGISTER [] [++] {}
seeregister:instance:index	\vediindex [] [++] {}
segnalibro	\segnalibro [] {}
select	\select {} {} {} {} {} {}
selezionablocchi	\selezionablocchi [] [] [] OPT
serializecommalist	\serializecommalist []
serializedcommalist	\serializedcommalist
serif	\serif
serifbold	\serifbold
serifnormal	\serifnormal
setbar	\setbar []
setbigbodyfont	\setbigbodyfont
setboxllx	\setboxllx {}
setboxlly	\setboxlly {}
setbreakpoints	\setbreakpoints []
setbuffer	\setbuffer [] \endbuffer
setcapstrut	\setcapstrut
setcatcodetable	\setcatcodetable \
setcharacteralign	\setcharacteralign {} {}
setcharactercasing	\setcharactercasing []
setcharactercleaning	\setcharactercleaning []
<u> </u>	<u> </u>
setcharacterkerning	\setcharacterkerning []
setcharacterspacing	\setcharacterspacing []
setcharacterstripping	\setcharacterstripping []
setcharstrut	\setcharstrut {}
setcollector	\setcollector [] [=] {}
setcolormodell	\setcolormodell []
setcounter	\setcounter [] []
setcounterown	\setcounterown [] []
setcurrentfontclass	\setcurrentfontclass {}
setdataset	\setdataset [] [=]
setdefaultpenalties	\setdefaultpenalties
setdigitsmanipulation	\setdigitsmanipulation []
setdirection	\setdirection []
setdocumentargument	\setdocumentargument \{\ldots\}
setdocumentargument setdocumentargumentdefault	\setdocumentargument \{\dots\} \\ \setdocumentargumentdefault \{\dots\} \{\dots\}
_	
setdocumentargumentdefault	\setdocumentargumentdefault {} {}
setdocumentargumentdefault setdocumentfilename	<pre>\setdocumentargumentdefault {} {} \setdocumentfilename {} {} \setdummyparameter {} {}</pre>
setdocumentargumentdefault setdocumentfilename setdummyparameter	\setdocumentargumentdefault {} {} \setdocumentfilename {} {}
setdocumentargumentdefault setdocumentfilename setdummyparameter setelementexporttag	\setdocumentargumentdefault {} {} \setdocumentfilename {} {} \setdummyparameter {} {} \setelementexporttag [] []
setdocumentargumentdefault setdocumentfilename setdummyparameter setelementexporttag setemeasure	<pre>\setdocumentargumentdefault {} {} \setdocumentfilename {} {} \setdummyparameter {} {} \setelementexporttag [] [] [] \setemeasure {} {} \setevalue {} {}</pre>
setdocumentargumentdefault setdocumentfilename setdummyparameter setelementexporttag setemeasure setevalue	<pre>\setdocumentargumentdefault {} {} \setdocumentfilename {} {} \setdummyparameter {} {} \setelementexporttag [] [] [] \setemeasure {} {}</pre>
setdocumentargumentdefault setdocumentfilename setdummyparameter setelementexporttag setemeasure setevalue setevariable	<pre>\setdocumentargumentdefault {} {} \setdocumentfilename {} {} \setdummyparameter {} {} \setelementexporttag [] [] [] \setemeasure {} {} \setevalue {} {} \setevariable {} {} {}</pre>
setdocumentargumentdefault setdocumentfilename setdummyparameter setelementexporttag setemeasure setevalue setevariable setevariables setfirstline	<pre>\setdocumentargumentdefault {} {} \setdocumentfilename {} {} \setdummyparameter {} {} \setelementexporttag [] [] [] \setemeasure {} {} \setevalue {} {} \setevariable {} {} {} \setevariables [] [=] \setfirstline []</pre>
setdocumentargumentdefault setdocumentfilename setdummyparameter setelementexporttag setemeasure setevalue setevariable setevariables setfirstline setflag	<pre>\setdocumentargumentdefault {} {} \setdocumentfilename {} {} \setdummyparameter {} {} \setelementexporttag [] [] [] \setemeasure {} {} \setevalue {} {} \setevariable {} {} {} \setevariables [] [=] \setflag {}</pre>
setdocumentargumentdefault setdocumentfilename setdummyparameter setelementexporttag setemeasure setevalue setevariable setevariables setfirstline setflag setfont	<pre>\setdocumentargumentdefault {} {} \setdocumentfilename {} {} \setdummyparameter {} {} \setelementexporttag [] [] [] \setemeasure {} {} \setevalue {} {} \setevariable {} {} {} \setevariables [] [=] \setflag {} \setfont</pre>
setdocumentargumentdefault setdocumentfilename setdummyparameter setelementexporttag setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme	<pre>\setdocumentargumentdefault {} {} \setdocumentfilename {} {} \setdummyparameter {} {} \setelementexporttag [] [] [] \setemeasure {} {} \setevalue {} {} \setevariable {} {} {} \setevariables [] [=] \setfirstline [] \setfont \setfontcolorsheme []</pre>
setdocumentargumentdefault setdocumentfilename setdummyparameter setelementexporttag setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontfeature	<pre>\setdocumentargumentdefault {} {} \setdocumentfilename {} {} \setdummyparameter {} {} \setelementexporttag [] [] [] \setemeasure {} {} \setevalue {} {} \setevariable {} {} {} \setevariables [] [=] \setfirstline [] \setfont \setfontcolorsheme []</pre>
setdocumentargumentdefault setdocumentfilename setdummyparameter setelementexporttag setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontfeature setfontsolution	<pre>\setdocumentargumentdefault {} {} \setdocumentfilename {} {} \setdummyparameter {} {} \setelementexporttag [] [] [] \setemeasure {} {} \setevalue {} {} \setevariable {} {} {} \setevariables [] [=] \setfirstline [] \setfont \setfontcolorsheme [] \setfontfeature {} \setfontsolution []</pre>
setdocumentargumentdefault setdocumentfilename setdummyparameter setelementexporttag setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontfeature setfontsolution setfontstrut	<pre>\setdocumentargumentdefault {} {} \setdocumentfilename {} {} \setdummyparameter {} {} \setelementexporttag [] [] [] \setemeasure {} {} \setevalue {} {} \setevariable {} {} {} \setevariables [] [=] \setfirstline [] \setfont \setfontcolorsheme [] \setfontfeature {} \setfontsolution [] \setfontstrut</pre>
setdocumentargumentdefault setdocumentfilename setdummyparameter setelementexporttag setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontfeature setfontsolution setfontstrut setgmeasure	<pre>\setdocumentargumentdefault {} {} \setdocumentfilename {} {} \setdummyparameter {} {} \setelementexporttag [] [] [] \setemeasure {} {} \setevalue {} {} \setevariable {} {} {} \setevariables [] [=] \setfirstline [] \setfont \setfontcolorsheme [] \setfontfeature {} \setfontstrut \setgmeasure {} {}</pre>
setdocumentargumentdefault setdocumentfilename setdummyparameter setelementexporttag setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontfeature setfontsolution setfontstrut setgmeasure setgvalue	<pre>\setdocumentargumentdefault {} {} \setdocumentfilename {} {} \setdummyparameter {} {} \setelementexporttag [] [] [] \setemeasure {} {} \setevalue {} {} \setevariable {} {} {} \setevariables [] [=] \setfirstline [] \setfont \setfont colorsheme [] \setfontfeature {} \setfontsolution [] \setfontstrut \setgmeasure {} {} \setgvalue {} {}</pre>
setdocumentargumentdefault setdocumentfilename setdummyparameter setelementexporttag setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontfeature setfontsolution setfontstrut setgmeasure setgvalue setgvariable	<pre>\setdocumentargumentdefault {} {} \setdocumentfilename {} {} \setdummyparameter {} {} \setelementexporttag [] [] [] \setemeasure {} {} \setevalue {} {} \setevariable {} {} {} \setevariables [] [=] \setfirstline [] \setfont \setfontcolorsheme [] \setfontfeature {} \setfontstrut \setgmeasure {} {} \setgvalue {} {} \setgvariable {} {} \setgvariable {} {} \setgvariable {} {}</pre>
setdocumentargumentdefault setdocumentfilename setdummyparameter setelementexporttag setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontfeature setfontsolution setfontstrut setgmeasure setgvalue setgvariable setgvariables	<pre>\setdocumentargumentdefault {} {} \setdocumentfilename {} {} \setdummyparameter {} {} \setelementexporttag [] [] [] \setemeasure {} {} \setevalue {} {} \setevariable {} {} {} \setevariables [] [=] \setfirstline [] \setfont \setfontcolorsheme [] \setfontfeature {} \setfontstrut \setgmeasure {} {} \setgvariable {} {} \setgvariables [] [=]</pre>
setdocumentargumentdefault setdocumentfilename setdummyparameter setelementexporttag setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontfeature setfontsolution setfontstrut setgmeasure setgvariable setgvariable setgvariables sethboxregister	<pre>\setdocumentargumentdefault {} {} \setdocumentfilename {} {} \setdummyparameter {} {} \setelementexporttag [] [] [] \setemeasure {} {} \setevalue {} {} \setevariable {} {} {} \setevariables [] [=] \setfirstline [] \setfont colorsheme [] \setfontfeature {} \setfontstrut \setgmeasure {} {} \setgvariable {} {} \setgvariables [] [=] \setgvariables [] {} \setgvariables [] [=] \sethboxregister {}</pre>
setdocumentargumentdefault setdocumentfilename setdummyparameter setelementexporttag setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontfeature setfontsolution setfontstrut setgmeasure setgvalue setgvariable setgvariables sethboxregister sethyphenatedurlafter	<pre>\setdocumentargumentdefault {} {} \setdocumentfilename {} {} \setdummyparameter {} {} \setelementexporttag [] [] [] \setemeasure {} {} \setevalue {} {} \setevariable {} {} {} \setevariables [] [=] \setfirstline [] \setfont colorsheme [] \setfontfeature {} \setfontsolution [] \setfontstrut \setgmeasure {} {} \setgvariable {} {} \setgvariables [] [=] \sethboxregister {} \sethyphenatedurlafter {}</pre>
setdocumentargumentdefault setdocumentfilename setdummyparameter setelementexporttag setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontsolution setfontstrut setgmeasure setgvalue setgvariable setgvariables sethboxregister sethyphenatedurlafter sethyphenatedurlbefore	<pre>\setdocumentargumentdefault {} {} \setdocumentfilename {} {} \setdummyparameter {} {} \setelementexporttag [] [] [] \setemeasure {} {} \setevalue {} {} \setevariable {} {} {} \setevariables [] [=] \setfirstline [] \setfont {} \setfontcolorsheme [] \setfontfeature {} \setfontstrut \setgmeasure {} {} \setgvariable {} {} \setgvariables [] [=] \setpvariable {} {} \setgvariables [] [=] \sethboxregister {} \sethyphenatedurlafter {} \sethyphenatedurlbefore {}</pre>
setdocumentargumentdefault setdocumentfilename setdummyparameter setelementexporttag setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontseture setfontsolution setfontstrut setgmeasure setgvalue setgvariable setgvariables sethboxregister sethyphenatedurlormal	<pre>\setdocumentargumentdefault {} {} \setdocumentfilename {} {} \setdummyparameter {} {} \setelementexporttag [] [] [] \setemeasure {} {} \setevalue {} {} \setevariable {} {} {} \setevariables [] [=] \setfirstline [] \setfont \setfontcolorsheme [] \setfontfeature {} \setfontstrut \setgmeasure {} {} \setgvariable {} {} \setgvariables [] [=] \sethboxregister {} \sethboxregister {} \sethyphenatedurlbefore {} \sethyphenatedurlnormal {}</pre>
setdocumentargumentdefault setdocumentfilename setdummyparameter setelementexporttag setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontsetfont setfontsolution setfontstrut setgmeasure setgvalue setgvariable setgvariable setgvariables sethboxregister sethyphenatedurlormal sethyphenationfeatures	<pre>\setdocumentargumentdefault {} {} \setdocumentfilename {} {} \setdummyparameter {} {} \setelementexporttag [] [] [] \setemeasure {} {} \setevalue {} {} \setevariable {} {} {} \setevariables [] [=] \setfirstline [] \setfont \setfontcolorsheme [] \setfontfeature {} \setfontstrut \setgmeasure {} {} \setgvariable {} {} \setgvariables [] [=] \sethboxregister {} \sethyphenatedurlafter {} \sethyphenatedurlormal {} \sethyphenationfeatures []</pre>
setdocumentargumentdefault setdocumentfilename setdummyparameter setelementexporttag setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontsolution setfontstrut setgmeasure setgvalue setgvariable setgvariables sethboxregister sethyphenatedurlafter sethyphenatedurlnormal sethyphenationfeatures setinitial	<pre>\setdocumentargumentdefault {} {} \setdocumentfilename {} {} \setdummyparameter {} {} \setelementexporttag [] [] [] \setemeasure {} {} \setevalue {} {} \setevariable {} {} {} \setevariables [] [=] \setfirstline [] \setfont \setfontcolorsheme [] \setfontfeature {} \setfontstrut \setgmeasure {} {} \setgvariable {} {} \setgvariables [] [=] \sethboxregister {} \sethyphenatedurlafter {} \sethyphenatedurlormal {} \sethyphenationfeatures [] \sethyphenationfeatures [] \setinitial [] [=]</pre>
setdocumentargumentdefault setdocumentfilename setdummyparameter setelementexporttag setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontsolution setfontstrut setgmeasure setgvalue setgvariable setgvariables sethboxregister sethyphenatedurlafter sethyphenatedurlnormal sethyphenationfeatures setinitial setinjector	<pre>\setdocumentargumentdefault {} {} \setdocumentfilename {} {} \setdummyparameter {} {} \setelementexporttag [] [] [] \setemeasure {} {} \setevalue {} {} \setevariable {} {} {} \setevariables [] [=] \setfirstline [] \setfont \setfont colorsheme [] \setfontfeature {} \setfontstrut \setgmeasure {} {} \setgvalue {} {} \setgvariables [] [=] \sethboxregister {} \sethboxregister {} \sethyphenatedurlafter {} \sethyphenatedurlormal {} \sethyphenationfeatures [] \setinitial [] [=] \setinjector [] []</pre>
setdocumentargumentdefault setdocumentfilename setdummyparameter setelementexporttag setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontseture setfontsolution setfontstrut setgmeasure setgvalue setgvariable setgvariable settyvariable setgvariable setgvariables sethboxregister sethyphenatedurlafter sethyphenatedurlormal sethyphenationfeatures setinitial setinjector setinteraction	<pre>\setdocumentargumentdefault {} {} \setdocumentfilename {} {} \setdummyparameter {} {} \setelementexporttag [] [] [] \setemeasure {} {} \setevalue {} {} \setevariable {} {} {} \setevariables [] [=] \setfirstline [] \setfont \setfontcolorsheme [] \setfontfeature {} \setfontstrut \setgmeasure {} {} \setgvariable {} {} \setgvariable {} {} \setgvariable {} {} \sethboxregister {} \sethboxregister {} \sethyphenatedurlafter {} \sethyphenatedurlormal {} \sethyphenationfeatures [] \setinitial [] [=] \setinjector [] [] \setinteraction []</pre>
setdocumentargumentdefault setdocumentfilename setdummyparameter setelementexporttag setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontsolution setfontsrut setgmeasure setgvalue setgvariable setgvariables sethboxregister sethyphenatedurlafter sethyphenatedurlormal sethyphenationfeatures setinitial setinjector setinteraction setinterfacecommand	<pre>\setdocumentargumentdefault {} {} \setdocumentfilename {} {} \setdummyparameter {} {} \setelementexporttag [] [] [] \setemeasure {} {} \setevalue {} {} \setevariable {} {} \setevariables [] [] \setfirstline [] \setflag {} \setfont \setfontcolorsheme [] \setfontseture {} \setfontstrut \setgmeasure {} {} \setgvalue {} {} \setgvariable {} {} \setgvariable {} {} \setgvariable {} {} \sethboxregister {} \sethboxregister {} \sethyphenatedurlafter {} \sethyphenatedurlormal {} \setinitial [] [] \setinitial [] [] \setinteraction [] \setinterfacecommand {} {}</pre>
setdocumentargumentdefault setdocumentfilename setdummyparameter setelementexporttag setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontfeature setfontsolution setfontstrut setgmeasure setgvalue setgvariable setgvariables sethboxregister sethyphenatedurlafter sethyphenatedurlormal sethyphenationfeatures setinitial setinjector setinteraccommand setinterfacecommand	<pre>\setdocumentargumentdefault {} {} \setdocumentfilename {} {} \setdummyparameter {} {} \setelementexporttag [] [] [] \setemeasure {} {} \setevalue {} {} \setevariable {} {} \setevariables [] [] \setfirstline [] \setfont \setfont colorsheme [] \setfontfeature {} \setfontsolution [] \setgmeasure {} {} \setgvariable {} {} \setgvariables [] [] \setgvariables [] [] \sethboxregister {} \sethyphenatedurlafter {} \sethyphenatedurlormal {} \sethyphenationfeatures [] \setinitial [] [] \setinterfacecommand {} {} \setinterfacecommand {} {</pre>
setdocumentargumentdefault setdocumentfilename setdummyparameter setelementexporttag setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontfeature setfontsolution setfontstrut setgmeasure setgvalue setgvariable setgvariables sethboxregister sethyphenatedurlafter sethyphenatedurlormal sethyphenationfeatures setinitial setinjector setinterfacecommand setinterfacecolement	<pre>\setdocumentargumentdefault {} {} \setdocumentfilename {} {} \setdummyparameter {} {} \setelementexporttag [] [] [] \setemeasure {} {} \setevalue {} {} \setevariable {} {} \setevariables [] [] \setfirstline [] \setfont \setfont colorsheme [] \setfontfeature {} \setfontsolution [] \setgmeasure {} {} \setgvariable {} {} \setgvariables [] [] \setgvariable {} {} \setgvariables [] [] \sethboxregister {} \sethyphenatedurlafter {} \sethyphenatedurlormal {} \sethyphenationfeatures [] \setinitial [] [] \setinterfacecommand {} {} \setinterfacecommand {} {} \setinterfacecolement {} {} \setinterfacecelement {} {} \setinterfacecelement {} {}</pre>
setdocumentargumentdefault setdocumentfilename setdummyparameter setelementexporttag setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontfeature setfontsolution setfontstrut setgmeasure setgvalue setgvariable setgvariable setgvariables sethboxregister sethyphenatedurlafter sethyphenatedurlormal sethyphenationfeatures setinitial setinjector setinterfacecommand setinterfaceclement setinterfaceelement setinterfacemessage	<pre>\setdocumentargumentdefault {} {} \setdocumentfilename {} {} \setdummyparameter {} {} \setelementexporttag [] [] [] \setemeasure {} {} \setevalue {} {} \setevariable {} {} \setevariables [] [] \setfirstline [] \setfont \setfont colorsheme [] \setfontfeature {} \setfontsolution [] \setfontstrut \setgmeasure {} {} \setgvariable {} {} \setgvariable {} {} \setgvariables [] [] \sethboxregister {} \sethyphenatedurlafter {} \sethyphenatedurlormal {} \sethyphenationfeatures [] \setinitial [] [] \setinterfacecommand {} {} \setinterfacecommand {} {} \setinterfaceclement {} {} \setinterfaceclem</pre>
setdocumentargumentdefault setdocumentfilename setdummyparameter setelementexporttag setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontsolution setfontstrut setgmeasure setgvalue setgvariable setgvariable setgvariable setgvariables sethboxregister sethyphenatedurlafter sethyphenatedurlormal sethyphenationfeatures setinitial setinjector setinterfacecommand setinterfaceclement setinterfacewariable	<pre>\setdocumentargumentdefault {} {} \setdocumentfilename {} {} \setdummyparameter {} {} \setelementexporttag [] [] [] \setemeasure {} {} \setevalue {} {} \setevariable {} {} \setevariables [] [] \setfirstline [] \setfont \setfont colorsheme [] \setfontfeature {} \setfontsolution [] \setfontstrut \setgmeasure {} {} \setgvariable {} {} \setgvariable {} {} \setgvariables [] [] \sethboxregister {} \sethyphenatedurlafter {} \sethyphenatedurlormal {} \sethyphenationfeatures [] \setinitial [] [] \setinterfacecommand {} {} \setinterfacecommand {} {} \setinterfaceclement {} {} \setinterfaceclement {} {} \setinterfacecvariable {} {} \setinterfacevariable {} {} \setinterfa</pre>
setdocumentargumentdefault setdocumentfilename setdummyparameter setelementexporttag setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontsolution setfontstrut setgmeasure setgvalue setgvariable setgvariable settyvariable sethyphenatedurlafter sethyphenatedurlormal sethyphenationfeatures setinitial setinjector setinterfacecommand setinterfacecomsand setinterfaceelement setinterfacevariable setinternalrendering	<pre>\setdocumentargumentdefault {} {} \setdocumentfilename {} {} \setdummyparameter {} {} \setelementexporttag [] [] [] \setemeasure {} {} \setevalue {} {} \setevariable {} {} \setevariables [] [] \setfirstline [] \setfont \setfont colorsheme [] \setfontfeature {} \setfontsolution [] \setfontstrut \setgmeasure {} {} \setgvariable {} {} \setgvariables [] [] \sethboxregister {} \sethyphenatedurlafter {} \sethyphenatedurlormal {} \sethyphenationfeatures [] \setinitial [] [] \setinteraction [] \setinterfacecommand {} {} \setinterfacecommand {} {} \setinterfacecelement {} {} \setinterfacecelement {} {} \setinterfacevariable {} {} \setinterface</pre>
setdocumentargumentdefault setdocumentfilename setdummyparameter setelementexporttag setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontsolution setfontstrut setgmeasure setgvalue setgvariable setgvariables sethboxregister sethyphenatedurlafter sethyphenatedurlormal sethyphenationfeatures setinitial setinjector setinterfacecommand setinterfacecomsant setinterfaceelement setinterfacevariable setinternalrendering setitaliccorrection	<pre>\setdocumentargumentdefault {} {} \setdocumentfilename {} {} \setdummyparameter {} {} \setelementexporttag [] [] [] \setemeasure {} {} \setevalue {} {} \setevariable {} {} \setevariables [] [] \setfirstline [] \setfont \setfont colorsheme [] \setfontsquure {} \setfontsolution [] \setfontstrut \setgmeasure {} {} \setgvariable {} {} \setgvariables [] [] \sethboxregister {} \sethyphenatedurlafter {} \sethyphenatedurlafter {} \sethyphenatedurlormal {} \sethyphenationfeatures [] \setinitial [] [] \setinterfacecommand {} {} \setinterfacecommand {} {} \setinterfaceclement {} {} \setinterfaceclement {} {} \setinterfacevariable {} {} \setinterf</pre>
setdocumentargumentdefault setdocumentfilename setdummyparameter setelementexporttag setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontfeature setfontsolution setfontstrut setgmeasure setgvariable setgvariables sethboxregister sethyphenatedurlafter sethyphenatedurlormal sethyphenationfeatures setinitial setinjector setinterfaceommand setinterfaceomsant setinterfaceelement setinterfacewariable setinternalrendering setitaliccorrection setJSpreamble	\setdocumentargumentdefault {} {} \setdocumentfilename {} {} \setdummyparameter {} {} \setelementexporttag [] [] [] \setemeasure {} {} \setevalue {} {} \setevariable {} {} \setevariables [] [=] \setfirstline [] \setfont \setfontcolorsheme [] \setfontsfontstrut \setgmeasure {} {} \setgvariable {} {} \setgvariable {} {} \setgvariables [] [=] \sethboxregister {} \sethyphenatedurlafter {} \sethyphenatedurlormal {} \sethyphenationfeatures [] \setinitial [] [=] \setinterfacecommand {} {}
setdocumentargumentdefault setdocumentfilename setdummyparameter setelementexporttag setemeasure setevalue setevariable setevariables setfirstline setflag setfont setfontcolorsheme setfontsolution setfontstrut setgmeasure setgvalue setgvariable setgvariables sethboxregister sethyphenatedurlafter sethyphenatedurlormal sethyphenationfeatures setinitial setinjector setinterfacecommand setinterfacecomsant setinterfaceelement setinterfacevariable setinternalrendering setitaliccorrection	<pre>\setdocumentargumentdefault {} {} \setdocumentfilename {} {} \setdummyparameter {} {} \setelementexporttag [] [] [] \setemeasure {} {} \setevalue {} {} \setevariable {} {} \setevariables [] [] \setfirstline [] \setfont \setfont colorsheme [] \setfontsquure {} \setfontsolution [] \setfontstrut \setgmeasure {} {} \setgvariable {} {} \setgvariables [] [] \sethboxregister {} \sethyphenatedurlafter {} \sethyphenatedurlafter {} \sethyphenatedurlormal {} \sethyphenationfeatures [] \setinitial [] [] \setinterfacecommand {} {} \setinterfacecommand {} {} \setinterfaceclement {} {} \setinterfaceclement {} {} \setinterfacevariable {} {} \setinterf</pre>

setlayerframed	\setlayerframed [] [=] [=] {}
setlayerframed:combination	\setlayerframed [] [=] {}
setlayertext	\setlayertext [] [=] [=] {}
setlinefiller	\setlinefiller []
setlocalhsize	\setlocalhsize []
setMPlayer	\setMPlayer [] [=] {}
setMPpositiongraphic	\setMPpositiongraphic {} {} {=}
setMPpositiongraphicrange	$\st MP position graphic range {} {} {} {}$
setMPtext	\setMPtext {} {}
setMPvariable	\setMPvariable [] [=]
setMPvariables	\setMPvariables [] [=]
setmainbodyfont	\setmainbodyfont
setmainparbuilder	\setmainparbuilder []
setmarker	\setmarker [] []
setmarking	\setmarking [] {}
setmathstyle	\setmathstyle {}
setmeasure	\setmeasure \{\ldots\}
setmessagetext	\setmessagetext {} {}
setmode	\setmode {}
setnostrut	\setnostrut
setnote	\setnote [] [] {}
setnotetext	\setnotetext [] [] {}
setnotetext:assignment	\setnotetext [] [=]
setnote:assignment	\setnote [] [=] \setobject {} {} \ {}
setobject	
setoldstyle	\setoldstyle \setpagegrid [=] {}
setpagegrid setpagereference	\setpagereference {} {}
setpagestate	\setpagestate [] []
setpagestate setpagestaterealpageno	\setpagestate [] [] \setpagestaterealpageno {} {}
setpenalties	\setpenalties \ \{\}
setpercentdimen	\setpercentdimen {} {}
setposition	\setposition {}
setpositionbox	\setpositionbox {} \ {}
setpositiondata	\setpositiondata {} {} {} {}
setpositiondataplus	\setpositiondataplus {} {} {} {} {}
setpositiononly	\setpositiononly {}
setpositionplus	\setpositionplus {} \ {}
setpositionstrut	\setpositionstrut {}
setprofile	\setprofile []
setrandomseed	\setrandomseed {}
setreference	\setreference [] [=]
setreferencedobject	\setreferencedobject {} \ {}
setregisterentry	\setregisterentry [] [=]
setreplacement	\setreplacement []
setrigidcolumnbalance	\setrigidcolumnbalance
setrigidcolumnhsize	\setrigidcolumnhsize {} {}
setscript	\setscript []
setsectionblock	\setsectionblock [] [=]
setsimplecolumnhsize	\setsimplecolumnhsize [=]
setsmallbodyfont	\setsmallbodyfont
setsmallcaps	\setsmallcaps
setstackbox	\setstackbox {} {}
setstructurepageregister	\setstructurepageregister [] [=]
setstrut	\setstrut
setsuperiors	\setsuperiors
setsystemmode	\setsystemmode {}
settabular	\settabular
settaggedmetadata	\settaggedmetadata [=]
settext	\settext [] [] []
settightobject	\settightobject {} \ {}
settightreferencedobject	\settightreferencedobject {} \ \ \
settightunreferencedobject	\settightunreferencedobject {} \ \ \
settrialtypesetting	\settrialtypesetting
setuevalue	\setuevalue \{\dots\}
setugvalue	\setugvalue {} {}
setunreferencedobject	\setunreferencedobject {} \ {}
setupalternativestyles	\setupalternativestyles [=]
setupattachment	\setupattachment [] [=]
setupattachments	\setupattachments [] [=]
setupbackend	\setupbackend [=] \setupbar [] [=]
setupbar	(pecuhnat [] []

antumbana	\catumbana [] [-]
setupbars setupbleeding	\setupbars [] [=] \setupbleeding [=]
setupbookmark	\setupbookmark [=]
setupbtx	\setupbtx [] [=]
setupbtxdataset	\setupbtxdataset [] [=]
setupbtxlist	\setupbtxlist [] [=]
setupbtxregister	\setupbtxregister [] [=]
setupbtxrendering	\setupbtxrendering [] [=]
setupbtx:name	\setupbtx []
setupbutton	\setupbutton [] [=]
setupcharacterkerning setupcharacterspacing	\setupcharacterkerning [] [=] \setupcharacterspacing [] [] [=]
setupchemical	\setupcharacterspacing [] [] [] \setupchemical [] [=]
setupchemicalframed	\setupchemicalframed [] [=]
setupcollector	\setupcollector [] [=]
setupcolumnspan	\setupcolumnspan [=]
setupcombination	\setupcombination [] [=]
setupcounter	\setupcounter [] [=]
setupdataset	\setupdataset [] [=]
setupdelimitedtext	\setupdelimitedtext [] [=]
setupdescription	\setupdescription [] [=]
setupdirections setupdocument	\setupdirections [=] \setupdocument [=]
setupeffect	\setupeffect [] [=]
setupenumeration	\setupenumeration [] [=]
setupenv	\setupenv [=]
setupexport	\setupexport [=]
setupexternalfigure	\setupexternalfigure [] [=]
setupexternalsoundtracks	\setupexternalsoundtracks [=]
setupfieldbody	\setupfieldbody [] [=]
setupfieldcategory	\setupfieldcategory [] [=]
setupfieldcontentframed	\setupfieldcontentframed [] [=]
setupfieldlabelframed setupfieldtotalframed	\setupfieldlabelframed [] [=] \setupfieldtotalframed [] [=]
setupfiller	\setupfiller [] [=]
setupfirstline	\setupfirstline [] [=]
setupfittingpage	\setupfittingpage [] [=]
setupfloatcaption	\setupfloatcaption [] [=]
setupfontexpansion	\setupfontexpansion [] [=]
setupfontprotrusion	\setupfontprotrusion [] [=]
setupfonts	\setupfonts [=]
setupfontsolution	\setupfontsolution [] [=]
setupformula setupformulaframed	\setupformula [] [=] \setupformulaframed [] [=]
setupframedcontent	\setupframedcontent [] [=]
setupframedtable	\setupframedtable [] [=]
setupframedtablecolumn	\setupframedtablecolumn [] [] [=]
setupframedtablerow	\setupframedtablerow [] [] [=]
setupframedtext	\setupframedtext [] [=]
setupglobalreferenceprefix	\setupglobalreferenceprefix []
setupheadalternative	\setupheadalternative [] [=]
setuphelp	\setuphelp [] [=]
setuphigh setuphighlight	\setuphigh [] [=] \setuphighlight [] [=]
setuphyphenation	\setuphyphenation [=]
setupindentedtext	\setupindentedtext [] [=]
setupinitial	\setupinitial [] [=]
setupinsertion	\setupinsertion [] [=]
setupitaliccorrection	\setupitaliccorrection []
setupitemgroup	\setupitemgroup [] [] [] [=]
setupitemgroup:assignment	\setupitemgroup [] [=]
setupitemgroup:instance	\impostaITEMGROUP [] [] []
<pre>setupitemgroup:instance:itemize setuplabel</pre>	\impostaitemize [] [=] \setuplabel [] [=]
setuplayer	\setuplaser [] [=] \setuplayer [] [=]
setuplayer setuplayeredtext	\setuplayeredtext [] [=]
setuplayouttext	\setuplayouttext [] [] [=]
setuplinefiller	\setuplinefiller [] [=]
setuplinefillers	\setuplinefillers [] [=]
setuplinenote	\setuplinenote [] [=]
setuplinetable	\setuplinetable [] [] [=]
setuplistalternative	\setuplistalternative [] [=]

setuplistextra	\setuplistextra [] [=]
setuplocalfloats	\setuplocalfloats [=]
setuplocalinterlinespace setuplocalinterlinespace:argument	\setuplocalinterlinespace [] [=] \setuplocalinterlinespace []
setuplocalinterlinespace:name	\setuplocalinterlinespace []
setuplow	\setuplow [] [=]
setuplowhigh	\setuplowhigh [] [=]
setuplowmidhigh	\setuplowmidhigh [] [=]
setupMPgraphics	\setupMPgraphics [=]
setupMPinstance	\setupMPinstance [] [=]
setupMPpage	\setupMPpage [=]
setupMPvariables	\setupMPvariables [] [=]
setupmarginblock	\setupmarginblock [] [=]
setupmargindata	\setupmargindata [] [=]
setupmarginframed	\setupmarginframed [] [=]
setupmarginrule	\setupmarginrule [] [=]
setupmathalignment	\setupmathalignment [] [=]
setupmathcases	\setupmathcases [] [=]
setupmathematics	\setupmathematics [] [=]
setupmathfraction	\setupmathfence [] [=]
setupmathfraction setupmathfractions	\setupmathfraction [] [=] \setupmathfractions [] [=]
setupmathframed	\setupmathframed [] [=]
setupmathmatrix	\setupmathmatrix [] [=]
setupmathornament	\setupmathornament [] [=]
setupmathradical	\setupmathradical [] [=]
setupmathstackers	\setupmathstackers [] [=]
setupmathstyle	\setupmathstyle []
setupmixedcolumns	\setupmixedcolumns [] [=]
setupmodule	\setupmodule [] [=]
setupnotation	\setupnotation [] [=]
setupnotations	\setupnotations [] [=]
setupnote	\setupnote [] [=]
setupnotes	\setupnotes [] [=]
setupoffset	\setupoffset [=]
setupoffsetbox	\setupoffsetbox [=]
setupoutputroutine	\setupoutputroutine [] [=]
setupoutputroutine:name	\setupoutputroutine [] \setuppagechecker [] [=]
setuppagechecker setuppagegrid	\setuppagegrid [] [=]
setuppagegridarea	\setuppagegridarea [] [=]
setuppagegridareatext	\setuppagegridareatext [] []
setuppagegridlines	\setuppagegridlines [] [] []
setuppagegridspan	\setuppagegridspan [] [=]
setuppagegridstart	\setuppagegridstart [] [] []
setuppageinjection	\setuppageinjection [] [=]
setuppageinjectionalternative	\setuppageinjectionalternative [] [=]
setuppageshift	\setuppageshift [] []
setuppagestate	\setuppagestate [] [=]
setuppairedbox	\setuppairedbox [] [=]
setuppairedbox:instance	\impostaPAIREDBOX [=]
setuppairedbox:instance:legend	\impostalegend [=]
setuppaper setupparagraph	\setuppaper [=] \setupparagraph [] [=]
setupparagraphintro	\setupparagraphintro [] []
setupparallel	\setupparallel [] [] [=]
setupperiods	\setupperiods [=]
setupplacement	\setupplacement [] [=]
setuppositionbar	\setuppositionbar [=]
setupprocessor	\setupprocessor [] [=]
setupprofile	\setupprofile [] [=]
setupquotation	\setupquotation [=]
setuprealpagenumber	\setuprealpagenumber [=]
setupreferenceformat	\setupreferenceformat [] [=]
setupreferenceprefix	\setupreferenceprefix []
setupreferencestructureprefix	\setupreferencestructureprefix [] [] []
setupregisters	\setupregisters [] [=]
setuprenderinguindou	\setupregisters [] [] []
setuprenderingwindow setups	\setuprenderingwindow [] [=] \setups []
setups	\setups [] \setupscale [] [=]
setupscript	\setupscript [] [=]
1 *** 1 **	

setupscripts	\setupscripts [] [=]
setupselector	\setupselector [] [=]
setupshift	\setupshift [] [=]
setupsidebar	\setupsidebar [] [=]
setupspellchecking	\setupspellchecking [=]
setupstretched	\setupstretched [=]
setupstruts	\setupstruts []
setupstyle	\setupstyle [] [=]
setupsubformula	\setupsubformula [] [=]
setupsubformulas	\setupsubformulas [] [=]
setupsynctex	\setupsynctex [=]
setups:direct	\setups {}
setupTABLE	\setupTABLE [] [] [=]
setupTEXpage	\setupTEXpage [=]
setuptabulation	\setuptabulation [] [=]
setuptagging	\setuptagging [=]
setuptextbackground	\setuptextbackground [] [=]
setuptextflow	\setuptextflow [] [=]
setuptooltip	\setuptooltip [] [=]
setupunit	\setupunit [] [=]
setupuserpagenumber	\setupuserpagenumber [=]
setupversion	\setupversion []
setupviewerlayer	\setupviewerlayer [=]
setupvspacing	\setupvspacing []
setupwithargument	\setupwithargument {} {}
setupwithargumentswapped	\setupwithargumentswapped {} {}
setupxml	\setupxml [=]
setupxtable	\setupxtable [] [=]
setuvalue	\setuvalue {} {}
setuvalue	\setuvalue {} {}
setvalue	\setuxvalue \(\cdot\) \(\cdot\)
setvariable	\setvariable \{\ldots\} \{\ldots\}
setvariables	\setvariables [] [=]
setvboxregister	\setvboxregister {}
setvisualizerfont	\setvisualizerfont []
setvtopregister	\setvtopregister {}
setwidthof	\setwidthof \to \
setxmeasure	\setxmeasure {} {}
setxvalue	\setxvalue {} {}
setxvariable	\setxvariable {} {} {}
setxvariables	\setxvariables [] [=]
sfondo	\sfondo {}
sfondo:example	\SFONDO {}
shapedhbox	\shapedhbox {}
shift:instance	\SHIFT {}
shift:instance:shiftdown	\shiftdown {}
shift:instance:shiftup	\shiftup {}
showallmakeup	\showallmakeup
showattributes	\showattributes
showboxes	\showboxes
showbtxdatasetauthors	\showbtxdatasetauthors [=]
showbtxdatasetauthors:argument	\showbtxdatasetauthors []
showbtxdatasetcompleteness	\showbtxdatasetcompleteness [=]
$\verb showbtxdatasetcompleteness: argument $	\showbtxdatasetcompleteness []
showbtxdatasetfields	\showbtxdatasetfields [=]
	(bhowboxddocolicids []
showbtxdatasetfields:argument	\showbtxdatasetfields []
showbtxdatasetfields:argument showbtxfields	
3	\showbtxdatasetfields []
showbtxfields	\showbtxdatasetfields [] \showbtxfields [=]
showbtxfields showbtxfields:argument	\showbtxdatasetfields [] \showbtxfields [=] \showbtxfields []
showbtxfields showbtxfields:argument showbtxhashedauthors	\showbtxdatasetfields [] \showbtxfields [] \showbtxfields [] \showbtxhashedauthors []
showbtxfields:argument showbtxhashedauthors showbtxtables	\showbtxdatasetfields [] \showbtxfields [] \showbtxfields [] \showbtxhashedauthors [] \showbtxtables []
showbtxfields showbtxfields:argument showbtxhashedauthors showbtxtables showchardata	\showbtxdatasetfields [] \showbtxfields [] \showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showchardata {}
showbtxfields showbtxfields:argument showbtxhashedauthors showbtxtables showchardata showcharratio showcolorbar	\showbtxdatasetfields [] \showbtxfields [] \showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showchardata {} \showcharratio {} \showcolorbar []
showbtxfields showbtxfields:argument showbtxhashedauthors showbtxtables showchardata showcharratio	\showbtxdatasetfields [] \showbtxfields [] \showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showchardata {} \showcharratio {} \showcolorbar [] \showcolorcomponents []
showbtxfields showbtxfields:argument showbtxhashedauthors showbtxtables showchardata showcharratio showcolorbar showcolorcomponents	\showbtxdatasetfields [] \showbtxfields [] \showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showchardata {} \showcharratio {} \showcolorbar []
showbtxfields showbtxfields:argument showbtxhashedauthors showbtxtables showchardata showcharratio showcolorbar showcolorcomponents showcolorset	\showbtxdatasetfields [] \showbtxfields [] \showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showchardata {} \showcharratio {} \showcolorbar [] \showcolorcomponents [] \showcolorset []
showbtxfields: argument showbtxhashedauthors showbtxtables showchardata showcharratio showcolorbar showcolorcomponents showcolorset showcolorstruts	\showbtxdatasetfields [] \showbtxfields [] \showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showchardata {} \showcharratio {} \showcolorbar [] \showcolorcomponents [] \showcolorset []
showbtxfields: argument showbtxhashedauthors showbtxtables showchardata showcharratio showcolorbar showcolorcomponents showcolorset showcolorstruts showcounter showdirectives	\showbtxdatasetfields [] \showbtxfields [] \showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showchardata {} \showchardata {} \showcolorbar [] \showcolorcomponents [] \showcolorset [] \showcolorstruts \showcounter [] \showdirectives
showbtxfields: argument showbtxhashedauthors showbtxtables showchardata showcharratio showcolorbar showcolorcomponents showcolorset showcolorstruts showcounter showdirectives showdirsinmargin	\showbtxdatasetfields [] \showbtxfields [] \showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showchardata {} \showchardata {} \showcolorbar [] \showcolorcomponents [] \showcolorset [] \showcolorstruts \showcounter [] \showdirectives \showdirsinmargin
showbtxfields: argument showbtxhashedauthors showbtxtables showchardata showcharratio showcolorbar showcolorcomponents showcolorset showcolorstruts showcounter showdirectives showdirsinmargin showedebuginfo	\showbtxdatasetfields [] \showbtxfields [] \showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showchardata {} \showchardata {} \showcolorbar [] \showcolorcomponents [] \showcolorset [] \showcolorstruts \showcounter [] \showdirectives \showdirsinmargin \showedebuginfo
showbtxfields: argument showbtxhashedauthors showbtxtables showchardata showcharratio showcolorbar showcolorcomponents showcolorset showcolorstruts showcounter showdirectives showdirsinmargin	\showbtxdatasetfields [] \showbtxfields [] \showbtxfields [] \showbtxhashedauthors [] \showbtxtables [] \showchardata {} \showchardata {} \showcolorbar [] \showcolorcomponents [] \showcolorset [] \showcolorstruts \showcounter [] \showdirectives \showdirsinmargin

showfontdata	\showfontdata
showfontexpansion	\showfontexpansion
showfontitalics	\showfontitalics
showfontkerns	\showfontkerns
showfontparameters	\showfontparameters
showfontstrip	\showfontstrip []
showfontstyle	\showfontstyle [] [] []
showglyphdata	\showglyphdata
showglyphs	\showglyphs
showgridsnapping	\showgridsnapping
showhelp	\showhelp {} []
showhyphenationtrace	\showhyphenationtrace [] []
showhyphens	\showhyphens {}
showinjector	\showinjector []
showjustification	\showjustification
showkerning	\showkerning {}
showlayoutcomponents	\showlayoutcomponents
showligature	\showligature {}
showligatures	\showligatures []
showlogcategories	\showlogcategories
showmargins	\showmargins
showmessage	\showmessage {} {} {}
showminimalbaseline	\showminimalbaseline
shownextbox	\shownextbox \ \{\}
showotfcomposition	\showotfcomposition \{\ldots\} \{\ldots\} \{\ldots\}
showparentchain	\showparentchain \ {}
showsetupsdefinition	\showsetupsdefinition []
showtimer	\showtimer {}
showtokens	\showtokens []
showtrackers	\showtrackers
showvalue	\showvalue {}
showvariable	\showvariable {} {}
showwarning	\showwarning {} {} {}
simbolo	\simbolo [] []
simbolo:direct	\simbolo {}
simplealignedbox	\simplealignedbox {} {} {}
simplealignedboxplus	\simplealignedboxplus {} {} {}
simplealignedspreadbox	\simplealignedspreadbox {} {} {}
simplegroupedcommand	\simplegroupedcommand {} {}
simplereversealignedbox simplereversealignedboxplus	\simplereversealignedbox {} {} {}
singalcharacteralign	\simplereversealignedboxplus \{\ldots\} \{\ldots\} \{\ldots\} \\ \singalcharacteralign \{\ldots\} \{\ldots\}
singlebond	
sinistra	\singlebond \sinistra
sixthofsixarguments	
Sixthorsixarguments	\civthofcivargumentc { } { } { } { } { } { } { } { } { } {
slantedface	\sixthofsixarguments {} {} {} {} {} {}
slantedface	\slantedface
slicepages	\slantedface \slicepages [] [=]
slicepages slovenianNumerals	\slantedface \slicepages [] [=] \slovenianNumerals {}
slicepages slovenianNumerals sloveniannumerals	\slantedface \slicepages [] [=] \slovenianNumerals {} \sloveniannumerals {}
slicepages slovenianNumerals sloveniannumerals smallcappedcharacters	\slantedface \slicepages [] [=] [=] \slovenianNumerals {} \smallcappedcharacters {}
slicepages slovenianNumerals sloveniannumerals smallcappedcharacters smallcappedromannumerals	\slantedface \slicepages [] [=] \slovenianNumerals {} \sloveniannumerals {}
slicepages slovenianNumerals sloveniannumerals smallcappedcharacters smallcappedromannumerals smaller	\slantedface \slicepages [] [=] [=] \slovenianNumerals {} \smallcappedcharacters {} \smallcappedromannumerals {} \smallcappedromannumerals {}
slicepages slovenianNumerals sloveniannumerals smallcappedcharacters smallcappedromannumerals smaller smallskip	\slantedface \slicepages [] [=] [=] \slovenianNumerals {} \smallcappedcharacters {} \smallcappedromannumerals {} \smaller \smallskip
slicepages slovenianNumerals sloveniannumerals smallcappedcharacters smallcappedromannumerals smaller smallskip smash	\slantedface \slicepages [] [=] [=] \slovenianNumerals {} \smallcappedcharacters {} \smallcappedromannumerals {} \smallcappedromannumerals {}
slicepages slovenianNumerals sloveniannumerals smallcappedcharacters smallcappedromannumerals smaller smallskip	<pre>\slantedface \slicepages [] [=] [=] \slovenianNumerals {} \sloveniannumerals {} \smallcappedcharacters {} \smallcappedromannumerals {} \smaller \smallskip \smash [] {}</pre>
slicepages slovenianNumerals sloveniannumerals smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox	<pre>\slantedface \slicepages [] [=] [=] \slovenianNumerals {} \sloveniannumerals {} \smallcappedcharacters {} \smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox</pre>
slicepages slovenianNumerals sloveniannumerals smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed	<pre>\slantedface \slicepages [] [=] [=] \slovenianNumerals {} \sloveniannumerals {} \smallcappedcharacters {} \smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashboxed</pre>
slicepages slovenianNumerals sloveniannumerals smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedhbox	<pre>\slantedface \slicepages [] [=] [=] \slovenianNumerals {} \sloveniannumerals {} \smallcappedcharacters {} \smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashboxed \smashedhbox {} \smashedvbox {}</pre>
slicepages slovenianNumerals sloveniannumerals smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedhbox smashedvbox	\slantedface \slicepages [] [=] [=] \slovenianNumerals {} \sloveniannumerals {} \smallcappedcharacters {} \smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashbox d \smashedhbox {} \smashedvbox {} \smaptogrid [] \ {}
slicepages slovenianNumerals sloveniannumerals smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedhbox smashedvbox smashedvbox snaptogrid	<pre>\slantedface \slicepages [] [=] [=] \slovenianNumerals {} \sloveniannumerals {} \smallcappedcharacters {} \smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashboxed \smashedhbox {} \smashedvbox {}</pre>
slicepages slovenianNumerals sloveniannumerals smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedhbox smashedvbox smashedvbox snaptogrid snaptogrid:list	\slantedface \slicepages [] [=] [=] \slovenianNumerals {} \sloveniannumerals {} \smallcappedcharacters {} \smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashboxed \smashedhbox {} \smashedvbox {} \smaptogrid [] \ {} \snaptogrid [] \ {}
slicepages slovenianNumerals sloveniannumerals smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedhbox smashedvbox smashedvbox snaptogrid snaptogrid:list someheadnumber	\slantedface \slicepages [] [=] [=] \slovenianNumerals {} \smallcappedcharacters {} \smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashbox d \smashedhbox {} \smashedvbox {} \smaptogrid [] \ {} \snaptogrid [] \ {} \someheadnumber [] []
slicepages slovenianNumerals sloveniannumerals smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedhbox smashedvbox smashedvbox smashedvbox snaptogrid snaptogrid:list someheadnumber somekindoftab	\slantedface \slicepages [] [=] [=] \slovenianNumerals {} \smallcappedcharacters {} \smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox ed \smashedhbox {} \smashedviant} \smaptogrid [] \ {} \someheadnumber [] [] \someheadnumber [] []
slicepages slovenianNumerals sloveniannumerals smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedhbox smashedvbox smashedvbox snaptogrid snaptogrid:list someheadnumber somekindoftab somelocalfloat	\slantedface \slicepages [] [=] [=] \slovenianNumerals {} \smallcappedcharacters {} \smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashbox d \smashedhbox {} \smashedviant} \smaptogrid [] \ {} \someheadnumber [] [] \someheadnumber [] [] \somehocalfloat
slicepages slovenianNumerals sloveniannumerals smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashboxed smashedhbox smashedvbox smashedvbox snaptogrid snaptogrid:list someheadnumber somekindoftab somelocalfloat somenamedheadnumber	\slantedface \slicepages [] [=] [=] \slovenianNumerals {} \smallcappedcharacters {} \smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox ed \smashedhbox {} \smashedvbox {} \smaptogrid [] \ {} \someheadnumber [] [] \someheadnumber [] {}
slicepages slovenianNumerals sloveniannumerals smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashbox smashbox smashedhbox smashedvbox snaptogrid snaptogrid:list someheadnumber somekindoftab somelocalfloat somenamedheadnumber someplace	\slantedface \slicepages [] [=] [=] \slovenianNumerals {} \smallcappedcharacters {} \smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox ed \smashedhbox {} \smashedvbox {} \snaptogrid [] \ {} \someheadnumber [] [] \someheadnumber [] [] \somehocalfloat \somenamedheadnumber {} {} {} {}
slicepages slovenianNumerals sloveniannumerals smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashbox smashbox smashedhbox smashedvbox snaptogrid snaptogrid:list someheadnumber somekindoftab somelocalfloat somenamedheadnumber someplace sorting:instance	\slantedface \slicepages [] [=] [=] \slovenianNumerals {} \smallcappedcharacters {} \smallcappedromannumerals {} \smaller \smallskip \smash [] {} \smashbox \smashbox \smashedhbox {} \smashedvbox {} \snaptogrid [] \ {} \someheadnumber [] [] \someheadnumber [] {} \somehocalfloat \somenamedheadnumber {} {} \someplace {} {} {} {} \langle [] {}
slicepages slovenianNumerals sloveniannumerals smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashbox smashboxed smashedhbox smashedvbox snaptogrid snaptogrid:list someheadnumber somekindoftab somelocalfloat somenamedheadnumber someplace sorting:instance sorting:instance:logo	\slantedface \slicepages [] [=] [=] \slovenianNumerals {} \smallcappedcharacters {} \smallcappedromannumerals {} \southealthappedromannumerals {} \southealthappedromannumerals {} \southealthappedromannumerals {} \southealthappedromannumerals {}
slicepages slovenianNumerals sloveniannumerals smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashbox smashboxed smashedhbox smashedvbox snaptogrid snaptogrid:list someheadnumber somekindoftab somelocalfloat somenamedheadnumber someplace sorting:instance sorting:instance sortiopaginasuccessiva spanishNumerals spanishnumerals	\slantedface \slicepages [] [=] [=] \slovenianNumerals {} \smallcappedcharacters {} \smallcappedromannumerals {}
slicepages slovenianNumerals sloveniannumerals smallcappedcharacters smallcappedromannumerals smaller smallskip smash smashbox smashbox smashboxed smashedhbox smashedvbox snaptogrid snaptogrid:list someheadnumber somekindoftab somelocalfloat somenamedheadnumber someplace sorting:instance sorting:instance:logo sottopaginasuccessiva spanishNumerals	\slantedface \slicepages [] [=] [=] \slovenianNumerals {} \smallcappedcharacters {} \smallcappedromannumerals {} \southealthappedromannumerals {} \southealthappedromannumerals {} \southealthappedromannumerals {} \southealthappedromannumerals {}

spaziofisso	\spaziofisso
spessoreriga	\spessoreriga
spezzaoggettomobile	\spezzaoggettomobile [=] {} {}
splitatasterisk	\splitatasterisk \
splitatcolon	\splitatcolon \
splitatcolons	\splitatcolons \
splitatcomma	\splitatcomma \ \
splitatperiod	\splitatperiod \
splitdfrac	\splitdfrac {} {}
splitfilename	\splitfilename {}
splitfrac	\splitfrac {} {}
splitoffbase	\splitoffbase
splitofffull	\splitofffull
splitoffkind	\splitoffkind
splitoffname	\splitoffname
splitoffpath	\splitoffpath
splitoffroot	\splitoffroot
splitofftokens	\splitofftokens \from \to \
splitofftype	\splitofftype
splitstring	\splitstring \at \to \ \and \
spreadhbox	\spreadhbox
-	\sqrt [] {}
	\stackcampi [] [=]
stackrel	\stackrel {} {}
startlinenote:instance	\iniziaLINENOTE [] {}
startlinenote:instance:linenote	\inizialinenote [] {}
startregister	\startregister [] [] [] [++]
startstop:example	\STARTSTOP {}
startstructurepageregister	\startstructurepageregister [] [] [=] [=]
stirato	\stirato [=.] {}
stoplinenote:instance	\terminaLINENOTE []
stoplinenote:instance:linenote	\terminalinenote []
	\stopregister [] []
stopstructurepageregister	\stopstructurepageregister [] []
strictdoifelsenextoptional	\strictdoifelsenextoptional {} {}
strictdoifnextoptionalelse	\strictdoifnextoptionalelse {} {}
stripcharacter	\stripcharacter \from \to \
strippedcsname	\strippedcsname \
	\strippedcsname \
stripspaces	\stripspaces \from \to \
structurelistuservariable	\structurelistuservariable {}
structurenumber	\structurenumber
structuretitle	\structurenumber \structuretitle
structureuservariable	\structureuservariable {}
structurevariable	\structurevariable {}
strut	\strut
strutdp	\strutdp
strutgap	\strutgap
strutht	\strutht
struthtdp	\struthtdp
struttedbox	\struttedbox {}
strutwd	\strutwd
•	\style [=] {}
styleinstance	\styleinstance []
	\style [] {}
style:instance	\STYLE {}
	\subpagenumber
subsentence	\subsentence {}
substituteincommalist	\substituteincommalist \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
subtractfeature	\subtractfeature []
subtractfeature:direct	\subtractfeature {}
swapcounts	\swapcounts \ \
swapdimens	\swapdimens \ \
swapface	\swapface
	\swapmacros \ \
swaptypeface	\swaptypeface
switchstyleonly	\switchstyleonly []
switchstyleonly:command	\switchstyleonly \
switchtocolor	\switchtocolor []
switchtointerlinespace	\switchtointerlinespace [] [=]
switchtointerlinespace:argument	\switchtointerlinespace []
switchtointerlinespace:name	\switchtointerlinespace []

symbolreference	\symbolreference []
·	
synchronizeblank	\synchronizeblank
synchronizeindenting	\synchronizeindenting
synchronizemarking	\synchronizemarking [] []
synchronizeoutputstreams	\synchronizeoutputstreams []
synchronizestrut	\synchronizestrut {}
synchronizewhitespace	\synchronizewhitespace
synctexblockfilename	\synctexblockfilename {}
·	· ·
synctexresetfilename	\synctexresetfilename
synctexsetfilename	\synctexsetfilename {}
synonym:instance	\SYNONYM [] {}
synonym:instance:abbreviation	\abbreviation [] {}
systemlog	\systemlog {} {} {}
systemlogfirst	\systemlogfirst {} {} {}
systemloglast	\systemloglast {} {} {}
systemsetups	\systemsetups {}
TABLE	\TABLE
TaBlE	\TaB1E
TEX	\TEX
TeX	\TeX
TheNormalizedFontSize	\TheNormalizedFontSize
TransparencyHack	\TransparencyHack
tabulateautoline	1 0
	\tabulateautoline
tabulateautorule	\tabulateautorule
tabulateline	\tabulateline
tabulaterule	\tabulaterule
taggedctxcommand	\taggedctxcommand {}
taggedlabeltexts	\taggedlabeltexts {} {}
tbox	\tbox {}
terminariga	\terminariga []
testandsplitstring	\testandsplitstring \at \to \ \and \
testcolumn	\testcolumn [] []
testfeature	\testfeature {} {}
testfeatureonce	\testfeatureonce {} {}
testoaiuto	\testoaiuto [] {}
testoetichetta:instance	\LABELtesto {}
testoetichetta:instance:btxlabel	\btxlabeltesto {}
testoetichetta:instance:head	\headtesto {}
testoetichetta:instance:label	\labeltesto {}
testoetichetta:instance:mathlabel	\mathlabeltesto {}
testoetichetta:instance:operator	\operatortesto {}
testoetichetta:instance:prefix	\prefixtesto {}
testoetichetta:instance:suffix	\suffixtesto {}
testoetichetta:instance:taglabel	\taglabeltesto {}
testoetichetta:instance:unit	\unittesto {}
testoincorniciato:instance	$\FRAMEDTEXT [=] {}$
testoincorniciato:instance:framedtext	\framedtext [=] {}
testonotapdp	\testonotapdp [] {}
testonotapdp:assignment	\testonotapdp [=]
testoriempimento	\testoriempimento [=] {} {}
-	
testpage	\testpage [] []
testpageonly	\testpageonly []
testpagesync	\testpagesync []
testtokens	\testtokens []
tex	\tex {}
texdefinition	\texdefinition {}
texsetup	
•	\texsetup {}
textbackground:example	\TEXTBACKGROUND {}
textcitation	\textcitation [=] []
textcitation:alternative	\textcitation []
textcitation:userdata	\textcitation [=] [=]
textcite	\textcite [=] []
textcite:alternative	\textcite [] []
textcite:userdata	\textcite [=] [=]
textcontrolspace	\textcontrolspace
textflowcollector	\textflowcollector {}
textmath	\textmath {}
textminus	\textminus
textormathchar	\textormathchar {}
textplus	\textplus
textvisiblespace	\textvisiblespace
thainumerals	\thainumerals {}

thefirstcharacter	\thefirstcharacter {}
thenormalizedbodyfontsize	\thenormalizedbodyfontsize {}
theremainingcharacters	\theremainingcharacters {}
chickspace	$\verb+\thickspace+$
chinspace	\thinspace
thirdoffivearguments	\thirdoffivearguments $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$
thirdoffourarguments	\thirdoffourarguments {} {} {}
thirdofsixarguments	\thirdofsixarguments \{\ldots\} \
thirdofthreearguments	\thirdofthreearguments \{\ldots\}\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
thirdofthreeunexpanded	\thirdofthreeunexpanded \{\ldots\}\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
threedigitrounding	\threedigitrounding {}
cibetannumerals	\tibetannumerals {}
cieniblocchi	\tieniblocchi [] []
cightlayer	\tightlayer []
cilde	\tilde {}
cinyfont	\tinyfont
clap	\tlap {}
cochar	\tochar {}
colinenote	\tolinenote []
cooltip:instance cooltip:instance:argument	\TOOLTIP [=] {} \TOOLTIP [] {}
cooltip:instance:argument:tooltip	\tooltip [] {}
cooltip:instance:argument.tooltip	\tooltip [, \too] \tooltip [=] \too]
copbox	\topbox {}
copleftbox	\topleftbox {}
coplinebox	\toplinebox {}
coprightbox	\toprightbox {}
copskippedbox	\topskippedbox {}
cracecatcodetables	\tracecatcodetables
cracedfontname	\tracedfontname {}
craceoutputroutines	\traceoutputroutines
cracepositions	\tracepositions
craduci	\traduci [=]
cransparencycomponents	\transparencycomponents {}
cransparent	\transparent [] {}
criplebond	\triplebond
ruefilename	\truefilename {}
truefontname	\truefontname {}
traggedright	\ttraggedright
twodigitrounding	\twodigitrounding {}
zx	\tx
zxx	\txx
сур	\typ [=] {}
суре	\type [=] {}
cypebuffer	\typebuffer [] [=]
typebuffer:instance	\typeBUFFER [=]
cypedefinedbuffer	\typedefinedbuffer [] [=]
typeface	\typeface
cypefile	\typefile [] [=] {}
cypeinlinebuffer	<pre>\typeinlinebuffer [] [=]</pre>
typescriptone	\typescriptone
typescriptprefix	<pre>\typescriptprefix {}</pre>
typescriptthree	\typescriptthree
typescripttwo	\typescripttwo
typesetbuffer	\typesetbuffer [] [=]
typesetfile	\typesetfile [] [] [=]
type:angles	\type [=] <<>>
cype:example	\TYPE [=] {}
cype:example:angles	\TYPE [=] <<>>
cyp:angles	\typ [=] <<>>
nconvertnumber	\uconvertnumber {} {}
nedcatcodecommand	\uedcatcodecommand \ {}
ıltimasottopagina	\ultimasottopagina
undefinevalue	\underthod { \ \
underst	\understed {} \underset {} {}
ınderset ındoassign	\underset {; {; \undoassign [] [=]
mdoassign nexpandeddocumentvariable	\unexpandeddocumentvariable {}
nnexpandeddocumentvariabre nnhhbox	\unhhbox \with {}
nnihex	\unihex {}
minex nniqueMPgraphic	\uniqueMPgraphic {} {=}
miquem graphic	\uniqueMPnagegraphic { } { = }

unita:instance	\UNIT {}
unita:instance:unit	\unit {}
unprotect	\unprotect \protect
unprotected	\unprotected \par
unregisterhyphenationpattern	\unregisterhyphenationpattern [] []
unspaceafter	\unspaceafter \ {}
unspaceargument	\unspaceargument \to \
unspaced	\unspaced {}
unspacestring	\unspacestring \to \
untexargument	\untexargument {} \to \
untexcommand	\untexcommand {} \to \
uppercased	\uppercased {}
uppercasestring	\uppercasestring \to \
upperleftdoubleninequote	\upperleftdoubleninequote
upperleftdoublesixquote	\upperleftdoublesixquote
upperleftsingleninequote	\upperleftsingleninequote
upperleftsinglesixquote	\upperleftsinglesixquote
upperrightdoubleninequote	\upperrightdoubleninequote
upperrightdoublesixquote	\upperrightdoublesixquote
upperrightsingleninequote	\upperrightsingleninequote
upperrightsinglesixquote	\upperrightsinglesixquote
url	\url []
usablocco	\usablocco [] [=]
usacartella usacolonnasonoraesterna	\usacartella [] \usacolonnasonoraesterna [] []
usadocumentoesterno	
	\usadocumentoesterno [] []
usafiguraesterna usaJSscripts	\usafiguraesterna [] [] [] [] \usaJSscripts [] []
usamodulo	\usamodulo [] [] [=]
usasimboli	\usasimboli [] \usasimboli []
usaURL	\usaURL [] [] []
usaurl	\usaurl [] [] [] \usaurl []
usealignparameter	\usealignparameter \
useblankparameter	\useblankparameter \
usebodyfont	\usebodyfont []
usebodyfontparameter	\usebodyfontparameter \
usebtxdataset	\usebtxdataset [] [=]
usebtxdefinitions	\usebtxdefinitions []
usecitation	\usecitation []
usecitation:direct	\usecitation {}
usecolors	\usecolors []
usecomponent	\usecomponent []
usedummycolorparameter	\usedummycolorparameter {}
usedummystyleandcolor	\usedummystyleandcolor {} {}
usedummystyleparameter	\usedummystyleparameter {}
useenvironment	\useenvironment []
useexternalrendering	\useexternalrendering [] [] []
usefigurebase	\usefigurebase []
usefile	\usefile [] []
usegridparameter	\usegridparameter \
useindentingparameter	\useindentingparameter \
useindentnextparameter	\useindentnextparameter \
useinterlinespaceparameter	\useinterlinespaceparameter \
uselanguageparameter	\uselanguageparameter \
useluamodule	\useluamodule []
useMPenvironmentbuffer	\useMPenvironmentbuffer []
useMPgraphic	\useMPgraphic {} {=}
useMPlibrary	\useMPlibrary []
useMPrun	\useMPrun {} {}
useMPvariables	\useMPvariables [] []
usemathstyleparameter	\usemathstyleparameter \
useproduct	\useproduct []
useprofileparameter	\useprofileparameter \
useproject	\useproject []
usereferenceparameter	\usereferenceparameter \
userpagenumber	\userpagenumber
usesetupsparameter	\usesetupsparameter \
usestaticMPfigure	\usestaticMPfigure [=] []
usesubpath	\usesubpath []
usetexmodule	\usetexmodule [] [] [=]
usetypescript	\usetypescript [] []
usetypescriptfile	\usetypescriptfile []

usezipfile	\usezipfile [] []
utfchar	\utfchar {}
utflower	\utflower {}
utfupper	\utfupper {}
utilityregisterlength	\utilityregisterlength
VerboseNumber	\VerboseNumber {}
vaia	\vaia {} []
vaiabox	\vaiabox {} []
vaiapagina	\vaiapagina {} []
vaigiu	\vaigiu []
valorecolore	\valorecolore {}
vboxreference	\vboxreference [] {}
vec	\vec {}
verbatim	\verbatim {}
verbatimstring	\verbatimstring {}
verbosenumber	\verbosenumber {}
versione	\versione []
verticalgrowingbar	\verticalgrowingbar [=]
verticalpositionbar	\verticalpositionbar [=]
veryraggedcenter	\veryraggedcenter
veryraggedleft	\veryraggedleft
veryraggedright	\veryraggedright
vglue	\vglue
viewerlayer	\viewerlayer [] {}
vl	\vl []
vphantom	\vphantom {}
vpos	\vpos {} {}
vsmash	\vsmash {}
vsmashbox	\vsmashbox
vsmashed	\vsmashed {}
	\vspace [] []
vspace	
vspacing	\vspacing []
WidthSpanningText	\WidthSpanningText {} {}
wdofstring	\wdofstring {}
widthofstring	\widthofstring {}
widthspanningtext	\widthspanningtext $\{\}$ $\{\}$
withoutpt	\withoutpt {}
words	\words {}
wordtonumber	\wordtonumber {} {}
writedatatolist	\writedatatolist [] [=] [=]
writestatus	\writestatus {} {}
XETEX	\XETEX
XeTeX	\XeTeX
xdefconvertedargument	\xdefconvertedargument \ {}
xmladdindex	\xmladdindex {}
xmlafterdocumentsetup	$\xr = \xr $
xmlaftersetup	\xmlaftersetup {} {}
xmlall	\xmlall {} {}
xmlappenddocumentsetup	\xmlappenddocumentsetup {} {}
xmlappendsetup	\xmlappendsetup {}
xmlapplyselectors	\xmlapplyselectors {}
xmlatt	\xmlatt {} {}
xmlattdef	
	\xmlattdef {} {} {}
xmlattribute	\xmlattribute {} {} {}
xmlattributedef	$\xspace \xspace \xsp$
xmlbadinclusions	\xmlbadinclusions {}
xmlbeforedocumentsetup	\xmlbeforedocumentsetup \{\ldots\} \{\ldots\}
xmlbeforesetup	\xmlbeforesetup {} {}
xmlchainatt	\xmlchainatt {} {}
xmlchainattdef	$\mbox{xmlchainattdef } \{\} \{\}$
xmlchecknamespace	\xmlchecknamespace {} {}
xmlcommand	\xmlcommand {} {} {}
xmlconcat	\xmlconcat {} {} {}
xmlconcatrange	\xmlconcatrange \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
xmlcontext	\xmlcontext {} {}
xmlcount	\xmlcount {}
xmldefaulttotext	\xmldefaulttotext {}
xmldirectives	\xmldirectives {}
xmldirectivesafter	\xmldirectivesafter {}
xmldirectivesbefore	\xmldirectivesbefore {}
xmldisplayverbatim	\xmldisplayverbatim {}
xmldoif	\xmldoif {} {}
VIIITAOTI	/VWTAOII [\] [\]

xmldoifatt	\xmldoifatt {} {}
xmldoifelse	\xmldoifelse {} {} {}
xmldoifelseatt	$\mbox{xmldoifelseatt } \{\} \{\}$
xmldoifelseempty	\xmldoifelseempty {} {} {}
xmldoifelseselfempty	\xmldoifelseselfempty \{\ldots\} \{\ldots\}
xmldoifelsetext	\xmldoifelsetext {} {} {} {}
xmldoifelsevalue	\xmldoifelsevalue {} {} {} {}
xmldoifnot	\xmldoifnot {} {}
xmldoifnotatt	\xmldoifnotatt {} {}
xmldoifnotselfempty	\xmldoifnotselfempty {} {}
xmldoifnottext	\xmldoifnottext {} {} {}
xmldoifselfempty xmldoiftext	\xmldoifselfempty {} {} \xmldoiftext {} {}
xmlelement	\xmlelement {} {}
xmlfilter	\xmlfilter {} {}
xmlfirst	\xmlfirst {} {}
xmlflush	\xmlflush {}
xmlflushcontext	\xmlflushcontext {}
xmlflushdocumentsetups	\xmlflushdocumentsetups {} {}
xmlflushlinewise	\xmlflushlinewise {}
xmlflushpure	\xmlflushpure {}
xmlflushspacewise	\xmlflushspacewise {}
xmlflushtext	\xmlflushtext {}
xmlinclude	\xmlinclude {} {} {}
xmlinclusion	\xmlinclusion {}
xmlinclusions	\xmlinclusions {}
xmlinfo	\xmlinfo {}
xmlinjector	\xmlinjector {}
xmlinlineprettyprint	\xmlinlineprettyprint {} {}
xmlinlineprettyprinttext	\xmlinlineprettyprinttext {} {}
xmlinlineverbatim	\xmlinlineverbatim {}
xmlinstalldirective	\xmlinstalldirective {} {}
xmllast	\xmllast {} {}
xmllastatt	\xmllastatt
xmllastmatch	\xmllastmatch
xmllastpar xmlloadbuffer	\xmllastpar \xmlloadbuffer \{\} \{\}
xmlloaddata	\xmlloaddata \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
xmlloaddirectives	\xmlloaddirectives {}
xmlloadfile	\xmlloadfile {} {}
xmlloadonly	\xmlloadonly {} {} {}
xmlmain	\xmlmain {}
xmlmapvalue	\xmlmapvalue {} {} {}
xmlname	\xmlname {}
xmlnamespace	\xmlnamespace {}
xmlnonspace	\xmlnonspace {} {}
xmlpar	\xmlpar {} {}
xmlparam	\xmlparam {} {}
xmlpath	\xmlpath {}
xmlpos	\xmlpos {}
xmlposition	\xmlposition {} {}
xmlprependdocumentsetup	\xmlprependdocumentsetup {} {}
xmlprependsetup	\xmlprependsetup {}
xmlprettyprint	\xmlprettyprint {} {}
xmlprettyprinttext	\xmlprettyprinttext {} {}
xmlprocessbuffer	\xmlprocessbuffer {} {} {}
xmlprocessdata xmlprocessfile	\xmlprocessdata {} {} {} \xmlprocessfile {} {} {}
xmlpure	\xmlpure {} {}
xmlraw	\xmlraw {}
xmlrefatt	\xmlrefatt {} {}
xmlregistereddocumentsetups	\xmlregistereddocumentsetups {} {}
xmlregisteredsetups	\xmlregisteredsetups
xmlregisterns	\xmlregisterns {} {}
xmlremapname	\xmlremapname {} {} {}
xmlremapnamespace	\xmlremapnamespace {} {} {}
xmlremovedocumentsetup	\xmlremovedocumentsetup {} {}
xmlremovesetup	\xmlremovesetup {}
xmlresetdocumentsetups	\xmlresetdocumentsetups {}
xmlresetinjectors	\xmlresetinjectors
xmlresetsetups	\xmlresetsetups {}
xmlsave	\xmlsave {} {}

xmlsetatt
xmlsetattribute
xmlsetentity
xmlsetfunction
xmlsetinjectors
xmlsetpar
xmlsetparam
xmlsetsetup
xmlsetup
xmlshow
xmlsnippet
xmlstrip
xmlstripnolines
xmlstripped
xmlstrippednolines
xmltag
xmltexentity
xmltext
xmltobuffer
xmltobufferverbose
xmltofile
xmlvalue
xmlverbatim
xsplitstring
xypos

```
\xmlsetatt {...} {...} {...}
\verb|\xmlsetattribute {...} {...} {...} {...}
\verb|\xmlsetentity {...} {...}|
\verb|\xmlsetfunction {...} {...} {...}|
\xmlsetinjectors [...]
\xmlsetpar {...} {...} {...}
\verb|\xmlsetsetup {...} {...} {...}|
\verb|\xmlsetup {...} {...}|
\xmlshow {...}
\verb|\xmlsnippet {...} {...}|
\xmlstrip {...} {...}
\xmlstripnolines {...} {...}
\xmlstripped {...} {...}
\verb|\xmlstrippednolines {...} {...}|
\mbox{xmltag } \{...\}
\xmltexentity {...} {...}
\xmltext {...} {...}
\verb|\xmltobuffer {...} {...} {...}|
\verb|\xmltobufferverbose {...} {...} {...} |
\xmltofile \{\ldots\} \{\ldots\}
\xmlvalue \{\ldots\} \{\ldots\}
\mbox{\em xmlverbatim } \{\ldots\}
\verb|\xsplitstring \... {...}|
\xypos {...}
```

