

# ConTeXt

commando's

# NL



# ConTeXt

## commando's

nl / nederlands  
21 november 2018



|                                |   |
|--------------------------------|---|
| AfterPar                       | \AfterPar {...}                                   |
| Alphabeticnumerals             | \Alphabeticnumerals {...}                         |
| AMSTEX                         | \AMSTEX   |
| AmSTeX                         | \AmSTeX   |
| And                            | \And  |
| aanhangsel:instance            | \ATTACHMENT [...] [..=..]                         |
| aanhangsel:instance:attachment | \attachment [...] [..=..]                         |
| abjadnaivenumerals             | \abjadnaivenumerals {...}                         |
| abjadnodotnumerals             | \abjadnodotnumerals {...}                         |
| abjadnumerals                  | \abjadnumerals {...}                              |
| about                          | \about [...]                                      |
| achtergrond                    | \achtergrond {...}                                |
| achtergrond:example            | \ACHTERGROND {...}                                |
| activatespacehandler           | \activatespacehandler {...}                       |
| acute                          | \acute {...}                                      |
| adaptcollector                 | \adaptcollector [...] [..=..]                     |
| adaptfontfeature               | \adaptfontfeature [...] [..=..]                   |
| adaptpapersize                 | \adaptpapersize [...] [...]                       |
| addfeature                     | \addfeature [...]                                 |
| addfeature:direct              | \addfeature {...}                                 |
| addfontpath                    | \addfontpath [...]                                |
| addtocommalist                 | \addtocommalist {...} \...                        |
| addtoJSreamble                 | \addtoJSreamble {...} {...}                       |
| addvalue                       | \addvalue {...} {...}                             |
| aftersplitstring               | \aftersplitstring ... \at ... \to \...            |
| aftertestandsplitstring        | \aftertestandsplitstring ... \at ... \to \...     |
| alignbottom                    | \alignbottom                                      |
| aligned                        | \aligned [...] {...}                              |
| alignedbox                     | \alignedbox [...] \... {...}                      |
| alignedline                    | \alignedline {...} {...} {...}                    |
| alignhere                      | \alignhere  |
| alignmentcharacter             | \alignmentcharacter                               |
| allinputpaths                  | \allinputpaths                                    |
| alphabeticnumerals             | \alphabeticnumerals {...}                         |
| alwayscitation                 | \alwayscitation [..=..] [...]                     |
| alwayscitation:alternative     | \alwayscitation [...] [...]                       |
| alwayscitation:userdata        | \alwayscitation [..=..] [..=..]                   |
| alwayscite                     | \alwayscite [..=..] [...]                         |
| alwayscite:alternative         | \alwayscite [...] [...]                           |
| alwayscite:userdata            | \alwayscite [..=..] [..=..]                       |
| ampersand                      | \ampersand  |
| anker                          | \anker [...] [..=..] [..=..] {...}                |
| appendetoks                    | \appendetoks ... \to \...                         |
| appendgvalue                   | \appendgvalue {...} {...}                         |
| appendtocommalist              | \appendtocommalist {...} \...                     |
| appendtoks                     | \appendtoks ... \to \...                          |
| appendtoksonce                 | \appendtoksonce ... \to \...                      |
| appendvalue                    | \appendvalue {...} {...}                          |
| apply                          | \apply {...} {...}                                |
| applyalternativestyle          | \applyalternativestyle {...}                      |
| applyprocessor                 | \applyprocessor {...} {...}                       |
| applytocharacters              | \applytocharacters \... {...}                     |
| applytofirstcharacter          | \applytofirstcharacter \... {...}                 |
| applytosplitstringchar         | \applytosplitstringchar \... {...}                |
| applytosplitstringcharspaced   | \applytosplitstringcharspaced \... {...}          |
| applytosplitstringline         | \applytosplitstringline \... {...}                |
| applytosplitstringlinespaced   | \applytosplitstringlinespaced \... {...}          |
| applytosplitstringword         | \applytosplitstringword \... {...}                |
| applytosplitstringwordspaced   | \applytosplitstringwordspaced \... {...}          |
| applytowords                   | \applytowords \... {...}                          |
| arabicdecimals                 | \arabicdecimals {...}                             |
| arabicexnumerals               | \arabicexnumerals {...}                           |
| arabicnumerals                 | \arabicnumerals {...}                             |
| arg                            | \arg {...}  |
| asciistr                       | \asciistr {...}                                   |
| assignalfadimension            | \assignalfadimension {...} \... {...} {...} {...} |
| assigndimen                    | \assigndimen \... {...}                           |
| assigndimension                | \assigndimension {...} \... {...} {...} {...}     |
| assignifempty                  | \assignifempty \... {...}                         |
| assigntranslation              | \assigntranslation [..=..] \to \...               |
| assignvalue                    | \assignvalue {...} \... {...} {...} {...}         |
| assignwidth                    | \assignwidth {...} \... {...} {...}               |

|                            |  |
|----------------------------|--|
| assumelongusagecs          | \assumelongusagecs \... {...}                  |
| astype                     | \astype {...}                                  |
| autocap                    | \autocap {...}                                 |
| autodirhbox                | \autodirhbox ... {...}                         |
| autodirvbox                | \autodirvbox ... {...}                         |
| autodirvtop                | \autodirvtop ... {...}                         |
| autoinsertnextspace        | \autoinsertnextspace                           |
| autointegral               | \autointegral {...} {...} {...}                |
| automathematics            | \automathematics {...}                         |
| autopagestaterealpage      | \autopagestaterealpage {...}                   |
| autopagestaterealpageorder | \autopagestaterealpageorder {...}              |
| autosetups                 | \autosetups {...}                              |
| autostarttekst             | \autostarttekst ... \autostoptekst             |
| availablehsize             | \availablehsize                                |
| averagecharwidth           | \averagecharwidth                              |
| BeforePar                  | \BeforePar {...}                               |
| Big                        | \Big ...                                       |
| Bigg                       | \Bigg ...                                      |
| Biggl                      | \Biggl ...                                     |
| Biggm                      | \Biggm ...                                     |
| Biggr                      | \Biggr ...                                     |
| Bigl                       | \Bigl ...                                      |
| Bigm                       | \Bigm ...                                      |
| Bigr                       | \Bigr ...                                      |
| backgroundimage            | \backgroundimage {...} {...} {...} {...}       |
| backgroundimagefill        | \backgroundimagefill {...} {...} {...} {...}   |
| backgroundline             | \backgroundline [...] {...}                    |
| bar                        | \bar {...}                                     |
| bar:instance               | \BAR {...}                                     |
| bar:instance:hiddenbar     | \hiddenbar {...}                               |
| bar:instance:nobar         | \nobar {...}                                   |
| bar:instance:overbar       | \overbar {...}                                 |
| bar:instance:overbars      | \overbars {...}                                |
| bar:instance:overstrike    | \overstrike {...}                              |
| bar:instance:overstrikes   | \overstrikes {...}                             |
| bar:instance:underbar      | \underbar {...}                                |
| bar:instance:underbars     | \underbars {...}                               |
| bar:instance:underdash     | \underdash {...}                               |
| bar:instance:underdashes   | \underdashes {...}                             |
| bar:instance:underdot      | \underdot {...}                                |
| bar:instance:underdots     | \underdots {...}                               |
| bar:instance:underrandom   | \underrandom {...}                             |
| bar:instance:underrandoms  | \underrandoms {...}                            |
| bar:instance:understrike   | \understrike {...}                             |
| bar:instance:understrikes  | \understrikes {...}                            |
| basegrid                   | \basegrid [..=..]                              |
| baselinebottom             | \baselinebottom                                |
| baselineleftbox            | \baselineleftbox {...}                         |
| baselinemiddlebox          | \baselinemiddlebox {...}                       |
| baselinerightbox           | \baselinerightbox {...}                        |
| bbordermatrix              | \bbordermatrix {...}                           |
| bbox                       | \bbox {...}                                    |
| beforesplitstring          | \beforesplitstring ... \at ... \to \...        |
| beforetestandsplitstring   | \beforetestandsplitstring ... \at ... \to \... |
| beginblock:example         | \beginBLOCK [...] ... \endBLOCK                |
| beginhbox                  | \beginhbox ... \endhbox                        |
| beginofshapebox            | \beginofshapebox ... \endofshapebox            |
| beginvbox                  | \beginvbox ... \endvbox                        |
| beginvtop                  | \beginvtop ... \endvtop                        |
| begstrut                   | \begstrut ... \endstrut                        |
| bepaalkopnummer            | \bepaalkopnummer [...]                         |
| bepaallijstkenmerken       | \bepaallijstkenmerken [...] [..=..]            |
| bepaalregisterkenmerken    | \bepaalregisterkenmerken [...] [..=..]         |
| bewaarbuffer               | \bewaarbuffer [..=..]                          |
| bewaarbuffer:list          | \bewaarbuffer [...] [...]                      |
| bigg                       | \bigg ...                                      |
| biggl                      | \biggl ...                                     |
| biggm                      | \biggm ...                                     |
| biggr                      | \biggr ...                                     |
| bigl                       | \bigl ...                                      |
| bigm                       | \bigm ...                                      |
| bigr                       | \bigr ...                                      |

|                                  |   |
|----------------------------------|---|
| bigskip                          | \bigskip  |
| bitmapimage                      | \bitmapimage [..=..] {...}                                      |
| blanko                           | \blanko [...]   |
| blap                             | \blap {...}   |
| bleed                            | \bleed [..=..] {...}  |
| bleedheight                      | \bleedheight  |
| bleedwidth                       | \bleedwidth   |
| blockligatures                   | \blockligatures [...]   |
| blocksynctexfile                 | \blocksynctexfile [...]   |
| blokje                           | \blokje [..=..]   |
| blokjes                          | \blokjes [..=..]  |
| bodyfontenvironmentlist          | \bodyfontenvironmentlist  |
| bodyfontsize                     | \bodyfontsize   |
| boldface                         | \boldface   |
| bookmark                         | \bookmark [...] {...}   |
| booleanmodevalue                 | \booleanmodevalue {...}   |
| bordermatrix                     | \bordermatrix {...}   |
| bottombox                        | \bottombox {...}  |
| bottomleftbox                    | \bottomleftbox {...}  |
| bottomrightbox                   | \bottomrightbox {...}   |
| boxcursor                        | \boxcursor  |
| boxmarker                        | \boxmarker [...] {...}  |
| boxofsize                        | \boxofsize \... \... {...}                                      |
| boxreference                     | \boxreference [...] \... {...}                                  |
| bpar                             | \bpar ... \epar   |
| bpos                             | \bpos {...}   |
| breakhere                        | \breakhere  |
| breuk:instance                   | \FRACTION {...} {...}   |
| breuk:instance:binom             | \binom {...} {...}  |
| breuk:instance:dbinom            | \dbinom {...} {...}   |
| breuk:instance:dfrac             | \dfrac {...} {...}  |
| breuk:instance:frac              | \frac {...} {...}   |
| breuk:instance:sfrac             | \sfrac {...} {...}  |
| breuk:instance:tbinom            | \tbinom {...} {...}   |
| breuk:instance:xfrac             | \xfrac {...} {...}  |
| breuk:instance:xxfrac            | \xxfrac {...} {...}   |
| breve                            | \breve {...}  |
| bTABLE                           | \bTABLE [..=..] ... \eTABLE                                     |
| bTABLEbody                       | \bTABLEbody [..=..] ... \eTABLEbody                             |
| bTABLEfoot                       | \bTABLEfoot [..=..] ... \eTABLEfoot                             |
| bTABLEhead                       | \bTABLEhead [..=..] ... \eTABLEhead                             |
| bTABLEnext                       | \bTABLEnext [..=..] ... \eTABLEnext                             |
| bTC                              | \bTC [..=..] ... \eTC   |
| bTD                              | \bTD [..=..] ... \eTD   |
| bTDs                             | \bTDs [...] ... \eTDs   |
| bTH                              | \bTH [..=..] ... \eTH   |
| bTN                              | \bTN [..=..] ... \eTN   |
| bTR                              | \bTR [..=..] ... \eTR   |
| bTRs                             | \bTRs [...] ... \eTRs   |
| bTX                              | \bTX [..=..] ... \eTX   |
| bTY                              | \bTY [..=..] ... \eTY   |
| btxabbreviatedjournal            | \btxabbreviatedjournal {...}                                    |
| btxaddjournal                    | \btxaddjournal [...] [...]                                      |
| btxalwayscitation                | \btxalwayscitation [..=..] [...]                                |
| btxalwayscitation:alternative    | \btxalwayscitation [...] [...]                                  |
| btxalwayscitation:userdata       | \btxalwayscitation [..=..] [..=..]                              |
| btxauthorfield                   | \btxauthorfield {...}   |
| btxdetail                        | \btxdetail {...}  |
| btxdirect                        | \btxdirect {...}  |
| btxdoif                          | \btxdoif [...] {...}  |
| btxdoifcombiinlistelse           | \btxdoifcombiinlistelse {...} {...} {...} {...}                 |
| btxdoifelse                      | \btxdoifelse [...] {...} {...}                                  |
| btxdoifelsecombiinlist           | \btxdoifelsecombiinlist [...] {...} {...} {...} {...}           |
| btxdoifelsesameasprevious        | \btxdoifelsesameasprevious [...] {...} {...}                    |
| btxdoifelsesameaspreviouschecked | \btxdoifelsesameaspreviouschecked [...] {...} {...} {...} {...} |
| btxdoifelseuservariable          | \btxdoifelseuservariable [...] {...} {...}                      |
| btxdoifnot                       | \btxdoifnot [...] {...}   |
| btxdoifsameaspreviouscheckedelse | \btxdoifsameaspreviouscheckedelse [...] {...} {...} {...} {...} |
| btxdoifsameaspreviouselse        | \btxdoifsameaspreviouselse [...] {...} {...}                    |
| btxdoifuservariableelse          | \btxdoifuservariableelse [...] {...} {...}                      |
| btxexpandedjournal               | \btxexpandedjournal {...}                                       |
| btxfield                         | \btxfield {...}   |

|                              |  |
|------------------------------|--|
| btxfielddname                | \btxfielddname {...}                   |
| btxfielddtype                | \btxfielddtype {...}                   |
| btxfirstofrange              | \btxfirstofrange {...}                 |
| btxflush                     | \btxflush {...}                        |
| btxflushauthor               | \btxflushauthor [...] {...}            |
| btxflushauthorinverted       | \btxflushauthorinverted {...}          |
| btxflushauthorinvertedshort  | \btxflushauthorinvertedshort {...}     |
| btxflushauthorname           | \btxflushauthorname {...}              |
| btxflushauthornormal         | \btxflushauthornormal {...}            |
| btxflushauthornormalshort    | \btxflushauthornormalshort {...}       |
| btxflushsuffix               | \btxflushsuffix                        |
| btxfoundname                 | \btxfoundname {...}                    |
| btxfoundtype                 | \btxfoundtype {...}                    |
| btxhiddencitation            | \btxhiddencitation [...]               |
| btxhybridcite                | \btxhybridcite [..=.] [...]            |
| btxhybridcite:alternative    | \btxhybridcite [...] [...]             |
| btxhybridcite:direct         | \btxhybridcite {...}                   |
| btxhybridcite:userdata       | \btxhybridcite [..=.] [..=.]           |
| btxlistcitation              | \btxlistcitation [..=.] [...]          |
| btxlistcitation:alternative  | \btxlistcitation [...] [...]           |
| btxlistcitation:userdata     | \btxlistcitation [..=.] [..=.]         |
| btxloadjournalist            | \btxloadjournalist [...]               |
| btxoneorrange                | \btxoneorrange {...} {...} {...}       |
| btxremapauthor               | \btxremapauthor [...] [...]            |
| btxsavejournalist            | \btxsavejournalist [...]               |
| btxsetup                     | \btxsetup {...}                        |
| btxsingularorplural          | \btxsingularorplural {...} {...} {...} |
| btxsingularplural            | \btxsingularplural {...} {...} {...}   |
| btxtextcitation              | \btxtextcitation [..=.] [...]          |
| btxtextcitation:alternative  | \btxtextcitation [...] [...]           |
| btxtextcitation:userdata     | \btxtextcitation [..=.] [..=.]         |
| buildmathaccent              | \buildmathaccent {...} {...}           |
| buildtextaccent              | \buildtextaccent {...} {...}           |
| buildtextbottomcomma         | \buildtextbottomcomma {...}            |
| buildtextbottomdot           | \buildtextbottomdot {...}              |
| buildtextcedilla             | \buildtextcedilla {...}                |
| buildtextgrave               | \buildtextgrave {...}                  |
| buildtextmacron              | \buildtextmacron {...}                 |
| buildtextognek               | \buildtextognek {...}                  |
| button                       | \button [..=.] {...} [...]             |
| button:example               | \BUTTON [..=.] {...} [...]             |
| Caps                         | \Caps {...}                            |
| Cijfers                      | \Cijfers {...}                         |
| CONTEXT                      | \CONTEXT                               |
| ConTeXt                      | \ConTeXt                               |
| Context                      | \Context                               |
| ConvertConstantAfter         | \ConvertConstantAfter \... {...} {...} |
| ConvertToConstant            | \ConvertToConstant \... {...} {...}    |
| calligrafie                  | \calligrafie                           |
| camel                        | \camel {...}                           |
| catcodetablename             | \catcodetablename                      |
| cbox                         | \cbox ... {...}                        |
| centraligned                 | \centraligned {...}                    |
| centerbox                    | \centerbox ... {...}                   |
| centeredbox                  | \centeredbox ... {...}                 |
| centeredlastline             | \centeredlastline                      |
| centerednextbox              | \centerednextbox ... {...}             |
| centerline                   | \centerline {...}                      |
| cfrac                        | \cfrac [...] {...} {...}               |
| characterkerning:example     | \CHARACTERKERNING [...] {...}          |
| chardescription              | \chardescription {...}                 |
| charwidthlanguage            | \charwidthlanguage                     |
| check                        | \check {...}                           |
| checkcharacteralign          | \checkcharacteralign {...}             |
| checkedblank                 | \checkedblank [...]                    |
| checkedchar                  | \checkedchar {...} {...}               |
| checkedfiller                | \checkedfiller {...}                   |
| checkedstrippedcsname        | \checkedstrippedcsname \...            |
| checkedstrippedcsname:string | \checkedstrippedcsname ...             |
| checkinjector                | \checkinjector [...]                   |
| checknextindentation         | \checknextindentation [...]            |
| checknextinjector            | \checknextinjector [...]               |



|   |  |
|---|--|
| checkpage                                     | \checkpage [...] [..=..]                   |
| checkparameters                               | \checkparameters [...]                     |
| checkpreviousinjector                         | \checkpreviousinjector [...]               |
| checksoundtrack                               | \checksoundtrack {...}                     |
| checktwopassdata                              | \checktwopassdata {...}                    |
| checkvariables                                | \checkvariables [...] [..=..]              |
| chem  | \chem {...} {...} {...}                    |
| chemical                                      | \chemical [...] [...] [...]                |
| chemicalbottext                               | \chemicalbottext {...}                     |
| chemicalmidtext                               | \chemicalmidtext {...}                     |
| chemicalsymbol                                | \chemicalsymbol [...]                      |
| chemicaltext                                  | \chemicaltext {...}                        |
| chemicaltoptext                               | \chemicaltoptext {...}                     |
| chineseallnumerals                            | \chineseallnumerals {...}                  |
| chinesecapnumerals                            | \chinesecapnumerals {...}                  |
| chinesenumerals                               | \chinesenumerals {...}                     |
| cijfers                                       | \cijfers {...}                             |
| citation                                      | \citation [..=..] [...]                    |
| citation:alternative                          | \citation [...] [...]                      |
| citation:direct                               | \citation {...}                            |
| citation:userdata                             | \citation [..=..] [..=..]                  |
| cite  | \cite [..=..] [...]                        |
| cite:alternative                              | \cite [...] [...]                          |
| cite:direct                                   | \cite {...}                                |
| cite:userdata                                 | \cite [..=..] [..=..]                      |
| clap  | \clap {...}                                |
| classfont                                     | \classfont {...} {...}                     |
| cldcommand                                    | \cldcommand {...}                          |
| cldcontext                                    | \cldcontext {...}                          |
| cldloadfile                                   | \cldloadfile {...}                         |
| cldprocessfile                                | \cldprocessfile {...}                      |
| clip  | \clip [..=..] {...}                        |
| clippedoverlayimage                           | \clippedoverlayimage {...}                 |
| collect                                       | \collect {...}                             |
| collectedtext                                 | \collectedtext [..=..] [..=..] {...} {...} |
| collectexpanded                               | \collectexpanded {...}                     |
| colorcomponents                               | \colorcomponents {...}                     |
| colored                                       | \colored [..=..] {...}                     |
| colored:name                                  | \colored [...] {...}                       |
| coloronly                                     | \coloronly [...] {...}                     |
| columnbreak                                   | \columnbreak [...]                         |
| columnsetspanwidth                            | \columnsetspanwidth {...}                  |
| combinepages                                  | \combinepages [...] [..=..]                |
| commalistelement                              | \commalistelement                          |
| commalistsentence                             | \commalistsentence [...] [...]             |
| commalistsize                                 | \commalistsize                             |
| commentaar:instance                           | \COMMENT [...] [..=..] {...}               |
| commentaar:instance:comment                   | \comment [...] [..=..] {...}               |
| comparedimension                              | \comparedimension {...} {...}              |
| comparedimensioneps                           | \comparedimensioneps {...} {...}           |
| completebt rendering                          | \completebt rendering [...] [..=..]        |
| completecombinedlist:instance                 | \volledigeCOMBINEDLIST [..=..]             |
| completecombinedlist:instance:content         | \volledigecontent [..=..]                  |
| completelist                                  | \completelist [...] [..=..]                |
| completelistoffloats:instance                 | \completelistofFLOATS [..=..]              |
| completelistoffloats:instance:chemicals       | \completelistofchemicals [..=..]           |
| completelistoffloats:instance:figures         | \completelistoffigures [..=..]             |
| completelistoffloats:instance:graphics        | \completelistofgraphics [..=..]            |
| completelistoffloats:instance:intermezzi      | \completelistofintermezzi [..=..]          |
| completelistoffloats:instance:tables          | \completelistoftables [..=..]              |
| completelistofpublications                    | \completelistofpublications [...] [..=..]  |
| completelistofsorts                           | \completelistofsorts [...] [..=..]         |
| completelistofsorts:instance                  | \completelistofSORTS [..=..]               |
| completelistofsorts:instance:logos            | \completelistoflogos [..=..]               |
| completelistofsynonyms                        | \completelistofsynonyms [...] [..=..]      |
| completelistofsynonyms:instance               | \completelistofSYNONYMS [..=..]            |
| completelistofsynonyms:instance:abbreviations | \completelistofabbreviations [..=..]       |
| complexorsimple                               | \complexorsimple \...                      |
| complexorsimpleempty                          | \complexorsimpleempty \...                 |
| complexorsimpleempty:argument                 | \complexorsimpleempty {...}                |
| complexorsimple:argument                      | \complexorsimple {...}                     |
| composedcollector                             | \composedcollector {...}                   |

|                                      |  |
|--------------------------------------|--|
| composedlayer                        | \composedlayer {...}                     |
| compresult                           | \compresult                              |
| constantdimen                        | \constantdimen \...                      |
| constantdimenargument                | \constantdimenargument \...              |
| constantemptyargument                | \constantemptyargument \...              |
| constantnumber                       | \constantnumber \...                     |
| constantnumberargument               | \constantnumberargument \...             |
| contentreference                     | \contentreference [...] [..=..] {...}    |
| continuednumber                      | \continuednumber {...}                   |
| continueifinputfile                  | \continueifinputfile {...}               |
| convertargument                      | \convertargument ... \to \...            |
| convertcommand                       | \convertcommand \... \to \...            |
| convertedcounter                     | \convertedcounter [...] [..=..]          |
| converteddimen                       | \converteddimen {...} {...}              |
| convertedsubcounter                  | \convertedsubcounter [...] [...] [..=..] |
| converteernummer                     | \converteernummer {...} {...}            |
| convertmonth                         | \convertmonth {...}                      |
| convertvalue                         | \convertvalue ... \to \...               |
| convertvboxtohbox                    | \convertvboxtohbox                       |
| copieerveld                          | \copieerveld [...] [...]                 |
| copyboxfromcache                     | \copyboxfromcache {...} {...} ...        |
| copylabeltext:instance               | \copyLABELtekst [...] [..=..]            |
| copylabeltext:instance:btxlabel      | \copybtxlabeltekst [...] [..=..]         |
| copylabeltext:instance:head          | \copyheadtekst [...] [..=..]             |
| copylabeltext:instance:label         | \copylabeltekst [...] [..=..]            |
| copylabeltext:instance:mathlabel     | \copymathlabeltekst [...] [..=..]        |
| copylabeltext:instance:operator      | \copyoperatortekst [...] [..=..]         |
| copylabeltext:instance:prefix        | \copyprefixtekst [...] [..=..]           |
| copylabeltext:instance:suffix        | \copsuffixtekst [...] [..=..]            |
| copylabeltext:instance:taglabel      | \copytaglabeltekst [...] [..=..]         |
| copylabeltext:instance:unit          | \copyunittekst [...] [..=..]             |
| copypages                            | \copypages [...] [..=..] [..=..]         |
| copyparameters                       | \copyparameters [...] [...] [...]        |
| copyposition                         | \copyposition {...} {...}                |
| copysetups                           | \copysetups [...] [...]                  |
| corrigeerwitruimte                   | \corrigeerwitruimte {...}                |
| countersubs                          | \countersubs [...] [...]                 |
| counttoken                           | \counttoken ... \in ... \to \...         |
| counttokens                          | \counttokens ... \to \...                |
| cramped                              | \cramped {...}                           |
| crampedclap                          | \crampedclap {...}                       |
| crampedllap                          | \crampedllap {...}                       |
| crampedrlap                          | \crampedrlap {...}                       |
| ctop                                 | \ctop ... {...}                          |
| ctxcommand                           | \ctxcommand {...}                        |
| ctxdirectcommand                     | \ctxdirectcommand {...}                  |
| ctxdirectlua                         | \ctxdirectlua {...}                      |
| ctxfunction                          | \ctxfunction {...}                       |
| ctxfunctiondefinition:example        | \CTXFUNCTIONDEFINITION                   |
| ctxfunction:example                  | \CTXFUNCTION                             |
| ctxlatecommand                       | \ctxlatecommand {...}                    |
| ctxlatelua                           | \ctxlatelua {...}                        |
| ctxloadluafile                       | \ctxloadluafile {...}                    |
| ctxlua                               | \ctxlua {...}                            |
| ctxluabuffer                         | \ctxluabuffer [...]                      |
| ctxluacode                           | \ctxluacode {...}                        |
| ctxreport                            | \ctxreport {...}                         |
| ctxsprint                            | \ctxsprint {...}                         |
| currentassignmentlistkey             | \currentassignmentlistkey                |
| currentassignmentlistvalue           | \currentassignmentlistvalue              |
| currentbtxuservariable               | \currentbtxuservariable {...}            |
| currentcommalistitem                 | \currentcommalistitem                    |
| currentcomponent                     | \currentcomponent                        |
| currentenvironment                   | \currentenvironment                      |
| currentfeaturetest                   | \currentfeaturetest                      |
| currentinterface                     | \currentinterface                        |
| currentlabel:example                 | \currentLABEL [...] {...}                |
| currentlanguage                      | \currentlanguage                         |
| currentlistentrydestinationattribute | \currentlistentrydestinationattribute    |
| currentlistentrylimitedtext          | \currentlistentrylimitedtext {...}       |
| currentlistentrynumber               | \currentlistentrynumber                  |
| currentlistentrypagenumber           | \currentlistentrypagenumber              |

|                                     |   |
|-------------------------------------|---|
| currentlistentryreferenceattribute  | \currentlistentryreferenceattribute {...}   |
| currentlistentrytitle               | \currentlistentrytitle                      |
| currentlistentrytitlrendered        | \currentlistentrytitlrendered               |
| currentlistsymbol                   | \currentlistsymbol                          |
| currentmainlanguage                 | \currentmainlanguage                        |
| currentmessagetext                  | \currentmessagetext                         |
| currentmoduleparameter              | \currentmoduleparameter {...}               |
| currentoutputstream                 | \currentoutputstream                        |
| currentproduct                      | \currentproduct                             |
| currentproject                      | \currentproject                             |
| currentregime                       | \currentregime                              |
| currentregisterpageuserdata         | \currentregisterpageuserdata {...}          |
| currentresponses                    | \currentresponses                           |
| currenttime                         | \currenttime [...]                          |
| currentvalue                        | \currentvalue                               |
| currentxtablecolumn                 | \currentxtablecolumn                        |
| currentxtablerow                    | \currentxtablerow                           |
| d                                   | \d {...}                                    |
| datasetvariable                     | \datasetvariable {...} {...} {...}          |
| datum                               | \datum [..=..] [...]                        |
| dayoftheweek                        | \dayoftheweek {...} {...} {...}             |
| dayspermonth                        | \dayspermonth {...} {...}                   |
| ddd                                 | \ddd {...}                                  |
| dd                                  | \dd {...}                                   |
| decrement                           | \decrement \...                             |
| decrementcounter                    | \decrementcounter [...] [...]               |
| decrementedcounter                  | \decrementedcounter [...]                   |
| decrementpagenumber                 | \decrementpagenumber                        |
| decrementsubpagenumber              | \decrementsubpagenumber                     |
| decrementvalue                      | \decrementvalue {...}                       |
| decrement:argument                  | \decrement (...)                            |
| defaultinterface                    | \defaultinterface                           |
| defaultobjectpage                   | \defaultobjectpage                          |
| defaultobjectreference              | \defaultobjectreference                     |
| defcatcodecommand                   | \defcatcodecommand \... \... {...}          |
| defconvertedargument                | \defconvertedargument \... {...}            |
| defconvertedcommand                 | \defconvertedcommand \... \...              |
| defconvertedvalue                   | \defconvertedvalue \... {...}               |
| defineactivecharacter               | \defineactivecharacter ... {...}            |
| definealternativestyle              | \definealternativestyle [...] [...] [..=..] |
| defineanchor                        | \defineanchor [...] [...] [..=..] [..=..]   |
| defineattachment                    | \defineattachment [...] [...] [..=..]       |
| defineattribute                     | \defineattribute [...] [...]                |
| definebackground                    | \definebackground [...] [...] [..=..]       |
| definebar                           | \definebar [...] [...] [..=..]              |
| definebodyfontswitch                | \definebodyfontswitch [...] [...]           |
| definebreakpoint                    | \definebreakpoint [...] [...] [..=..]       |
| definebreakpoints                   | \definebreakpoints [...]                    |
| definebtx                           | \definebtx [...] [...] [..=..]              |
| definebtxdataset                    | \definebtxdataset [...] [...] [..=..]       |
| definebtxregister                   | \definebtxregister [...] [...] [..=..]      |
| definebtxrendering                  | \definebtxrendering [...] [...] [..=..]     |
| definebutton                        | \definebutton [...] [...] [..=..]           |
| definecapitals                      | \definecapitals [...] [...] [..=..]         |
| definecharacterkerning              | \definecharacterkerning [...] [...] [..=..] |
| definecharacterspacing              | \definecharacterspacing [...]               |
| definechemical                      | \definechemical [...] {...}                 |
| definechemicals                     | \definechemicals [...] [...] [..=..]        |
| definechemicalsymbol                | \definechemicalsymbol [...] [...]           |
| definecollector                     | \definecollector [...] [...] [..=..]        |
| definecolumnsetarea                 | \definecolumnsetarea [...] [...] [..=..]    |
| definecolumnsetspan                 | \definecolumnsetspan [...] [...] [..=..]    |
| definecomment                       | \definecomment [...] [...] [..=..]          |
| definecomplexorsimple               | \definecomplexorsimple \...                 |
| definecomplexorsimpleempty          | \definecomplexorsimpleempty \...            |
| definecomplexorsimpleempty:argument | \definecomplexorsimpleempty {...}           |
| definecomplexorsimple:argument      | \definecomplexorsimple {...}                |
| defineconversionset                 | \defineconversionset [...] [...] [...]      |
| definecounter                       | \definecounter [...] [...] [..=..]          |
| definedataset                       | \definedataset [...] [...] [..=..]          |
| definedelimitedtext                 | \definedelimitedtext [...] [...] [..=..]    |
| definedfont                         | \definedfont [...]                          |

|                             |   |
|-----------------------------|---|
| defineeffect                | \defineeffect [...] [...] [..=..]               |
| defineexpandable            | \defineexpandable [...] \... {...}              |
| defineexternalfigure        | \defineexternalfigure [...] [...] [..=..]       |
| definefacingfloat           | \definefacingfloat [...] [...] [..=..]          |
| definefallbackfamily        | \definefallbackfamily [...] [...] [...] [..=..] |
| definefallbackfamily:preset | \definefallbackfamily [...] [...] [...] [...]   |
| definefieldbody             | \definefieldbody [...] [...] [..=..]            |
| definefieldbodyset          | \definefieldbodyset [...] [...]                 |
| definefieldcategory         | \definefieldcategory [...] [...] [..=..]        |
| definefileconstant          | \definefileconstant {...} {...}                 |
| definefilefallback          | \definefilefallback [...] [...]                 |
| definefilesynonym           | \definefilesynonym [...] [...]                  |
| definefiller                | \definefiller [...] [...] [..=..]               |
| definefirstline             | \definefirstline [...] [...] [..=..]            |
| definefittingpage           | \definefittingpage [...] [...] [..=..]          |
| definefontalternative       | \definefontalternative [...]                    |
| definefontfallback          | \definefontfallback [...] [...] [...] [..=..]   |
| definefontfamily            | \definefontfamily [...] [...] [...] [..=..]     |
| definefontfamilypreset      | \definefontfamilypreset [...] [..=..]           |
| definefontfamilypreset:name | \definefontfamilypreset [...] [...]             |
| definefontfamily:preset     | \definefontfamily [...] [...] [...] [...]       |
| definefontfeature           | \definefontfeature [...] [...] [..=..]          |
| definefontfile              | \definefontfile [...] [...] [..=..]             |
| definefontsize              | \definefontsize [...]                           |
| definefontsolution          | \definefontsolution [...] [...] [..=..]         |
| defineformula               | \defineformula [...] [...] [..=..]              |
| defineformulaalternative    | \defineformulaalternative [...] [...] [...]     |
| defineformulaframed         | \defineformulaframed [...] [...] [..=..]        |
| defineframedcontent         | \defineframedcontent [...] [...] [..=..]        |
| defineframedtable           | \defineframedtable [...] [...]                  |
| definefrozenfont            | \definefrozenfont [...] [...]                   |
| defineglobalcolor           | \defineglobalcolor [...] [..=..]                |
| defineglobalcolor:name      | \defineglobalcolor [...] [...]                  |
| definegraphictypesynonym    | \definegraphictypesynonym [...] [...]           |
| definegridsnapping          | \definegridsnapping [...] [...]                 |
| defineheadalternative       | \defineheadalternative [...] [...] [..=..]      |
| definehelp                  | \definehelp [...] [...] [..=..]                 |
| definehigh                  | \definehigh [...] [...] [..=..]                 |
| definehighlight             | \definehighlight [...] [...] [..=..]            |
| definehspace                | \definehspace [...] [...] [...]                 |
| definehyphenationfeatures   | \definehyphenationfeatures [...] [..=..]        |
| defineindenting             | \defineindenting [...] [...]                    |
| defineinitial               | \defineinitial [...] [...] [..=..]              |
| defineinsertion             | \defineinsertion [...] [...] [..=..]            |
| defineinteraction           | \defineinteraction [...] [...] [..=..]          |
| defineinteractionbar        | \defineinteractionbar [...] [...] [..=..]       |
| defineinterfaceconstant     | \defineinterfaceconstant {...} {...}            |
| defineinterfaceelement      | \defineinterfaceelement {...} {...}             |
| defineinterfacevariable     | \defineinterfacevariable {...} {...}            |
| defineinterlinespace        | \defineinterlinespace [...] [...] [..=..]       |
| defineintermediatecolor     | \defineintermediatecolor [...] [...] [..=..]    |
| defineitems                 | \defineitems [...] [...] [..=..]                |
| definelabelclass            | \definelabelclass [...] [...]                   |
| definelayerpreset           | \definelayerpreset [...] [..=..]                |
| definelayerpreset:name      | \definelayerpreset [...] [...]                  |
| definelinefiller            | \definelinefiller [...] [...] [..=..]           |
| definelinenote              | \definelinenote [...] [...] [..=..]             |
| definelinenumbering         | \definelinenumbering [...] [...] [..=..]        |
| definelines                 | \definelines [...] [...] [..=..]                |
| definelistalternative       | \definelistalternative [...] [...] [..=..]      |
| definelistextra             | \definelistextra [...] [...] [..=..]            |
| definelow                   | \definelow [...] [...] [..=..]                  |
| definelowhigh               | \definelowhigh [...] [...] [..=..]              |
| definelowmidhigh            | \definelowmidhigh [...] [...] [..=..]           |
| defineMPinstance            | \defineMPinstance [...] [...] [..=..]           |
| definemarginblock           | \definemarginblock [...] [...] [..=..]          |
| definemargindata            | \definemargindata [...] [...] [..=..]           |
| definemarker                | \definemarker [...]                             |
| definemathaccent            | \definemathaccent ... ..                        |
| definemathcases             | \definemathcases [...] [...] [..=..]            |
| definemathcommand           | \definemathcommand [...] [...] [...] {...}      |
| definemathdouble            | \definemathdouble [...] [...] [...] [...]       |

|                                |   |
|--------------------------------|---|
| definemathdoubleextensible     | \definemathdoubleextensible [...] [...] [...] [...]     |
| definemathematics              | \definemathematics [...] [...] [...] [...]              |
| definemathextensible           | \definemathextensible [...] [...] [...] [...]           |
| definemathfence                | \definemathfence [...] [...] [...] [...]                |
| definemathfraction             | \definemathfraction [...] [...] [...] [...]             |
| definemathframed               | \definemathframed [...] [...] [...] [...]               |
| definemathmatrix               | \definemathmatrix [...] [...] [...] [...]               |
| definemathornament             | \definemathornament [...] [...] [...] [...]             |
| definemathover                 | \definemathover [...] [...] [...] [...]                 |
| definemathoverextensible       | \definemathoverextensible [...] [...] [...] [...]       |
| definemathovertextextensible   | \definemathovertextextensible [...] [...] [...] [...]   |
| definemathradical              | \definemathradical [...] [...] [...] [...]              |
| definemathstackers             | \definemathstackers [...] [...] [...] [...]             |
| definemathstyle                | \definemathstyle [...] [...] [...] [...]                |
| definemathtriplet              | \definemathtriplet [...] [...] [...] [...]              |
| definemathunder                | \definemathunder [...] [...] [...] [...]                |
| definemathunderextensible      | \definemathunderextensible [...] [...] [...] [...]      |
| definemathundertextextensible  | \definemathundertextextensible [...] [...] [...] [...]  |
| definemathunstacked            | \definemathunstacked [...] [...] [...] [...]            |
| definemeasure                  | \definemeasure [...] [...] [...] [...]                  |
| definemessageconstant          | \definemessageconstant {...}                            |
| definemixedcolumns             | \definemixedcolumns [...] [...] [...] [...]             |
| definemode                     | \definemode [...] [...] [...] [...]                     |
| definemultitonecolor           | \definemultitonecolor [...] [...] [...] [...]           |
| definenamecolor                | \definenamecolor [...] [...] [...] [...]                |
| definenamecolor:name           | \definenamecolor [...] [...] [...] [...]                |
| definenamepace                 | \definenamepace [...] [...] [...] [...]                 |
| definenamearrow                | \definenamearrow [...] [...] [...] [...]                |
| definename                     | \definename [...] [...] [...] [...]                     |
| defineornament:collector       | \defineornament [...] [...] [...] [...]                 |
| defineornament:layer           | \defineornament [...] [...] [...] [...]                 |
| defineoutputroutine            | \defineoutputroutine [...] [...] [...] [...]            |
| defineoutputroutinecommand     | \defineoutputroutinecommand [...] [...] [...] [...]     |
| definepage                     | \definepage [...] [...] [...] [...]                     |
| definepagechecker              | \definepagechecker [...] [...] [...] [...]              |
| definepagecolumns              | \definepagecolumns [...] [...] [...] [...]              |
| definepageinjection            | \definepageinjection [...] [...] [...] [...]            |
| definepageinjectionalternative | \definepageinjectionalternative [...] [...] [...] [...] |
| definepageshift                | \definepageshift [...] [...] [...] [...]                |
| definepagestate                | \definepagestate [...] [...] [...] [...]                |
| definepairedbox                | \definepairedbox [...] [...] [...] [...]                |
| defineparagraph                | \defineparagraph [...] [...] [...] [...]                |
| defineparallel                 | \defineparallel [...] [...] [...] [...]                 |
| defineparbuilder               | \defineparbuilder [...] [...] [...] [...]               |
| defineperiodkerning            | \defineperiodkerning [...] [...] [...] [...]            |
| definepositioning              | \definepositioning [...] [...] [...] [...]              |
| defineprefixset                | \defineprefixset [...] [...] [...] [...]                |
| defineprocesscolor             | \defineprocesscolor [...] [...] [...] [...]             |
| defineprocessor                | \defineprocessor [...] [...] [...] [...]                |
| definepushbutton               | \definepushbutton [...] [...] [...] [...]               |
| definepushsymbol               | \definepushsymbol [...] [...] [...] [...]               |
| definerenderingwindow          | \definerenderingwindow [...] [...] [...] [...]          |
| defineresetset                 | \defineresetset [...] [...] [...] [...]                 |
| defineruby                     | \defineruby [...] [...] [...] [...]                     |
| definescale                    | \definescale [...] [...] [...] [...]                    |
| definescript                   | \definescript [...] [...] [...] [...]                   |
| definesectionlevels            | \definesectionlevels [...] [...] [...] [...]            |
| defineselector                 | \defineselector [...] [...] [...] [...]                 |
| defineseparatorset             | \defineseparatorset [...] [...] [...] [...]             |
| defineshift                    | \defineshift [...] [...] [...] [...]                    |
| definesidebar                  | \definesidebar [...] [...] [...] [...]                  |
| definesort                     | \definesort [...] [...] [...] [...] {...}               |
| definespotcolor                | \definespotcolor [...] [...] [...] [...] [...]          |
| definstyleinstance             | \definstyleinstance [...] [...] [...] [...] [...]       |
| definesubformula               | \definesubformula [...] [...] [...] [...] [...]         |
| definesynonym                  | \definesynonym [...] [...] [...] [...] [...] {...}      |
| definesystemattribute          | \definesystemattribute [...] [...] [...] [...] [...]    |
| definesystemconstant           | \definesystemconstant {...}                             |
| definesystemvariable           | \definesystemvariable {...}                             |
| defineTABLEsetup               | \defineTABLEsetup [...] [...] [...] [...] [...]         |
| definetabulation               | \definetabulation [...] [...] [...] [...] [...] [...]   |
| definetextflow                 | \definetextflow [...] [...] [...] [...] [...] [...]     |

|                             |   |
|-----------------------------|---|
| definetooltip               | \definetooltip [...] [...] [..=..]                    |
| definetransparency:1        | \definetransparency [...] [...]                       |
| definetransparency:2        | \definetransparency [...] [..=..]                     |
| definetransparency:3        | \definetransparency [...] [...]                       |
| definetwopasslist           | \definetwopasslist {...}                              |
| definetypeface              | \definetypeface [...] [...] [...] [...] [...] [..=..] |
| definetypescriptprefix      | \definetypescriptprefix [...] [...]                   |
| definetypescriptsynonym     | \definetypescriptsynonym [...] [...]                  |
| definetypesetting           | \definetypesetting [...] [...] [..=..]                |
| defineunit                  | \defineunit [...] [...] [..=..]                       |
| defineviewerlayer           | \defineviewerlayer [...] [...] [..=..]                |
| definevspace                | \definevspace [...] [...] [...]                       |
| definevspacing              | \definevspacing [...] [...]                           |
| definevspacingamount        | \definevspacingamount [...] [...] [...]               |
| definextable                | \definextable [...] [...] [..=..]                     |
| definieer                   | \definieer [...] \... {...}                           |
| definieeraccent             | \definieeraccent ... ..                               |
| definieeralineas            | \definieeralineas [...] [...] [..=..]                 |
| definieerblok               | \definieerblok [...] [...] [..=..]                    |
| definieerbuffer             | \definieerbuffer [...] [...] [..=..]                  |
| definieercombinatie         | \definieercombinatie [...] [...] [..=..]              |
| definieercommando           | \definieercommando ... ..                             |
| definieerconversie          | \definieerconversie [...] [...] [...]                 |
| definieerconversie:list     | \definieerconversie [...] [...] [...]                 |
| definieerfiguursymbool      | \definieerfiguursymbool [...] [...] [..=..]           |
| definieerfont               | \definieerfont [...] [...] [..=..]                    |
| definieerfontstijl          | \definieerfontstijl [...] [...]                       |
| definieerfontsynoniem       | \definieerfontsynoniem [...] [...] [..=..]            |
| definieerfont:argument      | \definieerfont [...] [...] [...]                      |
| definieerhbox               | \definieerhbox [...] [...]                            |
| definieeringesprongentext   | \definieeringesprongentext [...] [...] [..=..]        |
| definieerinteractiemenu     | \definieerinteractiemenu [...] [...] [..=..]          |
| definieeritemgroep          | \definieeritemgroep [...] [...] [..=..]               |
| definieerkadertekst         | \definieerkadertekst [...] [...] [..=..]              |
| definieerkarakter           | \definieerkarakter ... ..                             |
| definieerkleur              | \definieerkleur [...] [..=..]                         |
| definieerkleurgroep         | \definieerkleurgroep [...] [...] [x:y:z,..]           |
| definieerkleur:name         | \definieerkleur [...] [...]                           |
| definieerkolomgroep         | \definieerkolomgroep [...] [...] [..=..]              |
| definieerkolomovergang      | \definieerkolomovergang [...] [...]                   |
| definieerkop                | \definieerkop [...] [...] [..=..]                     |
| definieerkorps              | \definieerkorps [...] [...] [...] [..=..]             |
| definieerkorpsomgeving      | \definieerkorpsomgeving [...] [...] [..=..]           |
| definieerkorps:argument     | \definieerkorps [...] [...] [...] [...]               |
| definieerlayer              | \definieerlayer [...] [...] [..=..]                   |
| definieerlayout             | \definieerlayout [...] [...] [..=..]                  |
| definieerletter             | \definieerletter [...] [...] [..=..]                  |
| definieerlijst              | \definieerlijst [...] [...] [..=..]                   |
| definieermarkering          | \definieermarkering [...] [...] [..=..]               |
| definieeromlijnd            | \definieeromlijnd [...] [...] [..=..]                 |
| definieeropmaak             | \definieeropmaak [...] [...] [..=..]                  |
| definieeroverlay            | \definieeroverlay [...] [...] [...]                   |
| definieerpaginaovergang     | \definieerpaginaovergang [...] [...]                  |
| definieerpalet              | \definieerpalet [...] [..=..]                         |
| definieerpalet:name         | \definieerpalet [...] [...]                           |
| definieerpapierformaat      | \definieerpapierformaat [...] [...] [..=..]           |
| definieerpapierformaat:name | \definieerpapierformaat [...] [...] [...]             |
| definieerplaats             | \definieerplaats [...] [...] [..=..]                  |
| definieerplaatsblok         | \definieerplaatsblok [...] [...] [..=..]              |
| definieerplaatsblok:name    | \definieerplaatsblok [...] [...] [...]                |
| definieerprofiel            | \definieerprofiel [...] [...] [..=..]                 |
| definieerprogramma          | \definieerprogramma [...] [...] [...]                 |
| definieerreferentie         | \definieerreferentie [...] [...]                      |
| definieerreferentieformaat  | \definieerreferentieformaat [...] [...] [..=..]       |
| definieerregister           | \definieerregister [...] [...] [..=..]                |
| definieersamengesteldelijst | \definieersamengesteldelijst [...] [...] [..=..]      |
| definieersectie             | \definieersectie [...]                                |
| definieersectieblok         | \definieersectieblok [...] [...] [..=..]              |
| definieersorteren           | \definieersorteren [...] [...] [...]                  |
| definieerstartstop          | \definieerstartstop [...] [...] [..=..]               |
| definieersubveld            | \definieersubveld [...] [...] [...]                   |
| definieersymbool            | \definieersymbool [...] [...] [...]                   |

|                                   |  |
|-----------------------------------|--|
| definieersynoniemen               | \definieersynoniemen [...] [...] [...] [...]   |
| definieertabelvorm                | \definieertabelvorm [...] [ ... ] [...] [...]  |
| definieertabulatie                | \definieertabulatie [...] [...] [/.../]  |
| definieertekst                    | \definieertekst [...] [...] [...] <sup>OPT</sup> [...] [...] [...]                             |
| definieertekstachtergrond         | \definieertekstachtergrond [...] [...] [...=..]  |
| definieertype                     | \definieertype [...] [...] [...=..]  |
| definieertypen                    | \definieertypen [...] [...] [...=..]   |
| definieerveld                     | \definieerveld [...] [...] [...] [...] [...]   |
| definieerveldstapel               | \definieerveldstapel [...] [...] [...=..]  |
| definieerwiskundeuitlijnen        | \definieerwiskundeuitlijnen [...] [...] [...=..]   |
| delimited                         | \delimited [...] [...] {...}   |
| delimitedtext                     | \delimitedtext [...] [...] {...}   |
| delimitedtext:instance            | \DELIMITEDTEXT [...] {...}   |
| delimitedtext:instance:aside      | \aside [...] {...}   |
| delimitedtext:instance:blockquote | \blockquote [...] {...}  |
| delimitedtext:instance:quotation  | \quotation [...] {...}   |
| delimitedtext:instance:quote      | \quote [...] {...}   |
| delimitedtext:instance:speech     | \speech [...] {...}  |
| depthofstring                     | \depthofstring {...}   |
| depthonlybox                      | \depthonlybox {...}  |
| depthspanningtext                 | \depthspanningtext {...} {...} {...}   |
| depthstrut                        | \depthstrut  |
| determinenoflines                 | \determinenoflines {...}   |
| devanagarinumeral                 | \devanagarinumeral {...}   |
| digits                            | \digits {...}  |
| digits:string                     | \digits ...  |
| dimensiontocount                  | \dimensiontocount {...} \...   |
| directboxfromcache                | \directboxfromcache {...} {...}  |
| directcolor                       | \directcolor [...]   |
| directcolored                     | \directcolored [...=..]  |
| directcolored:name                | \directcolored [...]   |
| directconvertedcounter            | \directconvertedcounter {...} {...}  |
| directcopyboxfromcache            | \directcopyboxfromcache {...} {...}  |
| directdummyparameter              | \directdummyparameter {...}  |
| directgetboxllx                   | \directgetboxllx ...   |
| directgetboxlly                   | \directgetboxlly ...   |
| directhighlight                   | \directhighlight {...} {...}   |
| directlocalframed                 | \directlocalframed [...] {...}   |
| directluacode                     | \directluacode {...}   |
| directselect                      | \directselect {...} {...} {...} {...} {...} {...}  |
| directsetbar                      | \directsetbar {...} <sup>OPT</sup> <sup>OPT</sup> <sup>OPT</sup> <sup>OPT</sup> <sup>OPT</sup> |
| directsetup                       | \directsetup {...}   |
| directsymbol                      | \directsymbol {...} {...}  |
| directvspacing                    | \directvspacing {...}  |
| dis                               | \dis {...}   |
| disabledirectives                 | \disabledirectives [...]   |
| disableexperiments                | \disableexperiments [...]  |
| disablemode                       | \disablemode [...]   |
| disableoutputstream               | \disableoutputstream   |
| disableparpositions               | \disableparpositions   |
| disableregime                     | \disableregime   |
| disabletrackers                   | \disabletrackers [...]   |
| displaymath                       | \displaymath {...}   |
| displaymathematics                | \displaymathematics {...}  |
| displaymessage                    | \displaymessage {...}  |
| distributedhsize                  | \distributedhsize {...} {...} {...}  |
| dividedsize                       | \dividedsize {...} {...} {...}   |
| doadaptleftskip                   | \doadaptleftskip {...}   |
| doadaptrightskip                  | \doadaptrightskip {...}  |
| doaddfeature                      | \doaddfeature {...}  |
| doassign                          | \doassign [...] [...=..]   |
| doassignempty                     | \doassignempty [...] [...=..]  |
| doboundtext                       | \doboundtext {...} {...} {...}   |
| docheckassignment                 | \docheckassignment {...}   |
| docheckedpagestate                | \docheckedpagestate {...} {...} {...} {...} {...} {...} {...}                                  |
| docheckedpair                     | \docheckedpair {...}   |
| documentvariable                  | \documentvariable {...}  |
| dodoubleargument                  | \dodoubleargument \... [...] [...]   |
| dodoubleargumentwithset           | \dodoubleargumentwithset \... [...] [...]  |
| dodoubleempty                     | \dodoubleempty \... [...] [...]  |
| dodoubleemptywithset              | \dodoubleemptywithset \... [...] [...]   |
| dodoublegroupempty                | \dodoublegroupempty \... {...} {...}   |

|                               |   |
|-------------------------------|---|
| doeassign                     | \doeassign [...] [..=..]                          |
| doexpandedrecurse             | \doexpandedrecurse {...} {...}                    |
| dofastloopcs                  | \dofastloopcs {...} \...                          |
| dogetattribute                | \dogetattribute {...}                             |
| dogetattributeid              | \dogetattributeid {...}                           |
| dogetcommacommandelement      | \dogetcommacommandelement ... \from ... \to \...  |
| dogobbledoubleempty           | \dogobbledoubleempty [...] [...]                  |
| dogobblesingleempty           | \dogobblesingleempty [...]                        |
| doif                          | \doif {...} {...} {...}                           |
| doifallcommon                 | \doifallcommon {...} {...} {...}                  |
| doifallcommonelse             | \doifallcommonelse {...} {...} {...} {...}        |
| doifalldefinedelse            | \doifalldefinedelse {...} {...} {...}             |
| doifallmodes                  | \doifallmodes {...} {...} {...}                   |
| doifallmodeselse              | \doifallmodeselse {...} {...} {...}               |
| doifassignmentelse            | \doifassignmentelse {...} {...} {...}             |
| doifblackelse                 | \doifblackelse {...} {...} {...}                  |
| doifbothsides                 | \doifbothsides {...} {...} {...}                  |
| doifbothsidesoverruled        | \doifbothsidesoverruled {...} {...} {...}         |
| doifboxelse                   | \doifboxelse {...} {...} {...} {...}              |
| doifbufferelse                | \doifbufferelse {...} {...} {...}                 |
| doifcolor                     | \doifcolor {...} {...}                            |
| doifcolorelse                 | \doifcolorelse {...} {...} {...}                  |
| doifcommandhandler            | \doifcommandhandler \... {...} {...}              |
| doifcommandhandlerelse        | \doifcommandhandlerelse \... {...} {...} {...}    |
| doifcommon                    | \doifcommon {...} {...} {...}                     |
| doifcommonelse                | \doifcommonelse {...} {...} {...} {...}           |
| doifcontent                   | \doifcontent {...} {...} {...} \... {...}         |
| doifconversiondefinedelse     | \doifconversiondefinedelse {...} {...} {...}      |
| doifconversionnumberelse      | \doifconversionnumberelse {...} {...} {...} {...} |
| doifcounter                   | \doifcounter {...} {...}                          |
| doifcounterelse               | \doifcounterelse {...} {...} {...}                |
| doifcurrentfonthasfeatureelse | \doifcurrentfonthasfeatureelse {...} {...} {...}  |
| doifdefined                   | \doifdefined {...} {...}                          |
| doifdefinedcounter            | \doifdefinedcounter {...} {...}                   |
| doifdefinedcounterelse        | \doifdefinedcounterelse {...} {...} {...}         |
| doifdefinedelse               | \doifdefinedelse {...} {...} {...}                |
| doifdimensionelse             | \doifdimensionelse {...} {...} {...}              |
| doifdimenstringelse           | \doifdimenstringelse {...} {...} {...}            |
| doifdocumentargument          | \doifdocumentargument {...} {...}                 |
| doifdocumentargumentelse      | \doifdocumentargumentelse {...} {...} {...}       |
| doifdocumentfilename          | \doifdocumentfilename {...} {...}                 |
| doifdocumentfilenameelse      | \doifdocumentfilenameelse {...} {...} {...}       |
| doifdrawingblackelse          | \doifdrawingblackelse {...} {...}                 |
| doifelse                      | \doifelse {...} {...} {...} {...}                 |
| doifelseallcommon             | \doifelseallcommon {...} {...} {...} {...}        |
| doifelsealldefined            | \doifelsealldefined {...} {...} {...}             |
| doifelseallmodes              | \doifelseallmodes {...} {...} {...}               |
| doifelseassignment            | \doifelseassignment {...} {...} {...}             |
| doifelseblack                 | \doifelseblack {...} {...} {...}                  |
| doifelsebox                   | \doifelsebox {...} {...} {...} {...}              |
| doifelseboxincache            | \doifelseboxincache {...} {...} {...} {...}       |
| doifelsebuffer                | \doifelsebuffer {...} {...} {...}                 |
| doifelsecolor                 | \doifelsecolor {...} {...} {...}                  |
| doifelsecommandhandler        | \doifelsecommandhandler \... {...} {...} {...}    |
| doifelsecommon                | \doifelsecommon {...} {...} {...} {...}           |
| doifelseconversiondefined     | \doifelseconversiondefined {...} {...} {...}      |
| doifelseconversionnumber      | \doifelseconversionnumber {...} {...} {...} {...} |
| doifelsecounter               | \doifelsecounter {...} {...} {...}                |
| doifelsecurrentfonthasfeature | \doifelsecurrentfonthasfeature {...} {...} {...}  |
| doifelsecurrentsortingsused   | \doifelsecurrentsortingsused {...} {...}          |
| doifelsecurrentsynonymshown   | \doifelsecurrentsynonymshown {...} {...}          |
| doifelsecurrentsynonymused    | \doifelsecurrentsynonymused {...} {...}           |
| doifelsedefined               | \doifelsedefined {...} {...} {...}                |
| doifelsedefinedcounter        | \doifelsedefinedcounter {...} {...} {...}         |
| doifelsedimension             | \doifelsedimension {...} {...} {...}              |
| doifelsedimenstring           | \doifelsedimenstring {...} {...} {...}            |
| doifelsedocumentargument      | \doifelsedocumentargument {...} {...} {...}       |
| doifelsedocumentfilename      | \doifelsedocumentfilename {...} {...} {...}       |
| doifelsedrawingblack          | \doifelsedrawingblack {...} {...}                 |
| doifelseempty                 | \doifelseempty {...} {...} {...}                  |
| doifelseemptyvalue            | \doifelseemptyvalue {...} {...} {...}             |
| doifelseemptyvariable         | \doifelseemptyvariable {...} {...} {...} {...}    |



|                              |   |
|------------------------------|---|
| doifelseenv                  | \doifelseenv {...} {...} {...}                        |
| doifelsefastoptionalcheck    | \doifelsefastoptionalcheck {...} {...}                |
| doifelsefastoptionalcheckcs  | \doifelsefastoptionalcheckcs \... \...                |
| doifelsefieldbody            | \doifelsefieldbody {...} {...} {...}                  |
| doifelsefieldcategory        | \doifelsefieldcategory {...} {...} {...}              |
| doifelsefigure               | \doifelsefigure {...} {...} {...}                     |
| doifelsefile                 | \doifelsefile {...} {...} {...}                       |
| doifelsefiledefined          | \doifelsefiledefined {...} {...} {...}                |
| doifelsefileexists           | \doifelsefileexists {...} {...} {...}                 |
| doifelsefirstchar            | \doifelsefirstchar {...} {...} {...} {...}            |
| doifelseflagged              | \doifelseflagged {...} {...} {...}                    |
| doifelsefontchar             | \doifelsefontchar {...} {...} {...} {...}             |
| doifelsefontfeature          | \doifelsefontfeature {...} {...} {...}                |
| doifelsefontpresent          | \doifelsefontpresent {...} {...} {...}                |
| doifelsefontsynonym          | \doifelsefontsynonym {...} {...} {...}                |
| doifelsehasspace             | \doifelsehasspace {...} {...} {...}                   |
| doifelsehelp                 | \doifelsehelp {...} {...}                             |
| doifelseincsnames            | \doifelseincsnames {...} {...} {...} {...}            |
| doifelseinelement            | \doifelseinelement {...} {...} {...}                  |
| doifelseinputfile            | \doifelseinputfile {...} {...} {...}                  |
| doifelseinsertion            | \doifelseinsertion {...} {...} {...}                  |
| doifelseinset                | \doifelseinset {...} {...} {...} {...}                |
| doifelseinstring             | \doifelseinstring {...} {...} {...} {...}             |
| doifelseinsymbolset          | \doifelseinsymbolset {...} {...} {...} {...}          |
| doifelseintoks               | \doifelseintoks {...} {...} {...} {...}               |
| doifelseintwopassdata        | \doifelseintwopassdata {...} {...} {...} {...}        |
| doifelseitalic               | \doifelseitalic {...} {...}                           |
| doifelselanguage             | \doifelselanguage {...} {...} {...}                   |
| doifelselayerdata            | \doifelselayerdata {...} {...} {...}                  |
| doifelselayoutdefined        | \doifelselayoutdefined {...} {...} {...}              |
| doifelselayoutsomeline       | \doifelselayoutsomeline {...} {...} {...}             |
| doifelselayouttextline       | \doifelselayouttextline {...} {...} {...}             |
| doifelseleapyear             | \doifelseleapyear {...} {...} {...}                   |
| doifselist                   | \doifselist {...} {...} {...}                         |
| doifselocation               | \doifselocation {...} {...}                           |
| doifselocfile                | \doifselocfile {...} {...} {...}                      |
| doifelseMPgraphic            | \doifelseMPgraphic {...} {...} {...}                  |
| doifelsemainfloatbody        | \doifelsemainfloatbody {...} {...}                    |
| doifelsemarkedpage           | \doifelsemarkedpage {...} {...} {...}                 |
| doifelsemarking              | \doifelsemarking {...} {...} {...}                    |
| doifelsemeaning              | \doifelsemeaning \... \... {...} {...}                |
| doifelsemessage              | \doifelsemessage {...} {...} {...} {...}              |
| doifelsemode                 | \doifelsemode {...} {...} {...}                       |
| doifelsenextbgroup           | \doifelsenextbgroup {...} {...}                       |
| doifelsenextbgroupcs         | \doifelsenextbgroupcs \... \...                       |
| doifelsenextchar             | \doifelsenextchar {...} {...} {...}                   |
| doifelsenextoptional         | \doifelsenextoptional {...} {...}                     |
| doifelsenextoptionalcs       | \doifelsenextoptionalcs \... \...                     |
| doifelsenextparenthesis      | \doifelsenextparenthesis {...} {...}                  |
| doifelsenonzeropositive      | \doifelsenonzeropositive {...} {...} {...}            |
| doifelsenoteonsamepage       | \doifelsenoteonsamepage {...} {...} {...}             |
| doifelsenothing              | \doifelsenothing {...} {...} {...}                    |
| doifelsenumber               | \doifelsenumber {...} {...} {...}                     |
| doifelseobjectfound          | \doifelseobjectfound {...} {...} {...} {...}          |
| doifelseobjectreferencefound | \doifelseobjectreferencefound {...} {...} {...} {...} |
| doifelseoddpag               | \doifelseoddpag {...} {...}                           |
| doifelseoddpagfloat          | \doifelseoddpagfloat {...} {...}                      |
| doifelseoldercontext         | \doifelseoldercontext {...} {...} {...}               |
| doifelseolderversion         | \doifelseolderversion {...} {...} {...} {...}         |
| doifelseoverlapping          | \doifelseoverlapping {...} {...} {...} {...}          |
| doifelseoverlay              | \doifelseoverlay {...} {...} {...}                    |
| doifelseparallel             | \doifelseparallel {...} {...} {...} {...}             |
| doifelseparentfile           | \doifelseparentfile {...} {...} {...}                 |
| doifelsepath                 | \doifelsepath {...} {...} {...}                       |
| doifelsepathexists           | \doifelsepathexists {...} {...} {...}                 |
| doifelsepatterns             | \doifelsepatterns {...} {...} {...}                   |
| doifelseposition             | \doifelseposition {...} {...} {...}                   |
| doifelsepositionaction       | \doifelsepositionaction {...} {...} {...}             |
| doifelsepositiononpage       | \doifelsepositiononpage {...} {...} {...} {...}       |
| doifelsepositionsonsamepage  | \doifelsepositionsonsamepage {...} {...} {...}        |
| doifelsepositionsonthispage  | \doifelsepositionsonthispage {...} {...} {...}        |
| doifelsepositionsused        | \doifelsepositionsused {...} {...}                    |

|                                |   |
|--------------------------------|---|
| doifelsereferencefound         | \doifelsereferencefound {...} {...} {...}       |
| doifelserightpage              | \doifelserightpage {...} {...}                  |
| doifelserightpagefloat         | \doifelserightpagefloat {...} {...}             |
| doifelserighttoleftinbox       | \doifelserighttoleftinbox ... {...} {...}       |
| doifelsesame linereference     | \doifelsesame linereference {...} {...} {...}   |
| doifelsesame string            | \doifelsesame string {...} {...} {...} {...}    |
| doifelsesetups                 | \doifelsesetups {...} {...} {...}               |
| doifelsesomebackground         | \doifelsesomebackground {...} {...} {...}       |
| doifelsesomespace              | \doifelsesomespace {...} {...} {...}            |
| doifelsesomething              | \doifelsesomething {...} {...} {...}            |
| doifelsesometoks               | \doifelsesometoks \... {...} {...}              |
| doifelsestringinstring         | \doifelsestringinstring {...} {...} {...} {...} |
| doifelsestructurelisthasnumber | \doifelsestructurelisthasnumber {...} {...}     |
| doifelsestructurelisthaspage   | \doifelsestructurelisthaspage {...} {...}       |
| doifelsesymboldefined          | \doifelsesymboldefined {...} {...} {...}        |
| doifelsesymbolset              | \doifelsesymbolset {...} {...} {...}            |
| doifelsetext                   | \doifelsetext {...} {...} {...}                 |
| doifelsetextflow               | \doifelsetextflow {...} {...} {...}             |
| doifelsetextflowcollector      | \doifelsetextflowcollector {...} {...} {...}    |
| doifelsetopofpage              | \doifelsetopofpage {...} {...}                  |
| doifelsetypingfile             | \doifelsetypingfile {...} {...} {...}           |
| doifelseundefined              | \doifelseundefined {...} {...} {...}            |
| doifelseurldefined             | \doifelseurldefined {...} {...} {...}           |
| doifelsevalue                  | \doifelsevalue {...} {...} {...} {...}          |
| doifelsevaluenothing           | \doifelsevaluenothing {...} {...} {...} {...}   |
| doifelsevariable               | \doifelsevariable {...} {...} {...} {...}       |
| doifempty                      | \doifempty {...} {...}                          |
| doifemptyelse                  | \doifemptyelse {...} {...} {...}                |
| doifemptytoks                  | \doifemptytoks \... {...}                       |
| doifemptyvalue                 | \doifemptyvalue {...} {...}                     |
| doifemptyvalueelse             | \doifemptyvalueelse {...} {...} {...}           |
| doifemptyvariable              | \doifemptyvariable {...} {...} {...}            |
| doifemptyvariableelse          | \doifemptyvariableelse {...} {...} {...} {...}  |
| doifenv                        | \doifenv {...} {...}                            |
| doifenvelse                    | \doifenvelse {...} {...} {...}                  |
| doiffastoptionalcheckcselse    | \doiffastoptionalcheckcselse \... \...          |
| doiffastoptionalcheckelse      | \doiffastoptionalcheckelse {...} {...}          |
| doiffielddbodelse              | \doiffielddbodelse {...} {...} {...}            |
| doiffielddcategoryelse         | \doiffielddcategoryelse {...} {...} {...}       |
| doiffigureelse                 | \doiffigureelse {...} {...} {...}               |
| doiffile                       | \doiffile {...} {...}                           |
| doiffiledefinedelse            | \doiffiledefinedelse {...} {...} {...}          |
| doiffileelse                   | \doiffileelse {...} {...} {...}                 |
| doiffileexistselse             | \doiffileexistselse {...} {...} {...}           |
| doiffirstcharelse              | \doiffirstcharelse {...} {...} {...} {...}      |
| doifflaggedelse                | \doifflaggedelse {...} {...} {...}              |
| doiffontcharelse               | \doiffontcharelse {...} {...} {...} {...}       |
| doiffontfeatureelse            | \doiffontfeatureelse {...} {...} {...}          |
| doiffontpresentelse            | \doiffontpresentelse {...} {...} {...}          |
| doiffontsynonymelse            | \doiffontsynonymelse {...} {...} {...}          |
| doifhasspaceelse               | \doifhasspaceelse {...} {...} {...}             |
| doifhelpelse                   | \doifhelpelse {...} {...}                       |
| doifincsnameelse               | \doifincsnameelse {...} {...} {...} {...}       |
| doifinelementelse              | \doifinelementelse {...} {...} {...}            |
| doifinputfileelse              | \doifinputfileelse {...} {...} {...}            |
| doifinsertionelse              | \doifinsertionelse {...} {...} {...}            |
| doifinset                      | \doifinset {...} {...} {...}                    |
| doifinsetelse                  | \doifinsetelse {...} {...} {...} {...}          |
| doifinstring                   | \doifinstring {...} {...} {...}                 |
| doifinstringelse               | \doifinstringelse {...} {...} {...} {...}       |
| doifinsymbolset                | \doifinsymbolset {...} {...} {...} {...}        |
| doifinsymbolsetelse            | \doifinsymbolsetelse {...} {...} {...} {...}    |
| doifintokselse                 | \doifintokselse {...} {...} {...} {...}         |
| doifintwopassdataelse          | \doifintwopassdataelse {...} {...} {...} {...}  |
| doifitalicelse                 | \doifitalicelse {...} {...}                     |
| doiflanguageelse               | \doiflanguageelse {...} {...} {...}             |
| doiflayerdataelse              | \doiflayerdataelse {...} {...} {...}            |
| doiflayoutdefinedelse          | \doiflayoutdefinedelse {...} {...} {...}        |
| doiflayoutsomelineelse         | \doiflayoutsomelineelse {...} {...} {...}       |
| doiflayouttextlineelse         | \doiflayouttextlineelse {...} {...} {...}       |
| doifleapyearelse               | \doifleapyearelse {...} {...} {...}             |
| doiflistelse                   | \doiflistelse {...} {...} {...}                 |

|                              |   |
|------------------------------|---|
| doiflocationelse             | \doiflocationelse {...} {...}                         |
| doiflocfileelse              | \doiflocfileelse {...} {...} {...}                    |
| doifMPgraphicelse            | \doifMPgraphicelse {...} {...} {...}                  |
| doifmainfloatbodyelse        | \doifmainfloatbodyelse {...} {...}                    |
| doifmarkingelse              | \doifmarkingelse {...} {...} {...}                    |
| doifmeaningelse              | \doifmeaningelse \... \... {...} {...}                |
| doifmessageelse              | \doifmessageelse {...} {...} {...} {...}              |
| doifmode                     | \doifmode {...} {...}                                 |
| doifmodeelse                 | \doifmodeelse {...} {...} {...}                       |
| doifnextbgroupcelse          | \doifnextbgroupcelse \... \...                        |
| doifnextbgroupelse           | \doifnextbgroupelse {...} {...}                       |
| doifnextcharelse             | \doifnextcharelse {...} {...} {...}                   |
| doifnextoptionalcelse        | \doifnextoptionalcelse \... \...                      |
| doifnextoptionalelse         | \doifnextoptionalelse {...} {...}                     |
| doifnextparenthesiselse      | \doifnextparenthesiselse {...} {...}                  |
| doifnonzeropositiveelse      | \doifnonzeropositiveelse {...} {...} {...}            |
| doifnot                      | \doifnot {...} {...} {...}                            |
| doifnotallcommon             | \doifnotallcommon {...} {...} {...}                   |
| doifnotallmodes              | \doifnotallmodes {...} {...} {...}                    |
| doifnotcommandhandler        | \doifnotcommandhandler \... {...} {...}               |
| doifnotcommon                | \doifnotcommon {...} {...} {...}                      |
| doifnotcounter               | \doifnotcounter {...} {...}                           |
| doifnotdocumentargument      | \doifnotdocumentargument {...} {...}                  |
| doifnotdocumentfilename      | \doifnotdocumentfilename {...} {...}                  |
| doifnotempty                 | \doifnotempty {...} {...}                             |
| doifnotemptyvalue            | \doifnotemptyvalue {...} {...}                        |
| doifnotemptyvariable         | \doifnotemptyvariable {...} {...} {...}               |
| doifnotenv                   | \doifnotenv {...} {...}                               |
| doifnoteonsamepageelse       | \doifnoteonsamepageelse {...} {...} {...}             |
| doifnotescollected           | \doifnotescollected {...} {...}                       |
| doifnotfile                  | \doifnotfile {...} {...}                              |
| doifnotflagged               | \doifnotflagged {...} {...}                           |
| doifnothing                  | \doifnothing {...} {...}                              |
| doifnothingelse              | \doifnothingelse {...} {...} {...}                    |
| doifnotinset                 | \doifnotinset {...} {...} {...}                       |
| doifnotinsidesplitfloat      | \doifnotinsidesplitfloat {...}                        |
| doifnotinstring              | \doifnotinstring {...} {...} {...}                    |
| doifnotmode                  | \doifnotmode {...} {...}                              |
| doifnotnumber                | \doifnotnumber {...} {...}                            |
| doifnotsamestring            | \doifnotsamestring {...} {...} {...}                  |
| doifnotsetups                | \doifnotsetups {...} {...}                            |
| doifnotvalue                 | \doifnotvalue {...} {...} {...}                       |
| doifnotvariable              | \doifnotvariable {...} {...} {...}                    |
| doifnumber                   | \doifnumber {...} {...}                               |
| doifnumberelse               | \doifnumberelse {...} {...} {...}                     |
| doifobjectfoundelse          | \doifobjectfoundelse {...} {...} {...} {...}          |
| doifobjectreferencefoundelse | \doifobjectreferencefoundelse {...} {...} {...} {...} |
| doifoddpagelse               | \doifoddpagelse {...} {...}                           |
| doifoddpagefloatelse         | \doifoddpagefloatelse {...} {...}                     |
| doifoldercontextelse         | \doifoldercontextelse {...} {...} {...}               |
| doifolderversionelse         | \doifolderversionelse {...} {...} {...} {...}         |
| doifoverlappingelse          | \doifoverlappingelse {...} {...} {...} {...}          |
| doifoverlayelse              | \doifoverlayelse {...} {...} {...}                    |
| doifparallelelse             | \doifparallelelse {...} {...} {...} {...}             |
| doifparentfileelse           | \doifparentfileelse {...} {...} {...}                 |
| doifpathelse                 | \doifpathelse {...} {...} {...}                       |
| doifpathexistselse           | \doifpathexistselse {...} {...} {...}                 |
| doifpatternselse             | \doifpatternselse {...} {...} {...}                   |
| doifposition                 | \doifposition {...} {...} {...}                       |
| doifpositionaction           | \doifpositionaction {...} {...} {...}                 |
| doifpositionactionelse       | \doifpositionactionelse {...} {...} {...}             |
| doifpositionelse             | \doifpositionelse {...} {...} {...}                   |
| doifpositiononpageelse       | \doifpositiononpageelse {...} {...} {...} {...}       |
| doifpositionsonsamepageelse  | \doifpositionsonsamepageelse {...} {...} {...}        |
| doifpositionsonthispageelse  | \doifpositionsonthispageelse {...} {...} {...}        |
| doifpositionsusedelse        | \doifpositionsusedelse {...} {...}                    |
| doifreferencefoundelse       | \doifreferencefoundelse {...} {...} {...}             |
| doifrightpagefloatelse       | \doifrightpagefloatelse {...} {...}                   |
| doifrighttoleftinboxelse     | \doifrighttoleftinboxelse ... {...} {...}             |
| doifsamelinereferenceelse    | \doifsamelinereferenceelse {...} {...} {...}          |
| doifsamestring               | \doifsamestring {...} {...} {...}                     |
| doifsamestringelse           | \doifsamestringelse {...} {...} {...} {...}           |

|                                       |  |
|---------------------------------------|--|
| doifsetups                            | \doifsetups {...} {...}  |
| doifsetupselse                        | \doifsetupselse {...} {...} {...}                                    |
| doifsomebackground                    | \doifsomebackground {...} {...} {...}                                |
| doifsomebackgroundelse                | \doifsomebackgroundelse {...} {...} {...}                            |
| doifsomespaceelse                     | \doifsomespaceelse {...} {...} {...}                                 |
| doifsomething                         | \doifsomething {...} {...}   |
| doifsomethingelse                     | \doifsomethingelse {...} {...} {...}                                 |
| doifsometoks                          | \doifsometoks \... {...}   |
| doifsometokselse                      | \doifsometokselse \... {...} {...}                                   |
| doifstringinstringelse                | \doifstringinstringelse {...} {...} {...} {...}                      |
| doifstructurelisthasnumberelse        | \doifstructurelisthasnumberelse {...} {...}                          |
| doifstructurelisthaspageelse          | \doifstructurelisthaspageelse {...} {...}                            |
| doifsymboldefinedelse                 | \doifsymboldefinedelse {...} {...} {...}                             |
| doifsymbolsetelse                     | \doifsymbolsetelse {...} {...} {...}                                 |
| doiftext                              | \doiftext {...} {...} {...}  |
| doiftextelse                          | \doiftextelse {...} {...} {...}                                      |
| doiftextflowcollectorelse             | \doiftextflowcollectorelse {...} {...} {...}                         |
| doiftextflowelse                      | \doiftextflowelse {...} {...} {...}                                  |
| doiftopofpageelse                     | \doiftopofpageelse {...} {...}                                       |
| doiftypingfileelse                    | \doiftypingfileelse {...} {...} {...}                                |
| doifundefined                         | \doifundefined {...} {...}   |
| doifundefinedcounter                  | \doifundefinedcounter {...} {...}                                    |
| doifundefinedelse                     | \doifundefinedelse {...} {...} {...}                                 |
| doifunknownfontfeature                | \doifunknownfontfeature {...} {...} {...}                            |
| doifurldefinedelse                    | \doifurldefinedelse {...} {...} {...}                                |
| doifvalue                             | \doifvalue {...} {...} {...}   |
| doifvalueelse                         | \doifvalueelse {...} {...} {...} {...}                               |
| doifvaluenothing                      | \doifvaluenothing {...} {...}  |
| doifvaluenothingelse                  | \doifvaluenothingelse {...} {...} {...}                              |
| doifvaluesomething                    | \doifvaluesomething {...} {...}                                      |
| doifvariable                          | \doifvariable {...} {...} {...}                                      |
| doifvariableelse                      | \doifvariableelse {...} {...} {...} {...}                            |
| doindentation                         | \doindentation   |
| dollar                                | \dollar  |
| doloop                                | \doloop {...}  |
| doloopoverlist                        | \doloopoverlist {...} {...}  |
| donothing                             | \donothing   |
| dontconvertfont                       | \dontconvertfont   |
| dontleavehmode                        | \dontleavehmode  |
| dontpermitspacesbetweenegroups        | \dontpermitspacesbetweenegroups                                      |
| doordefinieren                        | \doordefinieren [...] [...] [..=..]                                  |
| doordefinitie:example                 | \DOORDEFINITIE [...] {...} ... \par                                  |
| doorlabelen                           | \doorlabelen [...] [...] [..=..]                                     |
| doornummeren                          | \doornummeren [...] [...] [..=..]                                    |
| doornummering:example                 | \DOORNUMMERING [...] {...} ... \par                                  |
| dopositionaction                      | \dopositionaction {...}  |
| doprocesslocalsetups                  | \doprocesslocalsetups {...}  |
| doquadrupleargument                   | \doquadrupleargument \... [...] [...] [...] [...]                    |
| doquadrupleempty                      | \doquadrupleempty \... [...] [...] [...] [...]                       |
| doquadruplegroupempty                 | \doquadruplegroupempty \... {...} {...} {...} {...}                  |
| doquintupleargument                   | \doquintupleargument \... [...] [...] [...] [...] [...]              |
| doquintupleempty                      | \doquintupleempty \... [...] [...] [...] [...] [...]                 |
| doquintuplegroupempty                 | \doquintuplegroupempty \... {...} {...} {...} {...} {...}            |
| dorechecknextindentation              | \dorechecknextindentation  |
| dorecurse                             | \dorecurse {...} {...}   |
| dorepeatwithcommand                   | \dorepeatwithcommand [...] \...                                      |
| doreplacefeature                      | \doreplacefeature {...}  |
| doresetandafffeature                  | \doresetandafffeature {...}  |
| doresetattribute                      | \doresetattribute {...}  |
| dorotatebox                           | \dorotatebox {...} \... {...}  |
| dosetattribute                        | \dosetattribute {...} {...}  |
| dosetleftskipadaption                 | \dosetleftskipadaption {...}   |
| dosetrighskipadaption                 | \dosetrighskipadaption {...}   |
| dosetupcheckedinterlinespace          | \dosetupcheckedinterlinespace {..=..}                                |
| dosetupcheckedinterlinespace:argument | \dosetupcheckedinterlinespace {...}                                  |
| dosetupcheckedinterlinespace:name     | \dosetupcheckedinterlinespace {...}                                  |
| doseventupleargument                  | \doseventupleargument \... [...] [...] [...] [...] [...] [...] [...] |
| doseventupleempty                     | \doseventupleempty \... [...] [...] [...] [...] [...] [...] [...]    |
| dosingleargument                      | \dosingleargument \... [...]   |
| dosingleempty                         | \dosingleempty \... [...]  |
| dosinglegroupempty                    | \dosinglegroupempty \... {...}                                       |
| dosixtupleargument                    | \dosixtupleargument \... [...] [...] [...] [...] [...] [...] [...]   |

|                         |   |
|-------------------------|---|
| dosixtupleempty         | \dosixtupleempty \... [...] [...] [...] [...] [...] |
| dostarttagged           | \dostarttagged {...} {...} ... \dostoptagged        |
| dostepwiserecurse       | \dostepwiserecurse {...} {...} {...} {...}          |
| dosubtractfeature       | \dosubtractfeature {...}                            |
| dotfskip                | \dotfskip {...}                                     |
| dotoks                  | \dotoks \...  |
| dotripleargument        | \dotripleargument \... [...] [...] [...]            |
| dotripleargumentwithset | \dotripleargumentwithset \... [...] [...] [...]     |
| dotripleempty           | \dotripleempty \... [...] [...] [...]               |
| dotripleemptywithset    | \dotripleemptywithset \... [...] [...] [...]        |
| dotriplegroupempty      | \dotriplegroupempty \... {...} {...} {...}          |
| doublebond              | \doublebond   |
| dowith                  | \dowith {...} {...}                                 |
| dowithnextbox           | \dowithnextbox {...} \... {...}                     |
| dowithnextboxcontent    | \dowithnextboxcontent {...} {...} \... {...}        |
| dowithnextboxcontentcs  | \dowithnextboxcontentcs \... \... \... {...}        |
| dowithnextboxcs         | \dowithnextboxcs \... \... \... {...}               |
| dowithpargument         | \dowithpargument \...                               |
| dowithrange             | \dowithrange {...} \...                             |
| dowithwargument         | \dowithwargument \...                               |
| dpofstring              | \dpofstring {...}                                   |
| dummydigit              | \dummydigit   |
| dummyparameter          | \dummyparameter {...}                               |
| dunnelijn               | \dunnelijn  |
| dunnelijnen             | \dunnelijnen [..=..]                                |
| ETEX                    | \ETEX   |
| EveryLine               | \EveryLine {...}                                    |
| EveryPar                | \EveryPar {...}                                     |
| edefconvertedargument   | \edefconvertedargument \... {...}                   |
| eenheid:instance        | \UNIT {...}   |
| eenheid:instance:unit   | \unit {...}   |
| eenregel                | \eenregel [...]                                     |
| eerstesubpagina         | \eerstesubpagina                                    |
| efcmaxheight            | \efcmaxheight {...}                                 |
| efcmaxwidth             | \efcmaxwidth {...}                                  |
| efcminheight            | \efcminheight {...}                                 |
| efcminwidth             | \efcminwidth {...}                                  |
| efcparameter            | \efcparameter {...} {...}                           |
| effect                  | \effect [...] {...}                                 |
| elapsedseconds          | \elapsedseconds                                     |
| elapsedetime            | \elapsedetime                                       |
| em                      | \em   |
| emphasisboldface        | \emphasisboldface                                   |
| emphasistypeface        | \emphasistypeface                                   |
| emspace                 | \emspace  |
| enabledirectives        | \enabledirectives [...]                             |
| enableexperiments       | \enableexperiments [...]                            |
| enablemode              | \enablemode [...]                                   |
| enableoutputstream      | \enableoutputstream [...]                           |
| enableparpositions      | \enableparpositions                                 |
| enableregime            | \enableregime [...]                                 |
| enabletrackers          | \enabletrackers [...]                               |
| enskip                  | \enskip   |
| enspace                 | \enspace  |
| env                     | \env {...}  |
| envvar                  | \envvar {...} {...}                                 |
| epos                    | \epos {...}   |
| equaldigits             | \equaldigits {...}                                  |
| ergens                  | \ergens {...} {...} [...]                           |
| eTeX                    | \eTeX   |
| executeifdefined        | \executeifdefined {...} {...}                       |
| exitloop                | \exitloop   |
| exitloopnow             | \exitloopnow  |
| expandcheckedcsname     | \expandcheckedcsname \... {...} {...}               |
| expanded                | \expanded {...}                                     |
| expandeddoif            | \expandeddoif {...} {...} {...}                     |
| expandeddoifelse        | \expandeddoifelse {...} {...} {...} {...}           |
| expandeddoifnot         | \expandeddoifnot {...} {...} {...}                  |
| expandfontsynonym       | \expandfontsynonym \... {...}                       |
| expdoif                 | \expdoif {...} {...} {...}                          |
| expdoifcommonelse       | \expdoifcommonelse {...} {...} {...} {...}          |
| expdoifelse             | \expdoifelse {...} {...} {...} {...}                |

|                                   |  |
|-----------------------------------|--|
| expdoifelsecommon                 | \expdoifelsecommon {...} {...} {...} {...}   |
| expdoifelseinset                  | \expdoifelseinset {...} {...} {...} {...}  |
| expdoifinsetelse                  | \expdoifinsetelse {...} {...} {...} {...}  |
| expdoifnot                        | \expdoifnot {...} {...} {...}  |
| externalfigurecollectionmaxheight | \externalfigurecollectionmaxheight {...}   |
| externalfigurecollectionmaxwidth  | \externalfigurecollectionmaxwidth {...}  |
| externalfigurecollectionminheight | \externalfigurecollectionminheight {...}   |
| externalfigurecollectionminwidth  | \externalfigurecollectionminwidth {...}  |
| externalfigurecollectionparameter | \externalfigurecollectionparameter {...} {...}   |
| externfiguur                      | \externfiguur [...] [...] [..=..]  |
| fakebox                           | \fakebox ...   |
| fastdecrement                     | \fastdecrement \...  |
| fastincrement                     | \fastincrement \...  |
| fastlocalframed                   | \fastlocalframed [...] [..=..] {...}   |
| fastloopfinal                     | \fastloopfinal   |
| fastloopindex                     | \fastloopindex   |
| fastscale                         | \fastscale {...} {...}   |
| fastsetup                         | \fastsetup {...}   |
| fastsetupwithargument             | \fastsetupwithargument {...} {...}   |
| fastsetupwithargumentswapped      | \fastsetupwithargumentswapped {...} {...}  |
| fastswitchtobodyfont              | \fastswitchtobodyfont {...}  |
| fastxsxy                          | \fastxsxy {...} {...} {...}  |
| feature                           | \feature [...] [...]   |
| feature:direct                    | \feature {...} {...}   |
| fence                             | \fence   |
| fenced                            | \fenced [...] {...}  |
| fence:example                     | \FENCE {...}   |
| fetchhallmarkings                 | \fetchhallmarkings [...] [...]   |
| fetchhallmarks                    | \fetchhallmarks [...]  |
| fetchmark                         | \fetchmark [...] [...]   |
| fetchmarking                      | \fetchmarking [...] [...] [...]  |
| fetchonemark                      | \fetchonemark [...] [...]  |
| fetchonemarking                   | \fetchonemarking [...] [...] [...]   |
| fetchruntinecommand               | \fetchruntinecommand \... {...}  |
| fetchtwomarkings                  | \fetchtwomarkings [...] [...]  |
| fetchtwomarks                     | \fetchtwomarks [...]   |
| fieldbody                         | \fieldbody [...] [..=..]   |
| fifthoffivearguments              | \fifthoffivearguments {...} {...} {...} {...} {...}  |
| fifthofsixarguments               | \fifthofsixarguments {...} {...} {...} {...} {...} {...}   |
| figurefilename                    | \figurefilename  |
| figurefilepath                    | \figurefilepath  |
| figurefiletype                    | \figurefiletype  |
| figurefullname                    | \figurefullname  |
| figureheight                      | \figureheight  |
| figurenaturalheight               | \figurenaturalheight   |
| figurenaturalwidth                | \figurenaturalwidth  |
| figuresymbol                      | \figuresymbol [...] [..=..]  |
| figurewidth                       | \figurewidth   |
| filename                          | \filename {...}  |
| filledhboxb                       | \filledhboxb ... {...}   |
| filledhboxc                       | \filledhboxc ... {...}   |
| filledhboxg                       | \filledhboxg ... {...}   |
| filledhboxk                       | \filledhboxk ... {...}   |
| filledhboxm                       | \filledhboxm ... {...}   |
| filledhboxr                       | \filledhboxr ... {...}   |
| filledhboxy                       | \filledhboxy ... {...}   |
| filler                            | \filler [...]  |
| fillupto                          | \fillupto [...] {...}  |
| filterfromnext                    | \filterfromnext {...} {...} {...} {...} {...} {...} {...}  |
| filterfromvalue                   | \filterfromvalue {...} {...} { <sup>OPT</sup> ...} <sup>OPT</sup> <sup>OPT</sup> <sup>OPT</sup> <sup>OPT</sup> |
| filterpages                       | \filterpages [...] [...] [..=..]   |
| filterreference                   | \filterreference {...}   |
| findtwopassdata                   | \findtwopassdata {...} {...}   |
| finishregisterentry               | \finishregisterentry [...] [..=..] [..=..]   |
| firstcharacter                    | \firstcharacter  |
| firstcounter                      | \firstcounter [...] [...]  |
| firstcountervalue                 | \firstcountervalue [...]   |
| firstinlist                       | \firstinlist [...]   |
| firstoffivearguments              | \firstoffivearguments {...} {...} {...} {...} {...}  |
| firstoffourarguments              | \firstoffourarguments {...} {...} {...} {...}  |
| firstofoneargument                | \firstofoneargument {...}  |
| firstofoneunexpanded              | \firstofoneunexpanded {...}  |

|                              |   |
|------------------------------|---|
| firstofsixarguments          | \firstofsixarguments {...} {...} {...} {...} {...} {...}  |
| firstofthreearguments        | \firstofthreearguments {...} {...} {...}                  |
| firstofthreeunexpanded       | \firstofthreeunexpanded {...} {...} {...}                 |
| firstoftwoarguments          | \firstoftwoarguments {...} {...}                          |
| firstoftwounexpanded         | \firstoftwounexpanded {...} {...}                         |
| firstrealpage                | \firstrealpage  |
| firstrealpagenumber          | \firstrealpagenumber                                      |
| firstsubcountervalue         | \firstsubcountervalue [...] [...]                         |
| firstsubpagenumber           | \firstsubpagenumber                                       |
| firstuserpage                | \firstuserpage  |
| firstuserpagenumber          | \firstuserpagenumber                                      |
| fitfieldframed               | \fitfieldframed [..=..] {...}                             |
| fittopbaselinegrid           | \fittopbaselinegrid {...}                                 |
| flag                         | \flag {...}   |
| floatuserdataparameter       | \floatuserdataparameter {...}                             |
| flushbox                     | \flushbox {...} {...}                                     |
| flushboxregister             | \flushboxregister ...                                     |
| flushcollector               | \flushcollector [...]                                     |
| flushedrightlastline         | \flushedrightlastline                                     |
| flushlayer                   | \flushlayer [...]   |
| flushlocalfloats             | \flushlocalfloats   |
| flushnextbox                 | \flushnextbox   |
| flushnotes                   | \flushnotes   |
| flushoutputstream            | \flushoutputstream [...]                                  |
| flushshapebox                | \flushshapebox  |
| flushtextflow                | \flushtextflow {...}                                      |
| flushtokens                  | \flushtokens [...]  |
| flushtoks                    | \flushtoks \...   |
| fontalternative              | \fontalternative  |
| fontbody                     | \fontbody   |
| fontchar                     | \fontchar {...}   |
| fontcharbyindex              | \fontcharbyindex {...}                                    |
| fontclass                    | \fontclass  |
| fontclassname                | \fontclassname {...} {...}                                |
| fontface                     | \fontface   |
| fontfeaturelist              | \fontfeaturelist [...] [...]                              |
| fontsize                     | \fontsize   |
| fontstyle                    | \fontstyle  |
| forcecharacterstripping      | \forcecharacterstripping                                  |
| forcelocalfloats             | \forcelocalfloats   |
| forgeteverypar               | \forgeteverypar   |
| forgetparameters             | \forgetparameters [...] [..=..]                           |
| forgetparskip                | \forgetparskip  |
| forgetragged                 | \forgetragged   |
| formule                      | \formule [...] {...}                                      |
| formulenummer                | \formulenummer [...]                                      |
| foundbox                     | \foundbox {...} {...}                                     |
| fourthoffivearguments        | \fourthoffivearguments {...} {...} {...} {...} {...}      |
| fourthoffourarguments        | \fourthoffourarguments {...} {...} {...} {...}            |
| fourthofsixarguments         | \fourthofsixarguments {...} {...} {...} {...} {...} {...} |
| frameddimension              | \frameddimension {...}                                    |
| framedparameter              | \framedparameter {...}                                    |
| freezedimenmacro             | \freezedimenmacro \... \...                               |
| freezemeasure                | \freezemeasure [...] [...]                                |
| frenchspacing                | \frenchspacing  |
| fromlinenote                 | \fromlinenote [...] {...}                                 |
| frozenhbox                   | \frozenhbox {...}   |
| frule                        | \frule ... \relax   |
| GetPar                       | \GetPar   |
| GotoPar                      | \GotoPar  |
| Greeknumerals                | \Greeknumerals {...}                                      |
| gdefconvertedargument        | \gdefconvertedargument \... {...}                         |
| gdefconvertedcommand         | \gdefconvertedcommand \... \...                           |
| gebruikblokken               | \gebruikblokken [...] [...] [..=..]                       |
| gebruikexterndocument        | \gebruikexterndocument [...] [...] [...]                  |
| gebruikexternfiguur          | \gebruikexternfiguur [...] [...] [...] [..=..]            |
| gebruikexterngeluidsfragment | \gebruikexterngeluidsfragment [...] [...]                 |
| gebruikJSScripts             | \gebruikJSScripts [...] [...]                             |
| gebruikmodule                | \gebruikmodule [...] [...] [..=..]                        |
| gebruikpad                   | \gebruikpad [...]   |
| gebruiksymbolen              | \gebruiksymbolen [...]                                    |
| gebruiktypescript            | \gebruiktypescript [...] [...] [...]                      |

|                            |   |
|----------------------------|---|
| gebruiktypescriptfile      | \gebruiktypescriptfile [...]            |
| gebruikURL                 | \gebruikURL [...] [...] [...] [...]     |
| gebruikurl                 | \gebruikurl [...] [...] [...] [...]     |
| geenbovenenonderregels     | \geenbovenenonderregels                 |
| geenhoofdenvoetregels      | \geenhoofdenvoetregels                  |
| geenspatie                 | \geenspatie                             |
| getboxfromcache            | \getboxfromcache {...} {...} ...        |
| getboxllx                  | \getboxllx ...                          |
| getboxlly                  | \getboxlly ...                          |
| getbufferdata              | \getbufferdata [...]                    |
| getcommacommandsize        | \getcommacommandsize [...]              |
| getcommalistsize           | \getcommalistsize [...]                 |
| getdayoftheweek            | \getdayoftheweek {...} {...} {...}      |
| getdayspermonth            | \getdayspermonth {...} {...}            |
| getdefinedbuffer           | \getdefinedbuffer [...]                 |
| getdocumentargument        | \getdocumentargument {...}              |
| getdocumentargumentdefault | \getdocumentargumentdefault {...} {...} |
| getdocumentfilename        | \getdocumentfilename {...}              |
| getdummyparameters         | \getdummyparameters [..=..]             |
| getemptyparameters         | \getemptyparameters [...] [..=..]       |
| geteparameters             | \geteparameters [...] [..=..]           |
| getexpandedparameters      | \getexpandedparameters [...] [..=..]    |
| getfiguredimensions        | \getfiguredimensions [...] [..=..]      |
| getfirstcharacter          | \getfirstcharacter {...}                |
| getfirsttwopassdata        | \getfirsttwopassdata {...}              |
| getfromcommacommand        | \getfromcommacommand [...] [...]        |
| getfromcommalist           | \getfromcommalist [...] [...]           |
| getfromtwopassdata         | \getfromtwopassdata {...} {...}         |
| getglyphdirect             | \getglyphdirect {...} {...}             |
| getglyphstyled             | \getglyphstyled {...} {...}             |
| getgparameters             | \getgparameters [...] [..=..]           |
| getlasttwopassdata         | \getlasttwopassdata {...}               |
| getlocalfloat              | \getlocalfloat {...}                    |
| getlocalfloats             | \getlocalfloats                         |
| getMPdrawing               | \getMPdrawing                           |
| getMPlayer                 | \getMPlayer [...] [..=..] {...}         |
| getmessage                 | \getmessage {...} {...}                 |
| getnamedglyphdirect        | \getnamedglyphdirect {...} {...}        |
| getnamedglyphstyled        | \getnamedglyphstyled {...} {...}        |
| getnamedtwopassdatalist    | \getnamedtwopassdatalist \... {...}     |
| getnaturaldimensions       | \getnaturaldimensions ...               |
| getnoflines                | \getnoflines {...}                      |
| getobject                  | \getobject {...} {...}                  |
| getobjectdimensions        | \getobjectdimensions {...} {...}        |
| getpaletsize               | \getpaletsize [...]                     |
| getparameters              | \getparameters [...] [..=..]            |
| getprivatechar             | \getprivatechar {...}                   |
| getprivateslot             | \getprivateslot {...}                   |
| getrandomcount             | \getrandomcount \... {...} {...}        |
| getrandomdimen             | \getrandomdimen \... {...} {...}        |
| getrandomfloat             | \getrandomfloat \... {...} {...}        |
| getrandomnumber            | \getrandomnumber \... {...} {...}       |
| getrandomseed              | \getrandomseed \...                     |
| getraweparameters          | \getraweparameters [...] [..=..]        |
| getrawgparameters          | \getrawgparameters [...] [..=..]        |
| getrawnoflines             | \getrawnoflines {...}                   |
| getrawparameters           | \getrawparameters [...] [..=..]         |
| getrawxparameters          | \getrawxparameters [...] [..=..]        |
| getreference               | \getreference [...] [...]               |
| getreferenceentry          | \getreferenceentry {...}                |
| getroundednoflines         | \getroundednoflines {...}               |
| getsubstring               | \getsubstring {...} {...} {...}         |
| gettwopassdata             | \gettwopassdata {...}                   |
| gettwopassdatalist         | \gettwopassdatalist {...}               |
| getuvalue                  | \getuvalue {...}                        |
| getvalue                   | \getvalue {...}                         |
| getvariable                | \getvariable {...} {...}                |
| getvariabledefault         | \getvariabledefault {...} {...} {...}   |
| getxparameters             | \getxparameters [...] [..=..]           |
| globaldisablemode          | \globaldisablemode [...]                |
| globalenablemode           | \globalenablemode [...]                 |
| globalletempty             | \globalletempty \...                    |



|                           |  |
|---------------------------|--|
| globalpopbox              | \globalpopbox ...  |
| globalpopmacro            | \globalpopmacro \...   |
| globalpreventmode         | \globalpreventmode [...]   |
| globalprocesscommalist    | \globalprocesscommalist [...] \...   |
| globalpushbox             | \globalpushbox ...   |
| globalpushmacro           | \globalpushmacro \...  |
| globalpushreferenceprefix | \globalpushreferenceprefix {...} ... \globalpopreferenceprefix             |
| globalswapcounts          | \globalswapcounts \... \...  |
| globalswapdimens          | \globalswapdimens \... \...  |
| globalswapmacros          | \globalswapmacros \... \...  |
| globalundefine            | \globalundefine {...}  |
| glyphfontfile             | \glyphfontfile {...}   |
| gobbledoubleempty         | \gobbledoubleempty [...] [...]   |
| gobbleeightarguments      | \gobbleeightarguments {...} {...} {...} {...} {...} {...} {...} {...}      |
| gobblefivearguments       | \gobblefivearguments {...} {...} {...} {...} {...}                         |
| gobblefiveoptionals       | \gobblefiveoptionals [...] [...] [...] [...] [...]                         |
| gobblefourarguments       | \gobblefourarguments {...} {...} {...} {...}                               |
| gobblefouroptionals       | \gobblefouroptionals [...] [...] [...] [...]                               |
| gobbleninearguments       | \gobbleninearguments {...} {...} {...} {...} {...} {...} {...} {...} {...} |
| gobbleoneargument         | \gobbleoneargument {...}   |
| gobbleoneoptional         | \gobbleoneoptional [...]   |
| gobblesevenarguments      | \gobblesevenarguments {...} {...} {...} {...} {...} {...} {...}            |
| gobblesingleempty         | \gobblesingleempty [...]   |
| gobblesixarguments        | \gobblesixarguments {...} {...} {...} {...} {...} {...}                    |
| gobblespacetokens         | \gobblespacetokens   |
| gobbletenarguments        | \gobbletenarguments {...} {...} {...} {...} {...} {...} {...} {...} {...}  |
| gobblethreearguments      | \gobblethreearguments {...} {...} {...}                                    |
| gobblethreeoptionals      | \gobblethreeoptionals [...] [...] [...]                                    |
| gobbletwoarguments        | \gobbletwoarguments {...} {...}  |
| gobbletwooptionals        | \gobbletwooptionals [...] [...]  |
| gobbleuntil               | \gobbleuntil \...  |
| gobbleuntilrelax          | \gobbleuntilrelax ... \relax   |
| grabbufferdata            | \grabbufferdata [...] [...] [...] [...]                                    |
| grabbufferdatadirect      | \grabbufferdatadirect {...} {...} {...}                                    |
| grabuntil                 | \grabuntil {...} \...  |
| grave                     | \grave {...}   |
| grayvalue                 | \grayvalue {...}   |
| greedysplitstring         | \greedysplitstring ... \at ... \to \... \and \...                          |
| greeknumerals             | \greeknumerals {...}   |
| grijskleur                | \grijskleur [...] {...}  |
| groot                     | \groot ...   |
| grootkorps                | \grootkorps  |
| groter                    | \groter  |
| groupedcommand            | \groupedcommand {...} {...}  |
| gsetboxllx                | \gsetboxllx ... {...}  |
| gsetboxlly                | \gsetboxlly ... {...}  |
| gujaratinumerals          | \gujaratinumerals {...}  |
| gurmurkhinumerals         | \gurmurkhinumerals {...}   |
| haalbuffer                | \haalbuffer [...]  |
| haalbuffer:instance       | \haalBUFFER  |
| haalmarkering             | \haalmarkering [...] [...] [...]   |
| haarlijn                  | \haarlijn  |
| hairstyle                 | \hairstyle   |
| halflinestrut             | \halflinestrut   |
| halfstrut                 | \halfstrut   |
| halfwaybox                | \halfwaybox {...}  |
| handhaafblokken           | \handhaafblokken [...] [...]   |
| handletokens              | \handletokens ... \with \...   |
| handschrift               | \handschrift   |
| hash                      | \hash  |
| hat                       | \hat {...}   |
| hboxofvbox                | \hboxofvbox ...  |
| hboxreference             | \hboxreference [...] {...}   |
| hbox:example              | \hboxBOX {...}   |
| hdofstring                | \hdofstring {...}  |
| headhbox                  | \headhbox ... {...}  |
| headnumbercontent         | \headnumbercontent   |
| headnumberdistance        | \headnumberdistance  |
| headnumberwidth           | \headnumberwidth   |
| headreferenceattributes   | \headreferenceattributes   |
| headsetupspacing          | \headsetupspacing  |
| headtextcontent           | \headtextcontent   |

|                          |   |
|--------------------------|---|
| headtextdistance         | \headtextdistance                           |
| headtextwidth            | \headtextwidth                              |
| headvbox                 | \headvbox ... {...}                         |
| headwidth                | \headwidth                                  |
| heightanddepthofstring   | \heightanddepthofstring {...}               |
| heightofstring           | \heightofstring {...}                       |
| heightspanningtext       | \heightspanningtext {...} {...} {...}       |
| helptekst                | \helptekst [...] {...} {...}                |
| help:instance            | \HELP [...] {...} {...}                     |
| help:instance:helptext   | \helptext [...] {...} {...}                 |
| hglue                    | \hglue ...                                  |
| hiddencitation           | \hiddencitation [...]                       |
| hiddencite               | \hiddencite [...]                           |
| highlight                | \highlight [...] {...}                      |
| highlight:example        | \HIGHLIGHT {...}                            |
| highordinalstr           | \highordinalstr {...}                       |
| hilo                     | \hilo [...] {...} {...}                     |
| himilo                   | \himilo [...] {...} {...}                   |
| hl                       | \hl [...]                                   |
| hoofdtaal                | \hoofdtaal [...]                            |
| hoog                     | \hoog {...}                                 |
| hoog:instance            | \HIGH {...}                                 |
| hoog:instance:unitshigh  | \unitshigh {...}                            |
| horizontalgrowingbar     | \horizontalgrowingbar [..=..]               |
| horizontalpositionbar    | \horizontalpositionbar [..=..]              |
| hphantom                 | \hphantom {...}                             |
| hpos                     | \hpos [...] {...}                           |
| hsizefraction            | \hsizefraction [...] {...}                  |
| hsmash                   | \hsmash {...}                               |
| hsmashbox                | \hsmashbox ...                              |
| hsmashed                 | \hsmashed {...}                             |
| hspace                   | \hspace [...] [...]                         |
| htdpofstring             | \htdpofstring {...}                         |
| htofstring               | \htofstring {...}                           |
| huidigedatum             | \huidigedatum [...]                         |
| huidigekopnummer         | \huidigekopnummer                           |
| hyphen                   | \hyphen                                     |
| hyphenatedcoloredword    | \hyphenatedcoloredword {...}                |
| hyphenatedfile           | \hyphenatedfile {...}                       |
| hyphenatedfilename       | \hyphenatedfilename {...}                   |
| hyphenatedhbox           | \hyphenatedhbox {...}                       |
| hyphenatedpar            | \hyphenatedpar {...}                        |
| hyphenatedurl            | \hyphenatedurl {...}                        |
| hyphenatedword           | \hyphenatedword {...}                       |
| INRSTEX                  | \INRSTEX                                    |
| ibox                     | \ibox {...}                                 |
| ifassignment             | \ifassignment ... \else ... \fi             |
| iff                      | \iff  |
| ifinobject               | \ifinobject ... \else ... \fi               |
| ifinoutputstream         | \ifinoutputstream ... \else ... \fi         |
| ifparameters             | \ifparameters ... \else ... \fi             |
| iftrialtypesetting       | \iftrialtypesetting ... \else ... \fi       |
| ignoreimplicitspaces     | \ignoreimplicitspaces                       |
| ignoretagsinexport       | \ignoretagsinexport [...]                   |
| ignorevalue              | \ignorevalue {...}                          |
| immediatesavetwopassdata | \immediatesavetwopassdata [...] {...} {...} |
| impliedby                | \impliedby                                  |
| implies                  | \implies                                    |
| in                       | \in [...] {...} [...]                       |
| includemenu              | \includemenu [...]                          |
| includeversioninfo       | \includeversioninfo {...}                   |
| incrementcounter         | \incrementcounter [...] [...]               |
| incrementedcounter       | \incrementedcounter [...]                   |
| incrementpagenumber      | \incrementpagenumber                        |
| incrementsubpagenumber   | \incrementsubpagenumber                     |
| incrementvalue           | \incrementvalue {...}                       |
| indentation              | \indentation                                |
| infofont                 | \infofont                                   |
| infofontbold             | \infofontbold                               |
| inheritparameter         | \inheritparameter [...] [...] [...]         |
| inhibitblank             | \inhibitblank                               |
| initializeboxstack       | \initializeboxstack {...}                   |

|                                   |  |
|-----------------------------------|--|
| inlijnd                           | \inlijnd [..=..] {...}                             |
| inlinebuffer                      | \inlinebuffer [...]                                |
| inlinedbox                        | \inlinedbox {...}                                  |
| inlinemath                        | \inlinemath {...}                                  |
| inlinemathematics                 | \inlinemathematics {...}                           |
| inlinemessage                     | \inlinemessage {...}                               |
| inlineordisplaymath               | \inlineordisplaymath {...} {...}                   |
| inlineprettyprintbuffer           | \inlineprettyprintbuffer {...} {...}               |
| inlinerange                       | \inlinerange [...]                                 |
| innerflushshapebox                | \innerflushshapebox                                |
| input                             | \input {...}                                       |
| inputfilebarename                 | \inputfilebarename                                 |
| inputfilename                     | \inputfilename                                     |
| inputfilerealsuffix               | \inputfilerealsuffix                               |
| inputfilesuffix                   | \inputfilesuffix                                   |
| inputgivenfile                    | \inputgivenfile {...}                              |
| input:string                      | \input ...   |
| inregel                           | \inregel {...} [...]                               |
| insertpages                       | \insertpages [...] [...] [..=..]                   |
| installactionhandler              | \installactionhandler {...}                        |
| installactivecharacter            | \installactivecharacter ...                        |
| installanddefineactivecharacter   | \installanddefineactivecharacter ... {...}         |
| installattributestack             | \installattributestack \...                        |
| installautocommandhandler         | \installautocommandhandler \... {...} \...         |
| installautosetuphandler           | \installautosetuphandler \... {...}                |
| installbasicautosetuphandler      | \installbasicautosetuphandler \... {...} \...      |
| installbasicparameterhandler      | \installbasicparameterhandler \... {...}           |
| installbottomframerenderer        | \installbottomframerenderer {...} {...}            |
| installcommandhandler             | \installcommandhandler \... {...} \...             |
| installcorenamespace              | \installcorenamespace {...}                        |
| installdefinehandler              | \installdefinehandler \... {...} \...              |
| installdefinitionset              | \installdefinitionset \... {...}                   |
| installdefinitionsetmember        | \installdefinitionsetmember \... {...} \... {...}  |
| installdirectcommandhandler       | \installdirectcommandhandler \... {...}            |
| installdirectparameterhandler     | \installdirectparameterhandler \... {...}          |
| installdirectparametersethandler  | \installdirectparametersethandler \... {...}       |
| installdirectsetuphandler         | \installdirectsetuphandler \... {...}              |
| installdirectstyleandcolorhandler | \installdirectstyleandcolorhandler \... {...}      |
| installeertaal                    | \installeertaal [...] [..=..]                      |
| installeertaal:name               | \installeertaal [...] [...]                        |
| installframedautocommandhandler   | \installframedautocommandhandler \... {...} \...   |
| installframedcommandhandler       | \installframedcommandhandler \... {...} \...       |
| installglobalmacrostack           | \installglobalmacrostack \...                      |
| installleftframerenderer          | \installleftframerenderer {...} {...}              |
| installmacrostack                 | \installmacrostack \...                            |
| installnamespace                  | \installnamespace {...}                            |
| installoutputroutine              | \installoutputroutine \... {...}                   |
| installpagearrangement            | \installpagearrangement ... {...}                  |
| installparameterhandler           | \installparameterhandler \... {...}                |
| installparameterhashhandler       | \installparameterhashhandler \... {...}            |
| installparametersethandler        | \installparametersethandler \... {...}             |
| installparentinjector             | \installparentinjector \... {...}                  |
| installrightframerenderer         | \installrightframerenderer {...} {...}             |
| installrootparameterhandler       | \installrootparameterhandler \... {...}            |
| installsetuphandler               | \installsetuphandler \... {...}                    |
| installsetuponlycommandhandler    | \installsetuponlycommandhandler \... {...}         |
| installshipoutmethod              | \installshipoutmethod {...} {...}                  |
| installsimplecommandhandler       | \installsimplecommandhandler \... {...} \...       |
| installsimpleframedcommandhandler | \installsimpleframedcommandhandler \... {...} \... |
| installstyleandcolorhandler       | \installstyleandcolorhandler \... {...}            |
| installswitchcommandhandler       | \installswitchcommandhandler \... {...} \...       |
| installswitchsetuphandler         | \installswitchsetuphandler \... {...}              |
| installtexdirective               | \installtexdirective {...} {...} {...}             |
| installtextracker                 | \installtextracker {...} {...} {...}               |
| installtopframerenderer           | \installtopframerenderer {...} {...}               |
| installunitsseparator             | \installunitsseparator {...} {...}                 |
| installunitsspace                 | \installunitsspace {...} {...}                     |
| installversioninfo                | \installversioninfo {...} {...}                    |
| integerrounding                   | \integerrounding {...}                             |
| interactiebalk                    | \interactiebalk [...] [..=..]                      |
| interactiebuttons                 | \interactiebuttons [..=..] [...]                   |
| interactiemenu                    | \interactiemenu [...] [..=..]                      |

|                                  |                                    |
|----------------------------------|------------------------------------|
| intertext                        | \intertext {...}                   |
| invokepagehandler                | \invokepagehandler {...} {...}     |
| invullijnen                      | \invullijnen [..=..] {...} {...}   |
| invulregel                       | \invulregel [..=..]                |
| invultekst                       | \invultekst [..=..] {...} {...}    |
| istltdir                         | \istltdir ...                      |
| istrtdir                         | \istrtdir ...                      |
| italic                           | \italic                            |
| italiccorrection                 | \italiccorrection                  |
| italicface                       | \italicface                        |
| italicvet                        | \italicvet                         |
| items                            | \items [..=..] {...}               |
| itemtag                          | \itemtag [...]                     |
| jobfilename                      | \jobfilename                       |
| jobfilesuffix                    | \jobfilesuffix                     |
| Kap                              | \Kap {...}                         |
| kadertekst:instance              | \FRAMEDTEXT [..=..] {...}          |
| kadertekst:instance:framedtext   | \framedtext [..=..] {...}          |
| kap                              | \kap {...}                         |
| keeplinestogether                | \keeplinestogether {...}           |
| keepunwantedspaces               | \keepunwantedspaces                |
| kerncharacters                   | \kerncharacters [...] {...}        |
| klein                            | \klein                             |
| kleiner                          | \kleiner                           |
| kleinitalicvet                   | \kleinitalicvet                    |
| kleinkorps                       | \kleinkorps                        |
| kleinnormaal                     | \kleinnormaal                      |
| kleinschuin                      | \kleinschuin                       |
| kleinschuinvet                   | \kleinschuinvet                    |
| kleintype                        | \kleintype                         |
| kleinvet                         | \kleinvet                          |
| kleinvetitalic                   | \kleinvetitalic                    |
| kleinvetschuin                   | \kleinvetschuin                    |
| kleur                            | \kleur [...] {...}                 |
| kleurenbalk                      | \kleurenbalk [...]                 |
| kleurwaarde                      | \kleurwaarde {...}                 |
| kloonveld                        | \kloonveld [...] [...] [...] [...] |
| kolom                            | \kolom [...]                       |
| kopnummer                        | \kopnummer [...] [...]             |
| koreancirclemn timers            | \koreancirclemn timers {...}       |
| koreannumerals                   | \koreannumerals {...}              |
| koreannumeralsc                  | \koreannumeralsc {...}             |
| koreannumeralsp                  | \koreannumeralsp {...}             |
| koreanparentnumerals             | \koreanparentnumerals {...}        |
| LAMSTEX                          | \LAMSTEX                           |
| LATEX                            | \LATEX                             |
| LamSTeX                          | \LamSTeX                           |
| LaTeX                            | \LaTeX                             |
| Letter                           | \Letter {...}                      |
| Letters                          | \Letters {...}                     |
| LUAJITTEX                        | \LUAJITTEX                         |
| LUATEX                           | \LUATEX                            |
| Lua                              | \Lua                               |
| LuajitTeX                        | \LuajitTeX                         |
| LuaTeX                           | \LuaTeX                            |
| laag                             | \laag {...}                        |
| laag:instance                    | \LOW {...}                         |
| laag:instance:unitslow           | \unitslow {...}                    |
| laatstesubpagina                 | \laatstesubpagina                  |
| labellanguage:instance           | \LABELtaal                         |
| labellanguage:instance:btxlabel  | \btxlabeltaal                      |
| labellanguage:instance:head      | \headtaal                          |
| labellanguage:instance:label     | \labeltaal                         |
| labellanguage:instance:mathlabel | \mathlabeltaal                     |
| labellanguage:instance:operator  | \operatorortaal                    |
| labellanguage:instance:prefix    | \prefixtaal                        |
| labellanguage:instance:suffix    | \suffixtaal                        |
| labellanguage:instance:taglabel  | \taglabeltaal                      |
| labellanguage:instance:unit      | \unittaal                          |
| labeltekst:instance              | \LABELtekst {...}                  |
| labeltekst:instance:btxlabel     | \btxlabeltekst {...}               |
| labeltekst:instance:head         | \headtekst {...}                   |

|                                  |   |
|----------------------------------|---|
| labeltekst:instance:label        | \labeltekst {...}   |
| labeltekst:instance:mathlabel    | \mathlabeltekst {...}   |
| labeltekst:instance:operator     | \operatorortekst {...}  |
| labeltekst:instance:prefix       | \prefixtekst {...}  |
| labeltekst:instance:suffix       | \suffixtekst {...}  |
| labeltekst:instance:taglabel     | \taglabeltekst {...}  |
| labeltekst:instance:unit         | \unittekst {...}  |
| labeltexts:instance              | \LABELtexts {...} {...}   |
| labeltexts:instance:head         | \headtexts {...} {...}  |
| labeltexts:instance:label        | \labeltexts {...} {...}   |
| labeltexts:instance:mathlabel    | \mathlabeltexts {...} {...}                                     |
| label:example                    | \LABEL [...] {...}  |
| laho                             | \laho [...] {...} {...}   |
| languageCharacters               | \languageCharacters {...}                                       |
| languagecharacters               | \languagecharacters {...}                                       |
| languagecharwidth                | \languagecharwidth {...}  |
| lastcounter                      | \lastcounter [...] [...]  |
| lastcountervalue                 | \lastcountervalue [...]   |
| lastdigit                        | \lastdigit {...}  |
| lastlinewidth                    | \lastlinewidth  |
| lastnaturalboxdp                 | \lastnaturalboxdp   |
| lastnaturalboxht                 | \lastnaturalboxht   |
| lastnaturalboxwd                 | \lastnaturalboxwd   |
| lastpredefinedsymbol             | \lastpredefinedsymbol   |
| lastrealpage                     | \lastrealpage   |
| lastrealpagenumber               | \lastrealpagenumber   |
| lastsubcountervalue              | \lastsubcountervalue [...] [...]                                |
| lastsubpagenumber                | \lastsubpagenumber  |
| lasttwodigits                    | \lasttwodigits {...}  |
| lastuserpage                     | \lastuserpage   |
| lastuserpagenumber               | \lastuserpagenumber   |
| lateluacode                      | \lateluacode {...}  |
| layeredtext                      | \layeredtext [..=..] [..=..] {...} {...}                        |
| layerheight                      | \layerheight  |
| layerwidth                       | \layerwidth   |
| lazysavetaggedtwopassdata        | \lazysavetaggedtwopassdata {...} {...} {...} {...}              |
| lazysavetwopassdata              | \lazysavetwopassdata {...} {...} {...}                          |
| lbox                             | \lbox ... {...}   |
| leftbottombox                    | \leftbottombox {...}  |
| leftbox                          | \leftbox {...}  |
| lefthbox                         | \lefthbox {...}   |
| leftlabeltext:instance           | \leftLABELtekst {...}   |
| leftlabeltext:instance:head      | \leftheadtekst {...}  |
| leftlabeltext:instance:label     | \leftlabeltekst {...}   |
| leftlabeltext:instance:mathlabel | \leftmathlabeltekst {...}                                       |
| leftline                         | \leftline {...}   |
| lefttorrighthbox                 | \lefttorrighthbox ... {...}                                     |
| lefttorrightvbox                 | \lefttorrightvbox ... {...}                                     |
| lefttorrightvtop                 | \lefttorrightvtop ... {...}                                     |
| leftskipadaption                 | \leftskipadaption   |
| leftsubguillemot                 | \leftsubguillemot   |
| lefttopbox                       | \lefttopbox {...}   |
| lefttoright                      | \lefttoright  |
| lefttorrighthbox                 | \lefttorrighthbox ... {...}                                     |
| lefttorrightvbox                 | \lefttorrightvbox ... {...}                                     |
| lefttorrightvtop                 | \lefttorrightvtop ... {...}                                     |
| legeregels                       | \legeregels [...]   |
| letbeundefined                   | \letbeundefined {...}   |
| letcatcodecommand                | \letcatcodecommand \... \... \...                               |
| letcscsname                      | \letcscsname \... \csname ... \endcsname                        |
| letcsnameecs                     | \letcsnameecs \csname ... \endcsname \...                       |
| letcsnameecsname                 | \letcsnameecsname \csname ... \endcsname \csname ... \endcsname |
| letdummyparameter                | \letdummyparameter {...} \...                                   |
| letempty                         | \letempty \...  |
| letgvalue                        | \letgvalue {...} \...   |
| letgvalueempty                   | \letgvalueempty {...}   |
| letgvalurelax                    | \letgvalurelax {...}  |
| letter                           | \letter {...}   |
| letterampersand                  | \letterampersand  |
| letterat                         | \letterat   |
| letterbackslash                  | \letterbackslash  |
| letterbar                        | \letterbar  |

|                          |  |
|--------------------------|--|
| letterbgroup             | \letterbgroup                                |
| letterclosebrace         | \letterclosebrace                            |
| lettercolon              | \lettercolon                                 |
| letterdollar             | \letterdollar                                |
| letterdoublequote        | \letterdoublequote                           |
| letteregroup             | \letteregroup                                |
| letterescape             | \letterescape                                |
| letterexclamationmark    | \letterexclamationmark                       |
| letterhash               | \letterhash                                  |
| letterhat                | \letterhat                                   |
| letterleftbrace          | \letterleftbrace                             |
| letterleftbracket        | \letterleftbracket                           |
| letterleftparenthesis    | \letterleftparenthesis                       |
| letterless               | \letterless                                  |
| lettermore               | \lettermore                                  |
| letteropenbrace          | \letteropenbrace                             |
| letterpercent            | \letterpercent                               |
| letterquestionmark       | \letterquestionmark                          |
| letterrightbrace         | \letterrightbrace                            |
| letterrightbracket       | \letterrightbracket                          |
| letterrightparenthesis   | \letterrightparenthesis                      |
| letters                  | \letters {...}                               |
| lettersinglequote        | \lettersinglequote                           |
| letterslash              | \letterslash                                 |
| letterspacing            | \letterspacing [...] {...}                   |
| lettertilde              | \lettertilde                                 |
| letterunderscore         | \letterunderscore                            |
| letvalue                 | \letvalue {...} \...                         |
| letvalueempty            | \letvalueempty {...}                         |
| letvaluerelax            | \letvaluerelax {...}                         |
| lfence                   | \lfence {...}                                |
| lhbox                    | \lhbox {...}                                 |
| lijndikte                | \lijndikte                                   |
| lijstlengte              | \lijstlengte                                 |
| limitatefirstline        | \limitatefirstline {...} {...} {...}         |
| limitatelines            | \limitatelines {...} {...} {...}             |
| limitatetext             | \limitatetext {...} {...} {...}              |
| limitatetext:list        | \limitatetext {...} {...} {...}              |
| linebox                  | \linebox {...}                               |
| linespanningtext         | \linespanningtext {...} {...} {...}          |
| links                    | \links ...                                   |
| listcitation             | \listcitation [..=..] [...]                  |
| listcitation:alternative | \listcitation [...] [...]                    |
| listcitation:userdata    | \listcitation [..=..] [..=..]                |
| listcite                 | \listcite [..=..] [...]                      |
| listcite:alternative     | \listcite [...] [...]                        |
| listcite:userdata        | \listcite [..=..] [..=..]                    |
| listnamespaces           | \listnamespaces                              |
| llap                     | \llap {...}                                  |
| loadanyfile              | \loadanyfile [...]                           |
| loadanyfileonce          | \loadanyfileonce [...]                       |
| loadbtxdefinitionfile    | \loadbtxdefinitionfile [...]                 |
| loadbtxreplacementfile   | \loadbtxreplacementfile [...]                |
| loadcldfile              | \loadcldfile [...]                           |
| loadcldfileonce          | \loadcldfileonce [...]                       |
| loadfontgoodies          | \loadfontgoodies [...]                       |
| loadluafile              | \loadluafile [...]                           |
| loadluafileonce          | \loadluafileonce [...]                       |
| loadspellchecklist       | \loadspellchecklist [...] [...]              |
| loadtexfile              | \loadtexfile [...]                           |
| loadtexfileonce          | \loadtexfileonce [...]                       |
| loadtypescriptfile       | \loadtypescriptfile [...]                    |
| localframed              | \localframed [...] [..=..] {...}             |
| localframedwithsettings  | \localframedwithsettings [...] [..=..] {...} |
| localhsize               | \localhsize                                  |
| localpopbox              | \localpopbox ...                             |
| localpopmacro            | \localpopmacro \...                          |
| localpushbox             | \localpushbox ...                            |
| localpushmacro           | \localpushmacro \...                         |
| localundefine            | \localundefine {...}                         |
| locatedfilepath          | \locatedfilepath                             |
| locatefilepath           | \locatefilepath {...}                        |

|                            |                                       |
|----------------------------|---------------------------------------|
| locfilename                | \locfilename {...}                    |
| lomihi                     | \lomihi {...} {...} {...}             |
| lowerbox                   | \lowerbox {...} \... {...}            |
| lowercased                 | \lowercased {...}                     |
| lowercasestring            | \lowercasestring ... \to \...         |
| lowerlefthdoubleninequote  | \lowerlefthdoubleninequote            |
| lowerleftsingleninequote   | \lowerleftsingleninequote             |
| lowerrighthdoubleninequote | \lowerrighthdoubleninequote           |
| lowerrightsingleninequote  | \lowerrightsingleninequote            |
| lowhigh:instance           | \LOWHIGH [...] {...} {...}            |
| lowmidhigh:instance        | \LOWMIDHIGH {...} {...} {...}         |
| lrtbbox                    | \lrbbox {...} {...} {...} {...} {...} |
| ltop                       | \ltop ... {...}                       |
| luacode                    | \luacode {...}                        |
| luaconditional             | \luaconditional \...                  |
| luaenvironment             | \luaenvironment ...                   |
| luaexpanded                | \luaexpanded {...}                    |
| luaexpr                    | \luaexpr {...}                        |
| luafunction                | \luafunction {...}                    |
| luajitTeX                  | \luajitTeX                            |
| luamajorversion            | \luamajorversion                      |
| luaminorversion            | \luaminorversion                      |
| luaparameterset            | \luaparameterset {...} {...}          |
| luasetup                   | \luasetup {...}                       |
| luaTeX                     | \luaTeX                               |
| luaversion                 | \luaversion                           |
| MAAND                      | \MAAND {...}                          |
| METAFONT                   | \METAFONT                             |
| METAFUN                    | \METAFUN                              |
| METAPOST                   | \METAPOST                             |
| MetaFont                   | \MetaFont                             |
| MetaFun                    | \MetaFun                              |
| MetaPost                   | \MetaPost                             |
| MKII                       | \MKII                                 |
| MKIV                       | \MKIV                                 |
| MKIX                       | \MKIX                                 |
| MKVI                       | \MKVI                                 |
| MKXI                       | \MKXI                                 |
| MONTHLONG                  | \MONTHLONG {...}                      |
| MONTHSHORT                 | \MONTHSHORT {...}                     |
| MPanchor                   | \MPanchor {...}                       |
| MPbetex                    | \MPbetex {...}                        |
| MPc                        | \MPc {...}                            |
| MPcode                     | \MPcode {...} {...}                   |
| MPcolor                    | \MPcolor {...}                        |
| MPcoloronly                | \MPcoloronly {...}                    |
| MPcolumn                   | \MPcolumn {...}                       |
| MPd                        | \MPd {...}                            |
| MPdrawing                  | \MPdrawing {...}                      |
| MPfontsizehskip            | \MPfontsizehskip {...}                |
| MPgetmultipars             | \MPgetmultipars {...} {...}           |
| MPgetmultishape            | \MPgetmultishape {...} {...}          |
| MPgetposboxes              | \MPgetposboxes {...} {...}            |
| MPh                        | \MPh {...}                            |
| MPII                       | \MPII                                 |
| MPIV                       | \MPIV                                 |
| MPinclusions               | \MPinclusions [...] {...} {...}       |
| MPlleftskip                | \MPlleftskip {...}                    |
| MPl1                       | \MPl1 {...}                           |
| MPlr                       | \MPlr {...}                           |
| MPls                       | \MPls {...}                           |
| MPmenubuttons              | \MPmenubuttons {...}                  |
| MPn                        | \MPn {...}                            |
| MPOptions                  | \MPOptions {...}                      |
| MPOverlayanchor            | \MPOverlayanchor {...}                |
| MPp                        | \MPp {...}                            |
| MPpage                     | \MPpage {...}                         |
| MPpardata                  | \MPpardata {...}                      |
| MPplus                     | \MPplus {...} {...} {...}             |
| MPpos                      | \MPpos {...}                          |
| MPpositiongraphic          | \MPpositiongraphic {...} {..=..}      |
| MPposset                   | \MPposset {...}                       |

|   |   |
|---|---|
| MPr   | \MPr {...}                              |
| MPrawvar  | \MPrawvar {...} {...}                   |
| MPregion  | \MPregion {...}                         |
| MPrest  | \MPrest {...} {...}                     |
| MPrightskip   | \MPrightskip {...}                      |
| MPrs  | \MPrs {...}                             |
| MPstring  | \MPstring {...}                         |
| MPtext  | \MPtext {...}                           |
| MPtransparency  | \MPtransparency {...}                   |
| MPul  | \MPul {...}                             |
| MPur  | \MPur {...}                             |
| MPVI  | \MPVI                                   |
| MPv   | \MPv {...} {...} {...}                  |
| MPvar   | \MPvar {...}                            |
| MPvariable  | \MPvariable {...}                       |
| MPvv  | \MPvv {...} {...}                       |
| MPw   | \MPw {...}                              |
| MPwhd   | \MPwhd {...}                            |
| MPx   | \MPx {...}                              |
| MPxy  | \MPxy {...}                             |
| MPxywhd   | \MPxywhd {...}                          |
| MPy   | \MPy {...}                              |
| m   | \m [...] {...}                          |
| maand   | \maand {...}                            |
| makecharacteractive                                   | \makecharacteractive ...                |
| makerawcommalist                                      | \makerawcommalist [...] \...            |
| makestrutofbox  | \makestrutofbox ...                     |
| mapfontsize   | \mapfontsize [...] [...]                |
| margindata  | \margindata [...] [..=..] [..=..] {...} |
| margindata:instance                                   | \MARGINDATA [..=..] [..=..] {...}       |
| margindata:instance:atleftmargin                      | \atleftmargin [..=..] [..=..] {...}     |
| margindata:instance:atrighmargin                      | \atrighmargin [..=..] [..=..] {...}     |
| margindata:instance:ininner                           | \ininner [..=..] [..=..] {...}          |
| margindata:instance:ininneredge                       | \ininneredge [..=..] [..=..] {...}      |
| margindata:instance:ininnermargin                     | \ininnermargin [..=..] [..=..] {...}    |
| margindata:instance:inleft                            | \inleft [..=..] [..=..] {...}           |
| margindata:instance:inleftedge                        | \inleftedge [..=..] [..=..] {...}       |
| margindata:instance:inleftmargin                      | \inleftmargin [..=..] [..=..] {...}     |
| margindata:instance:inmargin                          | \inmargin [..=..] [..=..] {...}         |
| margindata:instance:inoth                             | \inoth [..=..] [..=..] {...}            |
| margindata:instance:inouter                           | \inouter [..=..] [..=..] {...}          |
| margindata:instance:inouteredge                       | \inouteredge [..=..] [..=..] {...}      |
| margindata:instance:inoutermargin                     | \inoutermargin [..=..] [..=..] {...}    |
| margindata:instance:inright                           | \inright [..=..] [..=..] {...}          |
| margindata:instance:inrightedge                       | \inrightedge [..=..] [..=..] {...}      |
| margindata:instance:inrightmargin                     | \inrightmargin [..=..] [..=..] {...}    |
| margindata:instance:margintext                        | \margintext [..=..] [..=..] {...}       |
| markcontent   | \markcontent [...] {...}                |
| markedpages   | \markedpages [...]                      |
| markeer   | \markeer (...,...) (...,...) [...]      |
| markinjector  | \markinjector [...]                     |
| markpage  | \markpage [...] [...]                   |
| mat   | \mat {...}                              |
| math  | \math [...] {...}                       |
| mathbf  | \mathbf                                 |
| mathbi  | \mathbi                                 |
| mathblackboard  | \mathblackboard                         |
| mathbs  | \mathbs                                 |
| mathcommand:example                                   | \MATHCOMMAND {...} {...}                |
| mathdefault   | \mathdefault                            |
| mathdouble  | \mathdouble [...] {...} {...} {...}     |
| mathdoubleextensible:instance                         | \MATHDOUBLEEXTENSIBLE {...} {...}       |
| mathdoubleextensible:instance:doublebar               | \doublebar {...} {...}                  |
| mathdoubleextensible:instance:doublebrace             | \doublebrace {...} {...}                |
| mathdoubleextensible:instance:doublebracket           | \doublebracket {...} {...}              |
| mathdoubleextensible:instance:doubleparent            | \doubleparent {...} {...}               |
| mathdoubleextensible:instance:overbarunderbar         | \overbarunderbar {...} {...}            |
| mathdoubleextensible:instance:overbraceunderbrace     | \overbraceunderbrace {...} {...}        |
| mathdoubleextensible:instance:overbracketunderbracket | \overbracketunderbracket {...} {...}    |
| mathdoubleextensible:instance:overparentunderparent   | \overparentunderparent {...} {...}      |
| mathextensible:instance                               | \MATHEXTENSIBLE {...} {...}             |
| mathextensible:instance:cleftarrow                    | \cleftarrow {...} {...}                 |



|  |  |
|--|--|
| mathextensible:instance:crightarrow            | $\rightarrow \{...\} \{...\}$                  |
| mathextensible:instance:crightoverleftarrow    | $\overrightarrow{\leftarrow \{...\} \{...\}}$  |
| mathextensible:instance:eleftarrowfill         | $\leftarrowfill \{...\} \{...\}$               |
| mathextensible:instance:eleftharpoondownfill   | $\leftharpoondownfill \{...\} \{...\}$         |
| mathextensible:instance:eleftharpoonupfill     | $\leftharpoonupfill \{...\} \{...\}$           |
| mathextensible:instance:eleftrightarrowfill    | $\leftrightharpoonupfill \{...\} \{...\}$      |
| mathextensible:instance:eoverbarfill           | $\overbarfill \{...\} \{...\}$                 |
| mathextensible:instance:eoverbracefill         | $\overbracefill \{...\} \{...\}$               |
| mathextensible:instance:eoverbracketfill       | $\overbracketfill \{...\} \{...\}$             |
| mathextensible:instance:eoverparentfill        | $\overparentfill \{...\} \{...\}$              |
| mathextensible:instance:erightarrowfill        | $\rightarrowfill \{...\} \{...\}$              |
| mathextensible:instance:erightharpoondownfill  | $\rightharpoondownfill \{...\} \{...\}$        |
| mathextensible:instance:erightharpoonupfill    | $\rightharpoonupfill \{...\} \{...\}$          |
| mathextensible:instance:etwoheadrightarrowfill | $\twoheadrightarrowfill \{...\} \{...\}$       |
| mathextensible:instance:eunderbarfill          | $\underbarfill \{...\} \{...\}$                |
| mathextensible:instance:eunderbracefill        | $\underbracefill \{...\} \{...\}$              |
| mathextensible:instance:eunderbracketfill      | $\underbracketfill \{...\} \{...\}$            |
| mathextensible:instance:eunderparentfill       | $\underparentfill \{...\} \{...\}$             |
| mathextensible:instance:mequal                 | $\mequal \{...\} \{...\}$                      |
| mathextensible:instance:mhookleftarrow         | $\hookleftarrow \{...\} \{...\}$               |
| mathextensible:instance:mhookrightarrow        | $\hookrightarrow \{...\} \{...\}$              |
| mathextensible:instance:mLeftarrow             | $\Leftarrow \{...\} \{...\}$                   |
| mathextensible:instance:mLeftrightarrow        | $\Leftrightarrow \{...\} \{...\}$              |
| mathextensible:instance:mleftarrow             | $\leftarrow \{...\} \{...\}$                   |
| mathextensible:instance:mleftharpoondown       | $\leftharpoondown \{...\} \{...\}$             |
| mathextensible:instance:mleftharpoonup         | $\leftharpoonup \{...\} \{...\}$               |
| mathextensible:instance:mleftrightharpoonup    | $\leftrightharpoonup \{...\} \{...\}$          |
| mathextensible:instance:mleftrightharpoons     | $\leftrightharpoons \{...\} \{...\}$           |
| mathextensible:instance:mmapsto                | $\mapsto \{...\} \{...\}$                      |
| mathextensible:instance:mRrightarrow           | $\Rrightarrow \{...\} \{...\}$                 |
| mathextensible:instance:mrel                   | $\mrel \{...\} \{...\}$                        |
| mathextensible:instance:mrightarrow            | $\rightarrow \{...\} \{...\}$                  |
| mathextensible:instance:mrightarpoondown       | $\rightharpoondown \{...\} \{...\}$            |
| mathextensible:instance:mrightarpoonup         | $\rightharpoonup \{...\} \{...\}$              |
| mathextensible:instance:mrightleftharpoons     | $\rightleftharpoons \{...\} \{...\}$           |
| mathextensible:instance:mrightoverleftarrow    | $\overrightarrow{\rightarrow \{...\} \{...\}}$ |
| mathextensible:instance:mtriplerel             | $\triplerel \{...\} \{...\}$                   |
| mathextensible:instance:mtwoheadleftarrow      | $\twoheadleftarrow \{...\} \{...\}$            |
| mathextensible:instance:mtwoheadrightarrow     | $\twoheadrightarrow \{...\} \{...\}$           |
| mathextensible:instance:tequal                 | $\tequal \{...\} \{...\}$                      |
| mathextensible:instance:thookleftarrow         | $\thookleftarrow \{...\} \{...\}$              |
| mathextensible:instance:thookrightarrow        | $\thookrightarrow \{...\} \{...\}$             |
| mathextensible:instance:tLeftarrow             | $\Leftarrow \{...\} \{...\}$                   |
| mathextensible:instance:tLeftrightarrow        | $\Leftrightarrow \{...\} \{...\}$              |
| mathextensible:instance:tleftarrow             | $\leftarrow \{...\} \{...\}$                   |
| mathextensible:instance:tleftharpoondown       | $\leftharpoondown \{...\} \{...\}$             |
| mathextensible:instance:tleftharpoonup         | $\leftharpoonup \{...\} \{...\}$               |
| mathextensible:instance:tleftrightharpoonup    | $\leftrightharpoonup \{...\} \{...\}$          |
| mathextensible:instance:tleftrightharpoons     | $\leftrightharpoons \{...\} \{...\}$           |
| mathextensible:instance:tmapsto                | $\mapsto \{...\} \{...\}$                      |
| mathextensible:instance:tRrightarrow           | $\Rrightarrow \{...\} \{...\}$                 |
| mathextensible:instance:trel                   | $\trel \{...\} \{...\}$                        |
| mathextensible:instance:trightarrow            | $\rightarrow \{...\} \{...\}$                  |
| mathextensible:instance:trightharpoondown      | $\rightharpoondown \{...\} \{...\}$            |
| mathextensible:instance:trightharpoonup        | $\rightharpoonup \{...\} \{...\}$              |
| mathextensible:instance:trightleftharpoons     | $\rightleftharpoons \{...\} \{...\}$           |
| mathextensible:instance:trightoverleftarrow    | $\overrightarrow{\rightarrow \{...\} \{...\}}$ |
| mathextensible:instance:ttriplerel             | $\triplerel \{...\} \{...\}$                   |
| mathextensible:instance:ttwoheadleftarrow      | $\twoheadleftarrow \{...\} \{...\}$            |
| mathextensible:instance:ttwoheadrightarrow     | $\twoheadrightarrow \{...\} \{...\}$           |
| mathextensible:instance:xequal                 | $\xequal \{...\} \{...\}$                      |
| mathextensible:instance:xhookleftarrow         | $\hookleftarrow \{...\} \{...\}$               |
| mathextensible:instance:xhookrightarrow        | $\hookrightarrow \{...\} \{...\}$              |
| mathextensible:instance:xLeftarrow             | $\Leftarrow \{...\} \{...\}$                   |
| mathextensible:instance:xLeftrightarrow        | $\Leftrightarrow \{...\} \{...\}$              |
| mathextensible:instance:xleftarrow             | $\leftarrow \{...\} \{...\}$                   |
| mathextensible:instance:xleftharpoondown       | $\leftharpoondown \{...\} \{...\}$             |
| mathextensible:instance:xleftharpoonup         | $\leftharpoonup \{...\} \{...\}$               |
| mathextensible:instance:xleftrightharpoonup    | $\leftrightharpoonup \{...\} \{...\}$          |
| mathextensible:instance:xleftrightharpoons     | $\leftrightharpoons \{...\} \{...\}$           |
| mathextensible:instance:xmapsto                | $\mapsto \{...\} \{...\}$                      |
| mathextensible:instance:xRrightarrow           | $\Rrightarrow \{...\} \{...\}$                 |

|  |  |
|--|--|
| mathextensible:instance:xrel                       | <code>\xrel {...} {...}</code>                       |
| mathextensible:instance:xrightarrow                | <code>\xrightarrow {...} {...}</code>                |
| mathextensible:instance:xrightharpoondown          | <code>\xrightharpoondown {...} {...}</code>          |
| mathextensible:instance:xrightharpoonup            | <code>\xrightharpoonup {...} {...}</code>            |
| mathextensible:instance:xrightleftharpoons         | <code>\xrightleftharpoons {...} {...}</code>         |
| mathextensible:instance:xrightharpoonoverleftarrow | <code>\xrightharpoonoverleftarrow {...} {...}</code> |
| mathextensible:instance:xtriplerel                 | <code>\xtriplerel {...} {...}</code>                 |
| mathextensible:instance:xtwoheadleftarrow          | <code>\xtwoheadleftarrow {...} {...}</code>          |
| mathextensible:instance:xtwoheadrightarrow         | <code>\xtwoheadrightarrow {...} {...}</code>         |
| mathfraktur  | <code>\mathfraktur</code>                            |
| mathframed:instance                                | <code>\MATHFRAMED [..=..] {...}</code>               |
| mathframed:instance:inmframed                      | <code>\inmframed [..=..] {...}</code>                |
| mathframed:instance:mcfamed                        | <code>\mcfamed [..=..] {...}</code>                  |
| mathframed:instance:mframed                        | <code>\mframed [..=..] {...}</code>                  |
| mathfunction                                       | <code>\mathfunction {...}</code>                     |
| mathit   | <code>\mathit</code>                                 |
| mathitalic   | <code>\mathitalic</code>                             |
| mathop   | <code>\mathop {...}</code>                           |
| mathornament:example                               | <code>\MATHORNAMENT {...}</code>                     |
| mathover   | <code>\mathover [...] {...} {...}</code>             |
| mathoverextensible:example                         | <code>\MATHOVEREXTENSIBLE {...}</code>               |
| mathovertexttextextensible:instance                | <code>\MATHOVERTEXTTEXTENSIBLE {...} {...}</code>    |
| mathradical:example                                | <code>\MATHRADICAL [...] {...}</code>                |
| mathrm   | <code>\mathrm</code>                                 |
| mathscript   | <code>\mathscript</code>                             |
| mathsl   | <code>\mathsl</code>                                 |
| mathss   | <code>\mathss</code>                                 |
| mathtext   | <code>\mathtext ... {...}</code>                     |
| mathtextbf   | <code>\mathtextbf ... {...}</code>                   |
| mathtextbi   | <code>\mathtextbi ... {...}</code>                   |
| mathtextbs   | <code>\mathtextbs ... {...}</code>                   |
| mathtextit   | <code>\mathtextit ... {...}</code>                   |
| mathtextsl   | <code>\mathtextsl ... {...}</code>                   |
| mathtexttf   | <code>\mathtexttf ... {...}</code>                   |
| mathtf   | <code>\mathtf</code>                                 |
| mathtriplet  | <code>\mathtriplet [...] {...} {...} {...}</code>    |
| mathtriplet:example                                | <code>\MATHTRIPLET [...] {...} {...} {...}</code>    |
| mathtt   | <code>\mathtt</code>                                 |
| mathunder  | <code>\mathunder [...] {...} {...}</code>            |
| mathunderextensible:example                        | <code>\MATHUNDEREXTENSIBLE {...}</code>              |
| mathundertexttextextensible:instance               | <code>\MATHUNDERTEXTTEXTENSIBLE {...} {...}</code>   |
| mathunstacked:example                              | <code>\MATHUNSTACKED</code>                          |
| mathupright  | <code>\mathupright</code>                            |
| mathword   | <code>\mathword ... {...}</code>                     |
| mathwordbf   | <code>\mathwordbf ... {...}</code>                   |
| mathwordbi   | <code>\mathwordbi ... {...}</code>                   |
| mathwordbs   | <code>\mathwordbs ... {...}</code>                   |
| mathwordit   | <code>\mathwordit ... {...}</code>                   |
| mathwordsl   | <code>\mathwordsl ... {...}</code>                   |
| mathwordtf   | <code>\mathwordtf ... {...}</code>                   |
| maxaligned   | <code>\maxaligned {...}</code>                       |
| mbox   | <code>\mbox {...}</code>                             |
| measure  | <code>\measure {...}</code>                          |
| measured   | <code>\measured {...}</code>                         |
| medskip  | <code>\medskip</code>                                |
| medspace   | <code>\medspace</code>                               |
| menubutton:button                                  | <code>\menubutton [..=..] {...} {...}</code>         |
| menubutton:interactionmenu                         | <code>\menubutton [...] [..=..] {...} {...}</code>   |
| message  | <code>\message {...}</code>                          |
| metaTeX  | <code>\metaTeX</code>                                |
| mfence   | <code>\mfence {...}</code>                           |
| mfunction  | <code>\mfunction {...}</code>                        |
| mfunctionlabeltext                                 | <code>\mfunctionlabeltext {...}</code>               |
| mhbox  | <code>\mhbox {...}</code>                            |
| midden   | <code>\midden ...</code>                             |
| middlealigned                                      | <code>\middlealigned {...}</code>                    |
| middlebox  | <code>\middlebox {...}</code>                        |
| midhbox  | <code>\midhbox {...}</code>                          |
| midsentence  | <code>\midsentence</code>                            |
| minimalhbox  | <code>\minimalhbox ... {...}</code>                  |
| mixedcaps  | <code>\mixedcaps {...}</code>                        |
| mkvibuffer   | <code>\mkvibuffer [...]</code>                       |

|                            |  |
|----------------------------|--|
| moduleparameter            | \moduleparameter {...} {...}                         |
| molecule                   | \molecule {...}                                      |
| mono                       | \mono  |
| mononormal                 | \mononormal  |
| monovet                    | \monovet   |
| monthlong                  | \monthlong {...}                                     |
| monthshort                 | \monthshort {...}                                    |
| mpandomnumber              | \mpandomnumber                                       |
| mtext                      | \mtext {...}   |
| NormalizeFontHeight        | \NormalizeFontHeight \... {...} {...} {...}          |
| NormalizeFontWidth         | \NormalizeFontWidth \... {...} {...} {...}           |
| NormalizeTextHeight        | \NormalizeTextHeight {...} {...} {...}               |
| NormalizeTextWidth         | \NormalizeTextWidth {...} {...} {...}                |
| naar                       | \naar {...} [...]                                    |
| naarbox                    | \naarbox {...} [...]                                 |
| naarpagina                 | \naarpagina {...} [...]                              |
| namedheadnumber            | \namedheadnumber {...}                               |
| namedstructureheadlocation | \namedstructureheadlocation {...}                    |
| namedstructureuservariable | \namedstructureuservariable {...} {...}              |
| namedstructurevariable     | \namedstructurevariable {...} {...}                  |
| namedtaggedlabeltexts      | \namedtaggedlabeltexts {...} {...} {...} {...} {...} |
| naturalhbox                | \naturalhbox ... {...}                               |
| naturalhpack               | \naturalhpack ... {...}                              |
| naturalvbox                | \naturalvbox ... {...}                               |
| naturalvcenter             | \naturalvcenter ... {...}                            |
| naturalvpack               | \naturalvpack ... {...}                              |
| naturalvtop                | \naturalvtop ... {...}                               |
| naturalwd                  | \naturalwd ...                                       |
| negatecolorbox             | \negatecolorbox ...                                  |
| negated                    | \negated {...}                                       |
| negemspace                 | \negemspace  |
| negenspace                 | \negenspace  |
| negthinspace               | \negthinspace  |
| newattribute               | \newattribute \...                                   |
| newcatcodetable            | \newcatcodetable \...                                |
| newcounter                 | \newcounter \...                                     |
| newevery                   | \newevery \... \...                                  |
| newfrenchspacing           | \newfrenchspacing                                    |
| newmode                    | \newmode {...}                                       |
| newsignal                  | \newsignal \...                                      |
| newsystemmode              | \newsystemmode {...}                                 |
| nextbox                    | \nextbox   |
| nextboxdp                  | \nextboxdp   |
| nextboxht                  | \nextboxht   |
| nextboxhtdp                | \nextboxhtdp   |
| nextboxwd                  | \nextboxwd   |
| nextcounter                | \nextcounter [...] [...]                             |
| nextcountervalue           | \nextcountervalue [...]                              |
| nextdepth                  | \nextdepth   |
| nextparagraphs             | \nextparagraphs                                      |
| nextparagraphs:example     | \volgendePARAGRAPHS                                  |
| nextrealpage               | \nextrealpage  |
| nextrealpagenumber         | \nextrealpagenumber                                  |
| nextsubcountervalue        | \nextsubcountervalue [...] [...]                     |
| nextsubpagenumber          | \nextsubpagenumber                                   |
| nextuserpage               | \nextuserpage  |
| nextuserpagenumber         | \nextuserpagenumber                                  |
| nocharacteralign           | \nocharacteralign                                    |
| nocitation                 | \nocitation [...]                                    |
| nocitation:direct          | \nocitation {...}                                    |
| nocite                     | \nocite [...]  |
| nocite:direct              | \nocite {...}  |
| nodetostring               | \nodetostring \... {...}                             |
| noffigurepages             | \nofffigurepages                                     |
| noflines                   | \noflines  |
| noflocalfloats             | \noflocalfloats                                      |
| noheightstrut              | \noheightstrut                                       |
| noindentation              | \noindentation                                       |
| noitem                     | \noitem  |
| nokap                      | \nokap {...}   |
| nonfrenchspacing           | \nonfrenchspacing                                    |
| nonmathematics             | \nonmathematics {...}                                |

|                                   |   |
|-----------------------------------|---|
| noot                              | \noot [...] [...]                           |
| noot:instance                     | \NOTE [...] {...}                           |
| noot:instance:assignment          | \NOTE [..=..]                               |
| noot:instance:assignment:endnote  | \endnote [..=..]                            |
| noot:instance:assignment:footnote | \footnote [..=..]                           |
| noot:instance:endnote             | \endnote [...] {...}                        |
| noot:instance:footnote            | \footnote [...] {...}                       |
| normaal                           | \normaal                                    |
| normalboldface                    | \normalboldface                             |
| normalframedwithsettings          | \normalframedwithsettings [..=..] {...}     |
| normalitalicface                  | \normalitalicface                           |
| normalizebodyfontsize             | \normalizebodyfontsize \... {...}           |
| normalizedfontsize                | \normalizedfontsize                         |
| normalizefontdepth                | \normalizefontdepth \... {...} {...} {...}  |
| normalizefontheight               | \normalizefontheight \... {...} {...} {...} |
| normalizefontline                 | \normalizefontline \... {...} {...} {...}   |
| normalizefontwidth                | \normalizefontwidth \... {...} {...} {...}  |
| normalizetextdepth                | \normalizetextdepth {...} {...} {...}       |
| normalizetextheight               | \normalizetextheight {...} {...} {...}      |
| normalizetextline                 | \normalizetextline {...} {...} {...}        |
| normalizetextwidth                | \normalizetextwidth {...} {...} {...}       |
| normalslantedface                 | \normalslantedface                          |
| normaltypeface                    | \normaltypeface                             |
| notesymbol                        | \notesymbol [...] [...]                     |
| notragged                         | \notragged                                  |
| ntimes                            | \ntimes {...} {...}                         |
| numberofpoints                    | \numberofpoints {...}                       |
| obeydepth                         | \obeydepth                                  |
| objectdepth                       | \objectdepth                                |
| objectheight                      | \objectheight                               |
| objectmargin                      | \objectmargin                               |
| objectwidth                       | \objectwidth                                |
| obox                              | \obox {...}                                 |
| offset                            | \offset [..=..] {...}                       |
| offsetbox                         | \offsetbox [..=..] \... {...}               |
| omgeving                          | \omgeving [...]                             |
| omgeving:string                   | \omgeving ...                               |
| omlaag                            | \omlaag [...]                               |
| omlijnd                           | \omlijnd [..=..] {...}                      |
| omlijnd:instance                  | \FRAMED [..=..] {...}                       |
| omlijnd:instance:fitfieldframed   | \fitfieldframed [..=..] {...}               |
| omlijnd:instance:unframed         | \unframed [..=..] {...}                     |
| onbekend                          | \onbekend                                   |
| onderdeel                         | \onderdeel [...]                            |
| onderdeel:string                  | \onderdeel ...                              |
| onedigitrounding                  | \onedigitrounding {...}                     |
| op                                | \op {...} {...} [...]                       |
| oppagina                          | \oppagina [...]                             |
| ordinaldaynumber                  | \ordinaldaynumber {...}                     |
| ordinalstr                        | \ordinalstr {...}                           |
| ornamenttext:collector            | \ornamenttext [..=..] [..=..] {...} {...}   |
| ornamenttext:direct               | \ornamenttext [...] {...} {...}             |
| ornamenttext:layer                | \ornamenttext [..=..] [..=..] {...} {...}   |
| ornament:example                  | \ORNAMENT {...} {...}                       |
| outputfilename                    | \outputfilename                             |
| outputstreambox                   | \outputstreambox [...]                      |
| outputstreamcopy                  | \outputstreamcopy [...]                     |
| outputstreamunvbox                | \outputstreamunvbox [...]                   |
| outputstreamunvcopy               | \outputstreamunvcopy [...]                  |
| over                              | \over [...]                                 |
| overlaybutton                     | \overlaybutton [...]                        |
| overlaybutton:direct              | \overlaybutton {...}                        |
| overlaycolor                      | \overlaycolor                               |
| overlaydepth                      | \overlaydepth                               |
| overlayfigure                     | \overlayfigure {...}                        |
| overlayheight                     | \overlayheight                              |
| overlayimage                      | \overlayimage {...}                         |
| overlaylinecolor                  | \overlaylinecolor                           |
| overlaylinewidth                  | \overlaylinewidth                           |
| overlayoffset                     | \overlayoffset                              |
| overlayrollbutton                 | \overlayrollbutton [...] [...]              |
| overlaywidth                      | \overlaywidth                               |

|   |  |
|---|--|
| overloaderror                                     | \overloaderror                         |
| overset   | \overset {...} {...}                   |
| PDFcolor  | \PDFcolor {...}                        |
| PDFETEX   | \PDFETEX                               |
| PDFTEX  | \PDFTEX                                |
| PICTEX  | \PICTEX                                |
| PiCTeX  | \PiCTeX                                |
| PointsToBigPoints                                 | \PointsToBigPoints {...} \...          |
| PointsToReal                                      | \PointsToReal {...} \...               |
| PointsToWholeBigPoints                            | \PointsToWholeBigPoints {...} \...     |
| PPCHTEX   | \PPCHTEX                               |
| PPCHTeX   | \PPCHTeX                               |
| PRAGMA  | \PRAGMA                                |
| PtToCm  | \PtToCm {...}                          |
| pagearea  | \pagearea [...] [...] [...]            |
| pagebreak   | \pagebreak [...]                       |
| pagefigure  | \pagefigure [...] [..=..]              |
| pageinjection                                     | \pageinjection [...] [..=..]           |
| pageinjection:assignment                          | \pageinjection [..=..] [..=..]         |
| pagestaterealpage                                 | \pagestaterealpage {...} {...}         |
| pagestaterealpageorder                            | \pagestaterealpageorder {...} {...}    |
| pagina  | \pagina [...]                          |
| paginanummer                                      | \paginanummer                          |
| paginareferentie                                  | \paginareferentie [...]                |
| paletsizes  | \paletsizes                            |
| paragraaf:instance                                | \SECTION [...] {...}                   |
| paragraaf:instance:assignment                     | \SECTION [..=..]                       |
| paragraaf:instance:assignment:chapter             | \chapter [..=..]                       |
| paragraaf:instance:assignment:part                | \part [..=..]                          |
| paragraaf:instance:assignment:section             | \section [..=..]                       |
| paragraaf:instance:assignment:subject             | \subject [..=..]                       |
| paragraaf:instance:assignment:subsection          | \subsection [..=..]                    |
| paragraaf:instance:assignment:subsubject          | \subsubject [..=..]                    |
| paragraaf:instance:assignment:subsubsection       | \subsubsection [..=..]                 |
| paragraaf:instance:assignment:subsubsubject       | \subsubsubject [..=..]                 |
| paragraaf:instance:assignment:subsubsubsection    | \subsubsubsection [..=..]              |
| paragraaf:instance:assignment:subsubsubsubject    | \subsubsubsubject [..=..]              |
| paragraaf:instance:assignment:subsubsubsubsection | \subsubsubsubsection [..=..]           |
| paragraaf:instance:assignment:subsubsubsubsubject | \subsubsubsubsubject [..=..]           |
| paragraaf:instance:assignment:title               | \title [..=..]                         |
| paragraaf:instance:chapter                        | \chapter [...] {...}                   |
| paragraaf:instance:ownnumber                      | \SECTION [...] {...} {...}             |
| paragraaf:instance:ownnumber:chapter              | \chapter [...] {...} {...}             |
| paragraaf:instance:ownnumber:part                 | \part [...] {...} {...}                |
| paragraaf:instance:ownnumber:section              | \section [...] {...} {...}             |
| paragraaf:instance:ownnumber:subject              | \subject [...] {...} {...}             |
| paragraaf:instance:ownnumber:subsection           | \subsection [...] {...} {...}          |
| paragraaf:instance:ownnumber:subsubject           | \subsubject [...] {...} {...}          |
| paragraaf:instance:ownnumber:subsubsection        | \subsubsection [...] {...} {...}       |
| paragraaf:instance:ownnumber:subsubsubject        | \subsubsubject [...] {...} {...}       |
| paragraaf:instance:ownnumber:subsubsubsection     | \subsubsubsection [...] {...} {...}    |
| paragraaf:instance:ownnumber:subsubsubsubject     | \subsubsubsubject [...] {...} {...}    |
| paragraaf:instance:ownnumber:subsubsubsubsection  | \subsubsubsubsection [...] {...} {...} |
| paragraaf:instance:ownnumber:subsubsubsubsubject  | \subsubsubsubsubject [...] {...} {...} |
| paragraaf:instance:ownnumber:title                | \title [...] {...} {...}               |
| paragraaf:instance:part                           | \part [...] {...}                      |
| paragraaf:instance:section                        | \section [...] {...}                   |
| paragraaf:instance:subject                        | \subject [...] {...}                   |
| paragraaf:instance:subsection                     | \subsection [...] {...}                |
| paragraaf:instance:subsubject                     | \subsubject [...] {...}                |
| paragraaf:instance:subsubsection                  | \subsubsection [...] {...}             |
| paragraaf:instance:subsubsubject                  | \subsubsubject [...] {...}             |
| paragraaf:instance:subsubsubsection               | \subsubsubsection [...] {...}          |
| paragraaf:instance:subsubsubsubject               | \subsubsubsubject [...] {...}          |
| paragraaf:instance:subsubsubsubsection            | \subsubsubsubsection [...] {...}       |
| paragraaf:instance:subsubsubsubsubject            | \subsubsubsubsubject [...] {...}       |
| paragraaf:instance:title                          | \title [...] {...}                     |
| paragraphs:example                                | \PARAGRAPHS                            |
| paslayoutaan                                      | \paslayoutaan [...] [..=..]            |
| passendveld                                       | \passendveld [...] [..=..]             |
| pdfactualtext                                     | \pdfactualtext {...} {...}             |
| pdfbackendactualtext                              | \pdfbackendactualtext {...} {...}      |

|   |   |
|---|---|
| pdfbackendcurrentresources                      | \pdfbackendcurrentresources                         |
| pdfbackendsetcatalog                            | \pdfbackendsetcatalog {...} {...}                   |
| pdfbackendsetcolorspace                         | \pdfbackendsetcolorspace {...} {...}                |
| pdfbackendsettextgstate                         | \pdfbackendsettextgstate {...} {...}                |
| pdfbackendsetinfo                               | \pdfbackendsetinfo {...} {...}                      |
| pdfbackendsetname                               | \pdfbackendsetname {...} {...}                      |
| pdfbackendsetpageattribute                      | \pdfbackendsetpageattribute {...} {...}             |
| pdfbackendsetpageresource                       | \pdfbackendsetpageresource {...} {...}              |
| pdfbackendsetpagesattribute                     | \pdfbackendsetpagesattribute {...} {...}            |
| pdfbackendsetpattern                            | \pdfbackendsetpattern {...} {...}                   |
| pdfbackendsetshade                              | \pdfbackendsetshade {...} {...}                     |
| pdfcolor  | \pdfcolor {...}                                     |
| pdfeTeX   | \pdfeTeX  |
| pdfTeX  | \pdfTeX   |
| percent   | \percent  |
| percentdimen                                    | \percentdimen {...} {...}                           |
| permitcaretescape                               | \permitcaretescape                                  |
| permitcircumflexescape                          | \permitcircumflexescape                             |
| permitspacesbetweengroups                       | \permitspacesbetweengroups                          |
| persiandecimals                                 | \persiandecimals {...}                              |
| persiannumerals                                 | \persiannumerals {...}                              |
| phantom   | \phantom {...}                                      |
| phantombox                                      | \phantombox [..=..]                                 |
| pickupgroupedcommand                            | \pickupgroupedcommand {...} {...} {...}             |
| plaatsbookmarks                                 | \plaatsbookmarks [...] [...] [..=..]                |
| plaatsformule                                   | \plaatsformule [...] {...}                          |
| plaatskopnummer                                 | \plaatskopnummer [...]                              |
| plaatskoptekst                                  | \plaatskoptekst [...]                               |
| plaatslijst                                     | \plaatslijst [...] [..=..]                          |
| plaatslijstmetsynoniemen                        | \plaatslijstmetsynoniemen [...] [..=..]             |
| plaatslijstmetsynoniemen:instance               | \placelistofSYNONYMS [..=..]                        |
| plaatslijstmetsynoniemen:instance:abbreviations | \placelistofabbreviations [..=..]                   |
| plaatslokalevoetnoten                           | \plaatslokalevoetnoten [..=..]                      |
| plaatsnaastelkaar                               | \plaatsnaastelkaar {...} {...}                      |
| plaatsonderelkaar                               | \plaatsonderelkaar {...} {...}                      |
| plaatsopgrid                                    | \plaatsopgrid [...] {...}                           |
| plaatsopgrid:list                               | \plaatsopgrid [...] {...}                           |
| plaatspaginanummer                              | \plaatspaginanummer                                 |
| plaatsplaatsblok                                | \plaatsplaatsblok [...] [...] [...] {...} {...}     |
| plaatsplaatsblok:instance                       | \plaatsFLOAT [...] [...] [...] {...}                |
| plaatsplaatsblok:instance:chemical              | \plaatschemical [...] [...] [...] {...}             |
| plaatsplaatsblok:instance:figure                | \plaatsfigure [...] [...] [...] {...}               |
| plaatsplaatsblok:instance:graphic               | \plaatsgraphic [...] [...] [...] {...}              |
| plaatsplaatsblok:instance:intermezzo            | \plaatsintermezzo [...] [...] [...] {...}           |
| plaatsplaatsblok:instance:table                 | \plaatstable [...] [...] [...] {...}                |
| plaatsregister                                  | \plaatsregister [...] [..=..]                       |
| plaatsregister:instance                         | \plaatsREGISTER [..=..]                             |
| plaatsregister:instance:index                   | \plaatsindex [..=..]                                |
| plaatsruwelijst                                 | \plaatsruwelijst [...] [..=..]                      |
| plaatssamengesteldelijst                        | \plaatssamengesteldelijst [...] [..=..]             |
| plaatssamengesteldelijst:instance               | \plaatsCOMBINEDLIST [..=..]                         |
| plaatssamengesteldelijst:instance:content       | \plaatscontent [..=..]                              |
| plaatssubformule                                | \plaatssubformule [...] {...}                       |
| plaatsvoetnoten                                 | \plaatsvoetnoten [..=..]                            |
| placeattachments                                | \placeattachments                                   |
| placebtxrendering                               | \placebtxrendering [...] [..=..]                    |
| placecitation                                   | \placecitation [...]                                |
| placecomments                                   | \placecomments                                      |
| placecurrentformulanumber                       | \placecurrentformulanumber                          |
| placedbox                                       | \placedbox {...}                                    |
| placefloatwithsetups                            | \placefloatwithsetups [...] [...] [...] {...} {...} |
| placeframed                                     | \placeframed [...] [..=..] {...}                    |
| placehelp                                       | \placehelp  |
| placeinitial                                    | \placeinitial [...]                                 |
| placelayer                                      | \placelayer [...]                                   |
| placelayeredtext                                | \placelayeredtext [...] [..=..] [..=..] {...} {...} |
| placelistoffloats:instance                      | \placelistofFLOATS [..=..]                          |
| placelistoffloats:instance:chemicals            | \placelistofchemicals [..=..]                       |
| placelistoffloats:instance:figures              | \placelistoffigures [..=..]                         |
| placelistoffloats:instance:graphics             | \placelistofgraphics [..=..]                        |
| placelistoffloats:instance:intermezzi           | \placelistofintermezzi [..=..]                      |
| placelistoffloats:instance:tables               | \placelistoftables [..=..]                          |

|                                    |  |
|------------------------------------|--|
| placelistofpublications            | \placelistofpublications [...] [..=..]     |
| placelistofsorts                   | \placelistofsorts [...] [..=..]            |
| placelistofsorts:instance          | \placelistofSORTS [..=..]                  |
| placelistofsorts:instance:logos    | \placelistoflogos [..=..]                  |
| placelocalnotes                    | \placelocalnotes [...] [..=..]             |
| placement                          | \placement [...] [..=..] {...}             |
| placement:example                  | \PLACEMENT [..=..] {...}                   |
| placenamefloat                     | \placenamefloat [...] [...]                |
| placenameformula                   | \placenameformula [...] {...} {...}        |
| placenotes                         | \placenotes [...] [..=..]                  |
| placepairedbox                     | \placepairedbox [...] [..=..] {...} {...}  |
| placepairedbox:instance            | \plaatsPAIREDBOX [..=..] {...} {...}       |
| placepairedbox:instance:legend     | \plaatslegend [..=..] {...} {...}          |
| placeparallel                      | \placeparallel [...] [...] [..=..]         |
| placerenderingwindow               | \placerenderingwindow [...] [...]          |
| popattribute                       | \popattribute \...                         |
| popmacro                           | \popmacro \...                             |
| popmode                            | \popmode [...]                             |
| popsystemmode                      | \popsystemmode {...}                       |
| positioneer                        | \positioneer [..=..] (...,...) {...}       |
| positionoverlay                    | \positionoverlay {...}                     |
| positionregionoverlay              | \positionregionoverlay {...} {...}         |
| postponenotes                      | \postponenotes                             |
| predefinedfont                     | \predefinedfont [...]                      |
| predefinefont                      | \predefinefont [...] [...]                 |
| predefinesymbol                    | \predefinesymbol [...]                     |
| prefixedpagenumber                 | \prefixedpagenumber                        |
| prependetoks                       | \prependetoks ... \to \...                 |
| prependgvalue                      | \prependgvalue {...} {...}                 |
| prependtocommalist                 | \prependtocommalist {...} \...             |
| prependtoks                        | \prependtoks ... \to \...                  |
| prependtoksonce                    | \prependtoksonce ... \to \...              |
| prependvalue                       | \prependvalue {...} {...}                  |
| prerollblank                       | \prerollblank [...]                        |
| presetdocument                     | \presetdocument [..=..]                    |
| presetfieldsymbols                 | \presetfieldsymbols [...]                  |
| presetlabeltext:instance           | \presetLABELtekst [...] [..=..]            |
| presetlabeltext:instance:btxlabel  | \presetbtxlabeltekst [...] [..=..]         |
| presetlabeltext:instance:head      | \presetheadtekst [...] [..=..]             |
| presetlabeltext:instance:label     | \presetlabeltekst [...] [..=..]            |
| presetlabeltext:instance:mathlabel | \presetmathlabeltekst [...] [..=..]        |
| presetlabeltext:instance:operator  | \presetoperatortekst [...] [..=..]         |
| presetlabeltext:instance:prefix    | \presetprefixtekst [...] [..=..]           |
| presetlabeltext:instance:suffix    | \presetsuffixtekst [...] [..=..]           |
| presetlabeltext:instance:taglabel  | \presettaglabeltekst [...] [..=..]         |
| presetlabeltext:instance:unit      | \presetunittekst [...] [..=..]             |
| pretocommalist                     | \pretocommalist {...} \...                 |
| prettyprintbuffer                  | \prettyprintbuffer {...} {...}             |
| prevcounter                        | \prevcounter [...] [...]                   |
| prevcountervalue                   | \prevcountervalue [...]                    |
| preventmode                        | \preventmode [...]                         |
| prevrealpage                       | \prevrealpage                              |
| prevrealpagenumber                 | \prevrealpagenumber                        |
| prevsubcountervalue                | \prevsubcountervalue [...] [...]           |
| prevsubpage                        | \prevsubpage                               |
| prevsubpagenumber                  | \prevsubpagenumber                         |
| prevuserpage                       | \prevuserpage                              |
| prevuserpagenumber                 | \prevuserpagenumber                        |
| procent                            | \procent                                   |
| processaction                      | \processaction [...] [...,=>...]           |
| processallactionsinset             | \processallactionsinset [...] [...,=>...]  |
| processassignlist                  | \processassignlist [...] \...              |
| processassignmentcommand           | \processassignmentcommand [..=..] \...     |
| processassignmentlist              | \processassignmentlist [..=..] \...        |
| processbetween                     | \processbetween {...} \...                 |
| processbodyfontenvironmentlist     | \processbodyfontenvironmentlist \...       |
| processcolorcomponents             | \processcolorcomponents {...}              |
| processcommacommand                | \processcommacommand [...] \...            |
| processcommalist                   | \processcommalist [...] \...               |
| processcommalistwithparameters     | \processcommalistwithparameters [...] \... |
| processcontent                     | \processcontent {...} \...                 |
| processfile                        | \processfile {...}                         |

|                         |  |
|-------------------------|--|
| processfilemany         | \processfilemany {...}                             |
| processfilenone         | \processfilenone {...}                             |
| processfileonce         | \processfileonce {...}                             |
| processfirstactioninset | \processfirstactioninset [...] [...,...=>...,...]  |
| processisolatedchars    | \processisolatedchars {...} \...                   |
| processisolatedwords    | \processisolatedwords {...} \...                   |
| processlinetablebuffer  | \processlinetablebuffer [...]                      |
| processlinetablefile    | \processlinetablefile {...}                        |
| processlist             | \processlist {...} {...} {...} \...                |
| processMPbuffer         | \processMPbuffer [...]                             |
| processMPfigurefile     | \processMPfigurefile {...}                         |
| processmonth            | \processmonth {...} {...} {...}                    |
| processranges           | \processranges [...] \...                          |
| processseparatedlist    | \processseparatedlist [...] [...] {...}            |
| processtexbuffer        | \processTEXbuffer [...]                            |
| processtokens           | \processtokens {...} {...} {...} {...} {...}       |
| processuntil            | \processuntil \...                                 |
| processxtablebuffer     | \processxtablebuffer [...]                         |
| processyear             | \processyear {...} {...} {...} {...}               |
| produkt                 | \produkt [...]                                     |
| produkt:string          | \produkt ...                                       |
| profiledbox             | \profiledbox [...] [..=..] {...}                   |
| profilegivenbox         | \profilegivenbox {...} ...                         |
| programma               | \programma [...]                                   |
| projekt                 | \projekt [...]                                     |
| projekt:string          | \projekt ...                                       |
| pseudoMixedCapped       | \pseudoMixedCapped {...}                           |
| pseudoSmallCapped       | \pseudoSmallCapped {...}                           |
| pseudoSmallcapped       | \pseudoSmallcapped {...}                           |
| pseudosmallcapped       | \pseudosmallcapped {...}                           |
| punt                    | \punt {...}  |
| punten                  | \punten [...]                                      |
| punten:assignment       | \punten [..=..]                                    |
| purenumber              | \purenumber {...}                                  |
| pushachtergrond         | \pushachtergrond [...] ... \popachtergrond         |
| pusharrangedpages       | \pusharrangedpages ... \poparrangedpages           |
| pushattribute           | \pushattribute \...                                |
| pushbar                 | \pushbar [...] ... \popbar                         |
| pushbutton              | \pushbutton [...] [...]                            |
| pushcatcodetable        | \pushcatcodetable ... \popcatcodetable             |
| pushendofline           | \pushendofline ... \popendofline                   |
| pushindentation         | \pushindentation ... \popindentation               |
| pushkleur               | \pushkleur [...] ... \popkleur                     |
| pushMPdrawing           | \pushMPdrawing ... \popMPdrawing                   |
| pushmacro               | \pushmacro \...                                    |
| pushmathstyle           | \pushmathstyle ... \popmathstyle                   |
| pushmode                | \pushmode [...]                                    |
| pushoutputstream        | \pushoutputstream [...]                            |
| pushpath                | \pushpath [...] ... \poppath                       |
| pushpunctuation         | \pushpunctuation ... \poppunctuation               |
| pushrandomseed          | \pushrandomseed ... \poprandomseed                 |
| pushreferenceprefix     | \pushreferenceprefix {...} ... \popreferenceprefix |
| pushsystemmode          | \pushsystemmode {...}                              |
| putboxincache           | \putboxincache {...} {...} ...                     |
| putnextboxincache       | \putnextboxincache {...} {...} \... {...}          |
| qquad                   | \qquad   |
| quad                    | \quad  |
| quads                   | \quads [...]                                       |
| quarterstrut            | \quarterstrut                                      |
| quitcommalist           | \quitcommalist                                     |
| quitprevcommalist       | \quitprevcommalist                                 |
| quittypescriptscanning  | \quittypescriptscanning                            |
| ReadFile                | \ReadFile {...}                                    |
| Romeins                 | \Romeins {...}                                     |
| raggedbottom            | \raggedbottom                                      |
| raggedcenter            | \raggedcenter                                      |
| raggedleft              | \raggedleft  |
| raggedright             | \raggedright                                       |
| raggedwidecenter        | \raggedwidecenter                                  |
| raisebox                | \raisebox {...} \... {...}                         |
| randomizetext           | \randomizetext {...}                               |
| randomnumber            | \randomnumber {...} {...}                          |



|                                   |  |
|-----------------------------------|--|
| rawcounter                        | \rawcounter [...] [...]                          |
| rawcountervalue                   | \rawcountervalue [...]                           |
| rawdate                           | \rawdate [...]                                   |
| rawdoifelseinset                  | \rawdoifelseinset {...} {...} {...} {...}        |
| rawdoifinset                      | \rawdoifinset {...} {...} {...}                  |
| rawdoifinsetelse                  | \rawdoifinsetelse {...} {...} {...} {...}        |
| rawgetparameters                  | \rawgetparameters [...] [..=..]                  |
| rawprocessaction                  | \rawprocessaction [...] [...,=>...,...]          |
| rawprocesscommacommand            | \rawprocesscommacommand [...] \...               |
| rawprocesscommalist               | \rawprocesscommalist [...] \...                  |
| rawstructurelistuservariable      | \rawstructurelistuservariable {...}              |
| rawsubcountervalue                | \rawsubcountervalue [...] [...]                  |
| rbox                              | \rbox ... {...}                                  |
| readfile                          | \readfile {...} {...} {...}                      |
| readfixfile                       | \readfixfile {...} {...} {...} {...}             |
| readjobfile                       | \readjobfile {...} {...} {...}                   |
| readlocfile                       | \readlocfile {...} {...} {...}                   |
| readsetfile                       | \readsetfile {...} {...} {...} {...}             |
| readsysfile                       | \readsysfile {...} {...} {...}                   |
| readtexfile                       | \readtexfile {...} {...} {...}                   |
| readxmlfile                       | \readxmlfile {...} {...} {...}                   |
| realpagenumber                    | \realpagenumber                                  |
| realSmallCapped                   | \realSmallCapped {...}                           |
| realSmallcapped                   | \realSmallcapped {...}                           |
| realsmallcapped                   | \realsmallcapped {...}                           |
| rechts                            | \rechts ...                                      |
| recursedepth                      | \recursedepth                                    |
| recurselevel                      | \recurselevel                                    |
| recursestring                     | \recursestring                                   |
| redoconvertfont                   | \redoconvertfont                                 |
| ref                               | \ref [...] [...]                                 |
| refereer                          | \refereer (...,...) (...,...) [...]              |
| referenceformat:example           | \REFERENCEFORMAT {...} {...} [...]               |
| referenceprefix                   | \referenceprefix                                 |
| referentie                        | \referentie [...] {...}                          |
| regel                             | \regel {...}                                     |
| regellinks                        | \regellinks {...}                                |
| regelmidden                       | \regelmidden {...}                               |
| regelnoot:instance                | \LINENOTE {...}                                  |
| regelnoot:instance:linenote       | \linenote {...}                                  |
| regelrechts                       | \regelrechts {...}                               |
| registerattachment                | \registerattachment [...] [..=..]                |
| registerctxluafile                | \registerctxluafile {...} {...}                  |
| registerexternalfigure            | \registerexternalfigure [...] [...] [..=..]      |
| registerfontclass                 | \registerfontclass {...}                         |
| registerhyphenationexception      | \registerhyphenationexception [...] [...]        |
| registerhyphenationpattern        | \registerhyphenationpattern [...] [...]          |
| registermenubuttons               | \registermenubuttons [...] [...]                 |
| registersort                      | \registersort [...] [...]                        |
| registersynonym                   | \registersynonym [...] [...]                     |
| registerunit                      | \registerunit [...] [..=..]                      |
| register:instance                 | \REGISTER [...] {...+...+...}                    |
| register:instance:index           | \index [...] {...+...+...}                       |
| register:instance:ownnumber       | \REGISTER [...] {...} {...+...+...}              |
| register:instance:ownnumber:index | \index [...] {...} {...+...+...}                 |
| regular                           | \regular   |
| relatemarking                     | \relatemarking [...] [...]                       |
| relateparameterhandlers           | \relateparameterhandlers {...} {...} {...} {...} |
| relaxvalueifundefined             | \relaxvalueifundefined {...}                     |
| remainingcharacters               | \remainingcharacters                             |
| removebottomthings                | \removebottomthings                              |
| removedepth                       | \removedepth                                     |
| removefromcommalist               | \removefromcommalist {...} \...                  |
| removelastskip                    | \removelastskip                                  |
| removelastspace                   | \removelastspace                                 |
| removemarkedcontent               | \removemarkedcontent [...]                       |
| removepunctuation                 | \removepunctuation                               |
| removesubstring                   | \removesubstring ... \from ... \to \...          |
| removetoks                        | \removetoks ... \from \...                       |
| removeunwantedspaces              | \removeunwantedspaces                            |
| replacefeature                    | \replacefeature [...]                            |
| replacefeature:direct             | \replacefeature {...}                            |

|                           |                                   |
|---------------------------|-----------------------------------|
| replaceincommalist        | \replaceincommalist \... {...}    |
| replaceword               | \replaceword [...] [...] [...]    |
| rescan                    | \rescan {...}                     |
| rescanwithsetup           | \rescanwithsetup {...} {...}      |
| resetallattributes        | \resetallattributes               |
| resetandaddfeature        | \resetandaddfeature [...]         |
| resetandaddfeature:direct | \resetandaddfeature {...}         |
| resetbar                  | \resetbar                         |
| resetboxesincache         | \resetboxesincache {...}          |
| resetbreakpoints          | \resetbreakpoints                 |
| resetbuffer               | \resetbuffer [...]                |
| resetcharacteralign       | \resetcharacteralign              |
| resetcharacterkerning     | \resetcharacterkerning            |
| resetcharacterspacing     | \resetcharacterspacing            |
| resetcharacterstripping   | \resetcharacterstripping          |
| resetcollector            | \resetcollector [...]             |
| resetcounter              | \resetcounter [...] [...]         |
| resetdigitsmanipulation   | \resetdigitsmanipulation          |
| resetdirection            | \resetdirection                   |
| resetfeature              | \resetfeature                     |
| resetflag                 | \resetflag {...}                  |
| resetfontcolorscheme      | \resetfontcolorscheme             |
| resetfontfallback         | \resetfontfallback [...] [...]    |
| resetfontsolution         | \resetfontsolution                |
| resethyphenationfeatures  | \resethyphenationfeatures         |
| resetinjector             | \resetinjector [...]              |
| resetinteractionmenu      | \resetinteractionmenu [...]       |
| resetitaliccorrection     | \resetitaliccorrection            |
| resetlayer                | \resetlayer [...]                 |
| resetlocalfloats          | \resetlocalfloats                 |
| resetMPdrawing            | \resetMPdrawing                   |
| resetMPenvironment        | \resetMPenvironment               |
| resetMPinstance           | \resetMPinstance [...]            |
| resetmarker               | \resetmarker [...]                |
| resetmarkering            | \resetmarkering [...]             |
| resetmode                 | \resetmode {...}                  |
| resetpagenumber           | \resetpagenumber                  |
| resetparallel             | \resetparallel [...] [...]        |
| resetpath                 | \resetpath                        |
| resetpenalties            | \resetpenalties \...              |
| resetperiodkerning        | \resetperiodkerning               |
| resetprofile              | \resetprofile                     |
| resetrecurselevel         | \resetrecurselevel                |
| resetreference            | \resetreference [...]             |
| resetreplacement          | \resetreplacement                 |
| resetscript               | \resetscript                      |
| resetsetups               | \resetsetups [...]                |
| resetshownsynonyms        | \resetshownsynonyms [...]         |
| resetsubpagenumber        | \resetsubpagenumber               |
| resetsymbolset            | \resetsymbolset                   |
| resetsystemmode           | \resetsystemmode {...}            |
| resettimer                | \resettimer                       |
| resettrackers             | \resettrackers                    |
| resettrialtypesetting     | \resettrialtypesetting            |
| resetusedsortings         | \resetusedsortings [...]          |
| resetusedsynonyms         | \resetusedsynonyms [...]          |
| resetuserpagenumber       | \resetuserpagenumber              |
| resetvalue                | \resetvalue {...}                 |
| resetvisualizers          | \resetvisualizers                 |
| reshapebox                | \reshapebox {...}                 |
| resolvedglyphdirect       | \resolvedglyphdirect {...} {...}  |
| resolvedglyphstyled       | \resolvedglyphstyled {...} {...}  |
| restartcounter            | \restartcounter [...] [...] [...] |
| restorebox                | \restorebox {...} {...}           |
| restorecatcodes           | \restorecatcodes                  |
| restorecounter            | \restorecounter [...]             |
| restorecurrentattributes  | \restorecurrentattributes {...}   |
| restoreendoffline         | \restoreendoffline                |
| restoreglobalbodyfont     | \restoreglobalbodyfont            |
| reusableMPgraphic         | \reusableMPgraphic {...} {...}    |
| reuseMPgraphic            | \reuseMPgraphic {...} {...}       |
| reuserandomseed           | \reuserandomseed                  |

|                                   |  |
|-----------------------------------|--|
| revivefeature                     | \revivefeature                                 |
| rfence                            | \rfence {...}                                  |
| rhbox                             | \rhbox {...}                                   |
| rightbottombox                    | \rightbottombox {...}                          |
| rightbox                          | \rightbox {...}                                |
| righthbox                         | \righthbox {...}                               |
| rightlabeltext:instance           | \rightLABELtekst {...}                         |
| rightlabeltext:instance:head      | \rightheadtekst {...}                          |
| rightlabeltext:instance:label     | \rightlabeltekst {...}                         |
| rightlabeltext:instance:mathlabel | \rightmathlabeltekst {...}                     |
| rightline                         | \rightline {...}                               |
| rightorleftpageaction             | \rightorleftpageaction {...} {...}             |
| rightpageorder                    | \rightpageorder                                |
| rightskipadaption                 | \rightskipadaption                             |
| rightsubguillemot                 | \rightsubguillemot                             |
| righttopleft                      | \righttopleft                                  |
| righttopleftthbox                 | \righttopleftthbox ... {...}                   |
| righttoplefttvbox                 | \righttoplefttvbox ... {...}                   |
| righttopleftvtop                  | \righttopleftvtop ... {...}                    |
| righttopbox                       | \righttopbox {...}                             |
| ring                              | \ring {...}                                    |
| rlap                              | \rlap {...}                                    |
| robustaddtocommalist              | \robustaddtocommalist {...} \...               |
| robustdoifelseinset               | \robustdoifelseinset {...} {...} {...} {...}   |
| robustdoifinsetelse               | \robustdoifinsetelse {...} {...} {...} {...}   |
| robustpretocommalist              | \robustpretocommalist {...} \...               |
| rollbutton:button                 | \rollbutton [..=..] ... [...]                  |
| rollbutton:interactionmenu        | \rollbutton [...] [..=..] ... [...]            |
| romaan                            | \romaan  |
| romeins                           | \romeins {...}                                 |
| rooster                           | \rooster [..=..]                               |
| roteer                            | \roteer [..=..] {...}                          |
| rtop                              | \rtop ... {...}                                |
| ruby                              | \ruby [...] {...} {...}                        |
| ruledhbox                         | \ruledhbox ... {...}                           |
| ruledhpack                        | \ruledhpack ... {...}                          |
| ruledmbox                         | \ruledmbox {...}                               |
| ruledtopv                         | \ruledtopv ... {...}                           |
| ruledtpack                        | \ruledtpack ... {...}                          |
| ruledvbox                         | \ruledvbox ... {...}                           |
| ruledvpack                        | \ruledvpack ... {...}                          |
| ruledvtop                         | \ruledvtop ... {...}                           |
| runMPbuffer                       | \runMPbuffer [...]                             |
| runninghbox                       | \runninghbox {...}                             |
| ScaledPointsToBigPoints           | \ScaledPointsToBigPoints {...} \...            |
| ScaledPointsToWholeBigPoints      | \ScaledPointsToWholeBigPoints {...} \...       |
| Smallcapped                       | \Smallcapped {...}                             |
| safechar                          | \safechar {...}                                |
| samplefile                        | \samplefile {...}                              |
| sans                              | \sans  |
| sansnormal                        | \sansnormal                                    |
| sansvet                           | \sansvet                                       |
| savebox                           | \savebox {...} {...} {...}                     |
| savebtxdataset                    | \savebtxdataset [...] [...] [..=..]            |
| savecounter                       | \savecounter [...]                             |
| savecurrentattributes             | \savecurrentattributes {...}                   |
| savekleur                         | \savekleur ... \restorekleur                   |
| savenormalmeaning                 | \savenormalmeaning \...                        |
| savetaggedtwopassdata             | \savetaggedtwopassdata {...} {...} {...} {...} |
| savetwopassdata                   | \savetwopassdata {...} {...} {...}             |
| sbox                              | \sbox {...}                                    |
| schaal                            | \schaal [...] [..=..] {...}                    |
| scherm                            | \scherm [...]                                  |
| schreefloos                       | \schreefloos                                   |
| schrijfnaarlijst                  | \schrijfnaarlijst [...] [..=..] {...} {...}    |
| schrijftussenlijst                | \schrijftussenlijst [...] [..=..] {...}        |
| schuin                            | \schuin  |
| schuinvet                         | \schuinvet                                     |
| script:instance                   | \SCRIPT  |
| script:instance:ethiopic          | \ethiopic                                      |
| script:instance:hangul            | \hangul  |
| script:instance:hanzi             | \hanzi   |



|                             |  |
|-----------------------------|--|
| sethyphenationfeatures      | \sethyphenationfeatures [...]                        |
| setinitial                  | \setinitial [...] [..=..]                            |
| setinjector                 | \setinjector [...] [...] [...]                       |
| setinteraction              | \setinteraction [...]                                |
| setinterfacecommand         | \setinterfacecommand {...} {...}                     |
| setinterfaceconstant        | \setinterfaceconstant {...} {...}                    |
| setinterfaceelement         | \setinterfaceelement {...} {...}                     |
| setinterfacemessage         | \setinterfacemessage {...} {...} {...}               |
| setinterfacevariable        | \setinterfacevariable {...} {...}                    |
| setinternalrendering        | \setinternalrendering [...] [...] {...}              |
| setitaliccorrection         | \setitaliccorrection [...]                           |
| setJSreamble                | \setJSreamble {...} {...}                            |
| setlayer                    | \setlayer [...] [...] [..=..] {...}                  |
| setlayerframed              | \setlayerframed [...] [..=..] [..=..] {...}          |
| setlayerframed:combination  | \setlayerframed [...] [..=..] {...}                  |
| setlayertext                | \setlayertext [...] [..=..] [..=..] {...}            |
| setlinefiller               | \setlinefiller [...]                                 |
| setlocalhsize               | \setlocalhsize [...]                                 |
| setlocalscript              | \setlocalscript [...]                                |
| setMPlayer                  | \setMPlayer [...] [...] [..=..] {...}                |
| setMPpositiongraphic        | \setMPpositiongraphic {...} {...} {..=..}            |
| setMPpositiongraphicrange   | \setMPpositiongraphicrange {...} {...} {...} {..=..} |
| setMPtext                   | \setMPtext {...} {...}                               |
| setMPvariable               | \setMPvariable [...] [..=..]                         |
| setMPvariables              | \setMPvariables [...] [..=..]                        |
| setmainbodyfont             | \setmainbodyfont                                     |
| setmainparbuilder           | \setmainparbuilder [...]                             |
| setmarker                   | \setmarker [...] [...]                               |
| setmarking                  | \setmarking [...] {...}                              |
| setmathstyle                | \setmathstyle {...}                                  |
| setmeasure                  | \setmeasure {...} {...}                              |
| setmessagetext              | \setmessagetext {...} {...}                          |
| setmode                     | \setmode {...}                                       |
| setnostrut                  | \setnostrut  |
| setnote                     | \setnote [...] [...] {...}                           |
| setnotetext                 | \setnotetext [...] [...] {...}                       |
| setnotetext:assignment      | \setnotetext [...] [..=..]                           |
| setnote:assignment          | \setnote [...] [..=..]                               |
| setobject                   | \setobject {...} {...} \... {...}                    |
| setoldstyle                 | \setoldstyle   |
| setpagereference            | \setpagereference {...} {...}                        |
| setpagestate                | \setpagestate [...] [...]                            |
| setpagestaterealpageno      | \setpagestaterealpageno {...} {...}                  |
| setpenalties                | \setpenalties \... {...} {...}                       |
| setpercentdimen             | \setpercentdimen {...} {...}                         |
| setperiodkerning            | \setperiodkerning [...]                              |
| setposition                 | \setposition {...}                                   |
| setpositionbox              | \setpositionbox {...} \... {...}                     |
| setpositiondata             | \setpositiondata {...} {...} {...} {...}             |
| setpositiondataplus         | \setpositiondataplus {...} {...} {...} {...} {...}   |
| setpositiononly             | \setpositiononly {...}                               |
| setpositionplus             | \setpositionplus {...} {...} \... {...}              |
| setpositionstrut            | \setpositionstrut {...}                              |
| setprofile                  | \setprofile [...]                                    |
| setrandomseed               | \setrandomseed {...}                                 |
| setreference                | \setreference [...] [..=..]                          |
| setreferencedobject         | \setreferencedobject {...} {...} \... {...}          |
| setregisterentry            | \setregisterentry [...] [..=..] [..=..]              |
| setreplacement              | \setreplacement [...]                                |
| setrigidcolumnbalance       | \setrigidcolumnbalance ...                           |
| setrigidcolumnhsize         | \setrigidcolumnhsize {...} {...} {...}               |
| setscript                   | \setscript [...]                                     |
| setsecondpasscharacteralign | \setsecondpasscharacteralign                         |
| setsectionblock             | \setsectionblock [...] [..=..]                       |
| setsimplecolumnhsize        | \setsimplecolumnhsize [..=..]                        |
| setsmallbodyfont            | \setsmallbodyfont                                    |
| setsmallcaps                | \setsmallcaps  |
| setstackbox                 | \setstackbox {...} {...} {...}                       |
| setstructurepageregister    | \setstructurepageregister [...] [..=..] [..=..]      |
| setstrut                    | \setstrut  |
| setsuperiors                | \setsuperiors  |
| setsystemmode               | \setsystemmode {...}                                 |

|                            |  |
|----------------------------|--|
| settabular                 | \settabular  |
| settaggedmetadata          | \settaggedmetadata [..=..]                         |
| settightobject             | \settightobject {...} {...} \... {...}             |
| settightreferencedobject   | \settightreferencedobject {...} {...} \... {...}   |
| settightstrut              | \settightstrut                                     |
| settightunreferencedobject | \settightunreferencedobject {...} {...} \... {...} |
| settrialtypesetting        | \settrialtypesetting                               |
| setuevalue                 | \setuevalue {...} {...}                            |
| setugvalue                 | \setugvalue {...} {...}                            |
| setunreferencedobject      | \setunreferencedobject {...} {...} \... {...}      |
| setupalternativestyles     | \setupalternativestyles [..=..]                    |
| setupattachment            | \setupattachment [...] [..=..]                     |
| setupattachments           | \setupattachments [...] [..=..]                    |
| setupbackend               | \setupbackend [..=..]                              |
| setupbar                   | \setupbar [...] [..=..]                            |
| setupbars                  | \setupbars [...] [..=..]                           |
| setupbleeding              | \setupbleeding [..=..]                             |
| setupbookmark              | \setupbookmark [..=..]                             |
| setupbtx                   | \setupbtx [...] [..=..]                            |
| setupbtxdataset            | \setupbtxdataset [...] [..=..]                     |
| setupbtxlist               | \setupbtxlist [...] [..=..]                        |
| setupbtxregister           | \setupbtxregister [...] [..=..]                    |
| setupbtxrendering          | \setupbtxrendering [...] [..=..]                   |
| setupbtx:name              | \setupbtx [...]                                    |
| setupbutton                | \setupbutton [...] [..=..]                         |
| setupcharacteralign        | \setupcharacteralign [..=..]                       |
| setupcharacterkerning      | \setupcharacterkerning [...] [..=..]               |
| setupcharacterspacing      | \setupcharacterspacing [...] [...] [..=..]         |
| setupchemical              | \setupchemical [...] [..=..]                       |
| setupchemicalframed        | \setupchemicalframed [...] [..=..]                 |
| setupcollector             | \setupcollector [...] [..=..]                      |
| setupcolumnsetarea         | \setupcolumnsetarea [...] [..=..]                  |
| setupcolumnsetareatext     | \setupcolumnsetareatext [...] [...] [..=..]        |
| setupcolumnsetspan         | \setupcolumnsetspan [...] [..=..]                  |
| setupcolumnspan            | \setupcolumnspan [..=..]                           |
| setupcombination           | \setupcombination [...] [..=..]                    |
| setupcounter               | \setupcounter [...] [..=..]                        |
| setupdataset               | \setupdataset [...] [..=..]                        |
| setupdelimitedtext         | \setupdelimitedtext [...] [..=..]                  |
| setupdirections            | \setupdirections [..=..]                           |
| setupdocument              | \setupdocument [..=..]                             |
| setupeffect                | \setupeffect [...] [..=..]                         |
| setupenv                   | \setupenv [..=..]                                  |
| setupexport                | \setupexport [..=..]                               |
| setupexternalfigure        | \setupexternalfigure [...] [..=..]                 |
| setupexternalsoundtracks   | \setupexternalsoundtracks [..=..]                  |
| setupfacingfloat           | \setupfacingfloat [...] [..=..]                    |
| setupfieldbody             | \setupfieldbody [...] [..=..]                      |
| setupfieldcategory         | \setupfieldcategory [...] [..=..]                  |
| setupfieldcontentframed    | \setupfieldcontentframed [...] [..=..]             |
| setupfieldlabelframed      | \setupfieldlabelframed [...] [..=..]               |
| setupfieldtotalframed      | \setupfieldtotalframed [...] [..=..]               |
| setupfiller                | \setupfiller [...] [..=..]                         |
| setupfirstline             | \setupfirstline [...] [..=..]                      |
| setupfittingpage           | \setupfittingpage [...] [..=..]                    |
| setupfontexpansion         | \setupfontexpansion [...] [..=..]                  |
| setupfontprotrusion        | \setupfontprotrusion [...] [..=..]                 |
| setupfonts                 | \setupfonts [..=..]                                |
| setupfontsolution          | \setupfontsolution [...] [..=..]                   |
| setupformulaframed         | \setupformulaframed [...] [..=..]                  |
| setupframedcontent         | \setupframedcontent [...] [..=..]                  |
| setupframedtable           | \setupframedtable [...] [..=..]                    |
| setupframedtablecolumn     | \setupframedtablecolumn [...] [...] [..=..]        |
| setupframedtablerow        | \setupframedtablerow [...] [...] [..=..]           |
| setupglobalreferenceprefix | \setupglobalreferenceprefix [...]                  |
| setupheadalternative       | \setupheadalternative [...] [..=..]                |
| setuphelp                  | \setuphelp [...] [..=..]                           |
| setuphigh                  | \setuphigh [...] [..=..]                           |
| setuphighlight             | \setuphighlight [...] [..=..]                      |
| setuphyphenation           | \setuphyphenation [..=..]                          |
| setupinitial               | \setupinitial [...] [..=..]                        |
| setupinsertion             | \setupinsertion [...] [..=..]                      |

|                                   |  |
|-----------------------------------|--|
| setupitaliccorrection             | \setupitaliccorrection [...]                       |
| setuplabel                        | \setuplabel [...] [..=..]                          |
| setuplayer                        | \setuplayer [...] [..=..]                          |
| setuplayeredtext                  | \setuplayeredtext [...] [..=..]                    |
| setuplayouttext                   | \setuplayouttext [...] [...] [..=..]               |
| setuplinefiller                   | \setuplinefiller [...] [..=..]                     |
| setuplinefillers                  | \setuplinefillers [...] [..=..]                    |
| setuplinenote                     | \setuplinenote [...] [..=..]                       |
| setuplinetable                    | \setuplinetable [...] [...] [..=..]                |
| setuplistalternative              | \setuplistalternative [...] [..=..]                |
| setuplistextra                    | \setuplistextra [...] [..=..]                      |
| setuplocalfloats                  | \setuplocalfloats [..=..]                          |
| setuplocalinterlinespace          | \setuplocalinterlinespace [...] [..=..]            |
| setuplocalinterlinespace:argument | \setuplocalinterlinespace [...]                    |
| setuplocalinterlinespace:name     | \setuplocalinterlinespace [...]                    |
| setuplow                          | \setuplow [...] [..=..]                            |
| setuplowhigh                      | \setuplowhigh [...] [..=..]                        |
| setuplowmidhigh                   | \setuplowmidhigh [...] [..=..]                     |
| setupMPgraphics                   | \setupMPgraphics [..=..]                           |
| setupMPinstance                   | \setupMPinstance [...] [..=..]                     |
| setupMPpage                       | \setupMPpage [..=..]                               |
| setupMPvariables                  | \setupMPvariables [...] [..=..]                    |
| setupmarginframed                 | \setupmarginframed [...] [..=..]                   |
| setupmarginrule                   | \setupmarginrule [...] [..=..]                     |
| setupmathcases                    | \setupmathcases [...] [..=..]                      |
| setupmathematics                  | \setupmathematics [...] [..=..]                    |
| setupmathfence                    | \setupmathfence [...] [..=..]                      |
| setupmathfraction                 | \setupmathfraction [...] [..=..]                   |
| setupmathfractions                | \setupmathfractions [...] [..=..]                  |
| setupmathframed                   | \setupmathframed [...] [..=..]                     |
| setupmathmatrix                   | \setupmathmatrix [...] [..=..]                     |
| setupmathornament                 | \setupmathornament [...] [..=..]                   |
| setupmathradical                  | \setupmathradical [...] [..=..]                    |
| setupmathstackers                 | \setupmathstackers [...] [..=..]                   |
| setupmathstyle                    | \setupmathstyle [...]                              |
| setupmixedcolumns                 | \setupmixedcolumns [...] [..=..]                   |
| setupmodule                       | \setupmodule [...] [..=..]                         |
| setupnotation                     | \setupnotation [...] [..=..]                       |
| setupnotations                    | \setupnotations [...] [..=..]                      |
| setupnote                         | \setupnote [...] [..=..]                           |
| setupnotes                        | \setupnotes [...] [..=..]                          |
| setupoffset                       | \setupoffset [..=..]                               |
| setupoffsetbox                    | \setupoffsetbox [..=..]                            |
| setupoutputroutine                | \setupoutputroutine [...] [..=..]                  |
| setupoutputroutine:name           | \setupoutputroutine [...]                          |
| setuppagechecker                  | \setuppagechecker [...] [..=..]                    |
| setuppagecolumns                  | \setuppagecolumns [...] [..=..]                    |
| setuppageinjection                | \setuppageinjection [...] [..=..]                  |
| setuppageinjectionalternative     | \setuppageinjectionalternative [...] [..=..]       |
| setuppageshift                    | \setuppageshift [...] [...] [...]                  |
| setuppagestate                    | \setuppagestate [...] [..=..]                      |
| setuppairedbox                    | \setuppairedbox [...] [..=..]                      |
| setuppairedbox:instance           | \stelPAIREDBOX [..=..]                             |
| setuppairedbox:instance:legend    | \stellegend [..=..]                                |
| setupparagraph                    | \setupparagraph [...] [..=..]                      |
| setupparagraphintro               | \setupparagraphintro [...] [...]                   |
| setupparallel                     | \setupparallel [...] [...] [..=..]                 |
| setupperiodkerning                | \setupperiodkerning [...] [..=..]                  |
| setupperiods                      | \setupperiods [..=..]                              |
| setuppositionbar                  | \setuppositionbar [..=..]                          |
| setupprocessor                    | \setupprocessor [...] [..=..]                      |
| setupprofile                      | \setupprofile [...] [..=..]                        |
| setupquotation                    | \setupquotation [..=..]                            |
| setuprealpagenumber               | \setuprealpagenumber [..=..]                       |
| setupreferenceformat              | \setupreferenceformat [...] [..=..]                |
| setupreferenceprefix              | \setupreferenceprefix [...]                        |
| setupreferencestructureprefix     | \setupreferencestructureprefix [...] [...] [..=..] |
| setupregisters                    | \setupregisters [...] [..=..]                      |
| setupregisters:argument           | \setupregisters [...] [...] [..=..]                |
| setuprenderingwindow              | \setuprenderingwindow [...] [..=..]                |
| setupruby                         | \setupruby [...] [..=..]                           |
| setups                            | \setups [...]                                      |

|                                     |                                       |
|-------------------------------------|---------------------------------------|
| setupscale                          | \setupscale [...] [..=..]             |
| setupscript                         | \setupscript [...] [..=..]            |
| setupscripts                        | \setupscripts [...] [..=..]           |
| setupselector                       | \setupselector [...] [..=..]          |
| setupshift                          | \setupshift [...] [..=..]             |
| setupsidebar                        | \setupsidebar [...] [..=..]           |
| setupspellchecking                  | \setupspellchecking [..=..]           |
| setupstretched                      | \setupstretched [..=..]               |
| setupstruts                         | \setupstruts [...]                    |
| setupstyle                          | \setupstyle [...] [..=..]             |
| setupsubformula                     | \setupsubformula [...] [..=..]        |
| setupsubformulas                    | \setupsubformulas [...] [..=..]       |
| setupsynctex                        | \setupsynctex [..=..]                 |
| setups:direct                       | \setups {...}                         |
| setupTABLE                          | \setupTABLE [...] [...] [..=..]       |
| setupTEXpage                        | \setupTEXpage [..=..]                 |
| setuptabulation                     | \setuptabulation [...] [..=..]        |
| setuptagging                        | \setuptagging [..=..]                 |
| setuptextflow                       | \setuptextflow [...] [..=..]          |
| setuptooltip                        | \setuptooltip [...] [..=..]           |
| setupunit                           | \setupunit [...] [..=..]              |
| setupuserpagenumber                 | \setupuserpagenumber [..=..]          |
| setupversion                        | \setupversion [...]                   |
| setupviewerlayer                    | \setupviewerlayer [..=..]             |
| setupvspacing                       | \setupvspacing [...]                  |
| setupwithargument                   | \setupwithargument {...} {...}        |
| setupwithargumentswapped            | \setupwithargumentswapped {...} {...} |
| setupxml                            | \setupxml [..=..]                     |
| setupxtable                         | \setupxtable [...] [..=..]            |
| setuvalue                           | \setuvalue {...} {...}                |
| setuxvalue                          | \setuxvalue {...} {...}               |
| setvalue                            | \setvalue {...} {...}                 |
| setvariable                         | \setvariable {...} {...} {...}        |
| setvariables                        | \setvariables [...] [..=..]           |
| setvboxregister                     | \setvboxregister ... {...}            |
| setvisualizerfont                   | \setvisualizerfont [...]              |
| setvtopregister                     | \setvtopregister ... {...}            |
| setwidthof                          | \setwidthof ... \to \...              |
| setxmeasure                         | \setxmeasure {...} {...}              |
| setxvalue                           | \setxvalue {...} {...}                |
| setxvariable                        | \setxvariable {...} {...} {...}       |
| setxvariables                       | \setxvariables [...] [..=..]          |
| shapedhbox                          | \shapedhbox {...}                     |
| shiftbox                            | \shiftbox {...}                       |
| shift:instance                      | \SHIFT {...}                          |
| shift:instance:shiftdown            | \shiftdown {...}                      |
| shift:instance:shiftup              | \shiftup {...}                        |
| showallmakeup                       | \showallmakeup                        |
| showattributes                      | \showattributes                       |
| showboxes                           | \showboxes                            |
| showbtxdatasetauthors               | \showbtxdatasetauthors [..=..]        |
| showbtxdatasetauthors:argument      | \showbtxdatasetauthors [...]          |
| showbtxdatasetcompleteness          | \showbtxdatasetcompleteness [..=..]   |
| showbtxdatasetcompleteness:argument | \showbtxdatasetcompleteness [...]     |
| showbtxdatasetfields                | \showbtxdatasetfields [..=..]         |
| showbtxdatasetfields:argument       | \showbtxdatasetfields [...]           |
| showbtxfields                       | \showbtxfields [..=..]                |
| showbtxfields:argument              | \showbtxfields [...]                  |
| showbtxhashedauthors                | \showbtxhashedauthors [...]           |
| showbtxtables                       | \showbtxtables [...]                  |
| showchardata                        | \showchardata {...}                   |
| showcharratio                       | \showcharratio {...}                  |
| showcolorbar                        | \showcolorbar [...]                   |
| showcolorcomponents                 | \showcolorcomponents [...]            |
| showcolorset                        | \showcolorset [...]                   |
| showcolorstruts                     | \showcolorstruts                      |
| showcounter                         | \showcounter [...]                    |
| showdirectives                      | \showdirectives                       |
| showdirsinmargin                    | \showdirsinmargin                     |
| showedebuginfo                      | \showedebuginfo                       |
| showexperiments                     | \showexperiments                      |
| showfont                            | \showfont [...] [...]                 |



|                             |  |
|-----------------------------|--|
| showfontdata                | \showfontdata  |
| showfontexpansion           | \showfontexpansion                                       |
| showfontitalics             | \showfontitalics   |
| showfontkerns               | \showfontkerns   |
| showfontparameters          | \showfontparameters                                      |
| showfontstrip               | \showfontstrip [...]                                     |
| showfontstyle               | \showfontstyle [...] [...] [...] [...]                   |
| showglyphdata               | \showglyphdata   |
| showglyphs                  | \showglyphs  |
| showgridsnapping            | \showgridsnapping  |
| showhelp                    | \showhelp {...} [...]                                    |
| showhyphenationtrace        | \showhyphenationtrace [...] [...]                        |
| showhyphens                 | \showhyphens {...}                                       |
| showinjector                | \showinjector [...]                                      |
| showjustification           | \showjustification                                       |
| showkerning                 | \showkerning {...}                                       |
| showlayoutcomponents        | \showlayoutcomponents                                    |
| showligature                | \showligature {...}                                      |
| showligatures               | \showligatures [...]                                     |
| showlogcategories           | \showlogcategories                                       |
| showmargins                 | \showmargins   |
| showmessage                 | \showmessage {...} {...} {...}                           |
| showminimalbaseline         | \showminimalbaseline                                     |
| shownextbox                 | \shownextbox \... {...}                                  |
| showotfcomposition          | \showotfcomposition {...} {...} {...}                    |
| showparentchain             | \showparentchain \... {...}                              |
| showsetupsdefinition        | \showsetupsdefinition [...]                              |
| showtimer                   | \showtimer {...}   |
| showtokens                  | \showtokens [...]  |
| showtrackers                | \showtrackers  |
| showvalue                   | \showvalue {...}   |
| showvariable                | \showvariable {...} {...}                                |
| showwarning                 | \showwarning {...} {...} {...}                           |
| signalrightpage             | \signalrightpage   |
| simplealignedbox            | \simplealignedbox {...} {...} {...}                      |
| simplealignedboxplus        | \simplealignedboxplus {...} {...} {...} {...}            |
| simplealignedspreadbox      | \simplealignedspreadbox {...} {...} {...}                |
| simplegroupedcommand        | \simplegroupedcommand {...} {...}                        |
| simplereversealignedbox     | \simplereversealignedbox {...} {...} {...}               |
| simplereversealignedboxplus | \simplereversealignedboxplus {...} {...} {...} {...}     |
| singalcharacteralign        | \singalcharacteralign {...} {...}                        |
| singlebond                  | \singlebond  |
| sixthofsixarguments         | \sixthofsixarguments {...} {...} {...} {...} {...} {...} |
| slantedface                 | \slantedface   |
| slicepages                  | \slicepages [...] [..=..] [..=..]                        |
| slovenianNumerals           | \slovenianNumerals {...}                                 |
| sloveniannumerals           | \sloveniannumerals {...}                                 |
| smallcappedcharacters       | \smallcappedcharacters {...}                             |
| smallcappedromannumerals    | \smallcappedromannumerals {...}                          |
| smallskip                   | \smallskip   |
| smash                       | \smash [...] {...}                                       |
| smashbox                    | \smashbox ...  |
| smashboxed                  | \smashboxed ...  |
| smashedhbox                 | \smashedhbox ... {...}                                   |
| smashedvbox                 | \smashedvbox ... {...}                                   |
| snaptogrid                  | \snaptogrid [...] \... {...}                             |
| snaptogrid:list             | \snaptogrid [...] \... {...}                             |
| som                         | \som [...]   |
| someheadnumber              | \someheadnumber [...] [...]                              |
| somekindoftab               | \somekindoftab [..=..]                                   |
| somelocalfloat              | \somelocalfloat  |
| somenamedheadnumber         | \somenamedheadnumber {...} {...}                         |
| someplace                   | \someplace {...} {...} {...} {...} {...} [...]           |
| sorting:instance            | \SORTING [...] {...}                                     |
| sorting:instance:logo       | \logo [...] {...}  |
| spanishNumerals             | \spanishNumerals {...}                                   |
| spanishnumerals             | \spanishnumerals {...}                                   |
| spatie                      | \spatie  |
| spiegel                     | \spiegel {...}   |
| splitatasterisk             | \splitatasterisk ... \... \...                           |
| splitatcolon                | \splitatcolon ... \... \...                              |
| splitatcolons               | \splitatcolons ... \... \...                             |

|  |  |
|--|--|
| splitatcomma                           | \splitatcomma ... \... \...  |
| splitatperiod                          | \splitatperiod ... \... \...   |
| splitdfrac                             | \splitdfrac {...} {...}  |
| splitfilename                          | \splitfilename {...}   |
| splitfrac                              | \splitfrac {...} {...}   |
| splitoffbase                           | \splitoffbase  |
| splitofffull                           | \splitofffull  |
| splitoffkind                           | \splitoffkind  |
| splitoffname                           | \splitoffname  |
| splitoffpath                           | \splitoffpath  |
| splitoffroot                           | \splitoffroot  |
| splitofftokens                         | \splitofftokens ... \from ... \to \...                               |
| splitofftype                           | \splitofftype  |
| splitsplaatsblok                       | \splitsplaatsblok [..=..] {...} {...}                                |
| splitstring                            | \splitstring ... \at ... \to ... \and \...                           |
| spreadhbox                             | \spreadhbox ...  |
| sqrt                                   | \sqrt [...] {...}  |
| stackrel                               | \stackrel {...} {...}  |
| start                                  | \start [...] ... \stop   |
| startaanhangsel:instance               | \startATTACHMENT [...] [..=..] ... \stopATTACHMENT                   |
| startaanhangsel:instance:attachment    | \startattachment [...] [..=..] ... \stopattachment                   |
| startachtergrond                       | \startachtergrond [..=..] ... \stopachtergrond                       |
| startachtergrond:example               | \startACHTERGROND [..=..] ... \stopACHTERGROND                       |
| startaline                             | \startaline [...] [..=..] ... \stopaline                             |
| startallmodes                          | \startallmodes [...] ... \stopallmodes                               |
| startbar                               | \startbar [...] ... \stopbar   |
| startbbordermatrix                     | \startbbordermatrix ... \stopbbordermatrix                           |
| startbitmapimage                       | \startbitmapimage [..=..] ... \stopbitmapimage                       |
| startbordermatrix                      | \startbordermatrix ... \stopbordermatrix                             |
| startbtxrenderingdefinitions           | \startbtxrenderingdefinitions [...] ... \stopbtxrenderingdefinitions |
| startbuffer                            | \startbuffer [...] ... \stopbuffer                                   |
| startbuffer:instance                   | \startBUFFER ... \stopBUFFER   |
| startbuffer:instance:hiding            | \starthiding ... \stophiding   |
| startcatcodetable                      | \startcatcodetable \... ... \stopcatcodetable                        |
| startcentraligned                      | \startcentraligned ... \stopcentraligned                             |
| startcharacteralign                    | \startcharacteralign [..=..] ... \stopcharacteralign                 |
| startcharacteralign:argument           | \startcharacteralign [...] ... \stopcharacteralign                   |
| startcheckedfences                     | \startcheckedfences ... \stopcheckedfences                           |
| startchemical                          | \startchemical [...] [..=..] ... \stopchemical                       |
| startcollect                           | \startcollect ... \stopcollect                                       |
| startcollecting                        | \startcollecting ... \stopcollecting                                 |
| startcolorintent                       | \startcolorintent [...] ... \stopcolorintent                         |
| startcoloronly                         | \startcoloronly [...] ... \stopcoloronly                             |
| startcolorset                          | \startcolorset [...] ... \stopcolorset                               |
| startcolumnset                         | \startcolumnset [...] [..=..] ... \stopcolumnset                     |
| startcolumnsetspan                     | \startcolumnsetspan [...] [..=..] ... \stopcolumnsetspan             |
| startcolumnset:example                 | \startCOLUMNSET [..=..] ... \stopCOLUMNSET                           |
| startcolumnspan                        | \startcolumnspan [..=..] ... \stopcolumnspan                         |
| startcombinatie                        | \startcombinatie [...] [..=..] ... \stopcombinatie                   |
| startcombinatie:matrix                 | \startcombinatie [...] [...] ... \stopcombinatie                     |
| startcommentaar:instance               | \startCOMMENT [...] [..=..] ... \stopCOMMENT                         |
| startcommentaar:instance:comment       | \startcomment [...] [..=..] ... \stopcomment                         |
| startcontextcode                       | \startcontextcode ... \stopcontextcode                               |
| startcontextdefinitioncode             | \startcontextdefinitioncode ... \stopcontextdefinitioncode           |
| startctxfunction                       | \startctxfunction ... ... \stopctxfunction                           |
| startctxfunctiondefinition             | \startctxfunctiondefinition ... ... \stopctxfunctiondefinition       |
| startcurrentcolor                      | \startcurrentcolor ... \stopcurrentcolor                             |
| startcurrentlistentrywrapper           | \startcurrentlistentrywrapper ... \stopcurrentlistentrywrapper       |
| startdelimited                         | \startdelimited [...] [...] [...] ... \stopdelimited                 |
| startdelimitedtext                     | \startdelimitedtext [...] [...] [...] ... \stopdelimitedtext         |
| startdelimitedtext:instance            | \startDELIMITEDTEXT [...] [...] ... \stopDELIMITEDTEXT               |
| startdelimitedtext:instance:aside      | \startaside [...] [...] ... \stopaside                               |
| startdelimitedtext:instance:blockquote | \startblockquote [...] [...] ... \stopblockquote                     |
| startdelimitedtext:instance:quotation  | \startquotation [...] [...] ... \stopquotation                       |
| startdelimitedtext:instance:quote      | \startquote [...] [...] ... \stopquote                               |
| startdelimitedtext:instance:speech     | \startspeech [...] [...] ... \stopspeech                             |
| startdisplaymath                       | \startdisplaymath ... \stopdisplaymath                               |
| startdmath                             | \startdmath ... \stopdmath   |
| startdocument                          | \startdocument [..=..] ... \stopdocument                             |
| startdoordefinitie:example             | \startDOORDEFINITIE [..=..] ... \stopDOORDEFINITIE                   |
| startdoordefinitie:example:title       | \startDOORDEFINITIE [...] {...} ... \stopDOORDEFINITIE               |
| startdoornummering:example             | \startDOORNUMMERING [..=..] ... \stopDOORNUMMERING                   |

|                                     |   |
|-------------------------------------|---|
| startdoornummering:example:title    | <code>\startDOORNUMMERING [...] {...} ... \stopDOORNUMMERING</code>                 |
| starteffect                         | <code>\starteffect [...] ... \stopeffect</code>                                     |
| starteffect:example                 | <code>\startEFFECT ... \stopEFFECT</code>   |
| startelement                        | <code>\startelement {...} [..=..] ... \stopelement</code>                           |
| startembeddedxtable                 | <code>\startembeddedxtable [..=..] ... \stopembeddedxtable</code>                   |
| startembeddedxtable:name            | <code>\startembeddedxtable [...] ... \stopembeddedxtable</code>                     |
| startexceptions                     | <code>\startexceptions [...] ... \stopexceptions</code>                             |
| startexpanded                       | <code>\startexpanded ... \stopexpanded</code>                                       |
| startexpandedcollect                | <code>\startexpandedcollect ... \stopexpandedcollect</code>                         |
| startextendedcatcodetable           | <code>\startextendedcatcodetable ... .. \stopextendedcatcodetable</code>            |
| startexternalfigurecollection       | <code>\startexternalfigurecollection [...] ... \stopexternalfigurecollection</code> |
| startfacingfloat                    | <code>\startfacingfloat [...] ... \stopfacingfloat</code>                           |
| startfiguur                         | <code>\startfiguur [...] [...] [..=..] ... \stopfiguur</code>                       |
| startfittingpage                    | <code>\startfittingpage [...] [..=..] ... \stopfittingpage</code>                   |
| startfittingpage:instance           | <code>\startFITTINGPAGE [..=..] ... \stopFITTINGPAGE</code>                         |
| startfittingpage:instance:MPpage    | <code>\startMPpage [..=..] ... \stopMPpage</code>                                   |
| startfittingpage:instance:TEXpage   | <code>\startTEXpage [..=..] ... \stopTEXpage</code>                                 |
| startfloatcombination               | <code>\startfloatcombination [..=..] ... \stopfloatcombination</code>               |
| startfloatcombination:matrix        | <code>\startfloatcombination [...] ... \stopfloatcombination</code>                 |
| startfloattext:instance             | <code>\startFLOATtekst [...] [...] {...} ... \stopFLOATtekst</code>                 |
| startfloattext:instance:chemical    | <code>\startchemicaltekst [...] [...] {...} ... \stopchemicaltekst</code>           |
| startfloattext:instance:figure      | <code>\startfiguretekst [...] [...] {...} ... \stopfiguretekst</code>               |
| startfloattext:instance:graphic     | <code>\startgraphictekst [...] [...] {...} ... \stopgraphictekst</code>             |
| startfloattext:instance:intermezzo  | <code>\startintermezzotekst [...] [...] {...} ... \stopintermezzotekst</code>       |
| startfloattext:instance:table       | <code>\starttabletekst [...] [...] {...} ... \stoptabletekst</code>                 |
| startfont                           | <code>\startfont [...] ... \stopfont</code>   |
| startfontclass                      | <code>\startfontclass [...] ... \stopfontclass</code>                               |
| startfontsolution                   | <code>\startfontsolution [...] ... \stopfontsolution</code>                         |
| startformule                        | <code>\startformule [...] ... \stopformule</code>                                   |
| startformules                       | <code>\startformules [...] ... \stopformules</code>                                 |
| startformule:assignment             | <code>\startformule [..=..] ... \stopformule</code>                                 |
| startformule:instance               | <code>\startFORMULAformula [...] ... \stopFORMULAformula</code>                     |
| startformule:instance:md            | <code>\startmdformula [...] ... \stopmdformula</code>                               |
| startformule:instance:mp            | <code>\startmpformula [...] ... \stopmpformula</code>                               |
| startformule:instance:sd            | <code>\startsdfformula [...] ... \stopsdfformula</code>                             |
| startformule:instance:sp            | <code>\startspformula [...] ... \stopspformula</code>                               |
| startframedcell                     | <code>\startframedcell [..=..] ... \stopframedcell</code>                           |
| startframedcontent                  | <code>\startframedcontent [...] ... \stopframedcontent</code>                       |
| startframedrow                      | <code>\startframedrow [..=..] ... \stopframedrow</code>                             |
| startframedtable                    | <code>\startframedtable [...] [..=..] ... \stopframedtable</code>                   |
| startgridsnapping                   | <code>\startgridsnapping [...] ... \stopgridsnapping</code>                         |
| startgridsnapping:list              | <code>\startgridsnapping [...] ... \stopgridsnapping</code>                         |
| starthangend                        | <code>\starthangend [..=..] {...} ... \stophangend</code>                           |
| starthangend:argument               | <code>\starthangend [...] {...} ... \stophangend</code>                             |
| starthboxestohbox                   | <code>\starthboxestohbox ... \stophboxestohbox</code>                               |
| starthboxregister                   | <code>\starthboxregister ... .. \stophboxregister</code>                            |
| starthelptekst                      | <code>\starthelptekst [...] ... \stophelptekst</code>                               |
| starthelp:instance                  | <code>\starthelp [...] ... \stopHELP</code>   |
| starthelp:instance:helptext         | <code>\starthelp[te]xt [...] ... \stophelptext</code>                               |
| starthighlight                      | <code>\starthighlight [...] ... \stophighlight</code>                               |
| starthyphenation                    | <code>\starthyphenation [...] ... \stophyphenation</code>                           |
| startimath                          | <code>\startimath ... \stopimath</code>   |
| startindentedtext                   | <code>\startindentedtext [...] ... \stopindentedtext</code>                         |
| startindentedtext:example           | <code>\startINDENTEDTEXT ... \stopINDENTEDTEXT</code>                               |
| startinteractie                     | <code>\startinteractie [...] ... \stopinteractie</code>                             |
| startinteractiemenu                 | <code>\startinteractiemenu [...] ... \stopinteractiemenu</code>                     |
| startinterface                      | <code>\startinterface ... .. \stopinterface</code>                                  |
| startintertext                      | <code>\startintertext ... \stopintertext</code>                                     |
| startitemgroup                      | <code>\startitemgroup [...] [...] [..=..] ... \stopitemgroup</code>                 |
| startitemgroup:instance             | <code>\startITEMGROUP [...] [..=..] ... \stopITEMGROUP</code>                       |
| startitemgroup:instance:itemize     | <code>\startitemize [...] [..=..] ... \stopitemize</code>                           |
| startJScode                         | <code>\startJScode ... .. \stopJScode</code>  |
| startJSpreamble                     | <code>\startJSpreamble ... .. \stopJSpreamble</code>                                |
| startkadertekst:instance            | <code>\startFRAMEDTEXT [...] [..=..] ... \stopFRAMEDTEXT</code>                     |
| startkadertekst:instance:framedtext | <code>\startframedtext [...] [..=..] ... \stopframedtext</code>                     |
| startkantlijn                       | <code>\startkantlijn [...] ... \stopkantlijn</code>                                 |
| startkantlijn:assignment            | <code>\startkantlijn [..=..] ... \stopkantlijn</code>                               |
| startkleur                          | <code>\startkleur [...] ... \stopkleur</code>                                       |
| startknockout                       | <code>\startknockout ... \stopknockout</code>                                       |
| startkolommen                       | <code>\startkolommen [..=..] ... \stopkolommen</code>                               |
| startkop                            | <code>\startkop [...] {...} ... \stopkop</code>                                     |
| startlabeltekst:instance            | <code>\startLABELtekst [...] [...] ... \stopLABELtekst</code>                       |

|   |  |
|---|--|
| startlabeltekst:instance:btxlabel           | \startbtxlabeltekst [...] [...] ... \stopbtxlabeltekst         |
| startlabeltekst:instance:head               | \startheadtekst [...] [...] ... \stopheadtekst                 |
| startlabeltekst:instance:label              | \startlabeltekst [...] [...] ... \stoplabeltekst               |
| startlabeltekst:instance:mathlabel          | \startmathlabeltekst [...] [...] ... \stopmathlabeltekst       |
| startlabeltekst:instance:operator           | \startoperatortekst [...] [...] ... \stopoperatortekst         |
| startlabeltekst:instance:prefix             | \startprefixtekst [...] [...] ... \stopprefixtekst             |
| startlabeltekst:instance:suffix             | \startsuffixtekst [...] [...] ... \stopsuffixtekst             |
| startlabeltekst:instance:taglabel           | \starttaglabeltekst [...] [...] ... \stoptaglabeltekst         |
| startlabeltekst:instance:unit               | \startunittekst [...] [...] ... \stopunittekst                 |
| startlayout                                 | \startlayout [...] ... \stoplayout                             |
| startlinealignment                          | \startlinealignment [...] ... \stoplinealignment               |
| startlinefiller                             | \startlinefiller [...] [...] ... \stoplinefiller               |
| startlinenote:instance                      | \startLINENOTE [...] {...}                                     |
| startlinenote:instance:linenote             | \startlinenote [...] {...}                                     |
| startlinenumbering                          | \startlinenumbering [...] [...] ... \stoplinenumbering         |
| startlinenumbering:argument                 | \startlinenumbering [...] [...] ... \stoplinenumbering         |
| startlinetable                              | \startlinetable ... \stoplinetable                             |
| startlinetablebody                          | \startlinetablebody ... \stoplinetablebody                     |
| startlinetablecell                          | \startlinetablecell [...] ... \stoplinetablecell               |
| startlinetablehead                          | \startlinetablehead ... \stoplinetablehead                     |
| startlocalheadsetup                         | \startlocalheadsetup ... \stoplocalheadsetup                   |
| startlocallinecorrection                    | \startlocallinecorrection [...] ... \stoplocallinecorrection   |
| startlocalnotes                             | \startlocalnotes [...] ... \stoplocalnotes                     |
| startlocalsetups                            | \startlocalsetups [...] [...] ... \stoplocalsetups             |
| startlocalsetups:string                     | \startlocalsetups ... \stoplocalsetups                         |
| startlokalevoetnoten                        | \startlokalevoetnoten ... \stoplokalevoetnoten                 |
| startlua                                    | \startlua ... \stoplua   |
| startluacode                                | \startluacode ... \stopluacode                                 |
| startluaparameterset                        | \startluaparameterset [...] ... \stopluaparameterset           |
| startluasetups                              | \startluasetups [...] [...] ... \stopluasetups                 |
| startluasetups:string                       | \startluasetups ... \stopluasetups                             |
| startMPclip                                 | \startMPclip {...} ... \stopMPclip                             |
| startMPcode                                 | \startMPcode {...} ... \stopMPcode                             |
| startMPdefinitions                          | \startMPdefinitions {...} ... \stopMPdefinitions               |
| startMPdrawing                              | \startMPdrawing [...] ... \stopMPdrawing                       |
| startMPenvironment                          | \startMPenvironment [...] ... \stopMPenvironment               |
| startMPextensions                           | \startMPextensions {...} ... \stopMPextensions                 |
| startMPinclusions                           | \startMPinclusions [...] {...} ... \stopMPinclusions           |
| startMPinitializations                      | \startMPinitializations ... \stopMPinitializations             |
| startMPpositiongraphic                      | \startMPpositiongraphic {...} {...} ... \stopMPpositiongraphic |
| startMPpositionmethod                       | \startMPpositionmethod {...} ... \stopMPpositionmethod         |
| startMPrun                                  | \startMPrun {...} ... \stopMPrun                               |
| startmargeblok                              | \startmargeblok [...] ... \stopmargeblok                       |
| startmarkedcontent                          | \startmarkedcontent [...] ... \stopmarkedcontent               |
| startmarkpages                              | \startmarkpages [...] ... \stopmarkpages                       |
| startmathcases:instance                     | \startMATHCASES [...] ... \stopMATHCASES                       |
| startmathcases:instance:cases               | \startcases [...] ... \stopcases                               |
| startmathcases:instance:mathcases           | \startmathcases [...] ... \stopmathcases                       |
| startmathmode                               | \startmathmode ... \stopmathmode                               |
| startmathstyle                              | \startmathstyle [...] ... \stopmathstyle                       |
| startmatrices                               | \startmatrices [...] ... \stopmatrices                         |
| startmaxaligned                             | \startmaxaligned ... \stopmaxaligned                           |
| startmiddlealigned                          | \startmiddlealigned ... \stopmiddlealigned                     |
| startmixedcolumns                           | \startmixedcolumns [...] [...] ... \stopmixedcolumns           |
| startmixedcolumns:instance                  | \startMIXEDCOLUMNS [...] ... \stopMIXEDCOLUMNS                 |
| startmixedcolumns:instance:boxedcolumns     | \startboxedcolumns [...] ... \stopboxedcolumns                 |
| startmixedcolumns:instance:itemgroupcolumns | \startitemgroupcolumns [...] ... \stopitemgroupcolumns         |
| startmode                                   | \startmode [...] ... \stopmode                                 |
| startmodeset                                | \startmodeset [...] {...} ... \stopmodeset                     |
| startmodule                                 | \startmodule [...] ... \stopmodule                             |
| startmoduletestsection                      | \startmoduletestsection ... \stopmoduletestsection             |
| startmodule:string                          | \startmodule ... \stopmodule                                   |
| startnaar                                   | \startnaar [...] ... \stopnaar                                 |
| startnaast                                  | \startnaast ... \stopnaast                                     |
| startnamedsection                           | \startnamedsection [...] [...] ... \stopnamedsection           |
| startnamedsubformulas                       | \startnamedsubformulas [...] {...} ... \stopnamedsubformulas   |
| startnarrower                               | \startnarrower [...] ... \stopnarrower                         |
| startnarrower:example                       | \startNARROWER [...] ... \stopNARROWER                         |
| startnegatief                               | \startnegatief ... \stopnegatief                               |
| startnicelyfilledbox                        | \startnicelyfilledbox [...] ... \stopnicelyfilledbox           |
| startnointerference                         | \startnointerference ... \stopnointerference                   |
| startnoot:instance                          | \startNOTE [...] ... \stopNOTE                                 |

|   |  |
|---|--|
| startnoot:instance:assignment               | \startNOTE [...=.] ... \stopNOTE   |
| startnoot:instance:assignment:endnote       | \startendnote [...=.] ... \stopendnote                                   |
| startnoot:instance:assignment:footnote      | \startfootnote [...=.] ... \stopfootnote                                 |
| startnoot:instance:endnote                  | \startendnote [...] ... \stopendnote                                     |
| startnoot:instance:footnote                 | \startfootnote [...] ... \stopfootnote                                   |
| startnotallmodes                            | \startnotallmodes [...] ... \stopnotallmodes                             |
| startnotext                                 | \startnotext ... \stopnotext   |
| startnotmode                                | \startnotmode [...] ... \stopnotmode                                     |
| startomgeving                               | \startomgeving [...] ... \stopomgeving                                   |
| startomgeving:string                        | \startomgeving ... \stopomgeving   |
| startomlijnd                                | \startomlijnd [...] [...=.] ... \stopomlijnd                             |
| startonderdeel                              | \startonderdeel [...] ... \stoponderdeel                                 |
| startonderdeel:string                       | \startonderdeel ... \stoponderdeel                                       |
| startopelkaar                               | \startopelkaar [...] ... \stopopelkaar                                   |
| startopmaak                                 | \startopmaak [...] [...=.] ... \stopopmaak                               |
| startopmaak:instance                        | \startMAKEUPopmaak [...=.] ... \stopMAKEUPopmaak                         |
| startopmaak:instance:middle                 | \startmiddleopmaak [...=.] ... \stopmiddleopmaak                         |
| startopmaak:instance:page                   | \startpageopmaak [...=.] ... \stoppageopmaak                             |
| startopmaak:instance:standard               | \startstandardopmaak [...=.] ... \stopstandardopmaak                     |
| startopmaak:instance:text                   | \starttextopmaak [...=.] ... \stoptextopmaak                             |
| startoutputstream                           | \startoutputstream [...] ... \stopoutputstream                           |
| startoverlay                                | \startoverlay ... \stopoverlay   |
| startoverprint                              | \startoverprint ... \stopoverprint                                       |
| startpagecolumns                            | \startpagecolumns [...=.] ... \stoppagecolumns                           |
| startpagecolumns:instance                   | \startPAGECOLUMNS ... \stopPAGECOLUMNS                                   |
| startpagecolumns:name                       | \startpagecolumns [...] ... \stoppagecolumns                             |
| startpagefigure                             | \startpagefigure [...] [...=.] ... \stoppagefigure                       |
| startpagelayout                             | \startpagelayout [...] ... \stoppagelayout                               |
| startpaginacommentaar                       | \startpaginacommentaar ... \stoppaginacommentaar                         |
| startpar                                    | \startpar [...] [...=.] ... \stoppar                                     |
| startparagraaf:instance                     | \startSECTION [...=.] [...=.] ... \stopSECTION                           |
| startparagraaf:instance:chapter             | \startchapter [...=.] [...=.] ... \stopchapter                           |
| startparagraaf:instance:part                | \startpart [...=.] [...=.] ... \stoppart                                 |
| startparagraaf:instance:section             | \startsection [...=.] [...=.] ... \stopsection                           |
| startparagraaf:instance:subject             | \startsubject [...=.] [...=.] ... \stopsubject                           |
| startparagraaf:instance:subsection          | \startsubsection [...=.] [...=.] ... \stopsubsection                     |
| startparagraaf:instance:subsubject          | \startsubsubject [...=.] [...=.] ... \stopsubsubject                     |
| startparagraaf:instance:subsubsection       | \startsubsubsection [...=.] [...=.] ... \stopsubsubsection               |
| startparagraaf:instance:subsubsubject       | \startsubsubsubject [...=.] [...=.] ... \stopsubsubsubject               |
| startparagraaf:instance:subsubsubsection    | \startsubsubsubsection [...=.] [...=.] ... \stopsubsubsubsection         |
| startparagraaf:instance:subsubsubsubject    | \startsubsubsubsubject [...=.] [...=.] ... \stopsubsubsubsubject         |
| startparagraaf:instance:subsubsubsubsection | \startsubsubsubsubsection [...=.] [...=.] ... \stopsubsubsubsubsection   |
| startparagraaf:instance:subsubsubsubsubject | \startsubsubsubsubsubject [...=.] [...=.] ... \stopsubsubsubsubsubject   |
| startparagraaf:instance:title               | \starttitle [...=.] [...=.] ... \stoptitle                               |
| startparagraphs                             | \startparagraphs [...] ... \stopparagraphs                               |
| startparagraphscell                         | \startparagraphscell ... \stopparagraphscell                             |
| startparagraphs:example                     | \startPARAGRAPHS ... \stopPARAGRAPHS                                     |
| startparallel:example                       | \startPARALLEL ... \stopPARALLEL   |
| startparbuilder                             | \startparbuilder [...] ... \stopparbuilder                               |
| startplaatsformule                          | \startplaatsformule [...=.] ... \stopplaatsformule                       |
| startplaatsformule:argument                 | \startplaatsformule [...] ... \stopplaatsformule                         |
| startplaatsplaatsblok                       | \startplaatsplaatsblok [...] [...=.] [...=.] ... \stopplaatsplaatsblok   |
| startplaatsplaatsblok:instance              | \startplaatsFLOAT [...=.] [...=.] ... \stopplaatsFLOAT                   |
| startplaatsplaatsblok:instance:chemical     | \startplaatschemical [...=.] [...=.] ... \stopplaatschemical             |
| startplaatsplaatsblok:instance:figure       | \startplaatsfigure [...=.] [...=.] ... \stopplaatsfigure                 |
| startplaatsplaatsblok:instance:graphic      | \startplaatsgraphic [...=.] [...=.] ... \stopplaatsgraphic               |
| startplaatsplaatsblok:instance:intermezzo   | \startplaatsintermezzo [...=.] [...=.] ... \stopplaatsintermezzo         |
| startplaatsplaatsblok:instance:table        | \startplaatstable [...=.] [...=.] ... \stopplaatstable                   |
| startplacepairedbox                         | \startplacepairedbox [...] [...=.] ... \stopplacepairedbox               |
| startplacepairedbox:instance                | \startplaatsPAIREDBOX [...=.] ... \stopplaatsPAIREDBOX                   |
| startplacepairedbox:instance:legend         | \startplaatslegend [...=.] ... \stopplaatslegend                         |
| startpositief                               | \startpositief ... \stoppositief   |
| startpositioning                            | \startpositioning [...] [...=.] ... \stoppositioning                     |
| startpositionoverlay                        | \startpositionoverlay {...} ... \stoppositionoverlay                     |
| startpostponingnotes                        | \startpostponingnotes ... \stoppostponingnotes                           |
| startprocessassignmentcommand               | \startprocessassignmentcommand [...=.] ... \stopprocessassignmentcommand |
| startprocessassignmentlist                  | \startprocessassignmentlist [...=.] ... \stopprocessassignmentlist       |
| startprocesscommacommand                    | \startprocesscommacommand [...] ... \stopprocesscommacommand             |
| startprocesscommalist                       | \startprocesscommalist [...] ... \stopprocesscommalist                   |
| startprodukt                                | \startprodukt [...] ... \stopprodukt                                     |
| startprodukt:string                         | \startprodukt ... \stopprodukt   |
| startprojekt                                | \startprojekt [...] ... \stopprojekt                                     |

|  |  |
|--|--|
| startprojekt:string                    | \startprojekt ... .. \stopprojekt                                    |
| startprotectedcolors                   | \startprotectedcolors ... \stopprotectedcolors                       |
| startpublicatie                        | \startpublicatie [...] [..=..] ... \stoppublicatie                   |
| startrandomized                        | \startrandomized ... \stoprandomized                                 |
| startrawsetups                         | \startrawsetups [...] [...] ... \stoprawsetups                       |
| startrawsetups:string                  | \startrawsetups ... .. \stoprawsetups                                |
| startreadingfile                       | \startreadingfile ... \stopreadingfile                               |
| startregel                             | \startregel [...]  |
| startregelcorrectie                    | \startregelcorrectie [...] ... \stopregelcorrectie                   |
| startregellinks                        | \startregellinks ... \stopregellinks                                 |
| startregelmidden                       | \startregelmidden ... \stopregelmidden                               |
| startregelrechts                       | \startregelrechts ... \stopregelrechts                               |
| startregels:instance                   | \startLINES [..=..] ... \stopLINES                                   |
| startregels:instance:lines             | \startlines [..=..] ... \stoplines                                   |
| startregime                            | \startregime [...] ... \stopregime                                   |
| startregister                          | \startregister [...] [...] [...] [...] {..+...+..}                   |
| startreusableMPgraphic                 | \startreusableMPgraphic {...} {...} ... \stopreusableMPgraphic       |
| startruby                              | \startruby [...] ... \stopruby                                       |
| startscript                            | \startscript [...] ... \stopscript                                   |
| startsectieblokomgeving                | \startsectieblokomgeving [...] ... \stopsectieblokomgeving           |
| startsectionblock                      | \startsectionblock [...] [..=..] ... \stopsectionblock               |
| startsectionblock:instance             | \startSECTIONBLOCK [..=..] ... \stopSECTIONBLOCK                     |
| startsectionblock:instance:appendices  | \startappendices [..=..] ... \stopappendices                         |
| startsectionblock:instance:backmatter  | \startbackmatter [..=..] ... \stopbackmatter                         |
| startsectionblock:instance:bodymatter  | \startbodymatter [..=..] ... \stopbodymatter                         |
| startsectionblock:instance:frontmatter | \startfrontmatter [..=..] ... \stopfrontmatter                       |
| startsectionlevel                      | \startsectionlevel [...] [..=..] [..=..] ... \stopsectionlevel       |
| startsetups                            | \startsetups [...] [...] ... \stopsetups                             |
| startsetups:string                     | \startsetups ... .. \stopsetups                                      |
| startshift                             | \startshift [...] ... \stopshift                                     |
| startsidebar                           | \startsidebar [...] [..=..] ... \stopsidebar                         |
| startsimplecolumns                     | \startsimplecolumns [..=..] ... \stopsimplecolumns                   |
| startsmal                              | \startsmal [...] [..=..] ... \stopsmal                               |
| startsmal:assignment                   | \startsmal [..=..] [...] ... \stopsmal                               |
| startsmal:name                         | \startsmal [...] [...] ... \stopsmal                                 |
| startsom                               | \startsom [...] ... \stopsom   |
| startspecialitem:item                  | \startspecialitem [...] [...] ... \stopspecialitem                   |
| startspecialitem:none                  | \startspecialitem [...] ... \stopspecialitem                         |
| startspecialitem:symbol                | \startspecialitem [...] {...} ... \stopspecialitem                   |
| startsplitformula                      | \startsplitformula ... \stopsplitformula                             |
| startspread                            | \startspread ... \stopspread   |
| startstartstop:example                 | \startSTARTSTOP ... \stopSTARTSTOP                                   |
| startstaticMPfigure                    | \startstaticMPfigure {...} ... \stopstaticMPfigure                   |
| startstaticMPgraphic                   | \startstaticMPgraphic {...} {...} ... \stopstaticMPgraphic           |
| startstop:example                      | \STARTSTOP {...}   |
| startstrictinspectnextcharacter        | \startstrictinspectnextcharacter ... \stopstrictinspectnextcharacter |
| startstructurepageregister             | \startstructurepageregister [...] [...] [..=..] [..=..]              |
| startstyle                             | \startstyle [..=..] ... \stopstyle                                   |
| startstyle:argument                    | \startstyle [...] ... \stopstyle                                     |
| startstyle:instance                    | \startSTYLE ... \stopSTYLE   |
| startsubformulas                       | \startsubformulas [...] ... \stopsubformulas                         |
| startsubjectlevel                      | \startsubjectlevel [...] [..=..] [..=..] ... \stopsubjectlevel       |
| startsubsentence                       | \startsubsentence ... \stopsubsentence                               |
| startsubstack                          | \startsubstack ... \stopsubstack                                     |
| startsymbolset                         | \startsymbolset [...] [..=..] ... \stopsymbolset                     |
| startTABLE                             | \startTABLE [..=..] ... \stopTABLE                                   |
| startTABLEbody                         | \startTABLEbody [..=..] ... \stopTABLEbody                           |
| startTABLEfoot                         | \startTABLEfoot [..=..] ... \stopTABLEfoot                           |
| startTABLEhead                         | \startTABLEhead [..=..] ... \stopTABLEhead                           |
| startTABLEnext                         | \startTABLEnext [..=..] ... \stopTABLEnext                           |
| starttabel                             | \starttabel [ ... ] [..=..] ... \stoptabel                           |
| starttabelkop                          | \starttabelkop [...] ... \stoptabelkop                               |
| starttabellen                          | \starttabellen [ ... ] ... \stoptabellen                             |
| starttabellen:name                     | \starttabellen [...] ... \stoptabellen                               |
| starttabelstaart                       | \starttabelstaart [...] ... \stoptabelstaart                         |
| starttabel:name                        | \starttabel [...] [..=..] ... \stoptabel                             |
| starttabulatie                         | \starttabulatie [/..../] [..=..] ... \stoptabulatie                  |
| starttabulatiekop                      | \starttabulatiekop <sup>0</sup> [...] ... \stoptabulatiekop          |
| starttabulatiestaart                   | \starttabulatiestaart [...] ... \stoptabulatiestaart                 |
| starttabulatie:instance                | \startTABULATE [...] [..=..] ... \stopTABULATE                       |
| starttabulatie:instance:fact           | \startfact [...] [..=..] ... \stopfact                               |
| starttabulatie:instance:legend         | \startlegend [...] [..=..] ... \stoplegend                           |

|   |   |
|---|---|
| starttabulation:example                       | <code>\startTABULATION [...] [..=..] ... \stopTABULATION</code>                 |
| starttekst                                    | <code>\starttekst ... \stoptekst</code>   |
| starttekstachtergrond                         | <code>\starttekstachtergrond [...] [..=..] ... \stoptekstachtergrond</code>     |
| starttekstachtergrond:example                 | <code>\startTEXTBACKGROUND [..=..] ... \stopTEXTBACKGROUND</code>               |
| starttekstlijn                                | <code>\starttekstlijn {...} ... \stoptekstlijn</code>                           |
| starttexcode                                  | <code>\starttexcode ... \stoptexcode</code>                                     |
| starttexdefinition                            | <code>\starttexdefinition ... .. \stoptexdefinition</code>                      |
| starttextbackgroundmanual                     | <code>\starttextbackgroundmanual ... \stoptextbackgroundmanual</code>           |
| starttextcolor                                | <code>\starttextcolor [...] ... \stoptextcolor</code>                           |
| starttextcolorintent                          | <code>\starttextcolorintent ... \stoptextcolorintent</code>                     |
| starttextflow                                 | <code>\starttextflow [...] ... \stoptextflow</code>                             |
| starttokens                                   | <code>\starttokens [...] ... \stoptokens</code>                                 |
| starttransparent                              | <code>\starttransparent [...] ... \stoptransparent</code>                       |
| starttypen:instance                           | <code>\startTYPING [..=..] ... \stopTYPING</code>                               |
| starttypen:instance:argument                  | <code>\startTYPING [...] ... \stopTYPING</code>                                 |
| starttypen:instance:argument:LUA              | <code>\startLUA [...] ... \stopLUA</code>                                       |
| starttypen:instance:argument:MP               | <code>\startMP [...] ... \stopMP</code>   |
| starttypen:instance:argument:PARSEDXML        | <code>\startPARSEDXML [...] ... \stopPARSEDXML</code>                           |
| starttypen:instance:argument:TEX              | <code>\startTEX [...] ... \stopTEX</code>                                       |
| starttypen:instance:argument:typing           | <code>\starttyping [...] ... \stoptyping</code>                                 |
| starttypen:instance:argument:XML              | <code>\startXML [...] ... \stopXML</code>                                       |
| starttypen:instance:LUA                       | <code>\startLUA [..=..] ... \stopLUA</code>                                     |
| starttypen:instance:MP                        | <code>\startMP [..=..] ... \stopMP</code>                                       |
| starttypen:instance:PARSEDXML                 | <code>\startPARSEDXML [..=..] ... \stopPARSEDXML</code>                         |
| starttypen:instance:TEX                       | <code>\startTEX [..=..] ... \stopTEX</code>                                     |
| starttypen:instance:typing                    | <code>\starttyping [..=..] ... \stoptyping</code>                               |
| starttypen:instance:XML                       | <code>\startXML [..=..] ... \stopXML</code>                                     |
| starttypescript                               | <code>\starttypescript [...] [...] [...] ... \stoptypescript</code>             |
| starttypescriptcollection                     | <code>\starttypescriptcollection [...] ... \stoptypescriptcollection</code>     |
| startuitlijnen                                | <code>\startuitlijnen [...] ... \stopuitlijnen</code>                           |
| startuitstellen                               | <code>\startuitstellen [...] ... \stopuitstellen</code>                         |
| startuniqueMPgraphic                          | <code>\startuniqueMPgraphic {...} {...} ... \stopuniqueMPgraphic</code>         |
| startuniqueMPpagegraphic                      | <code>\startuniqueMPpagegraphic {...} {...} ... \stopuniqueMPpagegraphic</code> |
| startusableMPgraphic                          | <code>\startusableMPgraphic {...} {...} ... \stopusableMPgraphic</code>         |
| startuseMPgraphic                             | <code>\startuseMPgraphic {...} {...} ... \stopuseMPgraphic</code>               |
| startusemathstyleparameter                    | <code>\startusemathstyleparameter \... \stopusemathstyleparameter</code>        |
| startusingbtxspecification                    | <code>\startusingbtxspecification [...] ... \stopusingbtxspecification</code>   |
| startvanelkaar                                | <code>\startvanelkaar ... \stopvanelkaar</code>                                 |
| startvast                                     | <code>\startvast [...] ... \stopvast</code>                                     |
| startvboxregister                             | <code>\startvboxregister ... \stopvboxregister</code>                           |
| startvboxtohbox                               | <code>\startvboxtohbox ... \stopvboxtohbox</code>                               |
| startvboxtohboxseparator                      | <code>\startvboxtohboxseparator ... \stopvboxtohboxseparator</code>             |
| startviewerlayer                              | <code>\startviewerlayer [...] ... \stopviewerlayer</code>                       |
| startviewerlayer:example                      | <code>\startVIEWERLAYER ... \stopVIEWERLAYER</code>                             |
| startvtopregister                             | <code>\startvtopregister ... \stopvtopregister</code>                           |
| startwiskundematrix:instance                  | <code>\startMATHMATRIX [..=..] ... \stopMATHMATRIX</code>                       |
| startwiskundematrix:instance:matrix           | <code>\startmathmatrix [..=..] ... \stopmathmatrix</code>                       |
| startwiskundeuitlijnen:instance               | <code>\startMATHALIGNMENT [..=..] ... \stopMATHALIGNMENT</code>                 |
| startwiskundeuitlijnen:instance:align         | <code>\startalign [..=..] ... \stopalign</code>                                 |
| startwiskundeuitlijnen:instance:mathalignment | <code>\startmathalignment [..=..] ... \stopmathalignment</code>                 |
| startxcell                                    | <code>\startxcell [...] [..=..] ... \stopxcell</code>                           |
| startxcellgroup                               | <code>\startxcellgroup [...] [..=..] ... \stopxcellgroup</code>                 |
| startxcolumn                                  | <code>\startxcolumn [...] [..=..] ... \stopxcolumn</code>                       |
| startxgroup                                   | <code>\startxgroup [...] [..=..] ... \stopxgroup</code>                         |
| startxmldisplayverbatim                       | <code>\startxmldisplayverbatim [...] ... \stopxmldisplayverbatim</code>         |
| startxmlinlineverbatim                        | <code>\startxmlinlineverbatim [...] ... \stopxmlinlineverbatim</code>           |
| startxmlraw                                   | <code>\startxmlraw ... \stopxmlraw</code>                                       |
| startxmlsetups                                | <code>\startxmlsetups [...] [...] ... \stopxmlsetups</code>                     |
| startxmlsetups:string                         | <code>\startxmlsetups ... \stopxmlsetups</code>                                 |
| startxrow                                     | <code>\startxrow [...] [..=..] ... \stopxrow</code>                             |
| startxrowgroup                                | <code>\startxrowgroup [...] [..=..] ... \stopxrowgroup</code>                   |
| startxtable                                   | <code>\startxtable [..=..] ... \stopxtable</code>                               |
| startxtablebody                               | <code>\startxtablebody [..=..] ... \stopxtablebody</code>                       |
| startxtablebody:name                          | <code>\startxtablebody [...] ... \stopxtablebody</code>                         |
| startxtablefoot                               | <code>\startxtablefoot [..=..] ... \stopxtablefoot</code>                       |
| startxtablefoot:name                          | <code>\startxtablefoot [...] ... \stopxtablefoot</code>                         |
| startxtablehead                               | <code>\startxtablehead [..=..] ... \stopxtablehead</code>                       |
| startxtablehead:name                          | <code>\startxtablehead [...] ... \stopxtablehead</code>                         |
| startxtablenext                               | <code>\startxtablenext [..=..] ... \stopxtablenext</code>                       |
| startxtablenext:name                          | <code>\startxtablenext [...] ... \stopxtablenext</code>                         |
| startxtable:example                           | <code>\startXTABLE [..=..] ... \stopXTABLE</code>                               |

|                                     |   |
|-------------------------------------|---|
| startxtable:name                    | \startxtable [...] ... \stopxtable                |
| stel                                | \stel [...]                                       |
| stelachtergrondenin                 | \stelachtergrondenin [...] [...] [..=..]          |
| stelachtergrondenin:page            | \stelachtergrondenin [...] [..=..]                |
| stelachtergrondin                   | \stelachtergrondin [...] [..=..]                  |
| stelalineasin                       | \stelalineasin [...] [...] [..=..]                |
| stelalineasin:assignment            | \stelalineasin [...] [..=..]                      |
| stelarrangerenin                    | \stelarrangerenin [...]                           |
| stelblankoin                        | \stelblankoin [...]                               |
| stelblokin                          | \stelblokin [...] [..=..]                         |
| stelblokjesin                       | \stelblokjesin [..=..]                            |
| stelblokkopjein                     | \stelblokkopjein [...] [..=..]                    |
| stelblokkopjesin                    | \stelblokkopjesin [...] [..=..]                   |
| stelbovenin                         | \stelbovenin [...] [..=..]                        |
| stelboventekstenin                  | \stelboventekstenin [...] [...] [...] [...] [...] |
| stelbufferin                        | \stelbufferin [...] [..=..]                       |
| stelciterenin                       | \stelciterenin [..=..]                            |
| stelclipin                          | \stelclipin [..=..]                               |
| stelcommentaarin                    | \stelcommentaarin [...] [..=..]                   |
| steldoordefinierenin                | \steldoordefinierenin [...] [..=..]               |
| steldoornummerenin                  | \steldoornummerenin [...] [..=..]                 |
| steldunnelijnenin                   | \steldunnelijnenin [..=..]                        |
| stelformulein                       | \stelformulein [...] [..=..]                      |
| stelformulesin                      | \stelformulesin [...] [..=..]                     |
| stelformulierenin                   | \stelformulierenin [..=..]                        |
| stelhoofdin                         | \stelhoofdin [...] [..=..]                        |
| stelhoofdtekstenin                  | \stelhoofdtekstenin [...] [...] [...] [...] [...] |
| stelingesprongentextin              | \stelingesprongentextin [...] [..=..]             |
| stelinmargein                       | \stelinmargein [...] [..=..]                      |
| stelinspringenin                    | \stelinspringenin [...]                           |
| stelinteractiebalkin                | \stelinteractiebalkin [...] [..=..]               |
| stelinteractiein                    | \stelinteractiein [...] [..=..]                   |
| stelinteractiein:name               | \stelinteractiein [...]                           |
| stelinteractiemenuin                | \stelinteractiemenuin [...] [..=..]               |
| stelinteractieschermin              | \stelinteractieschermin [..=..]                   |
| stelinterliniein                    | \stelinterliniein [...] [..=..]                   |
| stelinterliniein:argument           | \stelinterliniein [...]                           |
| stelinterliniein:name               | \stelinterliniein [...]                           |
| stelinvullijnenin                   | \stelinvullijnenin [..=..]                        |
| stelinvulregelsin                   | \stelinvulregelsin [..=..]                        |
| stelitemgroepin                     | \stelitemgroepin [...] [...] [...] [..=..]        |
| stelitemgroepin:assignment          | \stelitemgroepin [...] [..=..]                    |
| stelitemgroepin:instance            | \stelITEMGROUP [...] [...] [..=..]                |
| stelitemgroepin:instance:itemize    | \stelitemize [...] [...] [..=..]                  |
| stelitemsin                         | \stelitemsin [...] [..=..]                        |
| stelkadertekstenin                  | \stelkadertekstenin [...] [..=..]                 |
| stelkadertekstin                    | \stelkadertekstin [...] [..=..]                   |
| stelkantlijnin                      | \stelkantlijnin [...] [..=..]                     |
| stelkapitalenin                     | \stelkapitalenin [...] [..=..]                    |
| stelkleurenin                       | \stelkleurenin [..=..]                            |
| stelkleurin                         | \stelkleurin [...]                                |
| stelkolomgroepin                    | \stelkolomgroepin [...] [..=..]                   |
| stelkolomgroepregelsin              | \stelkolomgroepregelsin [...] [...] [...] [...]   |
| stelkolomgroepstartin               | \stelkolomgroepstartin [...] [...] [...] [...]    |
| stelkolommenin                      | \stelkolommenin [..=..]                           |
| stelkopin                           | \stelkopin [...] [..=..]                          |
| stelkopnummerin                     | \stelkopnummerin [...] [...]                      |
| stelkoppeltekenin                   | \stelkoppeltekenin [..=..]                        |
| stelkopenin                         | \stelkopenin [...] [..=..]                        |
| stelkorpsin                         | \stelkorpsin [...]                                |
| stellabeltekstin:instance           | \stellABELtekst [...] [..=..]                     |
| stellabeltekstin:instance:btxlabel  | \stelbtxlabeltekst [...] [..=..]                  |
| stellabeltekstin:instance:head      | \stelheadtekst [...] [..=..]                      |
| stellabeltekstin:instance:label     | \stellabeltekst [...] [..=..]                     |
| stellabeltekstin:instance:mathlabel | \stelmathlabeltekst [...] [..=..]                 |
| stellabeltekstin:instance:operator  | \steloperatorortekst [...] [..=..]                |
| stellabeltekstin:instance:prefix    | \stelprefixtekst [...] [..=..]                    |
| stellabeltekstin:instance:suffix    | \stelsuffixtekst [...] [..=..]                    |
| stellabeltekstin:instance:taglabel  | \steltaglabeltekst [...] [..=..]                  |
| stellabeltekstin:instance:unit      | \stelunittekst [...] [..=..]                      |
| stellayoutin                        | \stellayoutin [...] [..=..]                       |
| stellayoutin:name                   | \stellayoutin [...]                               |



|   |   |
|---|---|
| stellijndiktein                           | \stellijndiktein [...]                            |
| stellijstin                               | \stellijstin [...] [..=..]                        |
| stelmarginblokkenin                       | \stelmarginblokkenin [...] [..=..]                |
| stelmarkeringin                           | \stelmarkeringin [...] [..=..]                    |
| stelnaastplaatsenin                       | \stelnaastplaatsenin [..=..]                      |
| stelomlijndin                             | \stelomlijndin [...] [..=..]                      |
| stelonderin                               | \stelonderin [...] [..=..]                        |
| stelondertekstenin                        | \stelondertekstenin [...] [...] [...] [...] [...] |
| stelopmaakin                              | \stelopmaakin [...] [..=..]                       |
| stelopsoommingenin                        | \stelopsoommingenin [...] [..=..]                 |
| stelpaginacommentaarin                    | \stelpaginacommentaarin [..=..]                   |
| stelpaginanummerin                        | \stelpaginanummerin [..=..]                       |
| stelpaginanummeringin                     | \stelpaginanummeringin [..=..]                    |
| stelpaginaovergangenin                    | \stelpaginaovergangenin [...]                     |
| stelpaletin                               | \stelpaletin [...]                                |
| stelpapierformaatin                       | \stelpapierformaatin [...] [..=..]                |
| stelpapierformaatin:name                  | \stelpapierformaatin [...] [...]                  |
| stelpapierin                              | \stelpapierin [..=..]                             |
| stelparagraafnummerenin                   | \stelparagraafnummerenin [..=..]                  |
| stelplaatsblokin                          | \stelplaatsblokin [...] [..=..]                   |
| stelplaatsblokkenin                       | \stelplaatsblokkenin [...] [..=..]                |
| stelplaatsbloksplitsenin                  | \stelplaatsbloksplitsenin [..=..]                 |
| stelplaatsin                              | \stelplaatsin [...] [..=..]                       |
| stelpositionerenin                        | \stelpositionerenin [...] [..=..]                 |
| stelprogrammasin                          | \stelprogrammasin [..=..]                         |
| stelrefererenin                           | \stelrefererenin [..=..]                          |
| stelregelnummerenin                       | \stelregelnummerenin [...] [..=..]                |
| stelregelsin                              | \stelregelsin [...] [..=..]                       |
| stelregisterin                            | \stelregisterin [...] [..=..]                     |
| stelregisterin:argument                   | \stelregisterin [...] [...] [..=..]               |
| stelregisterin:instance                   | \stelREGISTER [...] [..=..]                       |
| stelregisterin:instance:index             | \stelindex [...] [..=..]                          |
| stelroterenin                             | \stelroterenin [..=..]                            |
| stelsamengesteldelijstin                  | \stelsamengesteldelijstin [...] [..=..]           |
| stelsamengesteldelijstin:instance         | \stelCOMBINEDLIST [..=..]                         |
| stelsamengesteldelijstin:instance:content | \stelcontent [..=..]                              |
| stelsectieblokin                          | \stelsectieblokin [...] [..=..]                   |
| stelsmallerin                             | \stelsmallerin [...] [..=..]                      |
| stelsorterenin                            | \stelsorterenin [...] [..=..]                     |
| stelspatieringin                          | \stelspatieringin [...]                           |
| stelstartstopin                           | \stelstartstopin [...] [..=..]                    |
| stelsubpaginanummerin                     | \stelsubpaginanummerin [..=..]                    |
| stelsymboolsetin                          | \stelsymboolsetin [...]                           |
| stelsynoniemenin                          | \stelsynoniemenin [...] [..=..]                   |
| steltaalin                                | \steltaalin [...] [..=..]                         |
| steltabellenin                            | \steltabellenin [..=..]                           |
| steltabulatiein                           | \steltabulatiein [...] [...] [..=..]              |
| steltekstachtergrondin                    | \steltekstachtergrondin [...] [..=..]             |
| steltekstin                               | \steltekstin [...] [..=..]                        |
| steltekstinhoudin                         | \steltekstinhoudin [...] [...] [...] [...] [...]  |
| steltekstlijnenin                         | \steltekstlijnenin [..=..]                        |
| stelteksttekstenin                        | \stelteksttekstenin [...] [...] [...] [...] [...] |
| steltolerantiein                          | \steltolerantiein [...]                           |
| steltypein                                | \steltypein [...] [..=..]                         |
| steltypenin                               | \steltypenin [...] [..=..]                        |
| steluitlijnenin                           | \steluitlijnenin [...]                            |
| stelurlin                                 | \stelurlin [..=..]                                |
| stelveldenin                              | \stelveldenin [...] [..=..] [..=..] [..=..]       |
| stelveldin                                | \stelveldin [...] [...] [..=..] [..=..] [..=..]   |
| stelvoetin                                | \stelvoetin [...] [..=..]                         |
| stelvoettekstenin                         | \stelvoettekstenin [...] [...] [...] [...] [...]  |
| stelwiskundeuitlijnenin                   | \stelwiskundeuitlijnenin [...] [..=..]            |
| stelwitruimtein                           | \stelwitruimtein [...]                            |
| stel:direct                               | \stel {...}                                       |
| stoplinenote:instance                     | \stopLINENOTE [...]                               |
| stoplinenote:instance:linenote            | \stoplinenote [...]                               |
| stopregel                                 | \stopregel [...]                                  |
| stopregister                              | \stopregister [...] [...]                         |
| stopstructurepageregister                 | \stopstructurepageregister [...] [...]            |
| strictdoifelsenextoptional                | \strictdoifelsenextoptional {...} {...}           |
| strictdoifnextoptionalelse                | \strictdoifnextoptionalelse {...} {...}           |
| stripcharacter                            | \stripcharacter ... \from ... \to ...             |

|                                     |   |
|-------------------------------------|---|
| strippedcsname                      | \strippedcsname \...                    |
| strippedcsname:string               | \strippedcsname ...                     |
| stripspaces                         | \stripspaces \from ... \to \...         |
| structurelistuservariable           | \structurelistuservariable {...}        |
| structurenumber                     | \structurenumber                        |
| structuretitle                      | \structuretitle                         |
| structureuservariable               | \structureuservariable {...}            |
| structurevariable                   | \structurevariable {...}                |
| strut                               | \strut                                  |
| strutdp                             | \strutdp                                |
| strutgap                            | \strutgap                               |
| strutht                             | \strutht                                |
| struthtdp                           | \struthtdp                              |
| struttedbox                         | \struttedbox {...}                      |
| strutwd                             | \strutwd                                |
| style                               | \style [..=..] {...}                    |
| styleinstance                       | \styleinstance [...]                    |
| style:argument                      | \style [...] {...}                      |
| style:instance                      | \STYLE {...}                            |
| subpaginanummer                     | \subpaginanummer                        |
| subsentence                         | \subsentence {...}                      |
| substituteincommalist               | \substituteincommalist {...} {...} \... |
| subtractfeature                     | \subtractfeature [...]                  |
| subtractfeature:direct              | \subtractfeature {...}                  |
| suggestie:instance                  | \TOOLTIP [..=..] {...} {...}            |
| suggestie:instance:argument         | \TOOLTIP [...] {...} {...}              |
| suggestie:instance:argument:tooltip | \tooltip [...] {...} {...}              |
| suggestie:instance:tooltip          | \tooltip [..=..] {...} {...}            |
| swapcounts                          | \swapcounts \... \...                   |
| swapdimens                          | \swapdimens \... \...                   |
| swapface                            | \swapface                               |
| swapmacros                          | \swapmacros \... \...                   |
| swaptypesface                       | \swaptypesface                          |
| switchnaarkorps                     | \switchnaarkorps [...]                  |
| switchstyleonly                     | \switchstyleonly [...]                  |
| switchstyleonly:command             | \switchstyleonly \...                   |
| switchtocolor                       | \switchtocolor [...]                    |
| switchtointerlinespace              | \switchtointerlinespace [...] [..=..]   |
| switchtointerlinespace:argument     | \switchtointerlinespace [...]           |
| switchtointerlinespace:name         | \switchtointerlinespace [...]           |
| symbolreference                     | \symbolreference [...]                  |
| symbol                              | \symbol [...] [...]                     |
| symbol:direct                       | \symbol {...}                           |
| synchronizeblank                    | \synchronizeblank                       |
| synchronizeindenting                | \synchronizeindenting                   |
| synchronizemarking                  | \synchronizemarking [...] [...] [...]   |
| synchronizeoutputstreams            | \synchronizeoutputstreams [...]         |
| synchronizestrut                    | \synchronizestrut {...}                 |
| synchronizewhitespace               | \synchronizewhitespace                  |
| synctexblockfilename                | \synctexblockfilename {...}             |
| synctexresetfilename                | \synctexresetfilename                   |
| synctexsetfilename                  | \synctexsetfilename {...}               |
| synonym:instance                    | \SYNONYM [...] {...} {...}              |
| synonym:instance:abbreviation       | \abbreviation [...] {...} {...}         |
| systemlog                           | \systemlog {...} {...} {...}            |
| systemlogfirst                      | \systemlogfirst [...] {...} {...}       |
| systemloglast                       | \systemloglast [...] {...} {...}        |
| systemsetups                        | \systemsetups {...}                     |
| TABLE                               | \TABLE                                  |
| TaBlE                               | \TaBlE                                  |
| TeX                                 | \TeX                                    |
| TeX                                 | \TeX                                    |
| TheNormalizedFontSize               | \TheNormalizedFontSize                  |
| TransparencyHack                    | \TransparencyHack                       |
| taal                                | \taal [...]                             |
| taal:example                        | \LANGUAGE                               |
| tabulateautoline                    | \tabulateautoline                       |
| tabulateautorule                    | \tabulateautorule                       |
| tabulateline                        | \tabulateline                           |
| tabulaterule                        | \tabulaterule                           |
| taggedctxcommand                    | \taggedctxcommand {...}                 |
| taggedlabeltexts                    | \taggedlabeltexts {...} {...} {...}     |

|                           |  |
|---------------------------|--|
| tbox                      | \tbox {...}  |
| tekstachtergrond:example  | \TEXTBACKGROUND {...}                                    |
| tekstlijn                 | \tekstlijn [...] {...}                                   |
| tekstreferentie           | \tekstreferentie [...] {...}                             |
| testandsplitstring        | \testandsplitstring ... \at ... \to ... \and \...        |
| testfeature               | \testfeature {...} {...}                                 |
| testfeatureonce           | \testfeatureonce {...} {...}                             |
| testkolom                 | \testkolom [...] [...]                                   |
| testpageonly              | \testpageonly [...] [...]                                |
| testpagesync              | \testpagesync [...] [...]                                |
| testpagina                | \testpagina [...] [...]                                  |
| testtokens                | \testtokens [...]  |
| tex                       | \tex {...}   |
| texdefinition             | \texdefinition {...}                                     |
| texsetup                  | \texsetup {...}  |
| textcitation              | \textcitation [..=..] [...]                              |
| textcitation:alternative  | \textcitation [...] [...]                                |
| textcitation:userdata     | \textcitation [..=..] [..=..]                            |
| textcite                  | \textcite [..=..] [...]                                  |
| textcite:alternative      | \textcite [...] [...]                                    |
| textcite:userdata         | \textcite [..=..] [..=..]                                |
| textcontrolsplace         | \textcontrolsplace                                       |
| textflowcollector         | \textflowcollector {...}                                 |
| textmath                  | \textmath {...}  |
| textminus                 | \textminus   |
| textormathchar            | \textormathchar {...}                                    |
| textormathchars           | \textormathchars {...}                                   |
| textplus                  | \textplus  |
| textvisiblespace          | \textvisiblespace  |
| thainumerals              | \thainumerals {...}                                      |
| thefirstcharacter         | \thefirstcharacter {...}                                 |
| thenormalizedbodyfontsize | \thenormalizedbodyfontsize {...}                         |
| theremainingcharacters    | \theremainingcharacters {...}                            |
| thickspace                | \thickspace  |
| thinspace                 | \thinspace   |
| thirdoffivearguments      | \thirdoffivearguments {...} {...} {...} {...} {...}      |
| thirdoffourarguments      | \thirdoffourarguments {...} {...} {...} {...}            |
| thirdofsixarguments       | \thirdofsixarguments {...} {...} {...} {...} {...} {...} |
| thirdofthreearguments     | \thirdofthreearguments {...} {...} {...}                 |
| thirdofthreeunexpanded    | \thirdofthreeunexpanded {...} {...} {...}                |
| threedigitrounding        | \threedigitrounding {...}                                |
| tibetannumerals           | \tibetannumerals {...}                                   |
| tightlayer                | \tightlayer [...]  |
| tilde                     | \tilde {...}   |
| tinyfont                  | \tinyfont  |
| tlap                      | \tlap {...}  |
| tochar                    | \tochar {...}  |
| toelichting               | \toelichting (...,...) (...,...) [..=..] {...}           |
| tolinenote                | \tolinenote [...]  |
| toongrid                  | \toongrid [...]  |
| tooninstellingen          | \tooninstellingen [...]                                  |
| toonkader                 | \toonkader [...] [...]                                   |
| toonkleur                 | \toonkleur [...]   |
| toonkleurgroep            | \toonkleurgroep [...] [...]                              |
| toonkorps                 | \toonkorps [...]   |
| toonkorpsomgeving         | \toonkorpsomgeving [...]                                 |
| toonlayout                | \toonlayout [...]  |
| toonopmaak                | \toonopmaak [...]  |
| toonpalet                 | \toonpalet [...] [...]                                   |
| toonprint                 | \toonprint [...] [...] [..=..]                           |
| toonstruts                | \toonstruts  |
| toonsymbolset             | \toonsymbolset [...]                                     |
| topbox                    | \topbox {...}  |
| topleftbox                | \topleftbox {...}  |
| toplinebox                | \toplinebox {...}  |
| toprightbox               | \toprightbox {...}                                       |
| topskippedbox             | \topskippedbox {...}                                     |
| tracecatcodetables        | \tracecatcodetables                                      |
| tracedfontname            | \tracedfontname {...}                                    |
| traceoutputroutines       | \traceoutputroutines                                     |
| tracepositions            | \tracepositions  |
| transparencycomponents    | \transparencycomponents {...}                            |

|                              |   |
|------------------------------|---|
| transparent                  | \transparent [...] {...}                  |
| triplebond                   | \triplebond                               |
| truefilename                 | \truefilename {...}                       |
| truefontname                 | \truefontname {...}                       |
| ttraggedright                | \ttraggedright                            |
| twodigitrounding             | \twodigitrounding {...}                   |
| tx                           | \tx                                       |
| txx                          | \txx                                      |
| typ                          | \typ [..=..] {...}                        |
| type                         | \type [..=..] {...}                       |
| typebuffer                   | \typebuffer [...] [..=..]                 |
| typebuffer:instance          | \typeBUFFER [..=..]                       |
| typedefinedbuffer            | \typedefinedbuffer [...] [..=..]          |
| typeface                     | \typeface                                 |
| typefile                     | \typefile [...] [..=..] {...}             |
| typeinlinebuffer             | \typeinlinebuffer [...] [..=..]           |
| typescriptone                | \typescriptone                            |
| typescriptprefix             | \typescriptprefix {...}                   |
| typescriptthree              | \typescriptthree                          |
| typescripttwo                | \typescripttwo                            |
| typesetbuffer                | \typesetbuffer [...] [..=..]              |
| typesetfile                  | \typesetfile [...] [...] [..=..]          |
| type:angles                  | \type [..=..] <<...>>                     |
| type:example                 | \TYPE [..=..] {...}                       |
| type:example:angles          | \TYPE [..=..] <<...>>                     |
| typ:angles                   | \typ [..=..] <<...>>                      |
| uconvertnumber               | \uconvertnumber {...} {...}               |
| uedcatcodecommand            | \uedcatcodecommand \... ... {...}         |
| uit                          | \uit [...]                                |
| uitgerecht                   | \uitgerecht [..=..] {...}                 |
| undefinevalue                | \undefinevalue {...}                      |
| undepthed                    | \undepthed {...}                          |
| underset                     | \underset {...} {...}                     |
| undoassign                   | \undoassign [...] [..=..]                 |
| unexpandeddocumentvariable   | \unexpandeddocumentvariable {...}         |
| unhhbox                      | \unhhbox ... \with {...}                  |
| unihex                       | \unihex {...}                             |
| uniqueMPgraphic              | \uniqueMPgraphic {...} {..=..}            |
| uniqueMPpagegraphic          | \uniqueMPpagegraphic {...} {..=..}        |
| unprotect                    | \unprotect ... \protect                   |
| unprotected                  | \unprotected ... \par                     |
| unregisterhyphenationpattern | \unregisterhyphenationpattern [...] [...] |
| unspaceafter                 | \unspaceafter \... {...}                  |
| unspaceargument              | \unspaceargument ... \to \...             |
| unspaced                     | \unspaced {...}                           |
| unspacestring                | \unspacestring ... \to \...               |
| untexargument                | \untexargument {...} \to \...             |
| untexcommand                 | \untexcommand {...} \to \...              |
| uppercased                   | \uppercased {...}                         |
| uppercasestring              | \uppercasestring ... \to \...             |
| upperlefthdoubleninequote    | \upperlefthdoubleninequote                |
| upperlefthdoublesixquote     | \upperlefthdoublesixquote                 |
| upperleftsingleninequote     | \upperleftsingleninequote                 |
| upperleftsinglesixquote      | \upperleftsinglesixquote                  |
| upperrightdoubleninequote    | \upperrightdoubleninequote                |
| upperrightdoublesixquote     | \upperrightdoublesixquote                 |
| upperrightsingleninequote    | \upperrightsingleninequote                |
| upperrightsinglesixquote     | \upperrightsinglesixquote                 |
| url                          | \url [...]                                |
| usealignparameter            | \usealignparameter \...                   |
| useblankparameter            | \useblankparameter \...                   |
| usebodyfont                  | \usebodyfont [...]                        |
| usebodyfontparameter         | \usebodyfontparameter \...                |
| usebtxdataset                | \usebtxdataset [...] [...] [..=..]        |
| usebtxdefinitions            | \usebtxdefinitions [...]                  |
| usecitation                  | \usecitation [...]                        |
| usecitation:direct           | \usecitation {...}                        |
| usecolors                    | \usecolors [...]                          |
| usecomponent                 | \usecomponent [...]                       |
| usedummycolorparameter       | \usedummycolorparameter {...}             |
| usedummystyleandcolor        | \usedummystyleandcolor {...} {...}        |
| usedummystyleparameter       | \usedummystyleparameter {...}             |

|                                  |   |
|----------------------------------|---|
| useenvironment                   | \useenvironment [...]                         |
| useexternalrendering             | \useexternalrendering [...] [...] [...] [...] |
| usefigurebase                    | \usefigurebase [...]                          |
| usefile                          | \usefile [...] [...] [...]                    |
| usegridparameter                 | \usegridparameter \...                        |
| useindentingparameter            | \useindentingparameter \...                   |
| useindentnextparameter           | \useindentnextparameter \...                  |
| useinterlinespaceparameter       | \useinterlinespaceparameter \...              |
| uselanguageparameter             | \uselanguageparameter \...                    |
| useluamodule                     | \useluamodule [...]                           |
| useMPenvironmentbuffer           | \useMPenvironmentbuffer [...]                 |
| useMPgraphic                     | \useMPgraphic {...} {..=..}                   |
| useMPlibrary                     | \useMPlibrary [...]                           |
| useMPrun                         | \useMPrun {...} {...}                         |
| useMPvariables                   | \useMPvariables [...] [...]                   |
| usemathstyleparameter            | \usemathstyleparameter \...                   |
| useproduct                       | \useproduct [...]                             |
| useprofileparameter              | \useprofileparameter \...                     |
| useproject                       | \useproject [...]                             |
| userreferenceparameter           | \userreferenceparameter \...                  |
| userpagenumber                   | \userpagenumber                               |
| usesetupsparameter               | \usesetupsparameter \...                      |
| usestaticMPfigure                | \usestaticMPfigure [..=..] [...]              |
| usesubpath                       | \usesubpath [...]                             |
| usetexmodule                     | \usetexmodule [...] [...] [..=..]             |
| usezipfile                       | \usezipfile [...] [...]                       |
| utfchar                          | \utfchar {...}                                |
| utflower                         | \utflower {...}                               |
| utfupper                         | \utfupper {...}                               |
| utilityregisterlength            | \utilityregisterlength                        |
| VerboseNumber                    | \VerboseNumber {...}                          |
| vastespatie                      | \vastespatie                                  |
| vastespaties                     | \vastespaties                                 |
| vboxreference                    | \vboxreference [...] {...}                    |
| vec                              | \vec {...}                                    |
| veld                             | \veld [...] [...]                             |
| veldstapel                       | \veldstapel [...] [...] [..=..]               |
| verbatim                         | \verbatim {...}                               |
| verbatimstring                   | \verbatimstring {...}                         |
| verbergblokken                   | \verbergblokken [...] [...]                   |
| verbosenummer                    | \verbosenummer {...}                          |
| vergelijkkleurgroep              | \vergelijkkleurgroep [...]                    |
| vergelijkpalet                   | \vergelijkpalet [...]                         |
| verhoog                          | \verhoog \...                                 |
| verhoog:argument                 | \verhoog (...)                                |
| versie                           | \versie [...]                                 |
| vertaal                          | \vertaal [..=..]                              |
| verticalgrowingbar               | \verticalgrowingbar [..=..]                   |
| verticalpositionbar              | \verticalpositionbar [..=..]                  |
| verwerkblokken                   | \verwerkblokken [...] [...] [..=..]           |
| veryraggedcenter                 | \veryraggedcenter                             |
| veryraggedleft                   | \veryraggedleft                               |
| veryraggedright                  | \veryraggedright                              |
| vet                              | \vet  |
| vetitalic                        | \vetitalic                                    |
| vetschuin                        | \vetschuin                                    |
| vglue                            | \vglue ...                                    |
| viewerlayer                      | \viewerlayer [...] {...}                      |
| v1                               | \v1 [...]                                     |
| voetnoottekst                    | \voetnoottekst [...] {...}                    |
| voetnoottekst:assignment         | \voetnoottekst [..=..]                        |
| volgendesubpagina                | \volgendesubpagina                            |
| volledigepaginanummer            | \volledigepaginanummer                        |
| volledigeregister                | \volledigeregister [...] [..=..]              |
| volledigeregister:instance       | \volledigeREGISTER [..=..]                    |
| volledigeregister:instance:index | \volledigeindex [..=..]                       |
| voluit                           | \voluit {...}                                 |
| vphantom                         | \vphantom {...}                               |
| vpos                             | \vpos {...} {...}                             |
| vsmash                           | \vsmash {...}                                 |
| vsmashbox                        | \vsmashbox ...                                |
| vsmashed                         | \vsmashed {...}                               |

|                         |   |
|-------------------------|---|
| vspace                  | \vspace [...] [...]                           |
| vspacing                | \vspacing [...]                               |
| WEEKDAG                 | \WEEKDAG {...}                                |
| WidthSpanningText       | \WidthSpanningText {...} {...} {...}          |
| WOORD                   | \WOORD {...}                                  |
| WOORDEN                 | \WOORDEN {...}                                |
| Woord                   | \Woord {...}                                  |
| Woorden                 | \Woorden {...}                                |
| wdofstring              | \wdofstring {...}                             |
| weekdag                 | \weekdag {...}                                |
| widthofstring           | \widthofstring {...}                          |
| widthspanningtext       | \widthspanningtext {...} {...} {...}          |
| wiskunde                | \wiskunde [...] {...}                         |
| wiskundematrix          | \WISKUNDEMATRIX {...}                         |
| withoutpt               | \withoutpt {...}                              |
| woord                   | \woord {...}                                  |
| woordrechts             | \woordrechts [...] {...}                      |
| words                   | \words {...}                                  |
| wordtonumber            | \wordtonumber {...} {...}                     |
| writedatatolist         | \writedatatolist [...] [..=..] [..=..]        |
| writestatus             | \writestatus {...} {...}                      |
| XETEX                   | \XETEX  |
| XeTeX                   | \XeTeX  |
| xdefconvertedargument   | \xdefconvertedargument \... {...}             |
| xmladdindex             | \xmladdindex {...}                            |
| xmlafterdocumentssetup  | \xmlafterdocumentssetup {...} {...} {...}     |
| xmlafterssetup          | \xmlafterssetup {...} {...}                   |
| xmlall                  | \xmlall {...} {...}                           |
| xmlappenddocumentssetup | \xmlappenddocumentssetup {...} {...}          |
| xmlappendsetup          | \xmlappendsetup {...}                         |
| xmlapplyselectors       | \xmlapplyselectors {...}                      |
| xmlatt                  | \xmlatt {...} {...}                           |
| xmlattdef               | \xmlattdef {...} {...} {...}                  |
| xmlattribute            | \xmlattribute {...} {...} {...}               |
| xmlattributedef         | \xmlattributedef {...} {...} {...} {...}      |
| xmlbadinclusions        | \xmlbadinclusions {...}                       |
| xmlbeforedocumentssetup | \xmlbeforedocumentssetup {...} {...} {...}    |
| xmlbeforesetup          | \xmlbeforesetup {...} {...}                   |
| xmlchainatt             | \xmlchainatt {...} {...}                      |
| xmlchainattdef          | \xmlchainattdef {...} {...} {...}             |
| xmlchecknamespace       | \xmlchecknamespace {...} {...}                |
| xmlcommand              | \xmlcommand {...} {...} {...}                 |
| xmlconcat               | \xmlconcat {...} {...} {...}                  |
| xmlconcatrange          | \xmlconcatrange {...} {...} {...} {...} {...} |
| xmlcontext              | \xmlcontext {...} {...}                       |
| xmlcount                | \xmlcount {...}                               |
| xmldefaulttotext        | \xmldefaulttotext {...}                       |
| xmldirectives           | \xmldirectives {...}                          |
| xmldirectivesafter      | \xmldirectivesafter {...}                     |
| xmldirectivesbefore     | \xmldirectivesbefore {...}                    |
| xmldisplayverbatim      | \xmldisplayverbatim {...}                     |
| xmldoif                 | \xmldoif {...} {...} {...}                    |
| xmldoifatt              | \xmldoifatt {...} {...}                       |
| xmldoifelse             | \xmldoifelse {...} {...} {...} {...}          |
| xmldoifelseatt          | \xmldoifelseatt {...} {...} {...}             |
| xmldoifelseempty        | \xmldoifelseempty {...} {...} {...} {...}     |
| xmldoifelseselfempty    | \xmldoifelseselfempty {...} {...} {...}       |
| xmldoifelsetext         | \xmldoifelsetext {...} {...} {...} {...}      |
| xmldoifelsevalue        | \xmldoifelsevalue {...} {...} {...} {...}     |
| xmldoifnot              | \xmldoifnot {...} {...} {...}                 |
| xmldoifnotatt           | \xmldoifnotatt {...} {...}                    |
| xmldoifnotselfempty     | \xmldoifnotselfempty {...} {...}              |
| xmldoifnottext          | \xmldoifnottext {...} {...} {...}             |
| xmldoifselfempty        | \xmldoifselfempty {...} {...}                 |
| xmldoiftext             | \xmldoiftext {...} {...} {...}                |
| xmlelement              | \xmlelement {...} {...}                       |
| xmlfilter               | \xmlfilter {...} {...}                        |
| xmlfirst                | \xmlfirst {...} {...}                         |
| xmlflush                | \xmlflush {...}                               |
| xmlflushcontext         | \xmlflushcontext {...}                        |
| xmlflushdocumentsetups  | \xmlflushdocumentsetups {...} {...}           |
| xmlflushlinewise        | \xmlflushlinewise {...}                       |

|                             |  |
|-----------------------------|--|
| xmlflushpure                | \xmlflushpure {...}                      |
| xmlflushspacewise           | \xmlflushspacewise {...}                 |
| xmlflushtext                | \xmlflushtext {...}                      |
| xmlinclude                  | \xmlinclude {...} {...} {...}            |
| xmlinclusion                | \xmlinclusion {...}                      |
| xmlinclusions               | \xmlinclusions {...}                     |
| xmlinfo                     | \xmlinfo {...}                           |
| xmlinjector                 | \xmlinjector {...}                       |
| xmlinlineprettyprint        | \xmlinlineprettyprint {...} {...}        |
| xmlinlineprettyprinttext    | \xmlinlineprettyprinttext {...} {...}    |
| xmlinlineverbatim           | \xmlinlineverbatim {...}                 |
| xmlinstalldirective         | \xmlinstalldirective {...} {...}         |
| xmllast                     | \xmllast {...} {...}                     |
| xmllastatt                  | \xmllastatt                              |
| xmllastmatch                | \xmllastmatch                            |
| xmllastpar                  | \xmllastpar                              |
| xmlloadbuffer               | \xmlloadbuffer {...} {...} {...}         |
| xmlloaddata                 | \xmlloaddata {...} {...} {...}           |
| xmlloaddirectives           | \xmlloaddirectives {...}                 |
| xmlloadfile                 | \xmlloadfile {...} {...} {...}           |
| xmlloadonly                 | \xmlloadonly {...} {...} {...}           |
| xmlmain                     | \xmlmain {...}                           |
| xmlmapvalue                 | \xmlmapvalue {...} {...} {...}           |
| xmlname                     | \xmlname {...}                           |
| xmlnamespace                | \xmlnamespace {...}                      |
| xmlnonamespace              | \xmlnonamespace {...} {...}              |
| xmlpar                      | \xmlpar {...} {...}                      |
| xmlparam                    | \xmlparam {...} {...} {...}              |
| xmlpath                     | \xmlpath {...}                           |
| xmlpos                      | \xmlpos {...}                            |
| xmlposition                 | \xmlposition {...} {...} {...}           |
| xmlprependdocumentsetup     | \xmlprependdocumentsetup {...} {...}     |
| xmlprependsetup             | \xmlprependsetup {...}                   |
| xmlprettyprint              | \xmlprettyprint {...} {...}              |
| xmlprettyprinttext          | \xmlprettyprinttext {...} {...}          |
| xmlprocessbuffer            | \xmlprocessbuffer {...} {...} {...}      |
| xmlprocessdata              | \xmlprocessdata {...} {...} {...}        |
| xmlprocessfile              | \xmlprocessfile {...} {...} {...}        |
| xmlpure                     | \xmlpure {...} {...}                     |
| xmlraw                      | \xmlraw {...}                            |
| xmlrefatt                   | \xmlrefatt {...} {...}                   |
| xmlregistereddokumentsetups | \xmlregistereddokumentsetups {...} {...} |
| xmlregisteredsetups         | \xmlregisteredsetups                     |
| xmlregisterns               | \xmlregisterns {...} {...}               |
| xmlremapname                | \xmlremapname {...} {...} {...} {...}    |
| xmlremapnamespace           | \xmlremapnamespace {...} {...} {...}     |
| xmlremoveddocumentsetup     | \xmlremoveddocumentsetup {...} {...}     |
| xmlremovesetup              | \xmlremovesetup {...}                    |
| xmlresetdocumentsetups      | \xmlresetdocumentsetups {...}            |
| xmlresetinjectors           | \xmlresetinjectors                       |
| xmlresetsetups              | \xmlresetsetups {...}                    |
| xmlsave                     | \xmlsave {...} {...}                     |
| xmlsetatt                   | \xmlsetatt {...} {...} {...}             |
| xmlsetattribute             | \xmlsetattribute {...} {...} {...} {...} |
| xmlsetentity                | \xmlsetentity {...} {...}                |
| xmlsetfunction              | \xmlsetfunction {...} {...} {...}        |
| xmlsetinjectors             | \xmlsetinjectors [...]                   |
| xmlsetpar                   | \xmlsetpar {...} {...} {...}             |
| xmlsetparam                 | \xmlsetparam {...} {...} {...} {...}     |
| xmlsetsetup                 | \xmlsetsetup {...} {...} {...}           |
| xmlsetup                    | \xmlsetup {...} {...}                    |
| xmlshow                     | \xmlshow {...}                           |
| xmlsnippet                  | \xmlsnippet {...} {...}                  |
| xmlstrip                    | \xmlstrip {...} {...}                    |
| xmlstripnolines             | \xmlstripnolines {...} {...}             |
| xmlstripped                 | \xmlstripped {...} {...}                 |
| xmlstrippednolines          | \xmlstrippednolines {...} {...}          |
| xmltag                      | \xmltag {...}                            |
| xmltextentity               | \xmltextentity {...} {...}               |
| xmltext                     | \xmltext {...} {...}                     |
| xmltobuffer                 | \xmltobuffer {...} {...} {...}           |
| xmltobufferverbose          | \xmltobufferverbose {...} {...} {...}    |

xmltofile  
xmlvalue  
xmlverbatim  
xsplitstring  
xypos

\xmltofile {...} {...} {...}  
\xmlvalue {...} {...} {...}  
\xmlverbatim {...}  
\xsplitstring \... {...}  
\xypos {...}





**PRAGMA ADE**  
**Ridderstraat 27**  
**8061GH Hasselt NL**  
**[www.pragma-ade.com](http://www.pragma-ade.com)**