## Context

commandes





## ConTEXt commandes

fr / français 21 février 2019

| fterPar  | \AfterPar {}  |
|--|---|
| lphabeticnumerals                                      | \Alphabeticnumerals {}  |
| MSTEX  | \AMSTEX   |
| mSTeX  | \AmSTeX   |
| nd   | \And  |
| L  | \a {} {} []   |
| bjadnaivenumerals                                      | \abjadnaivenumerals {}  |
| bjadnodotnumerals                                      | \abjadnodotnumerals {}  |
| bjadnumerals   | \abjadnumerals {}   |
| ctivatespacehandler                                    | \activatespacehandler {}  |
| cute   | \acute {}   |
| daptcollector  | \adaptcollector [] [=]  |
| daptedisposition                                       | \adaptedisposition [] [=]   |
| daptfontfeature<br>daptpapersize                       | \adaptfontfeature [] [=] \adaptpapersize [] []                      |
| ddfeature  | \addfeature []  |
| ddfeature:direct                                       | \addfeature {}  |
| ddfontpath   | \addfontpath []   |
| ddtocommalist  | \addtocommalist {} \  |
| ddtoJSpreamble   | \addtoJSpreamble {} {}  |
| ddvalue  | \addvalue {} {}   |
| ftersplitstring  | \aftersplitstring \at \to \   |
| ftertestandsplitstring                                 | \aftertestandsplitstring \at \to \                                  |
| justechamp   | \ajustechamp [] [=]   |
| laligne  | \alaligne {} []   |
| lapage   | \alapage []   |
| lignbottom   | \alignbottom  |
| ligneadroite   | \aligneadroite {}   |
| ligneagauche   | \aligneagauche {}   |
| lligneaumilieu<br>lligned                              | \aligneaumilieu {} \aligned [] {}                                   |
| lignedbox  | \alignedbox [] \ {}   |
| lignedline   | \alignedline {} {}  |
| lignhere   | \alignhere  |
| lignmentcharacter                                      | \alignmentcharacter   |
| llinputpaths   | \allinputpaths  |
| lphabeticnumerals                                      | \alphabeticnumerals {}  |
| lwayscitation  | \alwayscitation [=] []  |
| lwayscitation:alternative                              | \alwayscitation [] []   |
| llwayscitation:userdata                                | \alwayscitation [=] [=]   |
| lwayscite  | \alwayscite [=] []  |
| llwayscite:alternative                                 | \alwayscite [] \alwayscite []                                       |
| .lwayscite:userdata<br>mpersand                        | \alwayscite [=] [=] \ampersand                                      |
| unchor   | \ampersand \anchor [] [=] {}  |
| ppendetoks   | \appendetoks \to \  |
| ppendgvalue  | \appendgvalue {} {}   |
| ppendtocommalist                                       | \appendtocommalist {} \   |
| ppendtoks  | \appendtoks \to \   |
| ppendtoksonce  | \appendtoksonce \to \   |
| ppendvalue   | \appendvalue {} {}  |
| pply   | \apply {} {}  |
| pplyalternativestyle                                   | \applyalternativestyle {}   |
| pplyprocessor  | \applyprocessor {} {}   |
| pplytocharacters                                       | \applytocharacters \ {}   |
| pplytofirstcharacter                                   | \applytofirstcharacter \ {}   |
| upplytosplitstringchar                                 | \applytosplitstringchar \ {}  |
| pplytosplitstringcharspaced                            | \applytosplitstringcharspaced \ \{\}                                |
| upplytosplitstringline<br>upplytosplitstringlinespaced | \applytosplitstringline \ \{\} \applytosplitstringlinespaced \ \{\} |
| pplytosplitstringrinespaced                            | \applytosplitstringsurd \ \\}                                       |
| pplytosplitstringwordspaced                            | \applytosplitstringwordspaced \ {}                                  |
| pplytowords  | \applytowords \ {}  |
| rabicdecimals  | \arabicdecimals {}  |
| rabicexnumerals  | \arabicexnumerals {}  |
| rabicnumerals  | \arabicnumerals {}  |
| arg  | \arg {}   |
| rriereplan   | \arriereplan {}   |
| rriereplan:example                                     | \ARRIEREPLAN {}   |
| sciistr  | \asciistr {}  |
| ssignalfadimension                                     | \assignalfadimension $\{\}$ \ $\{\}$ $\{\}$                         |
| ssigndimen   | \assigndimen \ \{\}   |

| assigndimension                                   | \assigndimension $\{\ldots\}$ \ $\{\ldots\}$ $\{\ldots\}$ |
|---|---|
| assignifempty                                     | \assignifempty \ {}                                       |
| assigntranslation                                 | \assigntranslation [=] \to \                              |
| assignvalue                                       | \assignvalue {} \ {} {}                                   |
| assignwidth                                       | \assignwidth {} \ {} {}                                   |
| assumelongusagecs                                 | \assumelongusagecs \ {} \astype {}                        |
| astype<br>attachment:instance                     | \ATTACHMENT [] [=]  |
| attachment:instance:attachment                    | \attachment [] [=]  |
| autocap   | \autocap {}   |
| autodirhbox                                       | \autodirhbox {}   |
| autodirvbox                                       | \autodirvbox {}   |
| autodirvtop                                       | \autodirvtop {}   |
| autoinsertnextspace                               | \autoinsertnextspace                                      |
| autointegral                                      | \autointegral {} {} {}                                    |
| automathematics                                   | \automathematics {}                                       |
| autopagestaterealpage                             | \autopagestaterealpage {}                                 |
| autopagestaterealpageorder                        | \autopagestaterealpageorder {}                            |
| autosetups<br>autostarttexte                      | \autosetups {} \autostarttexte \autostoptexte             |
| autostarttexte<br>availablehsize                  | \availablehsize   |
| averagecharwidth                                  | \averagecharwidth   |
| BeforePar   | \BeforePar {}   |
| Big   | \Big  |
| Bigg  | \Bigg   |
| Biggl   | \Biggl  |
| Biggm   | \Biggm  |
| Biggr   | \Biggr  |
| Bigl  | \Bigl   |
| Bigm  | \Bigm   |
| Bigr  | \Bigr   |
| backgroundimage                                   | \backgroundimage {} {} {} {}                              |
| backgroundimagefill<br>backgroundline             | \backgroundimagefill {} {} {} {} \backgroundline [] {}    |
| backgroundrine                                    | \baha [] {}   |
| bar   | \ban {}   |
| barrecouleur                                      | \barrecouleur []  |
| barreinteraction                                  | \barreinteraction [] [=]                                  |
| bar:instance                                      | \BAR {}   |
| bar:instance:hiddenbar                            | \hiddenbar {}   |
| bar:instance:nobar                                | \nobar {}   |
| bar:instance:overbar                              | \overbar {}   |
| bar:instance:overbars                             | \overbars {}  |
| bar:instance:overstrike                           | \overstrike {}  |
| bar:instance:overstrikes<br>bar:instance:underbar | \overstrikes {} \underbar {}                              |
| bar:instance:underbar<br>bar:instance:underbars   | \underbar \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\             |
| bar:instance:underdash                            | \underbars \(\cdot\)                                      |
| bar:instance:underdashes                          | \underdashes {}   |
| bar:instance:underdot                             | \underdot {}  |
| bar:instance:underdots                            | \underdots {}   |
| bar:instance:underrandom                          | \underrandom {}   |
| bar:instance:underrandoms                         | \underrandoms {}  |
| bar:instance:understrike                          | \understrike {}   |
| bar:instance:understrikes                         | \understrikes {}  |
| bas   | \bas {}   |
| basegrid  | \basegrid [=]   |
| baselinebottom                                    | \baselinebottom   |
| baselineleftbox<br>baselinemiddlebox              | \baselineleftbox {} \baselinemiddlebox {}                 |
| baselinemidulebox<br>baselinerightbox             | \baselinerightbox {}                                      |
| bas:instance                                      | \LOW {}   |
| bas:instance:unitslow                             | \unitslow {}  |
| bbordermatrix                                     | \bbordermatrix {}   |
| bbox  | \bbox {}  |
| beforesplitstring                                 | \beforesplitstring \at \to \                              |
| beforetestandsplitstring                          | \beforetestandsplitstring \at \to \                       |
| beginblock:example                                | \beginBLOCK [] [=] \endBLOCK                              |
| beginhbox   | \beginhbox \endhbox                                       |
| beginofshapebox                                   | \beginofshapebox \endofshapebox                           |
| beginvbox   | \beginvbox \endvbox                                       |
| heginytop   | \heginvton \endvton                                       |

| begstrut                         | \begstrut \endstrut   |
|----------------------------------|---|
| bigg                             | \bigg   |
| bigger                           | \bigger   |
| biggl                            | \biggl  |
|                                  |   |
| biggm                            | \biggm  |
| biggr                            | \biggr  |
| bigl                             | \bigl   |
| bigm                             | \bigm   |
|                                  | . ~   |
| bigr                             | \bigr   |
| bigskip                          | \bigskip  |
| bitmapimage                      | \bitmapimage [=] {}   |
| blap                             | \blap {}  |
| bleed                            | \bleed [=] {}   |
|                                  |   |
| bleedheight                      | \bleedheight  |
| bleedwidth                       | \bleedwidth   |
| blockligatures                   | \blockligatures []  |
| blocksynctexfile                 | \blocksynctexfile []  |
|                                  | ·   |
| blockuservariable                | \blockuservariable {}   |
| bodyfontenvironmentlist          | \bodyfontenvironmentlist  |
| bodyfontsize                     | \bodyfontsize   |
| boldface                         | \boldface   |
| booleanmodevalue                 |   |
|                                  | \booleanmodevalue {}  |
| bordermatrix                     | \bordermatrix {}  |
| bottombox                        | \bottombox {}   |
| bottomleftbox                    | \bottomleftbox {}   |
| bottomrightbox                   | \bottomrightbox {}  |
| 5                                | <u> </u>  |
| bouton                           | \bouton [=] {} []   |
| boutonmenu:button                | \boutonmenu [=] {} {}   |
| boutonmenu:interactionmenu       | \boutonmenu [] [=] {} {}  |
| boutonsinteraction               | \boutonsinteraction [=] []  |
|                                  |   |
| bouton:example                   | \BUTTON [=] {} []   |
| boxcursor                        | \boxcursor  |
| boxmarker                        | \boxmarker {} {}  |
| boxofsize                        | \boxofsize \ \ \{\}   |
| boxreference                     | \boxreference [] \ {}   |
|                                  |   |
| bpar                             | \bpar \epar   |
| bpos                             | \bpos {}  |
| breakhere                        | \breakhere  |
| breve                            | \breve {}   |
|                                  |   |
| bTABLE                           | \bTABLE [=] \eTABLE   |
| bTABLEbody                       | \bTABLEbody [=] \eTABLEbody   |
| bTABLEfoot                       | \bTABLEfoot [=] \eTABLEfoot   |
| bTABLEhead                       | \bTABLEhead [=] \eTABLEhead   |
| bTABLEnext                       | \bTABLEnext [=] \eTABLEnext   |
|                                  |   |
| bTC                              | \bTC [=] \eTC   |
| bTD                              | \bTD [=] \eTD   |
| bTDs                             | \bTDs [] \eTDs  |
| ьтн                              | \bTH [=] \eTH   |
|                                  |   |
| bTN                              | \bTN [=] \eTN   |
| bTR                              | \bTR [=] \eTR   |
| bTRs                             | \bTRs [] \eTRs  |
| bTX                              | \bTX [=] \eTX   |
| bTY                              | \bTY [=] \eTY   |
|                                  |   |
| btxabbreviatedjournal            | \btxabbreviatedjournal {}   |
| btxaddjournal                    | \btxaddjournal [] []  |
| btxalwayscitation                | \btxalwayscitation [=] []   |
| btxalwayscitation:alternative    | \btxalwayscitation [] []  |
| -                                |   |
| btxalwayscitation:userdata       | \btxalwayscitation [=] [=]  |
| btxauthorfield                   | \btxauthorfield {}  |
| btxdetail                        | \btxdetail {}   |
| btxdirect                        | \btxdirect {}   |
| btxdoif                          | \btxdoif {} {}  |
|                                  |   |
| btxdoifcombiinlistelse           | \btxdoifcombiinlistelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| btxdoifelse                      | \btxdoifelse {} {}  |
| btxdoifelsecombiinlist           | \btxdoifelsecombiinlist \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}     |
| btxdoifelsesameasprevious        | \btxdoifelsesameasprevious {} {} {}                                     |
| -                                |   |
| btxdoifelsesameaspreviouschecked | \btxdoifelsesameaspreviouschecked {} {} {}                              |
| btxdoifelseuservariable          | \btxdoifelseuservariable \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| btxdoifnot                       | \btxdoifnot {} {}   |
| btxdoifsameaspreviouscheckedelse | \btxdoifsameaspreviouscheckedelse $\{\}$ $\{\}$ $\{\}$                  |
| btxdoifsameaspreviouselse        | \btxdoifsameaspreviouselse {} {} {}                                     |
| -                                |   |
| btxdoifuservariableelse          | \btxdoifuservariableelse $\{\ldots\}$ $\{\ldots\}$                      |

| ht-rarmandadiamal           | \htmammaddiaumnal [ ]                      |
|-----------------------------|--|
| btxexpandedjournal          | \btxexpandedjournal {}                     |
| btxfield                    | \btxfield {}                               |
| btxfieldname                | \btxfieldname {}                           |
| btxfieldtype                | \btxfieldtype {}                           |
| btxfirstofrange             | \btxfirstofrange {}                        |
| btxflush                    | \btxflush {}                               |
| btxflushauthor              | \btxflushauthor [] {}                      |
|                             |  |
| btxflushauthorinverted      | \btxflushauthorinverted {}                 |
| btxflushauthorinvertedshort | \btxflushauthorinvertedshort {}            |
| btxflushauthorname          | \btxflushauthorname {}                     |
| btxflushauthornormal        | \btxflushauthornormal {}                   |
| btxflushauthornormalshort   | \btxflushauthornormalshort {}              |
| btxflushsuffix              | \btxflushsuffix                            |
| btxfoundname                | \btxfoundname {}                           |
|                             |  |
| btxfoundtype                | \btxfoundtype {}                           |
| btxhiddencitation           | \btxhiddencitation []                      |
| btxhybridcite               | \btxhybridcite [=] []                      |
| btxhybridcite:alternative   | \btxhybridcite [] []                       |
| btxhybridcite:direct        | \btxhybridcite {}                          |
| btxhybridcite:userdata      | \btxhybridcite [=] [=]                     |
| btxlistcitation             | \btxlistcitation [=] []                    |
|                             |  |
| btxlistcitation:alternative | \btxlistcitation [] []                     |
| btxlistcitation:userdata    | \btxlistcitation [=] [=]                   |
| btxloadjournalist           | \btxloadjournalist []                      |
| btxoneorrange               | \btxoneorrange {} {} {}                    |
| btxremapauthor              | \btxremapauthor [] []                      |
| btxsavejournalist           | \btxsavejournalist []                      |
| · ·                         | •  |
| btxsetup                    | \btxsetup {}                               |
| btxsingularorplural         | \btxsingularorplural \{\ldots\} \{\ldots\} |
| btxsingularplural           | \btxsingularplural \{\ldots\} \{\ldots\}   |
| btxtextcitation             | \btxtextcitation [=] []                    |
| btxtextcitation:alternative | \btxtextcitation [] []                     |
| btxtextcitation:userdata    | \btxtextcitation [=] [=]                   |
| buildmathaccent             | \buildmathaccent {} {}                     |
|                             |  |
| buildtextaccent             | \buildtextaccent {} {}                     |
| buildtextbottomcomma        | \buildtextbottomcomma {}                   |
| buildtextbottomdot          | \buildtextbottomdot {}                     |
| buildtextcedilla            | \buildtextcedilla {}                       |
| buildtextgrave              | \buildtextgrave {}                         |
| buildtextmacron             | \buildtextmacron {}                        |
| buildtextognek              | \buildtextognek {}                         |
| _                           |  |
| Cap                         | \Cap {}                                    |
| Caps                        | \Caps {}                                   |
| Caractere                   | \Caractere {}                              |
| Caracteres                  | \Caracteres {}                             |
| Chiffresromains             | \Chiffresromains {}                        |
| CONTEXT                     | \CONTEXT                                   |
| ConTeXt                     | \ConTeXt                                   |
|                             |  |
| Context                     | Context                                    |
| ConvertConstantAfter        | \ConvertConstantAfter \ \{\} \{\}          |
| ConvertToConstant           | \ConvertToConstant \ \{\} \{\}             |
| cacheblocs                  | \cacheblocs [] []                          |
| calligraphique              | \calligraphique                            |
| camel                       | \camel {}                                  |
| cap                         | \cap {}                                    |
| -                           | -  |
| caractere                   | \caractere {}                              |
| caracteres                  | \caracteres {}                             |
| catcodetablename            | \catcodetablename                          |
| cbox                        | \cbox {}                                   |
| centeraligned               | \centeraligned {}                          |
| centerbox                   | \centerbox {}                              |
| centeredbox                 | \centeredbox {}                            |
| centeredlastline            |  |
|                             | \centeredlastline                          |
| centerednextbox             | \centerednextbox {}                        |
| centerline                  | \centerline {}                             |
| cfrac                       | \cfrac [] {} {}                            |
| champ                       | \champ [] []                               |
| changepolicecorps           | \changepolicecorps []                      |
| characterkerning:example    | \CHARACTERKERNING [] {}                    |
| • •                         |  |
| chardescription             | \chardescription {}                        |
| charwidthlanguage           | \charwidthlanguage                         |
| check                       | \check {}                                  |

| checkcharacteralign                     | \checkcharacteralign {}                    |
|---|--|
| checkedblank                            | \checkedblank []                           |
| checkedchar                             | \checkedchar {} {}                         |
| checkedfiller                           | \checkedfiller {}                          |
| checkedstrippedcsname                   | \checkedstrippedcsname \                   |
|   |  |
| checkedstrippedcsname:string            | \checkedstrippedcsname                     |
| checkinjector                           | \checkinjector []                          |
| checknextindentation                    | \checknextindentation []                   |
| checknextinjector                       | \checknextinjector []                      |
| checkpage                               | \checkpage [] [=]                          |
| checkparameters                         | \checkparameters []                        |
| checkpreviousinjector                   | \checkpreviousinjector []                  |
| checksoundtrack                         | \checksoundtrack {}                        |
| checktwopassdata                        | \checktwopassdata {}                       |
| checkvariables                          | \checkvariables [] [=]                     |
| chem                                    | \chem {} {}                                |
| chemical                                | \chemical [] []                            |
| chemicalbottext                         | \chemicalbottext {}                        |
| chemicalmidtext                         | \chemicalmidtext {}                        |
|   |  |
| chemicalsymbol                          | \chemicalsymbol []                         |
| chemicaltext                            | \chemicaltext {}                           |
| chemicaltoptext                         | \chemicaltoptext {}                        |
| chiffresromains                         | \chiffresromains {}                        |
| chineseallnumerals                      | \chineseallnumerals {}                     |
| chinesecapnumerals                      | \chinesecapnumerals {}                     |
| chinesenumerals                         | \chinesenumerals {}                        |
| citation                                | \citation [=] []                           |
| citation:alternative                    | \citation []                               |
| citation:direct                         | \citation {}                               |
| citation:userdata                       | \citation [=] [=]                          |
|   |  |
| cite                                    | \cite [=] []                               |
| cite:alternative                        | \cite [] []                                |
| cite:direct                             | \cite {}                                   |
| cite:userdata                           | \cite [=] [=]                              |
| clap                                    | \clap {}                                   |
| classfont                               | \classfont {} {}                           |
| cldcommand                              | \cldcommand {}                             |
| cldcontext                              | \cldcontext {}                             |
| cldloadfile                             | \cldloadfile {}                            |
| cldprocessfile                          | \cldprocessfile {}                         |
| clip                                    | \clip [=] {}                               |
| clippedoverlayimage                     | \clippedoverlayimage {}                    |
| clonechamp                              | \clonechamp [] [] []                       |
| collect                                 | \collect {}                                |
|   |  |
| collectedtext                           | \collectedtext [=] [=] {} {}               |
| collectexpanded                         | \collectexpanded {}                        |
| colonne                                 | \colonne []                                |
| colorcomponents                         | \colorcomponents {}                        |
| colored                                 | \colored [=] {}                            |
| colored:name                            | \colored [] {}                             |
| coloronly                               | \coloronly [] {}                           |
| columnbreak                             | \columnbreak []                            |
| columnsetspanwidth                      | \columnsetspanwidth {}                     |
| combinepages                            | \combinepages [] [=]                       |
| commalistelement                        | \commalistelement                          |
| commalistsentence                       | \commalistsentence [] []                   |
| commalistsize                           | \commalistsize                             |
| commentaire                             | \commentaire (,) (,) [=] {}                |
| commentaire:instance                    | \COMMENT [] [=] {}                         |
|   |  |
| commentaire:instance:comment            | \comment [] [=] {}                         |
| comparedimension                        | \comparedimension \{\ldots\} \\            |
| comparedimensioneps                     | \comparedimensioneps \{\ldots\} \{\ldots\} |
| comparegroupecouleur                    | \comparegroupecouleur []                   |
| comparepalette                          | \comparepalette []                         |
| completebtxrendering                    | \completebtxrendering [] [=]               |
| completecombinedlist:instance           | \completeCOMBINEDLIST [=]                  |
| completecombinedlist:instance:content   | \completecontent [=]                       |
| completelist                            | \completelist [] [=]                       |
| completelistoffloats:instance           | \completelistofFLOATS [=]                  |
| completelistoffloats:instance:chemicals | \completelistofchemicals [=]               |
| completelistoffloats:instance:figures   | \completelistoffigures [=]                 |
| completelistoffloats:instance:graphics  | \completelistofgraphics [=]                |
| 1                                       |  |

| completelistoffloats:instance:intermezzi      | \completelistofintermezzi [=]                |
|---|--|
| completelistoffloats:instance:tables          | \completelistoftables [=]                    |
| completelistofpublications                    | \completelistofpublications [] [=]           |
| completelistofsorts                           | \completelistofsorts [] [=]                  |
| completelistofsorts:instance                  | \completelistofSORTS [=]                     |
| completelistofsorts:instance:logos            | \completelistoflogos [=]                     |
| completelistofsynonyms                        | \completelistofsynonyms [] [=]               |
| completelistofsynonyms:instance               | \completelistofSYNONYMS [=]                  |
| completelistofsynonyms:instance:abbreviations | \completelistofabbreviations [=]             |
| completenumeropage                            | \completenumeropage                          |
| completeregistre                              | \completendmeropage \completeregistre [] [=] |
|   | \completeRegister [] \completeRegister []    |
| completeregistre:instance                     | •  |
| completeregistre:instance:index               | \completeindex [=]                           |
| complexorsimple                               | \complexorsimple \                           |
| complexorsimpleempty                          | \complexorsimpleempty \                      |
| complexorsimpleempty:argument                 | \complexorsimpleempty \{\dots\}              |
| complexorsimple:argument                      | \complexorsimple {}                          |
| composant                                     | \composant []                                |
| composant:string                              | \composant                                   |
| composedcollector                             | \composedcollector {}                        |
| composedlayer                                 | \composedlayer {}                            |
| compresult                                    | \compresult                                  |
| concernant                                    | \concernant []                               |
| constantdimen                                 | \constantdimen \                             |
| constantdimenargument                         | \constantdimenargument \                     |
| constantemptyargument                         | \constantemptyargument \                     |
| constantnumber                                | \constantnumber \                            |
| constantnumberargument                        | \constantnumberargument \                    |
| contentreference                              | \contentreference [] [=] {}                  |
| continuednumber                               | \continuednumber {}                          |
| continueifinputfile                           | \continueifinputfile {}                      |
| convertargument                               | \convertargument \to \                       |
| convertcommand                                | \convertcommand \ \to \                      |
| convertedcounter                              | \convertedcounter [] [=]                     |
|   |  |
| converteddimen                                | \converteddimen {} {}                        |
| convertedsubcounter                           | \convertedsubcounter [] [] [=]               |
| convertitnumero                               | \convertitnumero \{\ldots\} \\               |
| convertmenth                                  | \convertmenth \{\ldots\}                     |
| convertvalue                                  | \convertvalue \to \                          |
| convertvboxtohbox                             | \convertvboxtohbox                           |
| copitchamp                                    | \copitchamp [] []                            |
| copyboxfromcache                              | \copyboxfromcache {} {}                      |
| copylabeltext:instance                        | \copyLABELtexte [] [=]                       |
| copylabeltext:instance:btxlabel               | \copybtxlabeltexte [] [=]                    |
| copylabeltext:instance:head                   | \copyheadtexte [] [=]                        |
| copylabeltext:instance:label                  | \copylabeltexte [] [=]                       |
| copylabeltext:instance:mathlabel              | \copymathlabeltexte [] [=]                   |
| copylabeltext:instance:operator               | \copyoperatortexte [] [=]                    |
| copylabeltext:instance:prefix                 | \copyprefixtexte [] [=]                      |
| copylabeltext:instance:suffix                 | \copysuffixtexte [] [=]                      |
| copylabeltext:instance:taglabel               | \copytaglabeltexte [] [=]                    |
| copylabeltext:instance:unit                   | \copyunittexte [] [=]                        |
| copypages                                     | \copypages [] [=]                            |
| copyparameters                                | \copyparameters [] []                        |
| copyposition                                  | \copyposition {} {}                          |
| copysetups                                    | \copysetups []                               |
| corrigeespaceblanc                            | \corrigeespaceblanc {}                       |
| couleur                                       | \couleur [] {}                               |
| couleurgrise                                  | \couleurgrise [] {}                          |
| countersubs                                   | \countersubs [] []                           |
| counttoken                                    | \counttoken \in \to \                        |
| counttokens                                   | \counttokens \to \                           |
|   | \cramped {}                                  |
| cramped                                       |  |
| crampedclap                                   | \crampedclap {}                              |
| crampedllap                                   | \crampedllap {}                              |
| crampedrlap                                   | \crampedrlap {}                              |
| ctop  | \ctop {}                                     |
| ctxcommand                                    | \ctxcommand {}                               |
| ctxdirectcommand                              | \ctxdirectcommand {}                         |
| ctxdirectlua                                  | \ctxdirectlua {}                             |
| ctxfunction                                   | \ctxfunction {}                              |
| ctxfunctiondefinition:example                 | \CTXFUNCTIONDEFINITION                       |
|   |  |

| ctxfunction:example                      | \CTXFUNCTION                               |
|--|--|
| ctxlatecommand                           | \ctxlatecommand {}                         |
| ctxlatelua                               | \ctxlatelua {}                             |
| ctxloadluafile                           | \ctxloadluafile {}                         |
| ctxlua                                   | \ctxlua {}                                 |
| ctxluabuffer                             | \ctxluabuffer []                           |
| ctxluacode                               | \ctxluacode {}                             |
| ctxreport                                | \ctxreport {}                              |
| ctxsprint                                | \ctxsprint {}                              |
| currentassignmentlistkey                 | \currentassignmentlistkey                  |
| currentassignmentlistvalue               | \currentassignmentlistvalue                |
| currentbtxuservariable                   | \currentbtxuservariable {}                 |
| currentcommalistitem                     | \currentcommalistitem                      |
| currentcomponent                         | \currentcomponent<br>\currentenvironment   |
| currentenvironment<br>currentfeaturetest | \currentenvironment<br>\currentfeaturetest |
| currentinterface                         | \currentinterface                          |
| currentlabel:example                     | \currentETIQUETTE [] {}                    |
| currentlanguage                          | \currentlanguage                           |
| currentlistentrydestinationattribute     | \currentlistentrydestinationattribute      |
| currentlistentrylimitedtext              | \currentlistentrylimitedtext {}            |
| currentlistentrynumber                   | \currentlistentrynumber                    |
| currentlistentrypagenumber               | \currentlistentrypagenumber                |
| currentlistentryreferenceattribute       | \currentlistentryreferenceattribute {}     |
| currentlistentrytitle                    | \currentlistentrytitle                     |
| currentlistentrytitlerendered            | \currentlistentrytitlerendered             |
| currentlistsymbol                        | \currentlistsymbol                         |
| currentmainlanguage                      | \currentmainlanguage                       |
| currentmessagetext                       | \currentmessagetext                        |
| currentmoduleparameter                   | \currentmoduleparameter {}                 |
| currentoutputstream                      | \currentoutputstream                       |
| currentproduct                           | \currentproduct                            |
| currentproject                           | \currentproject                            |
| currentregime                            | \currentregime                             |
| currentregisterpageuserdata              | \currentregisterpageuserdata {}            |
| currentresponses                         | \currentresponses                          |
| currenttime                              | \currenttime []                            |
| currentvalue                             | \currentvalue                              |
| currentxtablecolumn<br>currentxtablerow  | \currentxtablecolumn<br>\currentxtablerow  |
| currentxrapterom                         | \d {}                                      |
| dactylographier                          | \dactylographier [=] {}                    |
| dactylographier:angles                   | \dactylographier [=] <<>>                  |
| dactylographier:example                  | \TYPE [=] {}                               |
| dactylographier:example:angles           | \TYPE [=] <<>>                             |
| dans                                     | \dans {} {} []                             |
| datasetvariable                          | \datasetvariable {} {} {}                  |
| date                                     | \date [=] []                               |
| datecourante                             | \datecourante []                           |
| dayoftheweek                             | $\displaystyle \texttt{\day} \$            |
| dayspermonth                             | \dayspermonth \{\ldots\} \{\ldots\}        |
| dddot                                    | \dddot {}                                  |
| ddot                                     | \ddot {}                                   |
| de                                       | \de []                                     |
| decrement                                | \decrement \                               |
| decrementcounter                         | \decrementcounter [] []                    |
| decrementedcounter                       | \decrementedcounter []                     |
| decrementpagenumber                      | \decrementpagenumber                       |
| decrementsubpagenumber<br>decrementvalue | \decrementsubpagenumber \decrementvalue {} |
| decrement:argument                       | \decrement ()                              |
| defaultinterface                         | \defaultinterface                          |
| defaultobjectpage                        | \defaultobjectpage                         |
| defaultobjectreference                   | \defaultobjectreference                    |
| defcatcodecommand                        | \defcatcodecommand \ {}                    |
| defconvertedargument                     | \defconvertedargument \ \{\}               |
| defconvertedcommand                      | \defconvertedcommand \ \                   |
| defconvertedvalue                        | \defconvertedvalue \ \{\}                  |
| defineactivecharacter                    | \defineactivecharacter {}                  |
| definealternativestyle                   | $\verb \definealternative style [] [] []$  |
| defineanchor                             | \defineanchor [] [=] [=]                   |
| defineattachment                         | \defineattachment [] [] [=]                |

| defineattribute                            | \defineattribute [] []                                    |
|--|---|
| definebackground<br>definebar              | \definebackground [] [=] \definebar [] [=]                |
| definebodyfontswitch                       | \definebar [] [] \definebodyfontswitch [] []              |
| definebreakpoint                           | \definebreakpoint [] [] [=]                               |
| definebreakpoints                          | \definebreakpoints []                                     |
| definebtx                                  | \definebtx [] [=]   |
| definebtxdataset                           | \definebtxdataset [] [] [=]                               |
| definebtxregister                          | \definebtxregister [] [] [=]                              |
| definebtxrendering                         | \definebtxrendering [] [] [=]                             |
| definebutton                               | \definebutton [] [=]                                      |
| definecapitals                             | \definecapitals [] [=]                                    |
| definecharacterkerning                     | \definecharacterkerning [] [] []                          |
| definecharacterspacing                     | \definecharacterspacing []                                |
| definechemical definechemicals             | \definechemical [] {}<br>\definechemicals [] [] [=]       |
| definechemicalsymbol                       | \definechemicalsymbol [] []                               |
| definecollector                            | \definecollector [] [] [=]                                |
| definecolumnsetarea                        | \definecolumnsetarea [] [] [=]                            |
| definecolumnsetspan                        | \definecolumnsetspan [] [=]                               |
| definecombination                          | \definecombination [] [] [=]                              |
| definecomment                              | \definecomment [] [] [=]                                  |
| definecomplexorsimple                      | \definecomplexorsimple \                                  |
| definecomplexorsimpleempty                 | \definecomplexorsimpleempty \                             |
| definecomplexorsimpleempty:argument        | \definecomplexorsimpleempty {}                            |
| definecomplexorsimple:argument             | \definecomplexorsimple {}                                 |
| defineconversionset                        | \defineconversionset [] []                                |
| definecounter                              | \definecounter [] [=]                                     |
| definedataset                              | \definedataset [] [] [=]                                  |
| definedelimitedtext                        | \definedelimitedtext [] [] [=]                            |
| definedfont<br>defineeffect                | \definedfont []   |
| defineexpandable                           | \defineeffect [] [] [] \defineexpandable [] \ {}          |
| defineexternalfigure                       | \defineexpandable [] \ [] \defineexternalfigure [] [] [=] |
| definefacingfloat                          | \definefacingfloat [] [] [=]                              |
| definefallbackfamily                       | \definefallbackfamily [] [] [] [=]                        |
| definefallbackfamily:preset                | \definefallbackfamily [] [] []                            |
| definefieldbody                            | \definefieldbody [] [=]                                   |
| definefieldbodyset                         | \definefieldbodyset [] []                                 |
| definefieldcategory                        | \definefieldcategory [] [] [=]                            |
| definefileconstant                         | \definefileconstant {} {}                                 |
| definefilefallback                         | \definefilefallback [] []                                 |
| definefilesynonym                          | \definefilesynonym []                                     |
| definefiller                               | \definefiller [] [] [=]                                   |
| definefirstline                            | \definefirstline [] [] []                                 |
| definefittingpage<br>definefontalternative | \definefittingpage [] [] [=] \definefontalternative []    |
| definefontfallback                         | \definefontfallback [] [] [] [=]                          |
| definefontfamily                           | \definefontfamily [] [] [] []                             |
| definefontfamilypreset                     | \definefontfamilypreset [] [=]                            |
| definefontfamilypreset:name                | \definefontfamilypreset [] []                             |
| definefontfamily:preset                    | \definefontfamily [] [] []                                |
| definefontfeature                          | \definefontfeature [] [=]                                 |
| definefontfile                             | \definefontfile [] [=]                                    |
| definefontsize                             | \definefontsize []  |
| definefontsolution                         | \definefontsolution [] [] [=]                             |
| defineformula                              | \defineformula [] [=]                                     |
| defineformulaalternative                   | \defineformulaalternative [] []                           |
| defineformulaframed defineframed           | \defineformulaframed [] [] [=] \defineframed [] [] [=]    |
| defineframedcontent                        | \defineframed [] [] [=] \defineframedcontent [] [] [=]    |
| defineframedtable                          | \defineframedtable [] []                                  |
| defineframedtext                           | \defineframedtext [] [] [=]                               |
| definefrozenfont                           | \definefrozenfont [] []                                   |
| defineglobalcolor                          | \defineglobalcolor [] [=]                                 |
| defineglobalcolor:name                     | \defineglobalcolor [] []                                  |
| definegraphictypesynonym                   | \definegraphictypesynonym [] []                           |
| definegridsnapping                         | \definegridsnapping [] []                                 |
| defineheadalternative                      | \defineheadalternative [] [] [=]                          |
| definehelp                                 |   |
| -  | \definehelp [] [=]  |
| definehigh                                 | \definehelp [] [=] \definehigh [] [] [=]                  |
| -  | \definehelp [] [=]  |

| definehspace  | \definehspace [] []   |
|---|---|
| definehypenationfeatures  | \definehypenationfeatures [] [=]  |
| defineindentedtext  | \defineindentedtext [] [] [=]   |
| defineindenting   | \defineindenting [] []  |
| defineinitial   | \defineinitial [] [=]   |
| defineinsertion   | \defineinsertion [] [=]   |
| defineinteraction   | \defineinteraction [] [=]   |
| defineinteractionbar  | \defineinteractionbar [] [] [=]   |
| defineinterfaceconstant   | \defineinterfaceconstant $\{\ldots\}$ $\{\ldots\}$  |
| defineinterfaceelement  | \defineinterfaceelement $\{\ldots\}$ $\{\ldots\}$   |
| defineinterfacevariable   | \defineinterfacevariable $\{\ldots\}$ $\{\ldots\}$  |
| defineinterlinespace  | \defineinterlinespace [] [] [=]   |
| defineintermediatecolor   | \defineintermediatecolor [] [] [=]  |
| defineitemgroup   | \defineitemgroup [] [=]   |
| defineitems   | \defineitems [] [=]   |
| definelabelclass  | \definelabelclass [] []   |
| definelayerpreset   | \definelayerpreset [] [=]   |
| definelayerpreset:name  | \definelayerpreset [] []  |
| definelinefiller  | \definelinefiller [] [=]  |
| definelinenote  | \definelinenote [] [=]  |
| definelinenumbering   | \definelinenumbering [] [=]   |
| definelines   | \definelines [] [=]   |
| definelistalternative   | \definelistalternative [] [] [=]  |
| definelistextra   | \definelistextra [] [=]   |
| definelow   | \definelow [] [=]   |
| definelowhigh   | \definelowhigh [] [=]   |
| definelowmidhigh  | \definelowmidhigh [] [=]  |
| defineMPinstance  | \defineMPinstance [] [] [=]   |
| definemarginblock   | \definemarginblock [] [=]   |
| definemargindata  | \definemargindata [] [] [=]   |
| definemarker  | \definemarker []  |
| definemathaccent  | \definemathaccent   |
| definemathalignment   | \definemathalignment [] [=]   |
| definemathcases   | \definemathcases [] [] [=]  |
| definemathcommand   | \definemathcommand [] [] {}   |
| definemathdouble  | \definemathdouble [] [] []  |
| definemathdoubleextensible  | \definemathdoubleextensible [] [] []  |
| definemathematics   | \definemathematics [] [=]   |
|   |   |
| definemathextensible  | \definemathextensible [] []   |
| definemathfence   | \definemathfence [] [] [=]  |
| definemathfence<br>definemathfraction   | \definemathfence [] [] [=] \definemathfraction [] [] [=]  |
| definemathfence<br>definemathfraction<br>definemathframed   | \definemathfence [] [] [=] \definemathfraction [] [] [=] \definemathframed [] [] [=]  |
| definemathfence definemathfraction definemathframed definemathmatrix  | \definemathfence [] [] [=] \definemathfraction [] [] [=] \definemathframed [] [] [=] \definemathmatrix [] [] [=]  |
| definemathfence definemathfraction definemathframed definemathmatrix definemathornament   | \definemathfence [] [] [=] \definemathfraction [] [] [=] \definemathframed [] [] [=] \definemathmatrix [] [] [=] \definemathornament [] [] [=]  |
| definemathfence definemathfraction definemathframed definemathmatrix definemathornament definemathover  | \definemathfence [] [] [=] \definemathfraction [] [] [=] \definemathframed [] [] [=] \definemathmatrix [] [] [=] \definemathornament [] [] [=] \definemathover [] [] []   |
| definemathfence definemathfraction definemathframed definemathmatrix definemathornament definemathover definemathoverextensible   | \definemathfence [] [] [=] \definemathfraction [] [] [=] \definemathframed [] [] [=] \definemathmatrix [] [] [=] \definemathornament [] [] [] \definemathover [] [] []  |
| definemathfence definemathfraction definemathframed definemathmatrix definemathornament definemathover definemathoverextensible definemathovertextextensible  | \definemathfence [] [] [=] \definemathfraction [] [] [=] \definemathframed [] [] [=] \definemathmatrix [] [] [=] \definemathornament [] [] [] \definemathover [] [] [] \definemathovertextextensible [] [] []   |
| definemathfence definemathfraction definemathframed definemathmatrix definemathornament definemathover definemathoverextensible definemathovertextextensible definemathradical  | \definemathfence [] [] [=] \definemathfraction [] [] [=] \definemathframed [] [] [=] \definemathmatrix [] [] [=] \definemathornament [] [] [] \definemathover [] [] [] \definemathoverextensible [] [] [] \definemathradical [] [] []   |
| definemathfence definemathfraction definemathframed definemathmatrix definemathornament definemathover definemathoverextensible definemathovertextextensible definemathradical definemathstackers   | \definemathfence [] [] [=] \definemathfraction [] [] [=] \definemathframed [] [] [=] \definemathmatrix [] [] [=] \definemathornament [] [] [] \definemathover [] [] [] \definemathoverextensible [] [] [] \definemathradical [] [] [] \definemathstackers [] [] []  |
| definemathfence definemathfraction definemathframed definemathmatrix definemathornament definemathover definemathoverextensible definemathovertextextensible definemathradical definemathstackers definemathstyle   | \definemathfence [] [] [=] \definemathfraction [] [] [=] \definemathframed [] [] [=] \definemathmatrix [] [] [=] \definemathornament [] [] [] \definemathover [] [] [] \definemathoverextensible [] [] [] \definemathradical [] [] [] \definemathstackers [] [] [] \definemathstyle [] []   |
| definemathfence definemathfraction definemathframed definemathmatrix definemathornament definemathover definemathoverextensible definemathovertextextensible definemathradical definemathstackers definemathstyle definemathtriplet   | \definemathfence [] [] [=] \definemathfraction [] [] [=] \definemathframed [] [] [=] \definemathmatrix [] [] [=] \definemathornament [] [] [] \definemathover [] [] [] \definemathoverextensible [] [] [] \definemathradical [] [] [] \definemathstackers [] [] [=] \definemathstyle [] [] \definemathtriplet [] []   |
| definemathfence definemathfraction definemathframed definemathmatrix definemathornament definemathover definemathoverextensible definemathovertextextensible definemathradical definemathstackers definemathstyle definemathtriplet definemathunder   | \definemathfence [] [] [=] \definemathfraction [] [] [=] \definemathframed [] [] [=] \definemathmatrix [] [] [=] \definemathornament [] [] [] \definemathover [] [] [] \definemathoverextensible [] [] [] \definemathradical [] [] [] \definemathstackers [] [] [=] \definemathriplet [] [] \definemathunder [] [] []   |
| definemathfence definemathfraction definemathframed definemathmatrix definemathornament definemathover definemathoverextensible definemathovertextextensible definemathradical definemathstackers definemathstyle definemathtriplet definemathunder definemathunder   | \definemathfence [] [] [=] \definemathfraction [] [] [=] \definemathframed [] [] [=] \definemathmatrix [] [] [=] \definemathornament [] [] [] \definemathover [] [] [] \definemathoverextensible [] [] [] \definemathovertextextensible [] [] [] \definemathradical [] [] [] \definemathstackers [] [] [] \definemathtriplet [] [] \definemathunder [] [] [] \definemathunderextensible [] []   |
| definemathfence definemathfraction definemathframed definemathmatrix definemathornament definemathover definemathoverextensible definemathovertextextensible definemathradical definemathstackers definemathstyle definemathtriplet definemathunder definemathunder definemathunderextensible   | \definemathfence [] [] [=] \definemathfraction [] [] [=] \definemathframed [] [] [=] \definemathmatrix [] [] [=] \definemathornament [] [] [] \definemathover [] [] [] \definemathoverextensible [] [] [] \definemathovertextextensible [] [] [] \definemathradical [] [] [] \definemathstackers [] [] [] \definemathtriplet [] [] \definemathunder [] [] [] \definemathunderextensible [] [] \definemathundertextextensible [] []  |
| definemathfence definemathfraction definemathframed definemathmatrix definemathornament definemathover definemathoverextensible definemathovertextextensible definemathradical definemathstackers definemathstyle definemathtriplet definemathunder definemathunder definemathunderextensible definemathundertextextensible definemathundertextextensible definemathundertextextensible   | \definemathfence [] [] [=] \definemathfraction [] [] [=] \definemathframed [] [] [=] \definemathmatrix [] [] [=] \definemathornament [] [] [] \definemathover [] [] [] \definemathovertextextensible [] [] [] \definemathovertextextensible [] [] [] \definemathradical [] [] [] \definemathstackers [] [] [] \definemathtriplet [] [] \definemathunder [] [] \definemathunderextensible [] [] \definemathundertextextensible [] [] \definemathundertextextensible [] [] \definemathundertextextensible [] []   |
| definemathfence definemathfraction definemathframed definemathmatrix definemathornament definemathover definemathoverextensible definemathovertextextensible definemathradical definemathstackers definemathstyle definemathtriplet definemathunder definemathunder definemathunderextensible definemathundertextextensible definemathundertextextensible definemathunstacked definemeasure   | \definemathfence [] [] [=] \definemathfraction [] [] [=] \definemathframed [] [] [=] \definemathmatrix [] [] [=] \definemathornament [] [] [] \definemathover [] [] [] \definemathovertextextensible [] [] [] \definemathovertextextensible [] [] [] \definemathradical [] [] [] \definemathstackers [] [] [] \definemathtriplet [] [] \definemathunder [] [] \definemathunderextensible [] [] \definemathundertextextensible [] [] \definemathundertextextensible [] [] \definemathunstacked [] [] [] \definemathunstacked [] [] []  |
| definemathfence definemathfraction definemathframed definemathmatrix definemathornament definemathover definemathoverextensible definemathovertextextensible definemathradical definemathstackers definemathstyle definemathtriplet definemathunder definemathunder definemathunderextensible definemathundertextextensible definemathundertextextensible definemathunstacked definemeasure definemessageconstant   | \definemathfence [] [] [=] \definemathfraction [] [] [=] \definemathframed [] [] [=] \definemathmatrix [] [] [=] \definemathornament [] [] [] \definemathover [] [] [] \definemathovertextextensible [] [] [] \definemathradical [] [] [] \definemathstackers [] [] [] \definemathstyle [] [] \definemathtriplet [] [] \definemathunder [] [] [] \definemathundertextextensible [] [] \definemathundertextextensible [] [] \definemathundertextextensible [] [] \definemathunstacked [] [] [] \definemeasure [] [] \definemessageconstant {}  |
| definemathfence definemathfraction definemathframed definemathmatrix definemathornament definemathover definemathoverextensible definemathovertextextensible definemathradical definemathstackers definemathstyle definemathtriplet definemathunder definemathunder definemathundertextextensible definemathundertextensible definemathundertextensible definemathundertextextensible definemathunstacked definemeasure definemessageconstant definemixedcolumns  | \definemathfence [] [] [=] \definemathfraction [] [] [=] \definemathframed [] [] [=] \definemathmatrix [] [] [=] \definemathornament [] [] [] \definemathover [] [] [] \definemathovertextextensible [] [] [] \definemathovertextextensible [] [] [] \definemathradical [] [] [] \definemathstackers [] [] [] \definemathstyle [] [] \definemathtriplet [] [] \definemathunder [] [] [] \definemathundertextextensible [] [] \definemathundertextextensible [] [] \definemathundertextextensible [] [] \definemeasure [] [] \definemessageconstant {} \definemixedcolumns [] [] [=]   |
| definemathfence definemathfraction definemathframed definemathmatrix definemathornament definemathover definemathoverextensible definemathovertextextensible definemathradical definemathstackers definemathstyle definemathtriplet definemathunder definemathunderxtensible definemathunderxtextensible definemathunderoxtensible definemathundertextextensible definemathunstacked definemeasure definemessageconstant definemixedcolumns definemode  | \definemathfence [] [] [=]   \definemathfraction [] [] [=]   \definemathframed [] [] [=]   \definemathmatrix [] [] [=]   \definemathornament [] [] []   \definemathover [] [] []   \definemathovertextensible [] []   \definemathovertextextensible [] []   \definemathradical [] []   \definemathstackers [] []   \definemathstyle [] []   \definemathtriplet [] []   \definemathunder [] []   \definemathundertextextensible [] []   \definemathundertextextensible [] []   \definemathundertextextensible [] []   \definemathundertextextensible [] []   \definemeasure [] []   \definemeasure [] []   \definemeasure [] []   \definemixedcolumns [] []   [=]   \definemode [] []   \definemode []   \definemode []   \definemode [] []   \definemode [] []   \definemode  |
| definemathfence definemathfraction definemathframed definemathmatrix definemathornament definemathover definemathoverextensible definemathovertextextensible definemathradical definemathstackers definemathstyle definemathtriplet definemathunder definemathunderextensible definemathunderstextextensible definemathunderextensible definemathundertextextensible definemathunstacked definemasure definemessageconstant definemixedcolumns definemode definemultitonecolor  | \definemathfence [] [] [=]     \definemathfraction [] [] [=]     \definemathframed [] [] [=]     \definemathmatrix [] [] [] []     \definemathornament [] [] []     \definemathover [] [] []     \definemathover extensible [] [] []     \definemathovertextextensible [] [] []     \definemathradical [] [] []     \definemathstackers [] [] []     \definemathstyle [] [] []     \definemathtriplet [] [] []     \definemathunder extensible [] [] []     \definemathundertextextensible [] []     \definemathundertextextensible [] []     \definemeasure [] []     \definemessageconstant {}     \definemixedcolumns [] [] [=]     \definemode [] []     \definemultitonecolor [] [=] [=]   |
| definemathfence definemathfraction definemathframed definemathmatrix definemathornament definemathover definemathoverextensible definemathovertextextensible definemathradical definemathstackers definemathstyle definemathtriplet definemathunder definemathunderextensible definemathunderstextextensible definemathundertextextensible definemathundertextextensible definemathunstacked definemathunstacked definemeasure definemessageconstant definemixedcolumns definemode definemultitonecolor definenamedcolor  | \definemathfence [] [] [=] \definemathfraction [] [] [=] \definemathframed [] [] [=] \definemathmatrix [] [] [=] \definemathornament [] [] [] \definemathover [] [] [] \definemathoverextensible [] [] [] \definemathovertextextensible [] [] [] \definemathradical [] [] [] \definemathstackers [] [] [] \definemathstyle [] [] \definemathtriplet [] [] \definemathunder [] [] [] \definemathundertextextensible [] [] [] \definemathundertextextensible [] [] \definemathundertextextensible [] [] \definemeasure [] [] \definemessageconstant {} \definemixedcolumns [] [] [] \definemode [] [] \definemultitonecolor [] [=] [=]  |
| definemathfence definemathfraction definemathframed definemathmatrix definemathornament definemathover definemathoverextensible definemathovertextextensible definemathradical definemathstackers definemathstyle definemathtriplet definemathunder definemathunderextensible definemathunderstextextensible definemathundertextextensible definemathundertextextensible definemathundertextextensible definemathunstacked definemeasure definemessageconstant definemixedcolumns definemode definemultitonecolor definenamedcolor:name   | \definemathfence [] [] [=] \definemathfraction [] [] [=] \definemathframed [] [] [=] \definemathmatrix [] [] [=] \definemathornament [] [] [] \definemathover [] [] [] \definemathoverextensible [] [] [] \definemathovertextextensible [] [] [] \definemathradical [] [] [] \definemathstackers [] [] [] \definemathstyle [] [] \definemathtriplet [] [] [] \definemathunder [] [] [] \definemathundertextextensible [] [] [] \definemathundertextextensible [] [] \definemathundertextextensible [] [] \definemeasure [] [] \definemessageconstant {} \definemixedcolumns [] [] [=] \definemode [] [] \definenamedcolor [] [=] [=]  |
| definemathfence definemathfraction definemathframed definemathmatrix definemathornament definemathover definemathoverextensible definemathovertextextensible definemathradical definemathstackers definemathstyle definemathtriplet definemathunder definemathunderextensible definemathundertextextensible definemathundertextextensible definemathundertextextensible definemathundertextextensible definemathunstacked definemeasure definemessageconstant definemixedcolumns definemode definemultitonecolor definenamedcolor:name definenamedcolor:name definenamespace  | \definemathfence [] [] [=] \definemathfraction [] [] [=] \definemathframed [] [] [=] \definemathmatrix [] [] [=] \definemathornament [] [] [] \definemathover [] [] [] \definemathoverextensible [] [] [] \definemathovertextextensible [] [] [] \definemathradical [] [] [] \definemathstackers [] [] [] \definemathstyle [] [] \definemathtriplet [] [] [] \definemathunder [] [] [] \definemathundertextextensible [] [] [] \definemathundertextextensible [] [] \definemathundertextextensible [] [] \definemeasure [] [] \definemessageconstant {} \definemixedcolumns [] [] [=] \definemode [] [] \definenamedcolor [] [=] [=] \definenamedcolor [] [=]   |
| definemathfence definemathfraction definemathframed definemathmatrix definemathornament definemathover definemathoverextensible definemathovertextextensible definemathradical definemathstackers definemathstyle definemathtriplet definemathunder definemathunderextensible definemathundertextextensible definemathundertextextensible definemathundertextextensible definemathundertextextensible definemathunstacked definemeasure definemessageconstant definemixedcolumns definemode definemultitonecolor definenamedcolor:name definenamespace definenarrower   | \definemathfence [] [] [=]   \definemathfraction [] [] [=]   \definemathframed [] [] [=]   \definemathmatrix [] [] [=]   \definemathornament [] [] []   \definemathover [] [] []   \definemathoverextensible [] []   []   \definemathovertextextensible [] []   \definemathradical [] []   []   \definemathstackers [] []   []   \definemathstyle [] []   []   \definemathunder [] []   []   \definemathunder [] []   []   \definemathundertextextensible [] []   \definemathundertextextensible [] []   \definemathundertextextensible [] []   \definemathunder [] []   \definemathunder [] []   \definemathunder [] []   []   \definemathunder [] []   \definemathunder []   []   \definemathunder []   []   \definemathunder []   []   \definemathunder []   []   \definemathunder []   []   \definemathunder []   \definemathunder []   \definemathunder []   \definemathunder []   \definem  |
| definemathfence definemathfraction definemathframed definemathmatrix definemathornament definemathover definemathoverextensible definemathovertextextensible definemathradical definemathstackers definemathstyle definemathunder definemathunder definemathunderextensible definemathundertextextensible definemathundertextextensible definemathundertextextensible definemathundertextextensible definemathunstacked definemeasure definemessageconstant definemixedcolumns definemode definemultitonecolor definenamedcolor:name definenamespace definenarrower definenarrower definenote   | \definemathfence [] [] [=] \definemathfraction [] [] [=] \definemathframed [] [] [=] \definemathmatrix [] [] [=] \definemathornament [] [] [] \definemathover [] [] [] \definemathoverextensible [] [] [] \definemathovertextextensible [] [] [] \definemathradical [] [] [] \definemathstackers [] [] [] \definemathstyle [] [] \definemathtriplet [] [] [] \definemathunder [] [] [] \definemathundertextextensible [] [] [] \definemathundertextextensible [] [] [] \definemathunstacked [] [] [] \definemeasure [] [] \definemixedcolumns [] [] [=] \definemode [] [] \definenamedcolor [] [=]  |
| definemathfence definemathfraction definemathframed definemathmatrix definemathornament definemathover definemathoverextensible definemathovertextextensible definemathradical definemathstackers definemathstyle definemathunder definemathunder definemathunderextensible definemathundertextextensible definemathundertextextensible definemathundertextextensible definemathunstacked definemeasure definemessageconstant definemixedcolumns definemode definemultitonecolor definenamedcolor:name definenamespace definenarrower definenote definenornament:collector  | \definemathfence [] [] [=]   \definemathfraction [] [] [=]   \definemathframed [] [] [=]   \definemathmatrix [] [] [=]   \definemathornament [] [] []   \definemathover [] [] []   \definemathoverextensible [] []   []   \definemathovertextextensible [] []   \definemathradical [] [] []   \definemathstackers [] []   []   \definemathstyle [] []   []   \definemathtriplet [] []   []   \definemathunder [] []   []   \definemathundertextextensible [] []   \definemathundertextextensible [] []   \definemathundertextextensible [] []   \definemessageconstant {}   \definemixedcolumns [] []   []   \definemode [] []   \definemathinamedcolor [] []   \definenamedcolor []   \definenamedcolor []   \definen  |
| definemathfence definemathfraction definemathframed definemathmatrix definemathornament definemathover definemathoverextensible definemathovertextextensible definemathradical definemathstackers definemathstyle definemathunder definemathunder definemathunderextensible definemathundertextextensible definemathundertextextensible definemathundertextextensible definemathundertextextensible definemathunstacked definemeasure definemessageconstant definemixedcolumns definemode definemultitonecolor definenamedcolor:name definenamedcolor:name definenarrower definenote defineornament:collector defineornament:layer  | \definemathfence [] [] [=] \definemathfraction [] [] [=] \definemathframed [] [] [=] \definemathmatrix [] [] [=] \definemathornament [] [] [] \definemathover [] [] [] \definemathoverextensible [] [] [] \definemathovertextextensible [] [] [] \definemathradical [] [] [] \definemathstackers [] [] [] \definemathstyle [] [] \definemathtriplet [] [] [] \definemathunder [] [] [] \definemathundertextextensible [] [] [] \definemathundertextextensible [] [] \definemathundertextextensible [] [] \definemeasure [] [] \definemixedcolumns [] [] [] \definemode [] [] \definenamedcolor [] [=]   |
| definemathfence definemathfraction definemathframed definemathmatrix definemathover definemathover definemathovertextextensible definemathradical definemathstackers definemathstyle definemathunder definemathunder definemathunderstensible definemathunderstextextensible definemathundercxtextensible definemathundercxtextensible definemathundercxtextensible definemathunstacked definemasure definemessageconstant definemixedcolumns definemode definemultitonecolor definenamedcolor:name definenamespace definenarrower definenote defineornament:collector defineornament:layer defineoutputroutine   | \definemathfence [] [] [=] \definemathfraction [] [] [=] \definemathframed [] [] [=] \definemathmatrix [] [] [=] \definemathornament [] [] [] \definemathover [] [] [] \definemathoverextensible [] [] [] \definemathovertextextensible [] [] [] \definemathradical [] [] [] \definemathstackers [] [] [] \definemathstyle [] [] \definemathtriplet [] [] [] \definemathunder [] [] [] \definemathundertextextensible [] [] [] \definemathundertextextensible [] [] \definemathunstacked [] [] [] \definemessageconstant {} \definemixedcolumns [] [] [] \definemode [] [] \definenamedcolor [] [] [] \definenamedcolor [] []   |
| definemathfence definemathfraction definemathframed definemathmatrix definemathover definemathoverextensible definemathovertextextensible definemathradical definemathstackers definemathstyle definemathriplet definemathunder definemathunder definemathunderstextextensible definemathunderstextextensible definemathundertextextensible definemathundertextextensible definemathunstacked definemeasure definemessageconstant definemixedcolumns definemode definemathcolor definenamedcolor definenamedcolor:name definenarrower definenore defineornament:collector defineornament:layer defineoutputroutine defineoutputroutine defineoutputroutinecommand   | \definemathfence [] [] [=]   \definemathfraction [] [] [=]   \definemathframed [] [] [=]   \definemathmatrix [] [] [] []   \definemathornament [] [] []   \definemathover [] [] []   \definemathover extensible [] [] []   \definemathover textextensible [] []   \definemathstackers [] [] []   \definemathstackers [] [] []   \definemathstriplet [] []   \definemathunder [] [] []   \definemathunder extensible [] []   \definemathunder textextensible [] []   \definemathunder textextensible [] []   \definemeasure [] []   \definemeasure [] []   \definemixed columns [] []   [=]   \definemode [] []   \definemathunder textextensible [] [=]   \definemathunder [] [=]   \definenamed color [] [=]   \define color |
| definemathfence definemathfraction definemathframed definemathmatrix definemathover definemathover definemathoverextensible definemathovertextextensible definemathradical definemathstackers definemathstyle definemathtriplet definemathunder definemathunderextensible definemathundertextextensible definemathundertextextensible definemathundertextextensible definemathundertextextensible definemathundertextextensible definemathundertextextensible definemathundertextextensible definemathunstacked definemeasure definemessageconstant definemixedcolumns definemode definemultitonecolor definenamedcolor definenamedcolor:name definenamedcolor definenamespace definenarrower definenorte defineoutputroutine defineoutputroutine defineoutputroutinecommand definepage | \definemathfence [] [] [=]   \definemathfraction [] [] [=]   \definemathframed [] [] [=]   \definemathmatrix [] [] [] []   \definemathornament [] [] []   \definemathover [] [] []   \definemathover extensible [] [] []   \definemathover textextensible [] []   \definemathstackers [] [] []   \definemathstackers [] [] []   \definemathstyle [] []   \definemathunder [] [] []   \definemathunder extensible [] []   \definemathunder textextensible [] []   \definemathunder textextensible [] []   \definemathunder textextensible [] []   \definemeasure [] []   \definemeasure [] []   \definemixed columns [] []   []   \definemode [] []   \definemathunder textextensible []   []   \definemathunder textextensible []   []   \definemathunder textextensible []   []   \definemathunder textextensible []   []   \definemathunder textextensible []   []   \definemathunder textextensible []   []   []   []   \definemathunder textextensible []   []   []   []   []   []   \definemathunder textextensible []   []   []   []   []   \definemathunder textextensible []   []   []   \definemathunder textextensible []   []   \definemathunder textexten  |
| definemathfence definemathfraction definemathframed definemathmatrix definemathover definemathoverextensible definemathovertextextensible definemathradical definemathstackers definemathstyle definemathriplet definemathunder definemathunder definemathunderstextextensible definemathunderstextextensible definemathundertextextensible definemathundertextextensible definemathunstacked definemeasure definemessageconstant definemixedcolumns definemode definemathcolor definenamedcolor definenamedcolor:name definenarrower definenore defineornament:collector defineornament:layer defineoutputroutine defineoutputroutine defineoutputroutinecommand   | \definemathfence [] [] [=]   \definemathfraction [] [] [=]   \definemathframed [] [] [=]   \definemathmatrix [] [] [] []   \definemathornament [] [] []   \definemathover [] [] []   \definemathover extensible [] [] []   \definemathover textextensible [] []   \definemathstackers [] [] []   \definemathstackers [] [] []   \definemathstriplet [] []   \definemathunder [] [] []   \definemathunder extensible [] []   \definemathunder textextensible [] []   \definemathunder textextensible [] []   \definemeasure [] []   \definemeasure [] []   \definemixed columns [] []   [=]   \definemode [] []   \definemathunder textextensible [] [=]   \definemathunder [] [=]   \definenamed color [] [=]   \define color |

| definepageinjection                                 | \definepageinjection [] [=]                                   |
|---|---|
| definepageinjectionalternative                      | \definepageinjectionalternative [] []                         |
| definepageshift                                     | \definepageshift [] []  |
| definepagestate                                     | \definepagestate [] []  |
| defineparagraph                                     | \definepairedbox [] [] [] \defineparagraph [] [] []           |
| defineparagraph<br>defineparallel                   | \defineparallel [] [] \defineparallel []                      |
| defineparbuilder                                    | \defineparaller [] \defineparbuilder []                       |
| defineperiodkerning                                 | \defineperiodkerning [] [] [=]                                |
| defineplacement                                     | \defineplacement [] [=]                                       |
| definepositioning                                   | \definepositioning [] [=]                                     |
| defineprefixset                                     | \defineprefixset [] []  |
| defineprocesscolor                                  | \defineprocesscolor [] [=]                                    |
| defineprocessor                                     | \defineprocessor [] [=]                                       |
| definepushbutton                                    | \definepushbutton [] [=]                                      |
| definepushsymbol                                    | \definepushsymbol [] []                                       |
| definerenderingwindow                               | \definerenderingwindow [] [=]                                 |
| defineresetset                                      | \defineresetset [] []   |
| defineruby  | \defineruby [] [=]  |
| definescale<br>definescript                         | \definescale [] [=]<br>\definescript [] [=]                   |
| definesectionlevels                                 | \definescript [] [] \definesectionlevels [] []                |
| defineselector                                      | \definesectionievels [] [] \defineselector [] [=]             |
| defineseparatorset                                  | \defineseparatorset [] []                                     |
| defineshift   | \defineshift [] [] []   |
| definesidebar                                       | \definesidebar [] [=]   |
| definesort  | \definesort [] [] {}  |
| definespotcolor                                     | \definespotcolor [] [=]                                       |
| definestyleinstance                                 | \definestyleinstance [] [] []                                 |
| definesubformula                                    | \definesubformula [] [=]                                      |
| definesynonym                                       | \definesynonym [] [] {} {}                                    |
| definesystemattribute                               | \definesystemattribute [] []                                  |
| definesystemconstant                                | \definesystemconstant {}                                      |
| definesystemvariable                                | \definesystemvariable {}                                      |
| defineTABLEsetup                                    | \defineTABLEsetup [] [=]                                      |
| definetabulation                                    | \definetabulation [] []                                       |
| definetextbackground<br>definetextflow              | \definetextbackground [] [] []                                |
| definetextilow<br>definetokenlist                   | \definetextflow [] [=] \definetokenlist []                    |
| definetooltip                                       | \definetokeniist [] \definetooltip [] [=]                     |
| definetransparency:1                                | \definetransparency [] []                                     |
| definetransparency:2                                | \definetransparency [] [=]                                    |
| definetransparency:3                                | \definetransparency []  |
| definetwopasslist                                   | \definetwopasslist {}   |
| definetypeface                                      | \definetypeface [] [] [] [] []                                |
| definetypescriptprefix                              | \definetypescriptprefix [] []                                 |
| definetypescriptsynonym                             | \definetypescriptsynonym [] []                                |
| definetypesetting                                   | \definetypesetting [] [] [=]                                  |
| defineunit<br>defineuserdata                        | \defineunit [] [=]  |
| defineuserdata defineuserdataalternative            | \defineuserdata [] [] [] \defineuserdataalternative [] [] [=] |
| defineuserdataalternative                           | \defineviewerlayer [] [] [=]                                  |
| definevspace  | \definevspace [] [] \definevspace []                          |
| definevspacing                                      | \definevspacing [] []   |
| definevspacingamount                                | \definevspacingamount [] []                                   |
| definextable  | \definextable [] [=]  |
| definicaractere                                     | \definicaractere  |
| definit   | \definit [] \ {}  |
| definitaccent                                       | \definitaccent  |
| definitbloc   | \definitbloc [] [=]   |
| definitblocsection                                  | \definitblocsection [] [] [=]                                 |
| definitbuffer                                       | \definitbuffer [] [=]   |
| definitcalque                                       | \definitcalque [] []  |
| definitchamp  | \definitchamp [] [] [] []                                     |
| definitenmende                                      | \definiteonwargien [ ] [ ] [                                  |
| <pre>definitconversion definitconversion:list</pre> | \definitconversion [] [] \definitconversion [] []             |
| definitconversion: list definitcouleur              | \definitconversion [] [] \definitcouleur [] [=]               |
| definitcouleur:name                                 | \definitcouleur [] []   |
| definitdactylo                                      | \definitdactylo [] [=]  |
| definitdemarrestoppe                                | \definitdemarrestoppe [] [=]                                  |
| definitdescription                                  | \definitdescription [] [] [=]                                 |
| <del>-</del>  | <del>-</del>  |

| definitdisposition                           | \definitdisposition [] [=]  |
|--|---|
| definitenumeration                           | \definitenumeration [] [] [] \definitenumeration [] []                |
| definitenvironnementpolicecorps              | \definitenvironnementpolicecorps [] [] [=]                            |
| definitetiquette                             | \definitetiquette [] [=]  |
| definitflottant                              | \definitflottant [] []  |
| definitflottant:name                         | \definitflottant [] []  |
| definitformatreference                       | \definitformatreference [] [=]  |
| definitgroupecouleur                         | \definitgroupecouleur [] [x:y:z,]                                     |
| definithbox                                  | \definithbox [] []  |
| definitjeucolonne                            | \definitjeucolonne [] [=]   |
| definitliste                                 | \definitliste [] [=]  |
| definitlisteimbriquee                        | \definitlisteimbriquee [] []  |
| definitmakeup                                | \definitmakeup [] [=]   |
| definitmarquage                              | \definitmarquage [] [=]   |
| definitmenuinteraction                       | \definitmenuinteraction [] [=]  |
| definitpalette                               | \definitpalette [] [=]  |
| definitpalette:name                          | \definitpalette [] []   |
| definitparagraphes                           | \definitparagraphes [] [=]  |
| definitpilechamp                             | \definitpilechamp [] [=]  |
| definitpolice                                | \definitpolice [] [=]   |
| definitpolicecorps                           | \definitpolicecorps [] [] [=]   |
| definitpolicecorps:argument                  | \definitpolicecorps [] [] []  |
| definitpolice:argument                       | \definitpolice [] []  |
| definitprofil                                | \definitprofil [] [=]   |
| definitprogramme                             | \definitprogramme [] []   |
| definitreference                             | \definitreference [] []   |
| definitregistre                              | \definitregistre [] [=]   |
| definitrevetement                            | \definitrevetement [] []  |
| definitsautdecolonne                         | \definitsautdecolonne [] []   |
| definitsautdepage                            | \definitsautdepage [] []  |
| definitsection                               | \definitsection []  |
| definitsouschamp                             | \definitsouschamp [] []   |
| definitstyle                                 | \definitstyle [] [=]  |
| definitstylepolice                           | \definitstylepolice [] []   |
| definitsymbole                               | \definitsymbole [] []   |
| definitsymbolefigure                         | \definitsymbolefigure [] [=]  |
| definitsynonymepolice<br>definitsynonymes    | \definitsynonymepolice [] []  |
| definittabulation                            | \definitsynonymes [] [] []  |
|  | \definittabulation [] [] $[]$ \definittaillepapier [] $[=]^{0^{p_T}}$ |
| definittaillepapier definittaillepapier:name | \definittaillepapier [] [] \definittaillepapier [] []                 |
| definittete definittete                      | \definittetalTepaple1 [] [] \definittete [] []                        |
| definittexte                                 | \definitteste [] [] [] [] [] []                                       |
| definittrametableau                          | \definittrametableau [] [  ] [] []                                    |
| definittri                                   | \definittri [] []   |
| definittype                                  | \definittype [] [=]   |
| definitvide                                  | \definitvide []   |
| delimited                                    | \delimited [] [] {}   |
| delimitedtext                                | \delimited [] [] \delimitedtext [] []                                 |
| delimitedtext:instance                       | \DELIMITEDTEXT [] {}  |
| delimitedtext:instance:aside                 | \aside [] {}  |
| delimitedtext:instance:blockquote            | \blockquote [] {}   |
| delimitedtext:instance:quotation             | \quotation [] {}  |
| delimitedtext:instance:quote                 | \quote [] {}  |
| delimitedtext:instance:speech                | \spech [] {}  |
| demarre                                      | \demarre [] \stoppe   |
| demarrealigneadroite                         | \demarrealigneadroite \stoppealigneadroite                            |
| demarrealigneagauche                         | \demarrealigneagauche \stoppealigneagauche                            |
| demarrealigneaumilieu                        | \demarrealigneaumilieu \stoppealigneaumilieu                          |
| demarrealignment                             | \demarrealignment [] \stoppealignment                                 |
| demarreallmodes                              | \demarreallmodes [] \stoppeallmodes                                   |
| demarrearriereplan                           | \demarrearriereplan [=] \stoppearriereplan                            |
| demarrearriereplan:example                   | \demarreARRIEREPLAN [=] \stoppeARRIEREPLAN                            |
| demarreattachment:instance                   | \demarreATTACHMENT [] [=] \stoppeATTACHMENT                           |
| demarreattachment:instance:attachment        | \demarreattachment [] [=] \stoppeattachment                           |
| demarrebar                                   | \demarrebar [] \stoppebar   |
| demarrebbordermatrix                         | \demarrebbordermatrix \stoppebbordermatrix                            |
| demarrebitmapimage                           | \demarrebitmapimage [=]\stoppebitmapimage                             |
| demarrebordermatrix                          | \demarrebordermatrix \stoppebordermatrix                              |
| demarrebtxrenderingdefinitions               | \demarrebtxrenderingdefinitions [] \stoppebtxrenderingdefinitions     |
| demarrebuffer                                | \demarrebuffer [] \stoppebuffer                                       |
| demarrebuffer:instance                       | \demarreRUFFER \stoppeRUFFER  |

| demarrebuffer:instance:hiding   | \demarrehiding \stoppehiding   |
|---|--|
| demarrecatcodetable   | \demarrecatcodetable \ \stoppecatcodetable   |
| demarrecenteraligned  | \demarrecenteraligned \stoppecenteraligned   |
| demarrecharacteralign   | \demarrecharacteralign [=] \stoppecharacteralign   |
| demarrecharacteralign:argument  | \demarrecharacteralign [] \stoppecharacteralign  |
| demarrecheckedfences  | \demarrecheckedfences \stoppecheckedfences   |
| demarrechemical   | \demarrechemical [] [=] \stoppechemical  |
| demarreciter  | \demarreciter [=]  |
| demarrecollect  | \demarrecollect \stoppecollect   |
| demarrecollecting   | \demarrecollecting \stoppecollecting   |
| demarrecolonnes   | \demarrecolonnes [=] \stoppecolonnes   |
| demarrecolorintent  | \demarrecolorintent [] \stoppecolorintent  |
| demarrecoloronly  | \demarrecoloronly [] \stoppecoloronly  |
| demarrecolorset   | \demarrecolorset [] \stoppecolorset  |
| demarrecolumnset  | \demarrecolumnset [] [=] \stoppecolumnset  |
| demarrecolumnsetspan  | \demarrecolumnsetspan [] [=] \stoppecolumnsetspan  |
| demarrecolumnset:example  | \demarreCOLUMNSET [=.] \stoppeCOLUMNSET  |
| demarrecolumnspan   | \demarrecolumnspan [=] \stoppecolumnspan   |
| demarrecombination  | \demarrecombination [] [=] \stoppecombination  |
| demarrecombination:matrix   | \demarrecombination [] [ \stoppecombination \demarrecombination [] [] \stoppecombination   |
| demarrecommentairepage  | \demarrecommentairepage \stoppecommentairepage   |
| demarrecommentaire:instance   | \demarreCOMMENT [] [=] \stoppeCOMMENT  |
|   |  |
| demarrecommentaire:instance:comment                                     | \demarrecomment [] [=] \stoppecomment  |
| demarrecomposant  | \demarrecomposant [] \stoppecomposant  |
| demarrecomposant:string   | \demarrecomposant \stoppecomposant   |
| demarrecontextcode  | \demarrecontextcode \stoppecontextcode   |
| demarrecontextdefinitioncode  | \demarrecontextdefinitioncode \stoppecontextdefinitioncode   |
| demarrecouleur  | \demarrecouleur [] \stoppecouleur  |
| demarrectxfunction  | \demarrectxfunction\stoppectxfunction  |
| demarrectxfunctiondefinition  | \demarrectxfunctiondefinition \stoppectxfunctiondefinition   |
| demarrecurrentcolor   | \demarrecurrentcolor \stoppecurrentcolor   |
| demarrecurrentlistentrywrapper  | \demarrecurrentlistentrywrapper \stoppecurrentlistentrywrapper   |
| demarredegroupe   | \demarredegroupe \stoppedegroupe   |
| demarredelimited  | \demarredelimited [] [] \stoppedelimited   |
| demarredelimitedtext  | \demarredelimitedtext [] [] \stoppedelimitedtext   |
| demarredelimitedtext:instance   | \demarreDELIMITEDTEXT [] [] \stoppeDELIMITEDTEXT   |
| demarredelimitedtext:instance:aside                                     | $\Delta = \Delta = \Delta = \Delta = \Delta$   |
| demarredelimitedtext:instance:blockquote                                | lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:   |
| demarredelimitedtext:instance:quotation                                 | $\def {\tt demarrequotation} \ [\dots] \ [\dots] \ \dots \ \$  |
| demarredelimitedtext:instance:quote                                     | \demarrequote [] [] \stoppequote   |
| demarredelimitedtext:instance:speech                                    | \demarrespeech [] [] \stoppespeech   |
| demarredescription:example  | \demarreDESCRIPTION [=] \stoppeDESCRIPTION   |
| demarredescription:example:title  | lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:   |
| demarredisplaymath  | \demarredisplaymath \stoppedisplaymath   |
| demarredmath  | \demarredmath \stoppedmath   |
| demarredocument   | \demarredocument [=] \stoppedocument   |
| demarreeffect   | \demarreeffect [] \stoppeeffect  |
| demarreeffect:example   | \demarreEFFECT \stoppeEFFECT   |
| demarreelement  | \demarreelement [] \stoppeelement  |
| demarreembeddedxtable   | \demarreembeddedxtable [=] \stoppeembeddedxtable   |
| demarreembeddedxtable:name  | \demarreembeddedxtable [] \stoppeembeddedxtable  |
| demarreenumeration:example  | \demarreENUMERATION [=] \stoppeENUMERATION   |
| demarreenumeration:example:title  | \demarreENUMERATION [] {} \stoppeENUMERATION   |
| demarreenvironement   | \demarreenvironement [] \stoppeenvironement  |
| demarreenvironementblocsection  | \demarreenvironementblocsection [] \stoppeenvironementblocsection  |
| demarreenvironement:string  | \demarreenvironement \stoppeenvironement   |
| demarreetroit   | \demarreetroit [] [=] \stoppeetroit  |
| demarreetroit:assignment  | \demarreetroit [=] [] \stoppeetroit  |
| demarreetroit:name  | \demarreetroit [] [] \stoppeetroit   |
| demarreexceptions   | \demarreexceptions [] \stoppeexceptions  |
| demarreexpanded   | \demarreexpanded \stoppeexpanded   |
| demarreexpandedcollect  | \demarreexpandedcollect \stoppeexpandedcollect   |
| demarreextendedcatcodetable   | \demarreextendedcatcodetable \ \stoppeextendedcatcodetable   |
| demarreexternalfigurecollection   | \demarreexternalfigurecollection [] \stoppeexternalfigurecollect.  |
| demarrefacingfloat  | \demarrefacingfloat [] \stoppefacingfloat  |
| demarrefigure   | \demarrefigure [] [=.] \stopperacingribat  |
| demarrefittingpage  | \demarrefittingpage [] [=] \stoppefittingpage  |
| demarrefittingpage:instance   | \demarreFITTINGPAGE [=] \stoppeFITTINGPAGE   |
| demarrefittingpage:instance:MPpage                                      | \demarreMPpage [=] \stoppeMPpage   |
| demarrefittingpage:instance:TEXpage demarrefittingpage:instance:TEXpage | \demarreTEXpage [=] \stoppeTEXpage   |
| demarrefixe demarrefixe   |  |
|   | \demarrefixe [] \stoppefixe  |
| demarrefloatcombination   | $\def or \def or \def$ |

| demarrefloatcombination:matrix       | \demarrefloatcombination [] \stoppefloatcombination                |
|--------------------------------------|--|
| demarrefloattext:instance            | \demarreFLOATtexte [] [] \stoppeFLOATtexte                         |
| demarrefloattext:instance:chemical   | \demarrechemicaltexte [] [] \stoppechemicaltexte                   |
| demarrefloattext:instance:figure     | \demarrefiguretexte [] [] \stoppefiguretexte                       |
| demarrefloattext:instance:graphic    | \demarregraphictexte [] [] \ \stoppegraphictexte                   |
| demarrefloattext:instance:intermezzo | \demarreintermezzotexte [] [] \stoppeintermezzotexte               |
| demarrefloattext:instance:table      |  |
|                                      | \demarretabletexte [] [] \\stoppetabletexte                        |
|                                      | \demarrefont [] \stoppefont  |
| demarrefontclass                     | \demarrefontclass [] \stoppefontclass                              |
| demarrefontsolution                  | \demarrefontsolution [] \stoppefontsolution                        |
| demarreformule                       | \demarreformule [] \stoppeformule                                  |
| demarreformules                      | \demarreformules [] \stoppeformules                                |
| demarreformule:assignment            | \demarreformule [=] \stoppeformule                                 |
| demarreformule:instance              | \demarreFORMULAformula [] \stoppeFORMULAformula                    |
| demarreformule:instance:md           |  |
|                                      | \demarremdformula [] \stoppemdformula                              |
| demarreformule:instance:mp           | \demarrempformula [] \stoppempformula                              |
| demarreformule:instance:sd           | \demarresdformula [] \stoppesdformula                              |
| demarreformule:instance:sp           | \demarrespformula [] \stoppespformula                              |
| demarreframed                        | \demarreframed [] [=] \stoppeframed                                |
| demarreframedcell                    | \demarreframedcell [=] \stoppeframedcell                           |
|                                      | \demarreframedcontent [] \stoppeframedcontent                      |
|                                      | \demarreframedrow [=] \stoppeframedrow                             |
|                                      |  |
| demarreframedtable                   | \demarreframedtable [] [=] \stoppeframedtable                      |
|                                      | \demarregridsnapping [] \stoppegridsnapping                        |
| demarregridsnapping:list             | \demarregridsnapping [] \stoppegridsnapping                        |
| demarregroupe                        | \demarregroupe [] \stoppegroupe                                    |
| demarrehboxestohbox                  | \demarrehboxestohbox \stoppehboxestohbox                           |
| demarrehboxregister                  | \demarrehboxregister \stoppehboxregister                           |
| demarrehelp:instance                 | \demarreHELP [] \stoppeHELP  |
| demarrehelp:instance:helptext        | \demarrehelptext [] \stoppehelptext                                |
| <u>.</u>                             |  |
| demarrehighlight                     | \demarrehighlight [] \stoppehighlight                              |
| demarrehyphenation                   | \demarrehyphenation [] \stoppehyphenation                          |
| demarreimath                         | \demarreimath \stoppeimath   |
| demarreindentedtext                  | \demarreindentedtext [] \stoppeindentedtext                        |
| demarreindentedtext:example          | \demarreINDENTEDTEXT \stoppeINDENTEDTEXT                           |
| demarreinteraction                   | \demarreinteraction [] \stoppeinteraction                          |
| demarreinterface                     | \demarreinterface \stoppeinterface                                 |
| demarreintertext                     | \demarreintertext \stoppeintertext                                 |
|                                      | * *  |
| demarreitemgroup                     | \demarreitemgroup [] [=] \stoppeitemgroup                          |
| demarreitemgroup:instance            | \demarreITEMGROUP [] [=] \stoppeITEMGROUP                          |
| demarreitemgroup:instance:itemize    | \demarreitemize [] [=] \stoppeitemize                              |
| demarreJScode                        | \demarreJScode \stoppeJScode                                       |
| demarreJSpreamble                    | \demarreJSpreamble \stoppeJSpreamble                               |
| demarreknockout                      | \demarreknockout \stoppeknockout                                   |
| demarrelabeltexte:instance           | \demarreLABELtexte [] [ \stoppeLABELtexte                          |
| demarrelabeltexte:instance:btxlabel  | \demarrebtxlabeltexte [] [] \stoppebtxlabeltexte                   |
|                                      | = <del>= =</del>   |
| demarrelabeltexte:instance:head      | \demarreheadtexte [] [ \stoppeheadtexte                            |
| demarrelabeltexte:instance:label     | \demarrelabeltexte [] [] \stoppelabeltexte                         |
| demarrelabeltexte:instance:mathlabel | \demarremathlabeltexte [] [] \stoppemathlabeltexte                 |
| demarrelabeltexte:instance:operator  | \demarreoperatortexte [] [ \stoppeoperatortexte                    |
| demarrelabeltexte:instance:prefix    | \demarreprefixtexte [] [] \stoppeprefixtexte                       |
| demarrelabeltexte:instance:suffix    | \demarresuffixtexte [] [] \stoppesuffixtexte                       |
| demarrelabeltexte:instance:taglabel  | \demarretaglabeltexte [] [ \stoppetaglabeltexte                    |
| demarrelabeltexte:instance:unit      |  |
|                                      | \demarreunittexte [] [ \stoppeunittexte                            |
| demarrelangue                        | \demarrelangue [] \stoppelangue                                    |
| demarrelayout                        | \demarrelayout [] \stoppelayout                                    |
| demarreligne                         | \demarreligne []   |
| demarreligneregleetexte              | \demarreligneregleetexte \{\ldots\} \ldots \stoppeligneregleetexte |
| demarrelignes:instance               | \demarreLINES [=] \stoppeLINES                                     |
| demarrelignes:instance:lines         | \demarrelines [=] \stoppelines                                     |
| demarrelinealignment                 | \demarrelinealignment [] \stoppelinealignment                      |
| demarrelinecorrection                |  |
|                                      | \demarrelinecorrection [] \stoppelinecorrection                    |
|                                      | \demarrelinefiller [] [=] \stoppelinefiller                        |
| demarrelinenumbering                 | \demarrelinenumbering [] [=] \stoppelinenumbering                  |
| demarrelinenumbering:argument        | \demarrelinenumbering [] [ \stoppelinenumbering                    |
| demarrelinetable                     | \demarrelinetable \stoppelinetable                                 |
| demarrelinetablebody                 | \demarrelinetablebody \stoppelinetablebody                         |
| demarrelinetablecell                 | \demarrelinetablecell [=] \stoppelinetablecell                     |
| demarrelinetablehead                 | \demarrelinetablehead \stoppelinetablehead                         |
| demarrelocalfootnotes                | \demarrelocalfootnotes \stoppellocalfootnotes                      |
|                                      |  |
| demarrelocalheadsetup                | \demarrelocalheadsetup \stoppelocalheadsetup                       |
| demarrelocallinecorrection           | \demarrelocallinecorrection [] \stoppelocallinecorrection          |

```
\demarrelocalnotes [...] ... \stoppelocalnotes
demarrelocalnotes
demarrelocalsetups
                                                           \demarrelocalsetups [...] [... \stoppelocalsetups
                                                           \demarrelocalsetups ... \stoppelocalsetups
demarrelocalsetups:string
                                                            \demarrelua ... \stoppelua
demarrelua
demarreluacode
                                                            \demarreluacode ... \stoppeluacode
                                                           \demarreluaparameterset [...] ... \stoppeluaparameterset
demarreluaparameterset
                                                           \demarreluasetups [...] [...] \stoppeluasetups
demarreluasetups
demarreluasetups:string
                                                           \demarreluasetups ... \stoppeluasetups
                                                           \demarreMPclip {...} ... \stoppeMPclip
demarreMPclip
demarreMPcode
                                                           \demarreMPcode {...} ... \stoppeMPcode
                                                           \demarreMPdefinitions {...} ... \stoppeMPdefinitions
demarreMPdefinitions
                                                           \demarreMPdrawing [...] ... \stoppeMPdrawing \demarreMPenvironment [...] ... \stoppeMPenvironment
demarreMPdrawing
demarreMPenvironment
                                                           \demarreMPextensions {...} ... \stoppeMPextensions
demarreMPextensions
demarreMPinclusions
                                                           \demarreMPinclusions [...] {...} ... \stoppeMPinclusions
demarreMPinitializations
                                                           \demarreMPinitializations ... \stoppeMPinitializations
                                                           \demarreMPpositiongraphic \{\ldots\} \ldots\\ \stoppeMPpositiongraphic
demarreMPpositiongraphic
demarreMPpositionmethod
                                                            \verb|\demarreMPpositionmethod| \{\ldots\} \ldots \verb|\stoppeMPpositionmethod|
                                                           \demarreMPrun {...} ... \stoppeMPrun \demarremakeup [...] [..=..] ... \stoppemakeup
demarreMPrun
demarremakeup
                                                            \demarreMAKEUPmakeup [..=..] ... \stoppeMAKEUPmakeup
demarremakeup:instance
demarremakeup:instance:middle
                                                            \demarremiddlemakeup [..=..] ... \stoppemiddlemakeup
demarremakeup:instance:page
                                                            \demarrepagemakeup [..=..] ... \stoppepagemakeup
demarremakeup:instance:standard
                                                            \demarrestandardmakeup [..=..] ... \stoppestandardmakeup
demarremakeup:instance:text
                                                            \demarretextmakeup [..=..] ... \stoppetextmakeup
                                                            demarremargereglee
                                                            \demarremargereglee [..=..] ... \stoppemargereglee
demarremargereglee:assignment
                                                           \demarremarginblock [...] ... \stoppemarginblock
demarremarginblock
                                                           \demarremarkedcontent [...] ... \stoppemarkedcontent
demarremarkedcontent
                                                            demarremarkpages
                                                            \demarreMATHALIGNMENT [..=..] ... \stoppeMATHALIGNMENT
demarremathalignment:instance
                                                           \demarrealign [..=..] ... \stoppealign \demarremathalignment [..=..] ... \stoppemathalignment
demarremathalignment:instance:align
demarremathalignment:instance:mathalignment
                                                           \demarreMATHCASES [..=..] ... \stoppeMATHCASES \demarrecases [..=..] ... \stoppecases \demarremathcases [..=..] ... \stoppemathcases
demarremathcases:instance
demarremathcases:instance:cases
demarremathcases:instance:mathcases
                                                            \demarreMATHMATRIX [..=..] ... \stoppeMATHMATRIX
demarremathmatrix:instance
demarremathmatrix:instance:mathmatrix
                                                            \demarremathmatrix [..=..] ... \stoppemathmatrix
demarremathmatrix:instance:matrix
                                                            \demarrematrix [..=..] ... \stoppematrix
demarremathmode
                                                            \demarremathmode ... \stoppemathmode
                                                           \demarremathstyle [...] ... \stoppemathstyle \demarrematrices [..=..] ... \stoppematrices
demarremathstyle
demarrematrices
                                                           \demarremaxaligned ... \stoppemaxaligned
demarremaxaligned
demarremenuinteraction
                                                           \demarremenuinteraction [...] ... \stoppemenuinteraction
demarremiddlealigned
                                                           \demarremiddlealigned ... \stoppemiddlealigned
                                                           \demarremixedcolumns [...] [..=..] ... \stoppemixedcolumns
demarremixedcolumns
                                                            \demarreMIXEDCOLUMNS [..=..] ... \stoppeMIXEDCOLUMNS
demarremixedcolumns:instance
                                                           \demarreboxedcolumns [..=..] ... \stoppeboxedcolumns \demarreitemgroupcolumns [..=..] ... \stoppeitemgroupcolumns
demarremixedcolumns:instance:boxedcolumns
demarremixedcolumns:instance:itemgroupcolumns
                                                           \demarremode [...] ... \stoppemode
demarremode
demarremodeset
                                                           \demarremodeset [...] {...} ... \stoppemodeset
                                                           \demarremodule [...] ... \stoppemodule
demarremodule
demarremoduletestsection
                                                           \demarremoduletestsection ... \stoppemoduletestsection
demarremodule:string
                                                           \demarremodule ... \stoppemodule
demarrenamedsection
                                                            \verb|\demarrenamedsection| [...] [..=..] [..=..] ... \verb|\stoppenamedsection|
demarrenamedsubformulas
                                                            \demarrenarrower [...] ... \stoppenarrower \demarreNARROWER [...] ... \stoppeNARROWER
demarrenarrower
demarrenarrower:example
                                                           \demarrenegatif ... \stoppenegatif
demarrenegatif
                                                           \demarrenicelyfilledbox [..=..] ... \stoppenicelyfilledbox
demarrenicelyfilledbox
                                                           \demarrenointerference ... \stoppenointerference
demarrenointerference
                                                           \demarrenotallmodes [...] ... \stoppenotallmodes
demarrenotallmodes
                                                           \demarrenotext ... \stoppenotext \demarreNOTE [...] ... \stoppeNOTE
demarrenotext
demarrenote:instance
                                                            \demarreNOTE [..=..] ... \stoppeNOTE
demarrenote:instance:assignment
demarrenote:instance:assignment:endnote
                                                            \demarreendnote [..=..] ... \stoppeendnote
demarrenote:instance:assignment:footnote
                                                            \demarrefootnote [..=..] ... \stoppefootnote
                                                            \demarreendnote [...] ... \stoppeendnote
demarrenote:instance:endnote
demarrenote:instance:footnote
                                                            \verb|\demarrefootnote| [...] ... \verb|\stoppefootnote|
                                                           \demarrenotmode [...] ... \stoppenotmode \demarreopposition ... \stoppeopposition
demarrenotmode
demarreopposition
                                                           \verb|\demarreoutputstream| [\dots] \dots \verb|\stoppeoutputstream|
demarreoutputstream
```

| demarreoverprint  | \demarreoverprint \stoppeoverprint  |
|---|---|
| demarrepagecolumns  | \demarrepagecolumns [=] \stoppepagecolumns  |
| demarrepagecolumns:instance   | \demarrePAGECOLUMNS \stoppePAGECOLUMNS  |
| demarrepagecolumns:name   | \demarrepagecolumns [] \stoppepagecolumns   |
| demarrepagefigure   | \demarrepagefigure [] [=] \stoppepagefigure   |
| demarrepagelayout   | \demarrepagelayout [] \stoppepagelayout   |
| demarrepar  | \demarrepar [] [=] \stoppepar   |
| demarreparagraphe   | \demarreparagraphe [] [=] \stoppeparagraphe   |
| demarreparagraphs   | \demarreparagraphs [] \stoppeparagraphs   |
| demarreparagraphscell   | \demarreparagraphscell \stoppeparagraphscell  |
| demarreparagraphs:example   | \demarrePARAGRAPHS \stoppePARAGRAPHS  |
| demarreparallel:example   | \demarrePARALLEL \stoppePARALLEL  |
| demarreparbuilder   | \demarreparbuilder [] \stoppeparbuilder   |
| demarreplaceflottant  | \demarreplaceflottant [] [=] [=] \stoppeplaceflottant                               |
| demarreplaceflottant:instance   | \demarreplaceFLOAT [=] [=] \stoppeplaceFLOAT  |
| demarreplaceflottant:instance:chemical  | \demarreplacechemical [=] [=] \stoppeplacechemical                                  |
| demarreplaceflottant:instance:figure  | \demarreplacefigure [=] [\stoppeplacefigure   |
| demarreplaceflottant:instance:graphic   | \demarreplacegraphic [=] [=] \stoppeplacegraphic                                    |
| demarreplaceflottant:instance:intermezzo  | \demarreplaceintermezzo [=] [=] \stoppeplaceintermezzo                              |
| demarreplaceflottant:instance:table   | \demarreplacetable [=] [=] \stoppeplacetable  |
| demarreplaceformule   | \demarreplaceformule [=] \stoppeplaceformule  |
| demarreplaceformule:argument  | \demarreplaceformule [] \stoppeplaceformule   |
| demarreplacepairedbox   | \demarreplacepairedbox [] [=.] \stoppeplacepairedbox                                |
| demarreplacepairedbox:instance  | \demarreplacePAIREDBOX [=] \stoppeplacePAIREDBOX                                    |
| demarreplacepairedbox:instance:legend   | \demarreplacelegend [=] \stoppeplacelegend  |
| demarrepositif  | \demarrepositif \stoppepositif  |
| demarrepositioning  | \demarrepositioning [] [=] \stoppepositioning                                       |
| demarrepositionoverlay  | \demarrepositionoverlay {} \stoppepositionoverlay                                   |
| demarrepostponing   | \demarrepostponing [] \stoppepostponing   |
| demarrepostponingnotes  | \demarrepostponingnotes \stoppepostponingnotes                                      |
| demarreprocessassignmentcommand   | \demarreprocessassignmentcommand [=] \stoppeprocessassignmentcom                    |
| demarreprocessassignmentlist  | \demarreprocessassignmentlist [=] \stoppeprocessassignmentlist                      |
| demarreprocesscommacommand  | \demarreprocesscommacommand [] \stoppeprocesscommacommand                           |
| demarreprocesscommalist   | \demarreprocesscommalist [] \stoppeprocesscommalist                                 |
| demarreproduit  | \demarreproduit [] \stoppeproduit   |
| demarreproduit:string   | \demarreproduit\stoppeproduit   |
| demarreprojet   | \demarreprojet [] \stoppeprojet   |
| demarreprojet:string  | \demarreprojet \stoppeprojet  |
| demarreprotectedcolors  | \demarreprotectedcolors \stoppeprotectedcolors                                      |
| demarrepublication  | \demarrepublication [] [=] \stoppepublication                                       |
| demarrequeuetableau   | \demarrequeuetableau [] \stoppequeuetableau   |
| demarrequeuetabule  | \demarrequeuetabule [] \stoppequeuetabule   |
| demarrerandomized   | \demarrerandomized\stopperandomized   |
| demarrerawsetups  | \demarrerawsetups [] [] \stopperawsetups  |
| demarrerawsetups:string   | \demarrerawsetups \stopperawsetups  |
| demarrereadingfile  | \demarrereadingfile \stoppereadingfile  |
| demarreregime   | \demarreregime [] \stopperegime   |
| demarrereusableMPgraphic  | \demarrereusableMPgraphic \{\ldots\} \ldots\\ \stoppereusableMPgraphic              |
| demarrerevetement   | \demarrerevetement \stopperevetement  |
| demarreruby   | \demarreruby [] \stopperuby   |
| demarrescript   | \demarrescript [] \stoppertby   |
| demarresectionblock   | \demarresectionblock [] [=] \stoppesectionblock                                     |
| demarresectionblock:instance  | \demarreSECTIONBLOCK [=] \stoppeSECTIONBLOCK  |
| demarresectionblock:instance:appendices   | \demarreappendices [=] \stoppendices  |
| demarresectionblock:instance:backmatter   | \demarrebackmatter [=] \stoppeappendites  |
| demarresectionblock:instance:backmatter demarresectionblock:instance:bodymatter |   |
| demarresectionblock:instance:frontmatter  | \demarrebodymatter [=] \stoppebodymatter \demarrefrontmatter [=] \stoppefrontmatter |
| demarresectionlevel   |   |
| demarresection:instance   | \demarresectionlevel [] [=] \stoppesectionlevel                                     |
|   | \demarresECTION [=] [=] \stoppeSECTION  |
| demarresection:instance:chapter   | \demarrechapter [=] [=] \stoppechapter  |
| demarresection:instance:part  | \demarrepart [=] [=] \stoppepart  |
| demarresection:instance:section   | \demarresection [=] [=] \stoppesection  |
| demarresection:instance:subject   | \demarresubject [=] [=] \stoppesubject  |
| demarresection:instance:subsection  | \demarresubsection [=] [=] \stoppesubsection  |
| demarresection:instance:subsubject  | \demarresubsubject [=] [=] \stoppesubsubject  |
| demarresection:instance:subsubsection   | \demarresubsubsection [=] [=] \stoppesubsubsection                                  |
| demarresection:instance:subsubsubject   | \demarresubsubsubject [=] [ \stoppesubsubsubject                                    |
| demarresection:instance:subsubsubsection  | \demarresubsubsubsection [=] [=] \stoppesubsubsubsection                            |
| demarresection:instance:subsubsubsubject  | \demarresubsubsubsubject [=] [=] \stoppesubsubsubsubject                            |
| demarresection:instance:subsubsubsubsection                                     | \demarresubsubsubsubsection [=] [=] \stoppesubsubsubsubsect.                        |
| demarresection:instance:subsubsubsubsubject                                     | \demarresubsubsubsubsubject [=] [=] \stoppesubsubsubsubsubj                         |
| demarresection:instance:title   | \demarretitle [=] [=] \stoppetitle  |

| demarresetups                             | \demarresetups [] [] \stoppesetups                                       |
|---|--|
| demarresetups:string                      | \demarresetups \stoppesetups   |
| demarreshift                              | \demarreshift [] \stoppeshift  |
| demarresidebar                            | \demarresidebar [] [=] \stoppesidebar                                    |
| demarresimplecolumns                      | \demarresimplecolumns [=] \stoppesimplecolumns                           |
| demarrespecialitem:item                   | \demarrespecialitem [] [] \stoppespecialitem                             |
| demarrespecialitem:none                   | \demarrespecialitem [] \stoppespecialitem                                |
| demarrespecialitem:symbol                 | \demarrespecialitem [] {} \stoppespecialitem                             |
| demarresplitformula                       | \demarresplitformula \stoppesplitformula                                 |
| demarresplittext                          | \demarresplittext \stoppesplittext                                       |
| demarrespread                             | \demarrespread \stoppespread   |
| demarrestartstop:example                  | \demarreSTARTSTOP \stoppeSTARTSTOP                                       |
| demarrestaticMPfigure                     | \demarrestaticMPfigure {} \stoppestaticMPfigure                          |
| demarrestaticMPgraphic                    | \demarrestaticMPgraphic {} {} \stoppestaticMPgraphic                     |
| demarrestrictinspectnextcharacter         | \demarrestrictinspectnextcharacter \stoppestrictinspectnextcharacte      |
| demarrestyle                              | \demarrestyle [=] \stoppestyle   |
| demarrestyle:argument                     | \demarrestyle [] \stoppestyle  |
| demarrestyle:instance                     | \demarreSTYLE \stoppeSTYLE   |
| demarresubformulas                        | \demarresubformulas [] \stoppesubformulas                                |
| demarresubjectlevel                       | \demarresubjectlevel [] [=] \stoppesubjectlevel                          |
| demarresubsentence                        | \demarresubsentence \stoppesubsentence                                   |
| demarresubstack                           | \demarresubstack \stoppesubstack   |
| demarresuspend                            | \demarresuspend [=.] {} \stoppesuspend                                   |
| demarresuspend:argument                   | \demarresuspend [] {} \stoppesuspend                                     |
| demarresymbolset                          | \demarresymbolset [] [=] \stoppesymbolset                                |
| demarreTABLE                              | \demarreTABLE [=] \stoppeTABLE   |
| demarreTABLEbody                          | \demarreTABLEbody [=.] \stoppeTABLEbody                                  |
| demarreTABLEfoot                          | \demarreTABLEfoot [=] \stoppeTABLEfoot                                   |
| demarreTABLEhead                          | \demarreTABLEhead [=] \stoppeTABLEhead                                   |
| demarreTABLEnext                          | \demarreTABLEnext [=] \stoppeTABLEnext                                   |
| demarretableau                            | \demarretableau [  ] [=] \stoppetableau                                  |
| demarretableau:name                       | <del></del>  |
| demarretables                             | \demarretableau [] [=] \stoppetableau                                    |
|   | \demarretables [  ] \stoppetables  |
| demarretables:name                        | \demarretables [] \stoppetables  |
| demarretabulation:example                 | \demarreTABULATION [] [=.] \stoppeTABULATION                             |
| demarretabule                             | \demarretabule [//] [=] \stoppetabule                                    |
| demarretabule:instance                    | \demarreTABULATE [PT.] [=] \stoppeTABULATE                               |
| demarretabule:instance:fact               | \demarrefact [] [=] \stoppefact  |
| demarretabule:instance:legend             | \demarrelegend [] [=] \stoppelegend                                      |
| demarretete                               | \demarretete [] {} \stoppetete   |
| demarretetetableau                        | \demarretetetableau [] \stoppetetetableau                                |
| demarretetetabule                         | \demarretetetabule [] \stoppetetetabule                                  |
| demarretexcode                            | \demarretexcode \stoppetexcode   |
| demarretexdefinition                      | \demarretexdefinition \stoppetexdefiniti                                 |
| demarretextbackground                     | \demarretextbackground [] [=] \stoppetextbackground                      |
| demarretextbackgroundmanual               | $\verb \demarretextbackgroundmanual  \verb \stoppetextbackgroundmanual $ |
| demarretextbackground:example             | \demarreTEXTBACKGROUND [=] \stoppeTEXTBACKGROUND                         |
| demarretextcolor                          | \demarretextcolor [] \stoppetextcolor                                    |
| demarretextcolorintent                    | \demarretextcolorintent \stoppetextcolorintent                           |
| demarretexte                              | \demarretexte \stoppetexte   |
| demarretexteaide                          | \demarretexteaide [] \stoppetexteaide                                    |
| demarretexteencadre:instance              | \demarreFRAMEDTEXT [] [=] \stoppeFRAMEDTEXT                              |
| demarretexteencadre:instance:framedtext   | \demarreframedtext [] [=] \stoppeframedtext                              |
| demarretextflow                           | \demarretextflow [] \stoppetextflow                                      |
| demarretokenlist                          | \demarretokenlist [] \stoppetokenlist                                    |
| demarretokens                             | \demarretokens [] \stoppetokens  |
| demarretransparent                        | \demarretransparent [] \stoppetransparent                                |
| demarretypescript                         | \demarretypescript [] [] \stoppetypescript                               |
| demarretypescriptcollection               | \demarretypescriptcollection [] \stoppetypescriptcollection              |
| demarretyping:instance                    | \demarreTYPING [=] \stoppeTYPING   |
| demarretyping:instance:argument           | \demarreTYPING [] \stoppeTYPING  |
| demarretyping:instance:argument:LUA       | \demarreLUA [] \stoppeLUA  |
| demarretyping:instance:argument:MP        | \demarreMP [] \stoppeMP  |
| demarretyping:instance:argument:PARSEDXML | \demarrePARSEDXML [] \stoppePARSEDXML                                    |
| demarretyping:instance:argument:TEX       | \demarreTEX [] \stoppeTEX  |
| demarretyping:instance:argument:typing    | \demarretyping [] \stoppetyping  |
| demarretyping:instance:argument:XML       | \demarreXML [] \stoppeXML  |
| demarretyping:instance:LUA                | \demarreLUA [=] \stoppeLUA   |
| demarretyping:instance:MP                 | \demarreMP [=] \stoppeMP   |
| demarretyping:instance:PARSEDXML          | \demarrePARSEDXML [=] \stoppePARSEDXML                                   |
| demarretyping:instance:TEX                | \demarreTEX [=] \stoppeTEX   |
| demarretyping:instance:typing             | \demarretyping [=] \stoppertyping  |
|   | "  |

| NAT.   | \lambda vur [ ] \ vur  |
|--|--|
| demarretyping:instance:XML   | \demarreXML [=] \stoppeXML   |
| demarreuniqueMPgraphic   | \demarreuniqueMPgraphic \\\\stoppeuniqueMPgraphic  |
| demarreuniqueMPpagegraphic   | \demarreuniqueMPpagegraphic \\\stoppeuniqueMPpagegraphic   |
| demarreusableMPgraphic   | \demarreusableMPgraphic \\\stoppeusableMPgraphic   |
| demarreuseMPgraphic  | \demarreuseMPgraphic \(\ldots\) \\ \tag{\tag{\tag{\tag{\tag{\tag{\tag{   |
| demarreusemathstyleparameter   | \demarreusemathstyleparameter \ \stoppeusemathstyleparameter   |
| demarreuserdata  | \demarreuserdata [] [=] \stoppeuserdata  |
| demarreusingbtxspecification   | \demarreusingbtxspecification [] \stoppeusingbtxspecification  |
| demarreva  | \demarreva [] \stoppeva  |
| demarrevboxregister  | \demarrevboxregister\stoppevboxregister  |
| demarrevboxtohbox  | \demarrevboxtohbox \stoppevboxtohbox   |
| demarrevboxtohboxseparator   | \demarrevboxtohboxseparator \stoppevboxtohboxseparator   |
| demarreviewerlayer   | \demarreviewerlayer [] \stoppeviewerlayer \demarreVIEWERLAYER \stoppeVIEWERLAYER   |
| demarreviewerlayer:example   | <del></del>  |
| demarrevtopregister demarrexcell   | \demarrevtopregister \stoppevtopregister   |
|  | \demarraycellgroup [ ] [ - ] \stoppexcellgroup   |
| demarrexcellgroup demarrexcolumn   | \demarrexcellgroup [] [=] \stoppexcellgroup \demarrexcolumn [=] \stoppexcolumn   |
| demarrexcolumn:name  |  |
|  | \demarraceonum [] \stoppexcolumn   |
| demarrexproup  | \demarrexgroup [] [=] \stoppexgroup \demarrexmldisplayverbatim [] \stoppexmldisplayverbatim  |
| demarrexmldisplayverbatim demarrexmlinlineverbatim   |  |
| demarrexmlraw  | \demarrexmlinlineverbatim [] \stoppexmlinlineverbatim  |
|  | \demarrexmlraw \stoppexmlraw   |
| demarrexmlsetups   | \demarrexmlsetups [] [] \stoppexmlsetups   |
| demarrexmlsetups:string  | \demarrexmlsetups \stoppexmlsetups   |
| demarrexrow  | \demarrexrow [] [=] \stoppexrow  |
| demarrexrowgroup   | \demarrexrowgroup [] [=.] \stoppexrowgroup   |
| demarrextable  | \demarrextable [=.] \stoppextable  |
| demarrextablebody  | \demarrextablebody [=] \stoppextablebody   |
| demarrextablebody:name   | \demarrextablebody [] \stoppextablebody  |
| demarrextablefoot  | \demarrextablefoot [=] \stoppextablefoot   |
| demarrextablefoot:name   | \demarrextablefoot [] \stoppextablefoot  |
| demarrextablehead  | \demarrextablehead [=] \stoppextablehead   |
| demarrextablehead:name demarrextablenext   | \demarrextablehead [] \stoppextablehead  |
| demarrextablenext:name   | \demarrextablenext [=] \stoppextablenext   |
| demarrextable:example  | \demarrayTAPLE [ - ] \stoppeYTAPLE   |
| demarrextable:name   | \demarrexTABLE [=.] \stoppeXTABLE  |
|  | \demarrextable [] \stoppextable \depthofstring {}  |
| depthofstring  | \deptholytox \{\ldots\}  |
| depthonlybox   | \depthoniybox \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| depthspanningtext depthstrut   | \depthstrut  |
|  | -  |
| dernieresouspage description:example   | \dernieresouspage \DESCRIPTION [] {} \par  |
| determinecaracteristiqueliste  | \determinecaracteristiqueliste [] [=]  |
| •  | \determinecaracteristiqueriste [] [=] \determinecaracteristiquesregistre [] [=]  |
| determinenation determinent de | \determinecaracteristiquesregistie [] []   |
| determinenumerotete  | \determinenorimes \(\ldots\)   |
|  |  |
| devanagarinumerals   | \devanagarinumerals {}   |
| digits   | \digits {}   |
| digits:string dimensiontocount   | \digits \dimensiontocount \{\} \   |
| directboxfromcache   | \directboxfromcache \{\ldots\}\\\  |
| directcolor  | \directcolor []  |
| directcolored  | \directcolor [] \directcolored [=]   |
| directcolored:name   | \directcolored []  |
| directconvertedcounter   | \directconvertedcounter \{\ldots\}   |
| directcopyboxfromcache   | \directconvertedcounter \(\ldots\right) \\ \text{directcopyboxfromcache } \{\ldots\right) \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\   |
| directdummyparameter   | \directdummyparameter {}   |
| directgetboxllx  | \directgetboxllx   |
| directgetboxIIy  | \directgetboxII  |
| directhighlight  | \directhighlight {} {}   |
| directlocalframed  | \directlocalframed [] {}   |
| directluacode  | \directlocalifamed [] \\directluacode \{\}   |
| directselect   | \directruacode \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| directsetect   | \directsetect \(\ldots\) \(\frac{1}{2}\ldots\) \(\frac{1}{2}\ldots |
| directsetup  | \directsetpar \{\ldots\}   |
| -  | \directsetup \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| directsymbol   | \directsymbol \(\ldots\) \directvspacing \(\ldots\)  |
| directvspacing dis   | \directvspacing \{\ldots\}   |
| disabledirectives  | \disabledirectives []  |
| disableexperiments   | \disableexperiments []   |
| arpapraevher imenop  | /grogorogyberrmenop []   |

| disablemode                   | \disablemode []  |
|-------------------------------|--|
| disableoutputstream           | \disableoutputstream   |
| 1                             | \disableparpositions   |
| disableparpositions           |  |
| disableregime                 | \disableregime   |
| disabletrackers               | \disabletrackers []  |
| displaymath                   | \displaymath {}  |
| displaymathematics            | \displaymathematics {}   |
| displaymessage                | \displaymessage {}   |
| distributedhsize              | \distributedhsize {} {}  |
| dividedsize                   | \dividedsize {} {} {}  |
| doadaptleftskip               | \doadaptleftskip {}  |
| doadaptrightskip              | \doadaptrightskip {}   |
| doaddfeature                  | \doaddfeature {}   |
|                               | \doassign [] [=]   |
| doassign                      |  |
| doassignempty                 | \doassignempty [] [=]  |
| doboundtext                   | \doboundtext \{\} \{\}   |
| docheckassignment             | \docheckassignment {}  |
| docheckedpagestate            | \docheckedpagestate \{\ldots\} \{ |
| docheckedpair                 | \docheckedpair {}  |
| documentvariable              | \documentvariable {}   |
| dodoubleargument              | \dodoubleargument \ []   |
| dodoubleargumentwithset       | \dodoubleargumentwithset \ [] []   |
| dodoubleempty                 | \dodoubleempty \ []  |
| - v                           |  |
| dodoubleemptywithset          | \dodoubleemptywithset \ [] []  |
| dodoublegroupempty            | \dodoublegroupempty \ \{\}   |
| doeassign                     | \doeassign [] [=]  |
| doexpandedrecurse             | \doexpandedrecurse {} {}   |
| dofastloopcs                  | \dofastloopcs {} \   |
| dogetattribute                | \dogetattribute {}   |
| dogetattributeid              | \dogetattributeid {}   |
| dogetcommacommandelement      | \dogetcommacommandelement \from \to \  |
| -                             |  |
| dogobbledoubleempty           | \dogobbledoubleempty [] []   |
| dogobblesingleempty           | \dogobblesingleempty []  |
| doif                          | \doif {} {}  |
| doifallcommon                 | \doifallcommon $\{\}$ $\{\}$   |
| doifallcommonelse             | \doifallcommonelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifalldefinedelse            | \doifalldefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifallmodes                  | \doifallmodes {} {}  |
| doifallmodeselse              | \doifallmodeselse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
|                               | \doifassignmentelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifassignmentelse            |  |
| doifassignmentelsecs          | \doifassignmentelsecs {} \ \   |
| doifblackelse                 | \doifblackelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifbothsides                 | \doifbothsides \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifbothsidesoverruled        | \doifbothsidesoverruled \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifboxelse                   | \doifboxelse {} {} {}  |
| doifbufferelse                | \doifbufferelse \{\ldots\} \\\\  |
| doifcolor                     | \doifcolor {} {}   |
| doifcolorelse                 | \doifcolorelse \{\} \{\}   |
|                               |  |
| doifcommandhandler            | \doifcommandhandler \ \{\}   |
| doifcommandhandlerelse        | \doifcommandhandlerelse \ \{\} \{\}  |
| doifcommon                    | \doifcommon {} {}  |
| doifcommonelse                | \doifcommonelse $\{\}$ $\{\}$ $\{\}$   |
| doifcontent                   | \doifcontent \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifconversiondefinedelse     | \doifconversiondefinedelse {} {} {}  |
| doifconversionnumberelse      | \doifconversionnumberelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifcounter                   | \doifcounter {} {}   |
| doifcounterelse               | \doifcounterelse \{\ldots\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
|                               |  |
| doifcurrentfonthasfeatureelse | \doifcurrentfonthasfeatureelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifdefined                   | \doifdefined \{\ldots\} \\\  |
| doifdefinedcounter            | \doifdefinedcounter \{\ldots\\}  |
| doifdefinedcounterelse        | \doifdefinedcounterelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifdefinedelse               | \doifdefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifdimensionelse             | \doifdimensionelse \{\ldots\} \\\\   |
| doifdimenstringelse           | \doifdimenstringelse {} {}   |
| doifdocumentargument          | \doifdocumentargument \{\ldots\} \\  |
| <u> </u>                      | <u> </u>   |
| doifdocumentargumentelse      | \doifdocumentargumentelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifdocumentfilename          | \doifdocumentfilename {} {}  |
| doifdocumentfilenameelse      | \doifdocumentfilenameelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifdocumentvariable          | \doifdocumentvariable \{\}   |
| doifdocumentvariableelse      | \doifdocumentvariableelse {} {} {}   |
| doifdrawingblackelse          | \doifdrawingblackelse {} {}  |
| doifelse                      | \doifelse {} {} {}   |
| =======                       |  |

| doifelseallcommon                       | \doifelseallcommon $\{\}$ $\{\}$ $\{\}$  |
|---|--|
| doifelsealldefined                      | \doifelsealldefined $\{\}$ $\{\}$  |
| doifelseallmodes                        | $\doing \{\} \{\}$   |
| doifelseassignment                      | \doifelseassignment $\{\}$ $\{\}$  |
| doifelseassignmentcs                    | \doifelseassignmentcs {} \ \   |
| doifelseblack                           | \doifelseblack $\{\}$ $\{\}$   |
| doifelsebox                             | \doifelsebox {} {} {}  |
| doifelseboxincache                      | \doifelseboxincache $\{\}$ $\{\}$ $\{\}$   |
| doifelsebuffer                          | \doifelsebuffer {} {} {}   |
| doifelsecolor                           | \doifelsecolor {} {}   |
| doifelsecommandhandler                  | \doifelsecommandhandler \ \{\} \{\}  |
| doifelsecommon                          | \doifelsecommon {} {} {} {}  |
| doifelseconversiondefined               | \doifelseconversiondefined \{\ldots\} \{\ldots\} \\  |
| doifelseconversionnumber                | \doifelseconversionnumber $\{\}$ $\{\}$ $\{\}$   |
| doifelsecounter                         | \doifelsecounter {} {} {}  |
| doifelsecurrentfonthasfeature           | \doifelsecurrentfonthasfeature \{\ldots\} \{\ldots\} \\  |
| doifelsecurrentsortingused              | \doifelsecurrentsortingused {} {}  |
| doifelsecurrentsynonymshown             | \doifelsecurrentsynonymshown {} {}   |
| doifelsecurrentsynonymused              | \doifelsecurrentsynonymused {} {}  |
| doifelsedefined                         | \doifelsedefined \{\ldots\} \\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifelsedefinedcounter                  | \doifelsedefinedcounter {} {} {}   |
| doifelsedimension                       | \doifelsedimension \{\ldots\} \\ \\.\\\  |
| doifelsedimenstring                     | \doifelsedimenstring \{\ldots\} \\\.\\\  |
| doifelsedocumentargument                | \doifelsedocumentargument \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \   |
| doifelsedocumentfilename                | \doifelsedocumentfilename {} {} {}   |
| doifelsedocumentvariable                | \doifelsedocumentvariable \{\ldots\} \\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifelsedrawingblack                    | \doifelsedrawingblack {} {}  |
| doifelseempty                           | \doifelseempty {} {}   |
| doifelseemptyvalue                      | \doifelseemptyvalue \{\ldots\} \\\.\}  |
| doifelseemptyvariable                   | \doifelseemptyvariable \{\} \{\} \{\}  |
| doifelseenv                             | \doifelseenv \{\} \\doifelseenv \{\} \  |
| doifelsefastoptionalcheck               | \doifelsefastoptionalcheck \{\ldots\} \\ \cdots\}  |
| doifelsefastoptionalcheckcs             | \doifelsefastoptionalcheckcs \ \   |
| doifelsefieldbody                       | \doifelsefieldbody \{\ldots\} \\\.\\   |
| •                                       |  |
| doifelsefieldcategory                   | \doifelsefieldcategory \{\ldots\} \\\.\\   |
| doifelsefigure<br>doifelsefile          | \doifelsefigure \{\} \\\} \doifelsefile \{\} \\\\}   |
| doifelsefiledefined                     | \doifelsefiledefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifelsefileexists                      |  |
|   | \doifelsefileexists \{\doifelsefileexists \}\doifelsefileexists \{\doifelsefileexists \}\doifelsefileexists \{\doifelsefileexists \} |
| doifelsefirstchar                       | \doifelsefirstchar \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifelseflagged<br>doifelsefontchar     | \doifelseflagged \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
|   | \doifelsefontchar \{\} \{\} \{\} \doifelsefontfeature \{\} \{\} \{\}   |
| doifelsefontfeature                     |  |
| doifelsefontpresent                     | \doifelsefontpresent \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifelsefontsynonym                     | \doifelsefontsynonym {} {} {}  |
| doifelseframed                          | \doifelseframed \ \{\}   |
| doifelsehasspace                        | \doifelsehasspace \{\ldots\} \\\.\\  |
| doifelsehelp<br>doifelseincsname        | \doifelsehelp {} {}  |
|   | \doifelseincsname \{\} \{\} \{\}   |
| doifelseinelement                       | \doifelseinelement \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifelseinputfile<br>doifelseinsertion  | \doifelseinputfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifelseinset                           |  |
|   | \doifelseinset {} {} {} {} \doifelseinstring {} {} {}  |
| doifelseinstring                        |  |
| doifelseinsymbolset<br>doifelseintoks   | \doifelseinsymbolset \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
|   | \doifelseintoks \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifelseintwopassdata<br>doifelseitalic | \doifelseintwopassdata \{\ldots\} \{\ldots\} \{\ldots\} \\doifelseitalic \{\ldots\} \{\ldots\}   |
|   |  |
| doifelselanguage<br>doifelselayerdata   | \doifelselanguage \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifelselayoutdefined                   | \doifelselsyerdata \{\ldots\} \\\.\\   |
| · · · · · · · · · · · · · · · · · · ·   | \doifelselayoutdefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifelselayoutsomeline                  | \doifelselayouttoxtline {} {}  |
| doifelselayouttextline                  | \doifelselselselselselselselselselselselselse  |
| doifelseleapyear                        | \doifelseleapyear {} {} {}   |
| doifelselist                            | \doifelselist \{\ldots\} \\doifelselselselselselselselselselselselselse  |
| doifelselocation                        | \doifelselocation \{\ldots\} \\doifelselocation \{\ldots\} \\doife |
| doifelselocfile                         | \doifelselocfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifelseMPgraphic                       | \doifelseMPgraphic \{\doifelsemPgraphic \\\doifelsemPgraphic \\\\doifelsemPgraphic \\\doifelsemPgraphic \\doifelsemPgraphic \\\doifelsemPgraphic \\doifelsemPgraphic \\doifelsemPgraphi |
| doifelsemainfloatbody                   | \doifelsemainfloatbody {} {}   |
| doifelsemarkedpage                      | \doifelsemarkedpage \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifelsemarking                         | \doifelsemarking \\\} \\\  |
| doifelsemeaning                         | \doifelsemeaning \ \ \{\} \{\}   |

| doifelsemessage                                       | \doifelsemessage $\{\}$ $\{\}$ $\{\}$  |
|---|--|
| doifelsemode  | \doifelsemode $\{\}$ $\{\}$  |
| doifelsenextbgroup                                    | \doifelsenextbgroup {} {}  |
| doifelsenextbgroupcs                                  | \doifelsenextbgroupcs \ \  |
| doifelsenextchar                                      | \doifelsenextchar $\{\}$ $\{\}$  |
| doifelsenextoptional                                  | $\doint else next optional {} {}$  |
| doifelsenextoptionalcs                                | \doifelsenextoptionalcs \ \  |
| doifelsenextparenthesis                               | \doifelsenextparenthesis {} {}   |
| doifelsenonzeropositive                               | \doifelsenonzeropositive $\{\ldots\}$ $\{\ldots\}$   |
| doifelsenoteonsamepage                                | \doifelsenoteonsamepage $\{\}$ $\{\}$  |
| doifelsenothing                                       | \doifelsenothing \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifelsenumber  | \doifelsenumber \{\ldots\} \\\.\\  |
| doifelseobjectfound                                   | \doifelseobjectfound $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$  |
| doifelseobjectreferencefound                          | \doifelseobjectreferencefound \{\ldots\} \{\ldots\} \{\ldots\} \\  |
| doifelseoddpage                                       | \doifelseoddpage {} {}   |
| doifelseoddpagefloat                                  | \doifelseoddpagefloat {} {}  |
| doifelseoldercontext                                  | \doifelseoldercontext {} {} {}   |
| doifelseolderversion                                  | \doifelseolderversion \{\ldots\} \\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifelseoverlapping                                   | \doifelseoverlapping \{\} \{\} \{\}  |
| doifelseoverlay                                       | \doifelseoverlay {} {}   |
| doifelseparallel                                      | \doifelseparallel {} {} {}   |
| doifelseparentfile                                    | \doifelseparentfile {} {} {}   |
| doifelsepath  | \doifelsepath {} {}  |
| doifelsepathexists                                    | \doifelsepathexists {} {}  |
| doifelsepatterns                                      | \doifelsepatterns \{\} \{\}  |
| doifelseposition                                      | \doifelseposition \{\ldots\} \\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\  |
| doifelsepositionaction                                | \doifelsepositionaction \{\ldots\} \\\.\}  |
| doifelsepositiononpage                                | \doifelsepositiononpage \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifelsepositionsonsamepage                           | \doifelsepositionsonsamepage \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifelsepositionsonthispage                           | \doifelsepositionsonthispage \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifelsepositionsused                                 | \doifelsepositionsused \{\ldots\} \\\  |
| doifelsereferencefound                                | \doifelsereferencefound \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
|   |  |
| doifelserightpage                                     | \doifelserightpage \{\}  |
| doifelserightpagefloat                                | \doifelserightpagefloat {} {}  |
| doifelserighttoleftinbox<br>doifelsesamelinereference | \doifelserighttoleftinbox {} {}  |
|   | \doifelsesamelinereference \{\ldots\}\{\ldots\}\\  |
| doifelsesamestring                                    | \doifelsesamestring \{\} \{\} \{\}   |
| doifelsesetups  | \doifelsesetups \{\ldots\} \\doifelsesetups \{\ldots\} \\d |
| doifelsesomebackground                                | \doifelsesomebackground \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifelsesomespace                                     | \doifelsesomespace \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifelsesomething                                     | \doifelsesomething \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifelsesometoks                                      | \doifelsesometoks \ \{\} \{\}  |
| doifelsestringinstring                                | \doifelsestringinstring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifelsestructurelisthasnumber                        | \doifelsestructurelisthasnumber \{\ldots\} \\.\.\  |
| doifelsestructurelisthaspage                          | \doifelsestructurelisthaspage \{\ldots\} \\\   |
| doifelsesymboldefined                                 | \doifelsesymboldefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifelsesymbolset                                     | \doifelsesymbolset \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifelsetext  | \doifelsetext {} {}  |
| doifelsetextflow                                      | \doifelsetextflow \{\ldots\} \{\ldots\}  |
| doifelsetextflowcollector                             | \doifelsetextflowcollector {} {} {}  |
| doifelsetopofpage                                     | \doifelsetopofpage \{\ldots\} \\.\\  |
| doifelsetypingfile                                    | \doifelsetypingfile \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifelseundefined                                     | \doifelseundefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifelseurldefined                                    | \doifelseurldefined \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifelsevalue   | \doifelsevalue \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifelsevaluenothing                                  | \doifelsevaluenothing \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifelsevariable                                      | \doifelsevariable \{\} \{\} \{\}   |
| doifempty   | \doifempty {} {}   |
| doifemptyelse   | \doifemptyelse \{\} \{\}   |
| doifemptytoks   | \doifemptytoks \ \{\}  |
| doifemptyvalue  | \doifemptyvalue \{\ldots\} \\  |
| doifemptyvalueelse                                    | \doifemptyvalueelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifemptyvariable                                     | \doifemptyvariable \{\ldots\} \\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\   |
| doifemptyvariableelse                                 | \doifemptyvariableelse \{\} \{\} \{\}  |
| doifenv   | \doifenv \{\} \( \)  |
| doifenvelse   | \doifenvelse {} {}   |
| doiffastoptionalcheckcselse                           | \doiffastoptionalcheckcselse \ \   |
| doiffastoptionalcheckelse                             | \doiffastoptionalcheckelse {} {}   |
| doiffieldbodyelse                                     | \doiffieldbodyelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doiffieldcategoryelse                                 | \doiffieldcategoryelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doiffigureelse  | \doiffigureelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doiffile  | \doiffile {} {}  |
|   |  |

| doiffiledefinedelse             | \doiffiledefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\     |
|---------------------------------|---|
| doiffileelse                    | \doiffileelse {} {} {}  |
| doiffileexistselse              | \doiffileexistselse {} {} {}  |
| doiffirstcharelse               | \doiffirstcharelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\       |
|                                 |   |
| doifflaggedelse                 | \doifflaggedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\         |
| doiffontcharelse                | \doiffontcharelse $\{\}$ $\{\}$ $\{\}$                                  |
| doiffontfeatureelse             | \doiffontfeatureelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\     |
| doiffontpresentelse             | \doiffontpresentelse $\{\}$ $\{\}$                                      |
| doiffontsynonymelse             | \doiffontsynonymelse {} {} {}   |
| doifhasspaceelse                | \doifhasspaceelse {} {}   |
| -                               |   |
| doifhelpelse                    | \doifhelpelse \{\ldots\} \\ \\.\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\           |
| doifincsnameelse                | \doifincsnameelse \{\} \{\} \{\}  |
| doifinelementelse               | \doifinelementelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\       |
| doifinputfileelse               | \doifinputfileelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\       |
| doifinsertionelse               | \doifinsertionelse {} {} {}   |
| doifinset                       | \doifinset {} {}  |
|                                 |   |
| doifinsetelse                   | \doifinsetelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\           |
| doifinstring                    | \doifinstring {} {}   |
| doifinstringelse                | \doifinstringelse \{\} \{\} \{\}  |
| doifinsymbolset                 | \doifinsymbolset {} {} {} {}  |
| doifinsymbolsetelse             | \doifinsymbolsetelse $\{\}$ $\{\}$ $\{\}$                               |
| doifintokselse                  | \doifintokselse {} {} {}  |
|                                 |   |
| doifintwopassdataelse           | \doifintwopassdataelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifitalicelse                  | \doifitalicelse \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \        |
| doiflanguageelse                | \doiflanguageelse {} {} {}  |
| doiflayerdataelse               | \doiflayerdataelse {} {} {}   |
| doiflayoutdefinedelse           | \doiflayoutdefinedelse {} {} {}   |
| doiflayoutsomelineelse          | \doiflayoutsomelineelse {} {} {}  |
| •                               |   |
| doiflayouttextlineelse          | \doiflayouttextlineelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifleapyearelse                | \doifleapyearelse {} {}   |
| doiflistelse                    | \doiflistelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\            |
| doiflocationelse                | \doiflocationelse {} {}   |
| doiflocfileelse                 | \doiflocfileelse {} {} {}   |
| doifMPgraphicelse               | \doifMPgraphicelse {} {}  |
| <u> </u>                        |   |
| doifmainfloatbodyelse           | \doifmainfloatbodyelse {} {}  |
| doifmarkingelse                 | \doifmarkingelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\         |
| doifmeaningelse                 | \doifmeaningelse \ \ \ \} \{}   |
| doifmessageelse                 | \doifmessageelse {} {} {} {}  |
| doifmode                        | \doifmode {} {}   |
| doifmodeelse                    | \doifmodeelse {} {} {}  |
|                                 | \doifnextbgroupcselse \ \   |
| doifnextbgroupcselse            | <u> </u>  |
| doifnextbgroupelse              | \doifnextbgroupelse \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \    |
| doifnextcharelse                | \doifnextcharelse $\{\}$ $\{\}$   |
| doifnextoptionalcselse          | \doifnextoptionalcselse \ \   |
| doifnextoptionalelse            | \doifnextoptionalelse {} {}   |
| doifnextparenthesiselse         | \doifnextparenthesiselse {} {}  |
| doifnonzeropositiveelse         | \doifnonzeropositiveelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
|                                 |   |
| doifnot                         | \doifnot {} {}  |
| doifnotallcommon                | \doifnotallcommon \{\ldots\} \\\.\\\                                    |
| doifnotallmodes                 | \doifnotallmodes \{\ldots\} \{\ldots\} \\                               |
| doifnotcommandhandler           | \doifnotcommandhandler \ \{\} \{\}                                      |
| doifnotcommon                   | \doifnotcommon {} {} {}   |
| doifnotcounter                  | \doifnotcounter {} {}   |
|                                 | \doifnotdocumentargument {} {}  |
| doifnotdocumentargument         |   |
| doifnotdocumentfilename         | \doifnotdocumentfilename {} {}  |
| doifnotdocumentvariable         | \doifnotdocumentvariable \{\ldots\} \\ \\.\}                            |
| doifnotempty                    | \doifnotempty \{\ldots\}  |
| doifnotemptyvalue               | \doifnotemptyvalue {} {}  |
| doifnotemptyvariable            | \doifnotemptyvariable {} {}   |
| doifnotenv                      | \doifnotenv {} {}   |
|                                 |   |
| doifnoteonsamepageelse          | \doifnoteonsamepageelse \{\ldots\} \{\ldots\} \\                        |
| doifnotescollected              | \doifnotescollected \{\ldots\} \{\ldots\}                               |
| doifnotfile                     | \doifnotfile {} {}  |
| doifnotflagged                  | \doifnotflagged {} {}   |
| doifnothing                     | \doifnothing {} {}  |
| •                               |   |
| doifnothingelse                 | \doifnothingelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\         |
| doifnotinset                    | \doifnotinset \{\} \{\}   |
| doifnotinsidesplitfloat         | \doifnotinsidesplitfloat {}   |
| doifnotinstring                 | \doifnotinstring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\         |
| doifnotmode                     | \doifnotmode {} {}  |
|                                 | (dollhoumode () ()  |
| doifnotnumber                   |   |
| doifnotnumber doifnotsamestring | \doifnotnumber \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\           |

| doifnotsetups                  | \doifnotsetups {} {}   |
|--------------------------------|--|
| doifnotvalue                   | \doifnotvalue $\{\}$ $\{\}$  |
| doifnotvariable                | \doifnotvariable \{\ldots\} \\\.\\   |
| doifnumber                     | \doifnumber {} {}  |
| doifnumberelse                 | \doifnumberelse $\{\}$ $\{\}$  |
| doifobjectfoundelse            | \doifobjectfoundelse $\{\}$ $\{\}$ $\{\}$  |
| doifobjectreferencefoundelse   | $\verb \doifobjectreferencefoundelse {} {} {} {}$  |
| doifoddpageelse                | \doifoddpageelse {} {}   |
| doifoddpagefloatelse           | \doifoddpagefloatelse {} {}  |
| doifoldercontextelse           | \doifoldercontextelse {} {} {}   |
| doifolderversionelse           | \doifolderversionelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifoverlappingelse            | \doifoverlappingelse {} {} {}  |
| doifoverlayelse                | \doifoverlayelse {} {}   |
| doifparallelelse               | \doifparallelelse {} {} {} {}  |
| doifparentfileelse             | \doifparentfileelse {} {} {}   |
| doifpathelse                   | \doifpathelse {} {}  |
| doifpathexistselse             | \doifpathexistselse {} {} {}   |
| doifpatternselse               | \doifpatternselse {} {} {}   |
| doifposition                   | \doifposition {} {} {}   |
| doifpositionaction             | \doifpositionaction \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifpositionactionelse         | \doifpositionactionelse \{\ldots\} \\\ \\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifpositionelse               | \doifpositionelse {} {}  |
| doifpositiononpageelse         | \doifpositiononpageelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifpositionsonsamepageelse    | \doifpositionsonsamepageelse \{\doifpositionsonsamepageelse \} |
| doifpositionsonthispageelse    | \doifpositionsonthispageelse {} {} {}  |
| doifpositionsusedelse          | \doifpositionsusedelse \{\ldots\} \\\  |
| doifreferencefoundelse         | \doifreferencefoundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifrightpagefloatelse         | \doifrightpagefloatelse \{\ldots\} \\\   |
| doifrighttoleftinboxelse       | \doifrighttoleftinboxelse {} {}  |
| doifsamelinereferenceelse      | \doifsamelinereferenceelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifsamestring                 | \doifsamestring \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifsamestringelse             | \doifsamestring \(\theta\) \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifsetups                     | \doifsetups {} {}  |
| doifsetupselse                 | \doifsetupselse \{\} \\ \\}  |
| doifsomebackground             | \doifsomebackground \{\ldots\} \\\\  |
| doifsomebackgroundelse         | \doifsomebackgroundelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifsomespaceelse              | \doifsomespaceelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifsomething                  | \doifsomething \{\ldots\} \\\  |
| doifsomethingelse              | \doifsomethingelse \{\ldots\} \\\.\}   |
| doifsometoks                   | \doifsometoks \ {}   |
| doifsometokselse               | \doifsometokselse \ \{\}   |
| doifstringinstringelse         | \doifstringinstringelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| doifstructurelisthasnumberelse | \doifstructurelisthasnumberelse {} {}  |
| doifstructurelisthaspageelse   | \doifstructurelisthaspageelse {} {}  |
| doifsymboldefinedelse          | \doifsymboldefinedelse {} {} {}  |
| doifsymbolsetelse              | \doifsymbolsetelse {} {} {}  |
| doiftext                       | \doiftext {} {}  |
| doiftextelse                   | \doiftextelse {} {}  |
| doiftextflowcollectorelse      | \doiftextflowcollectorelse {} {} {}  |
| doiftextflowelse               | \doiftextflowelse {} {}  |
| doiftopofpageelse              | \doiftopofpageelse {} {}   |
| doiftypingfileelse             | \doiftypingfileelse {} {}  |
| doifundefined                  | \doifundefined \{\ldots\} \\\  |
| doifundefinedcounter           | \doifundefinedcounter {} {}  |
| doifundefinedelse              | \doifundefinedelse \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| doifunknownfontfeature         | \doifunknownfontfeature {} {} {}   |
| doifurldefinedelse             | \doifurldefinedelse {} {} {}   |
| doifvalue                      | \doifvalue {} {}   |
| doifvalueelse                  | \doifvalueelse {} {} {}  |
| doifvaluenothing               | \doifvaluenothing {} {}  |
| doifvaluenothingelse           | \doifvaluenothingelse {} {} {}   |
| doifvaluesomething             | \doifvaluesomething {} {}  |
| doifvariable                   | \doifvariable {} {}  |
| doifvariableelse               | \doifvariableelse {} {} {}   |
| doindentation                  | \doindentation   |
| dollar                         | \dollar  |
| doloop                         | \doloop {}   |
| doloopoverlist                 | \doloopoverlist {} {}  |
| donothing                      | \donothing   |
| dontconvertfont                | \dontconvertfont   |
| dontleavehmode                 | \dontleavehmode  |
| dontpermitspacesbetweengroups  | \dontpermitspacesbetweengroups   |
| ·                              | - <del>-</del> -   |

| 3                                     | \3  |
|---------------------------------------|---|
| dopositionaction                      | \dopositionaction {}  |
| doprocesslocalsetups                  | \doprocesslocalsetups {}                                      |
| doquadrupleargument                   | \doquadrupleargument \ [] [] []                               |
| doquadrupleempty                      | \doquadrupleempty \ [] [] []                                  |
| doquadruplegroupempty                 | \doquadruplegroupempty \ \{\} \\\} \\.\.\.\.\.\.\.\.\.\.\.\.\ |
| doquintupleargument                   | \doquintupleargument \ [] [] [] []                            |
| doquintupleempty                      | \doquintupleempty \ [] [] [] []                               |
| doquintuplegroupempty                 | \doquintuplegroupempty \ \{\} \\\} \\\}                       |
| dorechecknextindentation              | \dorechecknextindentation                                     |
| dorecurse                             | \dorecurse \{\ldots\} \\dorecurse \ldots\}                    |
| dorepeatwithcommand doreplacefeature  | \dorepeatwithcommand [] \ \doreplacefeature {}                |
| doresetandafffeature                  | \doresetandafffeature {}                                      |
| doresetattribute                      | \doresetattribute {}  |
| dorotatebox                           | \dorotatebox {} \ {}  |
| dosetattribute                        | \dosetattribute \{\ldoss\} \\\\                               |
| dosetleftskipadaption                 | \dosetleftskipadaption {}                                     |
| dosetrightskipadaption                | \dosetrightskipadaption {}                                    |
| dosetupcheckedinterlinespace          | \dosetupcheckedinterlinespace {=}                             |
| dosetupcheckedinterlinespace:argument | \dosetupcheckedinterlinespace {}                              |
| dosetupcheckedinterlinespace:name     | \dosetupcheckedinterlinespace {}                              |
| doseventupleargument                  | \doseventupleargument \ [] [] [] [] [] []                     |
| doseventupleempty                     | \doseventupleempty \ [] [] [] [] [] []                        |
| dosingleargument                      | \dosingleargument \ []  |
| dosingleempty                         | \dosingleempty \ []   |
| dosinglegroupempty                    | \dosinglegroupempty \ \{\}                                    |
| dosixtupleargument                    | \dosixtupleargument \ [] [] [] [] []                          |
| dosixtupleempty                       | \dosixtupleempty \ [] [] [] [] []                             |
| dostarttagged                         | \dostarttagged {} {} \dostoptagged                            |
| dostepwiserecurse                     | \dostepwiserecurse {} {} {} {}                                |
| dosubtractfeature                     | \dosubtractfeature {}   |
| dotfskip                              | \dotfskip {}  |
| dotoks                                | \dotoks \   |
| dotripleargument                      | \dotripleargument \ [] []                                     |
| dotripleargumentwithset               | \dotripleargumentwithset \ [] [] []                           |
| dotripleempty                         | \dotripleempty \ [] []  |
| dotripleemptywithset                  | \dotripleemptywithset \ [] []                                 |
| dotriplegroupempty                    | \dotriplegroupempty \ {} {}                                   |
| doublebond                            | \doublebond   |
| dowith                                | \dowith {} {}   |
| dowithnextbox                         | \dowithnextbox {} \ {}  |
| dowithnextboxcontent                  | \dowithnextboxcontent {} {} \ {}                              |
| dowithnextboxcontentcs                | \dowithnextboxcontentcs \ \ \ \ \                             |
| dowithnextboxcs                       | \dowithnextboxcs \ \ \}                                       |
| dowithpargument                       | \dowithpargument \  |
| dowithrange                           | \dowithrange {} \   |
| dowithwargument                       | \dowithwargument \  |
| dpofstring                            | \dpofstring {}  |
| droite                                | \droite   |
| dummydigit                            | \dummydigit   |
| dummyparameter                        | \dummyparameter {}  |
| ETEX                                  | \ETEX   |
| EveryLine                             | \EveryLine {}   |
| EveryPar                              | \EveryPar {}  |
| echelle                               | \echelle [] [=] {}  |
| ecran                                 | \ecran []   |
| ecritdansliste                        | \ecritdansliste [] [=] {}                                     |
| ecritentreliste                       | \ecritentreliste [] [=] {}                                    |
| edefconvertedargument                 | \edefconvertedargument \ {}                                   |
| efcmaxheight                          | \efcmaxheight {}  |
| efcmaxwidth                           | \efcmaxwidth {}   |
| efcminheight                          | \efcminheight {}  |
| efcminwidth                           | \efcminwidth {}   |
| efcparameter                          | \efcparameter {} {}   |
| effect                                | \effect [] {}   |
| elapsedseconds                        | \elapsedseconds   |
| elapsedtime                           | \elapsedtime  |
| element                               | \element []   |
| elements                              | \elements [=] {}  |
| em                                    | \em   |
| emphasisboldface                      | \emphasisboldface   |
| emphasistypeface                      | \emphasistypeface   |

| emptylines                        | \emptylines []   |
|-----------------------------------|--|
| emspace                           | \emspace   |
| enabledirectives                  | \enabledirectives []   |
| enableexperiments                 | \enableexperiments []  |
| enablemode                        | \enablemode []   |
| enableoutputstream                | \enableoutputstream []   |
| enableparpositions                | \enableparpositions  |
|                                   | \enableregime []   |
| enableregime                      |  |
| enabletrackers                    | \enabletrackers []   |
| enskip                            | \enskip  |
| enspace                           | \enspace   |
| enumeration:example               | \ENUMERATION [] {} \par  |
| env                               | \env {}  |
| environement                      | \environement []   |
| environement:string               | \environement  |
| envvar                            | \envvar {} {}  |
|                                   | \epos {}   |
| epos                              |  |
| equaldigits                       | \equaldigits {}  |
| espace                            | \espace  |
| espacefixe                        | \espacefixe  |
| espacesfixes                      | \espacesfixes  |
| eTeX                              | \eTeX  |
| etiquette:example                 | \ETIQUETTE [] {}   |
| etire                             | \etire [=] {}  |
| executeifdefined                  | \executeifdefined {} {}  |
| exitloop                          | \exitloop  |
| •                                 | · ·  |
| exitloopnow                       | \exitloopnow   |
| expandcheckedcsname               | \expandcheckedcsname \ \{\} \{\}                                 |
| expanded                          | \expanded {}   |
| expandeddoif                      | \expandeddoif {} {} {}   |
| expandeddoifelse                  | \expandeddoifelse $\{\}$ $\{\}$ $\{\}$                           |
| expandeddoifnot                   | \expandeddoifnot {} {} {}  |
| expandfontsynonym                 | \expandfontsynonym \ {}  |
| expdoif                           | \expdoif {} {}   |
| expdoifcommonelse                 | \expdoifcommonelse \{\dots\} \\\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| -                                 |  |
| expdoifelse                       | \expdoifelse {} {} {}  |
| expdoifelsecommon                 | \expdoifelsecommon {} {} {}                                      |
| expdoifelseinset                  | \expdoifelseinset {} {} {}                                       |
| expdoifinsetelse                  | \expdoifinsetelse $\{\}$ $\{\}$ $\{\}$                           |
| expdoifnot                        | \expdoifnot {} {}  |
| externalfigurecollectionmaxheight | \externalfigurecollectionmaxheight {}                            |
| externalfigurecollectionmaxwidth  | \externalfigurecollectionmaxwidth {}                             |
| externalfigurecollectionminheight | \externalfigurecollectionminheight {}                            |
| externalfigurecollectionminwidth  | \externalfigurecollectionminwidth {}                             |
| externalfigurecollectionparameter | \externalfigurecollectionparameter {} {}                         |
| faitreference                     | \faitreference (,) (,) []  |
| fakebox                           | \fakebox   |
|                                   |  |
| fastdecrement                     | \fastdecrement \   |
| fastincrement                     | \fastincrement \   |
| fastlocalframed                   | $$\fastlocalframed [] [=] {}$                                    |
| fastloopfinal                     | \fastloopfinal   |
| fastloopindex                     | \fastloopindex   |
| fastscale                         | \fastscale {} {}   |
| fastsetup                         | \fastsetup {}  |
| fastsetupwithargument             | \fastsetupwithargument {} {}                                     |
| fastsetupwithargumentswapped      | \fastsetupwithargumentswapped \{\ldots\} \{\ldots\}              |
| fastswitchtobodyfont              | \fastswitchtobodyfont {}   |
| •                                 |  |
| fastsxsy                          | \fastsxsy {} {}  |
| feature                           | \feature [] []   |
| feature:direct                    | \feature \{\}  |
| fence                             | \fence   |
| fenced                            | \fenced [] {}  |
| fence:example                     | \FENCE {}  |
| fetchallmarkings                  | \fetchallmarkings [] []  |
| fetchallmarks                     | \fetchallmarks []  |
| fetchmark                         | \fetchmark [] []   |
| fetchmarking                      | \fetchmarking [] []  |
| 9                                 |  |
| fetchonemark                      | \fetchonemark [] []  |
| fetchonemarking                   | \fetchonemarking [] []   |
| fetchruntinecommand               | \fetchruntinecommand \ \{\}                                      |
| fetchtwomarkings                  | \fetchtwomarkings [] []  |
| fetchtwomarks                     | \fetchtwomarks []  |

| fichierdactylo         | \fichierdactylo [] [=] {}  |
|------------------------|--|
| fieldbody              | \fieldbody [] [=]  |
| fifthoffivearguments   | \fifthoffivearguments \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}   |
| fifthofsixarguments    | \fifthofsixarguments \{\ldots\} \ |
| figureexterne          | \figureexterne [] [=]  |
| figurefilename         | \figurefilename  |
| figurefilepath         | \figurefilepath  |
| figurefiletype         | \figurefiletype  |
| figurefullname         | \figurefullname  |
| figureheight           | \figureheight  |
| figurenaturalheight    | \figurenaturalheight   |
| figurenaturalwidth     | \figurenaturalwidth  |
| figuresymbol           | \figuresymbol [] [=]   |
| figurewidth            | \figurewidth   |
| filename               | \filename {}   |
| filledhboxb            | \filledhboxb {}  |
| filledhboxc            | \filledhboxc {}  |
| filledhboxg            | \filledhboxg {}  |
| filledhboxk            | \filledhboxk {}  |
| filledhboxm            | \filledhboxm {}  |
| filledhboxr            | \filledhboxr {}  |
| filledhboxy            | \filledhboxy {}  |
| filler                 | \filler []   |
|                        | \fillupto [] \f}   |
| fillupto               |  |
| filterfromnext         | \filterfromnext \{\\} \{\\} \{\\} \{\\} \{\\} \\filterfromnext \{\\} \\filterf  |
| filterfromvalue        | /III.celliom.vaide f f f f   |
| filterpages            | \filterpages [] [=]  |
| filterreference        | \filterreference \{\dots\}   |
| findtwopassdata        | \findtwopassdata {} {}   |
| finishregisterentry    | \finishregisterentry [] [=]  |
| firstcharacter         | \firstcharacter  |
| firstcounter           | \firstcounter [] []  |
| firstcountervalue      | \firstcountervalue []  |
| firstinlist            | \firstinlist []  |
| firstoffivearguments   | \firstoffivearguments $\{\}$ $\{\}$ $\{\}$ $\{\}$  |
| firstoffourarguments   | \firstoffourarguments $\{\}$ $\{\}$ $\{\}$   |
| firstofoneargument     | \firstofoneargument {}   |
| firstofoneunexpanded   | \firstofoneunexpanded {}   |
| firstofsixarguments    | \firstofsixarguments \{\ldots\} \ |
| firstofthreearguments  | \firstofthreearguments {} {} {}  |
| firstofthreeunexpanded | \firstofthreeunexpanded {} {} {}   |
| firstoftwoarguments    | \firstoftwoarguments {} {}   |
| firstoftwounexpanded   | \firstoftwounexpanded {} {}  |
| firstrealpage          | \firstrealpage   |
| firstrealpagenumber    | \firstrealpagenumber   |
| firstsubcountervalue   | \firstsubcountervalue [] []  |
| firstsubpagenumber     | \firstsubpagenumber  |
| firstuserpage          | \firstuserpage   |
| firstuserpagenumber    | \firstuserpagenumber   |
| fitfieldframed         | \fitfieldframed [=] {}   |
| fittopbaselinegrid     | \fittopbaselinegrid {}   |
| flag                   | \flag {}   |
| floatuserdataparameter | \floatuserdataparameter {}   |
| flushbox               | \flushbox \{\}   |
| flushboxregister       | \flushboxregister  |
| flushcollector         | \flushcollector []   |
|                        |  |
| flushedrightlastline   | \flushedrightlastline  |
| flushlassificate       | \flushlayer []   |
| flushlocalfloats       | \flushlocalfloats  |
| flushnextbox           | \flushnextbox  |
| flushnotes             | \flushnotes  |
| flushoutputstream      | \flushoutputstream []  |
| flushshapebox          | \flushshapebox   |
| flushtextflow          | \flushtextflow {}  |
| flushtokens            | \flushtokens []  |
| flushtoks              | \flushtoks \   |
| fontalternative        | \fontalternative   |
| fontbody               | \fontbody  |
| fontchar               | \fontchar {}   |
| fontcharbyindex        | \fontcharbyindex {}  |
| fontclass              | \fontclass   |
| fontclassname          | \fontclassname {} {}   |
|                        |  |

| fontface  | \fontface   |
|---|---|
| fontfeaturelist   | \fontfeaturelist [] []  |
| fontsize  | \fontsize   |
| fontstyle   | \fontstyle  |
| forcecharacterstripping                                     | \forcecharacterstripping  |
| forcelocalfloats  | \forcelocalfloats   |
| forgeteverypar  | \forgeteverypar   |
| forgetparameters  | \forgetparameters [] [=]  |
| forgetparskip   | \forgetparskip  |
| forgetragged  | \forgetragged   |
| formule   | \formule [] {}  |
| foundbox  | \foundbox {} {}   |
| fourthoffivearguments                                       | \fourthoffivearguments $\{\}$ $\{\}$ $\{\}$ $\{\}$  |
| fourthoffourarguments                                       | \fourthoffourarguments $\{\}$ $\{\}$ $\{\}$   |
| fourthofsixarguments  | \fourthofsixarguments \{\ldots\} |
| fraction:instance   | \FRACTION \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| fraction:instance:binom                                     | \binom \{\} \{\}  |
| fraction:instance:dbinom                                    | \dbinom {} {}   |
| fraction:instance:dfrac                                     | \dfrac {} {}  |
| fraction:instance:frac                                      | \frac {} {}   |
| fraction:instance:sfrac                                     | \sfrac {} {}  |
| fraction:instance:tbinom                                    | \tbinom {} {}<br>\xfrac {} {}   |
| <pre>fraction:instance:xfrac fraction:instance:xxfrac</pre> | \xxfrac \\\} \\.xxfrac \\\}   |
| framed  | \framed [] \framed []   |
| frameddimension   | \framedimension \{\ldots\}  |
| framedparameter   | \framedparameter \{\ldots\}   |
| framed:instance   | \FRAMED [=] {}  |
| framed:instance:fitfieldframed                              | \fitfieldframed [=] {}  |
| framed:instance:unframed                                    | \unframed [=] {}  |
| freezedimenmacro  | \freezedimenmacro \ \   |
| freezemeasure   | \freezemeasure [] []  |
| frenchspacing   | \frenchspacing  |
| fromlinenote  | \fromlinenote [] {}   |
| frozenhbox  | \frozenhbox {}  |
| frule   | \frule \relax   |
| GetPar  | \GetPar   |
| GotoPar   | \GotoPar  |
| Greeknumerals   | \Greeknumerals {}   |
| gardeblocs  | \gardeblocs [] []   |
| gauche  | \gauche   |
| gdefconvertedargument                                       | \gdefconvertedargument \ {}   |
| gdefconvertedcommand  | \gdefconvertedcommand \ \   |
| getboxfromcache   | \getboxfromcache {} {}  |
| getboxllx   | \getboxllx  |
| getboxlly   | \getboxlly  |
| getbufferdata   | \getbufferdata []   |
| getcommacommandsize   | \getcommacommandsize []   |
| getcommalistsize  | \getcommalistsize []  |
| getdayoftheweek   | \getdayoftheweek {} {} {} \getdayspermonth {} {}  |
| getdayspermonth<br>getdefinedbuffer                         | \getdefinedbuffer []  |
| getdocumentargument   | \getdocumentargument {}   |
| getdocumentargumentdefault                                  | \getdocumentargumentdefault {} {}   |
| getdocumentfilename   | \getdocumentfilename {}   |
| getdummyparameters  | \getdummyparameters [=]   |
| getemptyparameters  | \getemptyparameters [] [=]  |
| geteparameters  | \geteparameters [] [=]  |
| getexpandedparameters                                       | \getexpandedparameters [] [=]   |
| getfiguredimensions   | \getfiguredimensions [] [=]   |
| getfirstcharacter   | \getfirstcharacter {}   |
| getfirsttwopassdata   | \getfirsttwopassdata {}   |
| getfromcommacommand   | \getfromcommacommand [] []  |
| getfromcommalist  | \getfromcommalist []  |
| getfromtwopassdata  | \getfromtwopassdata {} {}   |
| getglyphdirect  | \getglyphdirect {} {}   |
| getglyphstyled  | \getglyphstyled {} {}   |
| getgparameters  | \getgparameters [] [=]  |
| getinlineuserdata   | \getinlineuserdata  |
| getlasttwopassdata  | \getlasttwopassdata {}  |
| getlocalfloat   | \getlocalfloat {}   |
| getlocalfloats  | \getlocalfloats   |

| getMPdrawing           | \getMPdrawing  |
|------------------------|--|
|                        | \getMPlayer [] [=] {}  |
|                        | \getmessage {} {}  |
|                        | \getnamedglyphdirect {} {}   |
|                        | \getnamedglyphstyled {} {}   |
|                        | \getnamedtwopassdatalist \ \{\}  |
| -                      | \getnaturaldimensions  |
|                        | \getnoflines {}  |
|                        | \getobject {} {}   |
|                        | \getobjectdimensions \{\ldots\} \\   |
|                        | \getpaletsize []   |
| 0 1                    | \getparameters [] [=]  |
| · .                    | \getprivatechar {}   |
| 9 1                    | \getprivateslot {}   |
|                        | \getrandomcount \ \{\}   |
|                        | \getrandomdimen \ \{\}   |
|                        | \getrandomfloat \ \{\}   |
|                        | \getrandomnumber \ \{\}  |
|                        | \getrandomseed \   |
|                        | \getraweparameters [] [=]  |
|                        | \getrawgparameters [] [=]  |
|                        | \getrawnoflines {}   |
|                        | \getrawparameters [] [=]   |
| •                      | \getrawxparameters [] [=]  |
|                        | \getreference [] []  |
|                        | \getreferenceentry {}  |
|                        | \getroundednoflines {}   |
|                        | \getsubstring {} {}  |
|                        | \gettokenlist []   |
|                        | \gettwopassdata {}   |
|                        | \gettwopassdatalist {}   |
|                        | \getuserdata   |
|                        | \getuvalue {}  |
|                        | \getvalue {}   |
|                        | \getvariable \{\} \{\}   |
|                        | \getvariabledefault {} {} {}   |
|                        | \getxparameters [] [=]   |
|                        | \globaldisablemode []  |
|                        | \globalenablemode []   |
| <u> </u>               | \globalletempty \  |
| globalpopbox           | \globalpopbox  |
|                        | \globalpopmacro \  |
| • • •                  | \globalpreventmode []  |
| globalprocesscommalist | \globalprocesscommalist [] \   |
|                        | \globalpushbox   |
|                        | \globalpushmacro \   |
|                        | \globalpushreferenceprefix {} \globalpopreferenceprefix  |
|                        | \globalswapcounts \ \  |
|                        | \globalswapdimens \ \  |
| globalswapmacros       | \globalswapmacros \ \  |
|                        | \globalundefine {}   |
| glyphfontfile          | \glyphfontfile {}  |
|                        | \gobbledoubleempty [] []   |
| gobbleeightarguments   | \gobbleeightarguments \{\ldots\}  |
|                        | \gobblefivearguments {} {} {} {}   |
|                        | \gobblefiveoptionals [] [] [] []   |
|                        | \gobblefourarguments \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
|                        | \gobblefouroptionals [] [] []  |
|                        | \gobbleninearguments \{\ldots\} \ |
|                        | \gobbleoneargument {}  |
|                        | \gobbleoneoptional []  |
|                        | \gobblesevenarguments \{\ldots\}  |
|                        | \gobblesingleempty []  |
|                        | \gobblesixarguments {} {} {} {} {}   |
|                        | \gobblespacetokens   |
| •                      | \gobbletenarguments \{\ldots\} \{ |
|                        | \gobblethreearguments {} {} {}   |
|                        | \gobblethreeoptionals [] []  |
|                        | \gobbletwoarguments {} {}  |
|                        | \gobbletwooptionals []   |
|                        | \gobbleuntil \   |
|                        | \gobbleuntilrelax \relax   |

| grabbufferdata   | \grabbufferdata [] [] []  |
|--|---|
| grabbufferdatadirect   | \grabbufferdatadirect {} {} {}  |
| grabuntil  | \grabuntil {} \   |
| grand  | \grand  |
| grandepolicecorp   | \grandepolicecorp   |
| gras   | \gras   |
| grasincline  | \grasincline  |
| grasinclinepetit<br>grasitalique   | \grasinclinepetit<br>\grasitalique  |
| grasitaliquepetit  | \grasitalique<br>\grasitaliquepetit   |
| graspetit  | \graspetit  |
| grave  | \grave {}   |
| grayvalue  | \grayvalue {}   |
| greedysplitstring  | \greedysplitstring \at \to \ \and \   |
| greeknumerals  | \greeknumerals {}   |
| grille   | \grille [=]   |
| groupedcommand   | \groupedcommand {} {}   |
| gsetboxllx   | \gsetboxllx {}  |
| gsetboxlly   | \gsetboxlly {}  |
| gujaratinumerals<br>gurmurkhinumerals  | \gujaratinumerals {}  |
| hairspace  | \gurmurkhinumerals {} \hairspace  |
| halflinestrut  | \halflinestrut  |
| halfstrut  | \halfstrut  |
| halfwaybox   | \halfwaybox {}  |
| handletokens   | \handletokens \with \   |
| hash   | \hash   |
| hat  | \hat {}   |
| haut   | \haut {}  |
| haut:instance  | \HIGH {}  |
| haut:instance:unitshigh  | \unitshigh {}   |
| hboxofvbox   | \hboxofvbox   |
| hboxreference  | \hboxreference [] {}  |
| hbox:example   | \hboxBOX {}   |
| hdofstring<br>headhbox   | \hdofstring {}<br>\headhbox {}  |
| nedunbox   |   |
| headnumbercontent  |   |
| headnumbercontent headnumberdistance   | \headnumbercontent \headnumberdistance  |
| headnumbercontent headnumberdistance headnumberwidth   | \headnumbercontent \headnumberdistance \headnumberwidth   |
| headnumberdistance   | \headnumberdistance   |
| headnumberdistance<br>headnumberwidth  | \headnumberdistance \headnumberwidth  |
| headnumberdistance<br>headnumberwidth<br>headreferenceattributes   | \headnumberdistance<br>\headnumberwidth<br>\headreferenceattributes   |
| headnumberdistance<br>headnumberwidth<br>headreferenceattributes<br>headsetupspacing   | \headnumberdistance<br>\headnumberwidth<br>\headreferenceattributes<br>\headsetupspacing  |
| headnumberdistance headnumberwidth headreferenceattributes headsetupspacing headtextcontent headtextdistance headtextwidth   | \headnumberdistance \headnumberwidth \headreferenceattributes \headsetupspacing \headtextcontent \headtextdistance \headtextwidth   |
| headnumberdistance headnumberwidth headreferenceattributes headsetupspacing headtextcontent headtextdistance headtextwidth headvbox  | headnumberdistance headnumberwidth headreferenceattributes headsetupspacing headtextcontent headtextdistance headtextwidth headvbox {}  |
| headnumberdistance headnumberwidth headreferenceattributes headsetupspacing headtextcontent headtextdistance headtextwidth headvbox headwidth  | headnumberdistance headnumberwidth headreferenceattributes headsetupspacing headtextcontent headtextdistance headtextwidth headvbox {}  |
| headnumberdistance headnumberwidth headreferenceattributes headsetupspacing headtextcontent headtextdistance headtextwidth headvbox headwidth heightanddepthofstring   | headnumberdistance headnumberwidth headreferenceattributes headsetupspacing headtextcontent headtextdistance headtextwidth headvbox {} headwidth heightanddepthofstring {}  |
| headnumberdistance headnumberwidth headreferenceattributes headsetupspacing headtextcontent headtextdistance headtextwidth headvbox headwidth heightanddepthofstring heightofstring  | headnumberdistance headnumberwidth headreferenceattributes headsetupspacing headtextcontent headtextdistance headtextwidth headvbox {} headwidth heightanddepthofstring {}  |
| headnumberdistance headnumberwidth headreferenceattributes headsetupspacing headtextcontent headtextdistance headtextwidth headvbox headwidth heightanddepthofstring heightspanningtext  | <pre>\headnumberdistance \headnumberwidth \headreferenceattributes \headsetupspacing \headtextcontent \headtextdistance \headtextwidth \headvbox {} \headwidth \heightanddepthofstring {} \heightofstring {} \heightspanningtext {} {}</pre>  |
| headnumberdistance headnumberwidth headreferenceattributes headsetupspacing headtextcontent headtextdistance headtextwidth headvbox headwidth heightanddepthofstring heightspanningtext help:instance  | <pre>\headnumberdistance \headnumberwidth \headreferenceattributes \headsetupspacing \headtextcontent \headtextdistance \headtextwidth \headvbox {} \headwidth \heightanddepthofstring {} \heightspanningtext {} {} {}</pre>  |
| headnumberdistance headnumberwidth headreferenceattributes headsetupspacing headtextcontent headtextdistance headtextwidth headvbox headwidth heightanddepthofstring heightspanningtext help:instance help:instance:helptext   | <pre>\headnumberdistance \headnumberwidth \headreferenceattributes \headsetupspacing \headtextcontent \headtextdistance \headtextwidth \headvbox {} \headwidth \heightanddepthofstring {} \heightofstring {} \heightspanningtext {} {} {} \heightpext [] {}</pre>   |
| headnumberdistance headnumberwidth headreferenceattributes headsetupspacing headtextcontent headtextdistance headtextwidth headvbox headwidth heightanddepthofstring heightspanningtext help:instance  | <pre>\headnumberdistance \headnumberwidth \headreferenceattributes \headsetupspacing \headtextcontent \headtextdistance \headtextwidth \headvbox {} \headwidth \heightanddepthofstring {} \heightspanningtext {} {} {}</pre>  |
| headnumberdistance headnumberwidth headreferenceattributes headsetupspacing headtextcontent headtextdistance headtextwidth headvbox headwidth heightanddepthofstring heightofstring heightspanningtext help:instance help:instance:helptext hglue  | <pre>\headnumberdistance \headnumberwidth \headreferenceattributes \headsetupspacing \headtextcontent \headtextdistance \headtextwidth \headvbox {} \headwidth \heightanddepthofstring {} \heightofstring {} \heightspanningtext {} {} {} \heightpext [] {} \helptext [] {} \hglue</pre>  |
| headnumberdistance headnumberwidth headreferenceattributes headsetupspacing headtextcontent headtextdistance headtextwidth headvbox headwidth heightanddepthofstring heightspanningtext help:instance help:instance:helptext hglue hiddencitation  | <pre>\headnumberdistance \headnumberwidth \headreferenceattributes \headsetupspacing \headtextcontent \headtextdistance \headtextwidth \headvbox {} \headwidth \heightanddepthofstring {} \heightofstring {} \heightspanningtext {} {} {} \heightpext [] {} \helptext [] {} \helptext [] {} \hglue \hiddencitation []</pre>   |
| headnumberdistance headnumberwidth headreferenceattributes headsetupspacing headtextcontent headtextdistance headtextwidth headvbox headwidth heightanddepthofstring heightofstring heightspanningtext help:instance help:instance:helptext hglue hiddencitation hiddencite highlight highlight:example  | <pre>\headnumberdistance \headnumberwidth \headreferenceattributes \headsetupspacing \headtextcontent \headtextdistance \headtextwidth \headvox {} \headwidth \heightanddepthofstring {} \heightofstring {} \heightspanningtext {} {} {} \heightspaningtext {} {} \helptext [] {} {} \helptext [] {} \hiddencitation [] \hiddencite [] \highlight [] {} \hHIGHLIGHT {}</pre>  |
| headnumberdistance headnumberwidth headreferenceattributes headsetupspacing headtextcontent headtextdistance headtextwidth headvbox headwidth heightanddepthofstring heightofstring heightspanningtext help:instance help:instance:helptext hglue hiddencitation hiddencite highlight highlight:example highordinalstr   | <pre>\headnumberdistance \headnumberwidth \headreferenceattributes \headsetupspacing \headtextcontent \headtextdistance \headtextwidth \headvox {} \headwidth \heightanddepthofstring {} \heightofstring {} \heightspanningtext {} {} {} \heightpext [] {} \helptext [] {} \hiddencitation [] \hiddencite [] \highlight [] {} \hi</pre>  |
| headnumberdistance headnumberwidth headreferenceattributes headsetupspacing headtextcontent headtextdistance headtextwidth headvbox headwidth heightanddepthofstring heightofstring heightspanningtext help:instance help:instance:helptext hglue hiddencitation hiddencite highlight highlight:example highordinalstr hilo  | <pre>\headnumberdistance \headnumberwidth \headreferenceattributes \headsetupspacing \headtextcontent \headtextdistance \headtextwidth \headvox {} \headwidth \heightanddepthofstring {} \heightofstring {} \heightspanningtext {} {} {} \heightpext [] {} \helptext [] {} \hiddencitation [] \hiddencite [] \highlight [] {} \highordinalstr {} \highordinalstr {} \hillo [] {} {}</pre>   |
| headnumberdistance headnumberwidth headreferenceattributes headsetupspacing headtextcontent headtextdistance headtextwidth headvbox headwidth heightanddepthofstring heightspanningtext help:instance help:instance:helptext hglue hiddencitation hiddencite highlight highlight:example highordinalstr hilo himilo  | <pre>\headnumberdistance \headnumberwidth \headreferenceattributes \headsetupspacing \headtextcontent \headtextdistance \headtextwidth \headvox {} \headwidth \heightanddepthofstring {} \heightofstring {} \heightspanningtext {} {} {} \helptext [] {} {} \helptext [] {} \hiddencitation [] \hiddencite [] \highlight [] {} \highlight [] {}</pre>  |
| headnumberdistance headnumberwidth headreferenceattributes headsetupspacing headtextcontent headtextdistance headtextwidth headvbox headwidth heightanddepthofstring heightspanningtext help:instance help:instance:helptext hglue hiddencitation hiddencite highlight highlight:example highordinalstr hilo himilo hl   | <pre>\headnumberdistance \headnumberwidth \headreferenceattributes \headsetupspacing \headtextcontent \headtextdistance \headtextwidth \headvox {} \headwidth \heightanddepthofstring {} \heightofstring {} \heightspanningtext {} {} {} \heightspaningtext {} {} \helptext [] {} {} \hiddencitation [] \hiddencitation [] \hiddencite [] \highlight [] {} \highlight [] {} \hidle [] \hidle [] {} \hidle [] {} \hidle [] \hidle [] {} \hidle [] {} \hidle [] \hidle [] {} \hidle [] \hidle [] \hidle [] \hidle [] \hidle [] \hidle []</pre>   |
| headnumberdistance headnumberwidth headreferenceattributes headsetupspacing headtextcontent headtextdistance headtextwidth headvbox headwidth heightanddepthofstring heightofstring heightspanningtext help:instance help:instance:helptext hglue hiddencitation hiddencite highlight highlight:example highordinalstr hilo himilo hl horizontalgrowingbar   | <pre>\headnumberdistance \headnumberwidth \headreferenceattributes \headsetupspacing \headtextcontent \headtextdistance \headtextwidth \headvox {} \headwidth \heightanddepthofstring {} \heightofstring {} \heightspanningtext {} {} {} \helptext [] {} {} \helptext [] {} \hiddencitation [] \hiddencitation [] \hiddencitation [] \highlight [] {} \hilphordinalstr {} \hilphordinalstr {} \hilp [] {} {} \hill [] \himilo {} {} {} \hill [] \horizontalgrowingbar []</pre>  |
| headnumberdistance headnumberwidth headreferenceattributes headsetupspacing headtextcontent headtextdistance headtextwidth headvbox headwidth heightanddepthofstring heightofstring heightspanningtext help:instance help:instance:helptext hglue hiddencitation hiddencite highlight highlight:example highordinalstr hilo himilo hl horizontalgrowingbar horizontalpositionbar   | <pre>\headnumberdistance \headnumberwidth \headreferenceattributes \headsetupspacing \headtextcontent \headtextdistance \headtextwidth \headvox {} \headwidth \heightanddepthofstring {} \heightofstring {} \heightspanningtext {} {} \heightspanningtext {} \helptext [] {} {} \helptext [] {} \hiddencitation [] \hiddencitation [] \hiddencitation [] \highlight [] {} \hilphordinalstr {} \hillo [] {} {} \hillo [] {} {} \hillo [] {}</pre>  |
| headnumberdistance headnumberwidth headreferenceattributes headsetupspacing headtextcontent headtextdistance headtextwidth headvbox headwidth heightanddepthofstring heightofstring heightspanningtext help:instance help:instance:helptext hglue hiddencitation hiddencite highlight highlight:example highordinalstr hilo himilo hl horizontalgrowingbar horizontalpositionbar hphantom                                      | <pre>\headnumberdistance \headnumberwidth \headreferenceattributes \headsetupspacing \headtextcontent \headtextdistance \headtextwidth \headvox {} \headwidth \heightanddepthofstring {} \heightofstring {} \heightspanningtext {} {} \helptext [] {} {} \helptext [] {} \hiddencitation [] \hiddencitation [] \hiddencitation [] \hidhoridnialstr {} \hillo [] {} {} \hillo [] {} {} \hinilo {} {} \hillo [] {} \hinilo {} {} \hidnizontalgrowingbar [] \horizontalpositionbar [] \hphantom {}</pre>   |
| headnumberdistance headnumberwidth headreferenceattributes headsetupspacing headtextcontent headtextdistance headtextwidth headvbox headwidth heightanddepthofstring heightofstring heightspanningtext help:instance help:instance:helptext hglue hiddencitation hiddencite highlight highlight:example highordinalstr hilo himilo hl horizontalgrowingbar horizontalpositionbar   | <pre>\headnumberdistance \headnumberwidth \headreferenceattributes \headsetupspacing \headtextcontent \headtextdistance \headtextwidth \headvox {} \headwidth \heightanddepthofstring {} \heightofstring {} \heightspanningtext {} {} \heightspanningtext {} \helptext [] {} {} \helptext [] {} \hiddencitation [] \hiddencitation [] \hiddencitation [] \highlight [] {} \hilphordinalstr {} \hillo [] {} {} \hillo [] {} {} \hillo [] {}</pre>  |
| headnumberdistance headnumberwidth headreferenceattributes headsetupspacing headtextcontent headtextdistance headtextwidth headvbox headwidth heightanddepthofstring heightofstring heightspanningtext help:instance help:instance:helptext hglue hiddencitation hiddencite highlight highlight:example highordinalstr hilo himilo hl horizontalgrowingbar horizontalpositionbar hphantom hpos                                 | <pre>\headnumberdistance \headnumberwidth \headreferenceattributes \headsetupspacing \headtextcontent \headtextdistance \headtextwidth \headvox {} \headwidth \heightanddepthofstring {} \heightofstring {} \heightspanningtext {} {} \helptext [] {} {} \hglue \hiddencitation [] \hiddencite [] \highlight [] {} \hillo [] {}</pre>   |
| headnumberdistance headnumberwidth headreferenceattributes headsetupspacing headtextcontent headtextdistance headtextwidth headvbox headwidth heightanddepthofstring heightspanningtext help:instance help:instance:helptext hglue hiddencitation hiddencite highlight highlight:example highordinalstr hilo himilo hl horizontalgrowingbar horizontalpositionbar hphantom hpos hsizefraction                                  | <pre>\headnumberdistance \headnumberwidth \headreferenceattributes \headsetupspacing \headtextcontent \headtextdistance \headtextwidth \headvox {} \headwidth \heightanddepthofstring {} \heightspanningtext {} {} {} \heightspanningtext {} {} \helptext [] {} {} \hiddencitation [] \hiddencitation [] \hiddencitation [] \highlight [] {} \hillo [] {} {} \hillo [] {} \hillo [] {} {} \hinilo {} {} {} \hidninlo {} {} {} \hidninlo {} {} {} \hidninlo {} {} {} \hidninlo {} {} \hidninlo {} {} \hidninlo {} {} \hidninlo {} {} \hidninlo {} {} \hiddencitation [] \hiddencitation [</pre> |
| headnumberdistance headnumberwidth headreferenceattributes headsetupspacing headtextcontent headtextdistance headtextwidth headvbox headwidth heightanddepthofstring heightspanningtext help:instance help:instance:helptext hglue hiddencitation hiddencite highlight highlight:example highordinalstr hilo himilo hl horizontalgrowingbar horizontalpositionbar hphantom hpos hsizefraction hsmash                           | <pre>\headnumberdistance \headnumberwidth \headreferenceattributes \headsetupspacing \headtextcontent \headtextdistance \headtextwidth \headvox {} \headwidth \heightanddepthofstring {} \heightspanningtext {} {} \heightspanningtext {} {} \helptext [] {} {} \highue \hiddencitation [] \hiddencitation [] \hiddencitation [] {} \hilphordinalstr {} \hillo [] {} {} \hillo [] {} {} \hinlo [] {} \hillo [] {} {} \hilphantom {} {} \hisizefraction {} {} \hsizefraction {} {} \hsizefraction {} {} \hsizefraction {} {} \hsizefraction {} \hsizefraction {} {} {} \hsizefraction {}</pre>   |
| headnumberdistance headnumberwidth headreferenceattributes headsetupspacing headtextcontent headtextdistance headtextwidth headvbox headwidth heightanddepthofstring heightspanningtext help:instance help:instance help:instance:helptext hglue hiddencitation hiddencite highlight highlight:example highordinalstr hilo himilo hl horizontalgrowingbar horizontalpositionbar hphantom hpos hsizefraction hsmash hsmashbox   | <pre>\headnumberdistance \headnumberwidth \headreferenceattributes \headsetupspacing \headtextcontent \headtextdistance \headtextwidth \headvbox {} \headwidth \heightanddepthofstring {} \heightspanningtext {} {} \heightspanningtext {} {} \helptext [] {} \helptext [] {} \hiddencitation [] \hiddencite [] \highlight [] {} \hillo [] \horizontalprovingbar [] \horizontalpositionbar [] \hpantom {} \hsmash {} \hsmashbox \hsmashbox \hsmashed {} \hspace [] []</pre>  |
| headnumberdistance headnumberwidth headreferenceattributes headsetupspacing headtextcontent headtextdistance headvox headwidth heightanddepthofstring heightspanningtext help:instance help:instance:helptext hglue hiddencitation hiddencite highlight highlight:example highordinalstr hilo himilo hl horizontalgrowingbar horizontalpositionbar hphantom hpos hsizefraction hsmash hsmashbox hsmashed hspace htdpofstring   | <pre>\headnumberdistance \headnumberwidth \headreferenceattributes \headsetupspacing \headtextcontent \headtextdistance \headtextwidth \headvox {} \headwidth \heightanddepthofstring {} \heightspanningtext {} {} \heightspanningtext {} {} \heightext [] {} \helptext [] {} \hidencitation [] \hidencitation [] \hidencitation [] \hidencitation [] \highlight [] {} \hillo [] {} \hinlo [] {} {} \hinlo [] {} {} \hinlo [] {} {} \hispactiontalgrowingbar [] \horizontalgrowingbar [] \hspace [] \hsmashbox \hsmashbox \hsmashbox [] \hspace [] [] \htdpofstring {}</pre>  |
| headnumberdistance headnumberwidth headreferenceattributes headsetupspacing headtextcontent headtextdistance headtextwidth headvbox headwidth heightanddepthofstring heightspanningtext help:instance help:instance:helptext hglue hiddencitation hiddencite highlight highlight:example highordinalstr hilo himilo hl horizontalgrowingbar horizontalpositionbar hphantom hpos hsizefraction hsmash hsmashbox hsmashed hspace | <pre>\headnumberdistance \headnumberwidth \headreferenceattributes \headsetupspacing \headtextcontent \headtextdistance \headtextwidth \headvbox {} \headwidth \heightanddepthofstring {} \heightspanningtext {} {} \heightspanningtext {} {} \helptext [] {} \helptext [] {} \hiddencitation [] \hiddencite [] \highlight [] {} \hillo [] \horizontalprovingbar [] \horizontalpositionbar [] \hpantom {} \hsmash {} \hsmashbox \hsmashbox \hsmashed {} \hspace [] []</pre>  |

| hyphenatedcoloredword   |  |
|---|--|
| 71  | \hyphenatedcoloredword {}  |
| hyphenatedfile  | \hyphenatedfile {}   |
| hyphenatedfilename  | \hyphenatedfilename {}   |
| hyphenatedhbox  | \hyphenatedhbox {}   |
| - <del>-</del>  |  |
| hyphenatedpar   | \hyphenatedpar {}  |
| hyphenatedurl   | \hyphenatedurl {}  |
| hyphenatedword  | \hyphenatedword {}   |
| INRSTEX   | \INRSTEX   |
|   | •  |
| ibox  | \ibox {}   |
| ifassignment  | \ifassignment \else \fi  |
| iff   | \iff   |
| ifinobject  | \ifinobject \else \fi  |
|   |  |
| ifinoutputstream  | \ifinoutputstream \else \fi  |
| ifparameters  | \ifparameters \else \fi  |
| iftrialtypesetting  | \iftrialtypesetting \else \fi  |
| ignoreimplicitspaces  | \ignoreimplicitspaces  |
| ignoretagsinexport  | \ignoretagsinexport []   |
|   | -  |
| ignorevalue   | \ignorevalue {}  |
| immediatesavetwopassdata  | $\int 0 $  |
| impliedby   | \impliedby   |
| implies   | \implies   |
| <del>-</del>  | -  |
| incline   | \incline   |
| inclinegras   | \inclinegras   |
| inclinegraspetit  | \inclinegraspetit  |
| inclinepetit  | \inclinepetit  |
|   | <u>•</u>   |
| includemenu   | \includemenu []  |
| includeversioninfo  | \includeversioninfo {}   |
| inconnu   | \inconnu   |
| incrementcounter  | \incrementcounter [] []  |
|   |  |
| incremente  | \incremente \  |
| incrementedcounter  | \incrementedcounter []   |
| incremente:argument   | \incremente ()   |
| incrementpagenumber   | \incrementpagenumber   |
|   |  |
| incrementsubpagenumber  | \incrementsubpagenumber  |
| incrementvalue  | \incrementvalue {}   |
| indentation   | \indentation   |
| infofont  | \infofont  |
| infofontbold  | \infofontbold  |
|   | •  |
| inframed  | \inframed [=] {}   |
| infull  | \infull {}   |
| inheritparameter  | \inheritparameter [] []  |
| inhibitblank  | \inhibitblank  |
| IIIIIDICDIAIK   | \initializeboxstack {}   |
|   |  |
| initializeboxstack  |  |
| initializeboxstack<br>inlinebuffer  | \inlinebuffer []   |
| 111101411111111111111111111111111111111   |  |
| inlinebuffer inlinedbox   | \inlinebuffer [] \inlinedbox {}  |
| inlinebuffer inlinedbox inlinemath  | \inlinebuffer [] \inlinedbox {} \inlinemath {}   |
| inlinebuffer inlinedbox inlinemath inlinemathematics  | <pre>\inlinebuffer [] \inlinedbox {} \inlinemath {} \inlinemathematics {}</pre>  |
| inlinebuffer inlinedbox inlinemath inlinemathematics inlinemessage  | <pre>\inlinebuffer [] \inlinedbox {} \inlinemath {} \inlinemathematics {} \inlinemessage {}</pre>  |
| inlinebuffer inlinedbox inlinemath inlinemathematics  | <pre>\inlinebuffer [] \inlinedbox {} \inlinemath {} \inlinemathematics {}</pre>  |
| inlinebuffer inlinedbox inlinemath inlinemathematics inlinemessage  | <pre>\inlinebuffer [] \inlinedbox {} \inlinemath {} \inlinemathematics {} \inlinemessage {} \inlineordisplaymath {} {}</pre>   |
| inlinebuffer inlinedbox inlinemath inlinemathematics inlinemessage inlineordisplaymath inlineprettyprintbuffer  | <pre>\inlinebuffer [] \inlinedbox {} \inlinemath {} \inlinemathematics {} \inlinemessage {} \inlineordisplaymath {} {} \inlineprettyprintbuffer {} {}</pre>  |
| inlinebuffer inlinedbox inlinemath inlinemathematics inlinemessage inlineordisplaymath inlineprettyprintbuffer inlinerange  | <pre>\inlinebuffer [] \inlinedbox {} \inlinemath {} \inlinemathematics {} \inlinemessage {} \inlineordisplaymath {} {} \inlineprettyprintbuffer {} {} \inlinerange []</pre>  |
| inlinebuffer inlinedbox inlinemath inlinemathematics inlinemessage inlineordisplaymath inlineprettyprintbuffer inlinerange innerflushshapebox   | <pre>\inlinebuffer [] \inlinedbox {} \inlinemath {} \inlinemathematics {} \inlinemessage {} \inlineordisplaymath {} {} \inlineprettyprintbuffer {} {} \inlinerange [] \innerflushshapebox</pre>  |
| inlinebuffer inlinedbox inlinemath inlinemathematics inlinemessage inlineordisplaymath inlineprettyprintbuffer inlinerange  | <pre>\inlinebuffer [] \inlinedbox {} \inlinemath {} \inlinemathematics {} \inlinemessage {} \inlineordisplaymath {} {} \inlineprettyprintbuffer {} {} \inlinerange []</pre>  |
| inlinebuffer inlinedbox inlinemath inlinemathematics inlinemessage inlineordisplaymath inlineprettyprintbuffer inlinerange innerflushshapebox   | <pre>\inlinebuffer [] \inlinedbox {} \inlinemath {} \inlinemathematics {} \inlinemessage {} \inlineordisplaymath {} {} \inlineprettyprintbuffer {} {} \inlinerange [] \innerflushshapebox</pre>  |
| inlinebuffer inlinedbox inlinemath inlinemathematics inlinemessage inlineordisplaymath inlineprettyprintbuffer inlinerange innerflushshapebox input inputfilebarename   | <pre>\inlinebuffer [] \inlinedbox {} \inlinemath {} \inlinemathematics {} \inlinemessage {} \inlineordisplaymath {} {} \inlineprettyprintbuffer {} {} \inlinerange [] \innerflushshapebox \input {} \inputfilebarename</pre>   |
| inlinebuffer inlinedbox inlinemath inlinemathematics inlinemessage inlineordisplaymath inlineprettyprintbuffer inlinerange innerflushshapebox input inputfilebarename inputfilename   | <pre>\inlinebuffer [] \inlinedbox {} \inlinemath {} \inlinemathematics {} \inlinemessage {} \inlineordisplaymath {} {} \inlineprettyprintbuffer {} {} \inlinerange [] \innerflushshapebox \input {} \inputfilebarename \inputfilename</pre>  |
| inlinebuffer inlinedbox inlinemath inlinemathematics inlinemessage inlineordisplaymath inlineprettyprintbuffer inlinerange innerflushshapebox input inputfilebarename inputfilename inputfilerealsuffix   | <pre>\inlinebuffer [] \inlinedbox {} \inlinemath {} \inlinemathematics {} \inlinemessage {} \inlineordisplaymath {} {} \inlineprettyprintbuffer {} {} \inlinerange [] \innerflushshapebox \input {} \inputfilebarename \inputfilename \inputfilerealsuffix</pre>   |
| inlinebuffer inlinedbox inlinemath inlinemathematics inlinemessage inlineordisplaymath inlineprettyprintbuffer inlinerange innerflushshapebox input inputfilebarename inputfilename   | <pre>\inlinebuffer [] \inlinedbox {} \inlinemath {} \inlinemathematics {} \inlinemessage {} \inlineordisplaymath {} {} \inlineprettyprintbuffer {} {} \inlinerange [] \innerflushshapebox \input {} \inputfilebarename \inputfilename</pre>  |
| inlinebuffer inlinedbox inlinemath inlinemathematics inlinemessage inlineordisplaymath inlineprettyprintbuffer inlinerange innerflushshapebox input inputfilebarename inputfilename inputfilerealsuffix   | <pre>\inlinebuffer [] \inlinedbox {} \inlinemath {} \inlinemathematics {} \inlinemessage {} \inlineordisplaymath {} {} \inlineprettyprintbuffer {} {} \inlinerange [] \innerflushshapebox \input {} \inputfilebarename \inputfilename \inputfilerealsuffix</pre>   |
| inlinebuffer inlinedbox inlinemath inlinemathematics inlinemessage inlineordisplaymath inlineprettyprintbuffer inlinerange innerflushshapebox input inputfilebarename inputfilerealsuffix inputfilesuffix inputgivenfile  | <pre>\inlinebuffer [] \inlinedbox {} \inlinemath {} \inlinemathematics {} \inlinemessage {} \inlineordisplaymath {} {} \inlineprettyprintbuffer {} {} \inlinerange [] \innerflushshapebox \input {} \inputfilebarename \inputfilename \inputfilerealsuffix \inputfilesuffix \inputgivenfile {}</pre>   |
| <pre>inlinebuffer inlinedbox inlinemath inlinemathematics inlinemessage inlineordisplaymath inlineprettyprintbuffer inlinerange innerflushshapebox input inputfilebarename inputfilename inputfilerealsuffix inputfilesuffix inputgivenfile input:string</pre>  | <pre>\inlinebuffer [] \inlinedbox {} \inlinemath {} \inlinemathematics {} \inlinemessage {} \inlineordisplaymath {} {} \inlineprettyprintbuffer {} {} \inlinerange [] \innerflushshapebox \input {} \inputfilebarename \inputfilename \inputfilerealsuffix \inputfilesuffix \inputgivenfile {} \input</pre>  |
| inlinebuffer inlinedbox inlinemath inlinemathematics inlinemessage inlineordisplaymath inlineprettyprintbuffer inlinerange innerflushshapebox input inputfilebarename inputfilename inputfilerealsuffix inputfilesuffix inputgivenfile input:string insertpages   | <pre>\inlinebuffer [] \inlinedbox {} \inlinemath {} \inlinemathematics {} \inlinemessage {} \inlineordisplaymath {} {} \inlineprettyprintbuffer {} {} \inlinerange [] \innerflushshapebox \input {} \inputfilebarename \inputfilename \inputfilerealsuffix \inputfilesuffix \inputgivenfile {} \input \insertpages [] [] [=]</pre>   |
| inlinebuffer inlinedbox inlinemath inlinemathematics inlinemessage inlineordisplaymath inlineprettyprintbuffer inlinerange innerflushshapebox input inputfilebarename inputfilename inputfilerealsuffix inputfilesuffix inputgivenfile input:string insertpages installactionhandler  | <pre>\inlinebuffer [] \inlinedbox {} \inlinemath {} \inlinemathematics {} \inlinemessage {} \inlineordisplaymath {} {} \inlineprettyprintbuffer {} {} \inlinerange [] \innerflushshapebox \input {} \inputfilebarename \inputfilename \inputfilerealsuffix \inputfilesuffix \inputgivenfile {} \input \insertpages [] [] [=] \installactionhandler {}</pre>  |
| inlinebuffer inlinedbox inlinemath inlinemathematics inlinemessage inlineordisplaymath inlineprettyprintbuffer inlinerange innerflushshapebox input inputfilebarename inputfilename inputfilerealsuffix inputfilesuffix inputgivenfile input:string insertpages   | <pre>\inlinebuffer [] \inlinedbox {} \inlinemath {} \inlinemathematics {} \inlinemessage {} \inlineordisplaymath {} {} \inlineprettyprintbuffer {} {} \inlinerange [] \innerflushshapebox \input {} \inputfilebarename \inputfilename \inputfilerealsuffix \inputfilesuffix \inputgivenfile {} \input \insertpages [] [] [=]</pre>   |
| inlinebuffer inlinedbox inlinemath inlinemathematics inlinemessage inlineordisplaymath inlineprettyprintbuffer inlinerange innerflushshapebox input inputfilebarename inputfilename inputfilerealsuffix inputfilesuffix inputgivenfile input:string insertpages installactionhandler  | <pre>\inlinebuffer [] \inlinedbox {} \inlinemath {} \inlinemathematics {} \inlinemessage {} \inlineordisplaymath {} {} \inlineprettyprintbuffer {} {} \inlinerange [] \innerflushshapebox \input {} \inputfilebarename \inputfilename \inputfilerealsuffix \inputfilesuffix \inputgivenfile {} \input \insertpages [] [] [=] \installactionhandler {}</pre>  |
| inlinebuffer inlinedbox inlinemath inlinemathematics inlinemssage inlineordisplaymath inlineprettyprintbuffer inlinerange innerflushshapebox input inputfilebarename inputfileralsuffix inputfileralsuffix inputgivenfile input:string insertpages installactionhandler installanddefineactivecharacter   | <pre>\inlinebuffer [] \inlinedbox {} \inlinemath {} \inlinemathematics {} \inlinemathematics {} \inlineordisplaymath {} {} \inlineordisplaymath {} {} \inlinerettyprintbuffer {} {} \inlinerange [] \innerflushshapebox \input {} \inputfilebarename \inputfileralsuffix \inputfileralsuffix \inputfilesuffix \inputgivenfile {} \input \insertpages [] [] [=] \installactionhandler {} \installactivecharacter \installanddefineactivecharacter</pre>   |
| inlinebuffer inlinedbox inlinemath inlinemathematics inlinemssage inlineordisplaymath inlineprettyprintbuffer inlinerange innerflushshapebox input inputfilebarename inputfileralsuffix inputfileralsuffix inputgivenfile input:string insertpages installactionhandler installanddefineactivecharacter installattributestack   | <pre>\inlinebuffer [] \inlinedbox {} \inlinemath {} \inlinemathematics {} \inlinemathematics {} \inlineordisplaymath {} {} \inlineordisplaymath {} {} \inlineprettyprintbuffer {} {} \inlinerange [] \innerflushshapebox \input {} \inputfilebarename \inputfileralsuffix \inputfilerealsuffix \inputfilesuffix \inputgivenfile {} \input \insertpages [] [] [=] \installactionhandler {} \installactivecharacter \installanddefineactivecharacter {} \installattributestack \</pre>   |
| inlinebuffer inlinedbox inlinemath inlinemathematics inlinemessage inlineordisplaymath inlineprettyprintbuffer inlinerange innerflushshapebox input inputfilebarename inputfilename inputfilerealsuffix inputfilesuffix inputgivenfile input:string insertpages installactionhandler installactivecharacter installattributestack installautocommandhandler   | <pre>\inlinebuffer [] \inlinedbox {} \inlinemath {} \inlinemathematics {} \inlinemathematics {} \inlineordisplaymath {} {} \inlineordisplaymath {} {} \inlineprettyprintbuffer {} {} \inlinerange [] \innerflushshapebox \input {} \inputfilebarename \inputfileralsuffix \inputfilerealsuffix \inputfilesuffix \inputgivenfile {} \input \insertpages [] [] [=] \installactionhandler {} \installactivecharacter \installanddefineactivecharacter {} \installattributestack \ \installautocommandhandler \ {} \</pre>   |
| inlinebuffer inlinedbox inlinemath inlinemathematics inlinemssage inlineordisplaymath inlineprettyprintbuffer inlinerange innerflushshapebox input inputfilebarename inputfileralsuffix inputfileralsuffix inputgivenfile input:string insertpages installactionhandler installanddefineactivecharacter installattributestack   | <pre>\inlinebuffer [] \inlinedbox {} \inlinemath {} \inlinemathematics {} \inlinemathematics {} \inlineordisplaymath {} {} \inlineordisplaymath {} {} \inlineprettyprintbuffer {} {} \inlinerange [] \innerflushshapebox \input {} \inputfilebarename \inputfilerealsuffix \inputfilerealsuffix \inputgivenfile {} \input \insertpages [] [] [=] \installactionhandler {} \installactivecharacter \installanddefineactivecharacter {} \installautocommandhandler \ {} \installautocommandhandler \ {} \installautosetuphandler \ {}</pre>  |
| inlinebuffer inlinedbox inlinemath inlinemathematics inlinemessage inlineordisplaymath inlineprettyprintbuffer inlinerange innerflushshapebox input inputfilebarename inputfilename inputfilerealsuffix inputfilesuffix inputgivenfile input:string insertpages installactionhandler installactivecharacter installattributestack installautocommandhandler   | <pre>\inlinebuffer [] \inlinedbox {} \inlinemath {} \inlinemathematics {} \inlinemathematics {} \inlineordisplaymath {} {} \inlineordisplaymath {} {} \inlineprettyprintbuffer {} {} \inlinerange [] \innerflushshapebox \input {} \inputfilebarename \inputfilerealsuffix \inputfilerealsuffix \inputgivenfile {} \input \insertpages [] [] [=] \installactionhandler {} \installactivecharacter \installanddefineactivecharacter {} \installautocommandhandler \ {} \installautocommandhandler \ {} \installautosetuphandler \ {}</pre>  |
| inlinebuffer inlinedbox inlinemath inlinemathematics inlinemessage inlineordisplaymath inlineprettyprintbuffer inlinerange innerflushshapebox input inputfilebarename inputfilename inputfilerealsuffix inputfilesuffix inputgivenfile input:string insertpages installactionhandler installactivecharacter installattributestack installautocommandhandler installautosetuphandler installautosetuphandler   | <pre>\inlinebuffer [] \inlinedbox {} \inlinemath {} \inlinemathematics {} \inlinemathematics {} \inlineordisplaymath {} {} \inlineordisplaymath {} {} \inlineprettyprintbuffer {} {} \inlinerange [] \innerflushshapebox \input {} \inputfilebarename \inputfileralsuffix \inputfilerealsuffix \inputfilesuffix \inputgivenfile {} \installactionhandler {} \installactionhandler {} \installactivecharacter \installattributestack \ \installautocommandhandler \ {} \installautosetuphandler \ {} \installautosetuphandler \ {} \installabssicautosetuphandler \ {} \installabssi</pre>                  |
| inlinebuffer inlinedbox inlinemath inlinemathematics inlinemessage inlineordisplaymath inlineprettyprintbuffer inlinerange innerflushshapebox input inputfilebarename inputfileralsuffix inputfileralsuffix inputgivenfile input:string insertpages installactionhandler installactivecharacter installattributestack installautosetuphandler installbasicautosetuphandler installbasicparameterhandler   | <pre>\inlinebuffer [] \inlinedbox {} \inlinemath {} \inlinemathematics {} \inlinemathematics {} \inlineordisplaymath {} {} \inlineordisplaymath {} {} \inlinerettyprintbuffer {} {} \inlinerange [] \innerflushshapebox \input {} \inputfilebarename \inputfilerealsuffix \inputfilerealsuffix \inputfilesuffix \inputgivenfile {} \installactionhandler {} \installactionhandler {} \installactivecharacter \installanddefineactivecharacter {} \installattributestack \ \installautocommandhandler \ {} \installautosetuphandler \ {} \installbasicautosetuphandler \ {} \installbasicautosetuphandler \ {} \installbasicaparameterhandler \ {} \installbasicaparameterhan</pre> |
| inlinebuffer inlinedbox inlinemath inlinemathematics inlinemessage inlineordisplaymath inlineprettyprintbuffer inlinerange innerflushshapebox input inputfilebarename inputfilename inputfileralsuffix inputgivenfile input:string insertpages installactionhandler installattributestack installautocommandhandler installautosetuphandler installbasicautosetuphandler installbasicparameterhandler installbasicparameterhandler installbottomframerenderer           | <pre>\inlinebuffer [] \inlinedbox {} \inlinemath {} \inlinemathematics {} \inlinemessage {} \inlineordisplaymath {} {} \inlineprettyprintbuffer {} {} \inlinerange [] \innerflushshapebox \input {} \inputfilebarename \inputfilerealsuffix \inputfilerealsuffix \inputfilesuffix \inputgivenfile {} \insertpages [] [] [=] \installactionhandler {} \installactivecharacter \installattributestack \ \installattributestack \ \installautocommandhandler \ {} \installautosetuphandler \ {} \installbasicautosetuphandler \ {} \installbasicparameterhandler \ {} \installbasicparameterhandler \ {} \installbasicparameterhandler \ {} \installbasicparameterhandler \ {} \installbottomframerenderer {} {}</pre>  |
| inlinebuffer inlinedbox inlinemath inlinemathematics inlinemessage inlineordisplaymath inlineprettyprintbuffer inlinerange innerflushshapebox input inputfilebarename inputfileralsuffix inputfileralsuffix inputgivenfile input:string insertpages installactionhandler installactivecharacter installattributestack installautosetuphandler installbasicautosetuphandler installbasicparameterhandler   | <pre>\inlinebuffer [] \inlinedbox {} \inlinemath {} \inlinemathematics {} \inlinemessage {} \inlineordisplaymath {} {} \inlineprettyprintbuffer {} {} \inlinerange [] \innerflushshapebox \input {} \inputfilebarename \inputfilebarename \inputfilerealsuffix \inputfilesuffix \inputgivenfile {} \insertpages [] [] [=] \installactionhandler {} \installactivecharacter \installanddefineactivecharacter {} \installautocommandhandler \ {} \installautosetuphandler \ {} \installbasicautosetuphandler \ {} \installbasicparameterhandler \ {} \installbasicparameterhandler \ {} \installbottomframerenderer {} {} \installcommandhandler \ {} \installcommandhandler \ {} \installcommandhandler \ {} \installbottomframerenderer {} {} \installcommandhandler \ {} \installcommandhan</pre>   |
| inlinebuffer inlinedbox inlinemath inlinemathematics inlinemessage inlineordisplaymath inlineprettyprintbuffer inlinerange innerflushshapebox input inputfilebarename inputfilename inputfileralsuffix inputgivenfile input:string insertpages installactionhandler installattributestack installautocommandhandler installautosetuphandler installbasicautosetuphandler installbasicparameterhandler installbasicparameterhandler installbottomframerenderer           | <pre>\inlinebuffer [] \inlinedbox {} \inlinemath {} \inlinemathematics {} \inlinemessage {} \inlineordisplaymath {} {} \inlineprettyprintbuffer {} {} \inlinerange [] \innerflushshapebox \input {} \inputfilebarename \inputfilerealsuffix \inputfilerealsuffix \inputfilesuffix \inputgivenfile {} \insertpages [] [] [=] \installactionhandler {} \installactivecharacter \installattributestack \ \installattributestack \ \installautocommandhandler \ {} \installautosetuphandler \ {} \installbasicautosetuphandler \ {} \installbasicparameterhandler \ {} \installbasicparameterhandler \ {} \installbasicparameterhandler \ {} \installbasicparameterhandler \ {} \installbottomframerenderer {} {}</pre>  |
| inlinebuffer inlinedbox inlinemath inlinemathematics inlinemessage inlineordisplaymath inlineprettyprintbuffer inlinerange innerflushshapebox input inputfilebarename inputfilename inputfilerealsuffix inputfilesuffix inputgivenfile input:string insertpages installactionhandler installactivecharacter installattributestack installautocommandhandler installabasicautosetuphandler installbasicparameterhandler installbottomframerenderer installcommandhandler | <pre>\inlinebuffer [] \inlinedbox {} \inlinemath {} \inlinemathematics {} \inlinemessage {} \inlineordisplaymath {} {} \inlineprettyprintbuffer {} {} \inlinerange [] \innerflushshapebox \input {} \inputfilebarename \inputfilebarename \inputfilerealsuffix \inputfilesuffix \inputgivenfile {} \insertpages [] [] [=] \installactionhandler {} \installactivecharacter \installanddefineactivecharacter {} \installautocommandhandler \ {} \installautosetuphandler \ {} \installbasicautosetuphandler \ {} \installbasicparameterhandler \ {} \installbasicparameterhandler \ {} \installbottomframerenderer {} {} \installcommandhandler \ {} \installcommandhandler \ {} \installcommandhandler \ {} \installbottomframerenderer {} {} \installcommandhandler \ {} \installcommandhan</pre>   |

| installdefinitionset   | \installdefinitionset \ \{\}   |
|--|--|
| installdefinitionsetmember   | \installdefinitionsetmember \ \ \ \  |
| installdirectcommandhandler  | \installdirectcommandhandler \ {}  |
| installdirectparameterhandler  | \installdirectparameterhandler \ \{\}  |
| installdirectparametersethandler   | \installdirectparametersethandler \ \{\}   |
| installdirectsetuphandler  | \installdirectsetuphandler \ \{\}  |
| installdirectstyleandcolorhandler  | \installdirectstyleandcolorhandler \ \{\}  |
| installelangue   | \installelangue [] [=]   |
| installelangue:name  | \installelangue [] []  |
| installframedautocommandhandler installframedcommandhandler  | \installframedautocommandhandler \ \\ \\ \\  |
| installglobalmacrostack  | \installglobalmacrostack \   |
| installleftframerenderer   | \installeftframerenderer \{\ldots\}  |
| installmacrostack  | \installmacrostack \   |
| installnamespace   | \installnamespace {}   |
| installoutputroutine   | \installoutputroutine \ {}   |
| installpagearrangement   | \installpagearrangement {}   |
| installparameterhandler  | \installparameterhandler \ {}  |
| installparameterhashhandler  | \installparameterhashhandler \ {}  |
| installparametersethandler   | \installparametersethandler \ {}   |
| installparentinjector  | \installparentinjector \ {}  |
| installrightframerenderer  | \installrightframerenderer {} {}   |
| installrootparameterhandler  | \installrootparameterhandler \ \{\}  |
| installsetuphandler  | \installsetuphandler \ \{\}  |
| installsetuponlycommandhandler   | \installsetuponlycommandhandler \ \{\}   |
| installshipoutmethod   | \installshipoutmethod {} {}  |
| installsimplecommandhandler  | \installsimplecommandhandler \ \{\} \  |
| installsimpleframedcommandhandler  | \installsimpleframedcommandhandler \ \{\} \  |
| installstyleandcolorhandler  | \installstyleandcolorhandler \ \{\}  |
| installswitchcommandhandler  | \installswitchcommandhandler \ \\  |
| installswitchsetuphandler  | \installswitchsetuphandler \ \{\}  |
| installtextirective  | \installtexdirective {} {} {}  |
| installtextracker  | \installtextracker {} {} {}  |
| installtopframerenderer installunitsseparator  | \installtopframerenderer {} {} \installunitsseparator {} {}  |
| installunitsspace  | \installunitsspace {} {}   |
|  |  |
| •  |  |
| installversioninfo   | \installversioninfo {} {}  |
| installversioninfo integerrounding   | \installversioninfo {} {} \integerrounding {}  |
| installversioninfo integerrounding intertext   | <pre>\installversioninfo {} {} \integerrounding {} \intertext {}</pre>   |
| installversioninfo integerrounding   | \installversioninfo {} {} \integerrounding {}  |
| installversioninfo integerrounding intertext invokepageheandler  | <pre>\installversioninfo {} {} \integerrounding {} \intertext {} \invokepageheandler {} {}</pre>   |
| installversioninfo integerrounding intertext invokepageheandler istltdir   | <pre>\installversioninfo {} {} \integerrounding {} \intertext {} \invokepageheandler {} {} \istltdir</pre>   |
| installversioninfo integerrounding intertext invokepageheandler istltdir istrtdir  | <pre>\installversioninfo {} {} \integerrounding {} \intertext {} \invokepageheandler {} {} \istItdir \istrtdir</pre>   |
| installversioninfo integerrounding intertext invokepageheandler istltdir istrtdir italiccorrection   | <pre>\installversioninfo {} {} \integerrounding {} \intertext {} \invokepageheandler {} {} \istItdir \istrtdir \italiccorrection</pre>   |
| installversioninfo integerrounding intertext invokepageheandler istltdir istrtdir italiccorrection italicface  | <pre>\installversioninfo {} {} \integerrounding {} \intertext {} \invokepageheandler {} {} \istItdir \istrtdir \italiccorrection \italicface</pre>   |
| installversioninfo integerrounding intertext invokepageheandler istltdir istrtdir italiccorrection italicface italique   | <pre>\installversioninfo {} {} \integerrounding {} \intertext {} \invokepageheandler {} {} \istItdir \istrtdir \italiccorrection \italicface \italique</pre>   |
| installversioninfo integerrounding intertext invokepageheandler istltdir istrtdir italiccorrection italicface italique italiquegras  | <pre>\installversioninfo {} {} \integerrounding {} \intertext {} \invokepageheandler {} {} \istItdir \istrtdir \italiccorrection \italicface \italique \italiquegras</pre>   |
| installversioninfo integerrounding intertext invokepageheandler istltdir istrtdir italiccorrection italicface italique italiquegras italiquegraspetit  | <pre>\installversioninfo {} {} \integerrounding {} \intertext {} \invokepageheandler {} {} \istItdir \istrtdir \italiccorrection \italicface \italique \italiquegras \italiquegraspetit</pre>  |
| installversioninfo integerrounding intertext invokepageheandler istltdir istrtdir italiccorrection italicface italique italiquegras italiquegraspetit itemtag JOURSEMAINE jobfilename  | <pre>\installversioninfo {} {} \integerrounding {} \intertext {} \invokepageheandler {} {} \istItdir \istItdir \italiccorrection \italicface \italique \italiquegras \italiquegraspetit \itemtag [] \JOURSEMAINE {} \jobfilename</pre>   |
| installversioninfo integerrounding intertext invokepageheandler istltdir istrtdir italiccorrection italicface italique italiquegras italiquegraspetit itemtag JOURSEMAINE jobfilename jobfilesuffix  | <pre>\installversioninfo {} {} \integerrounding {} \intertext {} \invokepageheandler {} {} \istrtdir \istrtdir \italiccorrection \italicface \italique \italiquegras \italiquegraspetit \itemtag [] \JOURSEMAINE {} \jobfilename \jobfilesuffix</pre>  |
| installversioninfo integerrounding intertext invokepageheandler istltdir istrtdir italiccorrection italicface italique italiquegras italiquegraspetit itemtag JOURSEMAINE jobfilename jobfilesuffix joursemaine  | <pre>\installversioninfo {} {} \integerrounding {} \intertext {} \invokepageheandler {} {} \istItdir \istItdir \italiccorrection \italiccorrection \italique \italique \italiquegras \italiquegras \italiquegraspetit \itemtag [] \JOURSEMAINE {} \jobfilename \jobfilesuffix \joursemaine {}</pre>  |
| installversioninfo integerrounding intertext invokepageheandler istltdir istrtdir italiccorrection italicface italique italiquegras italiquegraspetit itemtag JOURSEMAINE jobfilename jobfilesuffix joursemaine kap  | <pre>\installversioninfo {} {} \integerrounding {} \intertext {} \invokepageheandler {} {} \istItdir \istItdir \italiccorrection \italicface \italique \italiquegras \italiquegras \italiquegraspetit \itemtag [] \JOURSEMAINE {} \jobfilename \jobfilesuffix \joursemaine {} \kap {}</pre>  |
| installversioninfo integerrounding intertext invokepageheandler istltdir istrtdir italiccorrection italicface italique italiquegras italiquegraspetit itemtag JOURSEMAINE jobfilename jobfilesuffix joursemaine kap keeplinestogether  | <pre>\installversioninfo {} {} \integerrounding {} \intertext {} \invokepageheandler {} {} \istItdir \istItdir \italiccorrection \italicface \italique \italiquegras \italiquegraspetit \itemtag [] \JOURSEMAINE {} \jobfilename \jobfilesuffix \joursemaine {} \kap {} \keeplinestogether {}</pre>  |
| installversioninfo integerrounding intertext invokepageheandler istltdir istrtdir italiccorrection italicface italique italiquegras italiquegraspetit itemtag JOURSEMAINE jobfilename jobfilesuffix joursemaine kap keeplinestogether keepunwantedspaces   | <pre>\installversioninfo {} {} \integerrounding {} \intertext {} \invokepageheandler {} {} \istItdir \istItdir \italiccorrection \italicface \italique \italiquegras \italiquegraspetit \itemtag [] \JOURSEMAINE {} \jobfilename \jobfilesuffix \joursemaine {} \kap {} \keeplinestogether {} \keeplinestogether {} \keeplinestogether {}</pre>  |
| installversioninfo integerrounding intertext invokepageheandler istltdir istrtdir italiccorrection italicface italique italiquegras italiquegraspetit itemtag JOURSEMAINE jobfilename jobfilesuffix joursemaine kap keeplinestogether keepunwantedspaces kerncharacters  | <pre>\installversioninfo {} {} \integerrounding {} \intertext {} \invokepageheandler {} {} \istItdir \istItdir \italiccorrection \italicface \italique \italiquegras \italiquegras \italiquegras \italiquegras[] \JOURSEMAINE {} \jobfilename \jobfilesuffix \joursemaine {} \kap {} \keeplinestogether {} \keep</pre>   |
| installversioninfo integerrounding intertext invokepageheandler istltdir istrtdir italiccorrection italicface italique italiquegras italiquegraspetit itemtag JOURSEMAINE jobfilename jobfilesuffix joursemaine kap keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals   | <pre>\installversioninfo {} {} \integerrounding {} \intertext {} \invokepageheandler {} {} \istItdir \istItdir \italiccorrection \italicface \italique \italiquegras \italiq</pre> |
| installversioninfo integerrounding intertext invokepageheandler istltdir istrtdir italiccorrection italicface italique italiquegras italiquegraspetit itemtag JOURSEMAINE jobfilename jobfilesuffix joursemaine kap keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals  | <pre>\installversioninfo {} {} \integerrounding {} \intertext {} \invokepageheandler {} {} \istItdir \istItdir \italiccorrection \italicface \italique \italiquegras \italiquegras \italiquegraspetit \itemtag [] \JOURSEMAINE {} \jobfilename \jobfilesuffix \joursemaine {} \kap {} \keeplinestogether {} \keeplinestogether {} \koreancirclenumerals {} \koreannumerals {}</pre>  |
| installversioninfo integerrounding intertext invokepageheandler istltdir istrtdir italiccorrection italicface italique italiquegras italiquegraspetit itemtag JOURSEMAINE jobfilename jobfilesuffix joursemaine kap keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumeralsc   | <pre>\installversioninfo {} {} \integerrounding {} \intertext {} \invokepageheandler {} {} \istItdir \istItdir \italiccorrection \italicface \italique \italiquegras \italiquegras \italiquegraspetit \itemtag [] \JOURSEMAINE {} \jobfilename \jobfilesuffix \joursemaine {} \kap {} \keeplinestogether {} \keeplinestogether {} \koreancirclenumerals {} \koreannumerals {} \k</pre>   |
| installversioninfo integerrounding intertext invokepageheandler istltdir istrtdir italiccorrection italicface italique italiquegras italiquegraspetit itemtag JOURSEMAINE jobfilename jobfilesuffix joursemaine kap keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumeralsc koreannumeralsp   | <pre>\installversioninfo {} {} \integerrounding {} \intertext {} \invokepageheandler {} {} \istItdir \istItdir \italiccorrection \italicface \italique \italiquegras \italiquegraspetit \itemtag [] \JOURSEMAINE {} \jobfilename \jobfilesuffix \joursemaine {} \kap {} \keeplinestogether {} \keeplinestogether {} \koreancirclenumerals {} \koreannumerals {} \koreannumerals</pre>  |
| installversioninfo integerrounding intertext invokepageheandler istltdir istrtdir italiccorrection italicface italique italiquegras italiquegraspetit itemtag JOURSEMAINE jobfilename jobfilesuffix joursemaine kap keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumeralsc   | <pre>\installversioninfo {} {} \integerrounding {} \intertext {} \invokepageheandler {} {} \istItdir \istItdir \italiccorrection \italicface \italique \italiquegras \italiquegras \italiquegraspetit \itemtag [] \JOURSEMAINE {} \jobfilename \jobfilesuffix \joursemaine {} \kap {} \keeplinestogether {} \keeplinestogether {} \koreancirclenumerals {} \koreannumerals {} \k</pre>   |
| installversioninfo integerrounding intertext invokepageheandler istltdir istrtdir italiccorrection italicface italique italiquegras italiquegraspetit itemtag JOURSEMAINE jobfilename jobfilesuffix joursemaine kap keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumeralsc koreannumeralsp koreanparentnumerals  | <pre>\installversioninfo {} {} \integerrounding {} \intertext {} \invokepageheandler {} {} \istItdir \istItdir \italiccorrection \italicface \italique \italiquegras \italiquegraspetit \itemtag [] \JOURSEMAINE {} \jobfilename \jobfilesuffix \joursemaine {} \kap {} \keeplinestogether {} \keeplinestogether {} \koreancirclenumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannamerals {} \koreannamerals</pre>  |
| installversioninfo integerrounding intertext invokepageheandler istltdir istrtdir italiccorrection italicface italique italiquegras italiquegraspetit itemtag JOURSEMAINE jobfilename jobfilesuffix joursemaine kap keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumeralsc koreannumeralsp koreanparentnumerals LAMSTEX  | <pre>\installversioninfo {} {} \integerrounding {} \intertext {} \invokepageheandler {} {} \istItdir \istItdir \italiccorrection \italicface \italique \italiquegras \italiquegras \italiquegraspetit \itemtag [] \JOURSEMAINE {} \jobfilename \jobfilesuffix \joursemaine {} \kap {} \keeplinestogether {} \keeplinestogether {} \koreancirclenumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannamerals {} \k</pre>   |
| installversioninfo integerrounding intertext invokepageheandler istltdir istrtdir italiccorrection italicface italique italiquegras italiquegraspetit itemtag JOURSEMAINE jobfilename jobfilesuffix joursemaine kap keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumeralsc koreannumeralsp koreanparentnumerals LAMSTEX LATEX  | <pre>\installversioninfo {} {} \integerrounding {} \intertext {} \invokepageheandler {} {} \istItdir \istItdir \italiccorrection \italicface \italique \italiquegras \italiquegraspetit \itemtag [] \JOURSEMAINE {} \jobfilename \jobfilesuffix \joursemaine {} \kap {} \keeplinestogether {} \keeplinestogether {} \koreancirclenumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannamerals {} \koreannamerals</pre>  |
| installversioninfo integerrounding intertext invokepageheandler istltdir istrtdir italiccorrection italicface italique italiquegras italiquegraspetit itemtag JOURSEMAINE jobfilename jobfilesuffix joursemaine kap keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumeralsc koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LATEX LAMSTEX  | <pre>\installversioninfo {} {} \integerrounding {} \intertext {} \invokepageheandler {} {} \istltdir \istrtdir \italiccorrection \italicface \italique \italiquegras \italiquegraspetit \itemtag [] \JOURSEMAINE {} \jobfilename \jobfilesuffix \joursemaine {} \kap {} \keeplinestogether {} \keeplinestogether {} \koreancirclenumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreanparentnumerals {} \koreanparentnum</pre>  |
| installversioninfo integerrounding intertext invokepageheandler istltdir istrtdir italiccorrection italicface italique italiquegras italiquegraspetit itemtag JOURSEMAINE jobfilename jobfilesuffix joursemaine kap keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LATEX LATEX LATEX   | <pre>\installversioninfo {} {} \integerrounding {} \intertext {} \invokepageheandler {} {} \istltdir \istrtdir \italiccorrection \italicface \italique \italiquegras \italiquegraspetit \itemtag [] \JOURSEMAINE {} \jobfilename \jobfilesuffix \joursemaine {} \kap {} \keeplinestogether {} \keeplinestogether {} \koreancirclenumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreanparentnumerals {} \koreanparentnumerals</pre>   |
| installversioninfo integerrounding intertext invokepageheandler istltdir istrtdir italiccorrection italicface italique italiquegras italiquegraspetit itemtag JOURSEMAINE jobfilename jobfilesuffix joursemaine kap keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumeralsp koreanparentnumerals LAMSTEX LATEX LAT | <pre>\installversioninfo {} {} \integerrounding {} \intertext {} \invokepageheandler {} {} \istItdir \istItdir \italiccorrection \italicface \italique \italiquegras \italiquegraspetit \itemtag [] \JOURSEMAINE {} \jobfilename \jobfilesuffix \joursemaine {} \kap {} \keeplinestogether {} \keeplinestogether {} \koreancirclenumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreanparentnumerals {} \LAMSTEX \LAMSTEX \LAMSTEX \LAMSTEX \LAMSTEX \LATEX \</pre>                                  |
| installversioninfo integerrounding intertext invokepageheandler istltdir istrtdir italiccorrection italicface italique italiquegras italiquegraspetit itemtag JOURSEMAINE jobfilename jobfilesuffix joursemaine kap keeplinestogether keepunwantedspaces kerncharacters koreannumerals koreannumerals koreannumerals LAMSTEX LATEX LATEX LATEX LUAJITTEX LUATEX  | <pre>\installversioninfo {} {} \integerrounding {} \intertext {} \invokepageheandler {} {} \istItdir \istItdir \italiccorrection \italicface \italique \italiquegras \italiquegraspetit \itemtag [] \JOURSEMAINE {} \jobfilename \jobfilesuffix \joursemaine {} \kap {} \keeplinestogether {} \keeplinestogether {} \koreancirclenumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreanparentnumerals {} \LAMSTEX \LAMSTEX \LAMSTEX \LAMSTEX \LUAJITTEX \LUAJITTEX \LUATEX \LUAJITTEX \LUATEX \LUAJITTEX \LUATEX \LUALUAJITTEX \LUATEX \LUALUAJITTEX \LUATEX \LUALUAJITTEX \LUATEX \LUALUAJITTEX \LUATEX \LUALUAJITTEX</pre>   |
| installversioninfo integerrounding intertext invokepageheandler istltdir istrtdir italiccorrection italicface italique italiquegras italiquegraspetit itemtag JOURSEMAINE jobfilename jobfilesuffix joursemaine kap keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumerals koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LATEX LUAJITTEX LUAJITTEX LUAJITTEX LUAJITTEX LUAGIERA LUAJITTEX LUAJITTEX LUAJITTEX LUALIZEX LUAJITTEX LUALIZEX LUAJITTEX LUATEX LUATEX LUAJITTEX LUATEX LUATE | <pre>\installversioninfo {} {} \integerrounding {} \intertext {} \invokepageheandler {} {} \istItdir \istrtdir \italiccorrection \italicface \italique \italiquegras \italiquegraspetit \itemtag [] \JOURSEMAINE {} \jobfilename \jobfilesuffix \joursemaine {} \kap {} \keeplinestogether {} \keeplinestogether {} \koreancirclenumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreanparentnumerals {} \LAMSTEX \LAMSTEX \LAMSTEX \LUAJITTEX \LUATEX \LUAJITTEX \LUATEX \LUAJITTEX \LUATEX \LUAJITTEX \LUATEX \LUALUAJITTEX \LUATEX \LUAJITTEX \LUATEX</pre>   |
| installversioninfo integerrounding intertext invokepageheandler istltdir istrtdir italiccorrection italicface italique italiquegras italiquegraspetit itemtag JOURSEMAINE jobfilename jobfilesuffix joursemaine kap keeplinestogether keepunwantedspaces kerncharacters koreancirclenumerals koreannumerals koreannumerals koreannumeralsp koreanparentnumerals LAMSTEX LATEX LATEX LUAJITTEX LUAJITTEX LUAJITTEX LUAJITTEX LUAGITEM LUAJITTEX LUAGITEM LUAJITTEX LUAJIT | <pre>\installversioninfo {} {} \integerrounding {} \intertext {} \invokepageheandler {} {} \istItdir \istItdir \italiccorrection \italicface \italique \italiquegras \italiquegraspetit \itemtag [] \JOURSEMAINE {} \jobfilename \jobfilesuffix \joursemaine {} \kap {} \keeplinestogether {} \keeplinestogether {} \koreancirclenumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreannumerals {} \koreanparentnumerals {} \LAMSTEX \LAMSTEX \LAMSTEX \LAMSTEX \LUAJITTEX \LUAJITTEX \LUAJITTEX \LUATEX \LUATEX \LUAJITEX \LUATEX \LUAJITTEX \LUATEX \LUAJITTEX \LUATEX \LUAJITEX \LUATEX \LUAJITTEX \LUATEX \LUAJITTEX \LUATEX \LUAJITTEX \LUAJITTEX \LUATEX \LUAJITTEX \LUATEX \LUAJITTEX \LUATEX \LUAJITTEX \LUATEX \LUAJITTEX</pre>   |

| labellanguage:instance:head  | \headlangue   |
|--|---|
| labellanguage:instance:label   | \labellangue  |
| labellanguage:instance:mathlabel   | \mathlabellangue  |
| labellanguage:instance:operator  | \operatorlangue   |
| labellanguage:instance:prefix  | \prefixlangue   |
| labellanguage:instance:suffix  | \suffixlangue   |
| labellanguage:instance:taglabel  | \taglabellangue   |
| labellanguage:instance:unit  | \unitlangue   |
| labeltexte:instance  | \LABELtexte {}  |
| labeltexte:instance:btxlabel   | \btxlabeltexte {}   |
| labeltexte:instance:head   | \headtexte {}   |
| labeltexte:instance:label  | \labeltexte {}  |
| labeltexte:instance:mathlabel  | \mathlabeltexte {}  |
| labeltexte:instance:operator   | \operatortexte {}   |
| labeltexte:instance:prefix   | \prefixtexte {}   |
| labeltexte:instance:suffix   | \suffixtexte {}   |
| labeltexte:instance:taglabel   | \taglabeltexte {}   |
| labeltexte:instance:unit   | \unittexte {}   |
| labeltexts:instance  | \LABELtexts {} {}   |
| labeltexts:instance:head   | \headtexts {} {}  |
| labeltexts:instance:label  | \labeltexts {} {}   |
| labeltexts:instance:mathlabel  | \mathlabeltexts {} {}   |
| languageCharacters   | \languageCharacters {}  |
| languagecharacters   | \languagecharacters {}  |
| languagecharwidth  | \languagecharwidth {}   |
| langue   | \langue []  |
| langueprincipale   | \langueprincipale []  |
| langue:example   | \LANGUAGE   |
| largeurligne   | \largeurligne \lastcounter [] []  |
| lastcounter  |   |
| lastcountervalue   | \lastcountervalue []  |
| lastdigit  | \lastdigit {} \lastlinewidth  |
| lastlinewidth  |   |
| lastnaturalboxdp<br>lastnaturalboxht   | \lastnaturalboxdp<br>\lastnaturalboxht  |
| lastnaturalboxwd   | \lastnaturalboxwd   |
|  | •   |
| lastpredetinedsymbol   | \lastpredefinedsymbol   |
| lastrealpage   | \lastrealpage   |
| lastrealpage   | \lastrealpage   |
| lastrealpage lastrealpagenumber  | \lastrealpage<br>\lastrealpagenumber  |
| lastrealpage lastrealpagenumber lastsubcountervalue  | \lastrealpage \lastrealpagenumber \lastsubcountervalue [] []  |
| lastrealpage lastrealpagenumber lastsubcountervalue lastsubpagenumber  | \lastrealpage \lastrealpagenumber \lastsubcountervalue [] [] \lastsubpagenumber   |
| lastrealpage lastrealpagenumber lastsubcountervalue lastsubpagenumber lasttwodigits  | \lastrealpage \lastrealpagenumber \lastsubcountervalue [] [] \lastsubpagenumber \lasttwodigits {}   |
| lastrealpage lastrealpagenumber lastsubcountervalue lastsubpagenumber lasttwodigits lastuserpage   | \lastrealpage \lastrealpagenumber \lastsubcountervalue [] [] \lastsubpagenumber \lasttwodigits {} \lastuserpage   |
| lastrealpage lastrealpagenumber lastsubcountervalue lastsubpagenumber lasttwodigits  | \lastrealpage \lastrealpagenumber \lastsubcountervalue [] [] \lastsubpagenumber \lasttwodigits {}   |
| lastrealpage lastrealpagenumber lastsubcountervalue lastsubpagenumber lasttwodigits lastuserpage lastuserpagenumber  | \lastrealpage \lastrealpagenumber \lastsubcountervalue [] [] \lastsubpagenumber \lasttwodigits {} \lastuserpage \lastuserpagenumber   |
| lastrealpage lastrealpagenumber lastsubcountervalue lastsubpagenumber lasttwodigits lastuserpage lastuserpagenumber lateluacode  | <pre>\lastrealpage \lastrealpagenumber \lastsubcountervalue [] [] \lastsubpagenumber \lasttwodigits {} \lastuserpage \lastuserpagenumber \lateluacode {}</pre>  |
| lastrealpage lastrealpagenumber lastsubcountervalue lastsubpagenumber lasttwodigits lastuserpage lastuserpagenumber lateluacode layeredtext  | <pre>\lastrealpage \lastrealpagenumber \lastsubcountervalue [] [] \lastsubpagenumber \lasttwodigits {} \lastuserpage \lastuserpagenumber \lateluacode {} \layeredtext [=] [=] {} {}</pre>   |
| lastrealpage lastrealpagenumber lastsubcountervalue lastsubpagenumber lasttwodigits lastuserpage lastuserpage lastuserpagenumber lateluacode layeredtext layerheight   | <pre>\lastrealpage \lastrealpagenumber \lastsubcountervalue [] [] \lastsubpagenumber \lasttwodigits {} \lastuserpage \lastuserpagenumber \lateluacode {} \layeredtext [=] [=] {} {} \layerheight</pre>  |
| lastrealpage lastrealpagenumber lastsubcountervalue lastsubpagenumber lasttwodigits lastuserpage lastuserpage lastuserpagenumber lateluacode layeredtext layerheight layerwidth  | <pre>\lastrealpage \lastrealpagenumber \lastsubcountervalue [] [] \lastsubpagenumber \lasttwodigits {} \lastuserpage \lastuserpagenumber \lateluacode {} \layeredtext [=] [=] {} {} \layerheight \layerwidth</pre>  |
| lastrealpage lastrealpagenumber lastsubcountervalue lastsubpagenumber lasttwodigits lastuserpage lastuserpage lastuserpagenumber lateluacode layeredtext layerheight layerwidth lazysavetaggedtwopassdata  | <pre>\lastrealpage \lastrealpagenumber \lastsubcountervalue [] [] \lastsubpagenumber \lasttwodigits {} \lastuserpage \lastuserpagenumber \lateluacode {} \layeredtext [=] [=] {} {} \layerheight \layerwidth \lazysavetaggedtwopassdata {} {} {}</pre>  |
| lastrealpage lastrealpagenumber lastsubcountervalue lastsubpagenumber lasttwodigits lastuserpage lastuserpage lastuserpagenumber lateluacode layeredtext layerheight layerwidth lazysavetaggedtwopassdata lazysavetwopassdata  | <pre>\lastrealpage \lastrealpagenumber \lastsubcountervalue [] [] \lastsubpagenumber \lasttwodigits {} \lastuserpage \lastuserpagenumber \lateluacode {} \layeredtext [=] [=] {} {} \layerheight \layerwidth \lazysavetaggedtwopassdata {} {} {} {}</pre>   |
| lastrealpage lastrealpagenumber lastsubcountervalue lastsubpagenumber lasttwodigits lastuserpage lastuserpagenumber lateluacode layeredtext layerheight layerwidth lazysavetaggedtwopassdata lazysavetwopassdata lbox  | <pre>\lastrealpage \lastrealpagenumber \lastsubcountervalue [] [] \lastsubpagenumber \lasttwodigits {} \lastuserpage \lastuserpagenumber \lateluacode {} \layeredtext [=] [=] {} {} \layerheight \layerwidth \lazysavetaggedtwopassdata {} {} {} {} \layersavetwopassdata {} {} {}</pre>  |
| lastrealpage lastrealpagenumber lastsubcountervalue lastsubpagenumber lasttwodigits lastuserpage lastuserpagenumber lateluacode layeredtext layerheight layerwidth lazysavetaggedtwopassdata lazysavetwopassdata lbox leftbottombox  | <pre>\lastrealpage \lastrealpagenumber \lastsubcountervalue [] [] \lastsubpagenumber \lasttwodigits {} \lastuserpage \lastuserpagenumber \lateluacode {} \layeredtext [=] [=] {} {} \layerheight \layerwidth \lazysavetaggedtwopassdata {} {} {} {} \labox {} \labox {} \leftbottombox {}</pre>   |
| lastrealpage lastrealpagenumber lastsubcountervalue lastsubpagenumber lasttwodigits lastuserpage lastuserpagenumber lateluacode layeredtext layerheight layerwidth lazysavetaggedtwopassdata lazysavetwopassdata lbox leftbottombox leftbox  | <pre>\lastrealpage \lastrealpagenumber \lastsubcountervalue [] [] \lastsubpagenumber \lasttwodigits {} \lastuserpage \lastuserpagenumber \lateluacode {} \layeredtext [=] [=] {} {} \layerheight \layerwidth \lazysavetaggedtwopassdata {} {} {} {} \labox {} \leftbottombox {} \leftbotx {}</pre>  |
| lastrealpage lastrealpagenumber lastsubcountervalue lastsubpagenumber lasttwodigits lastuserpage lastuserpagenumber lateluacode layeredtext layerheight layerwidth lazysavetaggedtwopassdata lazysavetwopassdata lbox leftbottombox leftbox  | <pre>\lastrealpage \lastrealpagenumber \lastsubcountervalue [] [] \lastsubpagenumber \lasttwodigits {} \lastuserpage \lastuserpagenumber \lateluacode {} \layeredtext [=] [=] {} {} \layerheight \layerwidth \lazysavetaggedtwopassdata {} {} {} {} \labox {} \leftbot {} \leftbox {} \leftbox {}</pre>   |
| lastrealpage lastrealpagenumber lastsubcountervalue lastsubpagenumber lasttwodigits lastuserpage lastuserpagenumber lateluacode layeredtext layerheight layerwidth lazysavetaggedtwopassdata lazysavetwopassdata lbox leftbottombox leftbox lefthbox leftlabeltext:instance  | <pre>\lastrealpage \lastrealpagenumber \lastsubcountervalue [] [] \lastsubpagenumber \lasttwodigits {} \lastuserpage \lastuserpagenumber \lateluacode {} \layeredtext [=] [=] {} {} \layerheight \layerwidth \lazysavetaggedtwopassdata {} {} {} {} \lbox {} \leftbottombox {} \leftbox {} \lefthbox {} \lefthagELtexte {} \lefthadtexte {} \lefthabeltexte {} \leftlabeltexte {} \lef</pre>   |
| lastrealpage lastrealpagenumber lastsubcountervalue lastsubpagenumber lasttwodigits lastuserpage lastuserpagenumber lateluacode layeredtext layerheight layerwidth lazysavetaggedtwopassdata lazysavetwopassdata lbox leftbottombox leftbox leftlabeltext:instance leftlabeltext:instance:head   | <pre>\lastrealpage \lastrealpagenumber \lastsubcountervalue [] [] \lastsubpagenumber \lasttwodigits {} \lastuserpage \lastuserpagenumber \lateluacode {} \layeredtext [=] [=] {} {} \layeredight \layerwidth \lazysavetaggedtwopassdata {} {} {} {} \labeltox {} \leftbottombox {} \leftbox {} \lefthagELtexte {} \lefthadtexte {} \lefthabeltexte {} \leftmathlabeltexte {} \leftmathl</pre>   |
| lastrealpage lastrealpagenumber lastsubcountervalue lastsubpagenumber lasttwodigits lastuserpage lastuserpagenumber lateluacode layeredtext layerheight layerwidth lazysavetaggedtwopassdata lazysavetwopassdata lbox leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:mathlabel leftline  | <pre>\lastrealpage \lastrealpagenumber \lastsubcountervalue [] [] \lastsubpagenumber \lasttwodigits {} \lastuserpage \lastuserpagenumber \lateluacode {} \layeredtext [=] [=] {} {} \layerheight \layerwidth \lazysavetuopassdata {} {} {} \lbox {} \leftbottombox {} \leftbox {} \lefthbox {} \lefthadtexte {} \lefthadtexte {} \lefthadtexte {} \lefthadtlabeltexte {} \leftline {}</pre>   |
| lastrealpage lastrealpagenumber lastsubcountervalue lastsubpagenumber lasttwodigits lastuserpage lastuserpage lastuserpagenumber lateluacode layeredtext layerheight layerwidth lazysavetaggedtwopassdata lazysavetwopassdata lbox leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:mathlabel leftline leftorrighthbox   | <pre>\lastrealpage \lastrealpagenumber \lastsubcountervalue [] [] \lastsubpagenumber \lasttwodigits {} \lastuserpage \lastuserpagenumber \lateluacode {} \layeredtext [=] [=] {} {} \layerwidth \layerwidth \lazysavetaggedtwopassdata {} {} {} \labstyleftbottombox {} \leftbot {} \leftbox {} \lefthbox {} \lefthadtexte {} \lefthadtexte {} \lefthadtexte {} \lefthadtlabeltexte {} \leftline {} \leftorrighthbox {} \leftorrighthbox {}</pre>   |
| lastrealpage lastrealpagenumber lastsubcountervalue lastsubpagenumber lasttwodigits lastuserpage lastuserpage lastuserpagenumber lateluacode layeredtext layerheight layerwidth lazysavetaggedtwopassdata lazysavetwopassdata lbox leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftline leftorrightbox leftorrightbox   | <pre>\lastrealpage \lastrealpagenumber \lastsubcountervalue [] [] \lastsubpagenumber \lasttwodigits {} \lastuserpage \lastuserpagenumber \lateluacode {} \layeredtext [=] [=] {} {} \layerheight \layerwidth \lazysavetaggedtwopassdata {} {} {} \lateluacode {} \leftbox {} \leftbox {} \leftheadtexte {} \leftheadtexte {} \leftheadtexte {} \leftline {} \leftorrighthbox {} \leftorrighthbox {} \leftorrighthorrightybox {} \leftorrightybox {</pre>  |
| lastrealpage lastrealpagenumber lastsubcountervalue lastsubpagenumber lasttwodigits lastuserpage lastuserpage lastuserpagenumber lateluacode layeredtext layerheight layerwidth lazysavetaggedtwopassdata lazysavetwopassdata lbox leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftline leftorrightbox leftorrightvbox leftorrightvbox  | <pre>\lastrealpage \lastrealpagenumber \lastsubcountervalue [] [] \lastsubpagenumber \lastsubodigits {} \lastuserpage \lastuserpage \lastuserpagenumber \lateluacode {} \layeredtext [=] [=] {} {} \layerheight \layerwidth \lazysavetuopassdata {} {} {} {} \leftbottombox {} \leftbottombox {} \leftbox {} \leftthabeLtexte {} \leftthabeltexte {} \lefttlabeltexte {} \lefttlabeltexte {} \lefttline {} \leftorrightbox {} \le</pre>   |
| lastrealpage lastrealpagenumber lastsubcountervalue lastsubpagenumber lasttwodigits lastuserpage lastuserpage lastuserpagenumber lateluacode layeredtext layerheight layerwidth lazysavetaggedtwopassdata lazysavetwopassdata lbox leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftline leftorrighthbox leftorrightvbox leftorrightvtop leftskipadaption  | <pre>\lastrealpage \lastrealpagenumber \lastsubcountervalue [] [] \lastsubpagenumber \lastsuserpage \lastuserpage \lastuserpagenumber \lateluacode {} \layeredtext [=] [=] {} {} \layerheight \layerwidth \lazysavetuopassdata {} {} {} \lateltottombox {} \leftbottombox {} \leftbox {} \lefthbox {} \lefthabeLtexte {} \lefthabeltexte {} \lefttlabeltexte {} \lefttlabeltexte {} \lefttline {} \lefttorrightbox {} \lefttor</pre>  |
| lastrealpage lastrealpagenumber lastsubcountervalue lastsubpagenumber lasttwodigits lastuserpage lastuserpage lastuserpagenumber lateluacode layeredtext layerheight layerwidth lazysavetaggedtwopassdata lazysavetwopassdata lbox leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftline leftorrightbox leftorrightvbox leftorrightvtop leftskipadaption leftsubguillemot  | <pre>\lastrealpage \lastrealpagenumber \lastsubcountervalue [] [] \lastsubpagenumber \lastsuserpage \lastuserpage \lastuserpagenumber \lateluacode {} \layeredtext [=] [=] {} {} \layerheight \layerwidth \lazysavetaggedtwopassdata {} {} {} \latertagsavetwopassdata {} {} {} \leftbottombox {} \leftbot {} \lefthbox {} \lefthbox {} \lefthbox {} \lefthabeltexte {} \leftlabeltexte {} \leftlabeltexte {} \leftline {} \leftorrighthbox {} \leftorrightybox {} \</pre>  |
| lastrealpage lastrealpagenumber lastsubcountervalue lastsubpagenumber lasttwodigits lastuserpage lastuserpage lastuserpagenumber lateluacode layeredtext layerheight layerwidth lazysavetaggedtwopassdata lazysavetwopassdata lbox leftbottombox leftbox lefthbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftline leftorrightbox leftorrightvbox leftorrightvtop leftskipadaption leftsubguillemot lefttopbox   | <pre>\lastrealpage \lastrealpagenumber \lastsubcountervalue [] [] \lastsubpagenumber \lastsuserpage \lastuserpage \lastuserpagenumber \lateluacode {} \layeredtext [=] [=] {} {} \layerheight \layerwidth \lazysavetaggedtwopassdata {} {} {} \latertagsavetwopassdata {} {} {} \leftbottombox {} \leftbot {} \lefthbox {} \lefthbox {} \lefthabeLtexte {} \lefthabeltexte {} \lefttlabeltexte {} \lefttlabeltexte {} \lefttline {} \leftorrighthbox {} \leftorrightybox {} \leftorrightybox {} \leftorrightybox {} \leftorrightybox {} \leftstipedictitiphox {</pre>   |
| lastrealpage lastrealpagenumber lastsubcountervalue lastsubpagenumber lasttwodigits lastuserpage lastuserpagenumber lateluacode layeredtext layerheight layerwidth lazysavetaggedtwopassdata lazysavetwopassdata lbox leftbottombox leftbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftline leftorrighthbox leftorrightvtop leftskipadaption leftsubguillemot lefttoright   | <pre>\lastrealpage \lastrealpagenumber \lastsubcountervalue [] [] \lastsubpagenumber \lasttwodigits {} \lastuserpage \lastuserpagenumber \lateluacode {} \layeredtext [=] [=] {} {} \layerheight \layerwidth \lazysavetaggedtwopassdata {} {} {} \latertabettombox {} \leftbottombox {} \leftbot {} \leftthox {} \leftthabettexte {} \lefttlabettexte {} \lefttlabeltexte {} \lefttine {} \leftorrightbox {} \leftorrightbox {} \leftorrightvop {} \leftorrightvop {} \leftorrightvop {} \leftsubguillemot \leftsubguillemot \lefttopbox {} \lefttoright</pre>  |
| lastrealpage lastrealpagenumber lastsubcountervalue lastsubpagenumber lasttwodigits lastuserpage lastuserpagenumber lateluacode layeredtext layerheight layerwidth lazysavetaggedtwopassdata lazysavetwopassdata lbox leftbottombox leftbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvtop leftskipadaption leftsubguillemot lefttoright lefttorighthbox  | <pre>\lastrealpage \lastrealpagenumber \lastsubcountervalue [] [] \lastsubpagenumber \lastsuserpage \lastuserpage \lastuserpagenumber \lateluacode {} \layeredtext [=] [=] {} {} \layerheight \layerwidth \lazysavetaggedtwopassdata {} {} {} \latertagsavetwopassdata {} {} {} \leftbot {} \leftbot {} \lefthbox {} \lefthbox {} \lefthbox {} \lefthabeLtexte {} \lefthabeltexte {} \leftraghtline {} \leftrine {} \leftorrighthbox {} \leftorrightybox {} \leftorrightybox {} \leftorrightybox {} \leftorrightybox {} \leftsubguillemot \leftsubguillemot \leftstopbox {} \lefttoright \lefttoright \lefttoright \lefttorighthbox {} \lefttoright \lefttoright \lefttorighthbox {} \lefttoright \lefttorighthbox {} \lefttoright \lefttoright \lefttoright \lefttorighthbox {} \lefttoright \lefttorighthbox {} \lefttoright \lefttoright \lefttorighthbox {} \lefttorighthbox {} \lefttoright \lefttorighthbox {} \lefttorighthox {}</pre>   |
| lastrealpage lastrealpagenumber lastsubcountervalue lastsubpagenumber lasttwodigits lastuserpage lastuserpagenumber lateluacode layeredtext layerheight layerwidth lazysavetaggedtwopassdata lazysavetwopassdata lbox leftbottombox leftbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:mathlabel leftline leftorrightbox leftorrightvbox leftorpbox leftorpbox leftorightlemot leftsubguillemot lefttorightlbox lefttorightbox lefttorightbox   | <pre>\lastrealpage \lastrealpagenumber \lastsubcountervalue [] [] \lastsubpagenumber \lastsuboragenumber \lastsuserpage \lastuserpage \lastuserpagenumber \lateluacode {} \layeredtext [=] [=] {} {} \layerheight \layerwidth \lazysavetaggedtwopassdata {} {} {} \leftbot {} \leftbot {} \leftbot {} \lefthbox {} \lefthbox {} \lefthabeltexte {} \lefthabeltexte {} \leftrine {} \leftorrighthbox {} \leftorrightybox {} \leftorrightybox {} \leftorrightybox {} \leftorrightybox {} \leftsubguillemot \leftsubguillemot \leftsubguillemot \lefttoright \lefttorightybox {} \lefttoright \lefttorightybox {} \lefttoright \lefttorightybox {} \leftybox {} \left</pre>   |
| lastrealpage lastrealpagenumber lastsubcountervalue lastsubpagenumber lasttwodigits lastuserpage lastuserpage lastuserpagenumber lateluacode layeredtext layerheight layerwidth lazysavetaggedtwopassdata lazysavetwopassdata lbox leftbottombox leftbox leftbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:mathlabel leftline leftorrighthbox leftorrightvtop leftskipadaption leftsubguillemot lefttorightbox | <pre>\lastrealpage \lastrealpagenumber \lastsubcountervalue [] [] \lastsubpagenumber \lastsubodigits {} \lastuserpage \lastuserpagenumber \lateluacode {} \layeredtext [=] [=] {} {} \layerheight \layerwidth \lazysavetaggedtwopassdata {} {} {} \leftbottombox {} \leftbot {} \leftbot {} \lefthbox {} \lefthabeltexte {} \lefthabeltexte {} \leftriabeltexte {} \leftorrighthbox {} \leftorrighthox {} \leftorrighthox {} \leftorrighthox {} \leftorrighthox {} \leftorrighthox {} \leftorrighthox {} \leftorrightybox {} \leftorrightybox {} \leftorright \leftorrigh</pre> |
| lastrealpage lastrealpagenumber lastsubcountervalue lastsubpagenumber lasttwodigits lastuserpage lastuserpage lastuserpagenumber lateluacode layeredtext layerheight layerwidth lazysavetaggedtwopassdata lazysavetwopassdata lbox leftbottombox leftbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:label leftline leftorrightbox leftorrightvtop leftskipadaption leftsubguillemot lefttorighthox lefttorighthox lefttorighthox lefttorighthox lefttorighthox  | <pre>\lastrealpage \lastrealpagenumber \lastsubcountervalue [] [] \lastsubpagenumber \lastsuborerpage \lastuserpage \lastuserpagenumber \lateluacode {} \layeredtext [=] [=] {} {} \layeredight \layerwidth \lazysavetaggedtwopassdata {} {} {} \lbox {} \leftbottombox {} \leftbox {} \lefthox {} \lefthabELtexte {} \lefthabeltexte {} \leftrathlabeltexte {} \leftrorighthox {} \leftorrighthox {} \leftorrightybox {} \leftorrightybox {} \leftorrightybox {} \leftorrightybox {} \lefttoright \leftorrightybox {} \lefttoright \lefttoright \lefttoright \lefttoright \lefttoright \lefttoright \lefttoright \lefttorightvbox {} \lefttoright \lefttorightvbox {} \lefttoright \lefttorightvbox {} \left</pre>   |
| lastrealpage lastrealpagenumber lastsubcountervalue lastsubpagenumber lasttwodigits lastuserpage lastuserpage lastuserpagenumber lateluacode layeredtext layerheight layerwidth lazysavetaggedtwopassdata lazysavetwopassdata lbox leftbottombox leftbox leftbox leftlabeltext:instance leftlabeltext:instance:head leftlabeltext:instance:mathlabel leftline leftorrighthbox leftorrightvtop leftskipadaption leftsubguillemot lefttorightbox | <pre>\lastrealpage \lastrealpagenumber \lastsubcountervalue [] [] \lastsubpagenumber \lastsubodigits {} \lastuserpage \lastuserpagenumber \lateluacode {} \layeredtext [=] [=] {} {} \layerheight \layerwidth \lazysavetaggedtwopassdata {} {} {} \leftbottombox {} \leftbot {} \leftbot {} \lefthbox {} \lefthabeltexte {} \lefthabeltexte {} \leftriabeltexte {} \leftorrighthbox {} \leftorrighthox {} \leftorrighthox {} \leftorrighthox {} \leftorrighthox {} \leftorrighthox {} \leftorrighthox {} \leftorrightybox {} \leftorrightybox {} \leftorright \leftorrigh</pre> |

| letcsnamecs                              | \letcsnamecs \csname \endcsname \                        |
|--|--|
| letcsnamecsname                          | \letcsnamecsname \csname \\endcsname \csname \\endcsname |
| letdummyparameter                        | \letdummyparameter {} \                                  |
| letempty                                 | \letempty \  |
| letgvalue<br>letgvalueempty              | \letgvalue {} \  |
| letgvalurelax                            | <pre>\letgvalueempty {} \letgvalurelax {}</pre>          |
| letterampersand                          | \letterampersand   |
| letterat                                 | \letterat  |
| letterbackslash                          | \letterbackslash   |
| letterbar                                | \letterbar   |
| letterbgroup                             | \letterbgroup  |
| letterclosebrace                         | \letterclosebrace  |
| lettercolon                              | \lettercolon   |
| letterdollar                             | \letterdollar  |
| letterdoublequote                        | \letterdoublequote                                       |
| letteregroup                             | \letteregroup  |
| letterescape                             | \letterescape  |
| letterexclamationmark                    | \letterexclamationmark                                   |
| letterhash<br>letterhat                  | \letterhash<br>\letterhat                                |
| letternat<br>letterleftbrace             | \letterlat \letterleftbrace                              |
| letterleftbracket                        | \letterleftbracket                                       |
| letterleftparenthesis                    | \letterleftparenthesis                                   |
| letterless                               | \letterless  |
| lettermore                               | \lettermore  |
| letteropenbrace                          | \letteropenbrace   |
| letterpercent                            | \letterpercent   |
| letterquestionmark                       | \letterquestionmark                                      |
| letterrightbrace                         | \letterrightbrace  |
| letterrightbracket                       | \letterrightbracket                                      |
| letterrightparenthesis                   | \letterrightparenthesis                                  |
| lettersinglequote                        | \lettersinglequote                                       |
| letterslash                              | \letterslash   |
| letterspacing                            | \letterspacing [] {}                                     |
| lettertilde                              | \lettertilde<br>\letterunderscore                        |
| letterunderscore<br>letvalue             | \letterunderscore<br>\letvalue {} \                      |
| letvalueempty                            | \letvalue \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\           |
| letvaluerelax                            | \letvalueempty \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\      |
| lfence                                   | \lfence {}   |
| lhbox                                    | \lhbox {}  |
| ligne                                    | \ligne {}  |
| ligneh                                   | \ligneh  |
| lignenoire                               | \lignenoire [=]  |
| ligneregleetexte                         | \ligneregleetexte [] {}                                  |
| lignesnoires                             | \lignesnoires [=]  |
| limitatefirstline                        | \limitatefirstline \{\ldots\} \{\ldots\}                 |
| limitatelines                            | \limitatelines \{\ldots\} \{\ldots\}                     |
| limitatetext                             | \limitatetext {} {}                                      |
| limitatetext:list                        | \limitatetext {} {} {}                                   |
| linebox                                  | \linebox {}  |
| linespanningtext                         | \linespanningtext {} {}                                  |
| listcitation<br>listcitation:alternative | \listcitation [=] [] \listcitation [] []                 |
| listcitation.alternative                 | \listcitation [] [] \listcitation [=]                    |
| listcite                                 | \listcite [=] []   |
| listcite:alternative                     | \listcite [] []  |
| listcite:userdata                        | \listcite [=] [=]  |
| listnamespaces                           | \listnamespaces  |
| llap                                     | \llap {}   |
| llongueurliste                           | \llongueurliste  |
| loadanyfile                              | \loadanyfile []  |
| loadanyfileonce                          | \loadanyfileonce []                                      |
| loadbtxdefinitionfile                    | \loadbtxdefinitionfile []                                |
| loadbtxreplacementfile                   | \loadbtxreplacementfile []                               |
| loadcldfile                              | \loadcldfile []  |
| loadcldfileonce                          | \loadcldfileonce []                                      |
| loadfontgoodies                          | \loadfontgoodies []                                      |
| loadluafile                              | \loadluafile []  |
| loadluafileonce<br>loadspellchecklist    | \loadluafileonce [] \loadspellchecklist [ ] [ ]          |
| roadsbellcheckilST                       | \loadspellcnecklist                                      |

| loadtexfile                   | \loadtexfile []                             |
|-------------------------------|---|
| loadtexfileonce               | \loadtexfileonce []                         |
| loadtypescriptfile            | \loadtypescriptfile []                      |
| localframed                   | \localframed [] [=] {}                      |
| localframedwithsettings       | \localframedwithsettings [] [=] {}          |
| localhsize                    | \localhsize                                 |
| localpopbox                   | \localpopbox                                |
| localpopmacro                 | \localpopmacro \                            |
| localpushbox                  | \localpushbox                               |
| localpushmacro                | \localpushmacro \                           |
| localundefine                 | \localundefine {}                           |
| locatedfilepath               | \locatedfilepath                            |
|                               |   |
| locatefilepath<br>locfilename | \locatefilepath {} \locfilename {}          |
| lomihi                        | \lomini \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ |
|                               |   |
| lowerbox                      | \lowerbox {} \ {}                           |
| lowercased                    | \lowercased {}                              |
| lowercasestring               | \lowercasestring \to \                      |
| lowerleftdoubleninequote      | \lowerleftdoubleninequote                   |
| lowerleftsingleninequote      | \lowerleftsingleninequote                   |
| lowerrightdoubleninequote     | \lowerrightdoubleninequote                  |
| lowerrightsingleninequote     | \lowerrightsingleninequote                  |
| lowhigh:instance              | \LOWHIGH [] {} {}                           |
| lowmidhigh:instance           | \LOWMIDHIGH {} {}                           |
| lrtbbox                       | \lrtbbox {} {} {} {}                        |
| ltop                          | \ltop {}                                    |
| luacode                       | \luacode {}                                 |
| luaconditional                | \luaconditional \                           |
| luaenvironment                | \luaenvironment                             |
| luaexpanded                   | \luaexpanded {}                             |
| luaexpr                       | \luaexpr {}                                 |
| luafunction                   | \luafunction {}                             |
| luajitTeX                     | \luajitTeX                                  |
| luamajorversion               | \luamajorversion                            |
| luaminorversion               | \luaminorversion                            |
| luaparameterset               | \laparameterset \{\ldots\}                  |
| luasetup                      | \luasetup {}                                |
| luaTeX                        | \luaTeX                                     |
| luaversion                    | \luaversion                                 |
| METAFONT                      | \METAFONT                                   |
| METAFUN                       | \METAFUN                                    |
| METAPOST                      | \METAPOST                                   |
| MetaFont                      | \MetaFont                                   |
| MetaFun                       |   |
|                               | \MetaFun                                    |
| MetaPost                      | \MetaPost                                   |
| MKII                          | \MKII                                       |
| MKIV                          | MKIV  |
| MKIX                          | MKIX  |
| MKVI                          | MKVI  |
| MKXI                          | MKXI  |
| MOIS                          | \MOIS {}                                    |
| MONTHLONG                     | \MONTHLONG {}                               |
| MONTHSHORT                    | \MONTHSHORT {}                              |
| MOT                           | \MOT {}                                     |
| MOTS                          | \MOTS {}                                    |
| Mot                           | \Mot {}                                     |
| Mots                          | \Mots {}                                    |
| MPanchor                      | \MPanchor {}                                |
| MPbetex                       | \MPbetex {}                                 |
| MPc                           | \MPc {}                                     |
| MPcode                        | \MPcode {} {}                               |
| MPcolor                       | \MPcolor {}                                 |
| MPcoloronly                   | \MPcoloronly {}                             |
| MPcolumn                      | \MPcolumn {}                                |
| MPd                           | \MPd {}                                     |
| MPdrawing                     | \MPdrawing {}                               |
| MPfontsizehskip               | \MPfontsizehskip {}                         |
| MPgetmultipars                | \MPgetmultipars {} {}                       |
| MPgetmultishape               | \MPgetmultishape \{\ldots\} \{\ldots\}      |
| MPgetposboxes                 | \MPgetposboxes {} {}                        |
| MPh                           | \MPh {}                                     |
|                               |   |
| MPII                          | \MPII                                       |

| MPIV  | \MPIV                                       |
|---|---|
| MPinclusions  | \MPinclusions [] {} {}                      |
| MPleftskip  | \MPleftskip {}                              |
| MP11  | \MP11 {}                                    |
| MPlr  | \MPlr {}                                    |
| MPls  | \MPls {}                                    |
| MPmenubuttons   | \MPmenubuttons {}                           |
| MPn   | \MPn {}                                     |
| MPoptions   | \MPoptions {}                               |
| MPoverlayanchor   | \MPoverlayanchor {}                         |
| MPp   | \MPp {}                                     |
| MPpage  | \MPpage {}                                  |
| MPpardata   | \MPpardata {}                               |
| MPplus<br>MPpeg   | \MPplus {} {}<br>\MPpos {}                  |
| MPpos<br>MPpositiongraphic  | \MPpositiongraphic {} {=}                   |
| MPposset  | \MPposset {}                                |
| MPr   | \MPr {}                                     |
| MPrawvar  | \MPrawvar {} {}                             |
| MPregion  | \MPregion {}                                |
| MPrest  | \MPrest {} {}                               |
| MPrightskip   | \MPrightskip {}                             |
| MPrs  | \MPrs {}                                    |
| MPstring  | \MPstring {}                                |
| MPtext  | \MPtext {}                                  |
| MPtransparency  | \MPtransparency {}                          |
| MPul  | \MPul {}                                    |
| MPur  | \MPur {}                                    |
| MPVI  | \MPVI                                       |
| MPv   | \MPv {} {}                                  |
| MPvar   | \MPvar {}                                   |
| MPvariable  | \MPvariable {}                              |
| MPvv  | \MPvv {} {}                                 |
| MPw   | \MPw {}                                     |
| MPwhd   | \MPwhd {}                                   |
| MPx<br>MD   | \MPx {}                                     |
| MPxy  | \MPxy {}<br>\MPxywhd {}                     |
| MPxywhd<br>MPy  | \MPy {}                                     |
| m   | \m [] {}                                    |
| makecharacteractive   | \makecharacteractive                        |
| makerawcommalist  | \makerawcommalist [] \                      |
| makestrutofbox  | \makestrutofbox                             |
| manuscript  | \manuscript                                 |
| mapfontsize   | \mapfontsize [] []                          |
| margindata  | \margindata [] [=] [=] {}                   |
| margindata:instance   | \MARGINDATA [=] [=] {}                      |
| margindata:instance:atleftmargin                                    | \atleftmargin [=] [=] {}                    |
| margindata:instance:atrightmargin                                   | \atrightmargin [=] [=] {}                   |
| margindata:instance:ininner   | \ininner [=] [=] {}                         |
| margindata:instance:ininneredge                                     | \ininneredge [=] [=] {}                     |
| margindata:instance:ininnermargin                                   | \ininnermargin [=] [=] {}                   |
| margindata:instance:inleft  | \inleft [=] [=] {}                          |
| margindata:instance:inleftedge                                      | \inleftedge [=] [=] {}                      |
| margindata:instance:inleftmargin                                    | \inleftmargin [=] [=] {}                    |
| <pre>margindata:instance:inmargin margindata:instance:inother</pre> | \inmargin [=] [=] {}<br>\inother [=] [=] {} |
| margindata:instance:inouter   | \inouter [=] [=] {}                         |
| margindata:instance:inouteredge                                     | \inouteredge [=] [=] {}                     |
| margindata:instance:inoutermargin                                   | \inoutermargin [=] [=] {}                   |
| margindata:instance:inright   | \inright [=] [                              |
| margindata:instance:inrightedge                                     | \inrightedge [=] [=] {}                     |
| margindata:instance:inrightmargin                                   | \inrightmargin [=] [=] {}                   |
| margindata:instance:margintext                                      | \margintext [=] [=] {}                      |
| markcontent   | \markcontent [] {}                          |
| markedpages   | \markedpages []                             |
| markinjector  | \markinjector []                            |
| markpage  | \markpage [] []                             |
| marquage  | \marquage (,) (,) []                        |
| marquepage  | \marquepage [] {}                           |
| mat   | \mat {}                                     |
| math  | \math [] {}                                 |
|   |   |

| mathbf   | \mathbf   |
|--|---|
| mathbi   | \mathbi   |
| mathblackboard   | \mathblackboard                                       |
| mathbs   | \mathba   |
| mathcommand:example  | \MATHCOMMAND {} {}                                    |
| mathdefault  | \mathdefault  |
| mathdouble   | \mathdouble [] {} {} {}                               |
| mathdoubleextensible:instance  | \MATHDOUBLEEXTENSIBLE \{\ldots\} \\\                  |
| mathdoubleextensible:instance:doublebar  | \doublebar \{\ldots\} \\                              |
| mathdoubleextensible:instance:doublebrace  | \doublebrace \{\ldots\} \\\                           |
|  |   |
| mathdoubleextensible:instance:doublebracket  | \doublebracket \{\doublebracket \{\doublebracket \}\} |
| mathdoubleextensible:instance:doubleparent   | \doubleparent \{\ldots\}                              |
| mathdoubleextensible:instance:overbarunderbar                                      | \overbarunderbar \{\ldots\}                           |
| mathdoubleextensible:instance:overbraceunderbrace                                  | \overbraceunderbrace \{\dots\} \{\dots\}              |
| mathdoubleextensible:instance:overbracketunderbracket                              | \overbracketunderbracket \{\dots\} \{\dots\}          |
| mathdoubleextensible:instance:overparentunderparent                                | \overparentunderparent \{\ldots\} \{\ldots\}          |
| mathematique   | \mathematique [] {}                                   |
| mathextensible:instance  | \MATHEXTENSIBLE \{\ldots\}\\                          |
| mathextensible:instance:cleftarrow   | \cleftarrow \{\ldots\} \{\ldots\}                     |
| mathextensible:instance:crightarrow  | \crightarrow {} {}                                    |
| mathextensible:instance:crightoverleftarrow  | \crightoverleftarrow \{\ldots\} \{\ldots\}            |
| mathextensible:instance:eleftarrowfill   | \eleftarrowfill {} {}                                 |
| mathextensible:instance:eleftharpoondownfill                                       | $\left\{\right\} $                                    |
| mathextensible:instance:eleftharpoonupfill   | \eleftharpoonupfill {} {}                             |
| mathextensible:instance:eleftrightarrowfill  | \eleftrightarrowfill {} {}                            |
| mathextensible:instance:eoverbarfill   | \eoverbarfill {} {}                                   |
| mathextensible:instance:eoverbracefill   | \eoverbracefill {} {}                                 |
| mathextensible:instance:eoverbracketfill   | \eoverbracketfill {} {}                               |
| mathextensible:instance:eoverparentfill  | \eoverparentfill {} {}                                |
| mathextensible:instance:erightarrowfill  | \erightarrowfill {} {}                                |
| mathextensible:instance:erightharpoondownfill                                      | $\ensuremath{\mbox{\colored}}$                        |
| mathextensible:instance:erightharpoonupfill  | \erightharpoonupfill $\{\}$ $\{\}$                    |
| mathextensible:instance:etwoheadrightarrowfill                                     | \etwoheadrightarrowfill {} {}                         |
| mathextensible:instance:eunderbarfill  | \eunderbarfill {} {}                                  |
| mathextensible:instance:eunderbracefill  | \eunderbracefill {} {}                                |
| mathextensible:instance:eunderbracketfill  | \eunderbracketfill {} {}                              |
| mathextensible:instance:eunderparentfill   | \eunderparentfill {} {}                               |
| mathextensible:instance:mequal   | \mequal \{\} \{\}                                     |
| mathextensible:instance:mhookleftarrow   | \mhookleftarrow {} {}                                 |
| mathextensible:instance:mhookrightarrow  | \mhookrightarrow {} {}                                |
| mathextensible:instance:mLeftarrow   | \mLeftarrow {} {}                                     |
| mathextensible:instance:mLeftrightarrow  | \mLeftrightarrow {} {}                                |
| mathextensible:instance:mleftarrow   | \mleftarrow {} {}                                     |
| mathextensible:instance:mleftharpoondown   | \mleftharpoondown {} {}                               |
| mathextensible:instance:mleftharpoonup   | \mleftharpoonup {} {}                                 |
| mathextensible:instance:mleftrightarrow  | \mleftrightarrow {} {}                                |
| mathextensible:instance:mleftrightharpoons   | \mleftrightharpoons {} {}                             |
| mathextensible:instance:mmapsto  | \mmapsto {} {}  |
| mathextensible:instance:mRightarrow  | \mRightarrow {} {}                                    |
| mathextensible:instance:mrel   | \mrel {} {}   |
| mathextensible:instance:mrightarrow  | \mrightarrow {} {}                                    |
| mathextensible:instance:mrightharpoondown  | \mrightharpoondown {} {}                              |
| mathextensible:instance:mrightharpoonup  | \mrightharpoonup {} {}                                |
| mathextensible:instance:mrightleftharpoons   | \mrightleftharpoons {} {}                             |
| mathextensible:instance:mrightoverleftarrow  | \mrightoverleftarrow \{\cdots\} \\\.\}                |
| mathextensible:instance:mtriplerel   | \mtriplerel {} {}                                     |
| mathextensible:instance:mtwoheadleftarrow  | \mtwoheadleftarrow \{\ldots\}                         |
| mathextensible:instance:mtwoheadrightarrow   | \mtwoheadrightarrow {} {}                             |
| mathextensible:instance:tequal   | \tequal {} {}   |
| mathextensible:instance:thookleftarrow   | \thookleftarrow \{\} \{\}                             |
| mathextensible:instance:thookrightarrow  | \thookrightarrow \{\dots\} \\\                        |
| mathextensible:instance:tLeftarrow   | \tLeftarrow {} {}                                     |
| mathextensible:instance:tLeftrightarrow  | \tLeftrightarrow \{\ldots\} \\\                       |
| <u> </u>   | \tleftarrow {} {}                                     |
| mathextensible:instance:tleftarrow mathextensible:instance:tleftharpoondown        |   |
| mathextensible:instance:tleftharpoondown mathextensible:instance:tleftharpoonup    | \tleftharpoonum \ \ \tleftharpoonum \ \ \ \           |
| mathextensible:instance:tleftharpoonup   | \tleftharpoonup {} {}                                 |
| mathextensible:instance:tleftrightarrow mathextensible:instance:tleftrightharpoons | \tleftrightharpoons { } {}                            |
| mathextensible:instance:tleftrightharpoons   | \tleftrightharpoons {} {}                             |
| mathextensible:instance:tmapsto  | \tmapsto {} {}  |
| mathextensible:instance:tRightarrow mathextensible:instance:trel                   | \tRightarrow \\\} \\\}                                |
|  | \trel {} {}   |
| mathextensible:instance:trightarrow  | \trightarrow {} {}                                    |

| mathextensible:instance:trightharpoondown   | \trightharpoondown {} {}  |
|---|---|
| mathextensible:instance:trightharpoonup   | \trightharpoonup {} {}  |
| mathextensible:instance:trightleftharpoons  | \trightleftharpoons \{\ldots\} \{\ldots\}   |
| mathextensible:instance:trightoverleftarrow   | \trightoverleftarrow \{\dots\} \{\dots\}  |
| mathextensible:instance:ttriplerel  | \ttriplerel {} {}   |
| mathextensible:instance:ttwoheadleftarrow   | \ttwoheadleftarrow {} {}  |
| mathextensible:instance:ttwoheadrightarrow  | \ttwoheadrightarrow {} {}   |
| mathextensible:instance:xequal  | \xequal \{\} \\\  |
| mathextensible:instance:xhookleftarrow  | \xhookleftarrow \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   |
| mathextensible:instance:xhookrightarrow mathextensible:instance:xLeftarrow  | \xhookrightarrow {} {}<br>\xLeftarrow {} {}   |
|   | \xLeftrightarrow \\\} \\\}  |
| <pre>mathextensible:instance:xLeftrightarrow mathextensible:instance:xleftarrow</pre>   | \xleftarrow \\\} \\\}   |
| mathextensible:instance:xleftharpoondown  | \xleftharpoondown \\\} \\\}   |
| mathextensible:instance:xleftharpoonup  | \xleftharpoonup \{\ldots\}  |
| mathextensible:instance:xleftrightarrow   | \xleftrightarrow {} {}  |
| mathextensible:instance:xleftrightharpoons  | \xleftrightharpoons {} {}   |
| mathextensible:instance:xmapsto   | \xmapsto {} {}  |
| mathextensible:instance:xRightarrow   | \xRightarrow {} {}  |
| mathextensible:instance:xrel  | \xrel {} {}   |
| mathextensible:instance:xrightarrow   | \xrightarrow {} {}  |
| mathextensible:instance:xrightharpoondown   | \xrightharpoondown {} {}  |
| mathextensible:instance:xrightharpoonup   | \xrightharpoonup {} {}  |
| mathextensible:instance:xrightleftharpoons  | \xrightleftharpoons {} {}   |
| mathextensible:instance:xrightoverleftarrow   | \xrightoverleftarrow {} {}  |
| mathextensible:instance:xtriplerel  | \xtriplerel {} {}   |
| mathextensible:instance:xtwoheadleftarrow   | \xtwoheadleftarrow {} {}  |
| mathextensible:instance:xtwoheadrightarrow  | \xtwoheadrightarrow {} {}   |
| mathfraktur   | \mathfraktur  |
| mathframed:instance   | \MATHFRAMED [=] {}  |
| mathframed:instance:inmframed   | \inmframed [=] {}   |
| mathframed:instance:mcframed  | \mcframed [=] {}  |
| mathframed:instance:mframed   | \mframed [=] {}   |
| mathfunction  | \mathfunction {}  |
| mathit  | \mathit   |
| mathitalic  | \mathitalic   |
| mathmatrix  | \MATHMATRIX {}  |
| mathop  | \mathop {}  |
| mathornament:example  | \MATHORNAMENT {}  |
| mathover  | \mathover [] {}   |
| mathoverextensible:example  | \MATHOVEREXTENSIBLE {}  |
| mathovertextextensible:instance   | \MATHOVERTEXTEXTENSIBLE {} {}   |
| mathradical:example   | \MATHRADICAL [] {}  |
| mathrm  | \mathrm   |
| mathscript  | \mathscript   |
| mathsl  | \maths1   |
| mathss  | \mathss   |
| mathtext  | \mathtext {}  |
| mathtextbf  | \mathtextbf {}  |
| mathtextbi  | \mathtextbi {}  |
| mathtextbs  | \mathtextbs {}  |
| mathtextit  | \mathtextit {}  |
| mathtextsl  | \mathtextsl {}  |
| mathtexttf  | \mathtexttf {}  |
| mathtf  | \mathtf   |
|   | ,   |
| mathtriplet   | \mathtriplet [] {} {} {}  |
| mathtriplet:example   | \mathtriplet [] {} {} {} \MATHTRIPLET [] {} {} {}   |
| mathtriplet:example mathtt  | \mathtriplet [] {} {} {} \MATHTRIPLET [] {} {} {} \mathtt   |
| mathtriplet:example mathtt mathunder  | \mathtriplet [] {} {} {} \MATHTRIPLET [] {} {} {} \mathtt \mathunder [] {} {}   |
| mathtriplet:example mathtt mathunder mathunderextensible:example  | \mathtriplet [] {} {} {} \MATHTRIPLET [] {} {} {} \mathtt \mathunder [] {} {} \MATHUNDEREXTENSIBLE {}   |
| mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance   | \mathtriplet [] {} {} {} \MATHTRIPLET [] {} {} {} \mathtt \mathunder [] {} {} \MATHUNDEREXTENSIBLE {} \MATHUNDERTEXTEXTENSIBLE {} {}  |
| <pre>mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example</pre>  | \mathtriplet [] {} {} {} \MATHTRIPLET [] {} {} {} \mathtt \mathunder [] {} {} \MATHUNDEREXTENSIBLE {} \MATHUNDEREXTEXTENSIBLE {} {} \MATHUNSTACKED  |
| mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright   | <pre>\mathtriplet [] {} {} {} \MATHTRIPLET [] {} {} {} \mathtt \mathunder [] {} {} \MATHUNDEREXTENSIBLE {} \MATHUNDEREXTEXTENSIBLE {} {} \MATHUNSTACKED \mathupright</pre>  |
| mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword  | <pre>\mathtriplet [] {} {} {} \MATHTRIPLET [] {} {} {} \mathtt \mathunder [] {} {} \MATHUNDEREXTENSIBLE {} \MATHUNDERTEXTEXTENSIBLE {} {} \MATHUNSTACKED \mathupright \mathword {}</pre>  |
| mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathword   | \mathtriplet [] {} {} {} \ \MATHTRIPLET [] {} {} {} \ \mathtt \mathunder [] {} {} \ \MATHUNDEREXTENSIBLE {} \ \MATHUNDERTEXTEXTENSIBLE {} {} \ \MATHUNSTACKED \mathupright \mathword {} \ \mathwordbf {}  |
| mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi  | \mathtriplet [] {} {} {} \ \MATHTRIPLET [] {} {} {} \ \mathtt \mathunder [] {} {} \ \MATHUNDEREXTENSIBLE {} \ \MATHUNDERTEXTEXTENSIBLE {} {} \ \MATHUNSTACKED \mathupright \mathword {} \ \mathwordbf {} \ \mathwordbi {}   |
| mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs   | \mathtriplet [] {} {} {} \ \MATHTRIPLET [] {} {} {} \ \mathtt \mathunder [] {} {} \ \MATHUNDEREXTENSIBLE {} \ \MATHUNDERTEXTEXTENSIBLE {} {} \ \MATHUNSTACKED \mathupright \mathword {} \ \mathwordbf {} \ \mathwordbi {} \ \mathwordbs {} \ \mathwordbs {}   |
| mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwordit                                  | \mathtriplet [] {} {} {} \ \MATHTRIPLET [] {} {} {} \ \mathtt \mathunder [] {} {} \ \MATHUNDEREXTENSIBLE {} \ \MATHUNDERTEXTEXTENSIBLE {} {} \ \MATHUNSTACKED \mathupright \mathword {} \ \mathwordbf {} \ \mathwordbf {} \ \mathwordbs {} \ \mathwordbs {} \ \mathwordbs {} \ \mathwordbt {} \                                      |
| mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwordit mathwordsl                       | \mathtriplet [] {} {} {} \ \MATHTRIPLET [] {} {} {} \ \mathtt \mathunder [] {} {} \ \MATHUNDEREXTENSIBLE {} \ \MATHUNDERTEXTEXTENSIBLE {} {} \ \MATHUNSTACKED \mathupright \mathword {} \ \mathwordbi {} \ \mathwordbi {} \ \mathwordbi {} \ \mathwordbi {} \ \mathword 1 {} \ \mathword 1 {} \ \mathword 1 {} \ \mathword 1 {} \  |
| mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwordit mathwordsl mathwordsl mathwordsl | \mathtriplet [] {} {} {} \ \MATHTRIPLET [] {} {} {} \ \mathtt \mathunder [] {} {} \ \MATHUNDEREXTENSIBLE {} \ \MATHUNDERTEXTEXTENSIBLE {} {} \ \MATHUNSTACKED \mathupright \mathword {} \ \mathwordbi {} \ \mathwordbi {} \ \mathwordbi {} \ \mathword 1 {} \                                  |
| mathtriplet:example mathtt mathunder mathunderextensible:example mathundertextextensible:instance mathunstacked:example mathupright mathword mathwordbf mathwordbi mathwordbs mathwordit mathwordsl                       | \mathtriplet [] {} {} {} \ \MATHTRIPLET [] {} {} {} \ \mathtt \mathunder [] {} {} \ \MATHUNDEREXTENSIBLE {} \ \MATHUNDERTEXTEXTENSIBLE {} {} \ \MATHUNSTACKED \mathupright \mathword {} \ \mathwordbi {} \ \mathwordbi {} \ \mathwordbi {} \ \mathwordbi {} \ \mathword {} \ |

|                                | \   |
|--------------------------------|---|
| measure                        | \measure {}   |
| measured                       | \measured {}  |
| medskip                        | \medskip  |
| medspace                       | \medspace   |
|                                | \menuinteraction [] [=]   |
| 3                              | \message {}   |
| metaTeX                        | \metaTeX  |
| mfence                         | \mfence {}  |
| nfunction                      | \mfunction {}   |
| nfunctionlabeltext             | \mfunctionlabeltext {}  |
| nhbox                          | \mhbox {}   |
| middlealigned                  | \middlealigned {}   |
| middlebox                      | \middlebox {}   |
| midhbox                        | \midhbox {}   |
| midsubsentence                 | \midsubsentence   |
| milieu                         | \milieu   |
| minimalhbox                    | \minimalhbox {}   |
| nixedcaps                      | \mixedcaps {}   |
| mkvibuffer                     | \mkvibuffer []  |
|                                | \moduleparameter {} {}  |
| nois                           | \mois {}  |
| molecule                       | \molecule {}  |
|                                |   |
| mono                           | \mono   |
| monogras                       | \monogras   |
| mononormal                     | \mononormal   |
| monthlong                      | \monthlong {}   |
| monthshort                     | \monthshort {}  |
| montrecadre                    | \montrecadre [] []  |
| montrecouleur                  | \montrecouleur []   |
| montredisposition              | \montredisposition []   |
| montreedition                  | \montreedition [] [=]   |
| montreenvironnementpolicecorps | \montreenvironnementpolicecorps []                                  |
| montregrille                   | \montregrille []  |
| montregroupecouleur            | \montregroupecouleur [] []  |
| montrejeusymboles              | \montrejeusymboles []   |
| • •                            | \montremakeup []  |
|                                | \montrepalette [] []  |
|                                | \montrepolicecorps []   |
| montrereglages                 | \montrereglages []  |
| montrestruts                   | \montrestruts   |
| not                            | \mot {}   |
|                                | \motdroit [] {}   |
|                                |   |
| mprandomnumber                 | \mprandomnumber   |
| ntext                          | \mtext {}   |
|                                | \NormalizeFontHeight \ \{\} \{\}                                    |
|                                | \NormalizeFontWidth \ \{\} \{\}                                     |
|                                | \NormalizeTextHeight \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
|                                | \NormalizeTextWidth {} {} {}  |
| Numeros                        | \Numeros {}   |
| namedheadnumber                | \namedheadnumber {}   |
| namedstructureheadlocation     | \namedstructureheadlocation {}                                      |
| namedstructureuservariable     | $\n$  |
| namedstructurevariable         | \namedstructurevariable $\{\ldots\}$ $\{\ldots\}$                   |
| namedtaggedlabeltexts          | $\verb \namedtaggedlabeltexts {} {} {} {} $                         |
| naturalhbox                    | \naturalhbox {}   |
| naturalhpack                   | \naturalhpack {}  |
| naturalvbox                    | \naturalvbox {}   |
| naturalvcenter                 | \naturalvcenter {}  |
| naturalvpack                   | \naturalvpack {}  |
|                                | \naturalvtop {}   |
| naturalwd                      | \naturalwd  |
| negatecolorbox                 | \negatecolorbox   |
| negated                        | \negated {}   |
| negemspace                     | \negated \(\text{\colored}\)  |
| 9 -                            | . •   |
| negenspace                     | \negenspace   |
| negthinspace                   | \negthinspace   |
| newattribute                   | \newattribute \   |
| newcatcodetable                | \newcatcodetable \  |
| newcounter                     | \newcounter \   |
| newevery                       | \newevery \ \   |
| . •                            | \newfrenchspacing   |
| normodo                        | \normado \ \  |

| newsignal                               | \newsignal \  |
|---|---|
| newsystemmode                           | \newsystemmode {}   |
| nextbox                                 | \nextbox  |
| nextboxdp<br>nextboxht                  | \nextboxdp  |
| nextboxhtdp                             | \nextboxht \nextboxhtdp   |
| nextboxwd                               | \nextboxwd  |
| nextcounter                             | \nextboxwd  |
| nextcountervalue                        | \nextcountervalue []  |
| nextdepth                               | \nextdepth  |
| nextparagraphs                          | \nextparagraphs   |
| nextparagraphs:example                  | \suivantPARAGRAPHS  |
| nextrealpage                            | \nextrealpage   |
| nextrealpagenumber                      | \nextrealpagenumber   |
| nextsubcountervalue                     | \nextsubcountervalue [] []  |
| nextsubpagenumber                       | \nextsubpagenumber  |
| nextuserpage                            | \nextuserpage   |
| nextuserpagenumber                      | \nextuserpagenumber   |
| nocap                                   | \nocap {}   |
| nocharacteralign                        | \nocharacteralign   |
| nocitation                              | \nocitation []  |
| nocitation:direct                       | \nocitation {}  |
| nocite                                  | \nocite []  |
| nocite:direct                           | \nocite {}  |
| nodetostring                            | \nodetostring \ \{\}  |
| noffigurepages                          | \noffigurepages   |
| noflines                                | \noflines   |
| noflocalfloats                          | \noflocalfloats   |
| noheightstrut<br>noindentation          | \noheightstrut<br>\noindentation  |
| noitem                                  | \noitem   |
| nonfrenchspacing                        | \nonfrenchspacing   |
| nonmathematics                          | \nonmathematics {}  |
| normal                                  | \normal   |
| normalboldface                          | \normalboldface   |
| normalframedwithsettings                | \normalframedwithsettings [=] {}  |
| normalitalicface                        | \normalitalicface   |
| normalizebodyfontsize                   | \normalizebodyfontsize \ {}   |
| normalizedfontsize                      | \normalizedfontsize   |
| normalizefontdepth                      | \normalizefontdepth \ $\{\}$ $\{\}$   |
| normalizefontheight                     | $\label{local_normalize} $$\operatorname{normalize} fontheight $$\ldots $$\{\ldots\} $$\{\ldots\} $$$ |
| normalizefontline                       | \normalizefontline \ $\{\}$ $\{\}$  |
| normalizefontwidth                      | $\verb  normalizefontwidth   {} {} {}  $  |
| normalizetextdepth                      | \normalizetextdepth \{\ldots\} \{\ldots\}   |
| normalizetextheight                     | \normalizetextheight \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\                                   |
| normalizetextline                       | \normalizetextline \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\                                     |
| normalizetextwidth                      | \normalizetextwidth {} {} {}  |
| normalpetit                             | \normalpetit \normalslantedface   |
| normalslantedface normaltypeface        | \normaltypeface   |
| note                                    | \note []  |
| noteligne:instance                      | \LINENOTE {}  |
| noteligne:instance:linenote             | \linenote {}  |
| notesymbol                              | \notesymbol [] []   |
| note:instance                           | \NOTE [] {}   |
| note:instance:assignment                | \NOTE [=]   |
| note:instance:assignment:endnote        | \endnote [=]  |
| note:instance:assignment:footnote       | \footnote [=]   |
| note:instance:endnote                   | \endnote [] {}  |
| note:instance:footnote                  | \footnote [] {}   |
| notragged                               | \notragged  |
| ntimes                                  | \ntimes {} {}   |
| numberofpoints                          | \numberofpoints {}  |
| numeroformule                           | \numeroformule []   |
| numeropage                              | \numeropage   |
| numeros                                 | \numeros {}   |
| numerotete                              | \numerotete [] [] \numerotetecourant  |
| numerotetecourant                       | ·   |
| obeydepth<br>objectdepth                | \obeydepth \objectdepth   |
| objectheight                            | \objectdepth \objectheight  |
| objectmergin                            | \objectmergin   |
| · · · J · · · · · · · · · · · · · · · · |   |

| objectwidth                                | \objectwidth  |
|--|---|
| obox                                       | \obox {}  |
| obtientmarquage                            | \obtientmarquage [] []  |
| offset                                     | \offset [=] {}  |
| offsetbox                                  | \offsetbox [=] \ {}   |
| onedigitrounding                           | \onedigitrounding {}  |
| ordinaldaynumber                           | \ordinaldaynumber {}  |
| ordinalstr                                 | \ordinalstr {}  |
| oriente                                    | \oriente [=] {}   |
| ornamenttext:collector                     | \ornamenttext [=] [=] {} {}   |
| ornamenttext:direct                        | \ornamenttext [] {} {}  |
| ornamenttext:layer                         | \ornamenttext [=] [=] {} {}   |
| ornament:example                           | \ORNAMENT {} {}   |
| outputfilename                             | \outputfilename   |
| outputstreambox                            | \outputstreambox []   |
| outputstreamcopy                           | \outputstreamcopy []  |
| outputstreamunvbox                         | \outputstreamunvbox []  |
| outputstreamunvcopy                        | \outputstreamunvcopy []   |
| over                                       | \over []  |
| overlaybutton                              | \overlaybutton []   |
| overlaybutton:direct                       | \overlaybutton {}   |
| overlaycolor                               | \overlaycolor   |
| overlaydepth                               | \overlaydepth   |
| overlayfigure                              | \overlayfigure {}   |
| overlayheight                              | \overlayheight  |
| overlayimage                               | \overlayimage {}  |
| overlaylinecolor                           | \overlaylinecolor   |
| overlaylinewidth                           | \overlaylinewidth   |
| overlayoffset                              | \overlayoffset  |
| overlayrollbutton                          | \overlayrollbutton [] []  |
| overlaywidth                               | \overlaywidth   |
| overloaderror                              | \overloaderror  |
| overset                                    | \overset {} {}  |
| PDFcolor                                   | \PDFcolor {}  |
| PDFETEX                                    | \PDFETEX  |
| PDFTEX                                     | \PDFTEX   |
| PICTEX                                     | \PICTEX   |
| PiCTeX                                     | \PiCTeX   |
| PointsToBigPoints                          | \PointsToBigPoints {} \   |
| PointsToReal                               | \PointsToReal {} \  |
| PointsToWholeBigPoints                     | \PointsToWholeBigPoints {} \  |
| PPCHTEX                                    | \PPCHTEX  |
| PPCHTeX                                    | \PPCHTeX  |
| PRAGMA                                     | \PRAGMA   |
| PtToCm                                     | \PtToCm {}  |
| page                                       | \page []  |
| pagearea                                   | \pagearea [] []   |
| pagebreak                                  | \pagebreak []   |
| pagefigure                                 | \pagefigure [] [=]  |
| pageinjection                              | \pageinjection [] [=]   |
| pageinjection:assignment                   | \pageinjection [=] [=]  |
| pagestaterealpage                          | \pagestaterealpage {} {}  |
| pagestaterealpageorder                     | \pagestaterealpageorder {} {}   |
| paletsize                                  | \paletsize  |
| paragraphs:example                         | \PARAGRAPHS   |
| pdfactualtext                              | \pdfactualtext {} {}  |
| pdfbackendactualtext                       | \pdfbackendactualtext {} {}   |
| pdfbackendcurrentresources                 | \pdfbackendcurrentresources   |
| pdfbackendsetcatalog                       | \pdfbackendsetcatalog {} {}   |
| pdfbackendsetcolorspace                    | \pdfbackendsetcolorspace {} {}  |
| pdfbackendsetextgstate                     | \pdfbackendsetextgstate {} {}   |
| pdfbackendsetinfo                          | \pdfbackendsetinfo {} {}  |
| pdfbackendsetname                          | \pdfbackendsetname {} {}  |
| pdfbackendsetpageattribute                 | \pdfbackendsetpageattribute \{\dots\} \{\dots\}                                       |
| pdfbackendsetpageresource                  | \pdfbackendsetpageresource {} {}  |
| pdfbackendsetpagesattribute                | \pdfbackendsetpagesattribute \{\ldots\} \{\ldots\}                                    |
| pdfbackendsetpattern<br>pdfbackendsetshade | \pdfbackendsetpattern \{\ldots\} \{\ldots\} \pdfbackendsetshade \{\ldots\} \{\ldots\} |
| pdfcolor                                   | \pdfcolor \{\dots\}   |
| pdfeTeX                                    | \pdfeTeX  |
| pdfTeX                                     | \pdfTeX   |
| percent                                    | \percent  |
| Por come                                   | /Por com  |

| percentdimen                                   | \percentdimen \{\ldots\} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \   |
|--|--|
| periodes                                       | \periodes []   |
| periodes:assignment                            | \periodes [=]  |
| permitcaretescape                              | \permitcaretescape   |
| permitcircumflexescape                         | \permitcircumflexescape  |
| permitspacesbetweengroups                      | \permitspacesbetweengroups   |
| persiandecimals                                | \persiandecimals {}  |
| persiannumerals                                | \persiannumerals {}  |
| petit  | \petit   |
| petitepolicecorps                              | \petitepolicecorps   |
| petittype                                      | \petittype   |
| phantom  | \phantom {}  |
| phantombox                                     | \phantombox [=]  |
|  | \pickupgroupedcommand {} {} {}   |
|  | \pilechamp [] [=]  |
| -  | \placeattachments  |
|  | \placebtxrendering [] [=]  |
| placecitation                                  | \placecitation []  |
| placecomments                                  | \placecomments   |
| <u> </u>                                       | \placecoteacote {} {}  |
| placecurrentformulanumber                      | \placecurrentformulanumber   |
| •  | \placedbox {}  |
|  | $\label{localization} $$ \prod_{i=1}^{n} [\ldots] [\ldots] [\ldots] {\ldots} $$ : \label{localization} $$ \end{substitute} $$ \prod_{i=1}^{n} [\ldots] [\ldots] {\ldots} $$ : \label{localization} $$ : \label{localization} $$ \end{substitute} $$ \prod_{i=1}^{n} [\ldots] [\ldots] {\ldots} $$ : \label{localization} $ |
| placeflottant                                  | \placeflottant [] [] {} {}   |
| placeflottant:instance                         | \placeFLOAT [] [] {}   |
| placeflottant:instance:chemical                | \placechemical [] [] {}  |
| placeflottant:instance:figure                  | \placefigure [] [] {}  |
| placeflottant:instance:graphic                 | \placegraphic [] [] {}   |
| placeflottant:instance:intermezzo              | \placeintermezzo [] [] {}  |
| placeflottant:instance:table                   | \placetable [] [] {}   |
|  | \placeformule [] {}  |
| placeframed                                    | \placeframed [] [=] {}   |
|  | \placehelp   |
| -  | \placeinitial []   |
| <u>.                                      </u> | \placelayer []   |
|  | \placelayeredtext [] [=] [=] {}  |
|  | \placelesunsaudessusdesautres {} {}  |
| <u> </u>                                       | \placeliste [] [=]   |
| placelisteinmbriquee                           | \placelisteinmbriquee [] [=]   |
| placelisteinmbriquee:instance                  | \placeCOMBINEDLIST [=]   |
| placelisteinmbriquee:instance:content          | \placecontent [=]  |
| placelistoffloats:instance                     | \placelistofFLOATS [=]   |
| placelistoffloats:instance:chemicals           | \placelistofchemicals [=]  |
| placelistoffloats:instance:figures             | \placelistoffigures [=]  |
| placelistoffloats:instance:graphics            | \placelistofgraphics [=]   |
| placelistoffloats:instance:intermezzi          | \placelistofintermezzi [=]   |
| placelistoffloats:instance:tables              | \placelistoftables [=]   |
| -  | \placelistofpublications [] [=]  |
|  | \placelistofsorts [] [=]   |
| placelistofsorts:instance                      | \placelistofSORTS [=]  |
| placelistofsorts:instance:logos                | \placelistoflogos [=]  |
| placelistofsynonyms                            | \placelistofsynonyms [] [=]  |
| placelistofsynonyms:instance                   | \placelistofSYNONYMS [=]   |
| placelistofsynonyms:instance:abbreviations     | \placelistofabbreviations [=]  |
| •  | \placelocalnotes [] [=]  |
|  | \placemarquespages [] [=]  |
|  | \placement [] [=] {}   |
| placement: example                             | \PLACEMENT [=] {}  |
| -  | \placenamedfloat [] []   |
|  | \placenamedformula [] {}   |
|  | \placenotes [] [=]   |
|  | \placenotespdp [=]   |
|  | \placenotespdplocales [=]  |
| placenumeropage                                | \placenumeropage   |
| -  | \placenumerotete []  |
| placepairedbox                                 | \placepairedbox [] [=] {} {}   |
| placepairedbox:instance                        | \placePAIREDBOX [=] {} {}  |
| placepairedbox:instance:legend                 | \placelegend [=] {} {}   |
|  | \placeparallel [] [] [=]   |
|  | \placerawlist [] [=]   |
| placeregistre placeregistre:instance           | \placeregistre [] [=]  |

| placeregistre:instance:index                  | \placeindex [=]                      |
|---|--------------------------------------|
| placerenderingwindow                          | \placerenderingwindow [] []          |
| placesousformule                              | \placesousformule [] {}              |
| placesurgrille                                | \placesurgrille [] {}                |
| placesurgrille:list                           | \placesurgrille [] {}                |
| placetextetete                                | \placetextetete []                   |
| point   | \point {}                            |
| popattribute                                  | \popattribute \                      |
| popmacro                                      | \popmacro \                          |
| popmode                                       | \popmode []                          |
| popsystemmode                                 | \popsystemmode {}                    |
| position                                      | \position [=] (,) {}                 |
| positionoverlay                               | \positionoverlay {}                  |
| positionregionoverlay                         | \positionregionoverlay \{\ldots\}    |
| postponenotes                                 | \postponenotes                       |
| predefinedfont                                | \predefinedfont []                   |
| predefinefont                                 | \predefinefont [] []                 |
| predefinesymbol                               | \predefinesymbol []                  |
| prefixedpagenumber                            | \prefixedpagenumber                  |
| premieresouspage                              | \premieresouspage                    |
| prendbuffer                                   | \prendbuffer []                      |
| prendbuffer:instance                          | \obtientBUFFER                       |
| prependetoks                                  | \prependetoks \to \                  |
| prependgvalue                                 | \prependgvalue {} {}                 |
| prependtocommalist                            | \prependtocommalist {} \             |
| prependtoks                                   | \prependtoks \to \                   |
| prependtoksonce                               | \prependtoksonce \to \               |
| prependvalue                                  | \prependvalue {} {}                  |
| prerollblank                                  | \prerollblank []                     |
| presetdocument                                | \presetdocument [=]                  |
| presetfieldsymbols                            | \presetfieldsymbols []               |
| <pre>presetlabeltext:instance</pre>           | \presetLABELtexte [] [=]             |
| <pre>presetlabeltext:instance:btxlabel</pre>  | \presetbtxlabeltexte [] [=]          |
| <pre>presetlabeltext:instance:head</pre>      | \presetheadtexte [] [=]              |
| <pre>presetlabeltext:instance:label</pre>     | \presetlabeltexte [] [=]             |
| <pre>presetlabeltext:instance:mathlabel</pre> | \presetmathlabeltexte [] [=]         |
| <pre>presetlabeltext:instance:operator</pre>  | \presetoperatortexte [] [=]          |
| <pre>presetlabeltext:instance:prefix</pre>    | \presetprefixtexte [] [=]            |
| <pre>presetlabeltext:instance:suffix</pre>    | \presetsuffixtexte [] [=]            |
| <pre>presetlabeltext:instance:taglabel</pre>  | \presettaglabeltexte [] [=]          |
| <pre>presetlabeltext:instance:unit</pre>      | \presetunittexte [] [=]              |
| pretocommalist                                | \pretocommalist {} \                 |
| prettyprintbuffer                             | \prettyprintbuffer {} {}             |
| prevcounter                                   | \prevcounter [] []                   |
| prevcountervalue                              | \prevcountervalue []                 |
| preventmode                                   | \preventmode []                      |
| prevrealpage                                  | \prevrealpage                        |
| prevrealpagenumber                            | \prevrealpagenumber                  |
| prevsubcountervalue                           | \prevsubcountervalue [] []           |
| prevsubpage                                   | \prevsubpage                         |
| prevsubpagenumber                             | \prevsubpagenumber                   |
| prevuserpage                                  | \prevuserpage                        |
| prevuserpagenumber                            | \prevuserpagenumber                  |
| procent                                       | \procent                             |
| processaction                                 | \processaction [] [,=>,]             |
| processallactionsinset                        | \processallactionsinset [] [,=>,]    |
| processassignlist                             | \processassignlist [] \              |
| processassignmentcommand                      | \processassignmentcommand [=] \      |
| processassignmentlist                         | \processassignmentlist [=] \         |
| processbetween                                | \processbetween {} \                 |
| processbodyfontenvironmentlist                | \processbodyfontenvironmentlist \    |
| processcolorcomponents                        | \processcolorcomponents {}           |
| processcommacommand                           | \processcommacommand [] \            |
| processcommalist                              | \processcommalist [] \               |
| processcommalistwithparameters                | \processcommalistwithparameters [] \ |
| processcontent                                | \processcontent {} \                 |
| processfile                                   | \processfile {}                      |
| processfilemany                               | \processfilemany {}                  |
| processfilenone                               | \processfilenone {}                  |
| processfileonce                               | \processfileonce {}                  |
| processfirstactioninset                       | \processfirstactioninset [] [,=>,]   |
| processisolatedchars                          | \processisolatedchars $\{\ldots\}$ \ |
|   |                                      |

| processisolatedwords   | \processisolatedwords {} \   |
|--|--|
| processlinetablebuffer   | \processlinetablebuffer []   |
| processlinetablefile   | \processlinetablefile {}   |
| processlist  | \processlist {} {} \   |
| processMPbuffer  | \processMPbuffer []  |
| processMPfigurefile  | \processMPfigurefile {}  |
| processmonth   | \processmonth \{\} \{\}  |
| processranges  | \processranges [] \  |
| processseparatedlist   | \processeparatedlist [] [] {}  |
| processtexbuffer   | \processTEXbuffer []   |
| processtokens  | \processtokens {} {} {} {} {}  |
| processuntil   | \processuntil \ \processxtablebuffer []  |
| processycar  | •  |
| processyear<br>produit   | \processyear {} {} {} \produit []  |
| produit:string   | \produit []  |
| profiledbox  | \profiledbox [] [=] {}   |
| profilegivenbox  | \profilegivenbox {}  |
| programme  | \programme []  |
| projet   | \projet []   |
| projet:string  | \projet  |
| pseudoMixedCapped  | \pseudoMixedCapped {}  |
| pseudoSmallCapped  | \pseudoSmallCapped {}  |
| pseudoSmallcapped  | \pseudoSmallcapped {}  |
| pseudosmallcapped  | \pseudosmallcapped {}  |
| purenumber   | \purenumber {}   |
| pusharrangedpages  | \pusharrangedpages \poparrangedpages   |
| pusharriereplan  | \pusharriereplan [] \poparriereplan  |
| pushattribute  | \pushattribute \   |
| pushbar  | \pushbar [] \popbar  |
| pushbutton   | \pushbutton [] []  |
| pushcatcodetable   | \pushcatcodetable \popcatcodetable   |
| pushcouleur  | \pushcouleur [] \popcouleur  |
| pushendofline  | \pushendofline \popendofline   |
| pushindentation  | \pushindentation \popindentation   |
| pushMPdrawing  | \pushMPdrawing \popMPdrawing   |
|  |  |
| pushmacro  | \pushmacro \   |
| <pre>pushmacro pushmathstyle</pre>   | \pushmacro \<br>\pushmathstyle \popmathstyle   |
| -  | <del>-</del>   |
| pushmathstyle  | \pushmathstyle \popmathstyle   |
| pushmathstyle pushmode   | \pushmathstyle \popmathstyle \pushmode []  |
| pushmathstyle pushmode pushoutputstream pushpath pushpunctuation   | \pushmathstyle \popmathstyle \pushmode [] \pushoutputstream [] \pushpath [] \poppath \pushpunctuation \poppunctuation  |
| pushmathstyle pushmode pushoutputstream pushpath pushpunctuation pushrandomseed  | \pushmathstyle \popmathstyle \pushmode [] \pushoutputstream [] \pushpath [] \poppath \pushpunctuation \poppunctuation \pushrandomseed \poprandomseed   |
| pushmathstyle pushmode pushoutputstream pushpath pushpunctuation   | \pushmathstyle \popmathstyle \pushmode [] \pushoutputstream [] \pushpath [] \poppath \pushpunctuation \poppunctuation \pushrandomseed \poprandomseed \pushreferenceprefix {} \popreferenceprefix   |
| pushmathstyle pushmode pushoutputstream pushpath pushpunctuation pushrandomseed pushreferenceprefix pushsystemmode   | <pre>pushmathstyle \popmathstyle \pushmode [] \pushoutputstream [] \pushpath [] \poppath \pushpunctuation \poppunctuation \pushrandomseed \poprandomseed \pushreferenceprefix {} \popreferenceprefix \pushsystemmode {}</pre>  |
| pushmathstyle pushmode pushoutputstream pushpath pushpunctuation pushrandomseed pushreferenceprefix pushsystemmode putboxincache   | <pre>pushmathstyle \popmathstyle  pushmode []  pushoutputstream []  pushpath [] \poppath  pushpunctuation \poppunctuation  pushrandomseed \poprandomseed  pushreferenceprefix {} \popreferenceprefix  pushsystemmode {}  putboxincache {} {}</pre>   |
| pushmathstyle pushmode pushoutputstream pushpath pushpunctuation pushrandomseed pushreferenceprefix pushsystemmode putboxincache putnextboxincache   | <pre>pushmathstyle \popmathstyle  pushmode []  pushoutputstream []  pushpath [] \poppath  pushpunctuation \poppunctuation  pushrandomseed \poprandomseed  pushreferenceprefix {} \popreferenceprefix  pushsystemmode {}  putboxincache {} {}  putnextboxincache {} {} \</pre>  |
| pushmathstyle pushmode pushoutputstream pushpath pushpunctuation pushrandomseed pushreferenceprefix pushsystemmode putboxincache putnextboxincache qqpart  | <pre>pushmathstyle \popmathstyle  pushmode []  pushoutputstream []  pushpath [] \poppath  pushpunctuation \poppunctuation  pushrandomseed \poprandomseed  pushreferenceprefix {} \popreferenceprefix  pushsystemmode {}  putboxincache {} {}  putnextboxincache {} {} \ {}  \qqpart {} {} []</pre>   |
| pushmathstyle pushmode pushoutputstream pushpath pushpunctuation pushrandomseed pushreferenceprefix pushsystemmode putboxincache putnextboxincache qqpart qquad  | <pre>pushmathstyle \popmathstyle  pushmode []  pushoutputstream []  pushpath [] \poppath  pushpunctuation \poppunctuation  pushrandomseed \poprandomseed  pushreferenceprefix {} \popreferenceprefix  pushsystemmode {}  putboxincache {} {}  putnextboxincache {} {} \ {}  \qqpart {} {} []  \qquad</pre>   |
| pushmathstyle pushmode pushoutputstream pushpath pushpunctuation pushrandomseed pushreferenceprefix pushsystemmode putboxincache putnextboxincache qqpart qquad quad   | <pre>pushmathstyle \popmathstyle  pushmode []  pushoutputstream []  pushpath [] \poppath  pushpunctuation \poppunctuation  pushrandomseed \poprandomseed  pushreferenceprefix {} \popreferenceprefix  pushsystemmode {}  putboxincache {} {}  putnextboxincache {} {} \ {}  qqpart {} {} []  qquad  qquad</pre>  |
| pushmathstyle pushmode pushoutputstream pushpath pushpunctuation pushrandomseed pushreferenceprefix pushsystemmode putboxincache putnextboxincache qqpart qquad quad quad  | <pre>pushmathstyle \popmathstyle  pushmode []  pushoutputstream []  pushpath [] \poppath  pushpunctuation \poppunctuation  pushrandomseed \poprandomseed  pushreferenceprefix {} \popreferenceprefix  pushsystemmode {}  putboxincache {} {}  putnextboxincache {} {} \  qqpart {} {} []  qquad  quad  quads []</pre>  |
| pushmathstyle pushmode pushoutputstream pushpath pushpunctuation pushrandomseed pushreferenceprefix pushsystemmode putboxincache putnextboxincache qqpart qquad quad quad quads quarterstrut   | <pre>pushmathstyle \popmathstyle  pushmode []  pushoutputstream []  pushpath [] \poppath  pushpunctuation \poppunctuation  pushrandomseed \poprandomseed  pushreferenceprefix {} \popreferenceprefix  pushsystemmode {}  putboxincache {} {}  putnextboxincache {} {} \  qqpart {} {} []  qquad  quad  quad  quads []  qquarterstrut</pre>   |
| pushmathstyle pushmode pushoutputstream pushpath pushpunctuation pushrandomseed pushreferenceprefix pushsystemmode putboxincache putnextboxincache qqpart qquad quad quad quads quarterstrut quitcommalist   | <pre>pushmathstyle \popmathstyle  pushmode []  pushoutputstream []  pushpath [] \poppath  pushpunctuation \poppunctuation  pushrandomseed \poprandomseed  pushreferenceprefix {} \popreferenceprefix  pushsystemmode {}  putboxincache {} {}  putnextboxincache {} {} \ {}  \qqpart {} {} []  \qquad      s []  \quarterstrut  \quitcommalist</pre>  |
| pushmathstyle pushmode pushoutputstream pushpath pushpunctuation pushrandomseed pushreferenceprefix pushsystemmode putboxincache putnextboxincache qupart qquad quad quad quad quads quarterstrut quitcommalist quitprevcommalist  | <pre>pushmathstyle \popmathstyle  pushmode []  pushoutputstream []  pushpath [] \poppath  pushpunctuation \poppunctuation  pushrandomseed \poprandomseed  pushreferenceprefix {} \popreferenceprefix  pushsystemmode {}  putboxincache {} {}  putnextboxincache {} {} \  quad {}  quad  quad  quad  quads []  quarterstrut  quitcommalist  quitprevcommalist</pre>   |
| pushmathstyle pushmode pushoutputstream pushpath pushpunctuation pushrandomseed pushreferenceprefix pushsystemmode putboxincache putnextboxincache qupart qquad quad quad quads quarterstrut quitcommalist quittypescriptscanning  | <pre>pushmathstyle \popmathstyle  \pushmode []  \pushoutputstream []  \pushpath [] \poppath  \pushpunctuation \poppunctuation  \pushrandomseed \poprandomseed  \pushreferenceprefix {} \popreferenceprefix  \pushsystemmode {}  \putboxincache {} {}  \putnextboxincache {} {} \               tound   tound  \quaterstrut  \quitcommalist  \quittypescriptscanning</pre>  |
| pushmathstyle pushmode pushoutputstream pushpath pushpunctuation pushrandomseed pushreferenceprefix pushsystemmode putboxincache putnextboxincache qupart qquad quad quad quads quarterstrut quitcommalist quitypescriptscanning ReadFile  | <pre>pushmathstyle \popmathstyle  \pushmode []  \pushoutputstream []  \pushpath [] \poppath  \pushpunctuation \poppunctuation  \pushrandomseed \poprandomseed  \pushreferenceprefix {} \popreferenceprefix  \pushsystemmode {}  \putboxincache {} {}  \putnextboxincache {} {} \                    \quaterstrut  \quitcommalist  \quittypescriptscanning  \ReadFile {} </pre>   |
| pushmathstyle pushmode pushoutputstream pushpath pushpunctuation pushrandomseed pushreferenceprefix pushsystemmode putboxincache putnextboxincache qupart qquad quad quad quads quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom  | <pre>pushmathstyle \popmathstyle  \pushmode []  \pushoutputstream []  \pushpath [] \poppath  \pushpunctuation \poppunctuation  \pushrandomseed \poprandomseed  \pushreferenceprefix {} \popreferenceprefix  \pushsystemmode {}  \putboxincache {} {}  \putnextboxincache {} {} \             []  \quarterstrut  \quitcommalist  \quittypescriptscanning  \ReadFile {}  \raggedbottom</pre>   |
| pushmathstyle pushmode pushoutputstream pushpath pushpunctuation pushrandomseed pushreferenceprefix pushsystemmode putboxincache putnextboxincache qupart qquad quad quad quads quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter   | <pre>pushmathstyle \popmathstyle  \pushmode []  \pushoutputstream []  \pushpath [] \poppath  \pushpunctuation \poppunctuation  \pushrandomseed \poprandomseed  \pushreferenceprefix {} \popreferenceprefix  \pushsystemmode {}  \putboxincache {} {}  \putnextboxincache {} {} \               tound  \quatterstrut  \quittommalist  \quittypescriptscanning  \ReadFile {}  \raggedbottom  \raggedcenter</pre>   |
| pushmathstyle pushmode pushoutputstream pushpath pushpunctuation pushrandomseed pushreferenceprefix pushsystemmode putboxincache putnextboxincache qupart qquad quad quad quads quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft  | <pre>pushmathstyle \popmathstyle  \pushmode []  \pushoutputstream []  \pushpath [] \poppath  \pushpunctuation \poppunctuation  \pushrandomseed \poprandomseed  \pushreferenceprefix {} \popreferenceprefix  \pushsystemmode {}  \putboxincache {} {}  \putnextboxincache {} {} \                \quaterstrut  \quitcommalist  \quittypescriptscanning  \ReadFile {}  \raggedbottom  \raggedcenter  \raggedleft</pre>   |
| pushmathstyle pushmode pushoutputstream pushpath pushpunctuation pushrandomseed pushreferenceprefix pushsystemmode putboxincache putnextboxincache qupart qquad quad quad quads quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright  | <pre>pushmathstyle \popmathstyle \pushmode [] \pushoutputstream [] \pushpath [] \poppath \pushpunctuation \poppunctuation \pushrandomseed \poprandomseed \pushreferenceprefix {} \popreferenceprefix \pushsystemmode {} \putboxincache {} {} \ \putnextboxincache {} {} \        \quaterstrut \quitcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright</pre>   |
| pushmathstyle pushmode pushoutputstream pushpath pushpunctuation pushrandomseed pushreferenceprefix pushsystemmode putboxincache putnextboxincache qupart qquad quad quad quads quarterstrut quitcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedwidecenter   | <pre>pushmathstyle \popmathstyle \pushmode [] \pushoutputstream [] \pushpath [] \poppath \pushpunctuation \poppunctuation \pushrandomseed \poprandomseed \pushreferenceprefix {} \popreferenceprefix \pushsystemmode {} \putboxincache {} {} \putnextboxincache {} {} \        \quaterstrut \quitcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedvidecenter</pre>   |
| pushmathstyle pushmode pushoutputstream pushpath pushpunctuation pushrandomseed pushreferenceprefix pushsystemmode putboxincache putnextboxincache qupart qquad quad quad quads quaterstrut quitcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedwidecenter raisebox   | <pre>pushmathstyle \popmathstyle \pushmode [] \pushoutputstream [] \pushpath [] \poppath \pushpunctuation \poppunctuation \pushrandomseed \poprandomseed \pushreferenceprefix {} \popreferenceprefix \pushsystemmode {} \putboxincache {} {} \ \putnextboxincache {} {} \        s [] \quarterstrut \quitcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedwidecenter \raggedwidecenter \raisebox {} \ {}</pre>   |
| pushmathstyle pushmode pushoutputstream pushpath pushpunctuation pushrandomseed pushreferenceprefix pushsystemmode putboxincache putnextboxincache qupart qquad quad quad quaterstrut quitcommalist quitypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedvidecenter raisebox randomizetext  | <pre>pushmathstyle \popmathstyle \pushmode [] \pushoutputstream [] \pushpath [] \poppath \pushpunctuation \poppunctuation \pushrandomseed \poprandomseed \pushreferenceprefix {} \popreferenceprefix \pushsystemmode {} \putboxincache {} {} \putnextboxincache {} {} \        \quaterstrut \quitcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedwidecenter \raggedwidecenter \raisebox {} \ {} \randomizetext {} \rand</pre> |
| pushmathstyle pushmode pushoutputstream pushpath pushpunctuation pushrandomseed pushreferenceprefix pushsystemmode putboxincache putnextboxincache qupart qquad quad quad quads quaterstrut quitcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedwidecenter raisebox   | <pre>pushmathstyle \popmathstyle \pushmode [] \pushoutputstream [] \pushpath [] \poppath \pushpunctuation \poppunctuation \pushrandomseed \poprandomseed \pushreferenceprefix {} \popreferenceprefix \pushsystemmode {} \putboxincache {} {} \putnextboxincache {} {} \        \quaterstrut \quitcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedvidecenter \raisebox {} \ {} \randomizetext {} \randomnumber {} {}</pre>   |
| pushmathstyle pushmode pushoutputstream pushpath pushpunctuation pushrandomseed pushreferenceprefix pushsystemmode putboxincache putnextboxincache qupart qquad quad quad quaterstrut quitcommalist quitypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber   | <pre>pushmathstyle \popmathstyle \pushmode [] \pushoutputstream [] \pushpath [] \poppath \pushpunctuation \poppunctuation \pushrandomseed \poprandomseed \pushreferenceprefix {} \popreferenceprefix \pushsystemmode {} \putboxincache {} {} \putnextboxincache {} {} \        \quaterstrut \quitcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedwidecenter \raggedwidecenter \raisebox {} \ {} \randomizetext {} \rand</pre> |
| pushmathstyle pushmode pushoutputstream pushpath pushpunctuation pushrandomseed pushreferenceprefix pushsystemmode putboxincache putnextboxincache qupart qquad quad quad quaterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter   | <pre>pushmathstyle \popmathstyle \pushmode [] \pushoutputstream [] \pushpath [] \poppath \pushpunctuation \poppath \pushrandomseed \poprandomseed \pushreferenceprefix {} \popreferenceprefix \pushsystemmode {} \putboxincache {} {} \putnextboxincache {} {} \         \quaterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedwidecenter \raisebox {} \ {} \randomnumber {} {} \randomnumber {}</pre>   |
| pushmathstyle pushmode pushoutputstream pushpath pushpunctuation pushrandomseed pushreferenceprefix pushsystemmode putboxincache putnextboxincache quant qquad quad quad quad quaterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcountervalue  | <pre>\pushmathstyle \popmathstyle \pushmode [] \pushoutputstream [] \pushpath [] \poppath \pushpunctuation \poppath \pushrandomseed \poprandomseed \pushreferenceprefix {} \popreferenceprefix \pushsystemmode {} \puthoxincache {} {} \puthoxincache {} {} \cdots        \quaterstrut \quitcommalist \quitprevcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedwidecenter \raisebox {} \ {} \randomnumber {} {} \randomnumber {} {} \rawcounter [] \rawcountervalue []</pre>  |
| pushmathstyle pushmode pushoutputstream pushpath pushpunctuation pushrandomseed pushreferenceprefix pushsystemmode putboxincache putnextboxincache qqpart qquad quad quad quads quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcountervalue rawdate                          | <pre>pushmathstyle \popmathstyle \pushmode [] \pushoutputstream [] \pushpath [] \poppath \pushpunctuation \poppath \pushrandomseed \poprandomseed \pushreferenceprefix {} \popreferenceprefix \pushsystemmode {} \putboxincache {} {} \putnextboxincache {} {} \        s [] \quarterstrut \quitcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedvidecenter \raisebox {} \ {} \randomnumber {} {} \randomnumber {} {} \rawcountervalue [] \rawdate []</pre>  |
| pushmathstyle pushmode pushoutputstream pushpath pushpunctuation pushrandomseed pushreferenceprefix pushsystemmode putboxincache putnextboxincache qupart qquad quad quads quarterstrut quitcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcountervalue rawdate rawdoifelseinset                                | <pre>\pushmathstyle \popmathstyle \pushmode [] \pushoutputstream [] \pushpath [] \poppath \pushpunctuation \poppunctuation \pushrandomseed \poprandomseed \pushreferenceprefix {} \popreferenceprefix \pushsystemmode {} \puthextboxincache {} {} \ {}        \quaterstrut \quitcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedwidecenter \raisebox {} \ {} \randomizetext {} \randomnumber {} {} \randomnumber {} {} \rawcounter [] \rawcountervalue [] \rawdoifelseinset {} {} {} {}</pre>   |
| pushmathstyle pushmode pushoutputstream pushpath pushpunctuation pushrandomseed pushreferenceprefix pushsystemmode putboxincache putnextboxincache qupart qquad quad quads quarterstrut quitcommalist quitprevcommalist quittypescriptscanning ReadFile raggedbottom raggedcenter raggedleft raggedright raggedwidecenter raisebox randomizetext randomnumber rawcounter rawcountervalue rawdate rawdoifelseinset rawdoifinset | <pre>\pushmathstyle \popmathstyle \pushmode [] \pushoutputstream [] \pushpath [] \poppath \pushpunctuation \poppunctuation \pushrandomseed \poprandomseed \pushreferenceprefix {} \popreferenceprefix \pushsystemmode {} \puthextboxincache {} {} \ \        s [] \quarterstrut \quitcommalist \quittypescriptscanning \ReadFile {} \raggedbottom \raggedcenter \raggedleft \raggedright \raggedvidecenter \raisebox {} \ {} \randomizetext {} \randomizetext {} \randomnumber {} {} \rawcounter [] \rawcountervalue [] \rawdoifelseinset {} {} {} \rawdoifinset {} {} {}</pre>   |

| rawprocesscommacommand                | \rawprocesscommacommand [] \                               |
|---------------------------------------|--|
| rawprocesscommalist                   | \rawprocesscommalist [] \                                  |
| rawstructurelistuservariable          | \rawstructurelistuservariable {}                           |
| rawsubcountervalue                    | \rawsubcountervalue [] []                                  |
| razmarquage                           | \razmarquage [] \rbox {}                                   |
| readfile                              | \readfile \{\ldots\} \\\\                                  |
| readfixfile                           | \readfixfile \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| readjobfile                           | \readjobfile {} {}   |
| readlocfile                           | \readlocfile \{\} \\ \\}                                   |
| readsetfile                           | \readsetfile {} {} {}                                      |
| readsysfile                           | \readsysfile {} {}   |
| readtexfile                           | \readtexfile {} {}   |
| readxmlfile                           | \readxmlfile {} {}   |
| realpagenumber                        | \realpagenumber  |
| realSmallCapped                       | \realSmallCapped {}  |
| realSmallcapped                       | \realSmallcapped {}  |
| realsmallcapped                       | \realsmallcapped {}  |
| recursedepth                          | \recursedepth  |
| recurselevel                          | \recurselevel  |
| recursestring                         | \recursestring   |
| redoconvertfont                       | \redoconvertfont   |
| ref                                   | \ref [] []   |
| reference                             | \reference [] {}<br>\REFERENCEFORMAT {} {} []              |
| referenceformat:example               | \referencepage []  |
| referencepage<br>referenceprefix      | \referenceprefix   |
| referencetexte                        | \referencetexte [] {}                                      |
| reflete                               | \reflete {}  |
| registerattachment                    | \registerattachment [] [=]                                 |
| registerctxluafile                    | \registerctxluafile \{\ldots\} \\                          |
| registerexternalfigure                | \registerexternalfigure [] [] [=]                          |
| registerfontclass                     | \registerfontclass {}                                      |
| registerhyphenationexception          | \registerhyphenationexception [] []                        |
| registerhyphenationpattern            | \registerhyphenationpattern [] []                          |
| registermenubuttons                   | \registermenubuttons [] []                                 |
| registersort                          | \registersort [] []  |
| registersynonym                       | \registersynonym [] []                                     |
| registerunit                          | \registerunit [] [=]                                       |
| registre:instance                     | \REGISTER [] {++}  |
| registre:instance:index               | \index [] {++}   |
| registre:instance:ownnumber           | \REGISTER [] {} {+} \index [] {} {++}                      |
| registre:instance:ownnumber:index     | \regle []  |
| regle reglealignement                 | \reglealignement []  |
| reglearrangement                      | \reglearrangement []                                       |
| reglearriereplan                      | \reglearriereplan [] [=]                                   |
| reglearriereplans                     | \reglearriereplans [] [=]                                  |
| reglearriereplans:page                | \reglearriereplans [] [=]                                  |
| reglebarreinteraction                 | \reglebarreinteraction [] [=]                              |
| reglebloc                             | \reglebloc [] [=]  |
| regleblocsection                      | \regleblocsection [] [=]                                   |
| reglebuffer                           | \reglebuffer [] [=]  |
| reglecapitales                        | \reglecapitales [] [=]                                     |
| reglechamp                            | \reglechamp [] [=] [=] [=]                                 |
| reglechamps                           | \reglechamps [] [=] [=]                                    |
| regleclipping                         | \regleclipping [=]   |
| reglecolonnes                         | \reglecolonnes [=]   |
| reglecommentaire reglecommentairepage | \reglecommentaire [] [=] \reglecommentairepage [=]         |
| reglecompoetroite                     | \reglecompoetroite [] [=]                                  |
| reglecomposeenalinea                  | \reglecomposeenalinea []                                   |
| reglecouleur                          | \reglecouleur []   |
| reglecouleurs                         | \reglecouleurs [=]   |
| regledactylo                          | \regledactylo [] [=]                                       |
| regledemarrestoppe                    | \regledemarrestoppe [] [=]                                 |
| regledisposition                      | \regledisposition [] [=]                                   |
| regledisposition:name                 | \regledisposition []                                       |
| regleecraninteraction                 | \regleecraninteraction [=]                                 |
| regleelements                         | \regleelements [] [=]                                      |
| ma ml a am a a d ma                   |  |
| regleencadre regleentete              | \regleencadre [] [=] \regleentete [] [=]                   |

|   | \  |
|---|--|
| regleenumerations regleepaisseurligne   | \regleenumerations [] [=] \regleepaisseurligne []  |
| regleespaceblanc  | \regleespaceblanc []   |
| regleespacement   | \regleespacement []  |
| regleespacementinterligne   | \regleespacementinterligne [] [=]  |
| regleespacementinterligne:argument  | \regleespacementinterligne []  |
| regleespacementinterligne:name  | \regleespacementinterligne []  |
| regleflottant   | \regleflottant [] [=]  |
| regleflottants  | \regleflottants [] [=]   |
| regleformulaires  | \regleformulaires [=]  |
| regleformules   | \regleformules [] [=]  |
| reglegroupeselements regleinf   | \reglegroupeselements [] [=] \regleinf [] [=]  |
| regleinteraction  | \regleinteraction [] [=]   |
| regleinteraction:name   | \regleinteraction []   |
| regleintitule   | \regleintitule [] [=]  |
| regleintitules  | \regleintitules [] [=]   |
| reglejeucolonne   | \reglejeucolonne [] [=]  |
| reglejeusymboles  | \reglejeusymboles []   |
| reglelabeltexte:instance  | \regleLABELtexte [] [=]  |
| reglelabeltexte:instance:btxlabel   | \reglebtxlabeltexte [] [=]   |
| reglelabeltexte:instance:head   | \regleheadtexte [] [=]   |
| reglelabeltexte:instance:label  | \reglelabeltexte [] [=]  |
| <pre>reglelabeltexte:instance:mathlabel reglelabeltexte:instance:operator</pre> | \reglemathlabeltexte [] [=] \regleoperatortexte [] [=]   |
| reglelabeltexte:instance:prefix   | \regleprefixtexte [] [=]   |
| reglelabeltexte:instance:suffix   | \reglesuffixtexte [] [=]   |
| reglelabeltexte:instance:taglabel   | \regletaglabeltexte [] [=]   |
| reglelabeltexte:instance:unit   | \regleunittexte [] [=]   |
| reglelangue   | \reglelangue [] [=]  |
| reglelignes   | \reglelignes [] [=]  |
| reglelignesnoires   | \reglelignesnoires [=]   |
| reglelignesreglestexte  | \reglelignesreglestexte [=]  |
| regleliste  | \regleliste [] [=]   |
| reglelisteimbriquee   | \reglelisteimbriquee [] [=]  |
| reglelisteimbriquee:instance  | \reglecombinedLIST [=]   |
| reglelisteimbriquee:instance:content reglemakeup                                | \reglecontent [=] \reglemakeup [] [=]  |
| reglemargereglee  | \reglemargereglee [] [=]   |
| reglemarquage   | \reglemarquage [] [=]  |
| reglemarquagehyphenation  | \reglemarquagehyphenation [=]  |
| reglemenuinteraction  | \reglemenuinteraction [] [=]   |
| reglenumeropage   | \reglenumeropage [=]   |
| reglenumerotationligne  | \reglenumerotationligne [] [=]   |
| reglenumerotationpage   | \reglenumerotationpage [=]   |
| reglenumerotationparagraphe   | \reglenumerotationparagraphe [=]   |
| reglenumerotete   | \reglenumerotete [] []   |
| regleoriente  | \regleoriente [=]  |
| reglepalette reglepapier  | \reglepalette [] \reglepapier [=]  |
| regleparagraphes  | \regleparagraphes [] [] [=]  |
| regleparagraphes:assignment   | \regleparagraphes [] [=]   |
| reglepdp  | \reglepdp [] [=]   |
| regleplacementopposition  | \regleplacementopposition [=]  |
| reglepolicecorps  | \reglepolicecorps []   |
| reglepositionnement   | \reglepositionnement [] [=]  |
| regleprogrammes   | \regleprogrammes [=]   |
| reglereferencage  | \reglereferencage [=]  |
| regleregistre   | \regleregistre [] [=]  |
| regleregistre:argument regleregistre:instance                                   | \regleregistre [] [] [=]   |
| regleregistre:instance regleregistre:instance:index                             | \regleREGISTER [] [=] \regleindex [] [=]   |
| regleremplitligne   | \regleremplitligne [=]   |
| regleremplitlignesreglees   |  |
|   | \regleremplitlignesreglees [=]   |
| regleseparationflottant   | \regleremplitlignesreglees [=] \regleseparationflottant [=]  |
| regleseparationflottant reglesousnumeropage                                     | \regleremplitlignesreglees [=] \regleseparationflottant [=] \reglesousnumeropage [=]   |
| · ·   | \regleseparationflottant [=]   |
| reglesup reglesynonymes   | <pre>\regleseparationflottant [=] \reglesousnumeropage [=] \reglesup [] [=] \reglesynonymes [] [=]</pre>   |
| reglesup reglesynonymes regletableaux   | <pre>\regleseparationflottant [=] \reglesousnumeropage [=] \reglesup [] [=] \reglesynonymes [] [=] \regletableaux [=]</pre>                            |
| reglesousnumeropage reglesup reglesynonymes regletableaux regletabulation       | <pre>\regleseparationflottant [=] \reglesousnumeropage [=] \reglesup [] [=] \reglesynonymes [] [=] \regletableaux [=] \regletabulation [] [] [=]</pre> |
| reglesup reglesynonymes regletableaux   | <pre>\regleseparationflottant [=] \reglesousnumeropage [=] \reglesup [] [=] \reglesynonymes [] [=] \regletableaux [=]</pre>                            |

| regletete                                | \regletete [] [=]   |
|--|---|
| regletetes                               | \regletetes [] [=]  |
| regletexte                               | \regletexte [] [=]  |
| regletextesentete                        | \regletextesentete [] [] [] []  |
| regletextesinf                           | \regletextesinf [] [] [] []   |
| regletextespdp                           | \regletextespdp [] [] [] [] \regletextespup [ ] [ ] [ ] [ ] [ ] [ ]                 |
| regletextessup<br>regletextestexte       | \regletextessup [] [] [] [] \regletextestexte [] [] [] [] []                        |
| regletolerance                           | \regletolerance []  |
| regletraitsfins                          | \regletraitsfins [=]  |
| regletransitionspage                     | \regletransitionspage []  |
| regletri                                 | \regletri [] [=]  |
| regletype                                | \regletype [] [=]   |
| regleurl                                 | \regleurl [=]   |
| regle:direct                             | \regle {}   |
| regulier                                 | \regulier   |
| relatemarking                            | \relatemarking []   |
| relateparameterhandlers                  | \relateparameterhandlers $\{\ldots\}$ $\{\ldots\}$ $\{\ldots\}$                     |
| relaxvalueifundefined                    | \relaxvalueifundefined {}   |
| remainingcharacters                      | \remainingcharacters  |
| removebottomthings                       | \removebottomthings   |
| removedepth                              | \removedepth  |
| removefromcommalist                      | \removefromcommalist \{\dots\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\                   |
| removelastskip                           | \removelastskip   |
| removelastspace                          | \removelastspace  |
| removemarkedcontent                      | \removemarkedcontent []   |
| removepunctuation                        | \removepunctuation  |
| removesubstring                          | \removesubstring \from \to \  |
| removetoks                               | \removetoks \from \   |
| removeunwantedspaces                     | \removeunwantedspaces   |
| remplitligne                             | \remplitligne [=]   |
| remplitlignesreglees                     | \remplitlignesreglees [=] {} {}   |
| remplittexte                             | \remplittexte [=] {} {}   |
| replacefeature                           | \replacefeature []  |
| replacefeature:direct replaceincommalist | \replacefeature \{\ldots\} \replaceincommalist \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| replaceword                              | \replacesincommatist \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\                            |
| rescan                                   | \rescan {}  |
| rescanwithsetup                          | \rescanvithsetup \{\ldots\}   |
| resetallattributes                       | \resetallattributes   |
| resetandaddfeature                       | \resetandaddfeature []  |
| resetandaddfeature:direct                | \resetandaddfeature {}  |
| resetbar                                 | \resetbar   |
| resetboxesincache                        | \resetboxesincache {}   |
| resetbreakpoints                         | \resetbreakpoints   |
| resetbuffer                              | \resetbuffer []   |
| resetcharacteralign                      | \resetcharacteralign  |
| resetcharacterkerning                    | \resetcharacterkerning  |
| resetcharacterspacing                    | \resetcharacterspacing  |
| resetcharacterstripping                  | \resetcharacterstripping  |
| resetcollector                           | \resetcollector []  |
| resetcounter                             | \resetcounter [] []   |
| resetdigitsmanipulation                  | \resetdigitsmanipulation  |
| resetdirection                           | \resetdirection   |
| resetfeature                             | \resetfeature   |
| resetflag                                | \resetflag {}   |
| resetfontcolorsheme                      | \resetfontcolorsheme  |
| resetfontfallback                        | \resetfontfallback [] []  |
| resetfontsolution                        | \resetfontsolution  |
| resethyphenationfeatures                 | \resethyphenationfeatures   |
| resetinjector                            | \resetinjector []   |
| resetinteractionmenu                     | \resetinteractionmenu []  |
| resetitaliccorrection                    | \resetitaliccorrection  |
| resetlayer                               | \resetlayer []  |
| resetlocalfloats                         | \resetlocalfloats   |
| resetMPdrawing                           | \resetMPdrawing   |
| resetMPenvironment                       | \resetMPenvironment   |
| resetMPinstance                          | \resetMPinstance []   |
| resetmarker                              | \resetmarker []   |
| resetmode                                | \resetmode {}   |
| resetpagenumber resetparallel            | \resetpagenumber  |

| resetpath   | \resetpath  |
|---|---|
| resetpenalties  | \resetpenalties \   |
| resetperiodkerning<br>resetprofile  | \resetperiodkerning<br>\resetprofile  |
| resetrecurselevel   | \resetrecurselevel  |
| resetreference  | \resetreference []  |
| resetreplacement  | \resetreplacement   |
| resetscript   | \resetscript  |
| resetsetups   | \resetsetups []   |
| resetshownsynonyms  | \resetshownsynonyms []  |
| resetsubpagenumber  | \resetsubpagenumber   |
| resetsymbolset  | \resetsymbolset   |
| resetsystemmode   | \resetsystemmode {}   |
| resettimer  | \resettimer   |
| resettokenlist  | \resettokenlist []  |
| resettrackers   | \resettrackers  |
| resettrialtypesetting   | \resettrialtypesetting  |
| resetusedsortings   | \resetusedsortings []   |
| resetusedsynonyms   | \resetusedsynonyms []   |
| resetuserpagenumber   | \resetuserpagenumber  |
| resetvalue  | \resetvalue {}  |
| resetvisualizers  | \resetvisualizers   |
| reshapebox  | \reshapebox {}  |
| resolvedglyphdirect<br>resolvedglyphstyled  | \resolvedglyphdirect {} {} \resolvedglyphstyled {} {}   |
| restartcounter  | \restartcounter [] []   |
| restorebox  | \restorebox {} {}   |
| restorecatcodes   | \restorecatcodes  |
| restorecounter  | \restorecounter []  |
| restorecurrentattributes  | \restorecurrentattributes {}  |
| restoreendofline  | \restoreendofline   |
| restoreglobalbodyfont   | \restoreglobalbodyfont  |
| reusableMPgraphic   | \reusableMPgraphic {} {=}   |
| reuseMPgraphic  | \reuseMPgraphic {} {=}  |
| reuserandomseed   | \reuserandomseed  |
| revivefeature   | \revivefeature  |
| rfence  | \rfence {}  |
| rhbox   | \rhbox {}   |
| rightbottombox  | \rightbottombox {}  |
| rightbox  | \rightbox {}  |
| righthbox   | \righthbox {}   |
| rightlabeltext:instance   | \rightLABELtexte {}   |
| rightlabeltext:instance:head  | \rightheadtexte {} \rightlabeltexte {}  |
| rightlabeltext:instance:label rightlabeltext:instance:mathlabel   | \right\tabeltexte \lambda\right\tabeltexte \lambda\r |
| rightline   | \rightline {}   |
| rightorleftpageaction   | \rightorleftpageaction {} {}  |
| rightpageorder  | \rightpageorder   |
| rightskipadaption   | \rightskipadaption  |
| 0 1 1   | \IIghtskipadaption  |
| rightsubguillemot   | \rightsubguillemot  |
| rightsubguillemot<br>righttoleft  | . •   |
|   | \rightsubguillemot  |
| righttoleft   | \rightsubguillemot<br>\righttoleft  |
| righttoleft<br>righttolefthbox  | \rightsubguillemot<br>\righttoleft<br>\righttolefthbox {}   |
| righttoleft righttolefthbox righttoleftvbox   | <pre>\rightsubguillemot \righttoleft \righttolefthbox {} \righttoleftvbox {} \righttoleftvtop {} \righttopbox {}</pre>  |
| righttoleft righttolefthbox righttoleftvbox righttoleftvtop righttopbox ring  | <pre>\rightsubguillemot \righttoleft \righttolefthbox {} \righttoleftvbox {} \righttoleftvtop {} \righttopbox {} \ring {}</pre>   |
| righttoleft righttolefthbox righttoleftvbox righttoleftvtop righttopbox ring rlap   | <pre>\rightsubguillemot \righttoleft \righttolefthbox {} \righttoleftvbox {} \righttoleftvtop {} \righttopbox {} \ring {} \rlap {}</pre>  |
| righttoleft righttolefthbox righttoleftvbox righttoleftvtop righttopbox ring rlap robustaddtocommalist  | <pre>\rightsubguillemot \righttoleft \righttolefthbox {} \righttoleftvbox {} \righttoleftvtop {} \righttopbox {} \ring {} \rlap {} \robustaddtocommalist {} \</pre>   |
| righttoleft righttolefthbox righttoleftvbox righttoleftvtop righttopbox ring rlap robustaddtocommalist robustdoifelseinset  | <pre>\rightsubguillemot \righttoleft \righttolefthbox {} \righttoleftvbox {} \righttoleftvtop {} \righttoleftvtop {} \righttoleftvtop {} \ring {} \rlap {} \robustaddtocommalist {} \ \robustdoifelseinset {} {} {}</pre>   |
| righttoleft righttolefthbox righttoleftvbox righttoleftvtop righttopbox ring rlap robustaddtocommalist robustdoifelseinset robustdoifinsetelse  | <pre>\rightsubguillemot \righttoleft \righttolefthbox {} \righttoleftvbox {} \righttoleftvtop {} \righttopbox {} \ring {} \rlap {} \robustaddtocommalist {} \ \robustdoifelseinset {} {} {} \robustdoifinsetelse {} {} {}</pre>   |
| righttoleft righttolefthbox righttoleftvbox righttoleftvtop righttopbox ring rlap robustaddtocommalist robustdoifelseinset robustpretocommalist   | <pre>\rightsubguillemot \righttoleft \righttolefthbox {} \righttoleftvbox {} \righttoleftvtop {} \righttopbox {} \ring {} \rlap {} \robustaddtocommalist {} \ \robustdoifelseinset {} {} {} \robustdoifinsetelse {} {} {} \robustpretocommalist {} \</pre>  |
| righttoleft righttolefthbox righttoleftvbox righttoleftvtop righttopbox ring rlap robustaddtocommalist robustdoifelseinset robustdoifinsetelse robustpretocommalist rollbutton:button   | <pre>\rightsubguillemot \righttoleft \righttolefthbox {} \righttoleftvbox {} \righttoleftvtop {} \righttopbox {} \ring {} \rlap {} \robustaddtocommalist {} \ \robustdoifelseinset {} {} {} \robustdoifinsetelse {} {} {} \robustpretocommalist {} \ \robustpretocommalist {} \ \robustpretocommalist {} \ \robustpretocommalist {} \ \robustpretocommalist {</pre>   |
| righttoleft righttolefthbox righttoleftvbox righttoleftvtop righttopbox ring rlap robustaddtocommalist robustdoifelseinset robustdoifinsetelse robustpretocommalist rollbutton:button rollbutton:interactionmenu  | <pre>\rightsubguillemot \righttoleft \righttolefthbox {} \righttoleftvbox {} \righttoleftvtop {} \righttopbox {} \ring {} \rlap {} \robustdotifelseinset {} {} {} \robustdotifinsetelse {} {} {} \robustpretocommalist {} \ \rollbutton [=.] []</pre>  |
| righttoleft righttolefthbox righttoleftvbox righttoleftvtop righttopbox ring rlap robustaddtocommalist robustdoifelseinset robustdoifinsetelse robustpretocommalist rollbutton:button rollbutton:interactionmenu roman  | <pre>\rightsubguillemot \righttoleft \righttolefthbox {} \righttoleftvbox {} \righttoleftvtop {} \righttopbox {} \ring {} \rlap {} \robustaddtocommalist {} \ \robustdoifelseinset {} {} {} \robustdoifinsetelse {} {} {} \robustpretocommalist {} \ \robustpretocommalist {} \ \robustpretocommalist {} \ \robustpretocommalist {} \ \robustpretocommalist {</pre>   |
| righttoleft righttolefthbox righttoleftvbox righttoleftvtop righttopbox ring rlap robustaddtocommalist robustdoifelseinset robustdoifinsetelse robustpretocommalist rollbutton:button rollbutton:interactionmenu roman rtop                                     | <pre>\rightsubguillemot \righttoleft \righttolefthbox {} \righttoleftvbox {} \righttoleftvtop {} \righttopbox {} \ring {} \rlap {} \robustddtocommalist {} \ \robustdoifelseinset {} {} {} \robustdoifinsetelse {} {} {} \robustpretocommalist {} \ \robustpretocommalist {} \ \robustpretocommalist {} \ \rollbutton [=] [] \roman \roman \rtop {}</pre>   |
| righttoleft righttolefthbox righttoleftvbox righttoleftvtop righttopbox ring rlap robustaddtocommalist robustdoifelseinset robustdoifinsetelse robustpretocommalist rollbutton:button rollbutton:interactionmenu roman  | <pre>\rightsubguillemot \righttoleft \righttolefthbox {} \righttoleftvbox {} \righttoleftvtop {} \righttopbox {} \ring {} \rlap {} \robustaddtocommalist {} \ \robustdoifelseinset {} {} {} \robustdoifinsetelse {} {} {} \robustpretocommalist {} \ \robustpretocommalist {} \ \robustpretocommalist {} \ \robustpretocommalist {} \ \robustpretocommalist {</pre>   |
| righttoleft righttolefthbox righttoleftvbox righttoleftvtop righttopbox ring rlap robustaddtocommalist robustdoifelseinset robustdoifinsetelse robustpretocommalist rollbutton:button rollbutton:interactionmenu roman rtop ruby                                | <pre>\rightsubguillemot \righttoleft \righttolefthbox {} \righttoleftvbox {} \righttoleftvtop {} \righttopbox {} \ring {} \rlap {} \robustaddtocommalist {} {} {} \robustdoifelseinset {} {} {} \robustdoifinsetelse {} {} {} \robustpretocommalist {} \ \robustpretocommalist {} \ \robustpretocommalist {} \ \rollbutton [=] [] \roman \rtop {} \ruby [] {} {}</pre>  |
| righttoleft righttolefthbox righttoleftvbox righttoleftvtop righttopbox ring rlap robustaddtocommalist robustdoifelseinset robustdoifinsetelse robustpretocommalist rollbutton:button rollbutton:interactionmenu roman rtop ruby ruledhbox                      | <pre>\rightsubguillemot \righttoleft \righttolefthbox {} \righttoleftvbox {} \righttoleftvtop {} \righttoleftvtop {} \righttopbox {} \ring {} \robustaddtocommalist {} \ \robustdoifelseinset {} {} {} \robustdoifinsetelse {} {} {} \robustpretocommalist {} \ \rollbutton [=] [] \roman \rtop {} \ruby [] {} {} \ruby [] {} \ruby [] {}</pre>   |
| righttoleft righttolefthbox righttoleftvbox righttoleftvtop righttopbox ring rlap robustaddtocommalist robustdoifelseinset robustdoifinsetelse robustpretocommalist rollbutton:button rollbutton:interactionmenu roman rtop ruby ruledhbox ruledhpack           | <pre>\rightsubguillemot \righttoleft \righttoleftblox {} \righttoleftvbox {} \righttoleftvtop {} \robustaddtocommalist {} \ \robustdoifelseinset {} {} {} {} \robustdoifinsetelse {} {} {} {} \robustpretocommalist {} \ \rollbutton [=] [] \roman \rtop {} \ruby [] {} {} \ruby [] {} \ruledhbox {} \ruledhpack {}</pre>   |
| righttoleft righttolefthbox righttoleftvbox righttoleftvtop righttopbox ring rlap robustaddtocommalist robustdoifelseinset robustdoifinsetelse robustpretocommalist rollbutton:button rollbutton:interactionmenu roman rtop ruby ruledhbox ruledhpack ruledmbox | <pre>\rightsubguillemot \righttoleft \righttoleftblox {} \righttoleftvbox {} \righttoleftvtop {} \robustaddtocommalist {} \ \robustdoifelseinset {} {} {} {} \robustdoifinsetelse {} {} {} \robustpretocommalist {} \ \rollbutton [] [] \roman \rtop {} \ruby [] {} \ruby [] {} \ruledhbox {} \ruledhbox {} \ruledhbox {}</pre>   |
| righttoleft righttolefthbox righttoleftvbox righttoleftvtop righttopbox ring rlap robustaddtocommalist robustdoifelseinset robustdoifinsetelse robustpretocommalist rollbutton:button rollbutton:interactionmenu roman rtop ruby ruledhbox ruledmbox ruledtopv  | \rightsubguillemot \righttoleft \righttolefttblox {} \righttoleftvbox {} \righttoleftvtop {} \robustaddtocommalist {} \ \robustdoifelseinset {} {} {} {} \robustdoifinsetelse {} {} {} \robustpretocommalist {} \ \rollbutton [=.] [] \roman \rtop {} \ruby [] {} \ruledhbox {} \ruledhbox {} \ruledhbox {} \ruledtopv {}   |

| ruledvpack   | \ruledvpack {}  |
|--|---|
| ruledvtop  | \ruledvtop {}   |
| runMPbuffer  | \runMPbuffer []   |
| runninghbox  | \runninghbox {}   |
| ScaledPointsToBigPoints  | \ScaledPointsToBigPoints {} \   |
| ScaledPointsToWholeBigPoints   | \ScaledPointsToWholeBigPoints {} \  |
| Smallcapped  | \Smallcapped {}   |
| safechar   | \safechar {}  |
| samplefile   | \samplefile {}  |
| sans   | \sans   |
| sansespace<br>sansgras   | \sansespace<br>\sansgras  |
| sanslignesenteteetpdp  | \sanslignesenteteetpdp  |
| sanslignessupetinf   | \sanslignessupetinf   |
| sansnormal   | \sansnormal   |
| sansserif  | \sansserif  |
| savebox  | \savebox {} {} {}   |
| savebtxdataset   | \savebtxdataset [] [] [=]   |
| savebuffer   | \savebuffer [=]   |
| savebuffer:list  | \savebuffer [] []   |
| savecouleur  | \savecouleur \restorecouleur  |
| savecounter  | \savecounter []   |
| savecurrentattributes  | \savecurrentattributes {}   |
| savenormalmeaning  | \savenormalmeaning \ \savetaggedtwopassdata \{\} \{\} \{\} \{\}   |
| savetaggedtwopassdata<br>savetwopassdata   | \savetwopassdata {} {} {}   |
| sbox   | \sbox {}  |
| script:instance  | \SCRIPT   |
| script:instance:ethiopic   | \ethiopic   |
| script:instance:hangul   | hangul  |
| script:instance:hanzi  | \hanzi  |
| script:instance:latin  | \latin  |
| script:instance:nihongo  | \nihongo  |
| script:instance:test   | \test   |
| script:instance:thai   | \thai   |
| secondoffivearguments  | \secondoffivearguments {} {} {} {}  |
| secondoffourarguments  | \secondoffourarguments {} {} {} {}  |
| secondofsixarguments   | \secondofsixarguments \{\ldots\} |
|  |   |
| secondofthreearguments   | \secondofthreearguments {} {} {}  |
| secondofthreeunexpanded  | \secondofthreeunexpanded $\{\ldots\}$ $\{\ldots\}$  |
| secondofthreeunexpanded secondoftwoarguments   | \secondofthreeunexpanded {} {} {} \secondoftwoarguments {} {}   |
| secondofthreeunexpanded secondoftwoarguments secondoftwounexpanded   | \secondofthreeunexpanded {} {} \secondoftwoarguments {} {} \secondoftwounexpanded {} {}   |
| secondofthreeunexpanded secondoftwoarguments secondoftwounexpanded section:instance  | \secondofthreeunexpanded {} {} {} \secondoftwoarguments {} {} \secondoftwounexpanded {} {} \SECTION [] {}   |
| secondofthreeunexpanded secondoftwoarguments secondoftwounexpanded section:instance section:instance:assignment  | \secondofthreeunexpanded {} {} {} \secondoftwoarguments {} {} \secondoftwounexpanded {} {}  |
| secondofthreeunexpanded secondoftwoarguments secondoftwounexpanded section:instance  | \secondofthreeunexpanded {} {} {} \secondoftwoarguments {} {} \secondoftwounexpanded {} {} \SECTION [] {} \SECTION [=]  |
| secondofthreeunexpanded secondoftwoarguments secondoftwounexpanded section:instance section:instance:assignment section:instance:assignment:chapter  | \secondofthreeunexpanded {} {} {} \secondoftwoarguments {} {} \secondoftwounexpanded {} {} \SECTION [] {} \SECTION [=] \chapter [=]   |
| secondofthreeunexpanded secondoftwoarguments secondoftwounexpanded section:instance section:instance:assignment section:instance:assignment:chapter section:instance:assignment:part   | \secondofthreeunexpanded {} {} {} \secondoftwoarguments {} {} \secondoftwounexpanded {} {} \SECTION [] {} \SECTION [=] \chapter [=] \part [=]   |
| secondofthreeunexpanded secondoftwoarguments secondoftwounexpanded section:instance section:instance:assignment section:instance:assignment:chapter section:instance:assignment:part section:instance:assignment:section   | \secondofthreeunexpanded {} {} {} \secondoftwoarguments {} {} \secondoftwounexpanded {} {} \SECTION [] {} \SECTION [=] \chapter [=] \part [=] \section [=]  |
| secondofthreeunexpanded secondoftwoarguments secondoftwounexpanded section:instance section:instance:assignment section:instance:assignment:chapter section:instance:assignment:part section:instance:assignment:section section:instance:assignment:subject section:instance:assignment:subsection section:instance:assignment:subsection section:instance:assignment:subsubject  | <pre>\secondofthreeunexpanded {} {} \secondoftwoarguments {} {} \secondoftwounexpanded {} {} \SECTION [] {} \SECTION [=] \chapter [=] \part [=] \subject [=] \subject [=] \subsection [=] \subsection [=] \subsubject [=]</pre>   |
| secondofthreeunexpanded secondoftwourguments secondoftwounexpanded section:instance section:instance:assignment section:instance:assignment:chapter section:instance:assignment:part section:instance:assignment:section section:instance:assignment:subject section:instance:assignment:subsection section:instance:assignment:subsubject section:instance:assignment:subsubject section:instance:assignment:subsubsection  | <pre>\secondofthreeunexpanded {} {} \secondoftwoarguments {} {} \secondoftwounexpanded {} {} \SECTION [] {} \SECTION [] \chapter [] \chapter [] \part [] \subject [] \subject [] \subject [] \subsubject [] \subsubject [] \subsubject [] \subsubject [] \subsubject []</pre>   |
| secondofthreeunexpanded secondoftwoarguments secondoftwounexpanded section:instance section:instance:assignment section:instance:assignment:chapter section:instance:assignment:part section:instance:assignment:section section:instance:assignment:subject section:instance:assignment:subsection section:instance:assignment:subsubject section:instance:assignment:subsubsection section:instance:assignment:subsubsection section:instance:assignment:subsubsubject   | \secondofthreeunexpanded {} {} {} \secondoftwoarguments {} {} \secondoftwounexpanded {} {} \SECTION [] {} \SECTION [] \chapter [] \chapter [] \part [] \subject [] \subject [] \subject [] \subsubject [] \subsubject [] \subsubsubject []  |
| secondofthreeunexpanded secondoftwoarguments secondoftwounexpanded section:instance section:instance:assignment section:instance:assignment:chapter section:instance:assignment:part section:instance:assignment:section section:instance:assignment:subject section:instance:assignment:subsection section:instance:assignment:subsubject section:instance:assignment:subsubsection section:instance:assignment:subsubsection section:instance:assignment:subsubsubject section:instance:assignment:subsubsubsection  | <pre>\secondofthreeunexpanded {} {} \secondoftwoarguments {} {} \secondoftwounexpanded {} {} \SECTION [] {} \SECTION [] \chapter [] \chapter [] \section [] \subject [] \subject [] \subsubject [] \subsubject [] \subsubsubject [] \subsubsubsubject [] \subsubsubsubsubject [] \subsubsubsubsubsubsubsubsubsubsubsubsubs</pre>  |
| secondofthreeunexpanded secondoftwounexpanded section:instance section:instance:assignment section:instance:assignment:chapter section:instance:assignment:part section:instance:assignment:section section:instance:assignment:subject section:instance:assignment:subsection section:instance:assignment:subsubject section:instance:assignment:subsubsection section:instance:assignment:subsubsection section:instance:assignment:subsubsubject section:instance:assignment:subsubsubsection section:instance:assignment:subsubsubsection section:instance:assignment:subsubsubsubject   | \secondofthreeunexpanded {} {} {\} \secondoftwoarguments {\} {\} \secondoftwounexpanded {\} {\} \SECTION [\] {\} \SECTION [\] {\} \SECTION [\] \chapter [\] \secondoftwoarguments {\} \secondoftwoarguments {\  |
| secondofthreeunexpanded secondoftwounexpanded section:instance section:instance:assignment section:instance:assignment:chapter section:instance:assignment:part section:instance:assignment:section section:instance:assignment:subject section:instance:assignment:subsection section:instance:assignment:subsection section:instance:assignment:subsubject section:instance:assignment:subsubsection section:instance:assignment:subsubsubject section:instance:assignment:subsubsubsection section:instance:assignment:subsubsubsection section:instance:assignment:subsubsubsubsection section:instance:assignment:subsubsubsubsection   | \secondofthreeunexpanded {} {} {\} \secondoftwoarguments {\} {\} \secondoftwounexpanded {\} {\} \secondoftwounexpanded {\} {\} \SECTION [\] {\} \SECTION [\] {\} \secondoftwounexpanded {\} {\} {\} \secondoftwounexpanded {\} {\} \secondoftwounexpanded {\} {\} \secondoftwounexpanded {\} {\} {\} \secondoftwounexpanded {\} {\} {\} \secondoftwounexpanded {\} {\} {\} \secondoftwounexpanded {\} {\} {\} {\} \secondoftwounexpanded {\} {\} {\} {\} \secondoftwounexpanded {\} {\} {\} {\} {\} \secondoftwounexpanded {\} {\   |
| secondofthreeunexpanded secondoftwoarguments secondoftwounexpanded section:instance section:instance:assignment section:instance:assignment:chapter section:instance:assignment:part section:instance:assignment:section section:instance:assignment:subject section:instance:assignment:subsection section:instance:assignment:subsubject section:instance:assignment:subsubsection section:instance:assignment:subsubsubct section:instance:assignment:subsubsubject section:instance:assignment:subsubsubsubject section:instance:assignment:subsubsubsubject section:instance:assignment:subsubsubsubsubction section:instance:assignment:subsubsubsubsubction section:instance:assignment:subsubsubsubsubsubction   | \secondofthreeunexpanded {} {} {\} \secondoftwoarguments {\} {\} \secondoftwounexpanded {\} {\} \secondoftwounexpanded {\} {\} \SECTION [\] {\} \SECTION [\] {\} \secondoftwounexpanded {\} {\} {\} \secondoftwounexpanded {\} {\} {\} \secondoftwounexpanded {\} {\} {\} \secondoftwounexpanded {\} {\} {\} {\} \secondoftwounexpanded {\} {\} {\} {\} \secondoftwounexpanded {\} {\} {\} {\} {\} \secondoftwounexpanded {\}   |
| secondofthreeunexpanded secondoftwounexpanded section:instance section:instance:assignment section:instance:assignment:chapter section:instance:assignment:part section:instance:assignment:section section:instance:assignment:subject section:instance:assignment:subsection section:instance:assignment:subsubject section:instance:assignment:subsubsection section:instance:assignment:subsubsection section:instance:assignment:subsubsubject section:instance:assignment:subsubsubsubject section:instance:assignment:subsubsubsubject section:instance:assignment:subsubsubsubsubsection section:instance:assignment:subsubsubsubsubject section:instance:assignment:subsubsubsubsubsubject section:instance:assignment:subsubsubsubsubsubsubsubsubsubsubsubsubs   | \secondofthreeunexpanded {} {} {\} \secondoftwoarguments {\} {\} \secondoftwounexpanded {\} {\} \secondoftwounexpanded {\} {\} \SECTION [\] {\} \SECTION [\] {\} \secondoftwounexpanded {\} {\} {\} \secondoftwounexpanded {\} {\} {\} \secondoftwounexpanded {\} {\} {\} \secondoftwounexpanded {\} {\} {\} {\} \secondoftwounexpanded {\} {\} {\} {\} \secondoftwounexpanded {\} {\} {\} {\} {\} \secondoftwounexpanded {\}   |
| secondofthreeunexpanded secondoftwoarguments secondoftwounexpanded section:instance section:instance:assignment section:instance:assignment:chapter section:instance:assignment:part section:instance:assignment:section section:instance:assignment:subject section:instance:assignment:subsection section:instance:assignment:subsubject section:instance:assignment:subsubsection section:instance:assignment:subsubsubct section:instance:assignment:subsubsubject section:instance:assignment:subsubsubsubject section:instance:assignment:subsubsubsubject section:instance:assignment:subsubsubsubsubction section:instance:assignment:subsubsubsubsubction section:instance:assignment:subsubsubsubsubsubction   | \secondofthreeunexpanded {} {} {\} \secondoftwoarguments {\} {\} \secondoftwoarguments {\} {\} \secondoftwounexpanded {\} {\} \SECTION [\] {\} \SECTION [\] \chapter [\] \chapter [\] \subject [\] \subject [\] \subject [\] \subject [\] \subsubject [\] \subsubject [\] \subsubject [\] \subsubsubsubject [\] \subsubsubsubsubject [\] \subsubsubsubsubsubject [\] \subsubsubsubsubsubject [\] \subsubsubsubsubsubject [\] \title [\] \chapter [\] {\}  |
| secondofthreeunexpanded secondoftwoarguments secondoftwounexpanded section:instance section:instance:assignment section:instance:assignment:chapter section:instance:assignment:part section:instance:assignment:section section:instance:assignment:subject section:instance:assignment:subsection section:instance:assignment:subsubject section:instance:assignment:subsubsection section:instance:assignment:subsubsection section:instance:assignment:subsubsubject section:instance:assignment:subsubsubsubject section:instance:assignment:subsubsubsubsection section:instance:assignment:subsubsubsubsubject section:instance:assignment:subsubsubsubsubject section:instance:assignment:subsubsubsubsubject section:instance:assignment:title section:instance:chapter section:instance:ownnumber  | \secondofthreeunexpanded {} {} {\} \secondoftwoarguments {\} {\} \secondoftwounexpanded {\} {\} \secondoftwounexpanded {\} {\} \SECTION [\] {\} \SECTION [\] {\} \secondoftwounexpanded {\} {\} {\} \secondoftwounexpanded {\} {\} {\} {\} \secondoftwoun   |
| secondofthreeunexpanded secondoftwounexpanded section:instance section:instance:assignment section:instance:assignment:chapter section:instance:assignment:part section:instance:assignment:section section:instance:assignment:subject section:instance:assignment:subsection section:instance:assignment:subsubject section:instance:assignment:subsubsection section:instance:assignment:subsubsection section:instance:assignment:subsubsubject section:instance:assignment:subsubsubsubject section:instance:assignment:subsubsubsubsection section:instance:assignment:subsubsubsubsubsection section:instance:assignment:subsubsubsubsubsubsubsubsubsubsubsubsubs   | \secondofthreeunexpanded {} {} {\} \secondoftwoarguments {\} {\} \secondoftwoarguments {\} {\} \secondoftwounexpanded {\} {\} \SECTION [\] {\} \SECTION [\] {\} \secondoftwounexpanded {\} {\} \secondoftwounexpanded {\} {\} \secondoftwounexpanded {\} {\} \secondoftwounexpanded {\} {\} {\} \secondoftwounexpanded {\} {\} {\} {\} \secondoftwoarguments {\} {\} \secondoftwoarguments {\} {\} {\} \secondoftwoarguments  |
| secondofthreeunexpanded secondoftwounexpanded section:instance section:instance:assignment section:instance:assignment:chapter section:instance:assignment:part section:instance:assignment:section section:instance:assignment:subject section:instance:assignment:subsection section:instance:assignment:subsubject section:instance:assignment:subsubsection section:instance:assignment:subsubsection section:instance:assignment:subsubsubject section:instance:assignment:subsubsubsection section:instance:assignment:subsubsubsubject section:instance:assignment:subsubsubsubsubject section:instance:assignment:subsubsubsubsubject section:instance:assignment:subsubsubsubsubject section:instance:assignment:title section:instance:chapter section:instance:ownnumber section:instance:ownnumber:chapter   | \secondofthreeunexpanded {} {} {\} \secondoftwoarguments {\} {\} \secondoftwounexpanded {\} {\} \secondoftwounexpanded {\} {\} \SECTION [\] {\} \SECTION [\] {\} \secondoftwounexpanded {\} {\} {\} \secondoftwounexpanded {\} {\} {\} {\} \secondoftwoun   |
| secondofthreeunexpanded secondoftwounexpanded section:instance section:instance:assignment section:instance:assignment:chapter section:instance:assignment:part section:instance:assignment:section section:instance:assignment:subject section:instance:assignment:subsection section:instance:assignment:subsubject section:instance:assignment:subsubsection section:instance:assignment:subsubsection section:instance:assignment:subsubsubject section:instance:assignment:subsubsubsection section:instance:assignment:subsubsubsubject section:instance:assignment:subsubsubsubsection section:instance:assignment:subsubsubsubsubject section:instance:assignment:title section:instance:chapter section:instance:ownnumber section:instance:ownnumber:chapter section:instance:ownnumber:part   | \secondofthreeunexpanded {} {} {\secondoftwoarguments {} {} \secondoftwounexpanded {} {} \secondoftwoarguments {} {} \secondoftwoarguments {} {} \secondoftwoarguments {} \secondoftwoarguments {} \secondoftwoarguments {} \secondoftwoarguments {} \secondoftwoarguments {} {} \secondoftwoargume  |
| secondofthreeunexpanded secondoftwounexpanded section:instance section:instance:assignment section:instance:assignment:chapter section:instance:assignment:part section:instance:assignment:section section:instance:assignment:subject section:instance:assignment:subsection section:instance:assignment:subsubject section:instance:assignment:subsubsection section:instance:assignment:subsubsection section:instance:assignment:subsubsubject section:instance:assignment:subsubsubsection section:instance:assignment:subsubsubsubject section:instance:assignment:subsubsubsubject section:instance:assignment:subsubsubsubject section:instance:assignment:title section:instance:chapter section:instance:ownnumber section:instance:ownnumber:part section:instance:ownnumber:section   | \secondofthreeunexpanded {} {} {\secondoftwoarguments {} {} \secondoftwounexpanded {} {} \secondoftwoarguments {} {} \subject [] {} {}   |
| secondofthreeunexpanded secondoftwounexpanded section:instance section:instance:assignment section:instance:assignment:chapter section:instance:assignment:part section:instance:assignment:section section:instance:assignment:subject section:instance:assignment:subsection section:instance:assignment:subsubject section:instance:assignment:subsubsection section:instance:assignment:subsubsubject section:instance:assignment:subsubsubject section:instance:assignment:subsubsubsection section:instance:assignment:subsubsubsubject section:instance:assignment:subsubsubsubject section:instance:assignment:subsubsubsubject section:instance:assignment:title section:instance:chapter section:instance:ownnumber section:instance:ownnumber:part section:instance:ownnumber:section section:instance:ownnumber:subject section:instance:ownnumber:subsubsubject   | \secondofthreeunexpanded {} {} {\secondoftwoarguments {} {} {\secondoftwounexpanded  |
| secondofthreeunexpanded secondoftwounexpanded section:instance section:instance:assignment section:instance:assignment:chapter section:instance:assignment:part section:instance:assignment:section section:instance:assignment:subject section:instance:assignment:subsection section:instance:assignment:subsubject section:instance:assignment:subsubsection section:instance:assignment:subsubsubject section:instance:assignment:subsubsubject section:instance:assignment:subsubsubsection section:instance:assignment:subsubsubsubject section:instance:assignment:subsubsubsubject section:instance:assignment:subsubsubsubject section:instance:assignment:title section:instance:chapter section:instance:ownnumber section:instance:ownnumber:part section:instance:ownnumber:section section:instance:ownnumber:subject section:instance:ownnumber:subsubsubject section:instance:ownnumber:subsubsubject  | \secondofthreeunexpanded {} {} \secondoftwoarguments {} {} \secondoftwounexpanded {} {} \SECTION [] {} \SECTION [] \chapter [] \chapter [] \part [] \subject [] \subject [] \subject [] \subsubject [] \subsubsubject [] \subsubsubsubject [] \subsubsubsubject [] \subsubsubsubsubject [] \subsubsubsubsubject [] \subsubsubsubsubject [] \subsubsubsubsubject [] \subsubsubsubsubject [] \chapter [] {} \chapter [] {} \section [] {} \subject [] {} \subject [] {} \subsubsubsubject [] \subsubject [] {} \subsubsubsubject [] {} \subject [] {} \subsubsubject [] {} \subsubject [] {} \subsubsubsubject [] {} \subsubsubsubject [] {} \subsubsubsubject [] {} \subsubsubsubject [] {}  |
| secondoftwoarguments secondoftwounexpanded section:instance section:instance:assignment section:instance:assignment:chapter section:instance:assignment:part section:instance:assignment:section section:instance:assignment:subject section:instance:assignment:subsection section:instance:assignment:subsubject section:instance:assignment:subsubsection section:instance:assignment:subsubsection section:instance:assignment:subsubsubject section:instance:assignment:subsubsubsection section:instance:assignment:subsubsubsection section:instance:assignment:subsubsubsubject section:instance:assignment:subsubsubsubject section:instance:assignment:title section:instance:chapter section:instance:ownnumber section:instance:ownnumber:part section:instance:ownnumber:subject section:instance:ownnumber:subsubsubject section:instance:ownnumber:subsubsubject section:instance:ownnumber:subsubsubject section:instance:ownnumber:subsubsubject section:instance:ownnumber:subsubsubsubject  | \secondofthreeunexpanded {} {} \secondoftwoarguments {} {} \secondoftwounexpanded {} {} \SECTION [] {} \SECTION [] {} \SECTION [] \chapter [] \chapter [] \subject [] \subject [] \subject [] \subsubject [] \subsubsubject [] \subsubsubsubject [] \subsubsubsubject [] \subsubsubsubsubject [] \subsubsubsubsubject [] \subsubsubsubsubject [] \title [] \chapter [] {} \section [] {} \section [] {} \subject [] {} \subject [] {} \subject [] {} \subsubsubsubject [] {} \subsubsubsubject [] {} \subsubsubsubject [] {} \subsubsubject [] {} \subsubsubsubject [] {} \subsubsubject [] {} \subsubsubsubject [] {} \subsubsubsubject [] {} \subsubsubsubject [] {}  |
| secondofthreeunexpanded secondoftwounexpanded section:instance section:instance:assignment section:instance:assignment:chapter section:instance:assignment:part section:instance:assignment:section section:instance:assignment:subject section:instance:assignment:subsection section:instance:assignment:subsubject section:instance:assignment:subsubject section:instance:assignment:subsubsection section:instance:assignment:subsubsubject section:instance:assignment:subsubsubsection section:instance:assignment:subsubsubsubject section:instance:assignment:subsubsubsubject section:instance:assignment:subsubsubsubject section:instance:assignment:title section:instance:chapter section:instance:ownnumber section:instance:ownnumber:section section:instance:ownnumber:subject section:instance:ownnumber:subsubject section:instance:ownnumber:subsubsubsubject section:instance:ownnumber:subsubsubsection section:instance:ownnumber:subsubsubsection section:instance:ownnumber:subsubsubsection section:instance:ownnumber:subsubsubsection section:instance:ownnumber:subsubsubsection section:instance:ownnumber:subsubsubsection section:instance:ownnumber:subsubsubsection   | \secondofthreeunexpanded {} {} \secondoftwoarguments {} {} \secondoftwounexpanded {} {} \SECTION [] {} \SECTION [] {} \SECTION [] \chapter [] \chapter [] \part [] \subject [] \subject [] \subsubject [] \subsubsubject [] \subsubsubject [] \subsubsubsubject [] \subsubsubsubject [] \subsubsubsubsubject [] \subsubsubsubject [] \subsubsubsubsubject [] \subsubsubsubsubject [] \subsubsubsubsubject [] \subsubsubsubsubject [] \chapter [] {} \section [] {} \subject [] {} \subject [] {} \subsubsubsubject [] {} \subsubsubsubsubject [] {} \subsubsubsubsubject [] {} \subsubsubsubsubsubject [] {} \subsubsubsubsubsubject [] {}  |
| secondofthreeunexpanded secondoftwounexpanded section:instance section:instance:assignment section:instance:assignment:chapter section:instance:assignment:section section:instance:assignment:subject section:instance:assignment:subject section:instance:assignment:subsubject section:instance:assignment:subsubject section:instance:assignment:subsubject section:instance:assignment:subsubsubject section:instance:assignment:subsubsubject section:instance:assignment:subsubsubsubject section:instance:assignment:subsubsubsubject section:instance:assignment:subsubsubsubsubject section:instance:assignment:subsubsubsubsubject section:instance:assignment:title section:instance:ownnumber section:instance:ownnumber:section section:instance:ownnumber:section section:instance:ownnumber:subject section:instance:ownnumber:subsubsubject section:instance:ownnumber:subsubsubject section:instance:ownnumber:subsubsubject section:instance:ownnumber:subsubsubject section:instance:ownnumber:subsubsubsubject section:instance:ownnumber:subsubsubsubject section:instance:ownnumber:subsubsubsubject  | \secondofthreeunexpanded {} {} {secondoftwoarguments {} {} {secondoftwounexpanded {} {} {subject [=] {secondoftwounexpanded {} {} {subsubject [=] {subject [] {} {subject [] {} {secondoftwounexpanded {} {} {subject [] {subject [  |
| secondofthreeunexpanded secondoftwounexpanded section:instance section:instance:assignment section:instance:assignment:chapter section:instance:assignment:section section:instance:assignment:section section:instance:assignment:subject section:instance:assignment:subsection section:instance:assignment:subsubject section:instance:assignment:subsubsection section:instance:assignment:subsubsubject section:instance:assignment:subsubsubject section:instance:assignment:subsubsubsection section:instance:assignment:subsubsubsubject section:instance:assignment:subsubsubsubject section:instance:assignment:subsubsubsubject section:instance:assignment:subsubsubsubject section:instance:assignment:title section:instance:ownnumber section:instance:ownnumber:section section:instance:ownnumber:section section:instance:ownnumber:subject section:instance:ownnumber:subsubject section:instance:ownnumber:subsubsubject section:instance:ownnumber:subsubsubsubject section:instance:ownnumber:subsubsubsubject section:instance:ownnumber:subsubsubsubject section:instance:ownnumber:subsubsubsubject section:instance:ownnumber:subsubsubsubject section:instance:ownnumber:subsubsubsubsubject section:instance:ownnumber:subsubsubsubsubsection section:instance:ownnumber:subsubsubsubsubsection section:instance:ownnumber:subsubsubsubsubsubsection section:instance:ownnumber:subsubsubsubsubsubsubsubsubsubsubsubsubs | \secondofthreeunexpanded {} {} {secondoftwoarguments {} {} {secondoftwounexpanded {} {} {subsubsuffer [] {} {subsubject [] {} {subsubject [] {} {subsubject [] {} {secondoftwounexpanded {} {} {subsubsubsubject [] {} {} {subsubsubsubject [] {} {} {subsubject [] {} {} {subsubject [] {} {} {subsubject [] {} {} {subsubsubject [] {} {} {subsubsubject [] {} {} {subsubsubject [] {} {} {subsubsubject [] {} {} {subsubsubsubject [] {} {} {subsubsubsubject [] {} {} {subsubsubsubject [] {} {} {subsubsubsubject [] {} {} {subsubsubsubsubject [] {} {} {subsubsubsubsubsubject [] {} {} {subsubsubsubsubsubject [] {} {} {subsubsubsubsubsubsubsubject [] {} {} {subsubsubsubsubsubsubsubsubsubsubsubsubs   |
| secondofthreeunexpanded secondoftwounexpanded section:instance section:instance:assignment section:instance:assignment:chapter section:instance:assignment:section section:instance:assignment:subject section:instance:assignment:subject section:instance:assignment:subsubject section:instance:assignment:subsubject section:instance:assignment:subsubject section:instance:assignment:subsubsubject section:instance:assignment:subsubsubject section:instance:assignment:subsubsubsubject section:instance:assignment:subsubsubsubject section:instance:assignment:subsubsubsubsubject section:instance:assignment:subsubsubsubsubject section:instance:assignment:title section:instance:ownnumber section:instance:ownnumber:section section:instance:ownnumber:section section:instance:ownnumber:subject section:instance:ownnumber:subsubsubject section:instance:ownnumber:subsubsubject section:instance:ownnumber:subsubsubject section:instance:ownnumber:subsubsubject section:instance:ownnumber:subsubsubsubject section:instance:ownnumber:subsubsubsubject section:instance:ownnumber:subsubsubsubject  | \secondofthreeunexpanded {} {} {secondoftwoarguments {} {} {secondoftwounexpanded {} {} {subject [=] {secondoftwounexpanded {} {} {subsubject [=] {subject [] {} {subject [] {} {secondoftwounexpanded {} {} {subject [] {subject [  |

| section:instance:part                      | \part [] {}  |
|--|--|
| section:instance:section                   | \section [] {}   |
| section:instance:subject                   | \subject [] {}   |
| section:instance:subsection                | \subsection [] {}  |
| section:instance:subsubject                | \subsubject [] {}  |
| section:instance:subsubsection             | \subsubsection [] {}   |
| section:instance:subsubsubject             | \subsubsubject [] {}   |
| section:instance:subsubsubsection          | \subsubsection [] {}   |
| section:instance:subsubsubject             | \subsubsubject [] {}   |
| section:instance:subsubsubsubsection       | \subsubsubsection [] {}  |
| section:instance:subsubsubsubsubject       | \subsubsubsubject [] {}  |
| section:instance:title                     | \title [] {}   |
| seeregister:instance                       | \voitREGISTER [] {++} {}   |
| seeregister:instance:index                 | \voitindex [] {++} {}  |
| select                                     | \select \{\ldots\} \{\ |
| selectionneblocs                           | \selectionnebloc $\mathbb{S}^{T}$ [ $\mathbb{S}^{T}$ [ $\mathbb{S}^{T}$ [ $\mathbb{S}^{T}$ ] $\mathbb{S}^{T}$  |
| separeflottant                             | \separeflottant [=] {} {}  |
| serializecommalist                         | \serializecommalist []   |
| serializedcommalist<br>serializedcommalist |  |
|  | \serializedcommalist   |
| serif                                      | \serif   |
| serifbold                                  | \serifbold   |
| serifnormal                                | \serifnormal   |
| setautopagestaterealpageno                 | \setautopagestaterealpageno {}   |
| setbar                                     | \setbar []   |
| setbigbodyfont                             | \setbigbodyfont  |
| setboxllx                                  | \setboxllx {}  |
| setboxlly                                  | \setboxlly {}  |
| setbreakpoints                             | \setbreakpoints []   |
| setbuffer                                  | \setbuffer [] \endbuffer   |
| setcapstrut                                | \setcapstrut   |
| setcatcodetable                            | \setcatcodetable \   |
| setcharacteralign                          | \setcharacteralign {} {}   |
| setcharacteraligndetail                    | \setcharacteraligndetail $\{\}$ $\{\}$ $\{\}$  |
| setcharactercasing                         | \setcharactercasing []   |
| setcharactercleaning                       | \setcharactercleaning []   |
| setcharacterkerning                        | \setcharacterkerning []  |
| setcharacterspacing                        | \setcharacterspacing []  |
| setcharacterstripping                      | \setcharacterstripping []  |
| setcharstrut                               | \setcharstrut {}   |
| setcollector                               | \setcollector [] [=] {}  |
| setcolormodell                             | \setcolormodell []   |
| setcounter                                 | \setcounter [] []  |
| setcounterown                              | \setcounterown [] []   |
| setcurrentfontclass                        | \setcurrentfontclass {}  |
| setdataset                                 | \setdataset [] [=]   |
| setdefaultpenalties                        | \setdefaultpenalties   |
| setdigitsmanipulation                      | \setdigitsmanipulation []  |
| setdirection                               | \setdirection []   |
| setdocumentargument                        | \setdocumentargument {} {}   |
| setdocumentargumentdefault                 | \setdocumentargumentdefault {} {}  |
| setdocumentfilename                        | \setdocumentfilename {} {}   |
| setdummyparameter                          | \setdummyparameter {} {}   |
| setelementexporttag                        | \setelementexporttag [] []   |
| setemeasure                                | \setemeasure \{\ldots\} \\\  |
| setevalue                                  | \setevalue {} {}   |
| setevariable                               | \setevariable \{\} \{\}  |
| setevariable<br>setevariables              | \setevariable \(\tau\) \(\tau\ |
| setfirstline                               | \setfirstline []   |
|  |  |
| setfirstpasscharacteralign                 | \setfirstpasscharacteralign  |
| setflag                                    | \setflag {}  |
| setfont                                    | \setfont   |
| setfontcolorsheme                          | \setfontcolorsheme []  |
| setfontfeature                             | \setfontfeature {}   |
| setfontsolution                            | \setfontsolution []  |
| setfontstrut                               | \setfontstrut  |
| setglobalscript                            | \setglobalscript []  |
| setgmeasure                                | \setgmeasure {} {}   |
| setgvalue                                  | \setgvalue {} {}   |
| setgvariable                               | \setgvariable \{\} \{\}  |
| setgvariables                              | \setgvariables [] [=]  |
| sethboxregister                            | \sethboxregister {}  |
| sethyphenatedurlafter                      | \sethyphenatedurlafter {}  |
|  |  |

| sethyphenatedurlbefore        | \sethyphenatedurlbefore {}              |
|-------------------------------|---|
| V 2                           | \sethyphenatedurlnormal {}              |
| <b>71</b>                     | \sethyphenationfeatures []              |
| V 2                           | * =                                     |
|                               | \setinitial [] [=]                      |
|                               | \setinjector [] []                      |
|                               | \setinteraction []                      |
|                               | \setinterfacecommand {} {}              |
|                               | \setinterfaceconstant {} {}             |
|                               | \setinterfaceelement {} {}              |
| setinterfacemessage           | \setinterfacemessage {} {} {}           |
| setinterfacevariable          | \setinterfacevariable {} {}             |
| setinternalrendering          | \setinternalrendering [] [] {}          |
| setitaliccorrection           | \setitaliccorrection []                 |
| setJSpreamble                 | \setJSpreamble {} {}                    |
|                               | \setlayer [] [=] {}                     |
|                               | \setlayerframed [] [=] [=] {}           |
|                               | \setlayerframed [] [=] {}               |
|                               | \setlayertext [] [=] [=] {}             |
|                               | \setlinefiller []                       |
|                               | \setlocalhsize []                       |
|                               |   |
| •                             | \setlocalscript []                      |
|                               | \setMPlayer [] [=] {}                   |
|                               | \setMPpositiongraphic {} {} {}          |
|                               | \setMPpositiongraphicrange {} {} {}     |
|                               | \setMPtext {} {}                        |
| setMPvariable                 | \setMPvariable [] [=]                   |
| setMPvariables                | \setMPvariables [] [=]                  |
| setmainbodyfont               | \setmainbodyfont                        |
| setmainparbuilder             | \setmainparbuilder []                   |
| setmarker                     | \setmarker [] []                        |
| setmarking                    | \setmarking [] {}                       |
|                               | \setmathstyle {}                        |
| ·                             | \setmeasure {} {}                       |
|                               | \setmessagetext {} {}                   |
| 5                             | \setmode {}                             |
|                               | \setmode ()                             |
|                               | \setnose140<br>\setnote [] [] {}        |
|                               |   |
|                               | \setnotetext [] [] {}                   |
|                               | \setnotetext [] [=]                     |
|                               | \setnote [] [=]                         |
|                               | \setobject {} {} \ {}                   |
| ·                             | \setoldstyle                            |
| setpagereference              | \setpagereference {} {}                 |
| setpagestate                  | \setpagestate [] []                     |
| setpagestaterealpageno        | \setpagestaterealpageno {} {}           |
| setpenalties                  | \setpenalties \ {} {}                   |
|                               | \setpercentdimen {} {}                  |
|                               | \setperiodkerning []                    |
|                               | \setposition {}                         |
| •                             | \setpositionbox {} \ {}                 |
|                               | \setpositiondata {} {} {} {}            |
|                               | \setpositiondataplus {} {} {} {}        |
| · ·                           | \setpositiononly {}                     |
|                               | - · · · · · · · · · · · · · · · · · · · |
|                               | \setpositionplus {} {} \ {}             |
| •                             | \setpositionstrut {}                    |
| •                             | \setprofile []                          |
|                               | \setrandomseed {}                       |
|                               | \setreference [] [=]                    |
|                               | \setreferencedobject {} \ {}            |
| setregisterentry              | \setregisterentry [] [=] [=]            |
| setreplacement                | \setreplacement []                      |
| setrigidcolumnbalance         | \setrigidcolumnbalance                  |
| setrigidcolumnhsize           | \setrigidcolumnhsize {} {}              |
| setscript                     | \setscript []                           |
| setsecondpasscharacteralign ' | \setsecondpasscharacteralign            |
| •                             | \setsectionblock [] [=]                 |
|                               | \setsimplecolumnhsize [=]               |
|                               | \setsmallbodyfont                       |
|                               | \setsmallcaps                           |
| •                             | \setstackbox {} {} {}                   |
|                               | \setstructurepageregister [] [=] [=]    |
|                               | \setstrut                               |

| setsuperiors               | \setsuperiors  |
|----------------------------|--|
| setsystemmode              | \setsystemmode {}  |
| settabular                 | \settabular  |
| settaggedmetadata          | \settaggedmetadata [=]   |
|                            |  |
| settext                    | \settext [] [] [] []   |
| settightobject             | \settightobject {} \ \ \   |
| settightreferencedobject   | \settightreferencedobject \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| settightstrut              | \settightstrut   |
| settightunreferencedobject | \settightunreferencedobject {} \ {}                                      |
| settokenlist               | \settokenlist [] {}  |
|                            |  |
| settrialtypesetting        | \settrialtypesetting   |
| setuevalue                 | \setuevalue {} {}  |
| setugvalue                 | \setugvalue {} {}  |
| setunreferencedobject      | \setunreferencedobject {} {} \ {}  |
|                            |  |
| setupalternativestyles     | \setupalternativestyles [=]  |
| setupattachment            | \setupattachment [] [=]  |
| setupattachments           | \setupattachments [] [=]   |
| setupbackend               | \setupbackend [=]  |
| setupbar                   | \setupbar [] [=]   |
| •                          |  |
| setupbars                  | \setupbars [] [=]  |
| setupbleeding              | \setupbleeding [=]   |
| setupbookmark              | \setupbookmark [=]   |
| setupbtx                   | \setupbtx [] [=]   |
| setupbtxdataset            | \setupbtxdataset [] [=]  |
| •                          |  |
| setupbtxlist               | \setupbtxlist [] [=]   |
| setupbtxregister           | \setupbtxregister [] [=]   |
| setupbtxrendering          | \setupbtxrendering [] [=]  |
| setupbtx:name              | \setupbtx []   |
| setupbutton                | \setupbutton [] [=]  |
| -                          |  |
| setupcharacteralign        | \setupcharacteralign [=]   |
| setupcharacterkerning      | \setupcharacterkerning [] [=]  |
| setupcharacterspacing      | \setupcharacterspacing [] [] [=]   |
| setupchemical              | \setupchemical [] [=]  |
| setupchemicalframed        | \setupchemicalframed [] [=]  |
| -                          |  |
| setupcollector             | \setupcollector [] [=]   |
| setupcolumnsetarea         | \setupcolumnsetarea [] [=]   |
| setupcolumnsetareatext     | \setupcolumnsetareatext [] []  |
| setupcolumnsetlines        | \setupcolumnsetlines [] [] []  |
| setupcolumnsetspan         | \setupcolumnsetspan [] [=]   |
|                            |  |
| setupcolumnsetstart        | \setupcolumnsetstart [] [] []  |
| setupcolumnspan            | \setupcolumnspan [=]   |
| setupcombination           | \setupcombination [] [=]   |
| setupcounter               | \setupcounter [] [=]   |
| setupdataset               | \setupdataset [] [=]   |
| -                          |  |
| setupdelimitedtext         | \setupdelimitedtext [] [=]   |
| setupdescription           | \setupdescription [] [=]   |
| setupdirections            | \setupdirections [=]   |
| setupdocument              | \setupdocument [=]   |
| setupeffect                | \setupeffect [] [=]  |
| setupenumeration           | \setupenumeration [] [=]   |
| <del>-</del>               |  |
| setupenv                   | \setupenv [=]  |
| setupexport                | \setupexport [=]   |
| setupexternalfigure        | \setupexternalfigure [] [=]  |
| setupexternalsoundtracks   | \setupexternalsoundtracks [=]  |
| setupfacingfloat           | \setupfacingfloat [] [=]   |
|                            |  |
| setupfieldbody             | \setupfieldbody [] [=]   |
| setupfieldcategory         | \setupfieldcategory [] [=]   |
| setupfieldcontentframed    | \setupfieldcontentframed [] [=]  |
| setupfieldlabelframed      | \setupfieldlabelframed [] [=]  |
| setupfieldtotalframed      | \setupfieldtotalframed [] [=]  |
|                            |  |
| setupfiller                | \setupfiller [] [=]  |
| setupfirstline             | \setupfirstline [] [=]   |
| setupfittingpage           | \setupfittingpage [] [=]   |
| setupfloatframed           | \setupfloatframed [] [=]   |
| setupfontexpansion         | \setupfontexpansion [] [=]   |
|                            |  |
| setupfontprotrusion        | \setupfontprotrusion [] [=]  |
| setupfonts                 | \setupfonts [=]  |
| setupfontsolution          | \setupfontsolution [] [=]  |
| setupformula               | \setupformula [] [=]   |
| setupformulaframed         | \setupformulaframed [] [=]   |
|                            |  |
| setupframedcontent         | \setupframedcontent [] [=]   |
| setupframedtable           | \setupframedtable [] [=]   |

|   | No. 1 (1 (1 (1 (1 (1 (1 (1 (1 (1 (1 (1 (1 (   |
|---|---|
| setupframedtablecolumn  | \setupframedtablecolumn [] [] []  |
| setupframedtablerow   | \setupframedtablerow [] [] [=]  |
| setupframedtext   | \setupframedtext [] [=]   |
| setupframedtexts  | \setupframedtexts [] [=]  |
| setupglobalreferenceprefix setupheadalternative                       | \setupglobalreferenceprefix [] \setupheadalternative [] [=]   |
| setuphelp   | \setupheadarternative [] [] \setuphelp [] []  |
| setuphigh   | \setuphigh [] [=]   |
| setuphighlight  | \setuphighlight [] [=]  |
| setuphyphenation  | \setuphightight [] \setuphyphenation [=]  |
| setupindentedtext   | \setupindentedtext [] [=]   |
| setupinitial  | \setupinitial [] [=]  |
| setupinsertion  | \setupinsertion [] [=]  |
| setupitaliccorrection   | \setupitaliccorrection []   |
| setupitemgroup  | \setupitemgroup [] [] [=]   |
| setupitemgroup:assignment   | \setupitemgroup [] [=]  |
| setupitemgroup:instance   | \regleITEMGROUP [] [=]  |
| setupitemgroup:instance:itemize                                       | \regleitemize [] [=]  |
| setuplabel  | \setuplabel [] [=]  |
| setuplayer  | \setuplayer [] [=]  |
| setuplayeredtext  | \setuplayeredtext [] [=]  |
| setuplayouttext   | \setuplayouttext [] [] [=]  |
| setuplinefiller   | \setuplinefiller [] [=]   |
| setuplinefillers  | \setuplinefillers [] [=]  |
| setuplinenote   | \setuplinenote [] [=]   |
| setuplinetable  | \setuplinetable [] [] [=]   |
| setuplistalternative  | \setuplistalternative [] [=]  |
| setuplistextra  | \setuplistextra [] [=]  |
| setuplocalfloats  | \setuplocalfloats [=]   |
| setuplocalinterlinespace  | \setuplocalinterlinespace [] [=]  |
| setuplocalinterlinespace:argument                                     | \setuplocalinterlinespace []  |
| setuplocalinterlinespace:name   | \setuplocalinterlinespace []  |
| setuplow  | \setuplow [] [=]  |
| setuplowhigh  | \setuplowhigh [] [=]  |
| setuplowmidhigh   | \setuplowmidhigh [] [=]   |
| setupMPgraphics   | \setupMPgraphics [=]  |
| setupMPinstance   | \setupMPinstance [] [=]   |
| setupMPpage   | \setupMPpage [=]  |
| setupMPvariables  | \setupMPvariables [] [=]  |
| setupmarginblock  | \setupmarginblock [] [=]  |
| setupmargindata   | \setupmargindata [] [=]   |
| setupmarginframed   | \setupmarginframed [] [=]   |
| setupmarginrule   | \setupmarginrule [] [=]   |
| setupmathalignment  | \setupmathalignment [] [=]  |
| setupmathcases  | \setupmathcases [] [=]  |
| setupmathematics  | \setupmathematics [] [=] \setupmathfence [] [=]   |
| setupmathfence<br>setupmathfraction                                   | \setupmathfence [] [=]  |
| setupmathfractions  | \setupmathfractions [] [=]  |
| setupmathframed   | \setupmathframed [] [=]   |
| setupmathmatrix   | \setupmathmatrix [] [=]   |
| setupmathornament   | \setupmathornament [] [=]   |
| setupmathradical  | \setupmathradical [] [=]  |
| setupmathstackers   | \setupmathstackers [] [=]   |
| setupmathstyle  | \setupmathstyle []  |
| setupmixedcolumns   | \setupmixedcolumns [] [=]   |
| setupmodule   | \setupmodule [] [=]   |
| setupnotation   | \setupnotation [] [=]   |
| setupnotations  | \setupnotations [] [=]  |
| setupnote   | \setupnote [] [=]   |
| setupnotes  | \setupnotes [] [=]  |
| setupoffset   | \setupoffset [=]  |
| setupoffsetbox  | \setupoffsetbox [=]   |
| setupoutputroutine  | \setupoutputroutine [] [=]  |
| setupoutputroutine:name   | \setupoutputroutine []  |
| setuppagechecker  | \sotuppagochocker [ ] [ = ]   |
| a a turm a a a a lumm a   | \setuppagechecker [] [=]  |
| setuppagecolumns  | \setuppagecolumns [] [=]  |
| setuppageinjection  | \setuppagecolumns [] [=] \setuppageinjection [] [=]   |
| setuppageinjection<br>setuppageinjectionalternative                   | \setuppagecolumns [] [=] \setuppageinjection [] [=] \setuppageinjectionalternative [] [=]                       |
| setuppageinjection<br>setuppageinjectionalternative<br>setuppageshift | \setuppagecolumns [] [=] \setuppageinjection [] [=] \setuppageinjectionalternative [] [=] \setuppageshift [] [] |
| setuppageinjection<br>setuppageinjectionalternative                   | \setuppagecolumns [] [=] \setuppageinjection [] [=] \setuppageinjectionalternative [] [=]                       |

| setuppairedbox:instance        | \reglePAIREDBOX [=]                      |
|--------------------------------|--|
| setuppairedbox:instance:legend | \reglelegend [=]                         |
| setupparagraph                 | \setupparagraph [] [=]                   |
| setupparagraphintro            | \setupparagraphintro []                  |
| setupparallel                  | \setupparallel [] [=]                    |
| setupperiodkerning             | \setupperiodkerning [] [=]               |
| setupperiods                   | \setupperiods [=]                        |
| setupplacement                 | \setupplacement [] [=]                   |
| setuppositionbar               | \setuppositionbar [=]                    |
| setupprocessor                 | \setupprocessor [] [=]                   |
| setupprofile                   | \setupprofile [] [=]                     |
| setupquotation                 | \setupquotation [=]                      |
| setuprealpagenumber            | \setuprealpagenumber [=]                 |
| setupreferenceformat           | \setupreferenceformat [] [=]             |
| setupreferenceprefix           | \setupreferenceprefix []                 |
| setupreferencestructureprefix  | \setupreferencestructureprefix [] [] [=] |
| setupregisters                 | \setupregisters [] [=]                   |
|                                | \setupregisters [] [=]                   |
| setupregisters: argument       |  |
| setuprenderingwindow           | \setuprenderingwindow [] [=]             |
| setupruby                      | \setupruby [] [=]                        |
| setups                         | \setups []                               |
| setupscale                     | \setupscale [] [=]                       |
| setupscript                    | \setupscript [] [=]                      |
| setupscripts                   | \setupscripts [] [=]                     |
| setupselector                  | \setupselector [] [=]                    |
| setupshift                     | \setupshift [] [=]                       |
| setupsidebar                   | \setupsidebar [] [=]                     |
| setupspellchecking             | \setupspellchecking [=]                  |
| setupstretched                 | \setupstretched [=]                      |
| setupstruts                    | \setupstruts []                          |
| setupstyle                     | \setupstyle [] [=]                       |
| setupsubformula                | \setupsubformula [] [=]                  |
| setupsubformulas               | \setupsubformulas [] [=]                 |
| setupsynctex                   | \setupsynctex [=]                        |
| setups:direct                  | \setups {}                               |
| setupTABLE                     | \setupTABLE [] [=]                       |
| setupTEXpage                   | \setupTEXpage [=]                        |
| setuptabulation                | \setuptabulation [] [=]                  |
| setuptagging                   | \setuptagging [=]                        |
| setuptextbackground            | \setuptextbackground [] [=]              |
| setuptextflow                  | \setuptextflow [] [=]                    |
| setuptooltip                   | \setuptooltip [] [=]                     |
| setupunit                      | \setupunit [] [=]                        |
| setupuserdata                  | \setupuserdata [] [=]                    |
| setupuserdataalternative       | \setupuserdataalternative [] [=]         |
| <del>-</del>                   |  |
| setupuserpagenumber            | \setupuserpagenumber [=]                 |
| setupversion                   | \setupversion []                         |
| setupviewerlayer               | \setupviewerlayer [=]                    |
| setupvspacing                  | \setupvspacing []                        |
| setupwithargument              | \setupwithargument {} {}                 |
| setupwithargumentswapped       | \setupwithargumentswapped {} {}          |
| setupxml                       | \setupxml [=]                            |
| setupxtable                    | \setupxtable [] [=]                      |
| setuvalue                      | \setuvalue \{\ldots\}                    |
| setuxvalue                     | \setuxvalue {} {}                        |
| setvalue                       | \setvalue {} {}                          |
| setvariable                    | \setvariable {} {}                       |
| setvariables                   | \setvariables [] [=]                     |
| setvboxregister                | \setvboxregister {}                      |
| setvisualizerfont              | \setvisualizerfont []                    |
| setvtopregister                | \setvtopregister {}                      |
| setwidthof                     | \setwidthof \to \                        |
| setxmeasure                    | \setxmeasure {} {}                       |
| setxvalue                      | \setxvalue {} {}                         |
| setxvariable                   | \setxvariable {} {}                      |
| setxvariables                  | \setxvariables [] [=]                    |
| shapedhbox                     | \shapedhbox {}                           |
| shiftbox                       | \shiftbox {}                             |
| shift:instance                 | \SHIFT {}                                |
| shift:instance:shiftdown       | \shiftdown {}                            |
| shift:instance:shiftup         | \shiftup {}                              |
| showallmakeup                  | \showallmakeup                           |
|                                | , <b></b>                                |

| -1                                  | \-\-\-\-\-\-\-\-\-\-\-\-\-\-\-\-\-\-\-                                 |
|-------------------------------------|--|
| showattributes                      | \showattributes  |
| showboxes                           | \showboxes   |
| showbtxdatasetauthors               | \showbtxdatasetauthors [=]   |
| showbtxdatasetauthors:argument      | \showbtxdatasetauthors []  |
| showbtxdatasetcompleteness          | \showbtxdatasetcompleteness [=]  |
| showbtxdatasetcompleteness:argument | \showbtxdatasetcompleteness []   |
| showbtwdatasetfields                | \showbtxdatasetfields [=]  |
| showbtxdatasetfields:argument       | \showbtxdatasetfields []   |
| showbtxfields                       | \showbtxfields [=]   |
| showbtxfields:argument              | \showbtxfields []  |
| showbtxhashedauthors                | \showbtxhashedauthors []   |
| showbardata                         | \showbtxtables [] \showchardata {}                                     |
| showcharratio                       | \showcharratio {}  |
| showcolorbar                        | \showcolorbar []   |
|                                     | \showcolorcomponents []  |
| showcolorcomponents showcolorset    | \showcolorcomponents []  |
| showcolorstruts                     | \showcolorset [] \showcolorstruts                                      |
| showcounter                         | \showconter []   |
| showdirectives                      | \showdirectives  |
|                                     | \showdirectives \showdirsinmargin                                      |
| showdirsinmargin<br>showedebuginfo  | \showedebuginfo  |
|                                     |  |
| showexperiments showfont            | \showexperiments   |
| showfontdata                        | \showfont [] [] \showfontdata  |
|                                     |  |
| showfontexpansion showfontitalics   | \showfontexpansion   |
|                                     | \showfontitalics   |
| showfontkerns                       | \showfontkerns   |
| showfontparameters                  | \showfontparameters  |
| showfontstrip                       | \showfontstrip []  |
| showfontstyle                       | \showfontstyle [] [] []  |
| showglyphdata                       | \showglyphdata   |
| showglyphs                          | \showglyphs  |
| showgridsnapping                    | \showgridsnapping  |
| showhelp                            | \showhelp {} []  |
| showhyphenationtrace                | \showhyphenationtrace [] []  |
| showhyphens                         | \showhyphens {}  |
| showingector                        | \showinjector []   |
| showjustification                   | \showjustification   |
| showkerning                         | \showkerning {}  |
| showlayoutcomponents                | \showlayoutcomponents  |
| showligature                        | \showligature {}   |
| showligatures                       | \showligatures []  |
| showlogcategories                   | \showlogcategories   |
| showmargins                         | \showmargins   |
| showmessage                         | \showmessage {} {} {}  |
| showminimalbaseline                 | \showminimalbaseline   |
| shownextbox                         | \shownextbox \ {}  |
| showotfcomposition                  | \showotfcomposition \{\ldots\} \{\ldots\}                              |
| showparentchain                     | \showparentchain \ \{\}  |
| showsetupsdefinition                | \showsetupsdefinition []   |
| showtimer                           | \showtimer {}  |
| showtokens                          | \showtokens []   |
| showtrackers                        | \showtrackers  |
| showvalue                           | \showvalue {}  |
| showvariable                        | \showvariable \{\ldots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\           |
| showwarning                         | \showwarning {} {} {}  |
| signalrightpage                     | \signalrightpage   |
| simplealignedbox                    | \simplealignedbox {} {} {}   |
| simplealignedboxplus                | \simplealignedboxplus \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\}      |
| simplealignedspreadbox              | \simplealignedspreadbox {} {} {}                                       |
| simplegroupedcommand                | \simplegroupedcommand \{\dots\} \\\                                    |
| simplereversealignedbox             | \simplereversealignedbox \{\dots\} \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| simplereversealignedboxplus         | \simplereversealignedboxplus \{\ldots\} \{\ldots\} \{\ldots\} \\       |
| singalcharacteralign                | \singalcharacteralign {} {}  |
| singlebond                          | \singlebond  |
| sixthofsixarguments                 | \sixthofsixarguments {} {} {} {} {}                                    |
| slantedface                         | \slantedface   |
| slicepages                          | \slicepages [] [=]   |
| slovenianNumerals                   | \slovenianNumerals {}  |
| sloveniannumerals                   | \sloveniannumerals {}  |
| smallcappedcharacters               | \smallcappedcharacters {}  |

| smallcappedromannumerals        | \smallcappedromannumerals {}                 |
|---------------------------------|--|
| smaller                         | \smaller                                     |
| smallskip                       | \smallskip                                   |
| smash                           | \smash [] {}                                 |
| smashbox                        | \smashbox                                    |
| smashboxed                      | \smashboxed                                  |
| smashedhbox                     | \smashedhbox {}                              |
| smashedvbox                     | \smashedvbox {}                              |
| snaptogrid                      | \snaptogrid [] \ {}                          |
| snaptogrid:list                 | \snaptogrid [] \ {}                          |
|                                 | \someheadnumber [] []                        |
| somekindoftab                   | \somekindoftab [=]                           |
| somelocalfloat                  | \somelocalfloat                              |
| somenamedheadnumber             | \somenamedheadnumber {} {}                   |
| someplace                       | \someplace {} {} {} {} []                    |
| sorting:instance                | \SORTING [] {}                               |
| sorting:instance:logo           | \logo [] {}                                  |
|                                 | \sousnumeropage                              |
| souspagesuivante                | \souspagesuivante                            |
|                                 | \spaceddigits {}                             |
|                                 | \spaceddigitsmethod                          |
|                                 | \spaceddigitsseparator                       |
|                                 | \spaceddigitssymbol                          |
| 1 0                             | \spanishNumerals {}                          |
| -                               | \spanishnumerals {}                          |
|                                 | \splitatasterisk \ \                         |
| -                               | \splitatcolon \ \                            |
|                                 | \splitatcolons \                             |
|                                 | \splitatcomma \ \                            |
|                                 | \splitatperiod \                             |
|                                 | \splitdfrac {} {}                            |
|                                 | \splitfilename {}                            |
|                                 | \splitfrac {} {}                             |
|                                 | \splitoffbase                                |
| -                               |  |
| -                               | \splitofffull<br>\splitoffkind               |
| <del>-</del>                    | \splitoffname                                |
| <del>-</del>                    | <del>-</del>                                 |
| <del>-</del>                    | \splitoffpath                                |
| -                               | \splitoffroot<br>\splitofftokens \from \to \ |
| -                               |  |
|                                 | \splitofftype                                |
|                                 | \splitstring \at \to \ \and \                |
| •                               | \spreadhbox                                  |
|                                 | \sqrt [] {}                                  |
|                                 | \stackrel {} {}                              |
| startlinenote:instance          | \demarreLINENOTE [] {}                       |
| startlinenote:instance:linenote | \demarrelinenote [] {}                       |
| _                               | \startregister [] [] [] {++}                 |
| startstop:example               | \STARTSTOP {}                                |
|                                 | \startstructurepageregister [] [] []         |
| stoplinenote:instance           | \stoppeLINENOTE []                           |
| -                               | \stoppelinenote []                           |
| 11 0                            | \stoppeligne []                              |
|                                 | \stopregister [] []                          |
|                                 | \stopstructurepageregister [] []             |
| <del>_</del>                    | \strictdoifelsenextoptional {} {}            |
| strictdoifnextoptionalelse      | \strictdoifnextoptionalelse {} {}            |
| stripcharacter                  | \stripcharacter \from \to \                  |
| strippedcsname                  | \strippedcsname \                            |
| strippedcsname:string           | \strippedcsname                              |
| stripspaces                     | \stripspaces \from \to \                     |
| structurelistuservariable       | \structurelistuservariable {}                |
| structurenumber                 | \structurenumber                             |
| structuretitle                  | \structuretitle                              |
| structureuservariable           | \structureuservariable {}                    |
| structurevariable               | \structurevariable {}                        |
| strut                           | \strut                                       |
| strutdp                         | \strutdp                                     |
| -                               | \strutgap                                    |
| <b>0.</b>                       | \strutht                                     |
| struthtdp                       | \struthtdp                                   |
| -                               | \struttedbox { }                             |

| strutwd   | \strutwd                                 |
|---|--|
| style   | \style [=] {}                            |
| styleinstance                                   | \styleinstance []                        |
| style:argument                                  | \style [] {}                             |
| style:instance                                  | \STYLE {}                                |
| subsentence                                     | \subsentence {}                          |
| substituteincommalist                           | \substituteincommalist {} {} \           |
| subtractfeature                                 | \subtractfeature []                      |
| subtractfeature:direct                          | \subtractfeature {}                      |
| suggestion:instance                             | \TOOLTIP [=] {} {}                       |
| suggestion:instance:argument                    | \TOOLTIP [] {}                           |
| <pre>suggestion:instance:argument:tooltip</pre> | \tooltip [] {}                           |
| suggestion:instance:tooltip                     | \tooltip [=] {} {}                       |
| swapcounts                                      | \swapcounts \ \                          |
| swapdimens                                      | \swapdimens \ \                          |
| swapface  | \swapface                                |
| swapmacros                                      | \swapmacros \ \                          |
| swaptypeface                                    | \swaptypeface                            |
| switchstyleonly                                 | \switchstyleonly []                      |
| switchstyleonly:command                         | \switchstyleonly \                       |
| switchtocolor                                   | \switchtocolor []                        |
| switchtointerlinespace                          | \switchtointerlinespace [] [=]           |
| switchtointerlinespace:argument                 | \switchtointerlinespace []               |
| switchtointerlinespace:name                     | \switchtointerlinespace []               |
| symbole   | \symbole [] []                           |
| symbole:direct                                  | \symbole {}                              |
| symbolreference                                 | \symbolreference []                      |
| synchronizeblank                                | \synchronizeblank                        |
| synchronizeindenting                            | \synchronizeindenting                    |
| synchronizemarking                              | \synchronizemarking [] []                |
| synchronizeoutputstreams                        | \synchronizeoutputstreams []             |
| synchronizestrut                                | \synchronizestrut {}                     |
| synchronizewhitespace                           | \synchronizewhitespace                   |
| synctexblockfilename                            | \synctexblockfilename {}                 |
| synctexresetfilename                            | \synctexresetfilename                    |
| synctexsetfilename                              | \synctexsetfilename {}                   |
| synonym:instance                                | \SYNONYM [] {}                           |
| synonym:instance:abbreviation                   | \abbreviation [] {}                      |
| systemlog                                       | \systemlog {} {} {}                      |
| systemlogfirst                                  | \systemlogfirst {} {}                    |
| systemloglast                                   | \systemloglast {} {} {} \systemsetups {} |
| systemsetups TABLE                              | \TABLE                                   |
| Table   | \TaBlE                                   |
| TEX   | \TEX                                     |
| TeX   | \TeX                                     |
| TheNormalizedFontSize                           | \TheNormalizedFontSize                   |
| TransparencyHack                                | \TransparencyHack                        |
| tabulateautoline                                | \tabulateautoline                        |
| tabulateautorule                                | \tabulateautorule                        |
| tabulateline                                    | \tabulateline                            |
| tabulaterule                                    | \tabulaterule                            |
| taggedctxcommand                                | \taggedctxcommand {}                     |
| taggedlabeltexts                                | \taggedlabeltexts {} {} {}               |
| tapebuffer                                      | \tapebuffer [] [=]                       |
| tapebuffer:instance                             | \dactylographierBUFFER [=]               |
| tbox  | \tbox {}                                 |
| testandsplitstring                              | \testandsplitstring \at \to \ \and \     |
| testcolumn                                      | \testcolumn [] []                        |
| testfeature                                     | \testfeature {} {}                       |
| testfeatureonce                                 | \testfeatureonce {} {}                   |
| testpage  | \testpage [] []                          |
| testpageonly                                    | \testpageonly [] []                      |
| testpagesync                                    | \testpagesync []                         |
| testtokens                                      | \testtokens []                           |
| tex   | \tex {}                                  |
| texdefinition                                   | \texdefinition {}                        |
| texsetup  | \texsetup {}                             |
| textbackground:example                          | \TEXTBACKGROUND {}                       |
| textcitation                                    | \textcitation [=] []                     |
| textcitation:alternative                        | \textcitation []                         |
| textcitation:userdata                           | \textcitation [=] [=]                    |

| extcite                            | \textcite [=] []   |
|------------------------------------|--|
| extcite:alternative                | \textcite [] []  |
| extcite:userdata                   | \textcite [=] [=]  |
| extcontrolspace                    | \textcontrolspace  |
| exteaide                           | \texteaide [] {}   |
| exteencadre:instance               | $\FRAMEDTEXT [=] {}$   |
| exteencadre:instance:framedtext    | $\framedtext [=] {}$   |
| extenotepdp                        | \textenotepdp [] {}  |
| extenotepdp:assignment             | \textenotepdp [=]  |
| extflowcollector                   | \textflowcollector {}  |
| extmath                            | \textmath {}   |
| extminus                           | \textminus   |
| extormathchar                      | \textormathchar {}   |
| extormathchars                     | \textormathchars {}  |
| extplus                            | \textplus  |
| extvisiblespace                    | \textvisiblespace  |
| chainumerals                       | \thainumerals {}   |
| hefirstcharacter                   | \thefirstcharacter {}  |
| henormalizedbodyfontsize           | \thenormalizedbodyfontsize {}  |
| heremainingcharacters              | \theremainingcharacters {}   |
| hickspace                          | \thickspace  |
| hinspace                           | \thinspace   |
| hirdoffivearguments                | \thirdoffivearguments \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} \{\ldots\} |
| hirdoffourarguments                | \thirdoffourarguments {} {} {}   |
| Chirdofsixarguments                | \thirdofsixarguments {} {} {} {} {}  |
| hirdofthreearguments               | \thirdofthreearguments {} {} {}  |
| hirdofthreeunexpanded              | \thirdofthreeunexpanded {} {} {}   |
| hreedigitrounding                  | \threedigitrounding {}   |
| ibetannumerals                     | \tibetannumerals {}  |
| ightlayer                          | \tightlayer []   |
| ilde                               | \tilde {}  |
| inyfont                            | \tinyfont  |
| lap                                | \tlap {}   |
| ochar                              | \tochar {}   |
| colinenote                         | \tolinenote []   |
| copbox                             | \topbox {}   |
| opleftbox                          | \topleftbox {}   |
| coplinebox                         | \toplinebox {}   |
| corrightbox                        | \toprightbox {}  |
| copskippedbox                      | \topskippedbox {} \tracecatcodetables  |
| racecatcodetables<br>racedfontname | •  |
|                                    | \tracedfontname {}   |
| raceoutputroutines                 | \traceoutputroutines   |
| racepositions<br>raduire           | \tracepositions<br>\traduire [=]   |
| raiteblocs                         | \traiteblocs [] [] [=]   |
| raitfin                            | \traitfin  |
| raitsfins                          | \traitsfins [=]  |
| ransparencycomponents              | \transparencycomponents {}   |
| ransparent                         | \transparent [] {}   |
| riplebond                          | \triplebond  |
| ruefilename                        | \truefilename {}   |
| ruefontname                        | \truefontname {}   |
| traggedright                       | \ttraggedright   |
| wodigitrounding                    | \twodigitrounding {}   |
| X                                  | \tx  |
| XX                                 | \txx   |
| ур                                 | \typ [=] {}  |
| ypedefinedbuffer                   | \typedefinedbuffer [] [=]  |
| ypeface                            | \typeface  |
| ypeinlinebuffer                    | \typeinlinebuffer [] [=]   |
| ypescriptone                       | \typescriptone   |
| ypescriptprefix                    | \typescriptprefix {}   |
| ypescriptthree                     | \typescriptthree   |
| ypescripttwo                       | \typescripttwo   |
| ypesetbuffer                       | \typesetbuffer [] [=]  |
| ypesetfile                         | \typesetfile [] [=]  |
| yp:angles                          | \typ [=] <<>>  |
| convertnumber                      | \uconvertnumber {} {}  |
| uedcatcodecommand                  | \uedcatcodecommand \ {}  |
| ndefinevalue                       | \undefinevalue {}  |
| ndon+had                           | \undan+had \ \   |

| underset   | \underset {} {}                                       |
|--|---|
| undoassign                                       | \undoassign [] [=]                                    |
| uneligne   | \uneligne []  |
| unexpandeddocumentvariable                       | \unexpandeddocumentvariable {}                        |
| unhhbox  | \unhhbox \with {}                                     |
| unihex   | \unihex {}  |
| uniqueMPgraphic<br>uniqueMPpagegraphic           | \uniqueMPgraphic {} {=} \uniqueMPpagegraphic {} {=}   |
| unite:instance                                   | \UNIT {}  |
| unite:instance:unit                              | \unit {}  |
| unprotect  | \unprotect \protect                                   |
| unprotected                                      | \unprotected \par                                     |
| unregisterhyphenationpattern                     | \unregisterhyphenationpattern [] []                   |
| unspaceafter                                     | \unspaceafter \ {}                                    |
| unspaceargument                                  | \unspaceargument \to \                                |
| unspaced   | \unspaced {}  |
| unspacestring                                    | \unspacestring \to \                                  |
| untexargument                                    | \untexargument {} \to \                               |
| untexcommand                                     | \untexcommand {} \to \                                |
| uppercased                                       | \uppercased {}  |
| uppercasestring                                  | \uppercasestring \to \                                |
| upperleftdoubleninequote upperleftdoublesixquote | \upperleftdoubleninequote<br>\upperleftdoublesixquote |
| upperleftsingleninequote                         | \upperleftsingleninequote                             |
| upperleftsinglesixquote                          | \upperleftsinglesixquote                              |
| upperrightdoubleninequote                        | \upperrightdoubleninequote                            |
| upperrightdoublesixquote                         | \upperrightdoublesixquote                             |
| upperrightsingleninequote                        | \upperrightsingleninequote                            |
| upperrightsinglesixquote                         | \upperrightsinglesixquote                             |
| url  | \url []   |
| usealignparameter                                | \usealignparameter \                                  |
| useblankparameter                                | \useblankparameter \                                  |
| usebodyfont                                      | \usebodyfont []                                       |
| usebodyfontparameter                             | \usebodyfontparameter \                               |
| usebtxdataset                                    | \usebtxdataset [] [] [=]                              |
| usebtxdefinitions                                | \usebtxdefinitions []                                 |
| usecitation                                      | \usecitation []                                       |
| usecitation:direct<br>usecolors                  | \usecitation {} \usecolors []                         |
| usecomponent                                     | \useconors []   |
| usedummycolorparameter                           | \usedummycolorparameter {}                            |
| usedummystyleandcolor                            | \usedummystyleandcolor \{\ldots\}                     |
| usedummystyleparameter                           | \usedummystyleparameter {}                            |
| useenvironment                                   | \useenvironment []                                    |
| useexternalrendering                             | \useexternalrendering [] [] []                        |
| usefigurebase                                    | \usefigurebase []                                     |
| usefile  | \usefile [] []  |
| usegridparameter                                 | \usegridparameter \                                   |
| useindentingparameter                            | \useindentingparameter \                              |
| useindentnextparameter                           | \useindentnextparameter \                             |
| useinterlinespaceparameter                       | \useinterlinespaceparameter \                         |
| uselanguageparameter                             | \uselanguageparameter \                               |
| useluamodule                                     | \useluamodule []                                      |
| useMPenvironmentbuffer<br>useMPgraphic           | \useMPenvironmentbuffer [] \useMPgraphic {} {=}       |
| useMPlibrary                                     | \useMPlibrary []                                      |
| useMPrun   | \useMPrun {} {}                                       |
| useMPvariables                                   | \useMPvariables [] []                                 |
| usemathstyleparameter                            | \usemathstyleparameter \                              |
| useproduct                                       | \useproduct []  |
| useprofileparameter                              | \useprofileparameter \                                |
| useproject                                       | \useproject []  |
| usereferenceparameter                            | \usereferenceparameter \                              |
| userpagenumber                                   | \userpagenumber                                       |
| usesetupsparameter                               | \usesetupsparameter \                                 |
| usestaticMPfigure                                | \usestaticMPfigure [=] []                             |
| usesubpath                                       | \usesubpath []  |
| usetexmodule                                     | \usetexmodule [] [] [=]                               |
| usetypescript                                    | \usetypescript [] []                                  |
| usetypescriptfile                                | \usetypescriptfile []                                 |
| usezipfile                                       | \usezipfile [] [] \utfchar {}                         |
| utfchar  | /uoronar fl   |

| ıtflower   | \utflower {}  |
|--|---|
| utfupper   | \utfupper {}  |
| ntiliseblocs                                       | \utiliseblocs [] [] [=]   |
| utilisechemin                                      | \utilisechemin []   |
| utilisedocumentexterne                             | \utilisedocumentexterne [] []                                     |
| ntilisefigureexterne                               | \utilisefigureexterne [] [] [] []                                 |
| ntiliseJSscripts                                   | \utiliseJSscripts [] []   |
| ntilisemodule                                      | \utilisemodule [] [] [=]  |
| ntilisepsiteaudioexterne<br>ntilisesymboles        | \utilisepsiteaudioexterne [] [] \utilisesymboles []               |
| ntiliseSymboles                                    | \utilisesymboles [] \utiliseURL [] [] []                          |
| ntiliseurl   | \utiliseurl [] [] [] []   |
| utilityregisterlength                              | \utilityregisterlength  |
| VerboseNumber                                      | \VerboseNumber {}   |
| <i>r</i> a   | \va {} []   |
| vaalaboite   | \vaalaboite {} []   |
| vaalapage  | \vaalapage {} []  |
| vaenbas  | \vaenbas []   |
| valeurcouleur                                      | \valeurcouleur {}   |
| boxreference                                       | \vboxreference [] {}  |
| /ec  | \vec {}   |
| verbatim   | <pre>\verbatim {} \verbatimstring {}</pre>                        |
| verbatimstring<br>verbosenumber                    | \verbatimstring \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\              |
| version  | \version []   |
| Verticalgrowingbar                                 | \verticalgrowingbar [=]   |
| Vertical position bar                              | \verticalpositionbar [=]  |
| veryraggedcenter                                   | \veryraggedcenter   |
| veryraggedleft                                     | \veryraggedleft   |
| veryraggedright                                    | \veryraggedright  |
| glue   | \vglue  |
| vide   | \vide []  |
| viewerlayer  | \viewerlayer [] {}  |
| 71   | \v1 []  |
| phantom Phantom                                    | \vphantom {}  |
| /pos   | \vpos {} {}   |
| ysmash<br>ysmashbox                                | \vsmash {} \vsmashbox   |
| vsmashed   | \vsmashed \{\dots\}   |
| /space   | \vspace [] []   |
| spacing  | \vspacing []  |
| VidthSpanningText                                  | \WidthSpanningText {} {}  |
| vdofstring   | \wdofstring {}  |
| vidthofstring                                      | \widthofstring {}   |
| vidthspanningtext                                  | \widthspanningtext {} {} {}                                       |
| vithoutpt  | \withoutpt {}   |
| words  | \words {}   |
| wordtonumber                                       | \wordtonumber {} {}   |
| vritedatatolist                                    | \writedatatolist [] [=] [=]                                       |
| vritestatus<br>KETEX                               | \writestatus {} {} \XETEX   |
| KeTeX  | \XeTeX  |
| defen de de la convertedargument                   | \xdefconvertedargument \ \{\}                                     |
| mladdindex   | \xmladdindex {}   |
| mlafterdocumentsetup                               | \xmlafterdocumentsetup {} {} {}                                   |
| xmlaftersetup                                      | \xmlaftersetup {} {}  |
| rmlall   | \xmlall {} {}   |
| xmlappenddocumentsetup                             | \xmlappenddocumentsetup {} {}                                     |
| mlappendsetup                                      | \xmlappendsetup {}  |
| cmlapplyselectors                                  | \xmlapplyselectors {}   |
| xmlatt   | \xmlatt {} {}   |
| mlattdef   | \xmlattdef {} {} {}   |
| mlattribute  | \xmlattribute {} {}   |
| mlattributedef                                     | \xmlattributedef {} {} {}   |
| <pre>cmlbadinclusions cmlbeforedocumentsetup</pre> | \xmlbadinclusions {}  |
| kmibeloredocumentsetup<br>kmlbeforesetup           | <pre>\xmlbeforedocumentsetup {} {} {} \xmlbeforesetup {} {}</pre> |
| mlchainatt   | \xmlchainatt \{\dots\} \\   |
| mlchainattdef                                      | \xmlchainattdef {} {} {}  |
| mlchecknamespace                                   | \xmlchecknamespace {} {}  |
| mlcommand  | \xmlcommand {} {} {}  |
| mlconcat   | \xmlconcat {} {} {}   |
|  |   |

| xmlconcatrange              | \xmlconcatrange {} {} {} {}                        |
|-----------------------------|--|
| xmlcontext                  | \xmlcontext {} {}                                  |
| xmlcount                    | \xmlcount {}                                       |
| xmldefaulttotext            | \xmldefaulttotext {}                               |
| xmldirectives               | \xmldirectives {}                                  |
| xmldirectivesafter          | \xmldirectivesafter {}                             |
| xmldirectivesbefore         | \xmldirectivesbefore {}                            |
| xmldisplayverbatim          | \xmldisplayverbatim {}                             |
| xmldoif                     | \xmldoif {} {}                                     |
| xmldoifatt                  | \xmldoifatt {} {}                                  |
| xmldoifelse                 | \xmldoifelse {} {} {}                              |
| xmldoifelseatt              | \xmldoifelseatt {} {} {}                           |
| xmldoifelseempty            | \xmldoifelseempty {} {} {}                         |
| xmldoifelseselfempty        | \xmldoifelseselfempty \{\ldots\} \{\ldots\}        |
| xmldoifelsetext             | \xmldoifelsetext {} {} {} {}                       |
| xmldoifelsevalue            | $\xr \$  |
| xmldoifnot                  | \xmldoifnot {} {} {}                               |
| xmldoifnotatt               | \xmldoifnotatt {} {}                               |
| xmldoifnotselfempty         | \xmldoifnotselfempty {} {}                         |
| xmldoifnottext              | \xmldoifnottext {} {} {}                           |
| xmldoifselfempty            | \xmldoifselfempty {} {}                            |
| xmldoiftext                 | \xmldoiftext {} {} {}                              |
| xmlelement                  | \xmlelement {} {}                                  |
| xmlfilter                   | \xmlfilter {} {}                                   |
| xmlfirst                    | \xmlfirst {} {}                                    |
| xmlflush                    | \xmlflush {}                                       |
| xmlflushcontext             | \xmlflushcontext {}                                |
| xmlflushdocumentsetups      | \xmlflushdocumentsetups {} {}                      |
| xmlflushlinewise            | \xmlflushlinewise {}                               |
| xmlflushpure                | \xmlflushpure {}                                   |
| xmlflushspacewise           | \xmlflushspacewise {}                              |
| xmlflushtext                | \xmlflushtext {}                                   |
| xmlinclude                  | \xmlinclude {} {} {}                               |
| xmlinclusion                | \xmlinclusion {}                                   |
| xmlinclusions               | \xmlinclusions {}                                  |
| xmlinfo                     | \xmlinfo {}  |
| xmlinjector                 | \xmlinjector {}                                    |
| xmlinlineprettyprint        | \xmlinlineprettyprint {} {}                        |
| xmlinlineprettyprinttext    | \xmlinlineprettyprinttext {} {}                    |
| xmlinlineverbatim           | \xmlinlineverbatim {}                              |
| xmlinstalldirective         | \xmlinstalldirective {} {}                         |
| xmllast                     | \xmllast {} {}                                     |
| xmllastatt                  | \xmllastatt  |
| xmllastmatch                | \xmllastmatch                                      |
| xmllastpar                  | \xmllastpar  |
| xmlloadbuffer               | \xmlloadbuffer {} {}                               |
| xmlloaddata                 | \xmlloaddata {} {} {}                              |
| xmlloaddirectives           | \xmlloaddirectives {}                              |
| xmlloadfile                 | \xmlloadfile {} {}                                 |
| xmlloadonly                 | \xmlloadonly {} {}                                 |
| xmlmain                     | \xmlmain {}  |
| xmlmapvalue                 | $\xyline {} {}$                                    |
| xmlname                     | \xmlname {}  |
| xmlnamespace                | \xmlnamespace {}                                   |
| xmlnonspace                 | \xmlnonspace {} {}                                 |
| xmlpar                      | \xmlpar {} {}                                      |
| xmlparam                    | \xmlparam {} {}                                    |
| xmlpath                     | \xmlpath {}  |
| xmlpos                      | \xmlpos {}   |
| xmlposition                 | \xmlposition {} {} {}                              |
| xmlprependdocumentsetup     | \xmlprependdocumentsetup {} {}                     |
| xmlprependsetup             | \xmlprependsetup {}                                |
| xmlprettyprint              | \xmlprettyprint {} {}                              |
| xmlprettyprinttext          | \xmlprettyprinttext {} {}                          |
| xmlprocessbuffer            | $\mbox{xmlprocessbuffer } \{\ldots\} \ \{\ldots\}$ |
| xmlprocessdata              | \xmlprocessdata {} {} {}                           |
| xmlprocessfile              | \xmlprocessfile $\{\}$ $\{\}$                      |
| xmlpure                     | \xmlpure {} {}                                     |
| xmlraw                      | \xmlraw {}   |
| xmlrefatt                   | \xmlrefatt {} {}                                   |
| xmlregistereddocumentsetups | $\verb \xm  registered document setups {} {}$      |
| xmlregisteredsetups         | \xmlregisteredsetups                               |
|                             |  |

| xmlregisterns          | \xmlregisterns {} {}                       |  |
|------------------------|--|--|
| xmlremapname           | \xmlremapname {} {} {} {}                  |  |
| xmlremapnamespace      | \xmlremapnamespace {} {}                   |  |
| xmlremovedocumentsetup | \xmlremovedocumentsetup {} {}              |  |
| xmlremovesetup         | \xmlremovesetup {}                         |  |
| xmlresetdocumentsetups | \xmlresetdocumentsetups {}                 |  |
| xmlresetinjectors      | \xmlresetinjectors                         |  |
| xmlresetsetups         | \xmlresetsetups {}                         |  |
| xmlsave                | \xmlsave {} {}                             |  |
| xmlsetatt              | \xmlsetatt {} {} {}                        |  |
| xmlsetattribute        | \xmlsetattribute {} {} {} {}               |  |
| xmlsetentity           | \xmlsetentity {} {}                        |  |
| xmlsetfunction         | \xmlsetfunction $\{\}$ $\{\}$              |  |
| xmlsetinjectors        | \xmlsetinjectors []                        |  |
| xmlsetpar              | \xmlsetpar {} {} {}                        |  |
| xmlsetparam            | $\mathbf{xmlsetparam} \{\} \{\} \{\}$      |  |
| xmlsetsetup            | \xmlsetsetup {} {} {}                      |  |
| xmlsetup               | \xmlsetup {} {}                            |  |
| xmlshow                | \xmlshow {}                                |  |
| xmlsnippet             | $\mbox{xmlsnippet } \{\}$                  |  |
| xmlstrip               | \xmlstrip {} {}                            |  |
| xmlstripnolines        | $\xim \xim \xim \xim \xim \xim \xim \xim $ |  |
| xmlstripped            | $\xmlstripped {} {}$                       |  |
| xmlstrippednolines     | $\xmlstrippednolines {} {}$                |  |
| xmltag                 | \xmltag {}                                 |  |
| xmltexentity           | \xmltexentity {} {}                        |  |
| xmltext                | \xmltext {} {}                             |  |
| xmltobuffer            | \xmltobuffer {} {} {}                      |  |
| xmltobufferverbose     | \xmltobufferverbose $\{\}$ $\{\}$          |  |
| xmltofile              | \xmltofile {} {} {}                        |  |
| xmlvalue               | \xmlvalue {} {}                            |  |
| xmlverbatim            | \xmlverbatim {}                            |  |
| xsplitstring           | \xsplitstring \ {}                         |  |
| xypos                  | \xypos {}                                  |  |
|                        |  |  |

