

ConTeXt

comandi

II

ConT_EXt

comandi

it / italiano

14 dicembre 2018

| | |
|------------------------------|---|
| AfterPar | \AfterPar {...} |
| Alphabeticnumerals | \Alphabeticnumerals {...} |
| AMSTEX | \AMSTEX |
| AmSTeX | \AmSTeX |
| And | \And |
| abjadnaivenumerals | \abjadnaivenumerals {...} |
| abjadnodotnumerals | \abjadnodotnumerals {...} |
| abjadnumerals | \abjadnumerals {...} |
| activatespacehandler | \activatespacehandler {...} |
| acute | \acute {...} |
| adaptcollector | \adaptcollector [...] [..=..] |
| adaptfontfeature | \adaptfontfeature [...] [..=..] |
| adaptpapersize | \adaptpapersize [...] [...] |
| adattacampo | \adattacampo [...] [..=..] |
| adattalayout | \adattalayout [...] [..=..] |
| addfeature | \addfeature [...] |
| addfeature:direct | \addfeature {...} |
| addfontpath | \addfontpath [...] |
| addtocommalist | \addtocommalist {...} \... |
| addtoJSreamble | \addtoJSreamble {...} {...} |
| addvalue | \addvalue {...} {...} |
| aftersplitstring | \aftersplitstring ... \at ... \to \... |
| aftertestandsplitstring | \aftertestandsplitstring ... \at ... \to \... |
| al | \al {...} {...} [...] |
| alignbottom | \alignbottom |
| aligned | \aligned [...] {...} |
| alignedbox | \alignedbox [...] \... {...} |
| alignedline | \alignedline {...} {...} {...} |
| alignhere | \alignhere |
| alignmentcharacter | \alignmentcharacter |
| allineacentro | \allineacentro {...} |
| allineadestra | \allineadestra {...} |
| allineasinistra | \allineasinistra {...} |
| allinputpaths | \allinputpaths |
| alphabeticnumerals | \alphabeticnumerals {...} |
| alwayscitation | \alwayscitation [..=..] [...] |
| alwayscitation:alternative | \alwayscitation [...] [...] |
| alwayscitation:userdata | \alwayscitation [..=..] [..=..] |
| alwayscite | \alwayscite [..=..] [...] |
| alwayscite:alternative | \alwayscite [...] [...] |
| alwayscite:userdata | \alwayscite [..=..] [..=..] |
| ambiente | \ambiente [...] |
| ambiente:string | \ambiente ... |
| ampersand | \ampersand |
| anchor | \anchor [...] [..=..] [..=..] {...} |
| ap | \ap {...} |
| apagina | \apagina [...] |
| appendetoks | \appendetoks ... \to \... |
| appendgvalue | \appendgvalue {...} {...} |
| appendtocommalist | \appendtocommalist {...} \... |
| appendtoks | \appendtoks ... \to \... |
| appendtoksonce | \appendtoksonce ... \to \... |
| appendvalue | \appendvalue {...} {...} |
| apply | \apply {...} {...} |
| applyalternativestyle | \applyalternativestyle {...} |
| applyprocessor | \applyprocessor {...} {...} |
| applytocharacters | \applytocharacters \... {...} |
| applytofirstcharacter | \applytofirstcharacter \... {...} |
| applytosplitstringchar | \applytosplitstringchar \... {...} |
| applytosplitstringcharspaced | \applytosplitstringcharspaced \... {...} |
| applytosplitstringline | \applytosplitstringline \... {...} |
| applytosplitstringlinespaced | \applytosplitstringlinespaced \... {...} |
| applytosplitstringword | \applytosplitstringword \... {...} |
| applytosplitstringwordspaced | \applytosplitstringwordspaced \... {...} |
| applytowords | \applytowords \... {...} |
| ap:instance | \HIGH {...} |
| ap:instance:unitshigh | \unitshigh {...} |
| arabicdecimals | \arabicdecimals {...} |
| arabicexnumerals | \arabicexnumerals {...} |
| arabicnumerals | \arabicnumerals {...} |
| arg | \arg {...} |
| asciistr | \asciistr {...} |

| | |
|--------------------------------|---|
| assignalfadimension | \assignalfadimension {...} \... {...} {...} {...} |
| assigndimen | \assigndimen \... {...} |
| assigndimension | \assigndimension {...} \... {...} {...} {...} |
| assignifempty | \assignifempty \... {...} |
| assigntranslation | \assigntranslation [..=..] \to \... |
| assignvalue | \assignvalue {...} \... {...} {...} {...} |
| assignwidth | \assignwidth {...} \... {...} {...} |
| assumelongusagecs | \assumelongusagecs \... {...} |
| astype | \astype {...} |
| attachment:instance | \ATTACHMENT [...] [..=..] |
| attachment:instance:attachment | \attachment [...] [..=..] |
| autocap | \autocap {...} |
| autodirhbox | \autodirhbox ... {...} |
| autodirvbox | \autodirvbox ... {...} |
| autodirvtop | \autodirvtop ... {...} |
| autoinsertnextspace | \autoinsertnextspace |
| autointegral | \autointegral {...} {...} {...} |
| automathematics | \automathematics {...} |
| autopagestaterealpage | \autopagestaterealpage {...} |
| autopagestaterealpageorder | \autopagestaterealpageorder {...} |
| autosetups | \autosetups {...} |
| autostarttesto | \autostarttesto ... \autostoptesto |
| availablehsize | \availablehsize |
| averagecharwidth | \averagecharwidth |
| BeforePar | \BeforePar {...} |
| Big | \Big ... |
| Bigg | \Bigg ... |
| Biggl | \Biggl ... |
| Biggm | \Biggm ... |
| Biggr | \Biggr ... |
| Bigl | \Bigl ... |
| Bigm | \Bigm ... |
| Bigr | \Bigr ... |
| backgroundimage | \backgroundimage {...} {...} {...} {...} |
| backgroundimagefill | \backgroundimagefill {...} {...} {...} {...} |
| backgroundline | \backgroundline [...] {...} |
| bar | \bar {...} |
| barracolori | \barracolori [...] |
| barrainterazione | \barrainterazione [...] [..=..] |
| bar:instance | \BAR {...} |
| bar:instance:hiddenbar | \hiddenbar {...} |
| bar:instance:nobar | \nobar {...} |
| bar:instance:overbar | \overbar {...} |
| bar:instance:overbars | \overbars {...} |
| bar:instance:overstrike | \overstrike {...} |
| bar:instance:overstrikes | \overstrikes {...} |
| bar:instance:underbar | \underbar {...} |
| bar:instance:underbars | \underbars {...} |
| bar:instance:underdash | \underdash {...} |
| bar:instance:underdashes | \underdashes {...} |
| bar:instance:underdot | \underdot {...} |
| bar:instance:underdots | \underdots {...} |
| bar:instance:underrandom | \underrandom {...} |
| bar:instance:underrandoms | \underrandoms {...} |
| bar:instance:understrike | \understrike {...} |
| bar:instance:understrikes | \understrikes {...} |
| basegrid | \basegrid [..=..] |
| baselinebottom | \baselinebottom |
| baselineleftbox | \baselineleftbox {...} |
| baselinemiddlebox | \baselinemiddlebox {...} |
| baselinerightbox | \baselinerightbox {...} |
| bbordermatrix | \bbordermatrix {...} |
| bbox | \bbox {...} |
| beforesplitstring | \beforesplitstring ... \at ... \to \... |
| beforetestandsplitstring | \beforetestandsplitstring ... \at ... \to \... |
| beginblock:example | \beginBLOCK [...] ... \endBLOCK |
| beginhbox | \beginhbox ... \endhbox |
| beginofshapebox | \beginofshapebox ... \endofshapebox |
| beginvbox | \beginvbox ... \endvbox |
| beginvtop | \beginvtop ... \endvtop |
| begstrut | \begstrut ... \endstrut |
| bigg | \bigg ... |

| | |
|----------------------------------|---|
| bigger | \bigger |
| biggl | \biggl ... |
| biggm | \biggm ... |
| biggr | \biggr ... |
| bigl | \bigl ... |
| bigm | \bigm ... |
| bigr | \bigr ... |
| bigskip | \bigskip |
| bitmapimage | \bitmapimage [..=..] {...} |
| blap | \blap {...} |
| bleed | \bleed [..=..] {...} |
| bleedheight | \bleedheight |
| bleedwidth | \bleedwidth |
| blockligatures | \blockligatures [...] |
| blocksynctexfile | \blocksynctexfile [...] |
| bodyfontenvironmentlist | \bodyfontenvironmentlist |
| bodyfontsize | \bodyfontsize |
| boldface | \boldface |
| booleanmodevalue | \booleanmodevalue {...} |
| bordermatrix | \bordermatrix {...} |
| bottombox | \bottombox {...} |
| bottomleftbox | \bottomleftbox {...} |
| bottomrightbox | \bottomrightbox {...} |
| boxcursor | \boxcursor |
| boxmarker | \boxmarker {...} {...} |
| boxofsize | \boxofsize \... \... {...} |
| boxreference | \boxreference [...] \... {...} |
| bpar | \bpar ... \epar |
| bpos | \bpos {...} |
| breakhere | \breakhere |
| breve | \breve {...} |
| bTABLE | \bTABLE [..=..] ... \eTABLE |
| bTABLEbody | \bTABLEbody [..=..] ... \eTABLEbody |
| bTABLEfoot | \bTABLEfoot [..=..] ... \eTABLEfoot |
| bTABLEhead | \bTABLEhead [..=..] ... \eTABLEhead |
| bTABLEnext | \bTABLEnext [..=..] ... \eTABLEnext |
| bTC | \bTC [..=..] ... \eTC |
| bTD | \bTD [..=..] ... \eTD |
| bTDs | \bTDs [...] ... \eTDs |
| bTH | \bTH [..=..] ... \eTH |
| bTN | \bTN [..=..] ... \eTN |
| bTR | \bTR [..=..] ... \eTR |
| bTRs | \bTRs [...] ... \eTRs |
| bTX | \bTX [..=..] ... \eTX |
| bTY | \bTY [..=..] ... \eTY |
| btxabbreviatedjournal | \btxabbreviatedjournal {...} |
| btxaddjournal | \btxaddjournal [...] [...] |
| btxalwayscitation | \btxalwayscitation [..=..] [...] |
| btxalwayscitation:alternative | \btxalwayscitation [...] [...] |
| btxalwayscitation:userdata | \btxalwayscitation [..=..] [..=..] |
| btxauthorfield | \btxauthorfield {...} |
| btxdetail | \btxdetail {...} |
| btxdirect | \btxdirect {...} |
| btxdoif | \btxdoif {...} {...} |
| btxdoifcombiinlistelse | \btxdoifcombiinlistelse {...} {...} {...} {...} |
| btxdoifelse | \btxdoifelse {...} {...} {...} |
| btxdoifelsecombiinlist | \btxdoifelsecombiinlist {...} {...} {...} {...} |
| btxdoifelsesameasprevious | \btxdoifelsesameasprevious {...} {...} {...} |
| btxdoifelsesameaspreviouschecked | \btxdoifelsesameaspreviouschecked {...} {...} {...} {...} |
| btxdoifelseuservariable | \btxdoifelseuservariable {...} {...} {...} |
| btxdoifnot | \btxdoifnot {...} {...} |
| btxdoifsameaspreviouscheckedelse | \btxdoifsameaspreviouscheckedelse {...} {...} {...} {...} |
| btxdoifsameaspreviouselse | \btxdoifsameaspreviouselse {...} {...} {...} |
| btxdoifuservariableelse | \btxdoifuservariableelse {...} {...} {...} |
| btxexpandedjournal | \btxexpandedjournal {...} |
| btxfield | \btxfield {...} |
| btxfieldname | \btxfieldname {...} |
| btxfieldtype | \btxfieldtype {...} |
| btxfirstofrange | \btxfirstofrange {...} |
| btxflush | \btxflush {...} |
| btxflushauthor | \btxflushauthor [...] {...} |
| btxflushauthorinverted | \btxflushauthorinverted {...} |

| | |
|---|--|
| btxflushauthorinvertedshort | \btxflushauthorinvertedshort {...} |
| btxflushauthorname | \btxflushauthorname {...} |
| btxflushauthornormal | \btxflushauthornormal {...} |
| btxflushauthornormalshort | \btxflushauthornormalshort {...} |
| btxflushsuffix | \btxflushsuffix |
| btxfoundname | \btxfoundname {...} |
| btxfoundtype | \btxfoundtype {...} |
| btxhiddencitation | \btxhiddencitation [...] |
| btxhybridcite | \btxhybridcite [..=..] [...] |
| btxhybridcite:alternative | \btxhybridcite [...] [...] |
| btxhybridcite:direct | \btxhybridcite {...} |
| btxhybridcite:userdata | \btxhybridcite [..=..] [..=..] |
| btxlistcitation | \btxlistcitation [..=..] [...] |
| btxlistcitation:alternative | \btxlistcitation [...] [...] |
| btxlistcitation:userdata | \btxlistcitation [..=..] [..=..] |
| btxloadjournalist | \btxloadjournalist [...] |
| btxoneorrange | \btxoneorrange {...} {...} {...} |
| btxremapauthor | \btxremapauthor [...] [...] |
| btxsavejournalist | \btxsavejournalist [...] |
| btxsetup | \btxsetup {...} |
| btxsingularorplural | \btxsingularorplural {...} {...} {...} |
| btxsingularplural | \btxsingularplural {...} {...} {...} |
| btxtextcitation | \btxtextcitation [..=..] [...] |
| btxtextcitation:alternative | \btxtextcitation [...] [...] |
| btxtextcitation:userdata | \btxtextcitation [..=..] [..=..] |
| buildmathaccent | \buildmathaccent {...} {...} |
| buildtextaccent | \buildtextaccent {...} {...} |
| buildtextbottomcomma | \buildtextbottomcomma {...} |
| buildtextbottomdot | \buildtextbottomdot {...} |
| buildtextcedilla | \buildtextcedilla {...} |
| buildtextgrave | \buildtextgrave {...} |
| buildtextmacron | \buildtextmacron {...} |
| buildtextognek | \buildtextognek {...} |
| Cap | \Cap {...} |
| Caps | \Caps {...} |
| CONTEXT | \CONTEXT |
| ConTeXt | \ConTeXt |
| Context | \Context |
| ConvertConstantAfter | \ConvertConstantAfter \... {...} {...} |
| ConvertToConstant | \ConvertToConstant \... {...} {...} |
| calligrafico | \calligrafico |
| cambiaafontdeltesto | \cambiaafontdeltesto [...] |
| camel | \camel {...} |
| campi | \campi [...] [...] |
| cap | \cap {...} |
| capello | \capello |
| capoverso:instance | \SECTION [...] {...} |
| capoverso:instance:assignment | \SECTION [..=..] |
| capoverso:instance:assignment:chapter | \chapter [..=..] |
| capoverso:instance:assignment:part | \part [..=..] |
| capoverso:instance:assignment:section | \section [..=..] |
| capoverso:instance:assignment:subject | \subject [..=..] |
| capoverso:instance:assignment:subsection | \subsection [..=..] |
| capoverso:instance:assignment:subsubject | \subsubject [..=..] |
| capoverso:instance:assignment:subsubsection | \subsubsection [..=..] |
| capoverso:instance:assignment:subsubsubject | \subsubsubject [..=..] |
| capoverso:instance:assignment:subsubsubsection | \subsubsubsection [..=..] |
| capoverso:instance:assignment:subsubsubsubject | \subsubsubsubject [..=..] |
| capoverso:instance:assignment:subsubsubsubsection | \subsubsubsubsection [..=..] |
| capoverso:instance:assignment:subsubsubsubsubject | \subsubsubsubsubject [..=..] |
| capoverso:instance:assignment:title | \title [..=..] |
| capoverso:instance:chapter | \chapter [...] {...} |
| capoverso:instance:ownnumber | \SECTION [...] {...} {...} |
| capoverso:instance:ownnumber:chapter | \chapter [...] {...} {...} |
| capoverso:instance:ownnumber:part | \part [...] {...} {...} |
| capoverso:instance:ownnumber:section | \section [...] {...} {...} |
| capoverso:instance:ownnumber:subject | \subject [...] {...} {...} |
| capoverso:instance:ownnumber:subsection | \subsection [...] {...} {...} |
| capoverso:instance:ownnumber:subsubject | \subsubject [...] {...} {...} |
| capoverso:instance:ownnumber:subsubsection | \subsubsection [...] {...} {...} |
| capoverso:instance:ownnumber:subsubsubject | \subsubsubject [...] {...} {...} |
| capoverso:instance:ownnumber:subsubsubsection | \subsubsubsection [...] {...} {...} |

| | |
|--|--|
| capoverso:instance:ownnumber:subsubsubsubject | \subsubsubsubject [...] {...} {...} |
| capoverso:instance:ownnumber:subsubsubsubsection | \subsubsubsubsection [...] {...} {...} |
| capoverso:instance:ownnumber:subsubsubsubsubject | \subsubsubsubsubject [...] {...} {...} |
| capoverso:instance:ownnumber:title | \title [...] {...} {...} |
| capoverso:instance:part | \part [...] {...} |
| capoverso:instance:section | \section [...] {...} |
| capoverso:instance:subject | \subject [...] {...} |
| capoverso:instance:subsection | \subsection [...] {...} |
| capoverso:instance:subsubject | \subsubject [...] {...} |
| capoverso:instance:subsubsection | \subsubsection [...] {...} |
| capoverso:instance:subsubsubject | \subsubsubject [...] {...} |
| capoverso:instance:subsubsubsection | \subsubsubsection [...] {...} |
| capoverso:instance:subsubsubsubject | \subsubsubsubject [...] {...} |
| capoverso:instance:subsubsubsubsection | \subsubsubsubsection [...] {...} |
| capoverso:instance:subsubsubsubsubject | \subsubsubsubsubject [...] {...} |
| capoverso:instance:title | \title [...] {...} |
| catcodetablename | \catcodetablename |
| cbox | \cbox ... {...} |
| centeraligned | \centeraligned {...} |
| centerbox | \centerbox ... {...} |
| centeredbox | \centeredbox ... {...} |
| centeredlastline | \centeredlastline |
| centerednextbox | \centerednextbox ... {...} |
| centerline | \centerline {...} |
| centro | \centro ... |
| cfrac | \cfrac [...] {...} {...} |
| characterkerning:example | \CHARACTERKERNING [...] {...} |
| chardescription | \chardescription {...} |
| charwidthlanguage | \charwidthlanguage |
| check | \check {...} |
| checkcharacteralign | \checkcharacteralign {...} |
| checkedblank | \checkedblank [...] |
| checkedchar | \checkedchar {...} {...} |
| checkedfiller | \checkedfiller {...} |
| checkedstrippedcsname | \checkedstrippedcsname \... |
| checkedstrippedcsname:string | \checkedstrippedcsname ... |
| checkinjector | \checkinjector [...] |
| checknextindentation | \checknextindentation [...] |
| checknextinjector | \checknextinjector [...] |
| checkpage | \checkpage [...] [..=..] |
| checkparameters | \checkparameters [...] |
| checkpreviousinjector | \checkpreviousinjector [...] |
| checksoundtrack | \checksoundtrack {...} |
| checktwopassdata | \checktwopassdata {...} |
| checkvariables | \checkvariables [...] [..=..] |
| chemical | \chemical [...] [...] [...] |
| chemicalbottext | \chemicalbottext {...} |
| chemicalmidtext | \chemicalmidtext {...} |
| chemicalsymbol | \chemicalsymbol [...] |
| chemicaltext | \chemicaltext {...} |
| chemicaltoptext | \chemicaltoptext {...} |
| chim | \chim {...} {...} {...} |
| chineseallnumerals | \chineseallnumerals {...} |
| chinesecapnumerals | \chinesecapnumerals {...} |
| chinesenumerals | \chinesenumerals {...} |
| circondato | \circondato [..=..] {...} |
| citation | \citation [..=..] [...] |
| citation:alternative | \citation [...] [...] |
| citation:direct | \citation {...} |
| citation:userdata | \citation [..=..] [..=..] |
| cite | \cite [..=..] [...] |
| cite:alternative | \cite [...] [...] |
| cite:direct | \cite {...} |
| cite:userdata | \cite [..=..] [..=..] |
| clap | \clap {...} |
| classfont | \classfont {...} {...} |
| cldcommand | \cldcommand {...} |
| cldcontext | \cldcontext {...} |
| cldloadfile | \cldloadfile {...} |
| cldprocessfile | \cldprocessfile {...} |
| clip | \clip [..=..] {...} |
| clippedoverlayimage | \clippedoverlayimage {...} |

| | |
|---|--|
| clonacampo | \clonacampo [...] [...] [...] [...] |
| collect | \collect {...} |
| collectedtext | \collectedtext [...] [...] [...] {...} {...} |
| collectexpanded | \collectexpanded {...} |
| colonna | \colonna [...] |
| colorcomponents | \colorcomponents {...} |
| colore | \colore [...] {...} |
| colored | \colored [...] [...] {...} |
| colored:name | \colored [...] [...] {...} |
| coloregrigio | \coloregrigio [...] [...] {...} |
| coloronly | \coloronly [...] [...] {...} |
| columnbreak | \columnbreak [...] |
| columnsetspanwidth | \columnsetspanwidth {...} |
| combinepages | \combinepages [...] [...] [...] [...] |
| commalistelement | \commalistelement |
| commalistsentence | \commalistsentence [...] [...] [...] [...] |
| commalistsize | \commalistsize |
| commento | \commento (...,...) (...,...) [...] [...] [...] [...] |
| commento:instance | \COMMENT [...] [...] [...] [...] [...] [...] |
| commento:instance:comment | \comment [...] [...] [...] [...] [...] [...] |
| comparedimension | \comparedimension [...] [...] [...] [...] [...] [...] |
| comparedimensioneps | \comparedimensioneps [...] [...] [...] [...] [...] [...] |
| completebt rendering | \completebt rendering [...] [...] [...] [...] [...] [...] |
| completecombinedlist:instance | \completeCOMBINEDLIST [...] [...] [...] [...] [...] [...] |
| completecombinedlist:instance:content | \completecontent [...] [...] [...] [...] [...] [...] |
| completelist | \completelist [...] [...] [...] [...] [...] [...] |
| completelistoffloats:instance | \completelistofFLOATS [...] [...] [...] [...] [...] [...] |
| completelistoffloats:instance:chemicals | \completelistofchemicals [...] [...] [...] [...] [...] [...] |
| completelistoffloats:instance:figures | \completelistoffigures [...] [...] [...] [...] [...] [...] |
| completelistoffloats:instance:graphics | \completelistofgraphics [...] [...] [...] [...] [...] [...] |
| completelistoffloats:instance:intermezzi | \completelistofintermezzi [...] [...] [...] [...] [...] [...] |
| completelistoffloats:instance:tables | \completelistoftables [...] [...] [...] [...] [...] [...] |
| completelistofpublications | \completelistofpublications [...] [...] [...] [...] [...] [...] |
| completelistofsorts | \completelistofsorts [...] [...] [...] [...] [...] [...] |
| completelistofsorts:instance | \completelistofSORTS [...] [...] [...] [...] [...] [...] |
| completelistofsorts:instance:logos | \completelistoflogos [...] [...] [...] [...] [...] [...] |
| completelistofsynonyms | \completelistofsynonyms [...] [...] [...] [...] [...] [...] |
| completelistofsynonyms:instance | \completelistofSYNONYMS [...] [...] [...] [...] [...] [...] |
| completelistofsynonyms:instance:abbreviations | \completelistofabbreviations [...] [...] [...] [...] [...] [...] |
| completeregister | \completeregister [...] [...] [...] [...] [...] [...] |
| completeregister:instance | \completeREGISTER [...] [...] [...] [...] [...] [...] |
| completeregister:instance:index | \completeindex [...] [...] [...] [...] [...] [...] |
| complexorsimple | \complexorsimple \... |
| complexorsimpleempty | \complexorsimpleempty \... |
| complexorsimpleempty:argument | \complexorsimpleempty {...} |
| complexorsimple:argument | \complexorsimple {...} |
| componenet | \componenet [...] [...] [...] [...] [...] [...] |
| componenet:string | \componenet ... |
| composedcollector | \composedcollector {...} |
| composedlayer | \composedlayer {...} |
| compresult | \compresult |
| confrontagruppocolori | \confrontagruppocolori [...] [...] [...] [...] [...] [...] |
| confrontatavolozza | \confrontatavolozza [...] [...] [...] [...] [...] [...] |
| constantdimen | \constantdimen \... |
| constantdimenargument | \constantdimenargument \... |
| constantemptyargument | \constantemptyargument \... |
| constantnumber | \constantnumber \... |
| constantnumberargument | \constantnumberargument \... |
| contentreference | \contentreference [...] [...] [...] [...] [...] [...] |
| continuednumber | \continuednumber {...} |
| continueifinputfile | \continueifinputfile {...} |
| convertargument | \convertargument ... \to \... |
| convertcommand | \convertcommand \... \to \... |
| convertedcounter | \convertedcounter [...] [...] [...] [...] [...] [...] |
| converteddimen | \converteddimen [...] [...] [...] [...] [...] [...] |
| convertedsubcounter | \convertedsubcounter [...] [...] [...] [...] [...] [...] |
| convertinunero | \convertinunero [...] [...] [...] [...] [...] [...] |
| convertmonth | \convertmonth {...} |
| convertvalue | \convertvalue ... \to \... |
| convertvboxtohbox | \convertvboxtohbox |
| copiacampo | \copiacampo [...] [...] [...] [...] [...] [...] |
| copyboxfromcache | \copyboxfromcache [...] [...] [...] [...] [...] [...] |

| | |
|--------------------------------------|---|
| copylabeltext:instance | \copyLABELtesto [...] [..=..] |
| copylabeltext:instance:btxlabel | \copybtxlabeltesto [...] [..=..] |
| copylabeltext:instance:head | \copyheadtesto [...] [..=..] |
| copylabeltext:instance:label | \copylabeltesto [...] [..=..] |
| copylabeltext:instance:mathlabel | \copymathlabeltesto [...] [..=..] |
| copylabeltext:instance:operator | \copyoperatortesto [...] [..=..] |
| copylabeltext:instance:prefix | \copyprefixtesto [...] [..=..] |
| copylabeltext:instance:suffix | \copsuffixtesto [...] [..=..] |
| copylabeltext:instance:taglabel | \copytaglabeltesto [...] [..=..] |
| copylabeltext:instance:unit | \copyunittesto [...] [..=..] |
| copypages | \copypages [...] [..=..] [..=..] |
| copyparameters | \copyparameters [...] [...] [...] |
| copyposition | \copyposition {...} {...} |
| copysetups | \copysetups [...] [...] |
| correggispaziobianco | \correggispaziobianco {...} |
| corsivo | \corsivo |
| corsivograssetto | \corsivograssetto |
| countersubs | \countersubs [...] [...] |
| counttoken | \counttoken ... \in ... \to \... |
| counttokens | \counttokens ... \to \... |
| cramped | \cramped {...} |
| crampedclap | \crampedclap {...} |
| crampedllap | \crampedllap {...} |
| crampedrlap | \crampedrlap {...} |
| ctop | \ctop ... {...} |
| ctxcommand | \ctxcommand {...} |
| ctxdirectcommand | \ctxdirectcommand {...} |
| ctxdirectlua | \ctxdirectlua {...} |
| ctxfunction | \ctxfunction {...} |
| ctxfunctiondefinition:example | \CTXFUNCTIONDEFINITION |
| ctxfunction:example | \CTXFUNCTION |
| ctxlatecommand | \ctxlatecommand {...} |
| ctxlatelua | \ctxlatelua {...} |
| ctxloadluafile | \ctxloadluafile {...} |
| ctxlua | \ctxlua {...} |
| ctxluabuffer | \ctxluabuffer [...] |
| ctxluacode | \ctxluacode {...} |
| ctxreport | \ctxreport {...} |
| ctxsprint | \ctxsprint {...} |
| currentassignmentlistkey | \currentassignmentlistkey |
| currentassignmentlistvalue | \currentassignmentlistvalue |
| currentbtbxuservariable | \currentbtbxuservariable {...} |
| currentcommalistitem | \currentcommalistitem |
| currentcomponent | \currentcomponent |
| currentenvironment | \currentenvironment |
| currentfeaturetest | \currentfeaturetest |
| currentinterface | \currentinterface |
| currentlabel:example | \currentETICHETTA [...] {...} |
| currentlanguage | \currentlanguage |
| currentlistentrydestinationattribute | \currentlistentrydestinationattribute |
| currentlistentrylimitedtext | \currentlistentrylimitedtext {...} |
| currentlistentrynumber | \currentlistentrynumber |
| currentlistentrypagenumber | \currentlistentrypagenumber |
| currentlistentryreferenceattribute | \currentlistentryreferenceattribute {...} |
| currentlistentrytitle | \currentlistentrytitle |
| currentlistentrytitlerendered | \currentlistentrytitlerendered |
| currentlistsymbol | \currentlistsymbol |
| currentmainlanguage | \currentmainlanguage |
| currentmessagetext | \currentmessagetext |
| currentmoduleparameter | \currentmoduleparameter {...} |
| currentoutputstream | \currentoutputstream |
| currentproduct | \currentproduct |
| currentproject | \currentproject |
| currentregime | \currentregime |
| currentregisterpageuserdata | \currentregisterpageuserdata {...} |
| currentresponses | \currentresponses |
| currenttime | \currenttime [...] |
| currentvalue | \currentvalue |
| currentxtablecolumn | \currentxtablecolumn |
| currentxtablerow | \currentxtablerow |
| d | \d {...} |
| da | \da [...] |

| | |
|-------------------------------------|---|
| daqualcheparte | \daqualcheparte {...} {...} [...] |
| data | \data [..=..] [...] |
| datadioggi | \datadioggi [...] |
| datasetvariable | \datasetvariable {...} {...} {...} |
| dayoftheweek | \dayoftheweek {...} {...} {...} |
| dayspermonth | \dayspermonth {...} {...} |
| dddot | \dddot {...} |
| ddot | \ddot {...} |
| decrement | \decrement \... |
| decrementcounter | \decrementcounter [...] [...] |
| decrementedcounter | \decrementedcounter [...] |
| decrementpagenumber | \decrementpagenumber |
| decrementsubpagenumber | \decrementsubpagenumber |
| decrementvalue | \decrementvalue {...} |
| decrement:argument | \decrement (...) |
| defaultinterface | \defaultinterface |
| defaultobjectpage | \defaultobjectpage |
| defaultobjectreference | \defaultobjectreference |
| defcatcodecommand | \defcatcodecommand \... ... {...} |
| defconvertedargument | \defconvertedargument \... {...} |
| defconvertedcommand | \defconvertedcommand \... \... |
| defconvertedvalue | \defconvertedvalue \... {...} |
| defineactivecharacter | \defineactivecharacter ... {...} |
| definealternativestyle | \definealternativestyle [...] [...] [...] |
| defineanchor | \defineanchor [...] [...] [..=..] [..=..] |
| defineattachment | \defineattachment [...] [...] [..=..] |
| defineattribute | \defineattribute [...] [...] |
| definebackground | \definebackground [...] [...] [..=..] |
| definebar | \definebar [...] [...] [..=..] |
| definebodyfontswitch | \definebodyfontswitch [...] [...] |
| definebreakpoint | \definebreakpoint [...] [...] [..=..] |
| definebreakpoints | \definebreakpoints [...] |
| definebtx | \definebtx [...] [...] [..=..] |
| definebtxdataset | \definebtxdataset [...] [...] [..=..] |
| definebtxregister | \definebtxregister [...] [...] [..=..] |
| definebtxrendering | \definebtxrendering [...] [...] [..=..] |
| definebutton | \definebutton [...] [...] [..=..] |
| definecapitals | \definecapitals [...] [...] [..=..] |
| definecharacterkerning | \definecharacterkerning [...] [...] [..=..] |
| definecharacterspacing | \definecharacterspacing [...] |
| definechemical | \definechemical [...] {...} |
| definechemicals | \definechemicals [...] [...] [..=..] |
| definechemicalsymbol | \definechemicalsymbol [...] [...] |
| definecollector | \definecollector [...] [...] [..=..] |
| definecolumnbreak | \definecolumnbreak [...] [...] |
| definecolumnsetarea | \definecolumnsetarea [...] [...] [..=..] |
| definecolumnsetspan | \definecolumnsetspan [...] [...] [..=..] |
| definecombination | \definecombination [...] [...] [..=..] |
| definecomment | \definecomment [...] [...] [..=..] |
| definecomplexorsimple | \definecomplexorsimple \... |
| definecomplexorsimpleempty | \definecomplexorsimpleempty \... |
| definecomplexorsimpleempty:argument | \definecomplexorsimpleempty {...} |
| definecomplexorsimple:argument | \definecomplexorsimple {...} |
| defineconversionset | \defineconversionset [...] [...] [...] |
| definecounter | \definecounter [...] [...] [..=..] |
| defineddataset | \defineddataset [...] [...] [..=..] |
| definedelimitedtext | \definedelimitedtext [...] [...] [..=..] |
| definedfont | \definedfont [...] |
| defineeffect | \defineeffect [...] [...] [..=..] |
| defineexpandable | \defineexpandable [...] \... {...} |
| defineexternalfigure | \defineexternalfigure [...] [...] [..=..] |
| definefacingfloat | \definefacingfloat [...] [...] [..=..] |
| definefallbackfamily | \definefallbackfamily [...] [...] [...] [..=..] |
| definefallbackfamily:preset | \definefallbackfamily [...] [...] [...] [...] |
| definefieldbody | \definefieldbody [...] [...] [..=..] |
| definefieldbodyset | \definefieldbodyset [...] [...] |
| definefieldcategory | \definefieldcategory [...] [...] [..=..] |
| definefileconstant | \definefileconstant {...} {...} |
| definefilefallback | \definefilefallback [...] [...] |
| definefilesynonym | \definefilesynonym [...] [...] |
| definefiller | \definefiller [...] [...] [..=..] |
| definefirstline | \definefirstline [...] [...] [..=..] |

| | |
|-----------------------------|---|
| definefittingpage | \definefittingpage [...] [...] [..=..] |
| definefontalternative | \definefontalternative [...] |
| definefontfallback | \definefontfallback [...] [...] [...] [..=..] |
| definefontfamily | \definefontfamily [...] [...] [...] [..=..] |
| definefontfamilypreset | \definefontfamilypreset [...] [..=..] |
| definefontfamilypreset:name | \definefontfamilypreset [...] [...] |
| definefontfamily:preset | \definefontfamily [...] [...] [...] [...] |
| definefontfeature | \definefontfeature [...] [...] [..=..] |
| definefontfile | \definefontfile [...] [...] [..=..] |
| definefontsize | \definefontsize [...] |
| definefontsolution | \definefontsolution [...] [...] [..=..] |
| defineformula | \defineformula [...] [...] [..=..] |
| defineformulaalternative | \defineformulaalternative [...] [...] [...] |
| defineformulaframed | \defineformulaframed [...] [...] [..=..] |
| defineframedcontent | \defineframedcontent [...] [...] [..=..] |
| defineframedtable | \defineframedtable [...] [...] |
| definefrozenfont | \definefrozenfont [...] [...] |
| defineglobalcolor | \defineglobalcolor [...] [..=..] |
| defineglobalcolor:name | \defineglobalcolor [...] [...] |
| definegraphictypesynonym | \definegraphictypesynonym [...] [...] |
| definegridsnapping | \definegridsnapping [...] [...] |
| defineheadalternative | \defineheadalternative [...] [...] [..=..] |
| definehelp | \definehelp [...] [...] [..=..] |
| definehigh | \definehigh [...] [...] [..=..] |
| definehighlight | \definehighlight [...] [...] [..=..] |
| definehspace | \definehspace [...] [...] [...] |
| definehyphenationfeatures | \definehyphenationfeatures [...] [..=..] |
| defineindentedtext | \defineindentedtext [...] [...] [..=..] |
| defineindenting | \defineindenting [...] [...] |
| defineinitial | \defineinitial [...] [...] [..=..] |
| defineinsertion | \defineinsertion [...] [...] [..=..] |
| defineinteraction | \defineinteraction [...] [...] [..=..] |
| defineinteractionbar | \defineinteractionbar [...] [...] [..=..] |
| defineinterfaceconstant | \defineinterfaceconstant {...} {...} |
| defineinterfaceelement | \defineinterfaceelement {...} {...} |
| defineinterfacevariable | \defineinterfacevariable {...} {...} |
| defineinterlinespace | \defineinterlinespace [...] [...] [..=..] |
| defineintermediatecolor | \defineintermediatecolor [...] [...] [..=..] |
| defineitemgroup | \defineitemgroup [...] [...] [..=..] |
| defineitems | \defineitems [...] [...] [..=..] |
| definelabelclass | \definelabelclass [...] [...] |
| definelayer | \definelayer [...] [...] [..=..] |
| definelayerpreset | \definelayerpreset [...] [..=..] |
| definelayerpreset:name | \definelayerpreset [...] [...] |
| definelinefiller | \definelinefiller [...] [...] [..=..] |
| definelinenote | \definelinenote [...] [...] [..=..] |
| definelinenumbering | \definelinenumbering [...] [...] [..=..] |
| definelines | \definelines [...] [...] [..=..] |
| definelistalternative | \definelistalternative [...] [...] [..=..] |
| definelistextra | \definelistextra [...] [...] [..=..] |
| definelow | \definelow [...] [...] [..=..] |
| definelowhigh | \definelowhigh [...] [...] [..=..] |
| definelowmidhigh | \definelowmidhigh [...] [...] [..=..] |
| defineMPinstance | \defineMPinstance [...] [...] [..=..] |
| definemarginblock | \definemarginblock [...] [...] [..=..] |
| definemargindata | \definemargindata [...] [...] [..=..] |
| definemarker | \definemarker [...] |
| definemathaccent | \definemathaccent |
| definemathalignment | \definemathalignment [...] [...] [..=..] |
| definemathcases | \definemathcases [...] [...] [..=..] |
| definemathcommand | \definemathcommand [...] [...] [...] {...} |
| definemathdouble | \definemathdouble [...] [...] [...] [...] |
| definemathdoubleextensible | \definemathdoubleextensible [...] [...] [...] [...] |
| definemathematics | \definemathematics [...] [...] [..=..] |
| definemathextensible | \definemathextensible [...] [...] [...] |
| definemathfence | \definemathfence [...] [...] [..=..] |
| definemathfraction | \definemathfraction [...] [...] [..=..] |
| definemathframed | \definemathframed [...] [...] [..=..] |
| definemathmatrix | \definemathmatrix [...] [...] [..=..] |
| definemathornament | \definemathornament [...] [...] [..=..] |
| definemathover | \definemathover [...] [...] [...] |
| definemathoverextensible | \definemathoverextensible [...] [...] [...] [...] |

| | |
|--------------------------------|---|
| definemathovertexttextensible | \definemathovertexttextensible [...] [...] [...] |
| definemathradical | \definemathradical [...] [...] [..=..] |
| definemathstackers | \definemathstackers [...] [...] [..=..] |
| definemathstyle | \definemathstyle [...] [...] |
| definemathtriplet | \definemathtriplet [...] [...] [...] |
| definemathunder | \definemathunder [...] [...] [...] |
| definemathunderextensible | \definemathunderextensible [...] [...] [...] |
| definemathundertexttextensible | \definemathundertexttextensible [...] [...] [...] |
| definemathunstacked | \definemathunstacked [...] [...] [...] |
| definemeasure | \definemeasure [...] [...] |
| definemessageconstant | \definemessageconstant {...} |
| definemixedcolumns | \definemixedcolumns [...] [...] [..=..] |
| definemode | \definemode [...] [...] |
| definemultitonecolor | \definemultitonecolor [...] [..=..] [..=..] [..=..] |
| definenamecolor | \definenamecolor [...] [..=..] |
| definenamecolor:name | \definenamecolor [...] [...] |
| definenamepace | \definenamepace [...] [..=..] |
| definenamearrow | \definenamearrow [...] [...] [..=..] |
| definename | \definename [...] [...] [..=..] |
| defineornament:collector | \defineornament [...] [..=..] [..=..] |
| defineornament:layer | \defineornament [...] [..=..] [..=..] |
| defineoutputroutine | \defineoutputroutine [...] [...] [..=..] |
| defineoutputroutinecommand | \defineoutputroutinecommand [...] |
| definepage | \definepage [...] [...] |
| definepagebreak | \definepagebreak [...] [...] |
| definepagechecker | \definepagechecker [...] [...] [..=..] |
| definepagecolumns | \definepagecolumns [...] [...] [..=..] |
| definepageinjection | \definepageinjection [...] [...] [..=..] |
| definepageinjectionalternative | \definepageinjectionalternative [...] [...] [..=..] |
| definepageshift | \definepageshift [...] [...] [...] |
| definepagestate | \definepagestate [...] [...] [..=..] |
| definepairedbox | \definepairedbox [...] [...] [..=..] |
| defineparagraph | \defineparagraph [...] [...] [..=..] |
| defineparallel | \defineparallel [...] [...] |
| defineparbuilder | \defineparbuilder [...] |
| defineperiodkerning | \defineperiodkerning [...] [...] [..=..] |
| defineplacement | \defineplacement [...] [...] [..=..] |
| definepositioning | \definepositioning [...] [...] [..=..] |
| defineprefixset | \defineprefixset [...] [...] [...] |
| defineprocesscolor | \defineprocesscolor [...] [...] [..=..] |
| defineprocessor | \defineprocessor [...] [...] [..=..] |
| definepushbutton | \definepushbutton [...] [..=..] |
| definepushsymbol | \definepushsymbol [...] [...] |
| definerenderingwindow | \definerenderingwindow [...] [...] [..=..] |
| defineresetset | \defineresetset [...] [...] [...] |
| defineruby | \defineruby [...] [...] [..=..] |
| definescale | \definescale [...] [...] [..=..] |
| definescript | \definescript [...] [...] [..=..] |
| definesectionlevels | \definesectionlevels [...] [...] |
| defineselector | \defineselector [...] [..=..] |
| defineseparatorset | \defineseparatorset [...] [...] [...] |
| defineshift | \defineshift [...] [...] [..=..] |
| definesidebar | \definesidebar [...] [...] [..=..] |
| definesort | \definesort [...] [...] [...] {...} |
| definespotcolor | \definespotcolor [...] [...] [..=..] |
| definestyleinstance | \definestyleinstance [...] [...] [...] [...] |
| definesubformula | \definesubformula [...] [...] [..=..] |
| definesynonym | \definesynonym [...] [...] [...] {...} {...} |
| definesystemattribute | \definesystemattribute [...] [...] |
| definesystemconstant | \definesystemconstant {...} |
| definesystemvariable | \definesystemvariable {...} |
| defineTABLEsetup | \defineTABLEsetup [...] [..=..] |
| definetabulation | \definetabulation [...] [...] [..=..] |
| definetextbackground | \definetextbackground [...] [...] [..=..] |
| definetextflow | \definetextflow [...] [...] [..=..] |
| definetooltip | \definetooltip [...] [...] [..=..] |
| definetransparency:1 | \definetransparency [...] [...] |
| definetransparency:2 | \definetransparency [...] [..=..] |
| definetransparency:3 | \definetransparency [...] [...] |
| definetwopasslist | \definetwopasslist {...} |
| definetypesface | \definetypesface [...] [...] [...] [...] [..=..] |
| definetypescriptprefix | \definetypescriptprefix [...] [...] |

| | |
|--------------------------------|---|
| definetytypescriptsynonym | \definetytypescriptsynonym [...] [...] |
| definetytypesetting | \definetytypesetting [...] [...] [..=..] |
| defineunit | \defineunit [...] [...] [..=..] |
| defineviewerlayer | \defineviewerlayer [...] [...] [..=..] |
| definevspace | \definevspace [...] [...] [...] |
| definevspacing | \definevspacing [...] [...] |
| definevspacingamount | \definevspacingamount [...] [...] [...] |
| definextable | \definextable [...] [...] [..=..] |
| definisci | \definisci [...] \... {...} |
| definisciaccento | \definisciaccento |
| definisciambientefontdeltesto | \definisciambientefontdeltesto [...] [...] [..=..] |
| definisciblocco | \definisciblocco [...] [...] [..=..] |
| definiscibloccosezione | \definiscibloccosezione [...] [...] [..=..] |
| definiscibuffer | \definiscibuffer [...] [...] [..=..] |
| definiscicampo | \definiscicampo [...] [...] [...] [...] [...] |
| definiscicapoversi | \definiscicapoversi [...] [...] [..=..] |
| definiscicarattere | \definiscicarattere |
| definiscicolore | \definiscicolore [...] [..=..] |
| definiscicolore:name | \definiscicolore [...] [...] |
| definiscicomando | \definiscicomando |
| definisciconversione | \definisciconversione [...] [...] [...] |
| definisciconversione:list | \definisciconversione [...] [...] [...] |
| definiscidescrizione | \definiscidescrizione [...] [...] [..=..] |
| definiscidimensionicarta | \definiscidimensionicarta [...] [..=..] |
| definiscidimensionicarta:name | \definiscidimensionicarta [...] [...] [...] |
| definiscielenco | \definiscielenco [...] [...] [..=..] |
| definiscielencombinato | \definiscielencombinato [...] [...] [..=..] |
| definiscienumerazione | \definiscienumerazione [...] [...] [..=..] |
| definiscietichetta | \definiscietichetta [...] [...] [..=..] |
| definiscifigurasimbolo | \definiscifigurasimbolo [...] [...] [..=..] |
| definiscifont | \definiscifont [...] [...] [..=..] |
| definiscifontdeltesto | \definiscifontdeltesto [...] [...] [...] [..=..] |
| definiscifontdeltesto:argument | \definiscifontdeltesto [...] [...] [...] [...] |
| definiscifont:argument | \definiscifont [...] [...] [...] |
| definisciformatoriferimento | \definisciformatoriferimento [...] [...] [..=..] |
| definiscigruppocolonne | \definiscigruppocolonne [...] [...] [..=..] |
| definiscigruppocolori | \definiscigruppocolori [...] [...] [x:y:z,..] |
| definiscihbox | \definiscihbox [...] [...] |
| definisciincorniciato | \definisciincorniciato [...] [...] [..=..] |
| definisciiniziatermina | \definisciiniziatermina [...] [...] [..=..] |
| definiscilayout | \definiscilayout [...] [...] [..=..] |
| definiscimakeup | \definiscimakeup [...] [...] [..=..] |
| definiscimarcatura | \definiscimarcatura [...] [...] [..=..] |
| definiscimenuinterazione | \definiscimenuinterazione [...] [...] [..=..] |
| definiscimodellotabella | \definiscimodellotabella [...] [...] [...] [...] |
| definiscioggettomobile | \definiscioggettomobile [...] [...] [..=..] |
| definiscioggettomobile:name | \definiscioggettomobile [...] [...] [...] [...] |
| definiscioridinamento | \definiscioridinamento [...] [...] [...] [...] |
| definisciprofilo | \definisciprofilo [...] [...] [..=..] |
| definisciprogramma | \definisciprogramma [...] [...] [...] [...] |
| definisciregistro | \definisciregistro [...] [...] [..=..] |
| definisciriferimento | \definisciriferimento [...] [...] [...] |
| definiscisezione | \definiscisezione [...] |
| definiscisimbolo | \definiscisimbolo [...] [...] [...] [...] |
| definiscisinonimi | \definiscisinonimi [...] [...] [...] [...] [...] |
| definiscisinonimofont | \definiscisinonimofont [...] [...] [..=..] |
| definiscisottocampo | \definiscisottocampo [...] [...] [...] [...] |
| definiscisovrapposizione | \definiscisovrapposizione [...] [...] [...] [...] |
| definiscistackcampi | \definiscistackcampi [...] [...] [..=..] |
| definiscistile | \definiscistile [...] [...] [..=..] |
| definiscistilefont | \definiscistilefont [...] [...] [...] |
| definiscitabulato | \definiscitabulato [...] [...] [/.../] |
| definiscitavolozza | \definiscitavolozza [...] [..=..] ^{OPT} |
| definiscitavolozza:name | \definiscitavolozza [...] [...] [...] |
| definiscitesta | \definiscitesta [...] [...] [..=..] |
| definiscitesto | \definiscitesto [...] [...] [...] [...] [...] [...] [...] |
| definiscitestoincorniciato | \definiscitestoincorniciato [...] [...] [..=..] |
| definiscitype | \definiscitype [...] [...] [..=..] |
| definiscityping | \definiscityping [...] [...] [..=..] |
| delimited | \delimited [...] [...] {...} |
| delimitedtext | \delimitedtext [...] [...] {...} |
| delimitedtext:instance | \DELIMITEDTEXT [...] [...] {...} |

| | |
|-----------------------------------|---|
| delimitedtext:instance:aside | \aside [...] {...} |
| delimitedtext:instance:blockquote | \blockquote [...] {...} |
| delimitedtext:instance:quotation | \quotation [...] {...} |
| delimitedtext:instance:quote | \quote [...] {...} |
| delimitedtext:instance:speech | \speech [...] {...} |
| depthofstring | \depthofstring {...} |
| depthonlybox | \depthonlybox {...} |
| depthspanningtext | \depthspanningtext {...} {...} {...} |
| depthstrut | \depthstrut |
| descrizione:example | \DESCRIZIONE [...] {...} ... \par |
| destra | \destra ... |
| determinacaratteristicheregistro | \determinacaratteristicheregistro [...] [..=..] |
| determinacarattersticheelenco | \determinacarattersticheelenco [...] [..=..] |
| determinanumerotesta | \determinanumerotesta [...] |
| determinenoflines | \determinenoflines {...} |
| devanagarinumerals | \devanagarinumerals {...} |
| digits | \digits {...} |
| digits:string | \digits ... |
| dimensiontocount | \dimensiontocount {...} \... |
| directboxfromcache | \directboxfromcache {...} {...} |
| directcolor | \directcolor [...] |
| directcolored | \directcolored [..=..] |
| directcolored:name | \directcolored [...] |
| directconvertedcounter | \directconvertedcounter {...} {...} |
| directcopyboxfromcache | \directcopyboxfromcache {...} {...} |
| directdummyparameter | \directdummyparameter {...} |
| directgetboxllx | \directgetboxllx ... |
| directgetboxlly | \directgetboxlly ... |
| directhighlight | \directhighlight {...} {...} |
| directlocalframed | \directlocalframed [...] {...} |
| directluacode | \directluacode {...} |
| directselect | \directselect {...} {...} {...} {...} {...} {...} |
| directsetbar | \directsetbar {...} OPT OPT OPT OPT OPT |
| directsetup | \directsetup {...} |
| directsymbol | \directsymbol {...} {...} |
| directvspacing | \directvspacing {...} |
| dis | \dis {...} |
| disabledirectives | \disabledirectives [...] |
| disableexperiments | \disableexperiments [...] |
| disablemode | \disablemode [...] |
| disableoutputstream | \disableoutputstream |
| disableparpositions | \disableparpositions |
| disableregime | \disableregime |
| disabletrackers | \disabletrackers [...] |
| displaymath | \displaymath {...} |
| displaymathematics | \displaymathematics {...} |
| displaymessage | \displaymessage {...} |
| distributedhsize | \distributedhsize {...} {...} {...} |
| dividedsize | \dividedsize {...} {...} {...} |
| doadaptleftskip | \doadaptleftskip {...} |
| doadaptrightskip | \doadaptrightskip {...} |
| doaddfeature | \doaddfeature {...} |
| doassign | \doassign [...] [..=..] |
| doassignempty | \doassignempty [...] [..=..] |
| doboundtext | \doboundtext {...} {...} {...} |
| docheckassignment | \docheckassignment {...} |
| docheckedpagestate | \docheckedpagestate {...} {...} {...} {...} {...} {...} {...} |
| docheckedpair | \docheckedpair {...} |
| documentvariable | \documentvariable {...} |
| dodoubleargument | \dodoubleargument \... [...] [...] |
| dodoubleargumentwithset | \dodoubleargumentwithset \... [...] [...] |
| dodoubleempty | \dodoubleempty \... [...] [...] |
| dodoubleemptywithset | \dodoubleemptywithset \... [...] [...] |
| dodoublegroupempty | \dodoublegroupempty \... {...} {...} |
| doeassign | \doeassign [...] [..=..] |
| doexpandedrecurse | \doexpandedrecurse {...} {...} |
| dofastloopcs | \dofastloopcs {...} \... |
| dogetattribute | \dogetattribute {...} |
| dogetattributeid | \dogetattributeid {...} |
| dogetcommacommandelement | \dogetcommacommandelement ... \from ... \to \... |
| dogobbledoubleempty | \dogobbledoubleempty [...] [...] |
| dogobblesingleempty | \dogobblesingleempty [...] |

| | |
|-------------------------------|---|
| doif | \doif {...} {...} {...} |
| doifallcommon | \doifallcommon {...} {...} {...} |
| doifallcommonelse | \doifallcommonelse {...} {...} {...} {...} |
| doifalldefinedelse | \doifalldefinedelse {...} {...} {...} |
| doifallmodes | \doifallmodes {...} {...} {...} |
| doifallmodeselse | \doifallmodeselse {...} {...} {...} |
| doifassignmentelse | \doifassignmentelse {...} {...} {...} |
| doifblackelse | \doifblackelse {...} {...} {...} |
| doifbothsides | \doifbothsides {...} {...} {...} |
| doifbothsidesoverruled | \doifbothsidesoverruled {...} {...} {...} |
| doifboxelse | \doifboxelse {...} {...} {...} {...} |
| doifbufferelse | \doifbufferelse {...} {...} {...} |
| doifcolor | \doifcolor {...} {...} |
| doifcolorelse | \doifcolorelse {...} {...} {...} |
| doifcommandhandler | \doifcommandhandler \... {...} {...} |
| doifcommandhandlerelse | \doifcommandhandlerelse \... {...} {...} {...} |
| doifcommon | \doifcommon {...} {...} {...} |
| doifcommonelse | \doifcommonelse {...} {...} {...} {...} |
| doifcontent | \doifcontent {...} {...} {...} \... {...} |
| doifconversiondefinedelse | \doifconversiondefinedelse {...} {...} {...} |
| doifconversionnumberelse | \doifconversionnumberelse {...} {...} {...} {...} |
| doifcounter | \doifcounter {...} {...} |
| doifcounterelse | \doifcounterelse {...} {...} {...} |
| doifcurrentfonthasfeatureelse | \doifcurrentfonthasfeatureelse {...} {...} {...} |
| doifdefined | \doifdefined {...} {...} |
| doifdefinedcounter | \doifdefinedcounter {...} {...} |
| doifdefinedcounterelse | \doifdefinedcounterelse {...} {...} {...} |
| doifdefinedelse | \doifdefinedelse {...} {...} {...} |
| doifdimensionelse | \doifdimensionelse {...} {...} {...} |
| doifdimenstringelse | \doifdimenstringelse {...} {...} {...} |
| doifdocumentargument | \doifdocumentargument {...} {...} |
| doifdocumentargumentelse | \doifdocumentargumentelse {...} {...} {...} |
| doifdocumentfilename | \doifdocumentfilename {...} {...} |
| doifdocumentfilenameelse | \doifdocumentfilenameelse {...} {...} {...} |
| doifdrawingblackelse | \doifdrawingblackelse {...} {...} |
| doifelse | \doifelse {...} {...} {...} {...} |
| doifelseallcommon | \doifelseallcommon {...} {...} {...} {...} |
| doifelsealldefined | \doifelsealldefined {...} {...} {...} |
| doifelseallmodes | \doifelseallmodes {...} {...} {...} |
| doifelseassignment | \doifelseassignment {...} {...} {...} |
| doifelseblack | \doifelseblack {...} {...} {...} |
| doifelsebox | \doifelsebox {...} {...} {...} {...} |
| doifelseboxincache | \doifelseboxincache {...} {...} {...} {...} |
| doifelsebuffer | \doifelsebuffer {...} {...} {...} |
| doifelsecolor | \doifelsecolor {...} {...} {...} |
| doifelsecommandhandler | \doifelsecommandhandler \... {...} {...} {...} |
| doifelsecommon | \doifelsecommon {...} {...} {...} {...} |
| doifelseconversiondefined | \doifelseconversiondefined {...} {...} {...} |
| doifelseconversionnumber | \doifelseconversionnumber {...} {...} {...} {...} |
| doifelsecounter | \doifelsecounter {...} {...} {...} |
| doifelsecurrentfonthasfeature | \doifelsecurrentfonthasfeature {...} {...} {...} |
| doifelsecurrentsortingingused | \doifelsecurrentsortingingused {...} {...} |
| doifelsecurrentsynonymshown | \doifelsecurrentsynonymshown {...} {...} |
| doifelsecurrentsynonymused | \doifelsecurrentsynonymused {...} {...} |
| doifelsedefined | \doifelsedefined {...} {...} {...} |
| doifelsedefinedcounter | \doifelsedefinedcounter {...} {...} {...} |
| doifelsedimension | \doifelsedimension {...} {...} {...} |
| doifelsedimenstring | \doifelsedimenstring {...} {...} {...} |
| doifelsedocumentargument | \doifelsedocumentargument {...} {...} {...} |
| doifelsedocumentfilename | \doifelsedocumentfilename {...} {...} {...} |
| doifelsedrawingblack | \doifelsedrawingblack {...} {...} |
| doifelseempty | \doifelseempty {...} {...} {...} |
| doifelseemptyvalue | \doifelseemptyvalue {...} {...} {...} |
| doifelseemptyvariable | \doifelseemptyvariable {...} {...} {...} {...} |
| doifelseenv | \doifelseenv {...} {...} {...} |
| doifelsefastoptionalcheck | \doifelsefastoptionalcheck {...} {...} |
| doifelsefastoptionalcheckcs | \doifelsefastoptionalcheckcs \... \... |
| doifelsefieldbody | \doifelsefieldbody {...} {...} {...} |
| doifelsefieldcategory | \doifelsefieldcategory {...} {...} {...} |
| doifelsefigure | \doifelsefigure {...} {...} {...} |
| doifelsefile | \doifelsefile {...} {...} {...} |
| doifelsefiledefined | \doifelsefiledefined {...} {...} {...} |

| | |
|------------------------------|---|
| doifelsefileexists | \doifelsefileexists {...} {...} {...} |
| doifelsefirstchar | \doifelsefirstchar {...} {...} {...} {...} |
| doifelseflagged | \doifelseflagged {...} {...} {...} |
| doifelsefontchar | \doifelsefontchar {...} {...} {...} {...} |
| doifelsefontfeature | \doifelsefontfeature {...} {...} {...} |
| doifelsefontpresent | \doifelsefontpresent {...} {...} {...} |
| doifelsefontsynonym | \doifelsefontsynonym {...} {...} {...} |
| doifelsehasspace | \doifelsehasspace {...} {...} {...} |
| doifelsehelp | \doifelsehelp {...} {...} |
| doifelseincsnam | \doifelseincsnam {...} {...} {...} {...} |
| doifelseinelement | \doifelseinelement {...} {...} {...} |
| doifelseinputfile | \doifelseinputfile {...} {...} {...} |
| doifelseinsertion | \doifelseinsertion {...} {...} {...} |
| doifelseinset | \doifelseinset {...} {...} {...} {...} |
| doifelseinstring | \doifelseinstring {...} {...} {...} {...} |
| doifelseinsymbolset | \doifelseinsymbolset {...} {...} {...} {...} |
| doifelseintoks | \doifelseintoks {...} {...} {...} {...} |
| doifelseintwopassdata | \doifelseintwopassdata {...} {...} {...} {...} |
| doifelseitalic | \doifelseitalic {...} {...} |
| doifelselanguage | \doifelselanguage {...} {...} {...} |
| doifelselayerdata | \doifelselayerdata {...} {...} {...} |
| doifelselayoutdefined | \doifelselayoutdefined {...} {...} {...} |
| doifelselayoutsomeline | \doifelselayoutsomeline {...} {...} {...} |
| doifelselayouttextline | \doifelselayouttextline {...} {...} {...} |
| doifelseleapyear | \doifelseleapyear {...} {...} {...} |
| doifselist | \doifselist {...} {...} {...} |
| doifselocation | \doifselocation {...} {...} |
| doifselocfile | \doifselocfile {...} {...} {...} |
| doifelseMPgraphic | \doifelseMPgraphic {...} {...} {...} |
| doifelsemainfloatbody | \doifelsemainfloatbody {...} {...} |
| doifelsemarkedpage | \doifelsemarkedpage {...} {...} {...} |
| doifelsemarking | \doifelsemarking {...} {...} {...} |
| doifelsemeaning | \doifelsemeaning \... \... {...} {...} |
| doifelsemessage | \doifelsemessage {...} {...} {...} {...} |
| doifelsemode | \doifelsemode {...} {...} {...} |
| doifelsenextbgroup | \doifelsenextbgroup {...} {...} |
| doifelsenextbgroupcs | \doifelsenextbgroupcs \... \... |
| doifelsenextchar | \doifelsenextchar {...} {...} {...} |
| doifelsenextoptional | \doifelsenextoptional {...} {...} |
| doifelsenextoptionalcs | \doifelsenextoptionalcs \... \... |
| doifelsenextparenthesis | \doifelsenextparenthesis {...} {...} |
| doifelsenonzeropositive | \doifelsenonzeropositive {...} {...} {...} |
| doifelsenoteonsamepage | \doifelsenoteonsamepage {...} {...} {...} |
| doifelsenothing | \doifelsenothing {...} {...} {...} |
| doifelsenumber | \doifelsenumber {...} {...} {...} |
| doifelseobjectfound | \doifelseobjectfound {...} {...} {...} {...} |
| doifelseobjectreferencefound | \doifelseobjectreferencefound {...} {...} {...} {...} |
| doifelseoddpage | \doifelseoddpage {...} {...} |
| doifelseoddpagefloat | \doifelseoddpagefloat {...} {...} |
| doifelseoldercontext | \doifelseoldercontext {...} {...} {...} |
| doifelseolderversion | \doifelseolderversion {...} {...} {...} {...} |
| doifelseoverlapping | \doifelseoverlapping {...} {...} {...} {...} |
| doifelseoverlay | \doifelseoverlay {...} {...} {...} |
| doifelseparallel | \doifelseparallel {...} {...} {...} {...} |
| doifelseparentfile | \doifelseparentfile {...} {...} {...} |
| doifelsepath | \doifelsepath {...} {...} {...} |
| doifelsepathexists | \doifelsepathexists {...} {...} {...} |
| doifelsepatterns | \doifelsepatterns {...} {...} {...} |
| doifelseposition | \doifelseposition {...} {...} {...} |
| doifelsepositionaction | \doifelsepositionaction {...} {...} {...} |
| doifelsepositiononpage | \doifelsepositiononpage {...} {...} {...} {...} |
| doifelsepositionsonsamepage | \doifelsepositionsonsamepage {...} {...} {...} |
| doifelsepositionsonthispage | \doifelsepositionsonthispage {...} {...} {...} |
| doifelsepositionsused | \doifelsepositionsused {...} {...} |
| doifelserreferencefound | \doifelserreferencefound {...} {...} {...} |
| doifelserightpage | \doifelserightpage {...} {...} |
| doifelserightpagefloat | \doifelserightpagefloat {...} {...} |
| doifelserighttoleftinbox | \doifelserighttoleftinbox ... {...} {...} |
| doifelsesamelinereference | \doifelsesamelinereference {...} {...} {...} |
| doifelsesamestring | \doifelsesamestring {...} {...} {...} {...} |
| doifelsesetups | \doifelsesetups {...} {...} {...} |
| doifelsesomebackground | \doifelsesomebackground {...} {...} {...} |

| | |
|--------------------------------|---|
| doifelsesomespace | \doifelsesomespace {...} {...} {...} |
| doifelsesomething | \doifelsesomething {...} {...} {...} |
| doifelsesometoks | \doifelsesometoks \... {...} {...} |
| doifelsestringinstring | \doifelsestringinstring {...} {...} {...} {...} |
| doifelsestructurelisthasnumber | \doifelsestructurelisthasnumber {...} {...} |
| doifelsestructurelisthaspage | \doifelsestructurelisthaspage {...} {...} |
| doifelsesymboldefined | \doifelsesymboldefined {...} {...} {...} |
| doifelsesymbolset | \doifelsesymbolset {...} {...} {...} |
| doifelsetext | \doifelsetext {...} {...} {...} |
| doifelsetextflow | \doifelsetextflow {...} {...} {...} |
| doifelsetextflowcollector | \doifelsetextflowcollector {...} {...} {...} |
| doifelsetopofpage | \doifelsetopofpage {...} {...} |
| doifelsetypingfile | \doifelsetypingfile {...} {...} {...} |
| doifelseundefined | \doifelseundefined {...} {...} {...} |
| doifelseurldefined | \doifelseurldefined {...} {...} {...} |
| doifelsevalue | \doifelsevalue {...} {...} {...} {...} |
| doifelsevaluenothing | \doifelsevaluenothing {...} {...} {...} |
| doifelsevariable | \doifelsevariable {...} {...} {...} {...} |
| doifempty | \doifempty {...} {...} |
| doifemptyelse | \doifemptyelse {...} {...} {...} |
| doifemptytoks | \doifemptytoks \... {...} |
| doifemptyvalue | \doifemptyvalue {...} {...} |
| doifemptyvalueelse | \doifemptyvalueelse {...} {...} {...} |
| doifemptyvariable | \doifemptyvariable {...} {...} {...} |
| doifemptyvariableelse | \doifemptyvariableelse {...} {...} {...} {...} |
| doifenv | \doifenv {...} {...} |
| doifenvelse | \doifenvelse {...} {...} {...} |
| doiffastoptionalcheckcse | \doiffastoptionalcheckcse \... \... |
| doiffastoptionalcheckelse | \doiffastoptionalcheckelse {...} {...} |
| doiffielddbodyelse | \doiffielddbodyelse {...} {...} {...} |
| doiffielddcategoryelse | \doiffielddcategoryelse {...} {...} {...} |
| doiffigureelse | \doiffigureelse {...} {...} {...} |
| doiffile | \doiffile {...} {...} |
| doiffiledefinedelse | \doiffiledefinedelse {...} {...} {...} |
| doiffileelse | \doiffileelse {...} {...} {...} |
| doiffileexistselse | \doiffileexistselse {...} {...} {...} |
| doiffirstcharelse | \doiffirstcharelse {...} {...} {...} {...} |
| doifflaggedelse | \doifflaggedelse {...} {...} {...} |
| doiffontcharelse | \doiffontcharelse {...} {...} {...} {...} |
| doiffontfeatureelse | \doiffontfeatureelse {...} {...} {...} |
| doiffontpresentelse | \doiffontpresentelse {...} {...} {...} |
| doiffontsynonymelse | \doiffontsynonymelse {...} {...} {...} |
| doifhasspaceelse | \doifhasspaceelse {...} {...} {...} |
| doifhelpelse | \doifhelpelse {...} {...} |
| doifincsnamelse | \doifincsnamelse {...} {...} {...} {...} |
| doifinelementelse | \doifinelementelse {...} {...} {...} |
| doifinputfileelse | \doifinputfileelse {...} {...} {...} |
| doifinsertionelse | \doifinsertionelse {...} {...} {...} |
| doifinset | \doifinset {...} {...} {...} |
| doifinsetelse | \doifinsetelse {...} {...} {...} {...} |
| doifinstring | \doifinstring {...} {...} {...} |
| doifinstringelse | \doifinstringelse {...} {...} {...} {...} |
| doifinsymbolset | \doifinsymbolset {...} {...} {...} {...} |
| doifinsymbolsetelse | \doifinsymbolsetelse {...} {...} {...} {...} |
| doifintoksel | \doifintoksel {...} {...} {...} {...} |
| doifintwopassdataelse | \doifintwopassdataelse {...} {...} {...} {...} |
| doifitalicelse | \doifitalicelse {...} {...} |
| doiflanguageelse | \doiflanguageelse {...} {...} {...} |
| doiflayerdataelse | \doiflayerdataelse {...} {...} {...} |
| doiflayoutdefinedelse | \doiflayoutdefinedelse {...} {...} {...} |
| doiflayoutsomelineelse | \doiflayoutsomelineelse {...} {...} {...} |
| doiflayouttextlineelse | \doiflayouttextlineelse {...} {...} {...} |
| doifleapyearelse | \doifleapyearelse {...} {...} {...} |
| doiflistelse | \doiflistelse {...} {...} {...} |
| doiflocationelse | \doiflocationelse {...} {...} |
| doiflocfileelse | \doiflocfileelse {...} {...} {...} |
| doifMPgraphicelse | \doifMPgraphicelse {...} {...} {...} |
| doifmainfloatbodyelse | \doifmainfloatbodyelse {...} {...} |
| doifmarkingelse | \doifmarkingelse {...} {...} {...} |
| doifmeaningelse | \doifmeaningelse \... \... {...} {...} |
| doifmessageelse | \doifmessageelse {...} {...} {...} {...} |
| doifmode | \doifmode {...} {...} |

| | |
|------------------------------|---|
| doifmodeelse | \doifmodeelse {...} {...} {...} |
| doifnextbgroupcselect | \doifnextbgroupcselect \... \... |
| doifnextbgroupselect | \doifnextbgroupselect {...} {...} |
| doifnextchareselect | \doifnextchareselect {...} {...} {...} |
| doifnextoptionalcselect | \doifnextoptionalcselect \... \... |
| doifnextoptionaleselect | \doifnextoptionaleselect {...} {...} |
| doifnextparenthesiselect | \doifnextparenthesiselect {...} {...} |
| doifnonzeropositiveselect | \doifnonzeropositiveselect {...} {...} {...} |
| doifnot | \doifnot {...} {...} {...} |
| doifnotallcommon | \doifnotallcommon {...} {...} {...} |
| doifnotallmodes | \doifnotallmodes {...} {...} {...} |
| doifnotcommandhandler | \doifnotcommandhandler \... {...} {...} |
| doifnotcommon | \doifnotcommon {...} {...} {...} |
| doifnotcounter | \doifnotcounter {...} {...} |
| doifnotdocumentargument | \doifnotdocumentargument {...} {...} |
| doifnotdocumentfilename | \doifnotdocumentfilename {...} {...} |
| doifnotempty | \doifnotempty {...} {...} |
| doifnotemptyvalue | \doifnotemptyvalue {...} {...} |
| doifnotemptyvariable | \doifnotemptyvariable {...} {...} {...} |
| doifnotenv | \doifnotenv {...} {...} |
| doifnoteonsamepageelect | \doifnoteonsamepageelect {...} {...} {...} |
| doifnotescollected | \doifnotescollected {...} {...} |
| doifnotfile | \doifnotfile {...} {...} |
| doifnotflagged | \doifnotflagged {...} {...} |
| doifnothing | \doifnothing {...} {...} |
| doifnothingelse | \doifnothingelse {...} {...} {...} |
| doifnotinset | \doifnotinset {...} {...} {...} |
| doifnotinsidesplitfloat | \doifnotinsidesplitfloat {...} |
| doifnotinstring | \doifnotinstring {...} {...} {...} |
| doifnotmode | \doifnotmode {...} {...} |
| doifnotnumber | \doifnotnumber {...} {...} |
| doifnotsamestring | \doifnotsamestring {...} {...} {...} |
| doifnotsetups | \doifnotsetups {...} {...} |
| doifnotvalue | \doifnotvalue {...} {...} {...} |
| doifnotvariable | \doifnotvariable {...} {...} {...} |
| doifnumber | \doifnumber {...} {...} |
| doifnumberelse | \doifnumberelse {...} {...} {...} |
| doifobjectfoundelse | \doifobjectfoundelse {...} {...} {...} {...} |
| doifobjectreferencefoundelse | \doifobjectreferencefoundelse {...} {...} {...} {...} |
| doifoddpageselect | \doifoddpageselect {...} {...} |
| doifoddpagefloatelse | \doifoddpagefloatelse {...} {...} |
| doifoldercontextelse | \doifoldercontextelse {...} {...} {...} |
| doifolderversionelse | \doifolderversionelse {...} {...} {...} {...} |
| doifoverlappingelse | \doifoverlappingelse {...} {...} {...} {...} |
| doifoverlayelse | \doifoverlayelse {...} {...} {...} |
| doifparallelelect | \doifparallelelect {...} {...} {...} {...} |
| doifparentfileelse | \doifparentfileelse {...} {...} {...} |
| doifpathelse | \doifpathelse {...} {...} {...} |
| doifpathexistselect | \doifpathexistselect {...} {...} {...} |
| doifpatternselect | \doifpatternselect {...} {...} {...} |
| doifposition | \doifposition {...} {...} {...} |
| doifpositionaction | \doifpositionaction {...} {...} {...} |
| doifpositionactionelse | \doifpositionactionelse {...} {...} {...} |
| doifpositionelse | \doifpositionelse {...} {...} {...} |
| doifpositiononpageelect | \doifpositiononpageelect {...} {...} {...} {...} |
| doifpositionsonsamepageelect | \doifpositionsonsamepageelect {...} {...} {...} |
| doifpositionsonthispageelect | \doifpositionsonthispageelect {...} {...} {...} |
| doifpositionsusedelect | \doifpositionsusedelect {...} {...} |
| doifreferencefoundelse | \doifreferencefoundelse {...} {...} {...} |
| doifrightpagefloatelse | \doifrightpagefloatelse {...} {...} |
| doifrighttoleftinboxelse | \doifrighttoleftinboxelse ... {...} {...} |
| doifsamelinereferenceelect | \doifsamelinereferenceelect {...} {...} {...} |
| doifsamestring | \doifsamestring {...} {...} {...} |
| doifsamestringelse | \doifsamestringelse {...} {...} {...} {...} |
| doifsetups | \doifsetups {...} {...} |
| doifsetupselse | \doifsetupselse {...} {...} {...} |
| doifsomebackground | \doifsomebackground {...} {...} {...} |
| doifsomebackgroundelse | \doifsomebackgroundelse {...} {...} {...} |
| doifsomespaceelect | \doifsomespaceelect {...} {...} {...} |
| doifsomething | \doifsomething {...} {...} |
| doifsomethingelse | \doifsomethingelse {...} {...} {...} |
| doifsometoks | \doifsometoks \... {...} |

| | |
|---------------------------------------|--|
| doifsometoksel | \doifsometoksel \... {...} {...} |
| doifstringinstringelse | \doifstringinstringelse {...} {...} {...} {...} |
| doifstructurelisthasnumberelse | \doifstructurelisthasnumberelse {...} {...} |
| doifstructurelisthaspageelse | \doifstructurelisthaspageelse {...} {...} |
| doifsymboldefinedelse | \doifsymboldefinedelse {...} {...} {...} |
| doifsymbolsetelse | \doifsymbolsetelse {...} {...} {...} |
| doiftext | \doiftext {...} {...} {...} |
| doiftextelse | \doiftextelse {...} {...} {...} |
| doiftextflowcollectorelse | \doiftextflowcollectorelse {...} {...} {...} |
| doiftextflowelse | \doiftextflowelse {...} {...} {...} |
| doiftopofpageelse | \doiftopofpageelse {...} {...} |
| doiftypingfileelse | \doiftypingfileelse {...} {...} {...} |
| doifundefined | \doifundefined {...} {...} |
| doifundefinedcounter | \doifundefinedcounter {...} {...} |
| doifundefinedelse | \doifundefinedelse {...} {...} {...} |
| doifunknownfontfeature | \doifunknownfontfeature {...} {...} {...} |
| doifurldefinedelse | \doifurldefinedelse {...} {...} {...} |
| doifvalue | \doifvalue {...} {...} {...} |
| doifvalueelse | \doifvalueelse {...} {...} {...} {...} |
| doifvaluenothing | \doifvaluenothing {...} {...} |
| doifvaluenothingelse | \doifvaluenothingelse {...} {...} {...} |
| doifvaluesomething | \doifvaluesomething {...} {...} |
| doifvariable | \doifvariable {...} {...} {...} |
| doifvariableelse | \doifvariableelse {...} {...} {...} {...} |
| doindentation | \doindentation |
| dollar | \dollar |
| doloop | \doloop {...} |
| doloopoverlist | \doloopoverlist {...} {...} |
| donothing | \donothing |
| dontconvertfont | \dontconvertfont |
| dontleavehmode | \dontleavehmode |
| dontpermitspacesbetweenegroups | \dontpermitspacesbetweenegroups |
| dopositionaction | \dopositionaction {...} |
| doprocesslocalsetups | \doprocesslocalsetups {...} |
| doquadrupleargument | \doquadrupleargument \... [...] [...] [...] [...] |
| doquadrupleempty | \doquadrupleempty \... [...] [...] [...] [...] |
| doquadruplegroupempty | \doquadruplegroupempty \... {...} {...} {...} {...} |
| doquintupleargument | \doquintupleargument \... [...] [...] [...] [...] [...] |
| doquintupleempty | \doquintupleempty \... [...] [...] [...] [...] [...] |
| doquintuplegroupempty | \doquintuplegroupempty \... {...} {...} {...} {...} {...} |
| dorechecknextindentation | \dorechecknextindentation |
| dorecurse | \dorecurse {...} {...} |
| dorepeatwithcommand | \dorepeatwithcommand [...] \... |
| doreplacefeature | \doreplacefeature {...} |
| doresetandafffeature | \doresetandafffeature {...} |
| doresetattribute | \doresetattribute {...} |
| dorotatebox | \dorotatebox {...} \... {...} |
| dosetattribute | \dosetattribute {...} {...} |
| dosetleftskipadaption | \dosetleftskipadaption {...} |
| dosetrighskipadaption | \dosetrighskipadaption {...} |
| dosetupcheckedinterlinespace | \dosetupcheckedinterlinespace {..=..} |
| dosetupcheckedinterlinespace:argument | \dosetupcheckedinterlinespace {...} |
| dosetupcheckedinterlinespace:name | \dosetupcheckedinterlinespace {...} |
| doseventupleargument | \doseventupleargument \... [...] [...] [...] [...] [...] [...] [...] |
| doseventupleempty | \doseventupleempty \... [...] [...] [...] [...] [...] [...] [...] |
| dosingleargument | \dosingleargument \... [...] |
| dosingleempty | \dosingleempty \... [...] |
| dosinglegroupempty | \dosinglegroupempty \... {...} |
| dosixtupleargument | \dosixtupleargument \... [...] [...] [...] [...] [...] [...] [...] |
| dosixtupleempty | \dosixtupleempty \... [...] [...] [...] [...] [...] [...] [...] |
| dostarttagged | \dostarttagged {...} {...} ... \dostoptagged |
| dostepwiserecurse | \dostepwiserecurse {...} {...} {...} {...} |
| dosubtractfeature | \dosubtractfeature {...} |
| dotfskip | \dotfskip {...} |
| dotoks | \dotoks \... |
| dotripleargument | \dotripleargument \... [...] [...] [...] [...] |
| dotripleargumentwithset | \dotripleargumentwithset \... [...] [...] [...] [...] |
| dotripleempty | \dotripleempty \... [...] [...] [...] [...] |
| dotripleemptywithset | \dotripleemptywithset \... [...] [...] [...] [...] |
| dotriplegroupempty | \dotriplegroupempty \... {...} {...} {...} {...} |
| doublebond | \doublebond |
| dowith | \dowith {...} {...} |

| | |
|-----------------------------------|--|
| dowithnextbox | \dowithnextbox {...} \... {...} |
| dowithnextboxcontent | \dowithnextboxcontent {...} {...} \... {...} |
| dowithnextboxcontentcs | \dowithnextboxcontentcs \... \... \... {...} |
| dowithnextboxcs | \dowithnextboxcs \... \... {...} |
| dowithpargument | \dowithpargument \... |
| dowithrange | \dowithrange {...} \... |
| dowithwargument | \dowithwargument \... |
| dpofstring | \dpofstring {...} |
| dummydigit | \dummydigit |
| dummyparameter | \dummyparameter {...} |
| ETEX | \ETEX |
| EveryLine | \EveryLine {...} |
| EveryPar | \EveryPar {...} |
| edefconvertedargument | \edefconvertedargument \... {...} |
| efcmaxheight | \efcmaxheight {...} |
| efcmaxwidth | \efcmaxwidth {...} |
| efcminheight | \efcminheight {...} |
| efcminwidth | \efcminwidth {...} |
| efcparameter | \efcparameter {...} {...} |
| effect | \effect [...] {...} |
| elaborablocchi | \elaborablocchi [...] [...] [..=..] |
| elapsedseconds | \elapsedseconds |
| elapsedtime | \elapsedtime |
| elementi | \elementi [..=..] {...} |
| elemento | \elemento [...] |
| em | \em |
| emphasisboldface | \emphasisboldface |
| emphasistypeface | \emphasistypeface |
| emptylines | \emptylines [...] |
| emspace | \emspace |
| enabledirectives | \enabledirectives [...] |
| enableexperiments | \enableexperiments [...] |
| enablemode | \enablemode [...] |
| enableoutputstream | \enableoutputstream [...] |
| enableparpositions | \enableparpositions |
| enableregime | \enableregime [...] |
| enabletrackers | \enabletrackers [...] |
| enskip | \enskip |
| enspace | \enspace |
| enumerazione:example | \ENUMERAZIONE [...] {...} ... \par |
| env | \env {...} |
| envvar | \envvar {...} {...} |
| epos | \epos {...} |
| equaldigits | \equaldigits {...} |
| eTeX | \eTeX |
| etichetta:example | \ETICHETTA [...] {...} |
| executeifdefined | \executeifdefined {...} {...} |
| exitloop | \exitloop |
| exitloopnow | \exitloopnow |
| expandcheckedcsname | \expandcheckedcsname \... {...} {...} |
| expanded | \expanded {...} |
| expandeddoif | \expandeddoif {...} {...} {...} |
| expandeddoifelse | \expandeddoifelse {...} {...} {...} {...} |
| expandeddoifnot | \expandeddoifnot {...} {...} {...} |
| expandfontsynonym | \expandfontsynonym \... {...} |
| expdoif | \expdoif {...} {...} {...} |
| expdoifcommonelse | \expdoifcommonelse {...} {...} {...} {...} |
| expdoifelse | \expdoifelse {...} {...} {...} {...} |
| expdoifelsecommon | \expdoifelsecommon {...} {...} {...} {...} |
| expdoifelseinset | \expdoifelseinset {...} {...} {...} {...} |
| expdoifinsetelse | \expdoifinsetelse {...} {...} {...} {...} |
| expdoifnot | \expdoifnot {...} {...} {...} |
| externalfigurecollectionmaxheight | \externalfigurecollectionmaxheight {...} |
| externalfigurecollectionmaxwidth | \externalfigurecollectionmaxwidth {...} |
| externalfigurecollectionminheight | \externalfigurecollectionminheight {...} |
| externalfigurecollectionminwidth | \externalfigurecollectionminwidth {...} |
| externalfigurecollectionparameter | \externalfigurecollectionparameter {...} {...} |
| fakebox | \fakebox ... |
| fastdecrement | \fastdecrement \... |
| fastincrement | \fastincrement \... |
| fastlocalframed | \fastlocalframed [...] [..=..] {...} |
| fastloopfinal | \fastloopfinal |

| | |
|------------------------------|---|
| fastloopindex | \fastloopindex |
| fastscale | \fastscale {...} {...} |
| fastsetup | \fastsetup {...} |
| fastsetupwithargument | \fastsetupwithargument {...} {...} |
| fastsetupwithargumentswapped | \fastsetupwithargumentswapped {...} {...} |
| fastswitchtobodyfont | \fastswitchtobodyfont {...} |
| fastxsxy | \fastxsxy {...} {...} {...} |
| feature | \feature [...] [...] |
| feature:direct | \feature {...} {...} |
| fence | \fence |
| fenced | \fenced [...] {...} |
| fence:example | \FENCE {...} |
| fetchallmarkings | \fetchallmarkings [...] [...] |
| fetchallmarks | \fetchallmarks [...] |
| fetchmark | \fetchmark [...] [...] |
| fetchmarking | \fetchmarking [...] [...] [...] |
| fetchonemark | \fetchonemark [...] [...] |
| fetchonemarking | \fetchonemarking [...] [...] [...] |
| fetchruntinecommand | \fetchruntinecommand \... {...} |
| fetchtwomarkings | \fetchtwomarkings [...] [...] |
| fetchtwomarks | \fetchtwomarks [...] |
| fieldbody | \fieldbody [...] [..=..] |
| fifthoffivearguments | \fifthoffivearguments {...} {...} {...} {...} {...} |
| fifthofsixarguments | \fifthofsixarguments {...} {...} {...} {...} {...} {...} |
| figuraesterna | \figuraesterna [...] [...] [..=..] |
| figurefilename | \figurefilename |
| figurefilepath | \figurefilepath |
| figurefiletype | \figurefiletype |
| figurefullname | \figurefullname |
| figureheight | \figureheight |
| figurenaturalheight | \figurenaturalheight |
| figurenaturalwidth | \figurenaturalwidth |
| figuresymbol | \figuresymbol [...] [..=..] |
| figurewidth | \figurewidth |
| filename | \filename {...} |
| filledhboxb | \filledhboxb ... {...} |
| filledhboxc | \filledhboxc ... {...} |
| filledhboxg | \filledhboxg ... {...} |
| filledhboxk | \filledhboxk ... {...} |
| filledhboxm | \filledhboxm ... {...} |
| filledhboxr | \filledhboxr ... {...} |
| filledhboxy | \filledhboxy ... {...} |
| filler | \filler [...] |
| fillupto | \fillupto [...] {...} |
| filterfromnext | \filterfromnext {...} {...} {...} {...} {...} {...} {...} |
| filterfromvalue | \filterfromvalue {...} {...} {...} OPT OPT OPT OPT |
| filterpages | \filterpages [...] [...] [..=..] |
| filterreference | \filterreference {...} |
| findtwopassdata | \findtwopassdata {...} {...} |
| finishregisterentry | \finishregisterentry [...] [..=..] [..=..] |
| firstcharacter | \firstcharacter |
| firstcounter | \firstcounter [...] [...] |
| firstcountervalue | \firstcountervalue [...] |
| firstinlist | \firstinlist [...] |
| firstoffivearguments | \firstoffivearguments {...} {...} {...} {...} {...} |
| firstoffourarguments | \firstoffourarguments {...} {...} {...} {...} |
| firstofoneargument | \firstofoneargument {...} |
| firstofoneunexpanded | \firstofoneunexpanded {...} |
| firstofsixarguments | \firstofsixarguments {...} {...} {...} {...} {...} {...} |
| firstofthreearguments | \firstofthreearguments {...} {...} {...} |
| firstofthreeunexpanded | \firstofthreeunexpanded {...} {...} {...} |
| firstoftwoarguments | \firstoftwoarguments {...} {...} |
| firstoftwounexpanded | \firstoftwounexpanded {...} {...} |
| firstrealpage | \firstrealpage |
| firstrealpagenumber | \firstrealpagenumber |
| firstsubcountervalue | \firstsubcountervalue [...] [...] |
| firstsubpagenumber | \firstsubpagenumber |
| firstuserpage | \firstuserpage |
| firstuserpagenumber | \firstuserpagenumber |
| fitfieldframed | \fitfieldframed [..=..] {...} |
| fittopbaselinegrid | \fittopbaselinegrid {...} |
| flag | \flag {...} |

| | |
|----------------------------|---|
| floatuserdataparameter | \floatuserdataparameter {...} |
| flushbox | \flushbox {...} {...} |
| flushboxregister | \flushboxregister ... |
| flushcollector | \flushcollector [...] |
| flushedrightlastline | \flushedrightlastline |
| flushlayer | \flushlayer [...] |
| flushlocalfloats | \flushlocalfloats |
| flushnextbox | \flushnextbox |
| flushnotes | \flushnotes |
| flushoutputstream | \flushoutputstream [...] |
| flushshapebox | \flushshapebox |
| flushtextflow | \flushtextflow {...} |
| flushtokens | \flushtokens [...] |
| flushtoks | \flushtoks \... |
| fontalternative | \fontalternative |
| fontbody | \fontbody |
| fontchar | \fontchar {...} |
| fontcharbyindex | \fontcharbyindex {...} |
| fontclass | \fontclass |
| fontclassname | \fontclassname {...} {...} |
| fontface | \fontface |
| fontfeaturelist | \fontfeaturelist [...] [...] |
| fontsize | \fontsize |
| fontstyle | \fontstyle |
| forcecharacterstripping | \forcecharacterstripping |
| forcelocalfloats | \forcelocalfloats |
| forgeteverypar | \forgeteverypar |
| forgetparameters | \forgetparameters [...] [..=..] |
| forgetparskip | \forgetparskip |
| forgetragged | \forgetragged |
| formula | \formula [...] {...} |
| foundbox | \foundbox {...} {...} |
| fourthoffivearguments | \fourthoffivearguments {...} {...} {...} {...} {...} |
| fourthoffourarguments | \fourthoffourarguments {...} {...} {...} {...} |
| fourthofsixarguments | \fourthofsixarguments {...} {...} {...} {...} {...} {...} |
| frameddimension | \frameddimension {...} |
| framedparameter | \framedparameter {...} |
| frazione:instance | \FRACTION {...} {...} |
| frazione:instance:binom | \binom {...} {...} |
| frazione:instance:dbinom | \dbinom {...} {...} |
| frazione:instance:dfrac | \dfrac {...} {...} |
| frazione:instance:frac | \frac {...} {...} |
| frazione:instance:sfrac | \sfrac {...} {...} |
| frazione:instance:tbinom | \tbinom {...} {...} |
| frazione:instance:xfrac | \xfrac {...} {...} |
| frazione:instance:xxfrac | \xxfrac {...} {...} |
| freezedimenmacro | \freezedimenmacro \... \... |
| freezemeasure | \freezemeasure [...] [...] |
| frenchspacing | \frenchspacing |
| fromlinenote | \fromlinenote [...] {...} |
| frozenhbox | \frozenhbox {...} |
| frule | \frule ... \relax |
| GetPar | \GetPar |
| GIORNOSETTIMANA | \GIORNOSETTIMANA {...} |
| GotoPar | \GotoPar |
| Greeknumerals | \Greeknumerals {...} |
| gdefconvertedargument | \gdefconvertedargument \... {...} |
| gdefconvertedcommand | \gdefconvertedcommand \... \... |
| getboxfromcache | \getboxfromcache {...} {...} ... |
| getboxllx | \getboxllx ... |
| getboxlly | \getboxlly ... |
| getbufferdata | \getbufferdata [...] |
| getcommacommandsize | \getcommacommandsize [...] |
| getcommalistsize | \getcommalistsize [...] |
| getdayoftheweek | \getdayoftheweek {...} {...} {...} |
| getdayspermonth | \getdayspermonth {...} {...} |
| getdefinedbuffer | \getdefinedbuffer [...] |
| getdocumentargument | \getdocumentargument {...} |
| getdocumentargumentdefault | \getdocumentargumentdefault {...} {...} |
| getdocumentfilename | \getdocumentfilename {...} |
| getdummyparameters | \getdummyparameters [..=..] |
| getemptyparameters | \getemptyparameters [...] [..=..] |

| | |
|---------------------------|--|
| geteparameters | \geteparameters [...] [..=..] |
| getexpandedparameters | \getexpandedparameters [...] [..=..] |
| getfiguredimensions | \getfiguredimensions [...] [..=..] |
| getfirstcharacter | \getfirstcharacter {...} |
| getfirsttwopassdata | \getfirsttwopassdata {...} |
| getfromcommacommand | \getfromcommacommand [...] [...] |
| getfromcommalist | \getfromcommalist [...] [...] |
| getfromtwopassdata | \getfromtwopassdata {...} {...} |
| getglyphdirect | \getglyphdirect {...} {...} |
| getglyphstyled | \getglyphstyled {...} {...} |
| getgparameters | \getgparameters [...] [..=..] |
| getlasttwopassdata | \getlasttwopassdata {...} |
| getlocalfloat | \getlocalfloat {...} |
| getlocalfloats | \getlocalfloats |
| getMPdrawing | \getMPdrawing |
| getMPlayer | \getMPlayer [...] [..=..] {...} |
| getmessage | \getmessage {...} {...} |
| getnamedglyphdirect | \getnamedglyphdirect {...} {...} |
| getnamedglyphstyled | \getnamedglyphstyled {...} {...} |
| getnamedtwopassdatalist | \getnamedtwopassdatalist \... {...} |
| getnaturaldimensions | \getnaturaldimensions ... |
| getnoflines | \getnoflines {...} |
| getobject | \getobject {...} {...} |
| getobjectdimensions | \getobjectdimensions {...} {...} |
| getpaletsize | \getpaletsize [...] |
| getparameters | \getparameters [...] [..=..] |
| getprivatechar | \getprivatechar {...} |
| getprivateslot | \getprivateslot {...} |
| getrandomcount | \getrandomcount \... {...} {...} |
| getrandomdimen | \getrandomdimen \... {...} {...} |
| getrandomfloat | \getrandomfloat \... {...} {...} |
| getrandomnumber | \getrandomnumber \... {...} {...} |
| getrandomseed | \getrandomseed \... |
| getraweparameters | \getraweparameters [...] [..=..] |
| getrawgparameters | \getrawgparameters [...] [..=..] |
| getrawnoflines | \getrawnoflines {...} |
| getrawparameters | \getrawparameters [...] [..=..] |
| getrawxparameters | \getrawxparameters [...] [..=..] |
| getreference | \getreference [...] [...] |
| getreferenceentry | \getreferenceentry {...} |
| getroundednoflines | \getroundednoflines {...} |
| getsubstring | \getsubstring {...} {...} {...} |
| gettwopassdata | \gettwopassdata {...} |
| gettwopassdatalist | \gettwopassdatalist {...} |
| getuvalue | \getuvalue {...} |
| getvalue | \getvalue {...} |
| getvariable | \getvariable {...} {...} |
| getvariabledefault | \getvariabledefault {...} {...} {...} {...} |
| getxparameters | \getxparameters [...] [..=..] |
| giornosettimana | \giornosettimana {...} |
| globaldisablemode | \globaldisablemode [...] |
| globalenablemode | \globalenablemode [...] |
| globalletempty | \globalletempty \... |
| globalpopbox | \globalpopbox ... |
| globalpopmacro | \globalpopmacro \... |
| globalpreventmode | \globalpreventmode [...] |
| globalprocesscommalist | \globalprocesscommalist [...] \... |
| globalpushbox | \globalpushbox ... |
| globalpushmacro | \globalpushmacro \... |
| globalpushreferenceprefix | \globalpushreferenceprefix {...} ... \globalpopreferenceprefix |
| globalswapcounts | \globalswapcounts \... \... |
| globalswapdimens | \globalswapdimens \... \... |
| globalswapmacros | \globalswapmacros \... \... |
| globalundefine | \globalundefine {...} |
| glyphfontfile | \glyphfontfile {...} |
| gobbledoubleempty | \gobbledoubleempty [...] [...] |
| gobbleeightarguments | \gobbleeightarguments {...} {...} {...} {...} {...} {...} {...} {...} |
| gobblefivearguments | \gobblefivearguments {...} {...} {...} {...} {...} |
| gobblefiveoptionals | \gobblefiveoptionals [...] [...] [...] [...] [...] |
| gobblefourarguments | \gobblefourarguments {...} {...} {...} {...} |
| gobblefouroptionals | \gobblefouroptionals [...] [...] [...] [...] |
| gobbleninearguments | \gobbleninearguments {...} {...} {...} {...} {...} {...} {...} {...} {...} |

| | |
|-------------------------|---|
| gobbleoneargument | \gobbleoneargument {...} |
| gobbleoneoptional | \gobbleoneoptional [...] |
| gobblesevenarguments | \gobblesevenarguments {...} {...} {...} {...} {...} {...} {...} |
| gobblesingleempty | \gobblesingleempty [...] |
| gobblesixarguments | \gobblesixarguments {...} {...} {...} {...} {...} {...} |
| gobblespacetokens | \gobblespacetokens |
| gobbletenarguments | \gobbletenarguments {...} {...} {...} {...} {...} {...} {...} {...} {...} |
| gobblethreearguments | \gobblethreearguments {...} {...} {...} |
| gobblethreepoptionals | \gobblethreepoptionals [...] [...] [...] |
| gobbletwoarguments | \gobbletwoarguments {...} {...} |
| gobbletwooptionals | \gobbletwooptionals [...] [...] |
| gobbleuntil | \gobbleuntil \... |
| gobbleuntilrelax | \gobbleuntilrelax ... \relax |
| grabbufferdata | \grabbufferdata [...] [...] [...] [...] |
| grabbufferdatadirect | \grabbufferdatadirect {...} {...} {...} |
| grabuntil | \grabuntil {...} \... |
| grafiamanuale | \grafiamanuale |
| grande | \grande ... |
| grassetto | \grassetto |
| grassettocorsivo | \grassettocorsivo |
| grassettoinclinato | \grassettoinclinato |
| grave | \grave {...} |
| grayvalue | \grayvalue {...} |
| greedysplitstring | \greedysplitstring ... \at ... \to \... \and \... |
| greeknumerals | \greeknumerals {...} |
| griglia | \griglia [..=..] |
| grossofontdeltesto | \grossofontdeltesto |
| groupedcommand | \groupedcommand {...} {...} |
| gsetboxllx | \gsetboxllx ... {...} |
| gsetboxlly | \gsetboxlly ... {...} |
| gujaratinumerals | \gujaratinumerals {...} |
| gurmurkhinumerals | \gurmurkhinumerals {...} |
| hairspace | \hairspace |
| halflinestrut | \halflinestrut |
| halfstrut | \halfstrut |
| halfwaybox | \halfwaybox {...} |
| handletokens | \handletokens ... \with \... |
| hash | \hash |
| hat | \hat {...} |
| hboxofvbox | \hboxofvbox ... |
| hboxreference | \hboxreference [...] {...} |
| hbox:example | \hboxBOX {...} |
| hdofstring | \hdofstring {...} |
| headhbox | \headhbox ... {...} |
| headnumbercontent | \headnumbercontent |
| headnumberdistance | \headnumberdistance |
| headnumberwidth | \headnumberwidth |
| headreferenceattributes | \headreferenceattributes |
| headsetupspacing | \headsetupspacing |
| headtextcontent | \headtextcontent |
| headtextdistance | \headtextdistance |
| headtextwidth | \headtextwidth |
| headvbox | \headvbox ... {...} |
| headwidth | \headwidth |
| heightanddepthofstring | \heightanddepthofstring {...} |
| heightofstring | \heightofstring {...} |
| heightspanningtext | \heightspanningtext {...} {...} {...} |
| help:instance | \HELP [...] {...} {...} |
| help:instance:helptext | \helptext [...] {...} {...} |
| hglue | \hglue ... |
| hiddencitation | \hiddencitation [...] |
| hiddencite | \hiddencite [...] |
| highlight | \highlight [...] {...} |
| highlight:example | \HIGHLIGHT {...} |
| highordinalstr | \highordinalstr {...} |
| hilo | \hilo [...] {...} {...} |
| himilo | \himilo {...} {...} {...} |
| hl | \hl [...] |
| horizontalgrowingbar | \horizontalgrowingbar [..=..] |
| horizontalpositionbar | \horizontalpositionbar [..=..] |
| hphantom | \hphantom {...} |
| hpos | \hpos {...} {...} |

| | |
|---|---|
| hsizefraction | \hsizefraction {...} {...} |
| hsmash | \hsmash {...} |
| hsmashbox | \hsmashbox ... |
| hsmashed | \hsmashed {...} |
| hspace | \hspace [...] [...] |
| htdpofstring | \htdpofstring {...} |
| htofstring | \htofstring {...} |
| hyphen | \hyphen |
| hyphenatedcoloredword | \hyphenatedcoloredword {...} |
| hyphenatedfile | \hyphenatedfile {...} |
| hyphenatedfilename | \hyphenatedfilename {...} |
| hyphenatedhbox | \hyphenatedhbox {...} |
| hyphenatedpar | \hyphenatedpar {...} |
| hyphenatedurl | \hyphenatedurl {...} |
| hyphenatedword | \hyphenatedword {...} |
| INRSTEX | \INRSTEX |
| ibox | \ibox {...} |
| ifassignment | \ifassignment ... \else ... \fi |
| iff | \iff |
| ifinobject | \ifinobject ... \else ... \fi |
| ifinoutputstream | \ifinoutputstream ... \else ... \fi |
| ifparameters | \ifparameters ... \else ... \fi |
| iftrialtypesetting | \iftrialtypesetting ... \else ... \fi |
| ignoreimplicitspaces | \ignoreimplicitspaces |
| ignoretagsinexport | \ignoretagsinexport [...] |
| ignorevalue | \ignorevalue {...} |
| ignoto | \ignoto |
| immediatesavetwopassdata | \immediatesavetwopassdata {...} {...} {...} |
| impliedby | \impliedby |
| implies | \implies |
| imposta | \imposta [...] |
| impostaallineamento | \impostaallineamento [...] |
| impostaampiezzariga | \impostaampiezzariga [...] |
| impostabarrainterazione | \impostabarrainterazione [...] [..=..] |
| impostablocco | \impostablocco [...] [..=..] |
| impostabloccosezione | \impostabloccosezione [...] [..=..] |
| impostabuffer | \impostabuffer [...] [..=..] |
| impostacampi | \impostacampi [...] [..=..] [..=..] [..=..] |
| impostacampo | \impostacampo [...] [...] [..=..] [..=..] [..=..] |
| impostacapoversi | \impostacapoversi [...] [...] [..=..] |
| impostacapoversi:assignment | \impostacapoversi [...] [..=..] |
| impostacaption | \impostacaption [...] [..=..] |
| impostacaptions | \impostacaptions [...] [..=..] |
| impostacima | \impostacima [...] [..=..] |
| impostaclippling | \impostaclippling [..=..] |
| impostacolonne | \impostacolonne [..=..] |
| impostacolore | \impostacolore [...] |
| impostacolori | \impostacolori [..=..] |
| impostacommento | \impostacommento [...] [..=..] |
| impostacommentopagina | \impostacommentopagina [..=..] |
| impostadimensionicarta | \impostadimensionicarta [...] [..=..] |
| impostadimensionicarta:name | \impostadimensionicarta [...] [...] |
| impostaelementi | \impostaelementi [...] [..=..] |
| impostaelencazioni | \impostaelencazioni [...] [..=..] |
| impostaelenco | \impostaelenco [...] [..=..] |
| impostaelencocombinato | \impostaelencocombinato [...] [..=..] |
| impostaelencocombinato:instance | \impostaCOMBINEDLIST [..=..] |
| impostaelencocombinato:instance:content | \impostacontent [..=..] |
| impostaelenumerazioni | \impostaelenumerazioni [...] [..=..] |
| impostafondo | \impostafondo [...] [..=..] |
| impostafontdeltesto | \impostafontdeltesto [...] |
| impostaforms | \impostaforms [..=..] |
| impostaformule | \impostaformule [...] [..=..] |
| impostagruppocolonne | \impostagruppocolonne [...] [..=..] |
| impostaincorniciato | \impostaincorniciato [...] [..=..] |
| impostainiziatermina | \impostainiziatermina [...] [..=..] |
| impostainstestazione | \impostainstestazione [...] [..=..] |
| impostainterazione | \impostainterazione [...] [..=..] |
| impostainterazione:name | \impostainterazione [...] |
| impostainterlinea | \impostainterlinea [...] [..=..] |
| impostainterlinea:argument | \impostainterlinea [...] |
| impostainterlinea:name | \impostainterlinea [...] |

| | |
|--|---|
| impostalayout | \impostalayout [...] [..=..] |
| impostalayout:name | \impostalayout [...] |
| impostalineemargine | \impostalineemargine [...] [..=..] |
| impostalineenere | \impostalineenere [..=..] |
| impostalineeriempimento | \impostalineeriempimento [..=..] |
| impostalineesottili | \impostalineesottili [..=..] |
| impostalineetest | \impostalineetest [..=..] |
| impostalingua | \impostalingua [...] [..=..] |
| impostamaiuscole | \impostamaiuscole [...] [..=..] |
| impostamakeup | \impostamakeup [...] [..=..] |
| impostamarcatura | \impostamarcatura [...] [..=..] |
| impostamenuinterazione | \impostamenuinterazione [...] [..=..] |
| impostamenzione | \impostamenzione [..=..] |
| impostanumerazionecapoversi | \impostanumerazionecapoversi [..=..] |
| impostanumerazionepagina | \impostanumerazionepagina [..=..] |
| impostanumerazionerighe | \impostanumerazionerighe [...] [..=..] |
| impostanumeropagina | \impostanumeropagina [..=..] |
| impostanumerosottopagina | \impostanumerosottopagina [..=..] |
| impostanumerotesta | \impostanumerotesta [...] [...] |
| impostaooggettobil | \impostaooggettobil [...] [..=..] |
| impostaooggettobil | \impostaooggettobil [...] [..=..] |
| impostaoordinamento | \impostaoordinamento [...] [..=..] |
| impostaparranging | \impostaparranging [...] |
| impostapdp | \impostapdp [...] [..=..] |
| impostapiustretto | \impostapiustretto [...] [..=..] |
| impostaposizionamento | \impostaposizionamento [...] [..=..] |
| impostaposizionamentoopposti | \impostaposizionamentoopposti [..=..] |
| impostaprogrammi | \impostaprogrammi [..=..] |
| impostaregistro | \impostaregistro [...] [..=..] |
| impostaregistro:argument | \impostaregistro [...] [...] [..=..] |
| impostaregistro:instance | \impostaregistro [...] [..=..] |
| impostaregistro:instance:index | \impostaregistro [...] [..=..] |
| impostarientro | \impostarientro [...] |
| impostariferimento | \impostariferimento [..=..] |
| impostarighe | \impostarighe [...] [..=..] |
| impostarigheriempimento | \impostarigheriempimento [..=..] |
| impostarigovuoto | \impostarigovuoto [...] |
| impostarotazione | \impostarotazione [..=..] |
| impostaschermointerazione | \impostaschermointerazione [..=..] |
| impostasegnosillabazione | \impostasegnosillabazione [..=..] |
| impostasetsimboli | \impostasetsimboli [...] |
| impostasfondi | \impostasfondi [...] [...] [..=..] |
| impostasfondi:page | \impostasfondi [...] [..=..] |
| impostasfondo | \impostasfondo [...] [..=..] |
| impostasinonimi | \impostasinonimi [...] [..=..] |
| impostaspaziatura | \impostaspaziatura [...] |
| impostaspaziobianco | \impostaspaziobianco [...] |
| impostaspezzamentooggettobil | \impostaspezzamentooggettobil [..=..] |
| impostatabelle | \impostatabelle [..=..] |
| impostatabulato | \impostatabulato [...] [...] [..=..] |
| impostatavolozza | \impostatavolozza [...] |
| impostatesta | \impostatesta [...] [..=..] |
| impostateste | \impostateste [...] [..=..] |
| impostatesticima | \impostatesticima [...] [...] [...] [...] [...] |
| impostatestifondo | \impostatestifondo [...] [...] [...] [...] [...] |
| impostatestiincorniciati | \impostatestiincorniciati [...] [..=..] |
| impostatestiintestazioni | \impostatestiintestazioni [...] [...] [...] [...] [...] |
| impostatestipdp | \impostatestipdp [...] [...] [...] [...] [...] |
| impostatesto | \impostatesto [...] [..=..] |
| impostatestoetichette:instance | \impostatestoetichette [...] [..=..] |
| impostatestoetichette:instance:btlabel | \impostatestoetichette [...] [..=..] |
| impostatestoetichette:instance:head | \impostatestoetichette [...] [..=..] |
| impostatestoetichette:instance:label | \impostatestoetichette [...] [..=..] |
| impostatestoetichette:instance:mathlabel | \impostatestoetichette [...] [..=..] |
| impostatestoetichette:instance:operator | \impostatestoetichette [...] [..=..] |
| impostatestoetichette:instance:prefix | \impostatestoetichette [...] [..=..] |
| impostatestoetichette:instance:suffix | \impostatestoetichette [...] [..=..] |
| impostatestoetichette:instance:taglabel | \impostatestoetichette [...] [..=..] |
| impostatestoetichette:instance:unit | \impostatestoetichette [...] [..=..] |
| impostatestotesti | \impostatestotesti [...] [...] [...] [...] [...] |
| impostatolleranza | \impostatolleranza [...] |
| impostatransizionepagina | \impostatransizionepagina [...] |

| | |
|---|--|
| impostatype | \impostatype [...] [..=..] |
| impostatyping | \impostatyping [...] [..=..] |
| impostaur1 | \impostaur1 [..=..] |
| impostadirect | \impostadirect {...} |
| in | \in {...} {...} [...] |
| inclinato | \inclinato |
| inclinatograssetto | \inclinatograssetto |
| includemenu | \includemenu [...] |
| includeversioninfo | \includeversioninfo {...} |
| incorniciato | \incorniciato [..=..] {...} |
| incorniciato:instance | \FRAMED [..=..] {...} |
| incorniciato:instance:fitfieldframed | \fitfieldframed [..=..] {...} |
| incorniciato:instance:unframed | \unframed [..=..] {...} |
| incrementa | \incrementa \... |
| incrementa:argument | \incrementa (...) |
| incrementcounter | \incrementcounter [...] [...] |
| incrementedcounter | \incrementedcounter [...] |
| incrementpagenumber | \incrementpagenumber |
| incrementsubpagenumber | \incrementsubpagenumber |
| incrementvalue | \incrementvalue {...} |
| indentation | \indentation |
| infofont | \infofont |
| infofontbold | \infofontbold |
| inheritparameter | \inheritparameter [...] [...] [...] |
| inhibitblank | \inhibitblank |
| initializeboxstack | \initializeboxstack {...} |
| inizia | \inizia [...] ... \termina |
| iniziaalignment | \iniziaalignment [...] ... \terminaalignment |
| iniziaallineacentro | \iniziaallineacentro ... \terminaallineacentro |
| iniziaallineadestra | \iniziaallineadestra ... \terminaallineadestra |
| iniziaallineasinistra | \iniziaallineasinistra ... \terminaallineasinistra |
| iniziaallmodes | \iniziaallmodes [...] ... \terminaallmodes |
| iniziaambiente | \iniziaambiente [...] ... \terminaambiente |
| iniziaambientebloccosezione | \iniziaambientebloccosezione [...] ... \terminaambientebloccosezione |
| iniziaambiente:string | \iniziaambiente \terminaambiente |
| iniziaattachment:instance | \iniziaATTACHMENT [...] [..=..] ... \terminaATTACHMENT |
| iniziaattachment:instance:attachment | \iniziaattachment [...] [..=..] ... \terminaattachment |
| iniziabar | \iniziabar [...] ... \terminabar |
| iniziabbordermatrix | \iniziabbordermatrix ... \terminabbordermatrix |
| iniziabitmapimage | \iniziabitmapimage [..=..] ... \terminabitmapimage |
| iniziabordermatrix | \iniziabordermatrix ... \terminabordermatrix |
| iniziabtxrenderingdefinitions | \iniziabtxrenderingdefinitions [...] ... \terminabtxrenderingdefinitions |
| iniziabuffer | \iniziabuffer [...] ... \terminabuffer |
| iniziabuffer:instance | \iniziaBUFFER ... \terminaBUFFER |
| iniziabuffer:instance:hiding | \iniziabuffer ... \terminabuffer |
| iniziacapoverso | \iniziacapoverso [...] [..=..] ... \terminacapoverso |
| iniziacapoverso:instance | \iniziaSECTION [..=..] [..=..] ... \terminaSECTION |
| iniziacapoverso:instance:chapter | \iniziachapter [..=..] [..=..] ... \terminachapter |
| iniziacapoverso:instance:part | \iniziapart [..=..] [..=..] ... \terminapart |
| iniziacapoverso:instance:section | \iniziasection [..=..] [..=..] ... \terminasection |
| iniziacapoverso:instance:subject | \iniziasubject [..=..] [..=..] ... \terminasubject |
| iniziacapoverso:instance:subsection | \iniziasubsection [..=..] [..=..] ... \terminasubsection |
| iniziacapoverso:instance:subsubject | \iniziasubsubject [..=..] [..=..] ... \terminasubsubject |
| iniziacapoverso:instance:subsubsection | \iniziasubsubsection [..=..] [..=..] ... \terminasubsubsection |
| iniziacapoverso:instance:subsubsubject | \iniziasubsubsubject [..=..] [..=..] ... \terminasubsubsubject |
| iniziacapoverso:instance:subsubsubsection | \iniziasubsubsubsection [..=..] [..=..] ... \terminasubsubsubsection |
| iniziacapoverso:instance:subsubsubsubject | \iniziasubsubsubsubject [..=..] [..=..] ... \terminasubsubsubsubject |
| iniziacapoverso:instance:subsubsubsubsection | \iniziasubsubsubsubsection [..=..] [..=..] ... \terminasubsubsubsubsection |
| iniziacapoverso:instance:subsubsubsubsubject | \iniziasubsubsubsubsubject [..=..] [..=..] ... \terminasubsubsubsubsubject |
| iniziacapoverso:instance:subsubsubsubsubsection | \iniziasubsubsubsubsubsection [..=..] [..=..] ... \terminasubsubsubsubsubsection |
| iniziacapoverso:instance:subsubsubsubsubsubject | \iniziasubsubsubsubsubsubject [..=..] [..=..] ... \terminasubsubsubsubsubsubject |
| iniziacapoverso:instance:title | \iniziaticle [..=..] [..=..] ... \terminaticle |
| iniziacatcodetable | \iniziacatcodetable \... ... \terminacatcodetable |
| iniziacenteraligned | \iniziacenteraligned ... \terminacenteraligned |
| iniziacharacteralign | \iniziacharacteralign [..=..] ... \terminacharacteralign |
| iniziacharacteralign:argument | \iniziacharacteralign [...] ... \terminacharacteralign |
| iniziacheckedfences | \iniziacheckedfences ... \terminacheckedfences |
| iniziachemical | \iniziachemical [...] [..=..] ... \terminachemical |
| iniziacodatabella | \iniziacodatabella [...] ... \terminacodatabella |
| iniziacodatabulato | \iniziacodatabulato [...] ... \terminacodatabulato |
| iniziacollect | \iniziacollect ... \terminacollect |
| iniziacollecting | \iniziacollecting ... \terminacollecting |
| iniziacolonne | \iniziacolonne [..=..] ... \terminacolonne |
| iniziacolore | \iniziacolore [...] ... \terminacolore |

| | |
|---|--|
| iniziacolorintent | \iniziacolorintent [...] ... \terminacolorintent |
| iniziacoloronly | \iniziacoloronly [...] ... \terminacoloronly |
| iniziacolorset | \iniziacolorset [...] ... \terminacolorset |
| iniziacolumnset | \iniziacolumnset [...] [...] ... \terminacolumnset |
| iniziacolumnsetspan | \iniziacolumnsetspan [...] [...] ... \terminacolumnsetspan |
| iniziacolumnset:example | \iniziaCOLUMNSET [...] ... \terminaCOLUMNSET |
| iniziacolumnspan | \iniziacolumnspan [...] ... \terminacolumnspan |
| iniziacombination | \iniziacombination [...] [...] ... \terminacombination |
| iniziacombination:matrix | \iniziacombination [...] [...] ... \terminacombination |
| iniziacommentpagina | \iniziacommentpagina ... \terminacommentpagina |
| iniziacommento:instance | \iniziaCOMMENT [...] [...] ... \terminaCOMMENT |
| iniziacommento:instance:comment | \iniziacomment [...] [...] ... \terminacomment |
| iniziacomponenet | \iniziacomponenet [...] ... \terminacomponenet |
| iniziacomponenet:string | \iniziacomponenet \terminacomponenet |
| iniziacode | \iniziacode ... \terminacode |
| iniziacode:definitioncode | \iniziacode:definitioncode ... \terminacode:definitioncode |
| iniziactxfunction | \iniziactxfunction \terminactxfunction |
| iniziactxfunction:definition | \iniziactxfunction:definition \terminactxfunction:definition |
| iniziacurrentcolor | \iniziacurrentcolor ... \terminacurrentcolor |
| iniziacurrentlistentrywrapper | \iniziacurrentlistentrywrapper ... \terminacurrentlistentrywrapper |
| iniziadelimited | \iniziadelimited [...] [...] [...] ... \terminadelimited |
| iniziadelimitedtext | \iniziadelimitedtext [...] [...] [...] ... \terminadelimitedtext |
| iniziadelimitedtext:instance | \iniziaDELIMITEDTEXT [...] [...] ... \terminaDELIMITEDTEXT |
| iniziadelimitedtext:instance:aside | \iniziaaside [...] [...] ... \terminaaside |
| iniziadelimitedtext:instance:blockquote | \iniziablockquote [...] [...] ... \terminablockquote |
| iniziadelimitedtext:instance:quotation | \iniziaquotation [...] [...] ... \terminaquotation |
| iniziadelimitedtext:instance:quote | \iniziaquote [...] [...] ... \terminaquote |
| iniziadelimitedtext:instance:speech | \iniaspeech [...] [...] ... \terminaspeech |
| iniziadescrizione:example | \iniziaDESCRIZIONE [...] ... \terminaDESCRIZIONE |
| iniziadescrizione:example:title | \iniziaDESCRIZIONE [...] [...] ... \terminaDESCRIZIONE |
| iniziadisplaymath | \iniziadisplaymath ... \terminadisplaymath |
| iniziadmth | \iniziadmth ... \terminadmth |
| iniziadocument | \iniziadocument [...] ... \terminadocument |
| iniziadefect | \iniziadefect [...] ... \terminadefect |
| iniziadefect:example | \iniziaEFFECT ... \terminaEFFECT |
| iniziadefect | \iniziadefect [...] [...] [...] ... \terminadefect |
| iniziadefecto | \iniziadefecto [...] ... \terminadefecto |
| iniziadefectedxtable | \iniziadefectedxtable [...] ... \terminadefectedxtable |
| iniziadefectedxtable:name | \iniziadefectedxtable [...] ... \terminadefectedxtable |
| iniziadeferenziazione:example | \iniziaENUMERAZIONE [...] ... \terminaENUMERAZIONE |
| iniziadeferenziazione:example:title | \iniziaENUMERAZIONE [...] [...] ... \terminaENUMERAZIONE |
| iniziadefexceptions | \iniziadefexceptions [...] ... \terminadefexceptions |
| iniziadefexpanded | \iniziadefexpanded ... \terminadefexpanded |
| iniziadefexpandedcollect | \iniziadefexpandedcollect ... \terminadefexpandedcollect |
| iniziadefextendedcatcodetable | \iniziadefextendedcatcodetable \... ... \terminadefextendedcatcodetable |
| iniziadefexternalfigurecollection | \iniziadefexternalfigurecollection [...] ... \terminadefexternalfigurecollection |
| iniziadefacingfloat | \iniziadefacingfloat [...] ... \terminadefacingfloat |
| iniziadefigura | \iniziadefigura [...] [...] [...] ... \terminadefigura |
| iniziadefisso | \iniziadefisso [...] ... \terminadefisso |
| iniziadefittingpage | \iniziadefittingpage [...] [...] ... \terminadefittingpage |
| iniziadefittingpage:instance | \iniziaFITTINGPAGE [...] ... \terminaFITTINGPAGE |
| iniziadefittingpage:instance:MPpage | \iniziaMPpage [...] ... \terminaMPpage |
| iniziadefittingpage:instance:TEXpage | \iniziaTEXpage [...] ... \terminaTEXpage |
| iniziadefloatcombination | \iniziadefloatcombination [...] ... \terminadefloatcombination |
| iniziadefloatcombination:matrix | \iniziadefloatcombination [...] ... \terminadefloatcombination |
| iniziadefloattext:instance | \iniziaFLOATtesto [...] [...] [...] ... \terminaFLOATtesto |
| iniziadefloattext:instance:chemical | \iniziadefchemicaltesto [...] [...] [...] ... \terminadefchemicaltesto |
| iniziadefloattext:instance:figure | \iniziadeffiguretesto [...] [...] [...] ... \terminadeffiguretesto |
| iniziadefloattext:instance:graphic | \iniziadefgraphictesto [...] [...] [...] ... \terminadefgraphictesto |
| iniziadefloattext:instance:intermezzo | \iniziadefintermezzotestto [...] [...] [...] ... \terminadefintermezzotestto |
| iniziadefloattext:instance:table | \iniziadeftabletestto [...] [...] [...] ... \terminadeftabletestto |
| iniziadefont | \iniziadefont [...] ... \terminadefont |
| iniziadefontclass | \iniziadefontclass [...] ... \terminadefontclass |
| iniziadefontsolution | \iniziadefontsolution [...] ... \terminadefontsolution |
| iniziadefformula | \iniziadefformula [...] ... \terminadefformula |
| iniziadefformula:assignment | \iniziadefformula [...] ... \terminadefformula |
| iniziadefformula:instance | \iniziaFORMULAformula [...] ... \terminaFORMULAformula |
| iniziadefformula:instance:md | \iniziadefmdformula [...] ... \terminadefmdformula |
| iniziadefformula:instance:mp | \iniziadefmpformula [...] ... \terminadefmpformula |
| iniziadefformula:instance:sd | \iniziadefsdformula [...] ... \terminadefsdformula |
| iniziadefformula:instance:sp | \iniziadefspformula [...] ... \terminadefspformula |
| iniziadefformule | \iniziadefformule [...] ... \terminadefformule |

| | |
|------------------------------------|--|
| iniziaframedcell | \iniziaframedcell [..=..] ... \terminaframedcell |
| iniziaframedcontent | \iniziaframedcontent [...] ... \terminaframedcontent |
| iniziaframedrow | \iniziaframedrow [..=..] ... \terminaframedrow |
| iniziaframedtable | \iniziaframedtable [...] [..=..] ... \terminaframedtable |
| iniziagridsnapping | \iniziagridsnapping [...] ... \terminagridsnapping |
| iniziagridsnapping:list | \iniziagridsnapping [...] ... \terminagridsnapping |
| iniziaboxestohbox | \iniziaboxestohbox ... \terminahboxestohbox |
| iniziaboxregister | \iniziaboxregister \terminahboxregister |
| iniziahelp:instance | \iniziahelp [...] ... \terminahelp |
| iniziahelp:instance:helptext | \iniziahelptext [...] ... \terminahelptext |
| iniziahighlight | \iniziahighlight [...] ... \terminahighlight |
| iniziahyphenation | \iniziahyphenation [...] ... \terminahyphenation |
| iniziaimath | \iniziaimath ... \terminaimath |
| iniziaimpaccato | \iniziaimpaccato [...] ... \terminaimpaccato |
| iniziaincorniciato | \iniziaincorniciato [...] [..=..] ... \terminaincorniciato |
| iniziaindentedtext | \iniziaindentedtext [...] ... \terminaindentedtext |
| iniziaindentedtext:example | \iniziaindentedtext [...] ... \terminaindentedtext |
| iniziainterazione | \iniziainterazione [...] ... \terminainterazione |
| iniziainterface | \iniziainterface \terminainterface |
| iniziaintertext | \iniziaintertext ... \terminaintertext |
| iniziaitemgroup | \iniziaitemgroup [...] [...] [..=..] ... \terminaitemgroup |
| iniziaitemgroup:instance | \iniziaitemgroup [...] [..=..] ... \terminaitemgroup |
| iniziaitemgroup:instance:itemize | \iniziaitemgroup [...] [..=..] ... \terminaitemgroup |
| iniziajscod | \iniziajscod \terminajscod |
| iniziajspreamble | \iniziajspreamble \terminajspreamble |
| iniziaknockout | \iniziaknockout ... \terminaknockout |
| inizialayout | \inizialayout [...] ... \terminalayout |
| inizialinealignment | \inizialinealignment [...] ... \terminalinealignment |
| inizialineamargine | \inizialineamargine [...] ... \terminalineamargine |
| inizialineamargine:assignment | \inizialineamargine [..=..] ... \terminalineamargine |
| inizialineatesto | \inizialineatesto {...} ... \terminalineatesto |
| inizialinecorrection | \inizialinecorrection [...] ... \terminalinecorrection |
| inizialinefiller | \inizialinefiller [...] [..=..] ... \terminalinefiller |
| inizialinenumbering | \inizialinenumbering [...] [..=..] ... \terminalinenumbering |
| inizialinenumbering:argument | \inizialinenumbering [...] [...] ... \terminalinenumbering |
| inizialinetable | \inizialinetable ... \terminalinetable |
| inizialinetablebody | \inizialinetablebody ... \terminalinetablebody |
| inizialinetablecell | \inizialinetablecell [..=..] ... \terminalinetablecell |
| inizialinetablehead | \inizialinetablehead ... \terminalinetablehead |
| inizialocalfootnotes | \inizialocalfootnotes ... \terminalocalfootnotes |
| inizialocalheadsetup | \inizialocalheadsetup ... \terminalocalheadsetup |
| inizialocallinecorrection | \inizialocallinecorrection [...] ... \terminalocallinecorrection |
| inizialocalnotes | \inizialocalnotes [...] ... \terminalocalnotes |
| inizialocalsetups | \inizialocalsetups [...] [...] ... \terminalocalsetups |
| inizialocalsetups:string | \inizialocalsetups \terminalocalsetups |
| inizialua | \inizialua ... \terminalua |
| inizialuacode | \inizialuacode ... \terminaluacode |
| inizialuaparameterset | \inizialuaparameterset [...] ... \terminaluaparameterset |
| inizialuasetups | \inizialuasetups [...] [...] ... \terminaluasetups |
| inizialuasetups:string | \inizialuasetups \terminaluasetups |
| iniziampclip | \iniziampclip {...} ... \terminampclip |
| iniziampcod | \iniziampcod {...} ... \terminampcod |
| iniziampdefinitions | \iniziampdefinitions {...} ... \terminampdefinitions |
| iniziampdrawing | \iniziampdrawing [...] ... \terminampdrawing |
| iniziampenvironment | \iniziampenvironment [...] ... \terminampenvironment |
| iniziampextensions | \iniziampextensions {...} ... \terminampextensions |
| iniziampinclusions | \iniziampinclusions [...] {...} ... \terminampinclusions |
| iniziampinitializations | \iniziampinitializations ... \terminampinitializations |
| iniziamppositiongraphic | \iniziamppositiongraphic {...} {...} ... \terminamppositiongraphic |
| iniziamppositionmethod | \iniziamppositionmethod {...} ... \terminamppositionmethod |
| iniziamprun | \iniziamprun {...} ... \terminamprun |
| iniziamakeup | \iniziamakeup [...] [..=..] ... \terminamakeup |
| iniziamakeup:instance | \iniziamakeup [...] [..=..] ... \terminamakeup |
| iniziamakeup:instance:middle | \iniziamakeup [...] [..=..] ... \terminamakeup |
| iniziamakeup:instance:page | \iniziamakeup [...] [..=..] ... \terminamakeup |
| iniziamakeup:instance:standard | \iniziamakeup [...] [..=..] ... \terminamakeup |
| iniziamakeup:instance:text | \iniziamakeup [...] [..=..] ... \terminamakeup |
| iniziamarginblock | \iniziamarginblock [...] ... \terminamarginblock |
| iniziamarkedcontent | \iniziamarkedcontent [...] ... \terminamarkedcontent |
| iniziamarkpages | \iniziamarkpages [...] ... \terminamarkpages |
| iniziamathalignment:instance | \iniziamathalignment [..=..] ... \terminamathalignment |
| iniziamathalignment:instance:align | \iniziamathalignment [..=..] ... \terminamathalignment |

| | |
|--|--|
| iniziamathalignment:instance:mathalignment | \iniziamathalignment [..=..] ... \terminamathalignment |
| iniziamathcases:instance | \iniziaMATHCASES [..=..] ... \terminaMATHCASES |
| iniziamathcases:instance:cases | \iniziacases [..=..] ... \terminacases |
| iniziamathcases:instance:mathcases | \iniziamathcases [..=..] ... \terminamathcases |
| iniziamathmatrix:instance | \iniziaMATHMATRIX [..=..] ... \terminaMATHMATRIX |
| iniziamathmatrix:instance:mathmatrix | \iniziamathmatrix [..=..] ... \terminamathmatrix |
| iniziamathmatrix:instance:matrix | \iniziamatrix [..=..] ... \terminamatrix |
| iniziamathmode | \iniziamathmode ... \terminamathmode |
| iniziamathstyle | \iniziamathstyle [...] ... \terminamathstyle |
| iniziamatrices | \iniziamatrices [..=..] ... \terminamatrices |
| iniziamaxaligned | \iniziamaxaligned ... \terminamaxaligned |
| iniziamenuinterattivo | \iniziamenuinterattivo [...] ... \terminamenuinterattivo |
| iniziamettiformula | \iniziamettiformula [..=..] ... \terminamettiformula |
| iniziamettiformula:argument | \iniziamettiformula [...] ... \terminamettiformula |
| iniziamiddlealigned | \iniziamiddlealigned ... \terminamiddlealigned |
| iniziamixedcolumns | \iniziamixedcolumns [...] [..=..] ... \terminamixedcolumns |
| iniziamixedcolumns:instance | \iniziaMIXEDCOLUMNS [..=..] ... \terminaMIXEDCOLUMNS |
| iniziamixedcolumns:instance:boxedcolumns | \iniziaboxedcolumns [..=..] ... \terminaboxedcolumns |
| iniziamixedcolumns:instance:itemgroupcolumns | \iniziaitemgroupcolumns [..=..] ... \terminaitemgroupcolumns |
| iniziamode | \iniziamode [...] ... \terminamode |
| iniziamodeset | \iniziamodeset [...] {...} ... \terminamodeset |
| iniziamodule | \iniziamodule [...] ... \terminamodule |
| iniziamoduletestsection | \iniziamoduletestsection ... \terminamoduletestsection |
| iniziamodule:string | \iniziamodule \terminamodule |
| inizianamedsection | \inizianamedsection [...] [..=..] [..=..] ... \terminanamedsection |
| inizianamedsubformulas | \inizianamedsubformulas [...] {...} ... \terminanamedsubformulas |
| inizianarrower | \inizianarrower [...] ... \terminanarrower |
| inizianarrower:example | \iniziaNARROWER [...] ... \terminaNARROWER |
| inizianegativo | \inizianegativo ... \terminanegativo |
| inizianicelyfilledbox | \inizianicelyfilledbox [..=..] ... \terminanicelyfilledbox |
| inizianointerference | \inizianointerference ... \terminanointerference |
| inizianotallmodes | \inizianotallmodes [...] ... \terminanotallmodes |
| inizianota:instance | \iniziaNOTE [...] ... \terminaNOTE |
| inizianota:instance:assignment | \iniziaNOTE [..=..] ... \terminaNOTE |
| inizianota:instance:assignment:endnote | \iniziaendnote [..=..] ... \terminaendnote |
| inizianota:instance:assignment:footnote | \iniziafootnote [..=..] ... \terminafootnote |
| inizianota:instance:endnote | \iniziaendnote [...] ... \terminaendnote |
| inizianota:instance:footnote | \iniziafootnote [...] ... \terminafootnote |
| inizianotext | \inizianotext ... \terminanotext |
| inizianotmode | \inizianotmode [...] ... \terminanotmode |
| iniziaopposto | \iniziaopposto ... \terminaopposto |
| iniziaoutputstream | \iniziaoutputstream [...] ... \terminaoutputstream |
| iniziaoverprint | \iniziaoverprint ... \terminaoverprint |
| iniziapagecolumns | \iniziapagecolumns [..=..] ... \terminapagecolumns |
| iniziapagecolumns:instance | \iniziaPAGECOLUMNS ... \terminaPAGECOLUMNS |
| iniziapagecolumns:name | \iniziapagecolumns [...] ... \terminapagecolumns |
| iniziapagefigure | \iniziapagefigure [...] [..=..] ... \terminapagefigure |
| iniziapagelayout | \iniziapagelayout [...] ... \terminapagelayout |
| iniziapar | \iniziapar [...] [..=..] ... \terminapar |
| iniziaparagraphs | \iniziaparagraphs [...] ... \terminaparagraphs |
| iniziaparagraphscell | \iniziaparagraphscell ... \terminaparagraphscell |
| iniziaparagraphs:example | \iniziaPARAGRAPHS ... \terminaPARAGRAPHS |
| iniziaparallel:example | \iniziaPARALLEL ... \terminaPARALLEL |
| iniziaparbuidler | \iniziaparbuidler [...] ... \terminaparbuidler |
| iniziaplacefloat | \iniziaplacefloat [...] [..=..] [..=..] ... \terminaplacefloat |
| iniziaplacefloat:instance | \iniziamettiFLOAT [..=..] [..=..] ... \terminamettiFLOAT |
| iniziaplacefloat:instance:chemical | \iniziamettichemical [..=..] [..=..] ... \terminamettichemical |
| iniziaplacefloat:instance:figure | \iniziamettifigure [..=..] [..=..] ... \terminamettifigure |
| iniziaplacefloat:instance:graphic | \iniziamettigraphic [..=..] [..=..] ... \terminamettigraphic |
| iniziaplacefloat:instance:intermezzo | \iniziamettiintermezzo [..=..] [..=..] ... \terminamettiintermezzo |
| iniziaplacefloat:instance:table | \iniziamettitable [..=..] [..=..] ... \terminamettitable |
| iniziaplacepairedbox | \iniziaplacepairedbox [...] [..=..] ... \terminaplacepairedbox |
| iniziaplacepairedbox:instance | \iniziamettiPAIREDBOX [..=..] ... \terminamettiPAIREDBOX |
| iniziaplacepairedbox:instance:legend | \iniziamettilegend [..=..] ... \terminamettilegend |
| iniziapositioning | \iniziapositioning [...] [..=..] ... \terminapositioning |
| iniziapositionoverlay | \iniziapositionoverlay {...} ... \terminapositionoverlay |
| iniziapositivo | \iniziapositivo ... \terminapositivo |
| iniziaposporre | \iniziaposporre [...] ... \terminaposporre |
| iniziapostponingnotes | \iniziapostponingnotes ... \terminapostponingnotes |
| iniziaprocessassignmentcommand | \iniziaprocessassignmentcommand [..=..] ... \terminaprocessassignmentcommand |
| iniziaprocessassignmentlist | \iniziaprocessassignmentlist [..=..] ... \terminaprocessassignmentlist |
| iniziaprocesscommaccommand | \iniziaprocesscommaccommand [...] ... \terminaprocesscommaccommand |

| | |
|---|--|
| iniziaprocesscommalist | \iniziaprocesscommalist [...] ... \terminaprocesscommalist |
| iniziaprodotto | \iniziaprodotto [...] ... \terminaprodotto |
| iniziaprodotto:string | \iniziaprodotto \terminaprodotto |
| iniziaprogetto | \iniziaprogetto [...] ... \terminaprogetto |
| iniziaprogetto:string | \iniziaprogetto \terminaprogetto |
| iniziaprotectedcolors | \iniziaprotectedcolors ... \terminaprotectedcolors |
| iniziapubblicazione | \iniziapubblicazione [...] [..=..] ... \terminapubblicazione |
| iniziarandomized | \iniziarandomized ... \terminarandomized |
| iniziarawsetups | \iniziarawsetups [...] [...] ... \terminarawsetups |
| iniziarawsetups:string | \iniziarawsetups \terminarawsetups |
| iniziareadingfile | \iniziareadingfile ... \terminareadingfile |
| iniziaregime | \iniziaregime [...] ... \terminaregime |
| iniziareusableMPgraphic | \iniziareusableMPgraphic {...} {...} ... \terminareusableMPgraphic |
| iniziariga | \iniziariga [...] |
| iniziariغه:instance | \inizialINES [..=..] ... \terminaLINES |
| iniziariغه:instance:lines | \inizialines [..=..] ... \terminalines |
| iniziaryby | \iniziaryby [...] ... \terminaryby |
| iniziascript | \iniziascript [...] ... \terminascript |
| iniziasectionblock | \iniziasectionblock [...] [..=..] ... \terminasectionblock |
| iniziasectionblock:instance | \iniziasSECTIONBLOCK [..=..] ... \terminaSECTIONBLOCK |
| iniziasectionblock:instance:appendices | \iniziaappendices [..=..] ... \terminaappendices |
| iniziasectionblock:instance:backmatter | \iniziabackmatter [..=..] ... \terminabackmatter |
| iniziasectionblock:instance:bodymatter | \iniziabodymatter [..=..] ... \terminabodymatter |
| iniziasectionblock:instance:frontmatter | \iniziafrontmatter [..=..] ... \terminafrontmatter |
| iniziasectionlevel | \iniziassectionlevel [...] [..=..] [..=..] ... \terminasectionlevel |
| iniziasetups | \iniziasetups [...] [...] ... \terminasetups |
| iniziasetups:string | \iniziasetups \terminasetups |
| iniziasfondo | \iniziasfondo [..=..] ... \terminasfondo |
| iniziasfondo:example | \iniziasSFONDO [..=..] ... \terminaSFONDO |
| iniziashift | \iniziashift [...] ... \terminashift |
| iniziasidebar | \iniziasidebar [...] [..=..] ... \terminasidebar |
| iniziasimplecolumns | \iniziasimplecolumns [..=..] ... \terminasimplecolumns |
| iniziasospeso | \iniziasospeso [..=..] {...} ... \terminasospeso |
| iniziasospeso:argument | \iniziasospeso [...] {...} ... \terminasospeso |
| iniziasovrapponi | \iniziasovrapponi ... \terminasovrapponi |
| iniziaspecialitem:item | \iniziaspecialitem [...] [...] ... \terminaspecialitem |
| iniziaspecialitem:none | \iniziaspecialitem [...] ... \terminaspecialitem |
| iniziaspecialitem:symbol | \iniziaspecialitem [...] {...} ... \terminaspecialitem |
| iniziasplitformula | \iniziasplitformula ... \terminasplitformula |
| iniziaspread | \iniziaspread ... \terminaspread |
| iniziastartstop:example | \iniziasSTARTSTOP ... \terminaSTARTSTOP |
| iniziastaticMPfigure | \iniziastaticMPfigure {...} ... \terminastaticMPfigure |
| iniziastaticMPgraphic | \iniziastaticMPgraphic {...} {...} ... \terminastaticMPgraphic |
| iniziastretto | \iniziastretto [...] [..=..] ... \terminastretto |
| iniziastretto:assignment | \iniziastretto [..=..] [...] ... \terminastretto |
| iniziastretto:name | \iniziastretto [...] [...] ... \terminastretto |
| iniziastRICTinspectnextcharacter | \iniziastRICTinspectnextcharacter ... \terminastRICTinspectnextcharacter |
| iniziastyle | \iniziastyle [..=..] ... \terminastyle |
| iniziastyle:argument | \iniziastyle [...] ... \terminastyle |
| iniziastyle:instance | \iniziasSTYLE ... \terminaSTYLE |
| iniziasubformulas | \iniziasubformulas [...] ... \terminasubformulas |
| iniziasubjectlevel | \iniziasubjectlevel [...] [..=..] [..=..] ... \terminasubjectlevel |
| iniziasubsentence | \iniziasubsentence ... \terminasubsentence |
| iniziasubstack | \iniziasubstack ... \terminasubstack |
| iniziasymbolset | \iniziasymbolset [...] [..=..] ... \terminasymbolset |
| iniziaTABLE | \iniziaTABLE [..=..] ... \terminaTABLE |
| iniziaTABLEbody | \iniziaTABLEbody [..=..] ... \terminaTABLEbody |
| iniziaTABLEfoot | \iniziaTABLEfoot [..=..] ... \terminaTABLEfoot |
| iniziaTABLEhead | \iniziaTABLEhead [..=..] ... \terminaTABLEhead |
| iniziaTABLEnext | \iniziaTABLEnext [..=..] ... \terminaTABLEnext |
| iniziatabella | \iniziatabella [...] [..=..] ... \terminatabella |
| iniziatabella:name | \iniziatabella [...] [..=..] ... \terminatabella |
| iniziatabelle | \iniziatabelle [...] ... \terminatabelle |
| iniziatabelle:name | \iniziatabelle [...] ... \terminatabelle |
| iniziatabulation:example | \iniziasTABULATION [...] [..=..] ... \terminaTABULATION |
| iniziatabulato | \iniziatabulato [...] [..=..] ... \terminatabulato |
| iniziatabulato:instance | \iniziasTABULATE [.. ^{OPT}] [..=..] ... \terminaTABULATE |
| iniziatabulato:instance:fact | \iniziafact [...] [..=..] ... \terminafact |
| iniziatabulato:instance:legend | \inizialegend [...] [..=..] ... \terminalegend |
| iniziatesta | \iniziatesta [...] {...} ... \terminatesta |
| iniziatestatabella | \iniziatestatabella [...] ... \terminatestatabella |
| iniziatestatabulato | \iniziatestatabulato [...] ... \terminatestatabulato |

| | |
|--|--|
| iniziaatesto | \iniziaatesto ... \terminateatesto |
| iniziaatestoaiuto | \iniziaatestoaiuto [...] ... \terminatestoaiuto |
| iniziaatestoetichetta:instance | \iniziaLABELtesto [...] [...] ... \terminaLABELtesto |
| iniziaatestoetichetta:instance:btxlabel | \iniziabtxlabeltesto [...] [...] ... \terminabtxlabeltesto |
| iniziaatestoetichetta:instance:head | \iniziaheadtesto [...] [...] ... \terminaheadtesto |
| iniziaatestoetichetta:instance:label | \iniziaabeltesto [...] [...] ... \terminalabeltesto |
| iniziaatestoetichetta:instance:mathlabel | \inizamathlabeltesto [...] [...] ... \terminamathlabeltesto |
| iniziaatestoetichetta:instance:operator | \iniziaoperatorotestto [...] [...] ... \terminaoperatorotestto |
| iniziaatestoetichetta:instance:prefix | \iniziaprefixtesto [...] [...] ... \terminaprefixtesto |
| iniziaatestoetichetta:instance:suffix | \iniziasuffixtesto [...] [...] ... \terminasuffixtesto |
| iniziaatestoetichetta:instance:taglabel | \inizia>taglabeltesto [...] [...] ... \termina>taglabeltesto |
| iniziaatestoetichetta:instance:unit | \iniziaunittestto [...] [...] ... \terminaunittestto |
| iniziaatestoincorniciato:instance | \iniziaFRAMEDTEXT [...] [...] ... \terminaFRAMEDTEXT |
| iniziaatestoincorniciato:instance:framedtext | \iniziaframedtext [...] [...] ... \terminaframedtext |
| iniziaexcode | \iniziaexcode ... \terminatexcode |
| iniziaexdefinition | \iniziaexdefinition \terminatexdefinition |
| iniziaexbackground | \iniziaexbackground [...] [...] ... \terminatexbackground |
| iniziaexbackgroundmanual | \iniziaexbackgroundmanual ... \terminatexbackgroundmanual |
| iniziaexbackground:example | \iniziaTEXTBACKGROUND [...] [...] ... \terminaTEXTBACKGROUND |
| iniziaexcolor | \iniziaexcolor [...] ... \terminatexcolor |
| iniziaexcolorintent | \iniziaexcolorintent ... \terminatexcolorintent |
| iniziaexflow | \iniziaexflow [...] ... \terminatexflow |
| iniazetokens | \iniazetokens [...] ... \terminatokens |
| iniazetransparent | \iniazetransparent [...] ... \terminatransparent |
| iniazetypescript | \iniazetypescript [...] [...] [...] ... \terminatypescript |
| iniazetypescriptcollection | \iniazetypescriptcollection [...] ... \terminatypescriptcollection |
| iniazetyping:instance | \iniziaTYPING [...] ... \terminaTYPING |
| iniazetyping:instance:argument | \iniziaTYPING [...] ... \terminaTYPING |
| iniazetyping:instance:argument:LUA | \iniziaLUA [...] ... \terminalUA |
| iniazetyping:instance:argument:MP | \iniziaMP [...] ... \terminaMP |
| iniazetyping:instance:argument:PARSEDXML | \iniziaPARSEDXML [...] ... \terminaPARSEDXML |
| iniazetyping:instance:argument:TEX | \iniziaTEX [...] ... \terminaTEX |
| iniazetyping:instance:argument:typing | \iniazetyping [...] ... \terminatyping |
| iniazetyping:instance:argument:XML | \iniziaXML [...] ... \terminaXML |
| iniazetyping:instance:LUA | \iniziaLUA [...] ... \terminalUA |
| iniazetyping:instance:MP | \iniziaMP [...] ... \terminaMP |
| iniazetyping:instance:PARSEDXML | \iniziaPARSEDXML [...] ... \terminaPARSEDXML |
| iniazetyping:instance:TEX | \iniziaTEX [...] ... \terminaTEX |
| iniazetyping:instance:typing | \iniazetyping [...] ... \terminatyping |
| iniazetyping:instance:XML | \iniziaXML [...] ... \terminaXML |
| iniziauniqueMPgraphic | \iniziauniqueMPgraphic {...} {...} ... \terminauniqueMPgraphic |
| iniziauniqueMPpagegraphic | \iniziauniqueMPpagegraphic {...} {...} ... \terminauniqueMPpagegraphic |
| iniziaunpacked | \iniziaunpacked ... \terminaunpacked |
| iniziausableMPgraphic | \iniziausableMPgraphic {...} {...} ... \terminausableMPgraphic |
| iniziauseMPgraphic | \iniziauseMPgraphic {...} {...} ... \terminauseMPgraphic |
| iniziausemathstyleparameter | \iniziausemathstyleparameter \... .. \terminausemathstyleparameter |
| iniziausingbtxs specification | \iniziausingbtxs specification [...] ... \terminausingbtxs specification |
| iniziaavaia | \iniziaavaia [...] ... \terminavaia |
| iniazavboxregister | \iniazavboxregister \terminavboxregister |
| iniazavboxtohbox | \iniazavboxtohbox ... \terminavboxtohbox |
| iniazavboxtohboxseparator | \iniazavboxtohboxseparator ... \terminavboxtohboxseparator |
| iniazaviewerlayer | \iniazaviewerlayer [...] ... \terminaviewerlayer |
| iniazaviewerlayer:example | \iniziaVIEWERLAYER ... \terminaVIEWERLAYER |
| iniazavtopregister | \iniazavtopregister \terminavtopregister |
| iniazaxcell | \iniazaxcell [...] [...] ... \terminaxcell |
| iniazaxcellgroup | \iniazaxcellgroup [...] [...] ... \terminaxcellgroup |
| iniazaxcolumn | \iniazaxcolumn [...] [...] ... \terminaxcolumn |
| iniazaxgroup | \iniazaxgroup [...] [...] ... \terminaxgroup |
| iniazaxmldisplayverbatim | \iniazaxmldisplayverbatim [...] ... \terminaxmldisplayverbatim |
| iniazaxmlinlineverbatim | \iniazaxmlinlineverbatim [...] ... \terminaxmlinlineverbatim |
| iniazaxmlraw | \iniazaxmlraw ... \terminaxmlraw |
| iniazaxmlsetups | \iniazaxmlsetups [...] [...] ... \terminaxmlsetups |
| iniazaxmlsetups:string | \iniazaxmlsetups \terminaxmlsetups |
| iniazaxrow | \iniazaxrow [...] [...] ... \terminaxrow |
| iniazaxrowgroup | \iniazaxrowgroup [...] [...] ... \terminaxrowgroup |
| iniazaxtable | \iniazaxtable [...] ... \terminaxtable |
| iniazaxtablebody | \iniazaxtablebody [...] ... \terminaxtablebody |
| iniazaxtablebody:name | \iniazaxtablebody [...] ... \terminaxtablebody |
| iniazaxtablefoot | \iniazaxtablefoot [...] ... \terminaxtablefoot |
| iniazaxtablefoot:name | \iniazaxtablefoot [...] ... \terminaxtablefoot |
| iniazaxtablehead | \iniazaxtablehead [...] ... \terminaxtablehead |
| iniazaxtablehead:name | \iniazaxtablehead [...] ... \terminaxtablehead |

| | |
|-----------------------------------|--|
| iniziatablenext | \iniziatablenext [..=..] ... \terminatablenext |
| iniziatablenext:name | \iniziatablenext [...] ... \terminatablenext |
| iniziatable:example | \iniziaXTABLE [..=..] ... \terminaXTABLE |
| iniziatable:name | \iniziatable [...] ... \terminatable |
| inlinebuffer | \inlinebuffer [...] |
| inlinedbox | \inlinedbox {...} |
| inlinemath | \inlinemath {...} |
| inlinemathematics | \inlinemathematics {...} |
| inlinemessage | \inlinemessage {...} |
| inlineordisplaymath | \inlineordisplaymath {...} {...} |
| inlineprettyprintbuffer | \inlineprettyprintbuffer {...} {...} |
| inlinerange | \inlinerange [...] |
| innerflushshapebox | \innerflushshapebox |
| input | \input {...} |
| inputfilebarename | \inputfilebarename |
| inputfilename | \inputfilename |
| inputfilerealsuffix | \inputfilerealsuffix |
| inputfilesuffix | \inputfilesuffix |
| inputgivenfile | \inputgivenfile {...} |
| input:string | \input ... |
| inriga | \inriga {...} [...] |
| insertpages | \insertpages [...] [...] [..=..] |
| installactionhandler | \installactionhandler {...} |
| installactivecharacter | \installactivecharacter ... |
| installalingua | \installalingua [...] [..=..] |
| installalingua:name | \installalingua [...] [...] |
| installanddefineactivecharacter | \installanddefineactivecharacter ... {...} |
| installattributestack | \installattributestack \... |
| installautocommandhandler | \installautocommandhandler \... {...} \... |
| installautosetuphandler | \installautosetuphandler \... {...} |
| installbasicautosetuphandler | \installbasicautosetuphandler \... {...} \... |
| installbasicparameterhandler | \installbasicparameterhandler \... {...} |
| installbottomframerenderer | \installbottomframerenderer {...} {...} |
| installcommandhandler | \installcommandhandler \... {...} \... |
| installcorenamespace | \installcorenamespace {...} |
| installdefinehandler | \installdefinehandler \... {...} \... |
| installdefinitionset | \installdefinitionset \... {...} |
| installdefinitionsetmember | \installdefinitionsetmember \... {...} \... {...} |
| installdirectcommandhandler | \installdirectcommandhandler \... {...} |
| installdirectparameterhandler | \installdirectparameterhandler \... {...} |
| installdirectparametersethandler | \installdirectparametersethandler \... {...} |
| installdirectsetuphandler | \installdirectsetuphandler \... {...} |
| installdirectstyleandcolorhandler | \installdirectstyleandcolorhandler \... {...} |
| installframedautocommandhandler | \installframedautocommandhandler \... {...} \... |
| installframedcommandhandler | \installframedcommandhandler \... {...} \... |
| installglobalmacrostack | \installglobalmacrostack \... |
| installleftframerenderer | \installleftframerenderer {...} {...} |
| installmacrostack | \installmacrostack \... |
| installnamespace | \installnamespace {...} |
| installoutputroutine | \installoutputroutine \... {...} |
| installpagearrangement | \installpagearrangement ... {...} |
| installparameterhandler | \installparameterhandler \... {...} |
| installparameterhashhandler | \installparameterhashhandler \... {...} |
| installparametersethandler | \installparametersethandler \... {...} |
| installparentinjector | \installparentinjector \... {...} |
| installrightframerenderer | \installrightframerenderer {...} {...} |
| installrootparameterhandler | \installrootparameterhandler \... {...} |
| installsetuphandler | \installsetuphandler \... {...} |
| installsetupononlycommandhandler | \installsetupononlycommandhandler \... {...} |
| installshipoutmethod | \installshipoutmethod {...} {...} |
| installsimplecommandhandler | \installsimplecommandhandler \... {...} \... |
| installsimpleframedcommandhandler | \installsimpleframedcommandhandler \... {...} \... |
| installstyleandcolorhandler | \installstyleandcolorhandler \... {...} |
| installswitchcommandhandler | \installswitchcommandhandler \... {...} \... |
| installswitchsetuphandler | \installswitchsetuphandler \... {...} |
| installtexdirective | \installtexdirective {...} {...} {...} |
| installtextracker | \installtextracker {...} {...} {...} |
| installtopframerenderer | \installtopframerenderer {...} {...} |
| installunitsseparator | \installunitsseparator {...} {...} |
| installunitsspace | \installunitsspace {...} {...} |
| installversioninfo | \installversioninfo {...} {...} |
| integerrounding | \integerrounding {...} |

| | |
|----------------------------------|--|
| intertext | \intertext {...} |
| intorno | \intorno [...] |
| invokepagehandler | \invokepagehandler {...} {...} |
| istltdir | \istltdir ... |
| istrtdir | \istrtdir ... |
| italiccorrection | \italiccorrection |
| italicface | \italicface |
| itemtag | \itemtag [...] |
| jobfilename | \jobfilename |
| jobfilesuffix | \jobfilesuffix |
| kap | \kap {...} |
| keeplinestogogether | \keeplinestogogether {...} |
| keepunwantedspaces | \keepunwantedspaces |
| kerncharacters | \kerncharacters [...] {...} |
| koreancirclednumerals | \koreancirclednumerals {...} |
| koreannumerals | \koreannumerals {...} |
| koreannumeralsc | \koreannumeralsc {...} |
| koreannumeralsp | \koreannumeralsp {...} |
| koreanparentnumerals | \koreanparentnumerals {...} |
| LAMSTEX | \LAMSTEX |
| LATEX | \LATEX |
| LamSTeX | \LamSTeX |
| LaTeX | \LaTeX |
| Lettera | \Lettera {...} |
| Lettere | \Lettere {...} |
| LUAJITTEX | \LUAJITTEX |
| LUATEX | \LUATEX |
| Lua | \Lua |
| LuajitTeX | \LuajitTeX |
| LuaTeX | \LuaTeX |
| labellanguage:instance | \LABELLingua |
| labellanguage:instance:btxlabel | \btxlabelingua |
| labellanguage:instance:head | \headlingua |
| labellanguage:instance:label | \labelingua |
| labellanguage:instance:mathlabel | \mathlabelingua |
| labellanguage:instance:operator | \operatorlingua |
| labellanguage:instance:prefix | \prefixlingua |
| labellanguage:instance:suffix | \suffixlingua |
| labellanguage:instance:taglabel | \taglabelingua |
| labellanguage:instance:unit | \unitlingua |
| labeltexts:instance | \LABELtexts {...} {...} |
| labeltexts:instance:head | \headtexts {...} {...} |
| labeltexts:instance:label | \labeltexts {...} {...} |
| labeltexts:instance:mathlabel | \mathlabeltexts {...} {...} |
| languageCharacters | \languageCharacters {...} |
| languagecharacters | \languagecharacters {...} |
| languagecharwidth | \languagecharwidth {...} |
| lastcounter | \lastcounter [...] [...] |
| lastcountervalue | \lastcountervalue [...] |
| lastdigit | \lastdigit {...} |
| lastlinewidth | \lastlinewidth |
| lastnaturalboxdp | \lastnaturalboxdp |
| lastnaturalboxht | \lastnaturalboxht |
| lastnaturalboxwd | \lastnaturalboxwd |
| lastpredefinedsymbol | \lastpredefinedsymbol |
| lastrealpage | \lastrealpage |
| lastrealpagenumber | \lastrealpagenumber |
| lastsubcountervalue | \lastsubcountervalue [...] [...] |
| lastsubpagenumber | \lastsubpagenumber |
| lasttwodigits | \lasttwodigits {...} |
| lastuserpage | \lastuserpage |
| lastuserpagenumber | \lastuserpagenumber |
| lateluacode | \lateluacode {...} |
| layeredtext | \layeredtext [..=..] [..=..] {...} {...} |
| layerheight | \layerheight |
| layerwidth | \layerwidth |
| lazysavetaggedtwopassdata | \lazysavetaggedtwopassdata {...} {...} {...} {...} |
| lazysavetwopassdata | \lazysavetwopassdata {...} {...} {...} |
| lbox | \lbox ... {...} |
| leftbottombox | \leftbottombox {...} |
| leftbox | \leftbox {...} |
| lefthbox | \lefthbox {...} |

| | |
|----------------------------------|--|
| leftlabeltext:instance | \leftLABELtesto {...} |
| leftlabeltext:instance:head | \leftheadtesto {...} |
| leftlabeltext:instance:label | \leftlabeltesto {...} |
| leftlabeltext:instance:mathlabel | \leftmathlabeltesto {...} |
| leftline | \leftline {...} |
| lefttorrighthbox | \lefttorrighthbox ... {...} |
| lefttorrightvbox | \lefttorrightvbox ... {...} |
| lefttorrightvtop | \lefttorrightvtop ... {...} |
| leftskipadaption | \leftskipadaption |
| leftsubguillemot | \leftsubguillemot |
| lefttopbox | \lefttopbox {...} |
| lefttoright | \lefttoright |
| lefttorrighthbox | \lefttorrighthbox ... {...} |
| lefttorrightvbox | \lefttorrightvbox ... {...} |
| lefttorrightvtop | \lefttorrightvtop ... {...} |
| letbeundefined | \letbeundefined {...} |
| letcatcodecommand | \letcatcodecommand \... \... \... |
| letcscsname | \letcscsname \... \csname ... \endcsname |
| letcsnamecs | \letcsnamecs \csname ... \endcsname \... |
| letcsnamecsname | \letcsnamecsname \csname ... \endcsname \csname ... \endcsname |
| letdummyparameter | \letdummyparameter {...} \... |
| letempty | \letempty \... |
| letgvalue | \letgvalue {...} \... |
| letgvalueempty | \letgvalueempty {...} |
| letgvalurelax | \letgvalurelax {...} |
| lettera | \lettera {...} |
| letterampersand | \letterampersand |
| letterat | \letterat |
| letterbackslash | \letterbackslash |
| letterbar | \letterbar |
| letterbgroup | \letterbgroup |
| letterclosebrace | \letterclosebrace |
| lettercolon | \lettercolon |
| letterdollar | \letterdollar |
| letterdoublequote | \letterdoublequote |
| lettere | \lettere {...} |
| letteregroup | \letteregroup |
| letterescape | \letterescape |
| letterexclamationmark | \letterexclamationmark |
| letterhash | \letterhash |
| letterhat | \letterhat |
| letterleftbrace | \letterleftbrace |
| letterleftbracket | \letterleftbracket |
| letterleftparenthesis | \letterleftparenthesis |
| letterless | \letterless |
| lettermore | \lettermore |
| letteropenbrace | \letteropenbrace |
| letterpercent | \letterpercent |
| letterquestionmark | \letterquestionmark |
| letterrightbrace | \letterrightbrace |
| letterrightbracket | \letterrightbracket |
| letterrightparenthesis | \letterrightparenthesis |
| lettersinglequote | \lettersinglequote |
| letterslash | \letterslash |
| letterspacing | \letterspacing [...] {...} |
| lettertilde | \lettertilde |
| letterunderscore | \letterunderscore |
| letvalue | \letvalue {...} \... |
| letvalueempty | \letvalueempty {...} |
| letvaluerelax | \letvaluerelax {...} |
| lfence | \lfence {...} |
| lhbox | \lhbox {...} |
| limitatefirstline | \limitatefirstline {...} {...} {...} |
| limitatelines | \limitatelines {...} {...} {...} |
| limitatetext | \limitatetext {...} {...} {...} |
| limitatetext:list | \limitatetext {...} {...} {...} |
| lineanera | \lineanera [..=..] |
| lineasottile | \lineasottile |
| lineatesto | \lineatesto [...] {...} |
| linebox | \linebox {...} |
| lineenere | \lineenere [..=..] |
| lineeriempimento | \lineeriempimento [..=..] {...} {...} |

| | |
|----------------------------|--|
| linesottili | \linesottili [..=..] |
| linenote:instance | \LINENOTE {...} |
| linenote:instance:linenote | \linenote {...} |
| linespanningtext | \linespanningtext {...} {...} {...} |
| lingua | \lingua [...] |
| linguaprinzipale | \linguaprinzipale [...] |
| lingua:example | \LANGUAGE |
| listcitation | \listcitation [..=..] [...] |
| listcitation:alternative | \listcitation [...] [...] |
| listcitation:userdata | \listcitation [..=..] [..=..] |
| listcite | \listcite [..=..] [...] |
| listcite:alternative | \listcite [...] [...] |
| listcite:userdata | \listcite [..=..] [..=..] |
| listnamespaces | \listnamespaces |
| llap | \llap {...} |
| loadanyfile | \loadanyfile [...] |
| loadanyfileonce | \loadanyfileonce [...] |
| loadbtxdefinitionfile | \loadbtxdefinitionfile [...] |
| loadbtxreplacementfile | \loadbtxreplacementfile [...] |
| loadcldfile | \loadcldfile [...] |
| loadcldfileonce | \loadcldfileonce [...] |
| loadfontgoodies | \loadfontgoodies [...] |
| loadluafile | \loadluafile [...] |
| loadluafileonce | \loadluafileonce [...] |
| loadspellchecklist | \loadspellchecklist [...] [...] |
| loadtexfile | \loadtexfile [...] |
| loadtexfileonce | \loadtexfileonce [...] |
| loadtypescriptfile | \loadtypescriptfile [...] |
| localframed | \localframed [...] [..=..] {...} |
| localframedwithsettings | \localframedwithsettings [...] [..=..] {...} |
| localhsize | \localhsize |
| localpopbox | \localpopbox ... |
| localpopmacro | \localpopmacro \... |
| localpushbox | \localpushbox ... |
| localpushmacro | \localpushmacro \... |
| localundefine | \localundefine {...} |
| locatedfilepath | \locatedfilepath |
| locatefilepath | \locatefilepath {...} |
| locfilename | \locfilename {...} |
| lomihi | \lomihi {...} {...} {...} |
| lowerbox | \lowerbox {...} \... {...} |
| lowercased | \lowercased {...} |
| lowercasestring | \lowercasestring ... \to \... |
| lowerlefthdoubleninequote | \lowerlefthdoubleninequote |
| lowerleftsingleninequote | \lowerleftsingleninequote |
| lowerrightdoubleninequote | \lowerrightdoubleninequote |
| lowerrightsingleninequote | \lowerrightsingleninequote |
| lowhigh:instance | \LOWHIGH [...] {...} {...} |
| lowmidhigh:instance | \LOWMIDHIGH {...} {...} {...} |
| lrbbox | \lrbbox {...} {...} {...} {...} {...} |
| ltop | \ltop ... {...} |
| luacode | \luacode {...} |
| luaconditional | \luaconditional \... |
| luaenvironment | \luaenvironment ... |
| luaexpanded | \luaexpanded {...} |
| luaexpr | \luaexpr {...} |
| luafunction | \luafunction {...} |
| luajitTeX | \luajitTeX |
| luamajorversion | \luamajorversion |
| luaminorversion | \luaminorversion |
| luaparameterset | \luaparameterset {...} {...} |
| luasetup | \luasetup {...} |
| luaTeX | \luaTeX |
| luaversion | \luaversion |
| lunghezzaelenco | \lunghezzaelenco |
| MESE | \MESE {...} |
| METAFONT | \METAFONT |
| METAFUN | \METAFUN |
| METAPOST | \METAPOST |
| MetaFont | \MetaFont |
| MetaFun | \MetaFun |
| MetaPost | \MetaPost |

| | |
|-----------------------------------|---|
| MKII | \MKII |
| MKIV | \MKIV |
| MKIX | \MKIX |
| MKVI | \MKVI |
| MKXI | \MKXI |
| MONTHLONG | \MONTHLONG {...} |
| MONTHSHORT | \MONTHSHORT {...} |
| MPanchor | \MPanchor {...} |
| MPbetex | \MPbetex {...} |
| MPc | \MPc {...} |
| MPcode | \MPcode {...} {...} |
| MPcolor | \MPcolor {...} |
| MPcoloronly | \MPcoloronly {...} |
| MPcolumn | \MPcolumn {...} |
| MPd | \MPd {...} |
| MPdrawing | \MPdrawing {...} |
| MPfontsizehskip | \MPfontsizehskip {...} |
| MPgetmultipars | \MPgetmultipars {...} {...} |
| MPgetmultishape | \MPgetmultishape {...} {...} |
| MPgetposboxes | \MPgetposboxes {...} {...} |
| MPh | \MPh {...} |
| MPII | \MPII |
| MPIV | \MPIV |
| MPinclusions | \MPinclusions [...] {...} {...} |
| MPleftskip | \MPleftskip {...} |
| MPll | \MPll {...} |
| MPlr | \MPlr {...} |
| MPls | \MPls {...} |
| MPmenubuttons | \MPmenubuttons {...} |
| MPn | \MPn {...} |
| MPoptions | \MPoptions {...} |
| MPoverlayanchor | \MPoverlayanchor {...} |
| MPp | \MPp {...} |
| MPpage | \MPpage {...} |
| MPpardata | \MPpardata {...} |
| MPplus | \MPplus {...} {...} {...} |
| MPpos | \MPpos {...} |
| MPpositiongraphic | \MPpositiongraphic {...} {...=..} |
| MPposset | \MPposset {...} |
| MPr | \MPr {...} |
| MPrawvar | \MPrawvar {...} {...} |
| MPregion | \MPregion {...} |
| MPrest | \MPrest {...} {...} |
| MPrightskip | \MPrightskip {...} |
| MPrs | \MPrs {...} |
| MPstring | \MPstring {...} |
| MPtext | \MPtext {...} |
| MPtransparency | \MPtransparency {...} |
| MPul | \MPul {...} |
| MPur | \MPur {...} |
| MPVI | \MPVI |
| MPv | \MPv {...} {...} {...} |
| MPvar | \MPvar {...} |
| MPvariable | \MPvariable {...} |
| MPvv | \MPvv {...} {...} |
| MPw | \MPw {...} |
| MPwhd | \MPwhd {...} |
| MPx | \MPx {...} |
| MPxy | \MPxy {...} |
| MPxywhd | \MPxywhd {...} |
| MPy | \MPy {...} |
| m | \m [...] {...} |
| makecharacteractive | \makecharacteractive ... |
| makerawcommalist | \makerawcommalist [...] \... |
| makestrutofbox | \makestrutofbox ... |
| mapfontsize | \mapfontsize [...] [...] |
| marcatura | \marcatura (...,...) (...,...) [...] |
| margindata | \margindata [...] [...=..] [...=..] {...} |
| margindata:instance | \MARGINDATA [...=..] [...=..] {...} |
| margindata:instance:atleftmargin | \atleftmargin [...=..] [...=..] {...} |
| margindata:instance:atrightmargin | \atrightmargin [...=..] [...=..] {...} |
| margindata:instance:ininner | \ininner [...=..] [...=..] {...} |

| | |
|---|--------------------------------------|
| margindata:instance:ininneredge | \ininneredge [..=..] [..=..] {...} |
| margindata:instance:ininnermargin | \ininnermargin [..=..] [..=..] {...} |
| margindata:instance:inleft | \inleft [..=..] [..=..] {...} |
| margindata:instance:inleftedge | \inleftedge [..=..] [..=..] {...} |
| margindata:instance:inleftmargin | \inleftmargin [..=..] [..=..] {...} |
| margindata:instance:inmargin | \inmargin [..=..] [..=..] {...} |
| margindata:instance:inoth | \inoth [..=..] [..=..] {...} |
| margindata:instance:inouter | \inouter [..=..] [..=..] {...} |
| margindata:instance:inouteredge | \inouteredge [..=..] [..=..] {...} |
| margindata:instance:inoutermargin | \inoutermargin [..=..] [..=..] {...} |
| margindata:instance:inright | \inright [..=..] [..=..] {...} |
| margindata:instance:inrightedge | \inrightedge [..=..] [..=..] {...} |
| margindata:instance:inrightmargin | \inrightmargin [..=..] [..=..] {...} |
| margindata:instance:margintext | \margintext [..=..] [..=..] {...} |
| markcontent | \markcontent [...] {...} |
| markedpages | \markedpages [...] |
| markinjector | \markinjector [...] |
| markpage | \markpage [...] [...] |
| mat | \mat {...} |
| matematica | \matematica [...] {...} |
| math | \math [...] {...} |
| mathbf | \mathbf |
| mathbi | \mathbi |
| mathblackboard | \mathblackboard |
| mathbs | \mathbs |
| mathcommand:example | \MATHCOMMAND {...} {...} |
| mathdefault | \mathdefault |
| mathdouble | \mathdouble [...] {...} {...} {...} |
| mathdoubleextensible:instance | \MATHDOUBLEEXTENSIBLE {...} {...} |
| mathdoubleextensible:instance:doublebar | \doublebar {...} {...} |
| mathdoubleextensible:instance:doublebrace | \doublebrace {...} {...} |
| mathdoubleextensible:instance:doublebracket | \doublebracket {...} {...} |
| mathdoubleextensible:instance:doubleparent | \doubleparent {...} {...} |
| mathdoubleextensible:instance:overbarunderbar | \overbarunderbar {...} {...} |
| mathdoubleextensible:instance:overbraceunderbrace | \overbraceunderbrace {...} {...} |
| mathdoubleextensible:instance:overbracketunderbracket | \overbracketunderbracket {...} {...} |
| mathdoubleextensible:instance:overparentunderparent | \overparentunderparent {...} {...} |
| mathextensible:instance | \MATHEXTENSIBLE {...} {...} |
| mathextensible:instance:cleftarrow | \cleftarrow {...} {...} |
| mathextensible:instance:crightarrow | \crightarrow {...} {...} |
| mathextensible:instance:crightoverleftarrow | \crightoverleftarrow {...} {...} |
| mathextensible:instance:eleftharpoonup | \eleftharpoonup {...} {...} |
| mathextensible:instance:eleftharpoonupdownfill | \eleftharpoonupdownfill {...} {...} |
| mathextensible:instance:eleftharpoonupfill | \eleftharpoonupfill {...} {...} |
| mathextensible:instance:eleftrightarrowfill | \eleftrightarrowfill {...} {...} |
| mathextensible:instance:eoverbarfill | \eoverbarfill {...} {...} |
| mathextensible:instance:eoverbracefill | \eoverbracefill {...} {...} |
| mathextensible:instance:eoverbracketfill | \eoverbracketfill {...} {...} |
| mathextensible:instance:eoverparentfill | \eoverparentfill {...} {...} |
| mathextensible:instance:erightarrowfill | \erightarrowfill {...} {...} |
| mathextensible:instance:erightharpoonupdownfill | \erightharpoonupdownfill {...} {...} |
| mathextensible:instance:erightharpoonupfill | \erightharpoonupfill {...} {...} |
| mathextensible:instance:etwoheadrightarrowfill | \etwoheadrightarrowfill {...} {...} |
| mathextensible:instance:eunderbarfill | \eunderbarfill {...} {...} |
| mathextensible:instance:eunderbracefill | \eunderbracefill {...} {...} |
| mathextensible:instance:eunderbracketfill | \eunderbracketfill {...} {...} |
| mathextensible:instance:eunderparentfill | \eunderparentfill {...} {...} |
| mathextensible:instance:mequal | \mequal {...} {...} |
| mathextensible:instance:mhookleftarrow | \mhookleftarrow {...} {...} |
| mathextensible:instance:mhookrightarrow | \mhookrightarrow {...} {...} |
| mathextensible:instance:mLeftarrow | \mLeftarrow {...} {...} |
| mathextensible:instance:mLeqrightarrow | \mLeqrightarrow {...} {...} |
| mathextensible:instance:mleftarrow | \mleftarrow {...} {...} |
| mathextensible:instance:mleftharpoonupdown | \mleftharpoonupdown {...} {...} |
| mathextensible:instance:mleftharpoonup | \mleftharpoonup {...} {...} |
| mathextensible:instance:mleftrightharpoonup | \mleftrightharpoonup {...} {...} |
| mathextensible:instance:mleftrightharpoons | \mleftrightharpoons {...} {...} |
| mathextensible:instance:mmapsto | \mmapsto {...} {...} |
| mathextensible:instance:mrightarrow | \mrightarrow {...} {...} |
| mathextensible:instance:mrel | \mrel {...} {...} |
| mathextensible:instance:mrightarrow | \mrightarrow {...} {...} |
| mathextensible:instance:mrightharpoonupdown | \mrightharpoonupdown {...} {...} |

| | |
|---|--------------------------------------|
| mathextensible:instance:mrightharpoonup | \mrightharpoonup {...} {...} |
| mathextensible:instance:mrightleftharpoons | \mrightleftharpoons {...} {...} |
| mathextensible:instance:mrightoverleftarrow | \mrightoverleftarrow {...} {...} |
| mathextensible:instance:mtriplerel | \mtriplerel {...} {...} |
| mathextensible:instance:mtwoheadleftarrow | \mtwoheadleftarrow {...} {...} |
| mathextensible:instance:mtwoheadrightarrow | \mtwoheadrightarrow {...} {...} |
| mathextensible:instance:tequal | \tequal {...} {...} |
| mathextensible:instance:thookleftarrow | \thookleftarrow {...} {...} |
| mathextensible:instance:thookrightarrow | \thookrightarrow {...} {...} |
| mathextensible:instance:tLeftarrow | \tLeftarrow {...} {...} |
| mathextensible:instance:tLeftrightarrow | \tLeftrightarrow {...} {...} |
| mathextensible:instance:tleftarrow | \tleftarrow {...} {...} |
| mathextensible:instance:tlefttharpoondown | \tlefttharpoondown {...} {...} |
| mathextensible:instance:tlefttharpoonup | \tlefttharpoonup {...} {...} |
| mathextensible:instance:tleftrightarrow | \tleftrightarrow {...} {...} |
| mathextensible:instance:tlefttrightharpoons | \tlefttrightharpoons {...} {...} |
| mathextensible:instance:tmapsto | \tmapsto {...} {...} |
| mathextensible:instance:tRightarrow | \tRightarrow {...} {...} |
| mathextensible:instance:trel | \trel {...} {...} |
| mathextensible:instance:trightarrow | \trightarrow {...} {...} |
| mathextensible:instance:trightharpoondown | \trightharpoondown {...} {...} |
| mathextensible:instance:trightharpoonup | \trightharpoonup {...} {...} |
| mathextensible:instance:trightleftharpoons | \trightleftharpoons {...} {...} |
| mathextensible:instance:trightoverleftarrow | \trightoverleftarrow {...} {...} |
| mathextensible:instance:ttriplerel | \ttriplerel {...} {...} |
| mathextensible:instance:ttwoheadleftarrow | \ttwoheadleftarrow {...} {...} |
| mathextensible:instance:ttwoheadrightarrow | \ttwoheadrightarrow {...} {...} |
| mathextensible:instance:xequal | \xequal {...} {...} |
| mathextensible:instance:xhookleftarrow | \xhookleftarrow {...} {...} |
| mathextensible:instance:xhookrightarrow | \xhookrightarrow {...} {...} |
| mathextensible:instance:xLeftarrow | \xLeftarrow {...} {...} |
| mathextensible:instance:xLeftrightarrow | \xLeftrightarrow {...} {...} |
| mathextensible:instance:xleftarrow | \xleftarrow {...} {...} |
| mathextensible:instance:xlefttharpoondown | \xlefttharpoondown {...} {...} |
| mathextensible:instance:xlefttharpoonup | \xlefttharpoonup {...} {...} |
| mathextensible:instance:xleftrightarrow | \xleftrightarrow {...} {...} |
| mathextensible:instance:xlefttrightharpoons | \xlefttrightharpoons {...} {...} |
| mathextensible:instance:xmapsto | \xmapsto {...} {...} |
| mathextensible:instance:xRightarrow | \xRightarrow {...} {...} |
| mathextensible:instance:xrel | \xrel {...} {...} |
| mathextensible:instance:xrightarrow | \xrightarrow {...} {...} |
| mathextensible:instance:xrightharpoondown | \xrightharpoondown {...} {...} |
| mathextensible:instance:xrightharpoonup | \xrightharpoonup {...} {...} |
| mathextensible:instance:xrightleftharpoons | \xrightleftharpoons {...} {...} |
| mathextensible:instance:xrightoverleftarrow | \xrightoverleftarrow {...} {...} |
| mathextensible:instance:xtriplerel | \xtriplerel {...} {...} |
| mathextensible:instance:xtwoheadleftarrow | \xtwoheadleftarrow {...} {...} |
| mathextensible:instance:xtwoheadrightarrow | \xtwoheadrightarrow {...} {...} |
| mathfraktur | \mathfraktur |
| mathframed:instance | \MATHFRAMED [..=..] {...} |
| mathframed:instance:inmframed | \inmframed [..=..] {...} |
| mathframed:instance:mcfamed | \mcfamed [..=..] {...} |
| mathframed:instance:mframed | \mframed [..=..] {...} |
| mathfunction | \mathfunction {...} |
| mathit | \mathit |
| mathitalic | \mathitalic |
| mathmatrix | \MATHMATRIX {...} |
| mathop | \mathop {...} |
| mathornament:example | \MATHORNAMENT {...} |
| mathover | \mathover [...] {...} {...} |
| mathoverextensible:example | \MATHOVEREXTENSIBLE {...} |
| mathovertexttextensible:instance | \MATHOVERTEXTTEXTENSIBLE {...} {...} |
| mathradical:example | \MATHRADICAL [...] {...} |
| mathrm | \mathrm |
| mathscript | \mathscript |
| mathsl | \mathsl |
| mathss | \mathss |
| mathtext | \mathtext ... {...} |
| mathtextbf | \mathtextbf ... {...} |
| mathtextbi | \mathtextbi ... {...} |
| mathtextbs | \mathtextbs ... {...} |
| mathtextit | \mathtextit ... {...} |

| | |
|---------------------------------------|--------------------------------------|
| mathtextsl | \mathtextsl ... {...} |
| mathtexttf | \mathtexttf ... {...} |
| mathtf | \mathtf |
| mathtriplet | \mathtriplet [...] {...} {...} {...} |
| mathtriplet:example | \MATHTRIPLET [...] {...} {...} {...} |
| mathtt | \mathtt |
| mathunder | \mathunder [...] {...} {...} |
| mathunderextensible:example | \MATHUNDEREXTENSIBLE {...} |
| mathundertextextensible:instance | \MATHUNDERTEXTEXTENSIBLE {...} {...} |
| mathunstacked:example | \MATHUNSTACKED |
| mathupright | \mathupright |
| mathword | \mathword ... {...} |
| mathwordbf | \mathwordbf ... {...} |
| mathwordbi | \mathwordbi ... {...} |
| mathwordbs | \mathwordbs ... {...} |
| mathwordit | \mathwordit ... {...} |
| mathwordsl | \mathwordsl ... {...} |
| mathwordtf | \mathwordtf ... {...} |
| maxaligned | \maxaligned {...} |
| mbox | \mbox {...} |
| measure | \measure {...} |
| measured | \measured {...} |
| medskip | \medskip |
| medspace | \medspace |
| menuinterattivo | \menuinterattivo [...] [..=..] |
| mese | \mese {...} |
| message | \message {...} |
| metaTeX | \metaTeX |
| mettielenco | \mettielenco [...] [..=..] |
| mettielencocombinato | \mettielencocombinato [...] [..=..] |
| mettielencocombinato:instance | \mettiCOMBINEDLIST [..=..] |
| mettielencocombinato:instance:content | \metticontent [..=..] |
| mettifiancoafianco | \mettifiancoafianco {...} {...} |
| mettiformula | \mettiformula [...] {...} |
| mettiingriglia | \mettiingriglia [...] {...} |
| mettiingriglia:list | \mettiingriglia [...] {...} |
| mettinotepdp | \mettinotepdp [..=..] |
| mettinotepdplocali | \mettinotepdplocali [..=..] |
| mettinumeropagina | \mettinumeropagina |
| mettiregistro | \mettiregistro [...] [..=..] |
| mettiregistro:instance | \mettiREGISTER [..=..] |
| mettiregistro:instance:index | \mettiindex [..=..] |
| mettisegnalibro | \mettisegnalibro [...] [...] [..=..] |
| mettisottoformula | \mettisottoformula [...] {...} |
| mettiunosullaltro | \mettiunosullaltro {...} {...} |
| mfence | \mfence {...} |
| mfunction | \mfunction {...} |
| mfunctionlabeltext | \mfunctionlabeltext {...} |
| mhbox | \mhbox {...} |
| middlealigned | \middlealigned {...} |
| middlebox | \middlebox {...} |
| midhbox | \midhbox {...} |
| midsentence | \midsentence |
| minimalhbox | \minimalhbox ... {...} |
| mixedcaps | \mixedcaps {...} |
| mkvibuffer | \mkvibuffer [...] |
| moduleparameter | \moduleparameter {...} {...} |
| molecule | \molecule {...} |
| mono | \mono |
| monograssetto | \monograssetto |
| mononormal | \mononormal |
| monthlong | \monthlong {...} |
| monthshort | \monthshort {...} |
| mostraambientefontdeltesto | \mostraambientefontdeltesto [...] |
| mostracolore | \mostracolore [...] |
| mostracornice | \mostracornice [...] [...] |
| mostrafontdeltesto | \mostrafontdeltesto [...] |
| mostragriglia | \mostragriglia [...] |
| mostragruppocolori | \mostragruppocolori [...] [...] |
| mostraimpostazioni | \mostraimpostazioni [...] |
| mostralyout | \mostralyout [...] |
| mostramakeup | \mostramakeup [...] |

| | |
|----------------------------|--|
| mostrasettsimboli | \mostrasettsimboli [...] |
| mostrastampa | \mostrastampa [...] [...] [...=..] |
| mostrastruts | \mostrastruts |
| mostratavolozza | \mostratavolozza [...] [...] |
| mprandomnumber | \mprandomnumber |
| mtext | \mtext {...} |
| NormalizeFontHeight | \NormalizeFontHeight \... {...} {...} {...} |
| NormalizeFontWidth | \NormalizeFontWidth \... {...} {...} {...} |
| NormalizeTextHeight | \NormalizeTextHeight {...} {...} {...} |
| NormalizeTextWidth | \NormalizeTextWidth {...} {...} {...} |
| Numeri | \Numeri {...} |
| Numeriromani | \Numeriromani {...} |
| namedheadnumber | \namedheadnumber {...} |
| namedstructureheadlocation | \namedstructureheadlocation {...} |
| namedstructureuservariable | \namedstructureuservariable {...} {...} |
| namedstructurevariable | \namedstructurevariable {...} {...} |
| namedtaggedlabeltexts | \namedtaggedlabeltexts {...} {...} {...} {...} {...} |
| nascondiblocchi | \nascondiblocchi [...] [...] |
| naturalhbox | \naturalhbox ... {...} |
| naturalhpack | \naturalhpack ... {...} |
| naturalvbox | \naturalvbox ... {...} |
| naturalvcenter | \naturalvcenter ... {...} |
| naturalvpack | \naturalvpack ... {...} |
| naturalvtop | \naturalvtop ... {...} |
| naturalwd | \naturalwd ... |
| negatecolorbox | \negatecolorbox ... |
| negated | \negated {...} |
| negemspace | \negemspace |
| negenspace | \negenspace |
| negthinspace | \negthinspace |
| newattribute | \newattribute \... |
| newcatcodetable | \newcatcodetable \... |
| newcounter | \newcounter \... |
| newevery | \newevery \... \... |
| newfrenchspacing | \newfrenchspacing |
| newmode | \newmode {...} |
| newsignal | \newsignal \... |
| newsystemmode | \newsystemmode {...} |
| nextbox | \nextbox |
| nextboxdp | \nextboxdp |
| nextboxht | \nextboxht |
| nextboxhtdp | \nextboxhtdp |
| nextboxwd | \nextboxwd |
| nextcounter | \nextcounter [...] [...] |
| nextcountervalue | \nextcountervalue [...] |
| nextdepth | \nextdepth |
| nextparagraphs | \nextparagraphs |
| nextparagraphs:example | \successivoPARAGRAPHS |
| nextrealpage | \nextrealpage |
| nextrealpagenumber | \nextrealpagenumber |
| nextsubcountervalue | \nextsubcountervalue [...] [...] |
| nextsubpagenumber | \nextsubpagenumber |
| nextuserpage | \nextuserpage |
| nextuserpagenumber | \nextuserpagenumber |
| nientelineecimafondo | \nientelineecimafondo |
| nientelineintestazionepd | \nientelineintestazionepd |
| nientespazio | \nientespazio |
| nocap | \nocap {...} |
| nocharacteralign | \nocharacteralign |
| nocitation | \nocitation [...] |
| nocitation:direct | \nocitation {...} |
| nocite | \nocite [...] |
| nocite:direct | \nocite {...} |
| nodetostring | \nodetostring \... {...} |
| nofigurepages | \nofigurepages |
| noflines | \noflines |
| noflocalfloats | \noflocalfloats |
| noheightstrut | \noheightstrut |
| noindentation | \noindentation |
| noitem | \noitem |
| nonfrenchspacing | \nonfrenchspacing |
| nonmathematics | \nonmathematics {...} |

| | |
|-----------------------------------|---|
| normalboldface | \normalboldface |
| normale | \normale |
| normalframedwithsettings | \normalframedwithsettings [..=..] {...} |
| normalitalicface | \normalitalicface |
| normalizebodyfontsize | \normalizebodyfontsize \... {...} |
| normalizedfontsize | \normalizedfontsize |
| normalizefontdepth | \normalizefontdepth \... {...} {...} {...} |
| normalizefontheight | \normalizefontheight \... {...} {...} {...} |
| normalizefontline | \normalizefontline \... {...} {...} {...} |
| normalizefontwidth | \normalizefontwidth \... {...} {...} {...} |
| normalizetextdepth | \normalizetextdepth {...} {...} {...} |
| normalizetextheight | \normalizetextheight {...} {...} {...} |
| normalizetextline | \normalizetextline {...} {...} {...} |
| normalizetextwidth | \normalizetextwidth {...} {...} {...} |
| normalslantedface | \normalslantedface |
| normaltypeface | \normaltypeface |
| nota | \nota [...] [...] |
| nota:instance | \NOTE [...] {...} |
| nota:instance:assignment | \NOTE [..=..] |
| nota:instance:assignment:endnote | \endnote [..=..] |
| nota:instance:assignment:footnote | \footnote [..=..] |
| nota:instance:endnote | \endnote [...] {...} |
| nota:instance:footnote | \footnote [...] {...} |
| notesymbol | \notesymbol [...] [...] |
| notragged | \notragged |
| ntimes | \ntimes {...} {...} |
| numberofpoints | \numberofpoints {...} |
| numeri | \numeri {...} |
| numeriromani | \numeriromani {...} |
| numeroformula | \numeroformula [...] |
| numeropagina | \numeropagina |
| numeropaginacompleto | \numeropaginacompleto |
| numerotesta | \numerotesta [...] [...] |
| numerotestacorrente | \numerotestacorrente |
| obeydepth | \obeydepth |
| objectdepth | \objectdepth |
| objectheight | \objectheight |
| objectmargin | \objectmargin |
| objectwidth | \objectwidth |
| obox | \obox {...} |
| offset | \offset [..=..] {...} |
| offsetbox | \offsetbox [..=..] \... {...} |
| onedigitrounding | \onedigitrounding {...} |
| ordinaldaynumber | \ordinaldaynumber {...} |
| ordinalstr | \ordinalstr {...} |
| ornamenttext:collector | \ornamenttext [..=..] [..=..] {...} {...} |
| ornamenttext:direct | \ornamenttext [...] {...} {...} |
| ornamenttext:layer | \ornamenttext [..=..] [..=..] {...} {...} |
| ornament:example | \ORNAMENT {...} {...} |
| outputfilename | \outputfilename |
| outputstreambox | \outputstreambox [...] |
| outputstreamcopy | \outputstreamcopy [...] |
| outputstreamunvbox | \outputstreamunvbox [...] |
| outputstreamunvcopy | \outputstreamunvcopy [...] |
| over | \over [...] |
| overlaybutton | \overlaybutton [...] |
| overlaybutton:direct | \overlaybutton {...} |
| overlaycolor | \overlaycolor |
| overlaydepth | \overlaydepth |
| overlayfigure | \overlayfigure {...} |
| overlayheight | \overlayheight |
| overlayimage | \overlayimage {...} |
| overlaylinecolor | \overlaylinecolor |
| overlaylinewidth | \overlaylinewidth |
| overlayoffset | \overlayoffset |
| overlayrollbutton | \overlayrollbutton [...] [...] |
| overlaywidth | \overlaywidth |
| overloaderror | \overloaderror |
| overset | \overset {...} {...} |
| PAROLA | \PAROLA {...} |
| PAROLE | \PAROLE {...} |
| Parola | \Parola {...} |

| | |
|-----------------------------|--|
| Parole | \Parole {...} |
| PDFcolor | \PDFcolor {...} |
| PDFETEX | \PDFETEX |
| PDFTEX | \PDFTEX |
| PICTEX | \PCTEX |
| PiCTeX | \PiCTeX |
| PointsToBigPoints | \PointsToBigPoints {...} \... |
| PointsToReal | \PointsToReal {...} \... |
| PointsToWholeBigPoints | \PointsToWholeBigPoints {...} \... |
| PPCHTEX | \PPCHTEX |
| PPCHTeX | \PPCHTeX |
| PRAGMA | \PRAGMA |
| PtToCm | \PtToCm {...} |
| pagearea | \pagearea [...] [...] [...] |
| pagebreak | \pagebreak [...] |
| pagefigure | \pagefigure [...] [..=..] |
| pageinjection | \pageinjection [...] [..=..] |
| pageinjection:assignment | \pageinjection [..=..] [..=..] |
| pagestaterealpage | \pagestaterealpage {...} {...} |
| pagestaterealpageorder | \pagestaterealpageorder {...} {...} |
| pagina | \pagina [...] |
| paletsize | \paletsize |
| paragraphs:example | \PARAGRAPHS |
| parola | \parola {...} |
| paroladestra | \paroladestra [...] {...} |
| pdfactualtext | \pdfactualtext {...} {...} |
| pdfbackendactualtext | \pdfbackendactualtext {...} {...} |
| pdfbackendcurrentresources | \pdfbackendcurrentresources |
| pdfbackendsetcatalog | \pdfbackendsetcatalog {...} {...} |
| pdfbackendsetcolorspace | \pdfbackendsetcolorspace {...} {...} |
| pdfbackendsetextgstate | \pdfbackendsetextgstate {...} {...} |
| pdfbackendsetinfo | \pdfbackendsetinfo {...} {...} |
| pdfbackendsetname | \pdfbackendsetname {...} {...} |
| pdfbackendsetpageattribute | \pdfbackendsetpageattribute {...} {...} |
| pdfbackendsetpageresource | \pdfbackendsetpageresource {...} {...} |
| pdfbackendsetpagesattribute | \pdfbackendsetpagesattribute {...} {...} |
| pdfbackendsetpattern | \pdfbackendsetpattern {...} {...} |
| pdfbackendsetshade | \pdfbackendsetshade {...} {...} |
| pdfcolor | \pdfcolor {...} |
| pdfeTeX | \pdfeTeX |
| pdfTeX | \pdfTeX |
| ped | \ped {...} |
| pedap | \pedap [...] [...] [...] |
| ped:instance | \LOW {...} |
| ped:instance:unitslow | \unitslow {...} |
| percent | \percent |
| percentdimen | \percentdimen [...] [...] [...] |
| perlungo | \perlungo {...} |
| permitcaretescape | \permitcaretescape |
| permitcircumflexescape | \permitcircumflexescape |
| permitspacesbetweengroups | \permitspacesbetweengroups |
| persiandecimals | \persiandecimals {...} |
| persiannumerals | \persiannumerals {...} |
| phantom | \phantom {...} |
| phantombox | \phantombox [..=..] |
| piccolo | \piccolo |
| piccolocorsivograssetto | \piccolocorsivograssetto |
| piccolofontdelcorpo | \piccolofontdelcorpo |
| piccolograssetto | \piccolograssetto |
| piccolograssetto corsivo | \piccolograssetto corsivo |
| piccolograssetto inclinato | \piccolograssetto inclinato |
| piccoloinclinato | \piccoloinclinato |
| piccoloinclinatograssetto | \piccoloinclinatograssetto |
| piccolonormale | \piccolonormale |
| piccolotype | \piccolotype |
| pickupgroupedcommand | \pickupgroupedcommand {...} [...] [...] |
| placeattachments | \placeattachments |
| placebt rendering | \placebt rendering [...] [..=..] |
| placecitation | \placecitation [...] |
| placecomments | \placecomments |
| placecurrentformulanumber | \placecurrentformulanumber |
| placedbox | \placedbox {...} |

| | |
|--|---|
| placefloat | \placefloat [...] [...] [...] {...} {...} |
| placefloatwithsetups | \placefloatwithsetups [...] [...] [...] {...} {...} |
| placefloat:instance | \mettiFLOAT [...] [...] [...] {...} |
| placefloat:instance:chemical | \mettichechemical [...] [...] [...] {...} |
| placefloat:instance:figure | \mettigure [...] [...] [...] {...} |
| placefloat:instance:graphic | \mettigraphic [...] [...] [...] {...} |
| placefloat:instance:intermezzo | \mettiintermezzo [...] [...] [...] {...} |
| placefloat:instance:table | \mettitable [...] [...] [...] {...} |
| placeframed | \placeframed [...] [..=.] {...} |
| placehelp | \placehelp |
| placeinitial | \placeinitial [...] |
| placelayer | \placelayer [...] |
| placelayeredtext | \placelayeredtext [...] [..=.] [..=.] {...} {...} |
| placelistoffloats:instance | \placelistofFLOATS [..=.] |
| placelistoffloats:instance:chemicals | \placelistofchemicals [..=.] |
| placelistoffloats:instance:figures | \placelistoffigures [..=.] |
| placelistoffloats:instance:graphics | \placelistofgraphics [..=.] |
| placelistoffloats:instance:intermezzi | \placelistofintermezzi [..=.] |
| placelistoffloats:instance:tables | \placelistoftables [..=.] |
| placelistofpublications | \placelistofpublications [...] [..=.] |
| placelistofsorts | \placelistofsorts [...] [..=.] |
| placelistofsorts:instance | \placelistofSORTS [..=.] |
| placelistofsorts:instance:logos | \placelistoflogos [..=.] |
| placelistofsynonyms | \placelistofsynonyms [...] [..=.] |
| placelistofsynonyms:instance | \placelistofSYNONYMS [..=.] |
| placelistofsynonyms:instance:abbreviations | \placelistofabbreviations [..=.] |
| placelocalnotes | \placelocalnotes [...] [..=.] |
| placement | \placement [...] [..=.] {...} |
| placement:example | \PLACEMENT [..=.] {...} |
| placenamedfloat | \placenamedfloat [...] [...] [...] |
| placenamedformula | \placenamedformula [...] [...] [...] [...] |
| placenotes | \placenotes [...] [..=.] |
| placepairedbox | \placepairedbox [...] [..=.] [...] [...] [...] |
| placepairedbox:instance | \mettiPAIREDBOX [..=.] [...] [...] [...] |
| placepairedbox:instance:legend | \mettilegend [..=.] [...] [...] [...] |
| placeparallel | \placeparallel [...] [...] [..=.] |
| placerawlist | \placerawlist [...] [..=.] |
| placerenderingwindow | \placerenderingwindow [...] [...] [...] |
| popattribute | \popattribute \... |
| popmacro | \popmacro \... |
| popmode | \popmode [...] |
| popsystemmode | \popsystemmode {...} |
| positionoverlay | \positionoverlay {...} |
| positionregionoverlay | \positionregionoverlay [...] [...] [...] |
| posizionanumerotesta | \posizioneanumerotesta [...] |
| posizionatestotesta | \posizionatestotesta [...] |
| posizione | \posizione [..=.] (...,...) {...} |
| postponenotes | \postponenotes |
| predefinedfont | \predefinedfont [...] |
| predefinefont | \predefinefont [...] [...] [...] |
| predefinesymbol | \predefinesymbol [...] |
| prefixedpagenumber | \prefixedpagenumber |
| prendibuffer | \prendibuffer [...] |
| prendibuffer:instance | \prendiBUFFER |
| prendimarcatura | \prendimarcatura [...] [...] [...] [...] |
| prependetoks | \prependetoks ... \to \... |
| prependgvalue | \prependgvalue [...] [...] [...] |
| prependtocommalist | \prependtocommalist [...] [...] \... |
| prependtoks | \prependtoks ... \to \... |
| prependtoksonce | \prependtoksonce ... \to \... |
| prependvalue | \prependvalue [...] [...] [...] |
| prerollblank | \prerollblank [...] |
| presetdocument | \presetdocument [..=.] |
| presetfieldsymbols | \presetfieldsymbols [...] |
| presetlabeltext:instance | \presetLABELtesto [...] [..=.] |
| presetlabeltext:instance:btxlabel | \presetbtxlabeltesto [...] [..=.] |
| presetlabeltext:instance:head | \presetheadtesto [...] [..=.] |
| presetlabeltext:instance:label | \presetlabeltesto [...] [..=.] |
| presetlabeltext:instance:mathlabel | \presetmathlabeltesto [...] [..=.] |
| presetlabeltext:instance:operator | \presetoperatortesto [...] [..=.] |
| presetlabeltext:instance:prefix | \presetprefixtesto [...] [..=.] |
| presetlabeltext:instance:suffix | \setsuffixtesto [...] [..=.] |

| | |
|-----------------------------------|--|
| presetlabeltext:instance:taglabel | \presettaglabeltesto [...] [..=..] |
| presetlabeltext:instance:unit | \presetunittesto [...] [..=..] |
| pretocommalist | \pretocommalist {...} \... |
| prettyprintbuffer | \prettyprintbuffer {...} {...} |
| prevcounter | \prevcounter [...] [...] |
| prevcountervalue | \prevcountervalue [...] |
| preventmode | \preventmode [...] |
| prevrealpage | \prevrealpage |
| prevrealpagenumber | \prevrealpagenumber |
| prevsubcountervalue | \prevsubcountervalue [...] [...] |
| prevsubpage | \prevsubpage |
| prevsubpagenumber | \prevsubpagenumber |
| prevuserpage | \prevuserpage |
| prevuserpagenumber | \prevuserpagenumber |
| primasottopagina | \primasottopagina |
| procent | \procent |
| processaction | \processaction [...] [...,..=>...] |
| processallactionsinset | \processallactionsinset [...] [...,..=>...] |
| processassignlist | \processassignlist [...] \... |
| processassignmentcommand | \processassignmentcommand [..=..] \... |
| processassignmentlist | \processassignmentlist [..=..] \... |
| processbetween | \processbetween {...} \... |
| processbodyfontenvironmentlist | \processbodyfontenvironmentlist \... |
| processcolorcomponents | \processcolorcomponents {...} |
| processcommacommand | \processcommacommand [...] \... |
| processcommalist | \processcommalist [...] \... |
| processcommalistwithparameters | \processcommalistwithparameters [...] \... |
| processcontent | \processcontent {...} \... |
| processfile | \processfile {...} |
| processfilemany | \processfilemany {...} |
| processfilenone | \processfilenone {...} |
| processfileonce | \processfileonce {...} |
| processfirstactioninset | \processfirstactioninset [...] [...,..=>...] |
| processisolatedchars | \processisolatedchars {...} \... |
| processisolatedwords | \processisolatedwords {...} \... |
| processlinetablebuffer | \processlinetablebuffer [...] |
| processlinetablefile | \processlinetablefile {...} |
| processlist | \processlist {...} {...} {...} \... |
| processMPbuffer | \processMPbuffer [...] |
| processMPfigurefile | \processMPfigurefile {...} |
| processmonth | \processmonth {...} {...} {...} |
| processranges | \processranges [...] \... |
| processseparatedlist | \processseparatedlist [...] [...] {...} |
| processtexbuffer | \processtexbuffer [...] |
| processtokens | \processtokens {...} {...} {...} {...} {...} |
| processuntil | \processuntil \... |
| processxtablebuffer | \processxtablebuffer [...] |
| processyear | \processyear {...} {...} {...} {...} |
| prodotto | \prodotto [...] |
| prodotto:string | \prodotto ... |
| profiledbox | \profiledbox [...] [..=..] {...} |
| profilegivenbox | \profilegivenbox {...} ... |
| progetto | \progetto [...] |
| progetto:string | \progetto ... |
| programma | \programma [...] |
| pseudoMixedCapped | \pseudoMixedCapped {...} |
| pseudoSmallCapped | \pseudoSmallCapped {...} |
| pseudoSmallcapped | \pseudoSmallcapped {...} |
| pseudosmallcapped | \pseudosmallcapped {...} |
| pulsante | \pulsante [..=..] {...} [...] |
| pulsantemenu:button | \pulsantemenu [..=..] {...} {...} |
| pulsantemenu:interactionmenu | \pulsantemenu [...] [..=..] {...} {...} |
| pulsante:example | \BUTTON [..=..] {...} [...] |
| pulsantinterazione | \pulsantinterazione [..=..] [...] |
| punti | \punti [...] |
| punti:assignment | \punti [..=..] |
| punto | \punto {...} |
| purenumber | \purenumber {...} |
| pusharrangedpages | \pusharrangedpages ... \poparrangedpages |
| pushattribute | \pushattribute \... |
| pushbar | \pushbar [...] ... \popbar |
| pushbutton | \pushbutton [...] [...] |

| | |
|------------------------------|--|
| pushcatcodetable | \pushcatcodetable ... \popcatcodetable |
| pushcolore | \pushcolore [...] ... \popcolore |
| pushendofline | \pushendofline ... \popendofline |
| pushindentation | \pushindentation ... \popindentation |
| pushMPdrawing | \pushMPdrawing ... \popMPdrawing |
| pushmacro | \pushmacro \... |
| pushmathstyle | \pushmathstyle ... \popmathstyle |
| pushmode | \pushmode [...] |
| pushoutputstream | \pushoutputstream [...] |
| pushpath | \pushpath [...] ... \poppath |
| pushpunctuation | \pushpunctuation ... \poppunctuation |
| pushrandomseed | \pushrandomseed ... \poprandomseed |
| pushreferenceprefix | \pushreferenceprefix {...} ... \popreferenceprefix |
| pushsfondo | \pushsfondo [...] ... \popsfondo |
| pushsystemmode | \pushsystemmode {...} |
| putboxincache | \putboxincache {...} {...} ... |
| putnextboxincache | \putnextboxincache {...} {...} \... {...} |
| qquad | \qquad |
| quad | \quad |
| quads | \quads [...] |
| qualcheriga | \qualcheriga [...] |
| quarterstrut | \quarterstrut |
| quitcommalist | \quitcommalist |
| quitprevcommalist | \quitprevcommalist |
| quittypescriptscanning | \quittypescriptscanning |
| ReadFile | \ReadFile {...} |
| raggedbottom | \raggedbottom |
| raggedcenter | \raggedcenter |
| raggedleft | \raggedleft |
| raggedright | \raggedright |
| raggedwidecenter | \raggedwidecenter |
| raisebox | \raisebox {...} \... {...} |
| randomizetext | \randomizetext {...} |
| randomnumber | \randomnumber {...} {...} |
| rawcounter | \rawcounter [...] [...] |
| rawcountervalue | \rawcountervalue [...] |
| rawdate | \rawdate [...] |
| rawdoifelseinset | \rawdoifelseinset {...} {...} {...} {...} |
| rawdoifinset | \rawdoifinset {...} {...} {...} |
| rawdoifinsetelse | \rawdoifinsetelse {...} {...} {...} {...} |
| rawgetparameters | \rawgetparameters [...] [...=..] |
| rawprocessaction | \rawprocessaction [...] [...,=>...,...] |
| rawprocesscommacommand | \rawprocesscommacommand [...] \... |
| rawprocesscommalist | \rawprocesscommalist [...] \... |
| rawstructurelistuservariable | \rawstructurelistuservariable {...} |
| rawsubcountervalue | \rawsubcountervalue [...] [...] |
| rbox | \rbox ... {...} |
| readfile | \readfile {...} {...} {...} |
| readfixfile | \readfixfile {...} {...} {...} {...} |
| readjobfile | \readjobfile {...} {...} {...} |
| readlocfile | \readlocfile {...} {...} {...} |
| readsetfile | \readsetfile {...} {...} {...} {...} |
| readsysfile | \readsysfile {...} {...} {...} |
| readtexfile | \readtexfile {...} {...} {...} |
| readxmlfile | \readxmlfile {...} {...} {...} |
| realpagenumber | \realpagenumber |
| realSmallCapped | \realSmallCapped {...} |
| realSmallcapped | \realSmallcapped {...} |
| realsmallcapped | \realsmallcapped {...} |
| recursedepth | \recursedepth |
| recurselevel | \recurselevel |
| recursestring | \recursestring |
| redoconvertfont | \redoconvertfont |
| referenceformat:example | \REFERENCEFORMAT {...} {...} [...] |
| referenceprefix | \referenceprefix |
| referring | \referring (...,...) (...,...) [...] |
| registerattachment | \registerattachment [...] [...=..] |
| registerctxluafile | \registerctxluafile {...} {...} |
| registerexternalfigure | \registerexternalfigure [...] [...] [...=..] |
| registerfontclass | \registerfontclass {...} |
| registerhyphenationexception | \registerhyphenationexception [...] [...] |
| registerhyphenationpattern | \registerhyphenationpattern [...] [...] |

| | |
|-----------------------------------|--|
| registermenubuttons | \registermenubuttons [...] [...] |
| registersort | \registersort [...] [...] |
| registersynonym | \registersynonym [...] [...] |
| registerunit | \registerunit [...] [...=..] |
| registro:instance | \REGISTER [...] {...+...+..} |
| registro:instance:index | \index [...] {...+...+..} |
| registro:instance:ownnumber | \REGISTER [...] {...} {...+...+..} |
| registro:instance:ownnumber:index | \index [...] {...} {...+...+..} |
| regolare | \regolare |
| reimpostamarcatura | \reimpostamarcatura [...] |
| relatemarking | \relatemarking [...] [...] |
| relateparameterhandlers | \relateparameterhandlers {...} {...} {...} {...} |
| relaxvalueifundefined | \relaxvalueifundefined {...} |
| remainingcharacters | \remainingcharacters |
| removebottomthings | \removebottomthings |
| removedepth | \removedepth |
| removefromcommalist | \removefromcommalist {...} \... |
| removelastskip | \removelastskip |
| removelastspace | \removelastspace |
| removemarkedcontent | \removemarkedcontent [...] |
| removepunctuation | \removepunctuation |
| removesubstring | \removesubstring ... \from ... \to \... |
| removetoks | \removetoks ... \from \... |
| removeunwantedspaces | \removeunwantedspaces |
| replacefeature | \replacefeature [...] |
| replacefeature:direct | \replacefeature {...} |
| replaceincommalist | \replaceincommalist \... {...} |
| replaceword | \replaceword [...] [...] [...] |
| rescan | \rescan {...} |
| rescanwithsetup | \rescanwithsetup {...} {...} |
| resetallattributes | \resetallattributes |
| resetandaddfeature | \resetandaddfeature [...] |
| resetandaddfeature:direct | \resetandaddfeature {...} |
| resetbar | \resetbar |
| resetboxesincache | \resetboxesincache {...} |
| resetbreakpoints | \resetbreakpoints |
| resetbuffer | \resetbuffer [...] |
| resetcharacteralign | \resetcharacteralign |
| resetcharacterkerning | \resetcharacterkerning |
| resetcharacterspacing | \resetcharacterspacing |
| resetcharacterstripping | \resetcharacterstripping |
| resetcollector | \resetcollector [...] |
| resetcounter | \resetcounter [...] [...] |
| resetdigitsmanipulation | \resetdigitsmanipulation |
| resetdirection | \resetdirection |
| resetfeature | \resetfeature |
| resetflag | \resetflag {...} |
| resetfontcolorscheme | \resetfontcolorscheme |
| resetfontfallback | \resetfontfallback [...] [...] |
| resetfontsolution | \resetfontsolution |
| resetthyphenationfeatures | \resetthyphenationfeatures |
| resetinjector | \resetinjector [...] |
| resetinteractionmenu | \resetinteractionmenu [...] |
| resetitaliccorrection | \resetitaliccorrection |
| resetlayer | \resetlayer [...] |
| resetlocalfloats | \resetlocalfloats |
| resetMPdrawing | \resetMPdrawing |
| resetMPenvironment | \resetMPenvironment |
| resetMPinstance | \resetMPinstance [...] |
| resetmarker | \resetmarker [...] |
| resetmode | \resetmode {...} |
| resetpagenumber | \resetpagenumber |
| resetparallel | \resetparallel [...] [...] |
| resetpath | \resetpath |
| resetpenalties | \resetpenalties \... |
| resetperiodkerning | \resetperiodkerning |
| resetprofile | \resetprofile |
| resetrecurselevel | \resetrecurselevel |
| resetreference | \resetreference [...] |
| resetreplacement | \resetreplacement |
| resetscript | \resetscript |
| resetsetups | \resetsetups [...] |

| | |
|-----------------------------------|--|
| resetshownsynonyms | \resetshownsynonyms [...] |
| resetsubpagenumber | \resetsubpagenumber |
| resetsymbolset | \resetsymbolset |
| resetsystemmode | \resetsystemmode {...} |
| resettimer | \resettimer |
| resettrackers | \resettrackers |
| resettrialtypesetting | \resettrialtypesetting |
| resetusedsortings | \resetusedsortings [...] |
| resetusedsynonyms | \resetusedsynonyms [...] |
| resetuserpagenumber | \resetuserpagenumber |
| resetvalue | \resetvalue {...} |
| resetvisualizers | \resetvisualizers |
| reshapebox | \reshapebox {...} |
| resolvedglyphdirect | \resolvedglyphdirect {...} {...} |
| resolvedglyphstyled | \resolvedglyphstyled {...} {...} |
| restartcounter | \restartcounter [...] [...] [...] |
| restorebox | \restorebox {...} {...} |
| restorecatcodes | \restorecatcodes |
| restorecounter | \restorecounter [...] |
| restorecurrentattributes | \restorecurrentattributes {...} |
| restoreendoffline | \restoreendoffline |
| restoreglobalbodyfont | \restoreglobalbodyfont |
| reusableMPgraphic | \reusableMPgraphic {...} {..=..} |
| reuseMPgraphic | \reuseMPgraphic {...} {..=..} |
| reuserandomseed | \reuserandomseed |
| revivefeature | \revivefeature |
| rfence | \rfence {...} |
| rhbox | \rhbox {...} |
| rif | \rif [...] [...] |
| riferimento | \riferimento [...] {...} |
| riferimentopagina | \riferimentopagina [...] |
| riferimentotesto | \riferimentotesto [...] {...} |
| riflessione | \riflessione {...} |
| riga | \riga {...} |
| rigariempimento | \rigariempimento [..=..] |
| rightbottombox | \rightbottombox {...} |
| rightbox | \rightbox {...} |
| rightbthbox | \rightbthbox {...} |
| rightlabeltext:instance | \rightLABELtesto {...} |
| rightlabeltext:instance:head | \righttheadtesto {...} |
| rightlabeltext:instance:label | \rightlabeltesto {...} |
| rightlabeltext:instance:mathlabel | \rightmathlabeltesto {...} |
| rightline | \rightline {...} |
| rightorleftpageaction | \rightorleftpageaction {...} {...} |
| rightpageorder | \rightpageorder |
| rightskipadaption | \rightskipadaption |
| rightsubguillemot | \rightsubguillemot |
| righttoleft | \righttoleft |
| righttoleftbthbox | \righttoleftbthbox ... {...} |
| righttoleftvbox | \righttoleftvbox ... {...} |
| righttoleftvtop | \righttoleftvtop ... {...} |
| righttopbox | \righttopbox {...} |
| rigovuoto | \rigovuoto [...] |
| ring | \ring {...} |
| rlap | \rlap {...} |
| robustaddtocommalist | \robustaddtocommalist {...} \... |
| robustdoifelseinset | \robustdoifelseinset {...} {...} {...} {...} |
| robustdoifinsetelse | \robustdoifinsetelse {...} {...} {...} {...} |
| robustpretocommalist | \robustpretocommalist {...} \... |
| rollbutton:button | \rollbutton [..=..] ... [...] |
| rollbutton:interactionmenu | \rollbutton [...] [..=..] ... [...] |
| roman | \roman |
| rtop | \rtop ... {...} |
| ruby | \ruby [...] {...} {...} |
| ruledhbox | \ruledhbox ... {...} |
| ruledhpack | \ruledhpack ... {...} |
| ruledmbox | \ruledmbox {...} |
| ruledtopv | \ruledtopv ... {...} |
| ruledtpack | \ruledtpack ... {...} |
| ruledvbox | \ruledvbox ... {...} |
| ruledvpack | \ruledvpack ... {...} |
| ruledvtop | \ruledvtop ... {...} |

| | |
|------------------------------|---|
| runMPbuffer | \runMPbuffer [...] |
| runninghbox | \runninghbox {...} |
| ruota | \ruota [..=..] {...} |
| ScaledPointsToBigPoints | \ScaledPointsToBigPoints {...} \... |
| ScaledPointsToWholeBigPoints | \ScaledPointsToWholeBigPoints {...} \... |
| Smallcapped | \Smallcapped {...} |
| safechar | \safechar {...} |
| samplefile | \samplefile {...} |
| sans | \sans |
| sansgrassetto | \sansgrassetto |
| sansnormal | \sansnormal |
| sansserif | \sansserif |
| savebox | \savebox {...} {...} {...} |
| savebtxdataset | \savebtxdataset [...] [...] [..=..] |
| savebuffer | \savebuffer [..=..] |
| savebuffer:list | \savebuffer [...] [...] |
| savecolore | \savecolore ... \restorecolore |
| savecounter | \savecounter [...] |
| savecurrentattributes | \savecurrentattributes {...} |
| savenormalmeaning | \savenormalmeaning \... |
| savetaggedtwopassdata | \savetaggedtwopassdata {...} {...} {...} {...} |
| savetwopassdata | \savetwopassdata {...} {...} {...} |
| sbox | \sbox {...} |
| scala | \scala [...] [..=..] {...} |
| schermo | \schermo [...] |
| script:instance | \SCRIPT |
| script:instance:ethiopic | \ethiopic |
| script:instance:hangul | \hangul |
| script:instance:hanzi | \hanzi |
| script:instance:latin | \latin |
| script:instance:nihongo | \nihongo |
| script:instance:test | \test |
| script:instance:thai | \thai |
| scrividentroelenco | \scrividentroelenco [...] [..=..] {...} |
| scriviinelenco | \scriviinelenco [...] [..=..] {...} {...} |
| secondoffivearguments | \secondoffivearguments {...} {...} {...} {...} {...} |
| secondoffourarguments | \secondoffourarguments {...} {...} {...} {...} |
| secondofsixarguments | \secondofsixarguments {...} {...} {...} {...} {...} {...} |
| secondofthreearguments | \secondofthreearguments {...} {...} {...} |
| secondofthreeunexpanded | \secondofthreeunexpanded {...} {...} {...} |
| secondoftwoarguments | \secondoftwoarguments {...} {...} |
| secondoftwounexpanded | \secondoftwounexpanded {...} {...} |
| seeregister:instance | \vediREGISTER [...] {...+...+..} {...} |
| seeregister:instance:index | \vediindex [...] {...+...+..} {...} |
| segnalibro | \segnalibro [...] {...} |
| select | \select {...} {...} {...} {...} {...} {...} |
| selezionablocchi | \selezionablocchi [...] [...] [...] [...] [...] OPT OPT OPT |
| serializecommalist | \serializecommalist [...] |
| serializedcommalist | \serializedcommalist |
| serif | \serif |
| serifbold | \serifbold |
| serifnormal | \serifnormal |
| setautopagestaterealpageno | \setautopagestaterealpageno {...} |
| setbar | \setbar [...] |
| setbigbodyfont | \setbigbodyfont |
| setboxllx | \setboxllx ... {...} |
| setboxlly | \setboxlly ... {...} |
| setbreakpoints | \setbreakpoints [...] |
| setbuffer | \setbuffer [...] ... \endbuffer |
| setcapstrut | \setcapstrut |
| setcatcodetable | \setcatcodetable \... |
| setcharacteralign | \setcharacteralign {...} {...} |
| setcharacteraligndetail | \setcharacteraligndetail {...} {...} {...} {...} |
| setcharactercasing | \setcharactercasing [...] |
| setcharactercleaning | \setcharactercleaning [...] |
| setcharacterkerning | \setcharacterkerning [...] |
| setcharacterspacing | \setcharacterspacing [...] |
| setcharacterstripping | \setcharacterstripping [...] |
| setcharstrut | \setcharstrut {...} |
| setcollector | \setcollector [...] [..=..] {...} |
| setcolormodell | \setcolormodell [...] |
| setcounter | \setcounter [...] [...] [...] |

| | |
|----------------------------|---|
| setcounterown | \setcounterown [...] [...] [...] |
| setcurrentfontclass | \setcurrentfontclass {...} |
| setdataset | \setdataset [...] [...] [...=..] |
| setdefaultpenalties | \setdefaultpenalties |
| setdigitsmanipulation | \setdigitsmanipulation [...] |
| setdirection | \setdirection [...] |
| setdocumentargument | \setdocumentargument {...} {...} |
| setdocumentargumentdefault | \setdocumentargumentdefault {...} {...} |
| setdocumentfilename | \setdocumentfilename {...} {...} |
| setdummyparameter | \setdummyparameter {...} {...} |
| setelementexporttag | \setelementexporttag [...] [...] [...] |
| setemeasure | \setemeasure {...} {...} |
| setevalue | \setevalue {...} {...} |
| setevariable | \setevariable {...} {...} {...} |
| setevariables | \setevariables [...] [...=..] |
| setfirstline | \setfirstline [...] |
| setfirstpasscharacteralign | \setfirstpasscharacteralign |
| setflag | \setflag {...} |
| setfont | \setfont ... |
| setfontcolorscheme | \setfontcolorscheme [...] |
| setfontfeature | \setfontfeature {...} |
| setfontsolution | \setfontsolution [...] |
| setfontstrut | \setfontstrut |
| setglobalscript | \setglobalscript [...] |
| setgmeasure | \setgmeasure {...} {...} |
| setgvalue | \setgvalue {...} {...} |
| setgvariable | \setgvariable {...} {...} {...} |
| setgvariables | \setgvariables [...] [...=..] |
| sethboxregister | \sethboxregister ...{...} |
| sethyphenatedurlafter | \sethyphenatedurlafter {...} |
| sethyphenatedurlbefore | \sethyphenatedurlbefore {...} |
| sethyphenatedurlnormal | \sethyphenatedurlnormal {...} |
| sethyphenationfeatures | \sethyphenationfeatures [...] |
| setinitial | \setinitial [...] [...=..] |
| setinjector | \setinjector [...] [...] [...] |
| setinteraction | \setinteraction [...] |
| setinterfacecommand | \setinterfacecommand {...} {...} |
| setinterfaceconstant | \setinterfaceconstant {...} {...} |
| setinterfaceelement | \setinterfaceelement {...} {...} |
| setinterfacemessage | \setinterfacemessage {...} {...} {...} |
| setinterfacevariable | \setinterfacevariable {...} {...} |
| setinternalrendering | \setinternalrendering [...] [...] {...} |
| setitaliccorrection | \setitaliccorrection [...] |
| setJSreamble | \setJSreamble {...} {...} |
| setlayer | \setlayer [...] [...] [...=..] {...} |
| setlayerframed | \setlayerframed [...] [...=..] [...=..] {...} |
| setlayerframed:combination | \setlayerframed [...] [...=..] {...} |
| setlayertext | \setlayertext [...] [...=..] [...=..] {...} |
| setlinefiller | \setlinefiller [...] |
| setlocalhsize | \setlocalhsize [...] |
| setlocalscript | \setlocalscript [...] |
| setMPlayer | \setMPlayer [...] [...] [...=..] {...} |
| setMPpositiongraphic | \setMPpositiongraphic {...} {...} {...=..} |
| setMPpositiongraphicrange | \setMPpositiongraphicrange {...} {...} {...} {...=..} |
| setMPtext | \setMPtext {...} {...} |
| setMPvariable | \setMPvariable [...] [...=..] |
| setMPvariables | \setMPvariables [...] [...=..] |
| setmainbodyfont | \setmainbodyfont |
| setmainparbuilder | \setmainparbuilder [...] |
| setmarker | \setmarker [...] [...] |
| setmarking | \setmarking [...] {...} |
| setmathstyle | \setmathstyle {...} |
| setmeasure | \setmeasure {...} {...} |
| setmessagetext | \setmessagetext {...} {...} |
| setmode | \setmode {...} |
| setnostrut | \setnostrut |
| setnote | \setnote [...] [...] {...} |
| setnotetext | \setnotetext [...] [...] {...} |
| setnotetext:assignment | \setnotetext [...] [...=..] |
| setnote:assignment | \setnote [...] [...=..] |
| setobject | \setobject {...} {...} \... {...} |
| setoldstyle | \setoldstyle |

| | |
|-----------------------------|--|
| setpagereference | \setpagereference {...} {...} |
| setpagestate | \setpagestate [...] [...] |
| setpagestaterealpageno | \setpagestaterealpageno {...} {...} |
| setpenalties | \setpenalties \... {...} {...} |
| setpercentdimen | \setpercentdimen {...} {...} |
| setperiodkerning | \setperiodkerning [...] |
| setposition | \setposition {...} |
| setpositionbox | \setpositionbox {...} \... {...} |
| setpositiondata | \setpositiondata {...} {...} {...} {...} |
| setpositiondataplus | \setpositiondataplus {...} {...} {...} {...} {...} |
| setpositiononly | \setpositiononly {...} |
| setpositionplus | \setpositionplus {...} {...} \... {...} |
| setpositionstrut | \setpositionstrut {...} |
| setprofile | \setprofile [...] |
| setrandomseed | \setrandomseed {...} |
| setreference | \setreference [...] [..=..] |
| setreferencedobject | \setreferencedobject {...} {...} \... {...} |
| setregisterentry | \setregisterentry [...] [..=..] [..=..] |
| setreplacement | \setreplacement [...] |
| setrigidcolumnbalance | \setrigidcolumnbalance ... |
| setrigidcolumnhsize | \setrigidcolumnhsize {...} {...} {...} |
| setscript | \setscript [...] |
| setsecondpasscharacteralign | \setsecondpasscharacteralign |
| setsectionblock | \setsectionblock [...] [..=..] |
| setsimplecolumnhsize | \setsimplecolumnhsize [..=..] |
| setsmallbodyfont | \setsmallbodyfont |
| setsmallcaps | \setsmallcaps |
| setstackbox | \setstackbox {...} {...} {...} |
| setstructurepageregister | \setstructurepageregister [...] [..=..] [..=..] |
| setstrut | \setstrut |
| setsuperiors | \setsuperiors |
| setsystemmode | \setsystemmode {...} |
| settabular | \settabular |
| settaggedmetadata | \settaggedmetadata [..=..] |
| settext | \settext [...] [...] [...] [...] [...] |
| settightobject | \settightobject {...} {...} \... {...} |
| settightreferencedobject | \settightreferencedobject {...} {...} \... {...} |
| settightstrut | \settightstrut |
| settightunreferencedobject | \settightunreferencedobject {...} {...} \... {...} |
| settrialtypesetting | \settrialtypesetting |
| setuevalue | \setuevalue {...} {...} |
| setugvalue | \setugvalue {...} {...} |
| setunreferencedobject | \setunreferencedobject {...} {...} \... {...} |
| setupalternativestyles | \setupalternativestyles [..=..] |
| setupattachment | \setupattachment [...] [..=..] |
| setupattachments | \setupattachments [...] [..=..] |
| setupbackend | \setupbackend [..=..] |
| setupbar | \setupbar [...] [..=..] |
| setupbars | \setupbars [...] [..=..] |
| setupbleeding | \setupbleeding [..=..] |
| setupbookmark | \setupbookmark [..=..] |
| setupbtx | \setupbtx [...] [..=..] |
| setupbtxdataset | \setupbtxdataset [...] [..=..] |
| setupbtxlist | \setupbtxlist [...] [..=..] |
| setupbtxregister | \setupbtxregister [...] [..=..] |
| setupbtxrendering | \setupbtxrendering [...] [..=..] |
| setupbtx:name | \setupbtx [...] |
| setupbutton | \setupbutton [...] [..=..] |
| setupcharacteralign | \setupcharacteralign [..=..] |
| setupcharacterkerning | \setupcharacterkerning [...] [..=..] |
| setupcharacterspacing | \setupcharacterspacing [...] [...] [..=..] |
| setupchemical | \setupchemical [...] [..=..] |
| setupchemicalframed | \setupchemicalframed [...] [..=..] |
| setupcollector | \setupcollector [...] [..=..] |
| setupcolumnsetarea | \setupcolumnsetarea [...] [..=..] |
| setupcolumnsetareatext | \setupcolumnsetareatext [...] [...] |
| setupcolumnsetlines | \setupcolumnsetlines [...] [...] [...] [...] |
| setupcolumnsetspan | \setupcolumnsetspan [...] [..=..] |
| setupcolumnsetstart | \setupcolumnsetstart [...] [...] [...] [...] |
| setupcolumnspan | \setupcolumnspan [..=..] |
| setupcombination | \setupcombination [...] [..=..] |
| setupcounter | \setupcounter [...] [..=..] |

| | |
|-----------------------------------|---|
| setupdataset | \setupdataset [...] [..=..] |
| setupdelimitedtext | \setupdelimitedtext [...] [..=..] |
| setupdescription | \setupdescription [...] [..=..] |
| setupdirections | \setupdirections [..=..] |
| setupdocument | \setupdocument [..=..] |
| setupeffect | \setupeffect [...] [..=..] |
| setupenumeration | \setupenumeration [...] [..=..] |
| setupenv | \setupenv [..=..] |
| setupexport | \setupexport [..=..] |
| setupexternalfigure | \setupexternalfigure [...] [..=..] |
| setupexternalsoundtracks | \setupexternalsoundtracks [..=..] |
| setupfacingfloat | \setupfacingfloat [...] [..=..] |
| setupfieldbody | \setupfieldbody [...] [..=..] |
| setupfieldcategory | \setupfieldcategory [...] [..=..] |
| setupfieldcontentframed | \setupfieldcontentframed [...] [..=..] |
| setupfieldlabelframed | \setupfieldlabelframed [...] [..=..] |
| setupfieldtotalframed | \setupfieldtotalframed [...] [..=..] |
| setupfiller | \setupfiller [...] [..=..] |
| setupfirstline | \setupfirstline [...] [..=..] |
| setupfittingpage | \setupfittingpage [...] [..=..] |
| setupfontexpansion | \setupfontexpansion [...] [..=..] |
| setupfontprotrusion | \setupfontprotrusion [...] [..=..] |
| setupfonts | \setupfonts [..=..] |
| setupfontsolution | \setupfontsolution [...] [..=..] |
| setupformula | \setupformula [...] [..=..] |
| setupformulaframed | \setupformulaframed [...] [..=..] |
| setupframedcontent | \setupframedcontent [...] [..=..] |
| setupframedtable | \setupframedtable [...] [..=..] |
| setupframedtablecolumn | \setupframedtablecolumn [...] [...] [..=..] |
| setupframedtablerow | \setupframedtablerow [...] [...] [..=..] |
| setupframedtext | \setupframedtext [...] [..=..] |
| setupglobalreferenceprefix | \setupglobalreferenceprefix [...] |
| setupheadalternative | \setupheadalternative [...] [..=..] |
| setuphelp | \setuphelp [...] [..=..] |
| setuphigh | \setuphigh [...] [..=..] |
| setuphighlight | \setuphighlight [...] [..=..] |
| setuphyphenation | \setuphyphenation [..=..] |
| setupindentedtext | \setupindentedtext [...] [..=..] |
| setupinitial | \setupinitial [...] [..=..] |
| setupinsertion | \setupinsertion [...] [..=..] |
| setupitaliccorrection | \setupitaliccorrection [...] |
| setupitemgroup | \setupitemgroup [...] [...] [...] [..=..] |
| setupitemgroup:assignment | \setupitemgroup [...] [..=..] |
| setupitemgroup:instance | \impostaiTEMGROUP [...] [...] [..=..] |
| setupitemgroup:instance:itemize | \impostaitemize [...] [...] [..=..] |
| setuplabel | \setuplabel [...] [..=..] |
| setuplayer | \setuplayer [...] [..=..] |
| setuplayeredtext | \setuplayeredtext [...] [..=..] |
| setuplayouttext | \setuplayouttext [...] [...] [..=..] |
| setuplinefiller | \setuplinefiller [...] [..=..] |
| setuplinefillers | \setuplinefillers [...] [..=..] |
| setuplinenote | \setuplinenote [...] [..=..] |
| setuplinetable | \setuplinetable [...] [...] [..=..] |
| setuplistalternative | \setuplistalternative [...] [..=..] |
| setuplistextra | \setuplistextra [...] [..=..] |
| setuplocalfloats | \setuplocalfloats [..=..] |
| setuplocalinterlinespace | \setuplocalinterlinespace [...] [..=..] |
| setuplocalinterlinespace:argument | \setuplocalinterlinespace [...] |
| setuplocalinterlinespace:name | \setuplocalinterlinespace [...] |
| setuplow | \setuplow [...] [..=..] |
| setuplowhigh | \setuplowhigh [...] [..=..] |
| setuplowmidhigh | \setuplowmidhigh [...] [..=..] |
| setupMPgraphics | \setupMPgraphics [..=..] |
| setupMPinstance | \setupMPinstance [...] [..=..] |
| setupMPpage | \setupMPpage [..=..] |
| setupMPvariables | \setupMPvariables [...] [..=..] |
| setupmarginblock | \setupmarginblock [...] [..=..] |
| setupmargindata | \setupmargindata [...] [..=..] |
| setupmarginframed | \setupmarginframed [...] [..=..] |
| setupmarginrule | \setupmarginrule [...] [..=..] |
| setupmathalignment | \setupmathalignment [...] [..=..] |
| setupmathcases | \setupmathcases [...] [..=..] |

| | |
|--------------------------------|--|
| setupmathematics | \setupmathematics [...] [..=..] |
| setupmathfence | \setupmathfence [...] [..=..] |
| setupmathfraction | \setupmathfraction [...] [..=..] |
| setupmathfractions | \setupmathfractions [...] [..=..] |
| setupmathframed | \setupmathframed [...] [..=..] |
| setupmathmatrix | \setupmathmatrix [...] [..=..] |
| setupmathornament | \setupmathornament [...] [..=..] |
| setupmathradical | \setupmathradical [...] [..=..] |
| setupmathstackers | \setupmathstackers [...] [..=..] |
| setupmathstyle | \setupmathstyle [...] |
| setupmixedcolumns | \setupmixedcolumns [...] [..=..] |
| setupmodule | \setupmodule [...] [..=..] |
| setupnotation | \setupnotation [...] [..=..] |
| setupnotations | \setupnotations [...] [..=..] |
| setupnote | \setupnote [...] [..=..] |
| setupnotes | \setupnotes [...] [..=..] |
| setupoffset | \setupoffset [..=..] |
| setupoffsetbox | \setupoffsetbox [..=..] |
| setupoutputroutine | \setupoutputroutine [...] [..=..] |
| setupoutputroutine:name | \setupoutputroutine [...] |
| setuppagechecker | \setuppagechecker [...] [..=..] |
| setuppagecolumns | \setuppagecolumns [...] [..=..] |
| setuppageinjection | \setuppageinjection [...] [..=..] |
| setuppageinjectionalternative | \setuppageinjectionalternative [...] [..=..] |
| setuppageshift | \setuppageshift [...] [...] [..=..] |
| setuppagestate | \setuppagestate [...] [..=..] |
| setuppairedbox | \setuppairedbox [...] [..=..] |
| setuppairedbox:instance | \impostapAIREDBOX [..=..] |
| setuppairedbox:instance:legend | \impostalegend [..=..] |
| setuppaper | \setuppaper [..=..] |
| setupparagraph | \setupparagraph [...] [..=..] |
| setupparagraphintro | \setupparagraphintro [...] [..=..] |
| setupparallel | \setupparallel [...] [...] [..=..] |
| setupperiodkerning | \setupperiodkerning [...] [..=..] |
| setupperiods | \setupperiods [..=..] |
| setupplacement | \setupplacement [...] [..=..] |
| setuppositionbar | \setuppositionbar [..=..] |
| setupprocessor | \setupprocessor [...] [..=..] |
| setupprofile | \setupprofile [...] [..=..] |
| setupquotation | \setupquotation [..=..] |
| setuprealpagenumber | \setuprealpagenumber [..=..] |
| setupreferenceformat | \setupreferenceformat [...] [..=..] |
| setupreferenceprefix | \setupreferenceprefix [...] |
| setupreferencestructureprefix | \setupreferencestructureprefix [...] [...] [..=..] |
| setupregisters | \setupregisters [...] [..=..] |
| setupregisters:argument | \setupregisters [...] [...] [..=..] |
| setuprenderingwindow | \setuprenderingwindow [...] [..=..] |
| setupruby | \setupruby [...] [..=..] |
| setups | \setups [...] |
| setupscale | \setupscale [...] [..=..] |
| setupscript | \setupscript [...] [..=..] |
| setupscripts | \setupscripts [...] [..=..] |
| setupselector | \setupselector [...] [..=..] |
| setupshift | \setupshift [...] [..=..] |
| setupsidebar | \setupsidebar [...] [..=..] |
| setupspellchecking | \setupspellchecking [..=..] |
| setupstretched | \setupstretched [..=..] |
| setupstruts | \setupstruts [...] |
| setupstyle | \setupstyle [...] [..=..] |
| setupsubformula | \setupsubformula [...] [..=..] |
| setupsubformulas | \setupsubformulas [...] [..=..] |
| setupsynctex | \setupsynctex [..=..] |
| setups:direct | \setups {...} |
| setupTABLE | \setupTABLE [...] [...] [..=..] |
| setupTEXpage | \setupTEXpage [..=..] |
| setuptabulation | \setuptabulation [...] [..=..] |
| setuptagging | \setuptagging [..=..] |
| setuptextbackground | \setuptextbackground [...] [..=..] |
| setuptextflow | \setuptextflow [...] [..=..] |
| setuptooltip | \setuptooltip [...] [..=..] |
| setupunit | \setupunit [...] [..=..] |
| setupuserpagenumber | \setupuserpagenumber [..=..] |

| | |
|-------------------------------------|--|
| setupversion | \setupversion [...] |
| setupviewerlayer | \setupviewerlayer [..=..] |
| setupvspacing | \setupvspacing [...] |
| setupwithargument | \setupwithargument {...} {...} |
| setupwithargumentswapped | \setupwithargumentswapped {...} {...} |
| setupxml | \setupxml [..=..] |
| setupxtable | \setupxtable [...] [..=..] |
| setuvalue | \setuvalue {...} {...} |
| setuxvalue | \setuxvalue {...} {...} |
| setvalue | \setvalue {...} {...} |
| setvariable | \setvariable {...} {...} {...} |
| setvariables | \setvariables [...] [..=..] |
| setvboxregister | \setvboxregister ... {...} |
| setvisualizerfont | \setvisualizerfont [...] |
| setvtopregister | \setvtopregister ... {...} |
| setwidthof | \setwidthof ... \to \... |
| setxmeasure | \setxmeasure {...} {...} |
| setxvalue | \setxvalue {...} {...} |
| setxvariable | \setxvariable {...} {...} {...} |
| setxvariables | \setxvariables [...] [..=..] |
| sfondo | \sfondo {...} |
| sfondo:example | \SFONDO {...} |
| shapedhbox | \shapedhbox {...} |
| shiftbox | \shiftbox {...} |
| shift:instance | \SHIFT {...} |
| shift:instance:shiftdown | \shiftdown {...} |
| shift:instance:shiftup | \shiftup {...} |
| showallmakeup | \showallmakeup |
| showattributes | \showattributes |
| showboxes | \showboxes |
| showbtxdatasetauthors | \showbtxdatasetauthors [..=..] |
| showbtxdatasetauthors:argument | \showbtxdatasetauthors [...] |
| showbtxdatasetcompleteness | \showbtxdatasetcompleteness [..=..] |
| showbtxdatasetcompleteness:argument | \showbtxdatasetcompleteness [...] |
| showbtxdatasetfields | \showbtxdatasetfields [..=..] |
| showbtxdatasetfields:argument | \showbtxdatasetfields [...] |
| showbtxfields | \showbtxfields [..=..] |
| showbtxfields:argument | \showbtxfields [...] |
| showbtxhashedauthors | \showbtxhashedauthors [...] |
| showbtxtables | \showbtxtables [...] |
| showchardata | \showchardata {...} |
| showcharratio | \showcharratio {...} |
| showcolorbar | \showcolorbar [...] |
| showcolorcomponents | \showcolorcomponents [...] |
| showcolorset | \showcolorset [...] |
| showcolorstruts | \showcolorstruts |
| showcounter | \showcounter [...] |
| showdirectives | \showdirectives |
| showdirsinmargin | \showdirsinmargin |
| showedebuginfo | \showedebuginfo |
| showexperiments | \showexperiments |
| showfont | \showfont [...] [...] |
| showfontdata | \showfontdata |
| showfontexpansion | \showfontexpansion |
| showfontitalics | \showfontitalics |
| showfontkerns | \showfontkerns |
| showfontparameters | \showfontparameters |
| showfontstrip | \showfontstrip [...] |
| showfontstyle | \showfontstyle [...] [...] [...] [...] |
| showglyphdata | \showglyphdata |
| showglyphs | \showglyphs |
| showgridsnapping | \showgridsnapping |
| showhelp | \showhelp {...} [...] |
| showhyphenationtrace | \showhyphenationtrace [...] [...] |
| showhyphens | \showhyphens {...} |
| showinjector | \showinjector [...] |
| showjustification | \showjustification |
| showkerning | \showkerning {...} |
| showlayoutcomponents | \showlayoutcomponents |
| showligature | \showligature {...} |
| showligatures | \showligatures [...] |
| showlogcategories | \showlogcategories |

| | |
|-----------------------------|--|
| showmargins | \showmargins |
| showmessage | \showmessage {...} {...} {...} |
| showminimalbaseline | \showminimalbaseline |
| shownextbox | \shownextbox \... {...} |
| showotfcomposition | \showotfcomposition {...} {...} {...} |
| showparentchain | \showparentchain \... {...} |
| showsetupsdefinition | \showsetupsdefinition [...] |
| showtimer | \showtimer {...} |
| showtokens | \showtokens [...] |
| showtrackers | \showtrackers |
| showvalue | \showvalue {...} |
| showvariable | \showvariable {...} {...} |
| showwarning | \showwarning {...} {...} {...} |
| signalrightpage | \signalrightpage |
| simbolo | \simbolo [...] [...] |
| simbolo:direct | \simbolo {...} |
| simplealignedbox | \simplealignedbox {...} {...} {...} |
| simplealignedboxplus | \simplealignedboxplus {...} {...} {...} {...} |
| simplealignedspreadbox | \simplealignedspreadbox {...} {...} {...} |
| simplegroupedcommand | \simplegroupedcommand {...} {...} |
| simplereversealignedbox | \simplereversealignedbox {...} {...} {...} |
| simplereversealignedboxplus | \simplereversealignedboxplus {...} {...} {...} {...} |
| singalcharacteralign | \singalcharacteralign {...} {...} |
| singlebond | \singlebond |
| sinistra | \sinistra ... |
| sixthofsixarguments | \sixthofsixarguments {...} {...} {...} {...} {...} {...} |
| slantedface | \slantedface |
| slicepages | \slicepages [...] [..=..] [..=..] |
| slovenianNumerals | \slovenianNumerals {...} |
| sloveniannumerals | \sloveniannumerals {...} |
| smallcappedcharacters | \smallcappedcharacters {...} |
| smallcappedromannumerals | \smallcappedromannumerals {...} |
| smaller | \smaller |
| smallskip | \smallskip |
| smash | \smash [...] {...} |
| smashbox | \smashbox ... |
| smashboxed | \smashboxed ... |
| smashedhbox | \smashedhbox ... {...} |
| smashedvbox | \smashedvbox ... {...} |
| snaptogrid | \snaptogrid [...] \... {...} |
| snaptogrid:list | \snaptogrid [...] \... {...} |
| someheadnumber | \someheadnumber [...] [...] |
| somekindoftab | \somekindoftab [..=..] |
| somelocalfloat | \somelocalfloat |
| somenamedheadnumber | \somenamedheadnumber {...} {...} |
| someplace | \someplace {...} {...} {...} {...} {...} [...] |
| sorting:instance | \SORTING [...] {...} |
| sorting:instance:logo | \logo [...] {...} |
| sottopaginasuccessiva | \sottopaginasuccessiva |
| spanishNumerals | \spanishNumerals {...} |
| spanishnumerals | \spanishnumerals {...} |
| spazifissi | \spazifissi |
| spazio | \spazio |
| spaziofisso | \spaziofisso |
| spessoreriga | \spessoreriga |
| spezzaoggettomobile | \spezzaoggettomobile [..=..] {...} {...} |
| splitatasterisk | \splitatasterisk ... \... \... |
| splitatcolon | \splitatcolon ... \... \... |
| splitatcolons | \splitatcolons ... \... \... |
| splitatcomma | \splitatcomma ... \... \... |
| splitatperiod | \splitatperiod ... \... \... |
| splitdffrac | \splitdffrac {...} {...} |
| splitfilename | \splitfilename {...} |
| splitfrac | \splitfrac {...} {...} |
| splitoffbase | \splitoffbase |
| splitofffull | \splitofffull |
| splitoffkind | \splitoffkind |
| splitoffname | \splitoffname |
| splitoffpath | \splitoffpath |
| splitoffroot | \splitoffroot |
| splitofftokens | \splitofftokens ... \from ... \to \... |
| splitofftype | \splitofftype |

| | |
|---------------------------------|---|
| splitstring | \splitstring ... \at ... \to \... \and \... |
| spreadhbox | \spreadhbox ... |
| sqrtd | \sqrtd [...] {...} |
| stackcampi | \stackcampi [...] [...] [..=..] |
| stackrel | \stackrel {...} {...} |
| startlinenote:instance | \iniziaLINENOTE [...] {...} |
| startlinenote:instance:linenote | \inizialinenote [...] {...} |
| startregister | \startregister [...] [...] [...] [...] {...+...+...} |
| startstop:example | \STARTSTOP {...} |
| startstructurepageregister | \startstructurepageregister [...] [...] [..=..] [..=..] |
| stirato | \stirato [..=..] {...} |
| stoplinenote:instance | \terminaLINENOTE [...] [...] |
| stoplinenote:instance:linenote | \terminalinenote [...] [...] |
| stopregister | \stopregister [...] [...] |
| stopstructurepageregister | \stopstructurepageregister [...] [...] |
| strictdoifelsenextoptional | \strictdoifelsenextoptional {...} {...} |
| strictdoifnextoptionalelse | \strictdoifnextoptionalelse {...} {...} |
| stripcharacter | \stripcharacter ... \from ... \to \... |
| strippedcsname | \strippedcsname \... |
| strippedcsname:string | \strippedcsname ... |
| stripspaces | \stripspaces \from ... \to \... |
| structurelistuservariable | \structurelistuservariable {...} |
| structurenumber | \structurenumber |
| structuretitle | \structuretitle |
| structureuservariable | \structureuservariable {...} |
| structurevariable | \structurevariable {...} |
| strut | \strut |
| strutdp | \strutdp |
| strutgap | \strutgap |
| strutht | \strutht |
| struthtdp | \struthtdp |
| struttedbox | \struttedbox {...} |
| strutwd | \strutwd |
| style | \style [..=..] {...} |
| styleinstance | \styleinstance [...] |
| style:argument | \style [...] {...} |
| style:instance | \STYLE {...} |
| subpagenumber | \subpagenumber |
| subsentence | \subsentence {...} |
| substituteincommalist | \substituteincommalist {...} {...} \... |
| subtractfeature | \subtractfeature [...] |
| subtractfeature:direct | \subtractfeature {...} |
| swapcounts | \swapcounts \... \... |
| swapdimens | \swapdimens \... \... |
| swapface | \swapface |
| swapmacros | \swapmacros \... \... |
| swaptypesface | \swaptypesface |
| switchstyleonly | \switchstyleonly [...] |
| switchstyleonly:command | \switchstyleonly \... |
| switchtocolour | \switchtocolour [...] |
| switchtointerlinespace | \switchtointerlinespace [...] [..=..] |
| switchtointerlinespace:argument | \switchtointerlinespace [...] |
| switchtointerlinespace:name | \switchtointerlinespace [...] |
| symbolreference | \symbolreference [...] |
| synchronizeblank | \synchronizeblank |
| synchronizeindenting | \synchronizeindenting |
| synchronizemarking | \synchronizemarking [...] [...] [...] |
| synchronizeoutputstreams | \synchronizeoutputstreams [...] |
| synchronizestrut | \synchronizestrut {...} |
| synchronizewhitespace | \synchronizewhitespace |
| synctexblockfilename | \synctexblockfilename {...} |
| synctexresetfilename | \synctexresetfilename |
| synctexsetfilename | \synctexsetfilename {...} |
| synonym:instance | \SYNONYM [...] [...] {...} |
| synonym:instance:abbreviation | \abbreviation [...] [...] {...} |
| systemlog | \systemlog [...] [...] {...} |
| systemlogfirst | \systemlogfirst [...] [...] {...} |
| systemloglast | \systemloglast [...] [...] {...} |
| systemsetups | \systemsetups {...} |
| TABLE | \TABLE |
| TaBlE | \TaBlE |
| TEX | \TEX |

| | |
|---------------------------------------|--|
| TeX | \TeX |
| TheNormalizedFontSize | \TheNormalizedFontSize |
| TransparencyHack | \TransparencyHack |
| tabulateautoline | \tabulateautoline |
| tabulateautorule | \tabulateautorule |
| tabulateline | \tabulateline |
| tabulaterule | \tabulaterule |
| taggedctxcommand | \taggedctxcommand {...} |
| taggedlabeltexts | \taggedlabeltexts {...} {...} {...} |
| tbox | \tbox {...} |
| terminariga | \terminariga [...] |
| testandsplitstring | \testandsplitstring ... \at ... \to ... \and \... |
| testcolumn | \testcolumn [...] [...] |
| testfeature | \testfeature {...} {...} |
| testfeatureonce | \testfeatureonce {...} {...} |
| testoaiuto | \testoaiuto [...] {...} {...} |
| testoetichetta:instance | \LABELtesto {...} |
| testoetichetta:instance:btxlabel | \btxlabeltesto {...} |
| testoetichetta:instance:head | \headtesto {...} |
| testoetichetta:instance:label | \labeltesto {...} |
| testoetichetta:instance:mathlabel | \mathlabeltesto {...} |
| testoetichetta:instance:operator | \operatorortesto {...} |
| testoetichetta:instance:prefix | \prefixtesto {...} |
| testoetichetta:instance:suffix | \suffixtesto {...} |
| testoetichetta:instance:taglabel | \taglabeltesto {...} |
| testoetichetta:instance:unit | \unittesto {...} |
| testoincorniciato:instance | \FRAMEDTEXT [..=..] {...} |
| testoincorniciato:instance:framedtext | \framedtext [..=..] {...} |
| testonotapdp | \testonotapdp [...] {...} |
| testonotapdp:assignment | \testonotapdp [..=..] |
| testoriempimento | \testoriempimento [..=..] {...} {...} |
| testpage | \testpage [...] [...] |
| testpageonly | \testpageonly [...] [...] |
| testpagesync | \testpagesync [...] [...] |
| testtokens | \testtokens [...] |
| tex | \tex {...} |
| texdefinition | \texdefinition {...} |
| texsetup | \texsetup {...} |
| textbackground:example | \TEXTBACKGROUND {...} |
| textcitation | \textcitation [..=..] [...] |
| textcitation:alternative | \textcitation [...] [...] |
| textcitation:userdata | \textcitation [..=..] [..=..] |
| textcite | \textcite [..=..] [...] |
| textcite:alternative | \textcite [...] [...] |
| textcite:userdata | \textcite [..=..] [..=..] |
| textcontrolspace | \textcontrolspace |
| textflowcollector | \textflowcollector {...} |
| textmath | \textmath {...} |
| textminus | \textminus |
| textormathchar | \textormathchar {...} |
| textormathchars | \textormathchars {...} |
| textplus | \textplus |
| textvisiblespace | \textvisiblespace |
| thainumerals | \thainumerals {...} |
| thefirstcharacter | \thefirstcharacter {...} |
| thenormalizedbodyfontsize | \thenormalizedbodyfontsize {...} |
| theremainingcharacters | \theremainingcharacters {...} |
| thickspace | \thickspace |
| thinspace | \thinspace |
| thirdoffivearguments | \thirdoffivearguments {...} {...} {...} {...} {...} |
| thirdoffourarguments | \thirdoffourarguments {...} {...} {...} {...} |
| thirdofsixarguments | \thirdofsixarguments {...} {...} {...} {...} {...} {...} |
| thirdofthreearguments | \thirdofthreearguments {...} {...} {...} |
| thirdofthreeunexpanded | \thirdofthreeunexpanded {...} {...} {...} |
| threedigitrounding | \threedigitrounding {...} |
| tibetannumerals | \tibetannumerals {...} |
| tieniblocchi | \tieniblocchi [...] [...] |
| tightlayer | \tightlayer [...] |
| tilde | \tilde {...} |
| tinyfont | \tinyfont |
| tlap | \tlap {...} |
| tochar | \tochar {...} |

| | |
|-----------------------------------|---|
| tolinenote | \tolinenote [...] |
| tooltip:instance | \TOOLTIP [..=..] {...} {...} |
| tooltip:instance:argument | \TOOLTIP [...] {...} {...} |
| tooltip:instance:argument:tooltip | \tooltip [...] {...} {...} |
| tooltip:instance:tooltip | \tooltip [..=..] {...} {...} |
| topbox | \topbox {...} |
| opleftbox | \opleftbox {...} |
| toplinebox | \toplinebox {...} |
| toprightbox | \toprightbox {...} |
| topskippedbox | \topskippedbox {...} |
| tracecatcodetables | \tracecatcodetables |
| tracedfontname | \tracedfontname {...} |
| traceoutputroutines | \traceoutputroutines |
| tracepositions | \tracepositions |
| traduci | \traduci [..=..] |
| transparencycomponents | \transparencycomponents {...} |
| transparent | \transparent [...] {...} |
| triplebond | \triplebond |
| truefilename | \truefilename {...} |
| truefontname | \truefontname {...} |
| ttraggedright | \ttraggedright |
| twodigitrounding | \twodigitrounding {...} |
| tx | \tx |
| txx | \txx |
| typ | \typ [..=..] {...} |
| type | \type [..=..] {...} |
| typebuffer | \typebuffer [...] [..=..] |
| typebuffer:instance | \typeBUFFER [..=..] |
| typedefinedbuffer | \typedefinedbuffer [...] [..=..] |
| typeface | \typeface |
| typefile | \typefile [...] [..=..] {...} |
| typeinlinebuffer | \typeinlinebuffer [...] [..=..] |
| typescriptone | \typescriptone |
| typescriptprefix | \typescriptprefix {...} |
| typescriptthree | \typescriptthree |
| typescripttwo | \typescripttwo |
| typesetbuffer | \typesetbuffer [...] [..=..] |
| typesetfile | \typesetfile [...] [...] [..=..] |
| type:angles | \type [..=..] <<...>> |
| type:example | \TYPE [..=..] {...} |
| type:example:angles | \TYPE [..=..] <<...>> |
| typ:angles | \typ [..=..] <<...>> |
| uconvertnumber | \uconvertnumber {...} {...} |
| uedcatcodecommand | \uedcatcodecommand \... ... {...} |
| ultimasottopagina | \ultimasottopagina |
| undefinevalue | \undefinevalue {...} |
| undepthed | \undepthed {...} |
| underset | \underset {...} {...} |
| undoassign | \undoassign [...] [..=..] |
| unexpandeddocumentvariable | \unexpandeddocumentvariable {...} |
| unhhbox | \unhhbox ... \with {...} |
| unihex | \unihex {...} |
| uniqueMPgraphic | \uniqueMPgraphic {...} {..=..} |
| uniqueMPpagegraphic | \uniqueMPpagegraphic {...} {..=..} |
| unita:instance | \UNIT {...} |
| unita:instance:unit | \unit {...} |
| unprotect | \unprotect ... \protect |
| unprotected | \unprotected ... \par |
| unregisterhyphenationpattern | \unregisterhyphenationpattern [...] [...] |
| unspaceafter | \unspaceafter \... {...} |
| unspaceargument | \unspaceargument ... \to \... |
| unspaced | \unspaced {...} |
| unspacestring | \unspacestring ... \to \... |
| untexargument | \untexargument {...} \to \... |
| untexcommand | \untexcommand {...} \to \... |
| uppcased | \uppcased {...} |
| uppcasestring | \uppcasestring ... \to \... |
| upperlefthdoubleninequote | \upperlefthdoubleninequote |
| upperlefthdoublesixquote | \upperlefthdoublesixquote |
| upperleftsingleninequote | \upperleftsingleninequote |
| upperleftsinglesixquote | \upperleftsinglesixquote |
| upperrightdoubleninequote | \upperrightdoubleninequote |

| | |
|----------------------------|---|
| upperrightdoublesixquote | \upperrightdoublesixquote |
| upperrightsingleninequote | \upperrightsingleninequote |
| upperrightsinglesixquote | \upperrightsinglesixquote |
| url | \url [...] |
| usablocco | \usablocco [...] [...] [..=..] |
| usacartella | \usacartella [...] |
| usacolonnasonoraesterna | \usacolonnasonoraesterna [...] [...] |
| usadocumentoesterno | \usadocumentoesterno [...] [...] [...] |
| usafiguraesterna | \usafiguraesterna [...] [...] [...] [..=..] |
| usaJSScripts | \usaJSScripts [...] [...] |
| usamodulo | \usamodulo [...] [...] [..=..] |
| usasimboli | \usasimboli [...] |
| usaURL | \usaURL [...] [...] [...] [...] |
| usaur1 | \usaur1 [...] [...] [...] [...] |
| usealignparameter | \usealignparameter \... |
| useblankparameter | \useblankparameter \... |
| usebodyfont | \usebodyfont [...] |
| usebodyfontparameter | \usebodyfontparameter \... |
| usebtxdataset | \usebtxdataset [...] [...] [..=..] |
| usebtxdefinitions | \usebtxdefinitions [...] |
| usecitation | \usecitation [...] |
| usecitation:direct | \usecitation {...} |
| usecolors | \usecolors [...] |
| usecomponent | \usecomponent [...] |
| usedummycolorparameter | \usedummycolorparameter {...} |
| usedummystyleandcolor | \usedummystyleandcolor {...} {...} |
| usedummystyleparameter | \usedummystyleparameter {...} |
| useenvironment | \useenvironment [...] |
| useexternalrendering | \useexternalrendering [...] [...] [...] [...] |
| usefigurebase | \usefigurebase [...] |
| usefile | \usefile [...] [...] [...] [...] |
| usegridparameter | \usegridparameter \... |
| useindentingparameter | \useindentingparameter \... |
| useindentnextparameter | \useindentnextparameter \... |
| useinterlinespaceparameter | \useinterlinespaceparameter \... |
| uselanguageparameter | \uselanguageparameter \... |
| useluamodule | \useluamodule [...] |
| useMPenvironmentbuffer | \useMPenvironmentbuffer [...] |
| useMPgraphic | \useMPgraphic {...} {..=..} |
| useMPLibrary | \useMPLibrary [...] |
| useMPPrun | \useMPPrun {...} {...} |
| useMPvariables | \useMPvariables [...] [...] |
| usemathstyleparameter | \usemathstyleparameter \... |
| useproduct | \useproduct [...] |
| useprofileparameter | \useprofileparameter \... |
| useproject | \useproject [...] |
| usereferenceparameter | \usereferenceparameter \... |
| userpagenumber | \userpagenumber |
| usesetupsparameter | \usesetupsparameter \... |
| usestaticMPfigure | \usestaticMPfigure [..=..] [...] |
| usesubpath | \usesubpath [...] |
| usetexmodule | \usetexmodule [...] [...] [..=..] |
| usetypescript | \usetypescript [...] [...] [...] [...] |
| usetypescriptfile | \usetypescriptfile [...] |
| usezipfile | \usezipfile [...] [...] |
| utfchar | \utfchar {...} |
| utflower | \utflower {...} |
| utfupper | \utfupper {...} |
| utilityregisterlength | \utilityregisterlength |
| VerboseNumber | \VerboseNumber {...} |
| vaia | \vaia {...} [...] |
| vaiabox | \vaiabox {...} [...] |
| vaiapagina | \vaiapagina {...} [...] |
| vaigiu | \vaigiu [...] |
| valorecolore | \valorecolore {...} |
| vboxreference | \vboxreference [...] {...} |
| vec | \vec {...} |
| verbatim | \verbatim {...} |
| verbatimstring | \verbatimstring {...} |
| verbosenumbers | \verbosenumbers {...} |
| versione | \versione [...] |
| verticalgrowingbar | \verticalgrowingbar [..=..] |

| | |
|------------------------|---|
| verticalpositionbar | \verticalpositionbar [...=..] |
| veryraggedcenter | \veryraggedcenter |
| veryraggedleft | \veryraggedleft |
| veryraggedright | \veryraggedright |
| vglue | \vglue ... |
| viewerlayer | \viewerlayer [...] {...} |
| v1 | \v1 [...] |
| vphantom | \vphantom {...} |
| vpos | \vpos {...} {...} |
| vsmash | \vsmash {...} |
| vsmashbox | \vsmashbox ... |
| vsmashed | \vsmashed {...} |
| vspace | \vspace [...] [...] |
| vspacing | \vspacing [...] |
| WidthSpanningText | \WidthSpanningText {...} {...} {...} |
| wdofstring | \wdofstring {...} |
| widthofstring | \widthofstring {...} |
| widthspanningtext | \widthspanningtext {...} {...} {...} |
| withoutpt | \withoutpt {...} |
| words | \words {...} |
| wordtonumber | \wordtonumber {...} {...} |
| writedatatolist | \writedatatolist [...] [...=..] [...=..] |
| writestatus | \writestatus {...} {...} |
| XETEX | \XETEX |
| XeTeX | \XeTeX |
| xdefconvertedargument | \xdefconvertedargument \... {...} |
| xmladdindex | \xmladdindex {...} |
| xmlafterdocumentsetup | \xmlafterdocumentsetup {...} {...} {...} |
| xmlafterssetup | \xmlafterssetup {...} {...} |
| xmlall | \xmlall {...} {...} |
| xmlappenddocumentsetup | \xmlappenddocumentsetup {...} {...} |
| xmlappendsetup | \xmlappendsetup {...} |
| xmlapplyselectors | \xmlapplyselectors {...} |
| xmlatt | \xmlatt {...} {...} |
| xmlattdef | \xmlattdef {...} {...} {...} |
| xmlattribute | \xmlattribute {...} {...} {...} |
| xmlattributedef | \xmlattributedef {...} {...} {...} {...} |
| xmlbadinclusions | \xmlbadinclusions {...} |
| xmlbeforedocumentsetup | \xmlbeforedocumentsetup {...} {...} {...} |
| xmlbeforesetup | \xmlbeforesetup {...} {...} |
| xmlchainatt | \xmlchainatt {...} {...} |
| xmlchainattdef | \xmlchainattdef {...} {...} {...} |
| xmlchecknamespace | \xmlchecknamespace {...} {...} |
| xmlcommand | \xmlcommand {...} {...} {...} |
| xmlconcat | \xmlconcat {...} {...} {...} |
| xmlconcatrange | \xmlconcatrange {...} {...} {...} {...} {...} |
| xmlcontext | \xmlcontext {...} {...} |
| xmlcount | \xmlcount {...} |
| xmldefaulttotext | \xmldefaulttotext {...} |
| xmldirectives | \xmldirectives {...} |
| xmldirectivesafter | \xmldirectivesafter {...} |
| xmldirectivesbefore | \xmldirectivesbefore {...} |
| xmldisplayverbatim | \xmldisplayverbatim {...} |
| xmldoif | \xmldoif {...} {...} {...} |
| xmldoifatt | \xmldoifatt {...} {...} |
| xmldoifelse | \xmldoifelse {...} {...} {...} {...} |
| xmldoifelseatt | \xmldoifelseatt {...} {...} {...} |
| xmldoifelseempty | \xmldoifelseempty {...} {...} {...} {...} |
| xmldoifelseselfempty | \xmldoifelseselfempty {...} {...} {...} |
| xmldoifelsestext | \xmldoifelsestext {...} {...} {...} {...} |
| xmldoifelsevalue | \xmldoifelsevalue {...} {...} {...} {...} |
| xmldoifnot | \xmldoifnot {...} {...} {...} |
| xmldoifnotatt | \xmldoifnotatt {...} {...} |
| xmldoifnotselfempty | \xmldoifnotselfempty {...} {...} |
| xmldoifnottext | \xmldoifnottext {...} {...} {...} |
| xmldoifselfempty | \xmldoifselfempty {...} {...} |
| xmldoifstext | \xmldoifstext {...} {...} {...} |
| xmlelement | \xmlelement {...} {...} |
| xmlfilter | \xmlfilter {...} {...} |
| xmlfirst | \xmlfirst {...} {...} |
| xmlflush | \xmlflush {...} |
| xmlflushcontext | \xmlflushcontext {...} |

| | |
|-----------------------------|--|
| xmlflushdocumentsetups | \xmlflushdocumentsetups {...} {...} |
| xmlflushlinewise | \xmlflushlinewise {...} |
| xmlflushpure | \xmlflushpure {...} |
| xmlflushspacewise | \xmlflushspacewise {...} |
| xmlflushtext | \xmlflushtext {...} |
| xmlinclude | \xmlinclude {...} {...} {...} |
| xmlinclusion | \xmlinclusion {...} |
| xmlinclusions | \xmlinclusions {...} |
| xmlinfo | \xmlinfo {...} |
| xmlinjector | \xmlinjector {...} |
| xmlinlineprettyprint | \xmlinlineprettyprint {...} {...} |
| xmlinlineprettyprinttext | \xmlinlineprettyprinttext {...} {...} |
| xmlinlineverbatim | \xmlinlineverbatim {...} |
| xmlinstalldirective | \xmlinstalldirective {...} {...} |
| xmllast | \xmllast {...} {...} |
| xmllastatt | \xmllastatt |
| xmllastmatch | \xmllastmatch |
| xmllastpar | \xmllastpar |
| xmlloadbuffer | \xmlloadbuffer {...} {...} {...} |
| xmlloaddata | \xmlloaddata {...} {...} {...} |
| xmlloaddirectives | \xmlloaddirectives {...} |
| xmlloadfile | \xmlloadfile {...} {...} {...} |
| xmlloadonly | \xmlloadonly {...} {...} {...} |
| xmlmain | \xmlmain {...} |
| xmlmapvalue | \xmlmapvalue {...} {...} {...} |
| xmlname | \xmlname {...} |
| xmlnamespace | \xmlnamespace {...} |
| xmlnonamespace | \xmlnonamespace {...} {...} |
| xmlpar | \xmlpar {...} {...} |
| xmlparam | \xmlparam {...} {...} {...} |
| xmlpath | \xmlpath {...} |
| xmlpos | \xmlpos {...} |
| xmlposition | \xmlposition {...} {...} {...} |
| xmlprependdocumentsetup | \xmlprependdocumentsetup {...} {...} |
| xmlprependsetup | \xmlprependsetup {...} |
| xmlprettyprint | \xmlprettyprint {...} {...} |
| xmlprettyprinttext | \xmlprettyprinttext {...} {...} |
| xmlprocessbuffer | \xmlprocessbuffer {...} {...} {...} |
| xmlprocessdata | \xmlprocessdata {...} {...} {...} |
| xmlprocessfile | \xmlprocessfile {...} {...} {...} |
| xmlpure | \xmlpure {...} {...} |
| xmlraw | \xmlraw {...} |
| xmlrefatt | \xmlrefatt {...} {...} |
| xmlregistereddokumentsetups | \xmlregistereddokumentsetups {...} {...} |
| xmlregisteredsetups | \xmlregisteredsetups |
| xmlregisterns | \xmlregisterns {...} {...} |
| xmlremapname | \xmlremapname {...} {...} {...} {...} |
| xmlremapnamespace | \xmlremapnamespace {...} {...} {...} |
| xmlremoveddocumentsetup | \xmlremoveddocumentsetup {...} {...} |
| xmlremovesetup | \xmlremovesetup {...} |
| xmlresetdocumentsetups | \xmlresetdocumentsetups {...} |
| xmlresetinjectors | \xmlresetinjectors |
| xmlresetsetups | \xmlresetsetups {...} |
| xmlsave | \xmlsave {...} {...} |
| xmlsetatt | \xmlsetatt {...} {...} {...} |
| xmlsetattribute | \xmlsetattribute {...} {...} {...} {...} |
| xmlsetentity | \xmlsetentity {...} {...} |
| xmlsetfunction | \xmlsetfunction {...} {...} {...} |
| xmlsetinjectors | \xmlsetinjectors [...] |
| xmlsetpar | \xmlsetpar {...} {...} {...} |
| xmlsetparam | \xmlsetparam {...} {...} {...} {...} |
| xmlsetsetup | \xmlsetsetup {...} {...} {...} |
| xmlsetup | \xmlsetup {...} {...} |
| xmlshow | \xmlshow {...} |
| xmlsnippet | \xmlsnippet {...} {...} |
| xmlstrip | \xmlstrip {...} {...} |
| xmlstripnolines | \xmlstripnolines {...} {...} |
| xmlstripped | \xmlstripped {...} {...} |
| xmlstrippednolines | \xmlstrippednolines {...} {...} |
| xmltag | \xmltag {...} |
| xmltextentity | \xmltextentity {...} {...} |
| xmltext | \xmltext {...} {...} |

xmltobuffer
xmltobufferverbose
xmltofile
xmlvalue
xmlverbatim
xsplitstring
xypos

\xmltobuffer {...} {...} {...}
\xmltobufferverbose {...} {...} {...}
\xmltofile {...} {...} {...}
\xmlvalue {...} {...} {...}
\xmlverbatim {...}
\xsplitstring \... {...}
\xypos {...}

PRAGMA ADE
Ridderstraat 27
8061GH Hasselt NL
www.pragma-ade.com