



# ConTExT

comandi

# IT



# ConTeXt

## comandi

it / italiano  
28 maggio 2019



|                              |   |
|------------------------------|---|
| AfterPar                     | \AfterPar {...}                               |
| Alphabeticnumerals           | \Alphabeticnumerals {...}                     |
| AMSTEX                       | \AMSTEX                                       |
| AmSTeX                       | \AmSTeX                                       |
| And                          | \And  |
| abjadnaivenumerals           | \abjadnaivenumerals {...}                     |
| abjadnodotnumerals           | \abjadnodotnumerals {...}                     |
| abjadnumerals                | \abjadnumerals {...}                          |
| activatespacehandler         | \activatespacehandler {...}                   |
| acute                        | \acute {...}                                  |
| adaptcollector               | \adaptcollector [...] [..=..]                 |
| adaptfontfeature             | \adaptfontfeature [...] [..=..]               |
| adaptpapersize               | \adaptpapersize [...] [...]                   |
| adattacampo                  | \adattacampo [...] [..=..]                    |
| adattalayout                 | \adattalayout [...] [..=..]                   |
| addfeature                   | \addfeature [...]                             |
| addfeature:direct            | \addfeature {...}                             |
| addfontpath                  | \addfontpath [...]                            |
| addtocommalist               | \addtocommalist {...} \...                    |
| addtoJSreamble               | \addtoJSreamble {...} {...}                   |
| addvalue                     | \addvalue {...} {...}                         |
| aftersplitstring             | \aftersplitstring ... \at ... \to \...        |
| aftertestandsplitstring      | \aftertestandsplitstring ... \at ... \to \... |
| al                           | \al {...} {...} [...]                         |
| alignbottom                  | \alignbottom                                  |
| aligned                      | \aligned [...] {...}                          |
| alignedbox                   | \alignedbox [...] \... {...}                  |
| alignedline                  | \alignedline {...} {...} {...}                |
| alignhere                    | \alignhere                                    |
| alignmentcharacter           | \alignmentcharacter                           |
| allineacentro                | \allineacentro {...}                          |
| allineadestra                | \allineadestra {...}                          |
| allineasinistra              | \allineasinistra {...}                        |
| allinputpaths                | \allinputpaths                                |
| alphabeticnumerals           | \alphabeticnumerals {...}                     |
| alwayscitation               | \alwayscitation [..=..] [...]                 |
| alwayscitation:alternative   | \alwayscitation [...] [...]                   |
| alwayscitation:userdata      | \alwayscitation [..=..] [..=..]               |
| alwayscite                   | \alwayscite [..=..] [...]                     |
| alwayscite:alternative       | \alwayscite [...] [...]                       |
| alwayscite:userdata          | \alwayscite [..=..] [..=..]                   |
| ambiente                     | \ambiente [...]                               |
| ambiente:string              | \ambiente ...                                 |
| ampersand                    | \ampersand                                    |
| anchor                       | \anchor [...] [..=..] [..=..] {...}           |
| ap                           | \ap {...}                                     |
| apagina                      | \apagina [...]                                |
| appendetoks                  | \appendetoks ... \to \...                     |
| appendgvalue                 | \appendgvalue {...} {...}                     |
| appendtocommalist            | \appendtocommalist {...} \...                 |
| appendtoks                   | \appendtoks ... \to \...                      |
| appendtoksonce               | \appendtoksonce ... \to \...                  |
| appendvalue                  | \appendvalue {...} {...}                      |
| apply                        | \apply {...} {...}                            |
| applyalternativestyle        | \applyalternativestyle {...}                  |
| applyprocessor               | \applyprocessor {...} {...}                   |
| applytocharacters            | \applytocharacters \... {...}                 |
| applytofirstcharacter        | \applytofirstcharacter \... {...}             |
| applytosplitstringchar       | \applytosplitstringchar \... {...}            |
| applytosplitstringcharspaced | \applytosplitstringcharspaced \... {...}      |
| applytosplitstringline       | \applytosplitstringline \... {...}            |
| applytosplitstringlinespaced | \applytosplitstringlinespaced \... {...}      |
| applytosplitstringword       | \applytosplitstringword \... {...}            |
| applytosplitstringwordspaced | \applytosplitstringwordspaced \... {...}      |
| applytowords                 | \applytowords \... {...}                      |
| ap:instance                  | \HIGH {...}                                   |
| ap:instance:unitshigh        | \unitshigh {...}                              |
| arabicdecimals               | \arabicdecimals {...}                         |
| arabicexnumerals             | \arabicexnumerals {...}                       |
| arabicnumerals               | \arabicnumerals {...}                         |
| arg                          | \arg {...}                                    |
| asciistr                     | \asciistr {...}                               |

|                                |   |
|--------------------------------|---|
| assignalfadimension            | \assignalfadimension {...} \... {...} {...} {...} |
| assigndimen                    | \assigndimen \... {...}                           |
| assigndimension                | \assigndimension {...} \... {...} {...} {...}     |
| assignifempty                  | \assignifempty \... {...}                         |
| assigntranslation              | \assigntranslation [..=..] \to \...               |
| assignvalue                    | \assignvalue {...} \... {...} {...} {...}         |
| assignwidth                    | \assignwidth {...} \... {...} {...}               |
| assumelongusagecs              | \assumelongusagecs \... {...}                     |
| astype                         | \astype {...}                                     |
| attachment:instance            | \ATTACHMENT [...] [..=..]                         |
| attachment:instance:attachment | \attachment [...] [..=..]                         |
| autocap                        | \autocap {...}                                    |
| autodirhbox                    | \autodirhbox ... {...}                            |
| autodirvbox                    | \autodirvbox ... {...}                            |
| autodirvtop                    | \autodirvtop ... {...}                            |
| autoinsertnextspace            | \autoinsertnextspace                              |
| autointegral                   | \autointegral {...} {...} {...}                   |
| automathematics                | \automathematics {...}                            |
| autopagestaterealpage          | \autopagestaterealpage {...}                      |
| autopagestaterealpageorder     | \autopagestaterealpageorder {...}                 |
| autosetups                     | \autosetups {...}                                 |
| autostarttesto                 | \autostarttesto ... \autostoptesto                |
| availablehsize                 | \availablehsize                                   |
| averagecharwidth               | \averagecharwidth                                 |
| BeforePar                      | \BeforePar {...}                                  |
| Big                            | \Big ...  |
| Bigg                           | \Bigg ...   |
| Biggl                          | \Biggl ...  |
| Biggm                          | \Biggm ...  |
| Biggr                          | \Biggr ...  |
| Bigl                           | \Bigl ...   |
| Bigm                           | \Bigm ...   |
| Bigr                           | \Bigr ...   |
| backgroundimage                | \backgroundimage {...} {...} {...} {...}          |
| backgroundimagefill            | \backgroundimagefill {...} {...} {...} {...}      |
| backgroundline                 | \backgroundline [...] {...}                       |
| bar                            | \bar {...}  |
| barracolori                    | \barracolori [...]                                |
| barrainterazione               | \barrainterazione [...] [..=..]                   |
| bar:instance                   | \BAR {...}  |
| bar:instance:hiddenbar         | \hiddenbar {...}                                  |
| bar:instance:nobar             | \nobar {...}                                      |
| bar:instance:overbar           | \overbar {...}                                    |
| bar:instance:overbars          | \overbars {...}                                   |
| bar:instance:overstrike        | \overstrike {...}                                 |
| bar:instance:overstrikes       | \overstrikes {...}                                |
| bar:instance:underbar          | \underbar {...}                                   |
| bar:instance:underbars         | \underbars {...}                                  |
| bar:instance:underdash         | \underdash {...}                                  |
| bar:instance:underdashes       | \underdashes {...}                                |
| bar:instance:underdot          | \underdot {...}                                   |
| bar:instance:underdots         | \underdots {...}                                  |
| bar:instance:underrandom       | \underrandom {...}                                |
| bar:instance:underrandoms      | \underrandoms {...}                               |
| bar:instance:understrike       | \understrike {...}                                |
| bar:instance:understrikes      | \understrikes {...}                               |
| basegrid                       | \basegrid [..=..]                                 |
| baselinebottom                 | \baselinebottom                                   |
| baselineleftbox                | \baselineleftbox {...}                            |
| baselinemiddlebox              | \baselinemiddlebox {...}                          |
| baselinerightbox               | \baselinerightbox {...}                           |
| bbordermatrix                  | \bbordermatrix {...}                              |
| bbox                           | \bbox {...}                                       |
| beforesplitstring              | \beforesplitstring ... \at ... \to \...           |
| beforetestandsplitstring       | \beforetestandsplitstring ... \at ... \to \...    |
| beginblock:example             | \beginBLOCK [...] [..=..] ... \endBLOCK           |
| beginhbox                      | \beginhbox ... \endhbox                           |
| beginofshapebox                | \beginofshapebox ... \endofshapebox               |
| beginvbox                      | \beginvbox ... \endvbox                           |
| beginvtop                      | \beginvtop ... \endvtop                           |
| begstrut                       | \begstrut ... \endstrut                           |
| bigg                           | \bigg ...   |

|                                  |   |
|----------------------------------|---|
| bigger                           | \bigger   |
| biggl                            | \biggl ...  |
| biggm                            | \biggm ...  |
| biggr                            | \biggr ...  |
| bigl                             | \bigl ...   |
| bigm                             | \bigm ...   |
| bigr                             | \bigr ...   |
| bigskip                          | \bigskip  |
| bitmapimage                      | \bitmapimage [..=..] {...}                                |
| blap                             | \blap {...}   |
| bleed                            | \bleed [..=..] {...}                                      |
| bleedheight                      | \bleedheight  |
| bleedwidth                       | \bleedwidth   |
| blockligatures                   | \blockligatures [...]                                     |
| blocksynctexfile                 | \blocksynctexfile [...]                                   |
| blockuservariable                | \blockuservariable {...}                                  |
| bodyfontenvironmentlist          | \bodyfontenvironmentlist                                  |
| bodyfontsize                     | \bodyfontsize   |
| boldface                         | \boldface   |
| booleanmodevalue                 | \booleanmodevalue {...}                                   |
| bordermatrix                     | \bordermatrix {...}                                       |
| bottombox                        | \bottombox {...}  |
| bottomleftbox                    | \bottomleftbox {...}                                      |
| bottomrightbox                   | \bottomrightbox {...}                                     |
| boxcursor                        | \boxcursor  |
| boxmarker                        | \boxmarker {...} {...}                                    |
| boxofsize                        | \boxofsize \... ... {...}                                 |
| boxreference                     | \boxreference [...] \... {...}                            |
| bpar                             | \bpar ... \epar   |
| bpos                             | \bpos {...}   |
| breakhere                        | \breakhere  |
| breve                            | \breve {...}  |
| bTABLE                           | \bTABLE [..=..] ... \eTABLE                               |
| bTABLEbody                       | \bTABLEbody [..=..] ... \eTABLEbody                       |
| bTABLEfoot                       | \bTABLEfoot [..=..] ... \eTABLEfoot                       |
| bTABLEhead                       | \bTABLEhead [..=..] ... \eTABLEhead                       |
| bTABLEnext                       | \bTABLEnext [..=..] ... \eTABLEnext                       |
| bTC                              | \bTC [..=..] ... \eTC                                     |
| bTD                              | \bTD [..=..] ... \eTD                                     |
| bTDs                             | \bTDs [...] ... \eTDs                                     |
| bTH                              | \bTH [..=..] ... \eTH                                     |
| bTN                              | \bTN [..=..] ... \eTN                                     |
| bTR                              | \bTR [..=..] ... \eTR                                     |
| bTRs                             | \bTRs [...] ... \eTRs                                     |
| bTX                              | \bTX [..=..] ... \eTX                                     |
| bTY                              | \bTY [..=..] ... \eTY                                     |
| btxabbreviatedjournal            | \btxabbreviatedjournal {...}                              |
| btxaddjournal                    | \btxaddjournal [...] [...]                                |
| btxalwayscitation                | \btxalwayscitation [..=..] [...]                          |
| btxalwayscitation:alternative    | \btxalwayscitation [...] [...]                            |
| btxalwayscitation:userdata       | \btxalwayscitation [..=..] [..=..]                        |
| btxauthorfield                   | \btxauthorfield {...}                                     |
| btxdetail                        | \btxdetail {...}  |
| btxdirect                        | \btxdirect {...}  |
| btxdoif                          | \btxdoif {...} {...}                                      |
| btxdoifcombiinlistelse           | \btxdoifcombiinlistelse {...} {...} {...} {...}           |
| btxdoifelse                      | \btxdoifelse {...} {...} {...}                            |
| btxdoifelsecombiinlist           | \btxdoifelsecombiinlist {...} {...} {...} {...}           |
| btxdoifelsesameasprevious        | \btxdoifelsesameasprevious {...} {...} {...}              |
| btxdoifelsesameaspreviouschecked | \btxdoifelsesameaspreviouschecked {...} {...} {...} {...} |
| btxdoifelseuservariable          | \btxdoifelseuservariable {...} {...} {...}                |
| btxdoifnot                       | \btxdoifnot {...} {...}                                   |
| btxdoifsameaspreviouscheckedelse | \btxdoifsameaspreviouscheckedelse {...} {...} {...} {...} |
| btxdoifsameaspreviouselse        | \btxdoifsameaspreviouselse {...} {...} {...}              |
| btxdoifuservariableelse          | \btxdoifuservariableelse {...} {...} {...}                |
| btxexpandedjournal               | \btxexpandedjournal {...}                                 |
| btxfield                         | \btxfield {...}   |
| btxfieldname                     | \btxfieldname {...}                                       |
| btxfieldtype                     | \btxfieldtype {...}                                       |
| btxfirstofrange                  | \btxfirstofrange {...}                                    |
| btxflush                         | \btxflush {...}   |
| btxflushauthor                   | \btxflushauthor [...] {...}                               |

|   |  |
|---|--|
| btxflushauthorinverted                            | \btxflushauthorinverted {...}          |
| btxflushauthorinvertedshort                       | \btxflushauthorinvertedshort {...}     |
| btxflushauthorname                                | \btxflushauthorname {...}              |
| btxflushauthornormal                              | \btxflushauthornormal {...}            |
| btxflushauthornormalshort                         | \btxflushauthornormalshort {...}       |
| btxflushsuffix                                    | \btxflushsuffix                        |
| btxfoundname                                      | \btxfoundname {...}                    |
| btxfoundtype                                      | \btxfoundtype {...}                    |
| btxhiddencitation                                 | \btxhiddencitation [...]               |
| btxhybridcite                                     | \btxhybridcite [...=..] [...]          |
| btxhybridcite:alternative                         | \btxhybridcite [...] [...]             |
| btxhybridcite:direct                              | \btxhybridcite {...}                   |
| btxhybridcite:userdata                            | \btxhybridcite [...=..] [...=..]       |
| btxlistcitation                                   | \btxlistcitation [...=..] [...]        |
| btxlistcitation:alternative                       | \btxlistcitation [...] [...]           |
| btxlistcitation:userdata                          | \btxlistcitation [...=..] [...=..]     |
| btxloadjournalist                                 | \btxloadjournalist [...]               |
| btxoneorrange                                     | \btxoneorrange {...} {...} {...}       |
| btxremapauthor                                    | \btxremapauthor [...] [...]            |
| btxsavejournalist                                 | \btxsavejournalist [...]               |
| btxsetup  | \btxsetup {...}                        |
| btxsingularorplural                               | \btxsingularorplural {...} {...} {...} |
| btxsingularplural                                 | \btxsingularplural {...} {...} {...}   |
| btxtextcitation                                   | \btxtextcitation [...=..] [...]        |
| btxtextcitation:alternative                       | \btxtextcitation [...] [...]           |
| btxtextcitation:userdata                          | \btxtextcitation [...=..] [...=..]     |
| buildmathaccent                                   | \buildmathaccent {...} {...}           |
| buildtextaccent                                   | \buildtextaccent {...} {...}           |
| buildtextbottomcomma                              | \buildtextbottomcomma {...}            |
| buildtextbottomdot                                | \buildtextbottomdot {...}              |
| buildtextcedilla                                  | \buildtextcedilla {...}                |
| buildtextgrave                                    | \buildtextgrave {...}                  |
| buildtextmacron                                   | \buildtextmacron {...}                 |
| buildtextognek                                    | \buildtextognek {...}                  |
| Cap   | \Cap {...}                             |
| Caps  | \Caps {...}                            |
| CONTEXT   | \CONTEXT                               |
| ConTeXt   | \ConTeXt                               |
| Context   | \Context                               |
| ConvertConstantAfter                              | \ConvertConstantAfter \... {...} {...} |
| ConvertToConstant                                 | \ConvertToConstant \... {...} {...}    |
| calligrafico                                      | \calligrafico                          |
| cambiaafontdeltesto                               | \cambiaafontdeltesto [...]             |
| camel   | \camel {...}                           |
| campi   | \campi [...] [...]                     |
| cap   | \cap {...}                             |
| capello   | \capello                               |
| capoverso:instance                                | \SECTION [...] {...}                   |
| capoverso:instance:assignment                     | \SECTION [...=..]                      |
| capoverso:instance:assignment:chapter             | \chapter [...=..]                      |
| capoverso:instance:assignment:part                | \part [...=..]                         |
| capoverso:instance:assignment:section             | \section [...=..]                      |
| capoverso:instance:assignment:subject             | \subject [...=..]                      |
| capoverso:instance:assignment:subsection          | \subsection [...=..]                   |
| capoverso:instance:assignment:subsubject          | \subsubject [...=..]                   |
| capoverso:instance:assignment:subsubsection       | \subsubsection [...=..]                |
| capoverso:instance:assignment:subsubsubject       | \subsubsubject [...=..]                |
| capoverso:instance:assignment:subsubsubsection    | \subsubsubsection [...=..]             |
| capoverso:instance:assignment:subsubsubsubject    | \subsubsubsubject [...=..]             |
| capoverso:instance:assignment:subsubsubsubsection | \subsubsubsubsection [...=..]          |
| capoverso:instance:assignment:subsubsubsubsubject | \subsubsubsubsubject [...=..]          |
| capoverso:instance:assignment:title               | \title [...=..]                        |
| capoverso:instance:chapter                        | \chapter [...] {...}                   |
| capoverso:instance:ownnumber                      | \SECTION [...] {...} {...}             |
| capoverso:instance:ownnumber:chapter              | \chapter [...] {...} {...}             |
| capoverso:instance:ownnumber:part                 | \part [...] {...} {...}                |
| capoverso:instance:ownnumber:section              | \section [...] {...} {...}             |
| capoverso:instance:ownnumber:subject              | \subject [...] {...} {...}             |
| capoverso:instance:ownnumber:subsection           | \subsection [...] {...} {...}          |
| capoverso:instance:ownnumber:subsubject           | \subsubject [...] {...} {...}          |
| capoverso:instance:ownnumber:subsubsection        | \subsubsection [...] {...} {...}       |
| capoverso:instance:ownnumber:subsubsubject        | \subsubsubject [...] {...} {...}       |



|  |  |
|--|--|
| capoverso:instance:ownnumber:subsubsubsection    | \subsubsubsection [...] {...} {...}    |
| capoverso:instance:ownnumber:subsubsubsubject    | \subsubsubsubject [...] {...} {...}    |
| capoverso:instance:ownnumber:subsubsubsubsection | \subsubsubsubsection [...] {...} {...} |
| capoverso:instance:ownnumber:subsubsubsubsubject | \subsubsubsubsubject [...] {...} {...} |
| capoverso:instance:ownnumber:title               | \title [...] {...} {...}               |
| capoverso:instance:part                          | \part [...] {...}                      |
| capoverso:instance:section                       | \section [...] {...}                   |
| capoverso:instance:subject                       | \subject [...] {...}                   |
| capoverso:instance:subsection                    | \subsection [...] {...}                |
| capoverso:instance:subsubject                    | \subsubject [...] {...}                |
| capoverso:instance:subsubsection                 | \subsubsection [...] {...}             |
| capoverso:instance:subsubsubject                 | \subsubsubject [...] {...}             |
| capoverso:instance:subsubsubsubsection           | \subsubsubsubsection [...] {...}       |
| capoverso:instance:subsubsubsubsubject           | \subsubsubsubsubject [...] {...}       |
| capoverso:instance:subsubsubsubsubsection        | \subsubsubsubsubsection [...] {...}    |
| capoverso:instance:subsubsubsubsubsubject        | \subsubsubsubsubsubject [...] {...}    |
| capoverso:instance:title                         | \title [...] {...}                     |
| catcodetablename                                 | \catcodetablename                      |
| cbox   | \cbox ... {...}                        |
| centeraligned                                    | \centeraligned {...}                   |
| centerbox  | \centerbox ... {...}                   |
| centeredbox                                      | \centeredbox ... {...}                 |
| centeredlastline                                 | \centeredlastline                      |
| centerednextbox                                  | \centerednextbox ... {...}             |
| centerline                                       | \centerline {...}                      |
| centro   | \centro ...                            |
| cfrac  | \cfrac [...] {...} {...}               |
| characterkerning:example                         | \CHARACTERKERNING [...] {...}          |
| chardescription                                  | \chardescription {...}                 |
| charwidthlanguage                                | \charwidthlanguage                     |
| check  | \check {...}                           |
| checkcharacteralign                              | \checkcharacteralign {...}             |
| checkedblank                                     | \checkedblank [...]                    |
| checkedchar                                      | \checkedchar {...} {...}               |
| checkedfiller                                    | \checkedfiller {...}                   |
| checkedstrippedcsname                            | \checkedstrippedcsname \...            |
| checkedstrippedcsname:string                     | \checkedstrippedcsname ...             |
| checkinjector                                    | \checkinjector [...]                   |
| checknextindentation                             | \checknextindentation [...]            |
| checknextinjector                                | \checknextinjector [...]               |
| checkpage  | \checkpage [...] [..=..]               |
| checkparameters                                  | \checkparameters [...]                 |
| checkpreviousinjector                            | \checkpreviousinjector [...]           |
| checksoundtrack                                  | \checksoundtrack {...}                 |
| checktwopassdata                                 | \checktwopassdata {...}                |
| checkvariables                                   | \checkvariables [...] [..=..]          |
| chemical   | \chemical [...] [...] [...]            |
| chemicalbottext                                  | \chemicalbottext {...}                 |
| chemicalmidtext                                  | \chemicalmidtext {...}                 |
| chemicalsymbol                                   | \chemicalsymbol [...]                  |
| chemicaltext                                     | \chemicaltext {...}                    |
| chemicaltoptext                                  | \chemicaltoptext {...}                 |
| chim   | \chim {...} {...} {...}                |
| chineseallnumerals                               | \chineseallnumerals {...}              |
| chinesecapnumerals                               | \chinesecapnumerals {...}              |
| chinesenumerals                                  | \chinesenumerals {...}                 |
| circondato                                       | \circondato [..=..] {...}              |
| citation   | \citation [..=..] [...]                |
| citation:alternative                             | \citation [...] [...]                  |
| citation:direct                                  | \citation {...}                        |
| citation:userdata                                | \citation [..=..] [..=..]              |
| cite   | \cite [..=..] [...]                    |
| cite:alternative                                 | \cite [...] [...]                      |
| cite:direct                                      | \cite {...}                            |
| cite:userdata                                    | \cite [..=..] [..=..]                  |
| clap   | \clap {...}                            |
| classfont  | \classfont {...} {...}                 |
| cldcommand                                       | \cldcommand {...}                      |
| cldcontext                                       | \cldcontext {...}                      |
| cldloadfile                                      | \cldloadfile {...}                     |
| cldprocessfile                                   | \cldprocessfile {...}                  |
| clip   | \clip [..=..] {...}                    |

|   |   |
|---|---|
| clippedoverlayimage                           | \clippedoverlayimage {...}                  |
| clonacampo                                    | \clonacampo [...] [...] [...] [...]         |
| collect                                       | \collect {...}                              |
| collectedtext                                 | \collectedtext [..=..] [..=..] {...} {...}  |
| collectexpanded                               | \collectexpanded {...}                      |
| colonna                                       | \colonna [...]                              |
| colorcomponents                               | \colorcomponents {...}                      |
| colore  | \colore [...] {...}                         |
| colored                                       | \colored [..=..] {...}                      |
| colored:name                                  | \colored [...] {...}                        |
| coloregrigio                                  | \coloregrigio [...] {...}                   |
| coloronly                                     | \coloronly [...] {...}                      |
| columnbreak                                   | \columnbreak [...]                          |
| columnsetspanwidth                            | \columnsetspanwidth {...}                   |
| combinepages                                  | \combinepages [...] [..=..]                 |
| commalistelement                              | \commalistelement                           |
| commalistsentence                             | \commalistsentence [...] [...]              |
| commalistsize                                 | \commalistsize                              |
| commento                                      | \commento (...,...) (...,...) [..=..] {...} |
| commento:instance                             | \COMMENT [...] [..=..] {...}                |
| commento:instance:comment                     | \comment [...] [..=..] {...}                |
| comparedimension                              | \comparedimension {...} {...}               |
| comparedimensioneps                           | \comparedimensioneps {...} {...}            |
| completebtrendering                           | \completebtrendering [...] [..=..]          |
| completecombinedlist:instance                 | \completeCOMBINEDLIST [..=..]               |
| completecombinedlist:instance:content         | \completecontent [..=..]                    |
| completelist                                  | \completelist [...] [..=..]                 |
| completelistoffloats:instance                 | \completelistofFLOATS [..=..]               |
| completelistoffloats:instance:chemicals       | \completelistofchemicals [..=..]            |
| completelistoffloats:instance:figures         | \completelistoffigures [..=..]              |
| completelistoffloats:instance:graphics        | \completelistofgraphics [..=..]             |
| completelistoffloats:instance:intermezzi      | \completelistofintermezzi [..=..]           |
| completelistoffloats:instance:tables          | \completelistoftables [..=..]               |
| completelistofpublications                    | \completelistofpublications [...] [..=..]   |
| completelistofsorts                           | \completelistofsorts [...] [..=..]          |
| completelistofsorts:instance                  | \completelistofSORTS [..=..]                |
| completelistofsorts:instance:logos            | \completelistoflogos [..=..]                |
| completelistofsynonyms                        | \completelistofsynonyms [...] [..=..]       |
| completelistofsynonyms:instance               | \completelistofSYNONYMS [..=..]             |
| completelistofsynonyms:instance:abbreviations | \completelistofabbreviations [..=..]        |
| completeregister                              | \completeregister [...] [..=..]             |
| completeregister:instance                     | \completeREGISTER [..=..]                   |
| completeregister:instance:index               | \completeindex [..=..]                      |
| complexorsimple                               | \complexorsimple \...                       |
| complexorsimpleempty                          | \complexorsimpleempty \...                  |
| complexorsimpleempty:argument                 | \complexorsimpleempty {...}                 |
| complexorsimple:argument                      | \complexorsimple {...}                      |
| componenet                                    | \componenet [...]                           |
| componenet:string                             | \componenet ...                             |
| composedcollector                             | \composedcollector {...}                    |
| composedlayer                                 | \composedlayer {...}                        |
| compresult                                    | \compresult                                 |
| confrontagruppocolori                         | \confrontagruppocolori [...]                |
| confrontatavolozza                            | \confrontatavolozza [...]                   |
| constantdimen                                 | \constantdimen \...                         |
| constantdimenargument                         | \constantdimenargument \...                 |
| constantemptyargument                         | \constantemptyargument \...                 |
| constantnumber                                | \constantnumber \...                        |
| constantnumberargument                        | \constantnumberargument \...                |
| contentreference                              | \contentreference [...] [..=..] {...}       |
| continuednumber                               | \continuednumber {...}                      |
| continueifinputfile                           | \continueifinputfile {...}                  |
| convertargument                               | \convertargument ... \to \...               |
| convertcommand                                | \convertcommand \... \to \...               |
| convertedcounter                              | \convertedcounter [...] [..=..]             |
| converteddimen                                | \converteddimen {...} {...}                 |
| convertedsubcounter                           | \convertedsubcounter [...] [...] [..=..]    |
| convertinunero                                | \convertinunero {...} {...}                 |
| convertmonth                                  | \convertmonth {...}                         |
| convertvalue                                  | \convertvalue ... \to \...                  |
| convertvboxtohbox                             | \convertvboxtohbox                          |
| copiacampo                                    | \copiacampo [...] [...]                     |

|                                      |   |
|--------------------------------------|---|
| copyboxfromcache                     | \copyboxfromcache {...} {...} ...         |
| copylabeltext:instance               | \copyLABELtesto [...] [..=..]             |
| copylabeltext:instance:btxlabel      | \copybtxlabeltesto [...] [..=..]          |
| copylabeltext:instance:head          | \copyheadtesto [...] [..=..]              |
| copylabeltext:instance:label         | \copylabeltesto [...] [..=..]             |
| copylabeltext:instance:mathlabel     | \copymathlabeltesto [...] [..=..]         |
| copylabeltext:instance:operator      | \copyoperatortesto [...] [..=..]          |
| copylabeltext:instance:prefix        | \copyprefixtesto [...] [..=..]            |
| copylabeltext:instance:suffix        | \copysuffixtesto [...] [..=..]            |
| copylabeltext:instance:taglabel      | \copytaglabeltesto [...] [..=..]          |
| copylabeltext:instance:unit          | \copyunittesto [...] [..=..]              |
| copypages                            | \copypages [...] [..=..] [..=..]          |
| copyparameters                       | \copyparameters [...] [...] [...]         |
| copyposition                         | \copyposition {...} {...}                 |
| copysetups                           | \copysetups [...] [...]                   |
| correggispaobiobianco                | \correggispaobiobianco {...}              |
| corsivo                              | \corsivo                                  |
| corsivograssetto                     | \corsivograssetto                         |
| countersubs                          | \countersubs [...] [...]                  |
| counttoken                           | \counttoken ... \in ... \to ...           |
| counttokens                          | \counttokens ... \to ...                  |
| cramped                              | \cramped {...}                            |
| crampedclap                          | \crampedclap {...}                        |
| crampedllap                          | \crampedllap {...}                        |
| crampedrlap                          | \crampedrlap {...}                        |
| ctop                                 | \ctop ... {...}                           |
| ctxcommand                           | \ctxcommand {...}                         |
| ctxdirectcommand                     | \ctxdirectcommand {...}                   |
| ctxdirectlua                         | \ctxdirectlua {...}                       |
| ctxfunction                          | \ctxfunction {...}                        |
| ctxfunctiondefinition:example        | \CTXFUNCTIONDEFINITION                    |
| ctxfunction:example                  | \CTXFUNCTION                              |
| ctxlatecommand                       | \ctxlatecommand {...}                     |
| ctxlatelua                           | \ctxlatelua {...}                         |
| ctxloadluafile                       | \ctxloadluafile {...}                     |
| ctxlua                               | \ctxlua {...}                             |
| ctxluabuffer                         | \ctxluabuffer [...]                       |
| ctxluacode                           | \ctxluacode {...}                         |
| ctxreport                            | \ctxreport {...}                          |
| ctxsprint                            | \ctxsprint {...}                          |
| currentassignmentlistkey             | \currentassignmentlistkey                 |
| currentassignmentlistvalue           | \currentassignmentlistvalue               |
| currentbtboxuservariable             | \currentbtboxuservariable {...}           |
| currentcommalistitem                 | \currentcommalistitem                     |
| currentcomponent                     | \currentcomponent                         |
| currentenvironment                   | \currentenvironment                       |
| currentfeaturetest                   | \currentfeaturetest                       |
| currentinterface                     | \currentinterface                         |
| currentlabel:example                 | \currentETICHETTA [...] {...}             |
| currentlanguage                      | \currentlanguage                          |
| currentlistentrydestinationattribute | \currentlistentrydestinationattribute     |
| currentlistentrylimitedtext          | \currentlistentrylimitedtext {...}        |
| currentlistentrynumber               | \currentlistentrynumber                   |
| currentlistentrypagenumber           | \currentlistentrypagenumber               |
| currentlistentryreferenceattribute   | \currentlistentryreferenceattribute {...} |
| currentlistentrytitle                | \currentlistentrytitle                    |
| currentlistentrytitlerendered        | \currentlistentrytitlerendered            |
| currentlistsymbol                    | \currentlistsymbol                        |
| currentmainlanguage                  | \currentmainlanguage                      |
| currentmessagetext                   | \currentmessagetext                       |
| currentmoduleparameter               | \currentmoduleparameter {...}             |
| currentoutputstream                  | \currentoutputstream                      |
| currentproduct                       | \currentproduct                           |
| currentproject                       | \currentproject                           |
| currentregime                        | \currentregime                            |
| currentregisterpageuserdata          | \currentregisterpageuserdata {...}        |
| currentresponses                     | \currentresponses                         |
| currenttime                          | \currenttime [...]                        |
| currentvalue                         | \currentvalue                             |
| currentxtablecolumn                  | \currentxtablecolumn                      |
| currentxtablerow                     | \currentxtablerow                         |
| d                                    | \d {...}                                  |

|                                     |   |
|-------------------------------------|---|
| da                                  | \da [...]                                       |
| daqualcheparte                      | \daqualcheparte {...} {...} [...]               |
| data                                | \data [..=..] [...]                             |
| datadioggi                          | \datadioggi [...]                               |
| datasetvariable                     | \datasetvariable {...} {...} {...}              |
| dayoftheweek                        | \dayoftheweek {...} {...} {...}                 |
| dayspermonth                        | \dayspermonth {...} {...}                       |
| dddot                               | \dddot {...}                                    |
| ddot                                | \ddot {...}                                     |
| decrement                           | \decrement \...                                 |
| decrementcounter                    | \decrementcounter [...] [...]                   |
| decrementedcounter                  | \decrementedcounter [...]                       |
| decrementpagenumber                 | \decrementpagenumber                            |
| decrementsubpagenumber              | \decrementsubpagenumber                         |
| decrementvalue                      | \decrementvalue {...}                           |
| decrement:argument                  | \decrement (...)                                |
| defaultinterface                    | \defaultinterface                               |
| defaultobjectpage                   | \defaultobjectpage                              |
| defaultobjectreference              | \defaultobjectreference                         |
| defcatcodecommand                   | \defcatcodecommand \... ... {...}               |
| defconvertedargument                | \defconvertedargument \... {...}                |
| defconvertedcommand                 | \defconvertedcommand \... \...                  |
| defconvertedvalue                   | \defconvertedvalue \... {...}                   |
| defineactivecharacter               | \defineactivecharacter ... {...}                |
| definealternativestyle              | \definealternativestyle [...] [...] [...] [...] |
| defineanchor                        | \defineanchor [...] [...] [..=..] [..=..]       |
| defineattachment                    | \defineattachment [...] [...] [..=..]           |
| defineattribute                     | \defineattribute [...] [...]                    |
| definebackground                    | \definebackground [...] [...] [..=..]           |
| definebar                           | \definebar [...] [...] [..=..]                  |
| definebodyfontswitch                | \definebodyfontswitch [...] [...]               |
| definebreakpoint                    | \definebreakpoint [...] [...] [..=..]           |
| definebreakpoints                   | \definebreakpoints [...]                        |
| definebtx                           | \definebtx [...] [...] [..=..]                  |
| definebtxdataset                    | \definebtxdataset [...] [...] [..=..]           |
| definebtxregister                   | \definebtxregister [...] [...] [..=..]          |
| definebtxrendering                  | \definebtxrendering [...] [...] [..=..]         |
| definebutton                        | \definebutton [...] [...] [..=..]               |
| definecapitals                      | \definecapitals [...] [...] [..=..]             |
| definecharacterkerning              | \definecharacterkerning [...] [...] [..=..]     |
| definecharacterspacing              | \definecharacterspacing [...]                   |
| definechemical                      | \definechemical [...] {...}                     |
| definechemicals                     | \definechemicals [...] [...] [..=..]            |
| definechemicalsymbol                | \definechemicalsymbol [...] [...]               |
| definecollector                     | \definecollector [...] [...] [..=..]            |
| definecolumnbreak                   | \definecolumnbreak [...] [...]                  |
| definecolumnsetarea                 | \definecolumnsetarea [...] [...] [..=..]        |
| definecolumnsetspan                 | \definecolumnsetspan [...] [...] [..=..]        |
| definecombination                   | \definecombination [...] [...] [..=..]          |
| definecomment                       | \definecomment [...] [...] [..=..]              |
| definecomplexorsimple               | \definecomplexorsimple \...                     |
| definecomplexorsimpleempty          | \definecomplexorsimpleempty \...                |
| definecomplexorsimpleempty:argument | \definecomplexorsimpleempty {...}               |
| definecomplexorsimple:argument      | \definecomplexorsimple {...}                    |
| defineconversionset                 | \defineconversionset [...] [...] [...]          |
| definecounter                       | \definecounter [...] [...] [..=..]              |
| definedataset                       | \definedataset [...] [...] [..=..]              |
| definedelimitedtext                 | \definedelimitedtext [...] [...] [..=..]        |
| definedfont                         | \definedfont [...]                              |
| defineeffect                        | \defineeffect [...] [...] [..=..]               |
| defineexpandable                    | \defineexpandable [...] \... {...}              |
| defineexternalfigure                | \defineexternalfigure [...] [...] [..=..]       |
| definefacingfloat                   | \definefacingfloat [...] [...] [..=..]          |
| definefallbackfamily                | \definefallbackfamily [...] [...] [...] [..=..] |
| definefallbackfamily:preset         | \definefallbackfamily [...] [...] [...] [...]   |
| definefieldbody                     | \definefieldbody [...] [...] [..=..]            |
| definefieldbodyset                  | \definefieldbodyset [...] [...]                 |
| definefieldcategory                 | \definefieldcategory [...] [...] [..=..]        |
| definefileconstant                  | \definefileconstant {...} {...}                 |
| definefilefallback                  | \definefilefallback [...] [...]                 |
| definefilesynonym                   | \definefilesynonym [...] [...]                  |
| definefiller                        | \definefiller [...] [...] [..=..]               |

|                             |   |
|-----------------------------|---|
| definefirstline             | \definefirstline [...] [...] [..=..]                |
| definefittingpage           | \definefittingpage [...] [...] [..=..]              |
| definefontalternative       | \definefontalternative [...]                        |
| definefontfallback          | \definefontfallback [...] [...] [...] [..=..]       |
| definefontfamily            | \definefontfamily [...] [...] [...] [..=..]         |
| definefontfamilypreset      | \definefontfamilypreset [...] [..=..]               |
| definefontfamilypreset:name | \definefontfamilypreset [...] [...]                 |
| definefontfamily:preset     | \definefontfamily [...] [...] [...] [...]           |
| definefontfeature           | \definefontfeature [...] [...] [..=..]              |
| definefontfile              | \definefontfile [...] [...] [..=..]                 |
| definefontsize              | \definefontsize [...]                               |
| definefontsolution          | \definefontsolution [...] [...] [..=..]             |
| defineformula               | \defineformula [...] [...] [..=..]                  |
| defineformulaalternative    | \defineformulaalternative [...] [...] [...]         |
| defineformulaframed         | \defineformulaframed [...] [...] [..=..]            |
| defineframedcontent         | \defineframedcontent [...] [...] [..=..]            |
| defineframedtable           | \defineframedtable [...] [...]                      |
| definefrozenfont            | \definefrozenfont [...] [...]                       |
| defineglobalcolor           | \defineglobalcolor [...] [..=..]                    |
| defineglobalcolor:name      | \defineglobalcolor [...] [...]                      |
| definegraphictypesynonym    | \definegraphictypesynonym [...] [...]               |
| definegridsnapping          | \definegridsnapping [...] [...]                     |
| defineheadalternative       | \defineheadalternative [...] [...] [..=..]          |
| definehelp                  | \definehelp [...] [...] [..=..]                     |
| definehigh                  | \definehigh [...] [...] [..=..]                     |
| definehighlight             | \definehighlight [...] [...] [..=..]                |
| definespace                 | \definespace [...] [...] [...]                      |
| definehyphenationfeatures   | \definehyphenationfeatures [...] [..=..]            |
| defineindentedtext          | \defineindentedtext [...] [...] [..=..]             |
| defineindenting             | \defineindenting [...] [...]                        |
| defineinitial               | \defineinitial [...] [...] [..=..]                  |
| defineinsertion             | \defineinsertion [...] [...] [..=..]                |
| defineinteraction           | \defineinteraction [...] [...] [..=..]              |
| defineinteractionbar        | \defineinteractionbar [...] [...] [..=..]           |
| defineinterfaceconstant     | \defineinterfaceconstant {...} {...}                |
| defineinterfaceelement      | \defineinterfaceelement {...} {...}                 |
| defineinterfacevariable     | \defineinterfacevariable {...} {...}                |
| defineinterlinespace        | \defineinterlinespace [...] [...] [..=..]           |
| defineintermediatecolor     | \defineintermediatecolor [...] [...] [..=..]        |
| defineitemgroup             | \defineitemgroup [...] [...] [..=..]                |
| defineitems                 | \defineitems [...] [...] [..=..]                    |
| definelabelclass            | \definelabelclass [...] [...]                       |
| definelayer                 | \definelayer [...] [...] [..=..]                    |
| definelayerpreset           | \definelayerpreset [...] [..=..]                    |
| definelayerpreset:name      | \definelayerpreset [...] [...]                      |
| definelinefiller            | \definelinefiller [...] [...] [..=..]               |
| definelinenote              | \definelinenote [...] [...] [..=..]                 |
| definelinenumbering         | \definelinenumbering [...] [...] [..=..]            |
| definelines                 | \definelines [...] [...] [..=..]                    |
| definelistalternative       | \definelistalternative [...] [...] [..=..]          |
| definelistextra             | \definelistextra [...] [...] [..=..]                |
| definelow                   | \definelow [...] [...] [..=..]                      |
| definelowhigh               | \definelowhigh [...] [...] [..=..]                  |
| definelowmidhigh            | \definelowmidhigh [...] [...] [..=..]               |
| defineMPinstance            | \defineMPinstance [...] [...] [..=..]               |
| definemarginblock           | \definemarginblock [...] [...] [..=..]              |
| definemargindata            | \definemargindata [...] [...] [..=..]               |
| definemarker                | \definemarker [...]                                 |
| definemathaccent            | \definemathaccent ... ..                            |
| definemathalignment         | \definemathalignment [...] [...] [..=..]            |
| definemathcases             | \definemathcases [...] [...] [..=..]                |
| definemathcommand           | \definemathcommand [...] [...] [...] {...}          |
| definemathdouble            | \definemathdouble [...] [...] [...] [...]           |
| definemathdoubleextensible  | \definemathdoubleextensible [...] [...] [...] [...] |
| definemathematics           | \definemathematics [...] [...] [..=..]              |
| definemathextensible        | \definemathextensible [...] [...] [...]             |
| definemathfence             | \definemathfence [...] [...] [..=..]                |
| definemathfraction          | \definemathfraction [...] [...] [..=..]             |
| definemathframed            | \definemathframed [...] [...] [..=..]               |
| definemathmatrix            | \definemathmatrix [...] [...] [..=..]               |
| definemathornament          | \definemathornament [...] [...] [..=..]             |
| definemathover              | \definemathover [...] [...] [...]                   |

|                                |   |
|--------------------------------|---|
| definemathoverextensible       | \definemathoverextensible [...] [...] [...]                   |
| definemathovertextextensible   | \definemathovertextextensible [...] [...] [...]               |
| definemathradical              | \definemathradical [...] [...] [...]                          |
| definemathstackers             | \definemathstackers [...] [...] [...]                         |
| definemathstyle                | \definemathstyle [...] [...]                                  |
| definemathtriplet              | \definemathtriplet [...] [...] [...]                          |
| definemathunder                | \definemathunder [...] [...] [...]                            |
| definemathunderextensible      | \definemathunderextensible [...] [...] [...]                  |
| definemathundertextextensible  | \definemathundertextextensible [...] [...] [...]              |
| definemathunstacked            | \definemathunstacked [...] [...] [...]                        |
| definemeasure                  | \definemeasure [...] [...]                                    |
| definemessageconstant          | \definemessageconstant {...}                                  |
| definemixedcolumns             | \definemixedcolumns [...] [...] [...]                         |
| definemode                     | \definemode [...] [...]                                       |
| definemultitonecolor           | \definemultitonecolor [...] [...] [...] [...]                 |
| definenamecolor                | \definenamecolor [...] [...] [...]                            |
| definenamecolor:name           | \definenamecolor [...] [...]                                  |
| definenamespace                | \definenamespace [...] [...] [...]                            |
| definennarrower                | \definennarrower [...] [...] [...] [...]                      |
| definernote                    | \definernote [...] [...] [...] [...]                          |
| defineornament:collector       | \defineornament [...] [...] [...] [...]                       |
| defineornament:layer           | \defineornament [...] [...] [...] [...]                       |
| defineoutputroutine            | \defineoutputroutine [...] [...] [...] [...]                  |
| defineoutputroutinecommand     | \defineoutputroutinecommand [...]                             |
| definepage                     | \definepage [...] [...]                                       |
| definepagebreak                | \definepagebreak [...] [...]                                  |
| definepagechecker              | \definepagechecker [...] [...] [...] [...]                    |
| definepagecolumns              | \definepagecolumns [...] [...] [...] [...]                    |
| definepageinjection            | \definepageinjection [...] [...] [...] [...]                  |
| definepageinjectionalternative | \definepageinjectionalternative [...] [...] [...] [...]       |
| definepageshift                | \definepageshift [...] [...] [...] [...]                      |
| definepagestate                | \definepagestate [...] [...] [...] [...]                      |
| definepairedbox                | \definepairedbox [...] [...] [...] [...]                      |
| defineparagraph                | \defineparagraph [...] [...] [...] [...]                      |
| defineparallel                 | \defineparallel [...] [...] [...]                             |
| defineparbuilder               | \defineparbuilder [...]                                       |
| defineperiodkerning            | \defineperiodkerning [...] [...] [...] [...]                  |
| defineplacement                | \defineplacement [...] [...] [...] [...]                      |
| definepositioning              | \definepositioning [...] [...] [...] [...]                    |
| defineprefixset                | \defineprefixset [...] [...] [...] [...]                      |
| defineprocesscolor             | \defineprocesscolor [...] [...] [...] [...]                   |
| defineprocessor                | \defineprocessor [...] [...] [...] [...]                      |
| definepushbutton               | \definepushbutton [...] [...] [...] [...]                     |
| definepushsymbol               | \definepushsymbol [...] [...] [...] [...]                     |
| definerenderingwindow          | \definerenderingwindow [...] [...] [...] [...]                |
| defineresetset                 | \defineresetset [...] [...] [...] [...]                       |
| defineruby                     | \defineruby [...] [...] [...] [...] [...]                     |
| definescale                    | \definescale [...] [...] [...] [...] [...]                    |
| definescript                   | \definescript [...] [...] [...] [...] [...]                   |
| definesectionlevels            | \definesectionlevels [...] [...] [...] [...] [...]            |
| defineselector                 | \defineselector [...] [...] [...] [...] [...]                 |
| defineseparatorset             | \defineseparatorset [...] [...] [...] [...] [...]             |
| defineshift                    | \defineshift [...] [...] [...] [...] [...]                    |
| definesidebar                  | \definesidebar [...] [...] [...] [...] [...]                  |
| definesort                     | \definesort [...] [...] [...] [...] [...] [...]               |
| definespotcolor                | \definespotcolor [...] [...] [...] [...] [...] [...]          |
| definestyleinstance            | \definestyleinstance [...] [...] [...] [...] [...] [...]      |
| definesubformula               | \definesubformula [...] [...] [...] [...] [...] [...]         |
| definesynonym                  | \definesynonym [...] [...] [...] [...] [...] [...] [...]      |
| definesystemattribute          | \definesystemattribute [...] [...] [...] [...] [...] [...]    |
| definesystemconstant           | \definesystemconstant {...}                                   |
| definesystemvariable           | \definesystemvariable {...}                                   |
| defineTABLEsetup               | \defineTABLEsetup [...] [...] [...] [...] [...] [...]         |
| definetabulation               | \definetabulation [...] [...] [...] [...] [...] [...]         |
| definetextbackground           | \definetextbackground [...] [...] [...] [...] [...] [...]     |
| definetextflow                 | \definetextflow [...] [...] [...] [...] [...] [...]           |
| definetokenlist                | \definetokenlist [...] [...] [...] [...] [...] [...]          |
| definetooltip                  | \definetooltip [...] [...] [...] [...] [...] [...] [...]      |
| definetransparency:1           | \definetransparency [...] [...] [...] [...] [...] [...] [...] |
| definetransparency:2           | \definetransparency [...] [...] [...] [...] [...] [...] [...] |
| definetransparency:3           | \definetransparency [...] [...] [...] [...] [...] [...] [...] |
| definetwopasslist              | \definetwopasslist {...}                                      |

|                                |   |
|--------------------------------|---|
| definetypeface                 | \definetypeface [...] [...] [...] [...] [...] [..=..] |
| definetypescriptprefix         | \definetypescriptprefix [...] [...] [..=..]           |
| definetypescriptsynonym        | \definetypescriptsynonym [...] [...] [..=..]          |
| definetypesetting              | \definetypesetting [...] [...] [..=..]                |
| defineunit                     | \defineunit [...] [...] [..=..]                       |
| defineuserdata                 | \defineuserdata [...] [...] [..=..]                   |
| defineuserdataalternative      | \defineuserdataalternative [...] [...] [..=..]        |
| defineviewerlayer              | \defineviewerlayer [...] [...] [..=..]                |
| definevspace                   | \definevspace [...] [...] [..=..]                     |
| definevspacing                 | \definevspacing [...] [...] [..=..]                   |
| definevspacingamount           | \definevspacingamount [...] [...] [..=..]             |
| definextable                   | \definextable [...] [...] [..=..]                     |
| definisci                      | \definisci [...] \... {...}                           |
| definisciaccento               | \definisciaccento ... ..                              |
| definisciambientefontdeltesto  | \definisciambientefontdeltesto [...] [...] [..=..]    |
| definisciblocco                | \definisciblocco [...] [...] [..=..]                  |
| definiscibloccosezione         | \definiscibloccosezione [...] [...] [..=..]           |
| definiscibuffer                | \definiscibuffer [...] [...] [..=..]                  |
| definiscicampo                 | \definiscicampo [...] [...] [...] [...] [..=..]       |
| definiscicapoversi             | \definiscicapoversi [...] [...] [..=..]               |
| definiscicarattere             | \definiscicarattere ... ..                            |
| definiscicolore                | \definiscicolore [...] [..=..]                        |
| definiscicolore:name           | \definiscicolore [...] [..=..]                        |
| definiscicomando               | \definiscicomando ... ..                              |
| definisciconversione           | \definisciconversione [...] [...] [..=..]             |
| definisciconversione:list      | \definisciconversione [...] [...] [..=..]             |
| definiscidescrizione           | \definiscidescrizione [...] [...] [..=..]             |
| definiscidimensionicarta       | \definiscidimensionicarta [...] [..=..]               |
| definiscidimensionicarta:name  | \definiscidimensionicarta [...] [...] [..=..]         |
| definiscielenco                | \definiscielenco [...] [...] [..=..]                  |
| definiscielencocombinato       | \definiscielencocombinato [...] [...] [..=..]         |
| definiscienumerazione          | \definiscienumerazione [...] [...] [..=..]            |
| definiscietichetta             | \definiscietichetta [...] [...] [..=..]               |
| definiscifigurasimbolo         | \definiscifigurasimbolo [...] [...] [..=..]           |
| definiscifont                  | \definiscifont [...] [...] [..=..]                    |
| definiscifontdeltesto          | \definiscifontdeltesto [...] [...] [...] [..=..]      |
| definiscifontdeltesto:argument | \definiscifontdeltesto [...] [...] [...] [..=..]      |
| definiscifont:argument         | \definiscifont [...] [...] [..=..]                    |
| definisciformatoriferimento    | \definisciformatoriferimento [...] [...] [..=..]      |
| definiscigruppocolonne         | \definiscigruppocolonne [...] [...] [..=..]           |
| definiscigruppocolori          | \definiscigruppocolori [...] [...] [x:y:z,..]         |
| definiscihbox                  | \definiscihbox [...] [..=..]                          |
| definisciincorniciato          | \definisciincorniciato [...] [...] [..=..]            |
| definisciiniziatermina         | \definisciiniziatermina [...] [...] [..=..]           |
| definiscilayout                | \definiscilayout [...] [...] [..=..]                  |
| definiscimakeup                | \definiscimakeup [...] [...] [..=..]                  |
| definiscimarcatura             | \definiscimarcatura [...] [...] [..=..]               |
| definiscimenuinterazione       | \definiscimenuinterazione [...] [...] [..=..]         |
| definiscimodellotabella        | \definiscimodellotabella [...] [...] [..=..]          |
| definisciogettoimmobile        | \definisciogettoimmobile [...] [...] [..=..]          |
| definisciogettoimmobile:name   | \definisciogettoimmobile [...] [...] [..=..]          |
| definisciordinamento           | \definisciordinamento [...] [...] [..=..]             |
| definisciprofilo               | \definisciprofilo [...] [...] [..=..]                 |
| definisciprogramma             | \definisciprogramma [...] [...] [..=..]               |
| definisciregistro              | \definisciregistro [...] [...] [..=..]                |
| definisciriferimento           | \definisciriferimento [...] [..=..]                   |
| definiscisezione               | \definiscisezione [...] [..=..]                       |
| definiscisimbolo               | \definiscisimbolo [...] [...] [..=..]                 |
| definiscisinonimi              | \definiscisinonimi [...] [...] [...] [..=..]          |
| definiscisinonimofont          | \definiscisinonimofont [...] [...] [..=..]            |
| definiscisottocampo            | \definiscisottocampo [...] [...] [..=..]              |
| definiscisovrapposizione       | \definiscisovrapposizione [...] [...] [..=..]         |
| definiscistackcampi            | \definiscistackcampi [...] [...] [..=..]              |
| definiscistile                 | \definiscistile [...] [..=..]                         |
| definiscistilefont             | \definiscistilefont [...] [..=..]                     |
| definiscitabulato              | \definiscitabulato [...] [...] [..=..]                |
| definiscitavolozza             | \definiscitavolozza [...] [..=..] <sup>OPT</sup>      |
| definiscitavolozza:name        | \definiscitavolozza [...] [..=..]                     |
| definiscitesta                 | \definiscitesta [...] [...] [..=..]                   |
| definiscitesto                 | \definiscitesto [...] [...] [...] [...] [..=..]       |
| definiscitestoincorniciato     | \definiscitestoincorniciato [...] [...] [..=..]       |
| definiscitype                  | \definiscitype [...] [...] [..=..]                    |

|                                   |   |
|-----------------------------------|---|
| definiscityping                   | \definiscityping [...] [...] [..=..]                          |
| delimited                         | \delimited [...] [...] {...}                                  |
| delimitedtext                     | \delimitedtext [...] [...] {...}                              |
| delimitedtext:instance            | \DELIMITEDTEXT [...] {...}                                    |
| delimitedtext:instance:aside      | \aside [...] {...}  |
| delimitedtext:instance:blockquote | \blockquote [...] {...}                                       |
| delimitedtext:instance:quotation  | \quotation [...] {...}  |
| delimitedtext:instance:quote      | \quote [...] {...}  |
| delimitedtext:instance:speech     | \speech [...] {...}   |
| depthofstring                     | \depthofstring {...}  |
| depthonlybox                      | \depthonlybox {...}   |
| depthspanningtext                 | \depthspanningtext {...} {...} {...}                          |
| depthstrut                        | \depthstrut   |
| descrizione:example               | \DESCRIZIONE [...] {...} ... \par                             |
| destra                            | \destra ...   |
| determinacaratteristicheregistro  | \determinacaratteristicheregistro [...] [..=..]               |
| determinacarattersticheelenco     | \determinacarattersticheelenco [...] [..=..]                  |
| determinanumerotesta              | \determinanumerotesta [...]                                   |
| determinenoflines                 | \determinenoflines {...}                                      |
| devanagarinumeral                 | \devanagarinumeral {...}                                      |
| digits                            | \digits {...}   |
| digits:string                     | \digits ...   |
| dimensiontocount                  | \dimensiontocount {...} \...                                  |
| directboxfromcache                | \directboxfromcache {...} {...}                               |
| directcolor                       | \directcolor [...]  |
| directcolored                     | \directcolored [..=..]  |
| directcolored:name                | \directcolored [...]  |
| directconvertedcounter            | \directconvertedcounter {...} {...}                           |
| directcopyboxfromcache            | \directcopyboxfromcache {...} {...}                           |
| directdummyparameter              | \directdummyparameter {...}                                   |
| directgetboxllx                   | \directgetboxllx ...  |
| directgetboxlly                   | \directgetboxlly ...  |
| directhighlight                   | \directhighlight {...} {...}                                  |
| directlocalframed                 | \directlocalframed [...] {...}                                |
| directluacode                     | \directluacode {...}  |
| directselect                      | \directselect {...} {...} {...} {...} {...} {...}             |
| directsetbar                      | \directsetbar {...} OPT OPT OPT OPT OPT                       |
| directsetup                       | \directsetup {...}  |
| directsymbol                      | \directsymbol {...} {...}                                     |
| directvspacing                    | \directvspacing {...}   |
| dis                               | \dis {...}  |
| disabledirectives                 | \disabledirectives [...]                                      |
| disableexperiments                | \disableexperiments [...]                                     |
| disablemode                       | \disablemode [...]  |
| disableoutputstream               | \disableoutputstream  |
| disableparpositions               | \disableparpositions  |
| disableregime                     | \disableregime  |
| disabletrackers                   | \disabletrackers [...]  |
| displaymath                       | \displaymath {...}  |
| displaymathematics                | \displaymathematics {...}                                     |
| displaymessage                    | \displaymessage {...}   |
| distributedhsize                  | \distributedhsize {...} {...} {...}                           |
| dividedsize                       | \dividedsize {...} {...} {...}                                |
| doadaptleftskip                   | \doadaptleftskip {...}  |
| doadaptrightskip                  | \doadaptrightskip {...}                                       |
| doaddfeature                      | \doaddfeature {...}   |
| doassign                          | \doassign [...] [..=..]                                       |
| doassignempty                     | \doassignempty [...] [..=..]                                  |
| doboundtext                       | \doboundtext {...} {...} {...}                                |
| docheckassignment                 | \docheckassignment {...}                                      |
| docheckedpagestate                | \docheckedpagestate {...} {...} {...} {...} {...} {...} {...} |
| docheckedpair                     | \docheckedpair {...}  |
| documentvariable                  | \documentvariable {...}                                       |
| dodoubleargument                  | \dodoubleargument \... [...] [...]                            |
| dodoubleargumentwithset           | \dodoubleargumentwithset \... [...] [...]                     |
| dodoubleempty                     | \dodoubleempty \... [...] [...]                               |
| dodoubleemptywithset              | \dodoubleemptywithset \... [...] [...]                        |
| dodoublegroupempty                | \dodoublegroupempty \... {...} {...}                          |
| doassign                          | \doassign [...] [..=..]                                       |
| doexpandedrecurse                 | \doexpandedrecurse {...} {...}                                |
| dofastloops                       | \dofastloops {...} \...                                       |
| dogetattribute                    | \dogetattribute {...}   |



|                               |   |
|-------------------------------|---|
| dogetattributeid              | \dogetattributeid {...}                           |
| dogetcommacommandelement      | \dogetcommacommandelement ... \from ... \to \...  |
| dogobbledoubleempty           | \dogobbledoubleempty [...] [...]                  |
| dogobblesingleempty           | \dogobblesingleempty [...]                        |
| doif                          | \doif {...} {...} {...}                           |
| doifallcommon                 | \doifallcommon {...} {...} {...}                  |
| doifallcommonelse             | \doifallcommonelse {...} {...} {...} {...}        |
| doifalldefinedelse            | \doifalldefinedelse {...} {...} {...}             |
| doifallmodes                  | \doifallmodes {...} {...} {...}                   |
| doifallmodeselse              | \doifallmodeselse {...} {...} {...}               |
| doifassignmentelse            | \doifassignmentelse {...} {...} {...}             |
| doifassignmentelsecs          | \doifassignmentelsecs {...} \... \...             |
| doifblackelse                 | \doifblackelse {...} {...} {...}                  |
| doifbothsides                 | \doifbothsides {...} {...} {...}                  |
| doifbothsidesoverruled        | \doifbothsidesoverruled {...} {...} {...}         |
| doifboxelse                   | \doifboxelse {...} {...} {...} {...}              |
| doifbufferelse                | \doifbufferelse {...} {...} {...}                 |
| doifcolor                     | \doifcolor {...} {...}                            |
| doifcolorelse                 | \doifcolorelse {...} {...} {...}                  |
| doifcommandhandler            | \doifcommandhandler \... {...} {...}              |
| doifcommandhandlerelse        | \doifcommandhandlerelse \... {...} {...} {...}    |
| doifcommon                    | \doifcommon {...} {...} {...}                     |
| doifcommonelse                | \doifcommonelse {...} {...} {...} {...}           |
| doifcontent                   | \doifcontent {...} {...} {...} \... {...}         |
| doifconversiondefinedelse     | \doifconversiondefinedelse {...} {...} {...}      |
| doifconversionnumberelse      | \doifconversionnumberelse {...} {...} {...} {...} |
| doifcounter                   | \doifcounter {...} {...}                          |
| doifcounterelse               | \doifcounterelse {...} {...} {...}                |
| doifcurrentfonthasfeatureelse | \doifcurrentfonthasfeatureelse {...} {...} {...}  |
| doifdefined                   | \doifdefined {...} {...}                          |
| doifdefinedcounter            | \doifdefinedcounter {...} {...}                   |
| doifdefinedcounterelse        | \doifdefinedcounterelse {...} {...} {...}         |
| doifdefinedelse               | \doifdefinedelse {...} {...} {...}                |
| doifdimensionelse             | \doifdimensionelse {...} {...} {...}              |
| doifdimenstringelse           | \doifdimenstringelse {...} {...} {...}            |
| doifdocumentargument          | \doifdocumentargument {...} {...}                 |
| doifdocumentargumentelse      | \doifdocumentargumentelse {...} {...} {...}       |
| doifdocumentfilename          | \doifdocumentfilename {...} {...}                 |
| doifdocumentfilenameelse      | \doifdocumentfilenameelse {...} {...} {...}       |
| doifdocumentvariable          | \doifdocumentvariable {...} {...}                 |
| doifdocumentvariableelse      | \doifdocumentvariableelse {...} {...} {...}       |
| doifdrawingblackelse          | \doifdrawingblackelse {...} {...}                 |
| doifelse                      | \doifelse {...} {...} {...} {...}                 |
| doifelseallcommon             | \doifelseallcommon {...} {...} {...} {...}        |
| doifelsealldefined            | \doifelsealldefined {...} {...} {...}             |
| doifelseallmodes              | \doifelseallmodes {...} {...} {...}               |
| doifelseassignment            | \doifelseassignment {...} {...} {...}             |
| doifelseassignmentcs          | \doifelseassignmentcs {...} \... \...             |
| doifelseblack                 | \doifelseblack {...} {...} {...}                  |
| doifelsebox                   | \doifelsebox {...} {...} {...} {...}              |
| doifelseboxincache            | \doifelseboxincache {...} {...} {...} {...}       |
| doifelsebuffer                | \doifelsebuffer {...} {...} {...}                 |
| doifelsecolor                 | \doifelsecolor {...} {...} {...}                  |
| doifelsecommandhandler        | \doifelsecommandhandler \... {...} {...} {...}    |
| doifelsecommon                | \doifelsecommon {...} {...} {...} {...}           |
| doifelseconversiondefined     | \doifelseconversiondefined {...} {...} {...}      |
| doifelseconversionnumber      | \doifelseconversionnumber {...} {...} {...} {...} |
| doifelsecounter               | \doifelsecounter {...} {...} {...}                |
| doifelsecurrentfonthasfeature | \doifelsecurrentfonthasfeature {...} {...} {...}  |
| doifelsecurrentsortingsused   | \doifelsecurrentsortingsused {...} {...}          |
| doifelsecurrentsynonymshown   | \doifelsecurrentsynonymshown {...} {...}          |
| doifelsecurrentsynonymused    | \doifelsecurrentsynonymused {...} {...}           |
| doifelsedefined               | \doifelsedefined {...} {...} {...}                |
| doifelsedefinedcounter        | \doifelsedefinedcounter {...} {...} {...}         |
| doifelsedimension             | \doifelsedimension {...} {...} {...}              |
| doifelsedimenstring           | \doifelsedimenstring {...} {...} {...}            |
| doifelsedocumentargument      | \doifelsedocumentargument {...} {...} {...}       |
| doifelsedocumentfilename      | \doifelsedocumentfilename {...} {...} {...}       |
| doifelsedocumentvariable      | \doifelsedocumentvariable {...} {...} {...}       |
| doifelsedrawingblack          | \doifelsedrawingblack {...} {...}                 |
| doifelseempty                 | \doifelseempty {...} {...} {...}                  |
| doifelseemptyvalue            | \doifelseemptyvalue {...} {...} {...}             |

|                              |   |
|------------------------------|---|
| doifelseemptyvariable        | \doifelseemptyvariable {...} {...} {...} {...}        |
| doifelseenv                  | \doifelseenv {...} {...} {...}                        |
| doifelsefastoptionalcheck    | \doifelsefastoptionalcheck {...} {...}                |
| doifelsefastoptionalcheckcs  | \doifelsefastoptionalcheckcs \... \...                |
| doifelsefieldbody            | \doifelsefieldbody {...} {...} {...}                  |
| doifelsefieldcategory        | \doifelsefieldcategory {...} {...} {...}              |
| doifelsefigure               | \doifelsefigure {...} {...} {...}                     |
| doifelsefile                 | \doifelsefile {...} {...} {...}                       |
| doifelsefiledefined          | \doifelsefiledefined {...} {...} {...}                |
| doifelsefileexists           | \doifelsefileexists {...} {...} {...}                 |
| doifelsefirstchar            | \doifelsefirstchar {...} {...} {...} {...}            |
| doifelseflagged              | \doifelseflagged {...} {...} {...}                    |
| doifelsefontchar             | \doifelsefontchar {...} {...} {...} {...}             |
| doifelsefontfeature          | \doifelsefontfeature {...} {...} {...}                |
| doifelsefontpresent          | \doifelsefontpresent {...} {...} {...}                |
| doifelsefontsynonym          | \doifelsefontsynonym {...} {...} {...}                |
| doifelseframed               | \doifelseframed \... {...} {...}                      |
| doifelsehasspace             | \doifelsehasspace {...} {...} {...}                   |
| doifelsehelp                 | \doifelsehelp {...} {...}                             |
| doifelseincsnam              | \doifelseincsnam {...} {...} {...} {...}              |
| doifelseinelement            | \doifelseinelement {...} {...} {...}                  |
| doifelseinputfile            | \doifelseinputfile {...} {...} {...}                  |
| doifelseinsertion            | \doifelseinsertion {...} {...} {...}                  |
| doifelseinset                | \doifelseinset {...} {...} {...} {...}                |
| doifelseinstring             | \doifelseinstring {...} {...} {...} {...}             |
| doifelseinsymbolset          | \doifelseinsymbolset {...} {...} {...} {...}          |
| doifelseintoks               | \doifelseintoks {...} {...} {...} {...}               |
| doifelseintwopassdata        | \doifelseintwopassdata {...} {...} {...} {...}        |
| doifelseitalic               | \doifelseitalic {...} {...}                           |
| doifelselanguage             | \doifelselanguage {...} {...} {...}                   |
| doifelselayerdata            | \doifelselayerdata {...} {...} {...}                  |
| doifelselayoutdefined        | \doifelselayoutdefined {...} {...} {...}              |
| doifelselayoutsomeline       | \doifelselayoutsomeline {...} {...} {...}             |
| doifelselayouttextline       | \doifelselayouttextline {...} {...} {...}             |
| doifelseleapyear             | \doifelseleapyear {...} {...} {...}                   |
| doifselist                   | \doifselist {...} {...} {...}                         |
| doifselocation               | \doifselocation {...} {...}                           |
| doifselocfile                | \doifselocfile {...} {...} {...}                      |
| doifelseMPgraphic            | \doifelseMPgraphic {...} {...} {...}                  |
| doifelsemainfloatbody        | \doifelsemainfloatbody {...} {...}                    |
| doifelsemarkedpage           | \doifelsemarkedpage {...} {...} {...}                 |
| doifelsemarking              | \doifelsemarking {...} {...} {...}                    |
| doifelsemeaning              | \doifelsemeaning \... \... {...} {...}                |
| doifelsemessage              | \doifelsemessage {...} {...} {...} {...}              |
| doifelsemode                 | \doifelsemode {...} {...} {...}                       |
| doifelsenextbgroup           | \doifelsenextbgroup {...} {...}                       |
| doifelsenextbgroupcs         | \doifelsenextbgroupcs \... \...                       |
| doifelsenextchar             | \doifelsenextchar {...} {...} {...}                   |
| doifelsenextoptional         | \doifelsenextoptional {...} {...}                     |
| doifelsenextoptionalcs       | \doifelsenextoptionalcs \... \...                     |
| doifelsenextparenthesis      | \doifelsenextparenthesis {...} {...}                  |
| doifelsenonzeropositive      | \doifelsenonzeropositive {...} {...} {...}            |
| doifelsenoteonsamepage       | \doifelsenoteonsamepage {...} {...} {...}             |
| doifelsenothing              | \doifelsenothing {...} {...} {...}                    |
| doifelsenumber               | \doifelsenumber {...} {...} {...}                     |
| doifelseobjectfound          | \doifelseobjectfound {...} {...} {...} {...}          |
| doifelseobjectreferencefound | \doifelseobjectreferencefound {...} {...} {...} {...} |
| doifelseoddpage              | \doifelseoddpage {...} {...}                          |
| doifelseoddpagefloat         | \doifelseoddpagefloat {...} {...}                     |
| doifelseoldercontext         | \doifelseoldercontext {...} {...} {...}               |
| doifelseolderversion         | \doifelseolderversion {...} {...} {...} {...}         |
| doifelseoverlapping          | \doifelseoverlapping {...} {...} {...} {...}          |
| doifelseoverlay              | \doifelseoverlay {...} {...} {...}                    |
| doifelseparallel             | \doifelseparallel {...} {...} {...} {...}             |
| doifelseparentfile           | \doifelseparentfile {...} {...} {...}                 |
| doifelsepath                 | \doifelsepath {...} {...} {...}                       |
| doifelsepathexists           | \doifelsepathexists {...} {...} {...}                 |
| doifelsepatterns             | \doifelsepatterns {...} {...} {...}                   |
| doifelseposition             | \doifelseposition {...} {...} {...}                   |
| doifelsepositionaction       | \doifelsepositionaction {...} {...} {...}             |
| doifelsepositiononpage       | \doifelsepositiononpage {...} {...} {...} {...}       |
| doifelsepositionsonsamepage  | \doifelsepositionsonsamepage {...} {...} {...}        |

|                                |   |
|--------------------------------|---|
| doifelsepositionsonthispage    | \doifelsepositionsonthispage {...} {...} {...}  |
| doifelsepositionsused          | \doifelsepositionsused {...} {...}              |
| doifelsereferencefound         | \doifelsereferencefound {...} {...} {...}       |
| doifelserightpage              | \doifelserightpage {...} {...}                  |
| doifelserightpagefloat         | \doifelserightpagefloat {...} {...}             |
| doifelserighttoleftinbox       | \doifelserighttoleftinbox ... {...} {...}       |
| doifelsesamelinereference      | \doifelsesamelinereference {...} {...} {...}    |
| doifelsesamestring             | \doifelsesamestring {...} {...} {...} {...}     |
| doifelsesetups                 | \doifelsesetups {...} {...} {...}               |
| doifelsesomebackground         | \doifelsesomebackground {...} {...} {...}       |
| doifelsesomespace              | \doifelsesomespace {...} {...} {...}            |
| doifelsesomething              | \doifelsesomething {...} {...} {...}            |
| doifelsesometoks               | \doifelsesometoks \... {...} {...}              |
| doifelsestringinstring         | \doifelsestringinstring {...} {...} {...} {...} |
| doifelsestructurelisthasnumber | \doifelsestructurelisthasnumber {...} {...}     |
| doifelsestructurelisthaspage   | \doifelsestructurelisthaspage {...} {...}       |
| doifelsesymboldefined          | \doifelsesymboldefined {...} {...} {...}        |
| doifelsesymbolset              | \doifelsesymbolset {...} {...} {...}            |
| doifelsetext                   | \doifelsetext {...} {...} {...}                 |
| doifelsetextflow               | \doifelsetextflow {...} {...} {...}             |
| doifelsetextflowcollector      | \doifelsetextflowcollector {...} {...} {...}    |
| doifelsetopofpage              | \doifelsetopofpage {...} {...}                  |
| doifelsetypingfile             | \doifelsetypingfile {...} {...} {...}           |
| doifelseundefined              | \doifelseundefined {...} {...} {...}            |
| doifelseurldefined             | \doifelseurldefined {...} {...} {...}           |
| doifelsevalue                  | \doifelsevalue {...} {...} {...} {...}          |
| doifelsevaluenothing           | \doifelsevaluenothing {...} {...} {...}         |
| doifelsevariable               | \doifelsevariable {...} {...} {...} {...}       |
| doifempty                      | \doifempty {...} {...}                          |
| doifemptyelse                  | \doifemptyelse {...} {...} {...}                |
| doifemptytoks                  | \doifemptytoks \... {...}                       |
| doifemptyvalue                 | \doifemptyvalue {...} {...}                     |
| doifemptyvalueelse             | \doifemptyvalueelse {...} {...} {...}           |
| doifemptyvariable              | \doifemptyvariable {...} {...} {...}            |
| doifemptyvariableelse          | \doifemptyvariableelse {...} {...} {...} {...}  |
| doifenv                        | \doifenv {...} {...}                            |
| doifenvelse                    | \doifenvelse {...} {...} {...}                  |
| doiffastoptionalcheckcselse    | \doiffastoptionalcheckcselse \... \...          |
| doiffastoptionalcheckelse      | \doiffastoptionalcheckelse {...} {...}          |
| doiffielddbbodyelse            | \doiffielddbbodyelse {...} {...} {...}          |
| doiffielddcategoryelse         | \doiffielddcategoryelse {...} {...} {...}       |
| doiffigureelse                 | \doiffigureelse {...} {...} {...}               |
| doiffile                       | \doiffile {...} {...}                           |
| doiffiledefinedelse            | \doiffiledefinedelse {...} {...} {...}          |
| doiffileelse                   | \doiffileelse {...} {...} {...}                 |
| doiffileexistselse             | \doiffileexistselse {...} {...} {...}           |
| doiffirstcharelse              | \doiffirstcharelse {...} {...} {...} {...}      |
| doifflaggedelse                | \doifflaggedelse {...} {...} {...}              |
| doiffontcharelse               | \doiffontcharelse {...} {...} {...} {...}       |
| doiffontfeatureelse            | \doiffontfeatureelse {...} {...} {...}          |
| doiffontpresentelse            | \doiffontpresentelse {...} {...} {...}          |
| doiffontsynonymelse            | \doiffontsynonymelse {...} {...} {...}          |
| doifhasspaceelse               | \doifhasspaceelse {...} {...} {...}             |
| doifhelpelse                   | \doifhelpelse {...} {...}                       |
| doifincsnameelse               | \doifincsnameelse {...} {...} {...} {...}       |
| doifinelementelse              | \doifinelementelse {...} {...} {...}            |
| doifinputfileelse              | \doifinputfileelse {...} {...} {...}            |
| doifinsertionelse              | \doifinsertionelse {...} {...} {...}            |
| doifinset                      | \doifinset {...} {...} {...}                    |
| doifinsetelse                  | \doifinsetelse {...} {...} {...} {...}          |
| doifinstring                   | \doifinstring {...} {...} {...}                 |
| doifinstringelse               | \doifinstringelse {...} {...} {...} {...}       |
| doifinsymbolset                | \doifinsymbolset {...} {...} {...} {...}        |
| doifinsymbolsetelse            | \doifinsymbolsetelse {...} {...} {...} {...}    |
| doifintokselse                 | \doifintokselse {...} {...} {...} {...}         |
| doifintwopassdataelse          | \doifintwopassdataelse {...} {...} {...} {...}  |
| doifitalicelse                 | \doifitalicelse {...} {...}                     |
| doiflanguageelse               | \doiflanguageelse {...} {...} {...}             |
| doiflayerdataelse              | \doiflayerdataelse {...} {...} {...}            |
| doiflayoutdefinedelse          | \doiflayoutdefinedelse {...} {...} {...}        |
| doiflayoutsomelineelse         | \doiflayoutsomelineelse {...} {...} {...}       |
| doiflayouttextlineelse         | \doiflayouttextlineelse {...} {...} {...}       |

|                              |   |
|------------------------------|---|
| doifleapyearelse             | \doifleapyearelse {...} {...} {...}                   |
| doiflistelse                 | \doiflistelse {...} {...} {...}                       |
| doiflocationelse             | \doiflocationelse {...} {...}                         |
| doiflocfileelse              | \doiflocfileelse {...} {...} {...}                    |
| doifMPgraphicelse            | \doifMPgraphicelse {...} {...} {...}                  |
| doifmainfloatbodyelse        | \doifmainfloatbodyelse {...} {...}                    |
| doifmarkingelse              | \doifmarkingelse {...} {...} {...}                    |
| doifmeaningelse              | \doifmeaningelse \... \... {...} {...}                |
| doifmessageelse              | \doifmessageelse {...} {...} {...} {...}              |
| doifmode                     | \doifmode {...} {...}                                 |
| doifmodeelse                 | \doifmodeelse {...} {...} {...}                       |
| doifnextbgroupcelse          | \doifnextbgroupcelse \... \...                        |
| doifnextbgroupelse           | \doifnextbgroupelse {...} {...}                       |
| doifnextcharelse             | \doifnextcharelse {...} {...} {...}                   |
| doifnextoptionalcelse        | \doifnextoptionalcelse \... \...                      |
| doifnextoptionalelse         | \doifnextoptionalelse {...} {...}                     |
| doifnextparenthesiselse      | \doifnextparenthesiselse {...} {...}                  |
| doifnonzeropositiveelse      | \doifnonzeropositiveelse {...} {...} {...}            |
| doifnot                      | \doifnot {...} {...} {...}                            |
| doifnotallcommon             | \doifnotallcommon {...} {...} {...}                   |
| doifnotallmodes              | \doifnotallmodes {...} {...} {...}                    |
| doifnotcommandhandler        | \doifnotcommandhandler \... {...} {...}               |
| doifnotcommon                | \doifnotcommon {...} {...} {...}                      |
| doifnotcounter               | \doifnotcounter {...} {...}                           |
| doifnotdocumentargument      | \doifnotdocumentargument {...} {...}                  |
| doifnotdocumentfilename      | \doifnotdocumentfilename {...} {...}                  |
| doifnotdocumentvariable      | \doifnotdocumentvariable {...} {...}                  |
| doifnotempty                 | \doifnotempty {...} {...}                             |
| doifnotemptyvalue            | \doifnotemptyvalue {...} {...}                        |
| doifnotemptyvariable         | \doifnotemptyvariable {...} {...} {...}               |
| doifnotenv                   | \doifnotenv {...} {...}                               |
| doifnoteonsamepageelse       | \doifnoteonsamepageelse {...} {...} {...}             |
| doifnotescollected           | \doifnotescollected {...} {...}                       |
| doifnotfile                  | \doifnotfile {...} {...}                              |
| doifnotflagged               | \doifnotflagged {...} {...}                           |
| doifnothing                  | \doifnothing {...} {...}                              |
| doifnothingelse              | \doifnothingelse {...} {...} {...}                    |
| doifnotinset                 | \doifnotinset {...} {...} {...}                       |
| doifnotinsidesplitfloat      | \doifnotinsidesplitfloat {...}                        |
| doifnotinstring              | \doifnotinstring {...} {...} {...}                    |
| doifnotmode                  | \doifnotmode {...} {...}                              |
| doifnotnumber                | \doifnotnumber {...} {...}                            |
| doifnotsamestring            | \doifnotsamestring {...} {...} {...}                  |
| doifnotsetups                | \doifnotsetups {...} {...}                            |
| doifnotvalue                 | \doifnotvalue {...} {...} {...}                       |
| doifnotvariable              | \doifnotvariable {...} {...} {...}                    |
| doifnumber                   | \doifnumber {...} {...}                               |
| doifnumberelse               | \doifnumberelse {...} {...} {...}                     |
| doifobjectfoundelse          | \doifobjectfoundelse {...} {...} {...} {...}          |
| doifobjectreferencefoundelse | \doifobjectreferencefoundelse {...} {...} {...} {...} |
| doifoddpagelse               | \doifoddpagelse {...} {...}                           |
| doifoddpagefloatelse         | \doifoddpagefloatelse {...} {...}                     |
| doifoldercontextelse         | \doifoldercontextelse {...} {...} {...}               |
| doifolderversionelse         | \doifolderversionelse {...} {...} {...} {...}         |
| doifoverlappingelse          | \doifoverlappingelse {...} {...} {...} {...}          |
| doifoverlayelse              | \doifoverlayelse {...} {...} {...}                    |
| doifparallelelse             | \doifparallelelse {...} {...} {...} {...}             |
| doifparentfileelse           | \doifparentfileelse {...} {...} {...}                 |
| doifpathelse                 | \doifpathelse {...} {...} {...}                       |
| doifpathexistselse           | \doifpathexistselse {...} {...} {...}                 |
| doifpatternselse             | \doifpatternselse {...} {...} {...}                   |
| doifposition                 | \doifposition {...} {...} {...}                       |
| doifpositionaction           | \doifpositionaction {...} {...} {...}                 |
| doifpositionactionelse       | \doifpositionactionelse {...} {...} {...}             |
| doifpositionelse             | \doifpositionelse {...} {...} {...}                   |
| doifpositiononpageelse       | \doifpositiononpageelse {...} {...} {...} {...}       |
| doifpositionsonsamepageelse  | \doifpositionsonsamepageelse {...} {...} {...}        |
| doifpositionsonthispageelse  | \doifpositionsonthispageelse {...} {...} {...}        |
| doifpositionsusedelse        | \doifpositionsusedelse {...} {...}                    |
| doifreferencefoundelse       | \doifreferencefoundelse {...} {...} {...}             |
| doifrightpagefloatelse       | \doifrightpagefloatelse {...} {...}                   |
| doifrighttoleftinboxelse     | \doifrighttoleftinboxelse ... {...} {...}             |

|                                       |  |
|---------------------------------------|--|
| doifsamelinereferenceelse             | \doifsamelinereferenceelse {...} {...} {...}                         |
| doifsamestring                        | \doifsamestring {...} {...} {...}                                    |
| doifsamestringelse                    | \doifsamestringelse {...} {...} {...} {...}                          |
| doifsetups                            | \doifsetups {...} {...}  |
| doifsetupselse                        | \doifsetupselse {...} {...} {...}                                    |
| doifsomebackground                    | \doifsomebackground {...} {...} {...}                                |
| doifsomebackgroundelse                | \doifsomebackgroundelse {...} {...} {...}                            |
| doifsomespaceelse                     | \doifsomespaceelse {...} {...} {...}                                 |
| doifsomething                         | \doifsomething {...} {...}   |
| doifsomethingelse                     | \doifsomethingelse {...} {...} {...}                                 |
| doifsometoks                          | \doifsometoks \... {...}   |
| doifsometokselse                      | \doifsometokselse \... {...} {...}                                   |
| doifstringinstringelse                | \doifstringinstringelse {...} {...} {...} {...}                      |
| doifstructurelisthasnumberelse        | \doifstructurelisthasnumberelse {...} {...}                          |
| doifstructurelisthaspageelse          | \doifstructurelisthaspageelse {...} {...}                            |
| doifsymboldefinedelse                 | \doifsymboldefinedelse {...} {...} {...}                             |
| doifsymbolsetelse                     | \doifsymbolsetelse {...} {...} {...}                                 |
| doiftext                              | \doiftext {...} {...} {...}  |
| doiftextelse                          | \doiftextelse {...} {...} {...}                                      |
| doiftextflowcollectorelse             | \doiftextflowcollectorelse {...} {...} {...}                         |
| doiftextflowelse                      | \doiftextflowelse {...} {...} {...}                                  |
| doiftopofpageelse                     | \doiftopofpageelse {...} {...}                                       |
| doiftypingfileelse                    | \doiftypingfileelse {...} {...} {...}                                |
| doifundefined                         | \doifundefined {...} {...}   |
| doifundefinedcounter                  | \doifundefinedcounter {...} {...}                                    |
| doifundefinedelse                     | \doifundefinedelse {...} {...} {...}                                 |
| doifunknownfontfeature                | \doifunknownfontfeature {...} {...} {...}                            |
| doifurldefinedelse                    | \doifurldefinedelse {...} {...} {...}                                |
| doifvalue                             | \doifvalue {...} {...} {...}   |
| doifvalueelse                         | \doifvalueelse {...} {...} {...} {...}                               |
| doifvaluenothing                      | \doifvaluenothing {...} {...}  |
| doifvaluenothingelse                  | \doifvaluenothingelse {...} {...} {...}                              |
| doifvaluesomething                    | \doifvaluesomething {...} {...}                                      |
| doifvariable                          | \doifvariable {...} {...} {...}                                      |
| doifvariableelse                      | \doifvariableelse {...} {...} {...} {...}                            |
| doindentation                         | \doindentation   |
| dollar                                | \dollar  |
| doloop                                | \doloop {...}  |
| doloopoverlist                        | \doloopoverlist {...} {...}  |
| donothing                             | \donothing   |
| dontconvertfont                       | \dontconvertfont   |
| dontleavehmode                        | \dontleavehmode  |
| dontpermitspacesbetweengroups         | \dontpermitspacesbetweengroups                                       |
| dopositionaction                      | \dopositionaction {...}  |
| doprocesslocalsetups                  | \doprocesslocalsetups {...}  |
| doquadrupleargument                   | \doquadrupleargument \... [...] [...] [...] [...]                    |
| doquadrupleempty                      | \doquadrupleempty \... [...] [...] [...] [...]                       |
| doquadruplegroupempty                 | \doquadruplegroupempty \... {...} {...} {...} {...}                  |
| doquintupleargument                   | \doquintupleargument \... [...] [...] [...] [...] [...]              |
| doquintupleempty                      | \doquintupleempty \... [...] [...] [...] [...] [...]                 |
| doquintuplegroupempty                 | \doquintuplegroupempty \... {...} {...} {...} {...} {...}            |
| dorechecknextindentation              | \dorechecknextindentation  |
| dorecurse                             | \dorecurse {...} {...}   |
| dorepeatwithcommand                   | \dorepeatwithcommand [...] \...                                      |
| doreplacefeature                      | \doreplacefeature {...}  |
| doresetandafffeature                  | \doresetandafffeature {...}  |
| doresetattribute                      | \doresetattribute {...}  |
| dorotatebox                           | \dorotatebox {...} \... {...}  |
| dosetattribute                        | \dosetattribute {...} {...}  |
| dosetleftskipadaption                 | \dosetleftskipadaption {...}   |
| dosetrighskipadaption                 | \dosetrighskipadaption {...}   |
| dosetupcheckedinterlinespace          | \dosetupcheckedinterlinespace {.=...}                                |
| dosetupcheckedinterlinespace:argument | \dosetupcheckedinterlinespace {...}                                  |
| dosetupcheckedinterlinespace:name     | \dosetupcheckedinterlinespace {...}                                  |
| doseventupleargument                  | \doseventupleargument \... [...] [...] [...] [...] [...] [...] [...] |
| doseventupleempty                     | \doseventupleempty \... [...] [...] [...] [...] [...] [...] [...]    |
| dosingleargument                      | \dosingleargument \... [...]   |
| dosingleempty                         | \dosingleempty \... [...]  |
| dosinglegroupempty                    | \dosinglegroupempty \... {...}                                       |
| dosixtupleargument                    | \dosixtupleargument \... [...] [...] [...] [...] [...] [...] [...]   |
| dosixtupleempty                       | \dosixtupleempty \... [...] [...] [...] [...] [...] [...] [...]      |
| dostarttagged                         | \dostarttagged {...} {...} ... \dostoptagged                         |

|                         |   |
|-------------------------|---|
| dostepwiserecurse       | \dostepwiserecurse {...} {...} {...} {...}      |
| dosubtractfeature       | \dosubtractfeature {...}                        |
| dotfskip                | \dotfskip {...}                                 |
| dotoks                  | \dotoks \...                                    |
| dotripleargument        | \dotripleargument \... [...] [...] [...]        |
| dotripleargumentwithset | \dotripleargumentwithset \... [...] [...] [...] |
| dotripleempty           | \dotripleempty \... [...] [...] [...]           |
| dotripleemptywithset    | \dotripleemptywithset \... [...] [...] [...]    |
| dotriplegroupempty      | \dotriplegroupempty \... {...} {...} {...}      |
| doublebond              | \doublebond                                     |
| dowith                  | \dowith {...} {...}                             |
| dowithnextbox           | \dowithnextbox {...} \... {...}                 |
| dowithnextboxcontent    | \dowithnextboxcontent {...} {...} \... {...}    |
| dowithnextboxcontentcs  | \dowithnextboxcontentcs \... \... \... {...}    |
| dowithnextboxcs         | \dowithnextboxcs \... \... {...}                |
| dowithpargument         | \dowithpargument \...                           |
| dowithrange             | \dowithrange {...} \...                         |
| dowithwargument         | \dowithwargument \...                           |
| dpofstring              | \dpofstring {...}                               |
| dummydigit              | \dummydigit                                     |
| dummyparameter          | \dummyparameter {...}                           |
| E <sub>TEX</sub>        | \E <sub>TEX</sub>                               |
| EveryLine               | \EveryLine {...}                                |
| EveryPar                | \EveryPar {...}                                 |
| edefconvertedargument   | \edefconvertedargument \... {...}               |
| efcmaxheight            | \efcmaxheight {...}                             |
| efcmaxwidth             | \efcmaxwidth {...}                              |
| efcminheight            | \efcminheight {...}                             |
| efcminwidth             | \efcminwidth {...}                              |
| efcparameter            | \efcparameter {...} {...}                       |
| effect                  | \effect [...] {...}                             |
| elaborablocchi          | \elaborablocchi [...] [...] [..=..]             |
| elapsedseconds          | \elapsedseconds                                 |
| elapsedtime             | \elapsedtime                                    |
| elementi                | \elementi [..=..] {...}                         |
| elemento                | \elemento [...]                                 |
| em                      | \em   |
| emphasisboldface        | \emphasisboldface                               |
| emphasistypeface        | \emphasistypeface                               |
| emptylines              | \emptylines [...]                               |
| emspace                 | \emspace  |
| enabledirectives        | \enabledirectives [...]                         |
| enableexperiments       | \enableexperiments [...]                        |
| enablemode              | \enablemode [...]                               |
| enableoutputstream      | \enableoutputstream [...]                       |
| enableparpositions      | \enableparpositions                             |
| enableregime            | \enableregime [...]                             |
| enabletrackers          | \enabletrackers [...]                           |
| enskip                  | \enskip   |
| enspace                 | \enspace  |
| enumerazione:example    | \ENUMERAZIONE [...] {...} ... \par              |
| env                     | \env {...}                                      |
| envvar                  | \envvar {...} {...}                             |
| epos                    | \epos {...}                                     |
| equaldigits             | \equaldigits {...}                              |
| e <sub>TeX</sub>        | \e <sub>TeX</sub>                               |
| etichetta:example       | \ETICHETTA [...] {...}                          |
| executeifdefined        | \executeifdefined {...} {...}                   |
| exitloop                | \exitloop                                       |
| exitloopnow             | \exitloopnow                                    |
| expandcheckedcsname     | \expandcheckedcsname \... {...} {...}           |
| expanded                | \expanded {...}                                 |
| expandeddoif            | \expandeddoif {...} {...} {...}                 |
| expandeddoifelse        | \expandeddoifelse {...} {...} {...} {...}       |
| expandeddoifnot         | \expandeddoifnot {...} {...} {...}              |
| expandfontsynonym       | \expandfontsynonym \... {...}                   |
| expdoif                 | \expdoif {...} {...} {...}                      |
| expdoifcommonelse       | \expdoifcommonelse {...} {...} {...} {...}      |
| expdoifelse             | \expdoifelse {...} {...} {...} {...}            |
| expdoifelsecommon       | \expdoifelsecommon {...} {...} {...} {...}      |
| expdoifelseinset        | \expdoifelseinset {...} {...} {...} {...}       |
| expdoifinsetelse        | \expdoifinsetelse {...} {...} {...} {...}       |

|                                   |  |
|-----------------------------------|--|
| expdoifnot                        | \expdoifnot {...} {...} {...}  |
| externalfigurecollectionmaxheight | \externalfigurecollectionmaxheight {...}   |
| externalfigurecollectionmaxwidth  | \externalfigurecollectionmaxwidth {...}  |
| externalfigurecollectionminheight | \externalfigurecollectionminheight {...}   |
| externalfigurecollectionminwidth  | \externalfigurecollectionminwidth {...}  |
| externalfigurecollectionparameter | \externalfigurecollectionparameter {...} {...}   |
| fakebox                           | \fakebox ...   |
| fastdecrement                     | \fastdecrement \...  |
| fastincrement                     | \fastincrement \...  |
| fastlocalframed                   | \fastlocalframed [...] [..=..] {...}   |
| fastloopfinal                     | \fastloopfinal   |
| fastloopindex                     | \fastloopindex   |
| fastscale                         | \fastscale {...} {...}   |
| fastsetup                         | \fastsetup {...}   |
| fastsetupwithargument             | \fastsetupwithargument {...} {...}   |
| fastsetupwithargumentswapped      | \fastsetupwithargumentswapped {...} {...}  |
| fastswitchtobodyfont              | \fastswitchtobodyfont {...}  |
| fastxsxy                          | \fastxsxy {...} {...} {...}  |
| feature                           | \feature [...] [...]   |
| feature:direct                    | \feature {...} {...}   |
| fence                             | \fence   |
| fenced                            | \fenced [...] {...}  |
| fence:example                     | \FENCE {...}   |
| fetchallmarkings                  | \fetchallmarkings [...] [...]  |
| fetchallmarks                     | \fetchallmarks [...]   |
| fetchmark                         | \fetchmark [...] [...]   |
| fetchmarking                      | \fetchmarking [...] [...] [...]  |
| fetchonemark                      | \fetchonemark [...] [...]  |
| fetchonemarking                   | \fetchonemarking [...] [...] [...]   |
| fetchruntinecommand               | \fetchruntinecommand \... {...}  |
| fetchtwomarkings                  | \fetchtwomarkings [...] [...]  |
| fetchtwomarks                     | \fetchtwomarks [...]   |
| fieldbody                         | \fieldbody [...] [..=..]   |
| fifthoffivearguments              | \fifthoffivearguments {...} {...} {...} {...} {...}  |
| fifthofsixarguments               | \fifthofsixarguments {...} {...} {...} {...} {...} {...}   |
| figuraesterna                     | \figuraesterna [...] [...] [..=..]   |
| figurefilename                    | \figurefilename  |
| figurefilepath                    | \figurefilepath  |
| figurefiletype                    | \figurefiletype  |
| figurefullname                    | \figurefullname  |
| figureheight                      | \figureheight  |
| figurenaturalheight               | \figurenaturalheight   |
| figurenaturalwidth                | \figurenaturalwidth  |
| figuresymbol                      | \figuresymbol [...] [..=..]  |
| figurewidth                       | \figurewidth   |
| filename                          | \filename {...}  |
| filledhboxb                       | \filledhboxb ... {...}   |
| filledhboxc                       | \filledhboxc ... {...}   |
| filledhboxg                       | \filledhboxg ... {...}   |
| filledhboxk                       | \filledhboxk ... {...}   |
| filledhboxm                       | \filledhboxm ... {...}   |
| filledhboxr                       | \filledhboxr ... {...}   |
| filledhboxy                       | \filledhboxy ... {...}   |
| filler                            | \filler [...]  |
| fillupto                          | \fillupto [...] {...}  |
| filterfromnext                    | \filterfromnext {...} {...} {...} {...} {...} {...} {...}  |
| filterfromvalue                   | \filterfromvalue {...} {...} { <sup>OPT</sup> ...} <sup>OPT</sup> <sup>OPT</sup> <sup>OPT</sup> <sup>OPT</sup> |
| filterpages                       | \filterpages [...] [...] [..=..]   |
| filterreference                   | \filterreference {...}   |
| findtwopassdata                   | \findtwopassdata {...} {...}   |
| finishregisterentry               | \finishregisterentry [...] [..=..] [..=..]   |
| firstcharacter                    | \firstcharacter  |
| firstcounter                      | \firstcounter [...] [...]  |
| firstcountervalue                 | \firstcountervalue [...]   |
| firstinlist                       | \firstinlist [...]   |
| firstoffivearguments              | \firstoffivearguments {...} {...} {...} {...} {...}  |
| firstoffourarguments              | \firstoffourarguments {...} {...} {...} {...}  |
| firstofoneargument                | \firstofoneargument {...}  |
| firstofoneunexpanded              | \firstofoneunexpanded {...}  |
| firstofsixarguments               | \firstofsixarguments {...} {...} {...} {...} {...} {...}   |
| firstofthreearguments             | \firstofthreearguments {...} {...} {...}   |
| firstofthreeunexpanded            | \firstofthreeunexpanded {...} {...} {...}  |

|                          |   |
|--------------------------|---|
| firstoftwoarguments      | \firstoftwoarguments {...} {...}                          |
| firstoftwounexpanded     | \firstoftwounexpanded {...} {...}                         |
| firstrealpage            | \firstrealpage  |
| firstrealpagenumber      | \firstrealpagenumber                                      |
| firstsubcountervalue     | \firstsubcountervalue [...] [...]                         |
| firstsubpagenumber       | \firstsubpagenumber                                       |
| firstuserpage            | \firstuserpage  |
| firstuserpagenumber      | \firstuserpagenumber                                      |
| fitfieldframed           | \fitfieldframed [..=..] {...}                             |
| fittopbaselinegrid       | \fittopbaselinegrid {...}                                 |
| flag                     | \flag {...}   |
| floatuserdataparameter   | \floatuserdataparameter {...}                             |
| flushbox                 | \flushbox {...} {...}                                     |
| flushboxregister         | \flushboxregister ...                                     |
| flushcollector           | \flushcollector [...]                                     |
| flushedrightlastline     | \flushedrightlastline                                     |
| flushlayer               | \flushlayer [...]   |
| flushlocalfloats         | \flushlocalfloats   |
| flushnextbox             | \flushnextbox   |
| flushnotes               | \flushnotes   |
| flushoutputstream        | \flushoutputstream [...]                                  |
| flushshapebox            | \flushshapebox  |
| flushtextflow            | \flushtextflow {...}                                      |
| flushtokens              | \flushtokens [...]  |
| flushtoks                | \flushtoks \...   |
| fontalternative          | \fontalternative  |
| fontbody                 | \fontbody   |
| fontchar                 | \fontchar {...}   |
| fontcharbyindex          | \fontcharbyindex {...}                                    |
| fontclass                | \fontclass  |
| fontclassname            | \fontclassname {...} {...}                                |
| fontface                 | \fontface   |
| fontfeaturelist          | \fontfeaturelist [...] [...]                              |
| fontsize                 | \fontsize   |
| fontstyle                | \fontstyle  |
| forcecharacterstripping  | \forcecharacterstripping                                  |
| forcelocalfloats         | \forcelocalfloats   |
| forgeteverypar           | \forgeteverypar   |
| forgetparameters         | \forgetparameters [...] [..=..]                           |
| forgetparskip            | \forgetparskip  |
| forgetragged             | \forgetragged   |
| formula                  | \formula [...] {...}                                      |
| foundbox                 | \foundbox {...} {...}                                     |
| fourthoffivearguments    | \fourthoffivearguments {...} {...} {...} {...} {...}      |
| fourthoffourarguments    | \fourthoffourarguments {...} {...} {...} {...}            |
| fourthofsixarguments     | \fourthofsixarguments {...} {...} {...} {...} {...} {...} |
| frameddimension          | \frameddimension {...}                                    |
| framedparameter          | \framedparameter {...}                                    |
| frazione:instance        | \FRACTION {...} {...}                                     |
| frazione:instance:binom  | \binom {...} {...}  |
| frazione:instance:dbinom | \dbinom {...} {...}                                       |
| frazione:instance:dfrac  | \dfrac {...} {...}  |
| frazione:instance:frac   | \frac {...} {...}   |
| frazione:instance:sfrac  | \sfrac {...} {...}  |
| frazione:instance:tbinom | \tbinom {...} {...}                                       |
| frazione:instance:xfrac  | \xfrac {...} {...}  |
| frazione:instance:xxfrac | \xxfrac {...} {...}                                       |
| freezedimenmacro         | \freezedimenmacro \... \...                               |
| freezemeasure            | \freezemeasure [...] [...]                                |
| frenchspacing            | \frenchspacing  |
| fromlinenote             | \fromlinenote [...] {...}                                 |
| frozenhbox               | \frozenhbox {...}   |
| frule                    | \frule ... \relax   |
| GetPar                   | \GetPar   |
| GIORNOSETTIMANA          | \GIORNOSETTIMANA {...}                                    |
| GotoPar                  | \GotoPar  |
| Greeknumerals            | \Greeknumerals {...}                                      |
| gdefconvertedargument    | \gdefconvertedargument \... {...}                         |
| gdefconvertedcommand     | \gdefconvertedcommand \... \...                           |
| getboxfromcache          | \getboxfromcache {...} {...} ...                          |
| getboxllx                | \getboxllx ...  |
| getboxlly                | \getboxlly ...  |



|                            |   |
|----------------------------|---|
| getbufferdata              | \getbufferdata [...]                    |
| getcommacommandsize        | \getcommacommandsize [...]              |
| getcommalistsize           | \getcommalistsize [...]                 |
| getdayoftheweek            | \getdayoftheweek {...} {...} {...}      |
| getdayspermonth            | \getdayspermonth {...} {...}            |
| getdefinedbuffer           | \getdefinedbuffer [...]                 |
| getdocumentargument        | \getdocumentargument {...}              |
| getdocumentargumentdefault | \getdocumentargumentdefault {...} {...} |
| getdocumentfilename        | \getdocumentfilename {...}              |
| getdummyparameters         | \getdummyparameters [...]=...           |
| getemptyparameters         | \getemptyparameters [...] [...]=...     |
| geteparameters             | \geteparameters [...] [...]=...         |
| getexpandedparameters      | \getexpandedparameters [...] [...]=...  |
| getfiguredimensions        | \getfiguredimensions [...] [...]=...    |
| getfirstcharacter          | \getfirstcharacter {...}                |
| getfirsttwopassdata        | \getfirsttwopassdata {...}              |
| getfromcommacommand        | \getfromcommacommand [...] [...]        |
| getfromcommalist           | \getfromcommalist [...] [...]           |
| getfromtwopassdata         | \getfromtwopassdata {...} {...}         |
| getglyphdirect             | \getglyphdirect {...} {...}             |
| getglyphstyled             | \getglyphstyled {...} {...}             |
| getgparameters             | \getgparameters [...] [...]=...         |
| getinlineuserdata          | \getinlineuserdata                      |
| getlasttwopassdata         | \getlasttwopassdata {...}               |
| getlocalfloat              | \getlocalfloat {...}                    |
| getlocalfloats             | \getlocalfloats                         |
| getMPdrawing               | \getMPdrawing                           |
| getMPlayer                 | \getMPlayer [...] [...]=... {...}       |
| getmessage                 | \getmessage {...} {...}                 |
| getnamedglyphdirect        | \getnamedglyphdirect {...} {...}        |
| getnamedglyphstyled        | \getnamedglyphstyled {...} {...}        |
| getnamedtwopassdatalist    | \getnamedtwopassdatalist \... {...}     |
| getnaturaldimensions       | \getnaturaldimensions ...               |
| getnoflines                | \getnoflines {...}                      |
| getobject                  | \getobject {...} {...}                  |
| getobjectdimensions        | \getobjectdimensions {...} {...}        |
| getpaletsize               | \getpaletsize [...]                     |
| getparameters              | \getparameters [...] [...]=...          |
| getprivatechar             | \getprivatechar {...}                   |
| getprivateslot             | \getprivateslot {...}                   |
| getrandomcount             | \getrandomcount \... {...} {...}        |
| getrandomdimen             | \getrandomdimen \... {...} {...}        |
| getrandomfloat             | \getrandomfloat \... {...} {...}        |
| getrandomnumber            | \getrandomnumber \... {...} {...}       |
| getrandomseed              | \getrandomseed \...                     |
| getraweparameters          | \getraweparameters [...] [...]=...      |
| getrawgparameters          | \getrawgparameters [...] [...]=...      |
| getrawnoflines             | \getrawnoflines {...}                   |
| getrawparameters           | \getrawparameters [...] [...]=...       |
| getrawxparameters          | \getrawxparameters [...] [...]=...      |
| getreference               | \getreference [...] [...]               |
| getreferenceentry          | \getreferenceentry {...}                |
| getroundednoflines         | \getroundednoflines {...}               |
| getsubstring               | \getsubstring {...} {...} {...}         |
| gettokenlist               | \gettokenlist [...]                     |
| gettwopassdata             | \gettwopassdata {...}                   |
| gettwopassdatalist         | \gettwopassdatalist {...}               |
| getuserdata                | \getuserdata                            |
| getuvalue                  | \getuvalue {...}                        |
| getvalue                   | \getvalue {...}                         |
| getvariable                | \getvariable {...} {...}                |
| getvariabledefault         | \getvariabledefault {...} {...} {...}   |
| getxparameters             | \getxparameters [...] [...]=...         |
| giornosettimana            | \giornosettimana {...}                  |
| globaldisablemode          | \globaldisablemode [...]                |
| globalenablemode           | \globalenablemode [...]                 |
| globalletempty             | \globalletempty \...                    |
| globalpopbox               | \globalpopbox ...                       |
| globalpopmacro             | \globalpopmacro \...                    |
| globalpreventmode          | \globalpreventmode [...]                |
| globalprocesscommalist     | \globalprocesscommalist [...] \...      |
| globalpushbox              | \globalpushbox ...                      |

|                           |  |
|---------------------------|--|
| globalpushmacro           | \globalpushmacro \...  |
| globalpushreferenceprefix | \globalpushreferenceprefix {...} ... \globalpopreferenceprefix             |
| globalswapcounts          | \globalswapcounts \... \...  |
| globalswapdimens          | \globalswapdimens \... \...  |
| globalswapmacros          | \globalswapmacros \... \...  |
| globalundefine            | \globalundefine {...}  |
| glyphfontfile             | \glyphfontfile {...}   |
| gobbledoubleempty         | \gobbledoubleempty [...] [...]   |
| gobbleeightarguments      | \gobbleeightarguments {...} {...} {...} {...} {...} {...} {...} {...}      |
| gobblefivearguments       | \gobblefivearguments {...} {...} {...} {...} {...}                         |
| gobblefiveoptionals       | \gobblefiveoptionals [...] [...] [...] [...] [...]                         |
| gobblefourarguments       | \gobblefourarguments {...} {...} {...} {...}                               |
| gobblefouroptionals       | \gobblefouroptionals [...] [...] [...] [...]                               |
| gobbleninearguments       | \gobbleninearguments {...} {...} {...} {...} {...} {...} {...} {...} {...} |
| gobbleoneargument         | \gobbleoneargument {...}   |
| gobbleoneoptional         | \gobbleoneoptional [...]   |
| gobblesevenarguments      | \gobblesevenarguments {...} {...} {...} {...} {...} {...} {...}            |
| gobblesingleempty         | \gobblesingleempty [...]   |
| gobblesixarguments        | \gobblesixarguments {...} {...} {...} {...} {...} {...}                    |
| gobblespacetokens         | \gobblespacetokens   |
| gobbletenarguments        | \gobbletenarguments {...} {...} {...} {...} {...} {...} {...} {...} {...}  |
| gobblethreearguments      | \gobblethreearguments {...} {...} {...}                                    |
| gobblethreeoptionals      | \gobblethreeoptionals [...] [...] [...]                                    |
| gobbletwoarguments        | \gobbletwoarguments {...} {...}  |
| gobbletwooptionals        | \gobbletwooptionals [...] [...]  |
| gobbleuntil               | \gobbleuntil \...  |
| gobbleuntilrelax          | \gobbleuntilrelax ... \relax   |
| grabbufferdata            | \grabbufferdata [...] [...] [...] [...]                                    |
| grabbufferdatadirect      | \grabbufferdatadirect {...} {...} {...}                                    |
| grabuntil                 | \grabuntil {...} \...  |
| grafiamanuale             | \grafiamanuale   |
| grande                    | \grande ...  |
| grassetto                 | \grassetto   |
| grassettocorsivo          | \grassettocorsivo  |
| grassettoinclinato        | \grassettoinclinato  |
| grave                     | \grave {...}   |
| grayvalue                 | \grayvalue {...}   |
| greedysplitstring         | \greedysplitstring ... \at ... \to \... \and \...                          |
| greeknumerals             | \greeknumerals {...}   |
| griglia                   | \griglia [.=.]   |
| grossofontdeltesto        | \grossofontdeltesto  |
| groupedcommand            | \groupedcommand {...} {...}  |
| gsetboxllx                | \gsetboxllx ... {...}  |
| gsetboxlly                | \gsetboxlly ... {...}  |
| gujaratinumerals          | \gujaratinumerals {...}  |
| gurmurkhinumerals         | \gurmurkhinumerals {...}   |
| hairspace                 | \hairspace   |
| halflinestrut             | \halflinestrut   |
| halfstrut                 | \halfstrut   |
| halfwaybox                | \halfwaybox {...}  |
| handletokens              | \handletokens ... \with \...   |
| hash                      | \hash  |
| hat                       | \hat {...}   |
| hboxofvbox                | \hboxofvbox ...  |
| hboxreference             | \hboxreference [...] {...}   |
| hbox:example              | \hboxBOX {...}   |
| hdofstring                | \hdofstring {...}  |
| headhbox                  | \headhbox ... {...}  |
| headnumbercontent         | \headnumbercontent   |
| headnumberdistance        | \headnumberdistance  |
| headnumberwidth           | \headnumberwidth   |
| headreferenceattributes   | \headreferenceattributes   |
| headsetupspacing          | \headsetupspacing  |
| headtextcontent           | \headtextcontent   |
| headtextdistance          | \headtextdistance  |
| headtextwidth             | \headtextwidth   |
| headvbox                  | \headvbox ... {...}  |
| headwidth                 | \headwidth   |
| heightanddepthofstring    | \heightanddepthofstring {...}  |
| heightofstring            | \heightofstring {...}  |
| heightspanningtext        | \heightspanningtext {...} {...} {...}                                      |
| help:instance             | \HELP [...] {...} {...}  |

|   |   |
|---|---|
| help:instance:helptext                  | \helptext [...] {...} {...}                       |
| hglue                                   | \hglue ...  |
| hiddencitation                          | \hiddencitation [...]                             |
| hiddencite                              | \hiddencite [...]                                 |
| highlight                               | \highlight [...] {...}                            |
| highlight:example                       | \HIGHLIGHT {...}                                  |
| highordinalstr                          | \highordinalstr {...}                             |
| hilo                                    | \hilo [...] {...} {...}                           |
| himilo                                  | \himilo {...} {...} {...}                         |
| hl                                      | \hl [...]   |
| horizontalgrowingbar                    | \horizontalgrowingbar [..=..]                     |
| horizontalpositionbar                   | \horizontalpositionbar [..=..]                    |
| hphantom                                | \hphantom {...}                                   |
| hpos                                    | \hpos {...} {...}                                 |
| hsizefraction                           | \hsizefraction {...} {...}                        |
| hsmash                                  | \hsmash {...}                                     |
| hsmashbox                               | \hsmashbox ...                                    |
| hsmashed                                | \hsmashed {...}                                   |
| hspace                                  | \hspace [...] [...]                               |
| htdpofstring                            | \htdpofstring {...}                               |
| htofstring                              | \htofstring {...}                                 |
| hyphen                                  | \hyphen   |
| hyphenatedcoloredword                   | \hyphenatedcoloredword {...}                      |
| hyphenatedfile                          | \hyphenatedfile {...}                             |
| hyphenatedfilename                      | \hyphenatedfilename {...}                         |
| hyphenatedhbox                          | \hyphenatedhbox {...}                             |
| hyphenatedpar                           | \hyphenatedpar {...}                              |
| hyphenatedurl                           | \hyphenatedurl {...}                              |
| hyphenatedword                          | \hyphenatedword {...}                             |
| INRSTEX                                 | \INRSTEX  |
| ibox                                    | \ibox {...}                                       |
| ifassignment                            | \ifassignment ... \else ... \fi                   |
| iff                                     | \iff  |
| ifinobject                              | \ifinobject ... \else ... \fi                     |
| ifinoutputstream                        | \ifinoutputstream ... \else ... \fi               |
| ifparameters                            | \ifparameters ... \else ... \fi                   |
| iftrialtypesetting                      | \iftrialtypesetting ... \else ... \fi             |
| ignoreimplicitspaces                    | \ignoreimplicitspaces                             |
| ignoretagsinexport                      | \ignoretagsinexport [...]                         |
| ignorevalue                             | \ignorevalue {...}                                |
| ignoto                                  | \ignoto   |
| immediatesavetwopassdata                | \immediatesavetwopassdata {...} {...} {...}       |
| impliedby                               | \impliedby  |
| implies                                 | \implies  |
| imposta                                 | \imposta [...]                                    |
| impostaallineamento                     | \impostaallineamento [...]                        |
| impostaampiezzariga                     | \impostaampiezzariga [...]                        |
| impostabarrainterazione                 | \impostabarrainterazione [...] [..=..]            |
| impostablocco                           | \impostablocco [...] [..=..]                      |
| impostabloccosezione                    | \impostabloccosezione [...] [..=..]               |
| impostabuffer                           | \impostabuffer [...] [..=..]                      |
| impostacampi                            | \impostacampi [...] [..=..] [..=..] [..=..]       |
| impostacampo                            | \impostacampo [...] [...] [..=..] [..=..] [..=..] |
| impostacapoversi                        | \impostacapoversi [...] [...] [..=..]             |
| impostacapoversi:assignment             | \impostacapoversi [...] [..=..]                   |
| impostacaption                          | \impostacaption [...] [..=..]                     |
| impostacaptions                         | \impostacaptions [...] [..=..]                    |
| impostacima                             | \impostacima [...] [..=..]                        |
| impostaclipping                         | \impostaclipping [..=..]                          |
| impostacolonne                          | \impostacolonne [..=..]                           |
| impostacolore                           | \impostacolore [...]                              |
| impostacolori                           | \impostacolori [..=..]                            |
| impostacommento                         | \impostacommento [...] [..=..]                    |
| impostacommentopagina                   | \impostacommentopagina [..=..]                    |
| impostadimensionicarta                  | \impostadimensionicarta [...] [..=..]             |
| impostadimensionicarta:name             | \impostadimensionicarta [...] [...]               |
| impostaelementi                         | \impostaelementi [...] [..=..]                    |
| impostaelencazioni                      | \impostaelencazioni [...] [..=..]                 |
| impostaelenco                           | \impostaelenco [...] [..=..]                      |
| impostaelencocombinato                  | \impostaelencocombinato [...] [..=..]             |
| impostaelencocombinato:instance         | \impostaCOMBINEDLIST [..=..]                      |
| impostaelencocombinato:instance:content | \impostacontent [..=..]                           |

|                                 |   |
|---------------------------------|---|
| impostaenumerazioni             | \impostaenumerazioni [...] [..=..]                      |
| impostafondo                    | \impostafondo [...] [..=..]                             |
| impostafontdeltesto             | \impostafontdeltesto [...]                              |
| impostaforms                    | \impostaforms [..=..]                                   |
| impostaformule                  | \impostaformule [...] [..=..]                           |
| impostagruppocolonne            | \impostagruppocolonne [...] [..=..]                     |
| impostaincorniciato             | \impostaincorniciato [...] [..=..]                      |
| impostainiziatermina            | \impostainiziatermina [...] [..=..]                     |
| impostainstestazione            | \impostainstestazione [...] [..=..]                     |
| impostainterazione              | \impostainterazione [...] [..=..]                       |
| impostainterazione:name         | \impostainterazione [...]                               |
| impostainterlinea               | \impostainterlinea [...] [..=..]                        |
| impostainterlinea:argument      | \impostainterlinea [...]                                |
| impostainterlinea:name          | \impostainterlinea [...]                                |
| impostalayout                   | \impostalayout [...] [..=..]                            |
| impostalayout:name              | \impostalayout [...]                                    |
| impostalineemargine             | \impostalineemargine [...] [..=..]                      |
| impostalineenere                | \impostalineenere [..=..]                               |
| impostalineerimpimento          | \impostalineerimpimento [..=..]                         |
| impostalineesottili             | \impostalineesottili [..=..]                            |
| impostalineetest                | \impostalineetest [..=..]                               |
| impostalingua                   | \impostalingua [...] [..=..]                            |
| impostamaiuscoole               | \impostamaiuscoole [...] [..=..]                        |
| impostamakeup                   | \impostamakeup [...] [..=..]                            |
| impostamarcatura                | \impostamarcatura [...] [..=..]                         |
| impostamenuinterazione          | \impostamenuinterazione [...] [..=..]                   |
| impostamenzione                 | \impostamenzione [..=..]                                |
| impostanumerazionecapoversi     | \impostanumerazionecapoversi [..=..]                    |
| impostanumerazionepagina        | \impostanumerazionepagina [..=..]                       |
| impostanumerazionerighe         | \impostanumerazionerighe [...] [..=..]                  |
| impostanumeropagina             | \impostanumeropagina [..=..]                            |
| impostanumerosottopagina        | \impostanumerosottopagina [..=..]                       |
| impostanumerotesta              | \impostanumerotesta [...] [...]                         |
| impostaooggettobil              | \impostaooggettobil [...] [..=..]                       |
| impostaooggettomobile           | \impostaooggettomobile [...] [..=..]                    |
| impostaoordinamento             | \impostaoordinamento [...] [..=..]                      |
| impostaparranging               | \impostaparranging [...]                                |
| impostapdp                      | \impostapdp [...] [..=..]                               |
| impostapiustretto               | \impostapiustretto [...] [..=..]                        |
| impostaposizionamento           | \impostaposizionamento [...] [..=..]                    |
| impostaposizionamentoopposti    | \impostaposizionamentoopposti [..=..]                   |
| impostaprogrammi                | \impostaprogrammi [..=..]                               |
| impostaregistro                 | \impostaregistro [...] [..=..]                          |
| impostaregistro:argument        | \impostaregistro [...] [...] [..=..]                    |
| impostaregistro:instance        | \impostaREGISTER [...] [..=..]                          |
| impostaregistro:instance:index  | \impostaindex [...] [..=..]                             |
| impostarientro                  | \impostarientro [...]                                   |
| impostariferimento              | \impostariferimento [..=..]                             |
| impostarighe                    | \impostarighe [...] [..=..]                             |
| impostarigherimpimento          | \impostarigherimpimento [..=..]                         |
| impostarigovuoto                | \impostarigovuoto [...]                                 |
| impostarotazione                | \impostarotazione [..=..]                               |
| impostaschermointerazione       | \impostaschermointerazione [..=..]                      |
| impostasegnosillabazione        | \impostasegnosillabazione [..=..]                       |
| impostasetsimboli               | \impostasetsimboli [...]                                |
| impostasfondi                   | \impostasfondi [...] [...] [..=..]                      |
| impostasfondi:page              | \impostasfondi [...] [..=..]                            |
| impostasfondo                   | \impostasfondo [...] [..=..]                            |
| impostasinonimi                 | \impostasinonimi [...] [..=..]                          |
| impostaspaziatura               | \impostaspaziatura [...]                                |
| impostaspaziobianco             | \impostaspaziobianco [...]                              |
| impostaspezzamentooggettomobile | \impostaspezzamentooggettomobile [..=..]                |
| impostatabelle                  | \impostatabelle [..=..]                                 |
| impostatabulato                 | \impostatabulato [...] [...] [..=..]                    |
| impostatavolozza                | \impostatavolozza [...]                                 |
| impostatesta                    | \impostatesta [...] [..=..]                             |
| impostateste                    | \impostateste [...] [..=..]                             |
| impostatesticima                | \impostatesticima [...] [...] [...] [...] [...]         |
| impostatestifondo               | \impostatestifondo [...] [...] [...] [...] [...]        |
| impostatestiincorniciati        | \impostatestiincorniciati [...] [..=..]                 |
| impostatestiintestazioni        | \impostatestiintestazioni [...] [...] [...] [...] [...] |
| impostatestipdp                 | \impostatestipdp [...] [...] [...] [...] [...]          |

|  |  |
|--|--|
| impostatesto                                 | \impostatesto [...] [..=..]  |
| impostatestoetichette:instance               | \impostaLABELtesto [...] [..=..]   |
| impostatestoetichette:instance:btxlabel      | \impostabtxlabeltesto [...] [..=..]  |
| impostatestoetichette:instance:head          | \impostaheadtesto [...] [..=..]  |
| impostatestoetichette:instance:label         | \impostalabeltesto [...] [..=..]   |
| impostatestoetichette:instance:mathlabel     | \impostamathlabeltesto [...] [..=..]                                       |
| impostatestoetichette:instance:operator      | \impostaoperatortesto [...] [..=..]  |
| impostatestoetichette:instance:prefix        | \impostaprefixtesto [...] [..=..]  |
| impostatestoetichette:instance:suffix        | \impostasuffixtesto [...] [..=..]  |
| impostatestoetichette:instance:taglabel      | \impostataglabeltesto [...] [..=..]  |
| impostatestoetichette:instance:unit          | \impostaunittesto [...] [..=..]  |
| impostatestotesti                            | \impostatestotesti [...] [...] [...] [...] [...]                           |
| impostatolleranza                            | \impostatolleranza [...]   |
| impostatransizionepagina                     | \impostatransizionepagina [...]  |
| impostatype                                  | \impostatype [...] [..=..]   |
| impostatyping                                | \impostatyping [...] [..=..]   |
| impostauri                                   | \impostauri [..=..]  |
| impostadirect                                | \impostadirect {...}   |
| in   | \in {...} {...} [...]  |
| inclinato                                    | \inclinato   |
| inclinatograssetto                           | \inclinatograssetto  |
| includemenu                                  | \includemenu [...]   |
| includeversioninfo                           | \includeversioninfo {...}  |
| incorniciato                                 | \incorniciato [..=..] {...}  |
| incorniciato:instance                        | \FRAMED [..=..] {...}  |
| incorniciato:instance:fitfieldframed         | \fitfieldframed [..=..] {...}  |
| incorniciato:instance:unframed               | \unframed [..=..] {...}  |
| incrementa                                   | \incrementa [...]  |
| incrementa:argument                          | \incrementa (...)  |
| incrementcounter                             | \incrementcounter [...] [...]  |
| incrementedcounter                           | \incrementedcounter [...]  |
| incrementpagenumber                          | \incrementpagenumber   |
| incrementsubpagenumber                       | \incrementsubpagenumber  |
| incrementvalue                               | \incrementvalue {...}  |
| indentation                                  | \indentation   |
| infofont                                     | \infofont  |
| infofontbold                                 | \infofontbold  |
| inheritparameter                             | \inheritparameter [...] [...] [...]  |
| inhibitblank                                 | \inhibitblank  |
| initializeboxstack                           | \initializeboxstack {...}  |
| inizia                                       | \inizia [...] ... \termina   |
| iniziaalignment                              | \iniziaalignment [...] ... \terminaalignment                               |
| iniziaallineacentro                          | \iniziaallineacentro ... \terminaallineacentro                             |
| iniziaallineadestra                          | \iniziaallineadestra ... \terminaallineadestra                             |
| iniziaallineasinistra                        | \iniziaallineasinistra ... \terminaallineasinistra                         |
| iniziaallmodes                               | \iniziaallmodes [...] ... \terminaallmodes                                 |
| iniziaambiente                               | \iniziaambiente [...] ... \terminaambiente                                 |
| iniziaambientebloccosezione                  | \iniziaambientebloccosezione [...] ... \terminaambientebloccosezione       |
| iniziaambiente:string                        | \iniziaambiente ... ... \terminaambiente                                   |
| iniziaattachment:instance                    | \iniziaATTACHMENT [...] [..=..] ... \terminaATTACHMENT                     |
| iniziaattachment:instance:attachment         | \iniziaattachment [...] [..=..] ... \terminaattachment                     |
| iniziabar                                    | \iniziabar [...] ... \terminabar   |
| iniziabbordermatrix                          | \iniziabbordermatrix ... \terminabbordermatrix                             |
| iniziabitmapimage                            | \iniziabitmapimage [..=..] ... \terminabitmapimage                         |
| iniziabordermatrix                           | \iniziabordermatrix ... \terminabordermatrix                               |
| iniziabtxrenderingdefinitions                | \iniziabtxrenderingdefinitions [...] ... \terminabtxrenderingdefinitions   |
| iniziabuffer                                 | \iniziabuffer [...] ... \terminabuffer                                     |
| iniziabuffer:instance                        | \iniziabuffer ... \terminabuffer   |
| iniziabuffer:instance:hiding                 | \iniziabuffer ... \terminabuffer   |
| iniziacapoverso                              | \iniziacapoverso [...] [..=..] ... \terminacapoverso                       |
| iniziacapoverso:instance                     | \iniziasection [..=..] [..=..] ... \terminasection                         |
| iniziacapoverso:instance:chapter             | \iniziachapter [..=..] [..=..] ... \terminachapter                         |
| iniziacapoverso:instance:part                | \iniziapart [..=..] [..=..] ... \terminapart                               |
| iniziacapoverso:instance:section             | \iniziasection [..=..] [..=..] ... \terminasection                         |
| iniziacapoverso:instance:subject             | \iniziasubject [..=..] [..=..] ... \terminasubject                         |
| iniziacapoverso:instance:subsection          | \iniziasubsection [..=..] [..=..] ... \terminasubsection                   |
| iniziacapoverso:instance:subsubject          | \iniziasubsubject [..=..] [..=..] ... \terminasubsubject                   |
| iniziacapoverso:instance:subsubsection       | \iniziasubsubsection [..=..] [..=..] ... \terminasubsubsection             |
| iniziacapoverso:instance:subsubsubject       | \iniziasubsubsubject [..=..] [..=..] ... \terminasubsubsubject             |
| iniziacapoverso:instance:subsubsubsection    | \iniziasubsubsubsection [..=..] [..=..] ... \terminasubsubsubsection       |
| iniziacapoverso:instance:subsubsubsubject    | \iniziasubsubsubsubject [..=..] [..=..] ... \terminasubsubsubsubject       |
| iniziacapoverso:instance:subsubsubsubsection | \iniziasubsubsubsubsection [..=..] [..=..] ... \terminasubsubsubsubsection |

|   |  |
|---|--|
| iniziapoverso:instance:subsubsubsubject | \iniziasubsubsubsubject [...=.] [...=.] ... \terminasubsubsubsubject             |
| iniziapoverso:instance:title            | \iniziatile [...=.] [...=.] ... \terminatile                                     |
| iniziacatcodetable                      | \iniziacatcodetable \... ... \terminacatcodetable                                |
| iniziacentraligned                      | \iniziacentraligned ... \terminacentraligned                                     |
| iniziacharacteralign                    | \iniziacharacteralign [...=.] ... \terminacharacteralign                         |
| iniziacharacteralign:argument           | \iniziacharacteralign [...] ... \terminacharacteralign                           |
| iniziacheckedfences                     | \iniziacheckedfences ... \terminacheckedfences                                   |
| iniziachemical                          | \iniziachemical [...] [...=.] ... \terminachemical                               |
| iniziacodatabella                       | \iniziacodatabella [...] ... \terminacodatabella                                 |
| iniziacodatabulato                      | \iniziacodatabulato [...] ... \terminacodatabulato                               |
| iniziacollect                           | \iniziacollect ... \terminacollect   |
| iniziacollecting                        | \iniziacollecting ... \terminacollecting   |
| iniziacolonne                           | \iniziacolonne [...=.] ... \terminacolonne                                       |
| iniziacolore                            | \iniziacolore [...] ... \terminacolore   |
| iniziacolorintent                       | \iniziacolorintent [...] ... \terminacolorintent                                 |
| iniziacoloronly                         | \iniziacoloronly [...] ... \terminacoloronly                                     |
| iniziacolorset                          | \iniziacolorset [...] ... \terminacolorset                                       |
| iniziacolumnset                         | \iniziacolumnset [...] [...=.] ... \terminacolumnset                             |
| iniziacolumnsetspan                     | \iniziacolumnsetspan [...] [...=.] ... \terminacolumnsetspan                     |
| iniziacolumnset:example                 | \iniziaCOLUMNSET [...=.] ... \terminaCOLUMNSET                                   |
| iniziacolumnspan                        | \iniziacolumnspan [...=.] ... \terminacolumnspan                                 |
| iniziacomination                        | \iniziacomination [...] [...=.] ... \terminacomination                           |
| iniziacomination:matrix                 | \iniziacomination [...] [...] ... \terminacomination                             |
| iniziacommentopagina                    | \iniziacommentopagina ... \terminacommentopagina                                 |
| iniziacommento:instance                 | \iniziaCOMMENT [...] [...=.] ... \terminaCOMMENT                                 |
| iniziacommento:instance:comment         | \iniziacomment [...] [...=.] ... \terminacomment                                 |
| iniziacomponenet                        | \iniziacomponenet [...] ... \terminacomponenet                                   |
| iniziacomponenet:string                 | \iniziacomponenet ... \terminacomponenet   |
| iniziacodecontext                       | \iniziacodecontext ... \terminacodecontext                                       |
| iniziacodecontextdefinition             | \iniziacodecontextdefinition ... \terminacodecontextdefinition                   |
| iniziactxfuction                        | \iniziactxfuction ... \terminactxfuction   |
| iniziactxfuctiondefinition              | \iniziactxfuctiondefinition ... \terminactxfuctiondefinition                     |
| iniziacurrentcolor                      | \iniziacurrentcolor ... \terminacurrentcolor                                     |
| iniziacurrentlistentrywrapper           | \iniziacurrentlistentrywrapper ... \terminacurrentlistentrywrapper               |
| iniziadelimited                         | \iniziadelimited [...] [...] [...] ... \terminadelimited                         |
| iniziadelimitedtext                     | \iniziadelimitedtext [...] [...] [...] ... \terminadelimitedtext                 |
| iniziadelimitedtext:instance            | \iniziaDELIMITEDTEXT [...] [...] ... \terminaDELIMITEDTEXT                       |
| iniziadelimitedtext:instance:aside      | \iniziaside [...] [...] ... \terminaside   |
| iniziadelimitedtext:instance:blockquote | \iniziablockquote [...] [...] ... \terminablockquote                             |
| iniziadelimitedtext:instance:quotation  | \iniziaquotation [...] [...] ... \terminaquotation                               |
| iniziadelimitedtext:instance:quote      | \iniziquote [...] [...] ... \terminaquote  |
| iniziadelimitedtext:instance:speech     | \iniziaspeech [...] [...] ... \terminaspeech                                     |
| iniziadescrizione:example               | \iniziaDESCRIZIONE [...=.] ... \terminaDESCRIZIONE                               |
| iniziadescrizione:example:title         | \iniziaDESCRIZIONE [...] {...} ... \terminaDESCRIZIONE                           |
| iniziadisplymath                        | \iniziadisplymath ... \terminadisplymath   |
| iniziadmth                              | \iniziadmth ... \terminadmth   |
| iniziadocument                          | \iniziadocument [...=.] ... \terminadocument                                     |
| iniziadefect                            | \iniziadefect [...] ... \terminadefect   |
| iniziadefect:example                    | \iniziadefect ... \terminadefect   |
| iniziadefect                            | \iniziadefect {...} [...=.] ... \terminadefect                                   |
| iniziadefecto                           | \iniziadefecto [...] ... \terminadefecto   |
| iniziadefectedxtable                    | \iniziadefectedxtable [...=.] ... \terminadefectedxtable                         |
| iniziadefectedxtable:name               | \iniziadefectedxtable [...] ... \terminadefectedxtable                           |
| iniziadeferazione:example               | \iniziadeferazione [...=.] ... \terminadeferazione                               |
| iniziadeferazione:example:title         | \iniziadeferazione [...] {...} ... \terminadeferazione                           |
| iniziadefexceptions                     | \iniziadefexceptions [...] ... \terminadefexceptions                             |
| iniziadefexpanded                       | \iniziadefexpanded ... \terminadefexpanded                                       |
| iniziadefexpandedcollect                | \iniziadefexpandedcollect ... \terminadefexpandedcollect                         |
| iniziadefextendedcatcodetable           | \iniziadefextendedcatcodetable \... ... \terminadefextendedcatcodetable          |
| iniziadefexternalfigurecollection       | \iniziadefexternalfigurecollection [...] ... \terminadefexternalfigurecollection |
| iniziadefacingfloat                     | \iniziadefacingfloat [...] ... \terminadefacingfloat                             |
| iniziadefigura                          | \iniziadefigura [...] [...] [...=.] ... \terminadefigura                         |
| iniziadefisso                           | \iniziadefisso [...] ... \terminadefisso   |
| iniziadefittingpage                     | \iniziadefittingpage [...] [...=.] ... \terminadefittingpage                     |
| iniziadefittingpage:instance            | \iniziadefittingpage [...=.] ... \terminadefittingpage                           |
| iniziadefittingpage:instance:MPpage     | \iniziadefittingpage [...=.] ... \terminadefittingpage                           |
| iniziadefittingpage:instance:TEXpage    | \iniziadefittingpage [...=.] ... \terminadefittingpage                           |
| iniziadefloatcombination                | \iniziadefloatcombination [...=.] ... \terminadefloatcombination                 |
| iniziadefloatcombination:matrix         | \iniziadefloatcombination [...] ... \terminadefloatcombination                   |
| iniziadefloattext:instance              | \iniziadefloattesto [...] [...] {...} ... \terminadefloattesto                   |
| iniziadefloattext:instance:chemical     | \iniziadefloattesto [...] [...] {...} ... \terminadefloattesto                   |
| iniziadefloattext:instance:figure       | \iniziadefloattesto [...] [...] {...} ... \terminadefloattesto                   |

|                                     |                                      |
|-------------------------------------|--------------------------------------|
| iniziafloattext:instance:graphic    | \iniziafloattext:instance:graphic    |
| iniziafloattext:instance:intermezzo | \iniziafloattext:instance:intermezzo |
| iniziafloattext:instance:table      | \iniziafloattext:instance:table      |
| iniziafont                          | \iniziafont                          |
| iniziafontclass                     | \iniziafontclass                     |
| iniziafontsolution                  | \iniziafontsolution                  |
| iniziaformula                       | \iniziaformula                       |
| iniziaformula:assignment            | \iniziaformula:assignment            |
| iniziaformula:instance              | \iniziaformula:instance              |
| iniziaformula:instance:md           | \iniziaformula:instance:md           |
| iniziaformula:instance:mp           | \iniziaformula:instance:mp           |
| iniziaformula:instance:sd           | \iniziaformula:instance:sd           |
| iniziaformula:instance:sp           | \iniziaformula:instance:sp           |
| iniziaformule                       | \iniziaformule                       |
| iniziaframedcell                    | \iniziaframedcell                    |
| iniziaframedcontent                 | \iniziaframedcontent                 |
| iniziaframedrow                     | \iniziaframedrow                     |
| iniziaframedtable                   | \iniziaframedtable                   |
| iniziagridsnapping                  | \iniziagridsnapping                  |
| iniziagridsnapping:list             | \iniziagridsnapping:list             |
| iniziabboxestohbox                  | \iniziabboxestohbox                  |
| iniziabboxregister                  | \iniziabboxregister                  |
| iniziabhelp:instance                | \iniziabhelp:instance                |
| iniziabhelp:instance:helptext       | \iniziabhelp:instance:helptext       |
| iniziabhighlight                    | \iniziabhighlight                    |
| iniziabhyphenation                  | \iniziabhyphenation                  |
| iniziabmath                         | \iniziabmath                         |
| iniziabpaccato                      | \iniziabpaccato                      |
| iniziabincorniciato                 | \iniziabincorniciato                 |
| iniziabindentedtext                 | \iniziabindentedtext                 |
| iniziabindentedtext:example         | \iniziabindentedtext:example         |
| iniziabinterazione                  | \iniziabinterazione                  |
| iniziabinterface                    | \iniziabinterface                    |
| iniziabintertext                    | \iniziabintertext                    |
| iniziabitemgroup                    | \iniziabitemgroup                    |
| iniziabitemgroup:instance           | \iniziabitemgroup:instance           |
| iniziabitemgroup:instance:itemize   | \iniziabitemgroup:instance:itemize   |
| iniziabJScode                       | \iniziabJScode                       |
| iniziabJSreamble                    | \iniziabJSreamble                    |
| iniziabknockout                     | \iniziabknockout                     |
| iniziablayout                       | \iniziablayout                       |
| iniziablinealignment                | \iniziablinealignment                |
| iniziablineamargine                 | \iniziablineamargine                 |
| iniziablineamargine:assignment      | \iniziablineamargine:assignment      |
| iniziablineatesto                   | \iniziablineatesto                   |
| iniziablinecorrection               | \iniziablinecorrection               |
| iniziablinefiller                   | \iniziablinefiller                   |
| iniziablinenumbering                | \iniziablinenumbering                |
| iniziablinenumbering:argument       | \iniziablinenumbering:argument       |
| iniziablinetable                    | \iniziablinetable                    |
| iniziablinetablebody                | \iniziablinetablebody                |
| iniziablinetablecell                | \iniziablinetablecell                |
| iniziablinetablehead                | \iniziablinetablehead                |
| iniziablingua                       | \iniziablingua                       |
| iniziablocalfootnotes               | \iniziablocalfootnotes               |
| iniziablocalheadsetup               | \iniziablocalheadsetup               |
| iniziablocallinecorrection          | \iniziablocallinecorrection          |
| iniziablocalnotes                   | \iniziablocalnotes                   |
| iniziablocalsetups                  | \iniziablocalsetups                  |
| iniziablocalsetups:string           | \iniziablocalsetups:string           |
| iniziablua                          | \iniziablua                          |
| iniziabluacode                      | \iniziabluacode                      |
| iniziabluaparameterset              | \iniziabluaparameterset              |
| iniziabluasetups                    | \iniziabluasetups                    |
| iniziabluasetups:string             | \iniziabluasetups:string             |
| iniziabMPclip                       | \iniziabMPclip                       |
| iniziabMPcode                       | \iniziabMPcode                       |
| iniziabMPdefinitions                | \iniziabMPdefinitions                |
| iniziabMPdrawing                    | \iniziabMPdrawing                    |
| iniziabMPenvironment                | \iniziabMPenvironment                |
| iniziabMPextensions                 | \iniziabMPextensions                 |
| iniziabMPinclusions                 | \iniziabMPinclusions                 |

|  |  |
|--|--|
| iniziaMPinitializations                      | \iniziaMPinitializations ... \terminaMPinitializations             |
| iniziaMPpositiongraphic                      | \iniziaMPpositiongraphic {...} {...} ... \terminaMPpositiongraphic |
| iniziaMPpositionmethod                       | \iniziaMPpositionmethod {...} ... \terminaMPpositionmethod         |
| iniziaMPrun                                  | \iniziaMPrun {...} ... \terminaMPrun                               |
| iniziamakeup                                 | \iniziamakeup [...] [..=..] ... \terminamakeup                     |
| iniziamakeup:instance                        | \iniziaMAKEUPmakeup [..=..] ... \terminaMAKEUPmakeup               |
| iniziamakeup:instance:middle                 | \iniziamiddlemakeup [..=..] ... \terminamiddlemakeup               |
| iniziamakeup:instance:page                   | \iniziapagedmakeup [..=..] ... \terminapagedmakeup                 |
| iniziamakeup:instance:standard               | \iniziastandardmakeup [..=..] ... \terminastandardmakeup           |
| iniziamakeup:instance:text                   | \iniziaextendmakeup [..=..] ... \terminatextendmakeup              |
| iniziamarginblock                            | \iniziamarginblock [...] ... \terminamarginblock                   |
| iniziamarkedcontent                          | \iniziamarkedcontent [...] ... \terminamarkedcontent               |
| iniziamarkpages                              | \iniziamarkpages [...] ... \terminamarkpages                       |
| iniziamathalignment:instance                 | \iniziaMATHALIGNMENT [..=..] ... \terminaMATHALIGNMENT             |
| iniziamathalignment:instance:align           | \iniziaalign [..=..] ... \terminaalign                             |
| iniziamathalignment:instance:mathalignment   | \iniziamathalignment [..=..] ... \terminamathalignment             |
| iniziamathcases:instance                     | \iniziaMATHCASES [..=..] ... \terminaMATHCASES                     |
| iniziamathcases:instance:cases               | \iniziacases [..=..] ... \terminacases                             |
| iniziamathcases:instance:mathcases           | \iniziamathcases [..=..] ... \terminamathcases                     |
| iniziamathmatrix:instance                    | \iniziaMATHMATRIX [..=..] ... \terminaMATHMATRIX                   |
| iniziamathmatrix:instance:mathmatrix         | \iniziamathmatrix [..=..] ... \terminamathmatrix                   |
| iniziamathmatrix:instance:matrix             | \iniziamatrix [..=..] ... \terminamatrix                           |
| iniziamathmode                               | \iniziamathmode ... \terminamathmode                               |
| iniziamathstyle                              | \iniziamathstyle [...] ... \terminamathstyle                       |
| iniziamatrices                               | \iniziamatrices [..=..] ... \terminamatrices                       |
| iniziamaxaligned                             | \iniziamaxaligned ... \terminamaxaligned                           |
| iniziamenuinterattivo                        | \iniziamenuinterattivo [...] ... \terminamenuinterattivo           |
| iniziamettiformula                           | \iniziamettiformula [..=..] ... \terminamettiformula               |
| iniziamettiformula:argument                  | \iniziamettiformula [...] ... \terminamettiformula                 |
| iniziamiddlealigned                          | \iniziamiddlealigned ... \terminamiddlealigned                     |
| iniziamixedcolumns                           | \iniziamixedcolumns [...] [..=..] ... \terminamixedcolumns         |
| iniziamixedcolumns:instance                  | \iniziaMIXEDCOLUMNS [..=..] ... \terminaMIXEDCOLUMNS               |
| iniziamixedcolumns:instance:boxedcolumns     | \iniziaboxedcolumns [..=..] ... \terminaboxedcolumns               |
| iniziamixedcolumns:instance:itemgroupcolumns | \iniziaitemgroupcolumns [..=..] ... \terminaitemgroupcolumns       |
| iniziamode                                   | \iniziamode [...] ... \terminamode                                 |
| iniziamodeset                                | \iniziamodeset [...] {...} ... \terminamodeset                     |
| iniziamodule                                 | \iniziamodule [...] ... \terminamodule                             |
| iniziamoduletestsection                      | \iniziamoduletestsection ... \terminamoduletestsection             |
| iniziamodule:string                          | \iniziamodule ... ... \terminamodule                               |
| inizianamedsection                           | \inizianamedsection [...] [..=..] [..=..] ... \terminanamedsection |
| inizianamedsubformulas                       | \inizianamedsubformulas [...] {...} ... \terminanamedsubformulas   |
| inizianarrower                               | \inizianarrower [...] ... \terminanarrower                         |
| inizianarrower:example                       | \iniziaNARROWER [...] ... \terminaNARROWER                         |
| inizianegativo                               | \inizianegativo ... \terminanegativo                               |
| inizianicelyfilledbox                        | \inizianicelyfilledbox [..=..] ... \terminanicelyfilledbox         |
| inizianointerference                         | \inizianointerference ... \terminanointerference                   |
| inizianotallmodes                            | \inizianotallmodes [...] ... \terminanotallmodes                   |
| inizianota:instance                          | \iniziaNOTE [...] ... \terminaNOTE                                 |
| inizianota:instance:assignment               | \iniziaNOTE [..=..] ... \terminaNOTE                               |
| inizianota:instance:assignment:endnote       | \iniziaendnote [..=..] ... \terminaendnote                         |
| inizianota:instance:assignment:footnote      | \iniziafootnote [..=..] ... \terminafootnote                       |
| inizianota:instance:endnote                  | \iniziaendnote [...] ... \terminaendnote                           |
| inizianota:instance:footnote                 | \iniziafootnote [...] ... \terminafootnote                         |
| inizianotext                                 | \inizianotext ... \terminanotext                                   |
| inizianotmode                                | \inizianotmode [...] ... \terminanotmode                           |
| iniziaopposto                                | \iniziaopposto ... \terminaopposto                                 |
| iniziaoutputstream                           | \iniziaoutputstream [...] ... \terminaoutputstream                 |
| iniziaoverprint                              | \iniziaoverprint ... \terminaoverprint                             |
| iniziapagecolumns                            | \iniziapagecolumns [..=..] ... \terminapagecolumns                 |
| iniziapagecolumns:instance                   | \iniziaPAGECOLUMNS ... \terminaPAGECOLUMNS                         |
| iniziapagecolumns:name                       | \iniziapagecolumns [...] ... \terminapagecolumns                   |
| iniziapagefigure                             | \iniziapagefigure [...] [..=..] ... \terminapagefigure             |
| iniziapagelayout                             | \iniziapagelayout [...] ... \terminapagelayout                     |
| iniziapar                                    | \iniziapar [...] [..=..] ... \terminapar                           |
| iniziaparagraphs                             | \iniziaparagraphs [...] ... \terminaparagraphs                     |
| iniziaparagraphscell                         | \iniziaparagraphscell ... \terminaparagraphscell                   |
| iniziaparagraphs:example                     | \iniziaPARAGRAPHS ... \terminaPARAGRAPHS                           |
| iniziaparallel:example                       | \iniziaPARALLEL ... \terminaPARALLEL                               |
| iniziaparbuidler                             | \iniziaparbuidler [...] ... \terminaparbuidler                     |
| iniziaplacefloat                             | \iniziaplacefloat [...] [..=..] [..=..] ... \terminaplacefloat     |
| iniziaplacefloat:instance                    | \iniziamettiFLOAT [..=..] [..=..] ... \terminamettiFLOAT           |
| iniziaplacefloat:instance:chemical           | \iniziamettichemical [..=..] [..=..] ... \terminamettichemical     |



|   |  |
|---|--|
| iniziaplacefloat:instance:figure        | \iniziamettifigure [..=..] [..=..] ... \terminamettifigure                   |
| iniziaplacefloat:instance:graphic       | \iniziamettigraphic [..=..] [..=..] ... \terminamettigraphic                 |
| iniziaplacefloat:instance:intermezzo    | \iniziamettiintermezzo [..=..] [..=..] ... \terminamettiintermezzo           |
| iniziaplacefloat:instance:table         | \iniziamettitable [..=..] [..=..] ... \terminamettitable                     |
| iniziaplacepairedbox                    | \iniziaplacepairedbox [...] [..=..] ... \terminaplacepairedbox               |
| iniziaplacepairedbox:instance           | \iniziamettiPAIREDBOX [..=..] ... \terminamettiPAIREDBOX                     |
| iniziaplacepairedbox:instance:legend    | \iniziamettilegend [..=..] ... \terminamettilegend                           |
| iniziapositioning                       | \iniziapositioning [...] [..=..] ... \terminapositioning                     |
| iniziapositionoverlay                   | \iniziapositionoverlay {...} ... \terminapositionoverlay                     |
| iniziapositivo                          | \iniziapositivo ... \terminapositivo   |
| iniziaposporre                          | \iniziaposporre [...] ... \terminaposporre                                   |
| iniziapostponingnotes                   | \iniziapostponingnotes ... \terminapostponingnotes                           |
| iniziaprocessassignmentcommand          | \iniziaprocessassignmentcommand [..=..] ... \terminaprocessassignmentcommand |
| iniziaprocessassignmentlist             | \iniziaprocessassignmentlist [..=..] ... \terminaprocessassignmentlist       |
| iniziaprocesscommacommand               | \iniziaprocesscommacommand [...] ... \terminaprocesscommacommand             |
| iniziaprocesscommalist                  | \iniziaprocesscommalist [...] ... \terminaprocesscommalist                   |
| iniziaprodotto                          | \iniziaprodotto [...] ... \terminaprodotto                                   |
| iniziaprodotto:string                   | \iniziaprodotto ... .. \terminaprodotto                                      |
| iniziaprogetto                          | \iniziaprogetto [...] ... \terminaprogetto                                   |
| iniziaprogetto:string                   | \iniziaprogetto ... .. \terminaprogetto                                      |
| iniziaprotectedcolors                   | \iniziaprotectedcolors ... \terminaprotectedcolors                           |
| iniziapubblicazione                     | \iniziapubblicazione [...] [..=..] ... \terminapubblicazione                 |
| iniziarandomized                        | \iniziarandomized ... \terminarandomized                                     |
| iniziarawsetups                         | \iniziarawsetups [...] [...] ... \terminarawsetups                           |
| iniziarawsetups:string                  | \iniziarawsetups ... .. \terminarawsetups                                    |
| iniziareadingfile                       | \iniziareadingfile ... \terminareadingfile                                   |
| iniziaregime                            | \iniziaregime [...] ... \terminaregime                                       |
| iniziareusableMPgraphic                 | \iniziareusableMPgraphic {...} {...} ... \terminareusableMPgraphic           |
| iniziariga                              | \iniziariga [...]  |
| iniziarighe:instance                    | \inizialines [..=..] ... \terminalines                                       |
| iniziarighe:instance:lines              | \inizialines [..=..] ... \terminalines                                       |
| iniziaruby                              | \iniziaruby [...] ... \terminaruby   |
| iniziascript                            | \iniziascript [...] ... \terminascript                                       |
| iniziasectionblock                      | \iniziasectionblock [...] [..=..] ... \terminasectionblock                   |
| iniziasectionblock:instance             | \iniziaSECTIONBLOCK [..=..] ... \terminaSECTIONBLOCK                         |
| iniziasectionblock:instance:appendices  | \iniziaappendices [..=..] ... \terminaappendices                             |
| iniziasectionblock:instance:backmatter  | \iniziabackmatter [..=..] ... \terminabackmatter                             |
| iniziasectionblock:instance:bodymatter  | \iniziabodymatter [..=..] ... \terminabodymatter                             |
| iniziasectionblock:instance:frontmatter | \iniziafrontmatter [..=..] ... \terminafrontmatter                           |
| iniziasectionlevel                      | \iniziasectionlevel [...] [..=..] [..=..] ... \terminasectionlevel           |
| iniziasetups                            | \iniziasetups [...] [...] ... \terminasetups                                 |
| iniziasetups:string                     | \iniziasetups ... .. \terminasetups  |
| iniziasfondo                            | \iniziasfondo [..=..] ... \terminasfondo                                     |
| iniziasfondo:example                    | \iniziaSFONDO [..=..] ... \terminaSFONDO                                     |
| iniziashift                             | \iniziashift [...] ... \terminashift   |
| iniziasidebar                           | \iniziasidebar [...] [..=..] ... \terminasidebar                             |
| iniziasimplecolumns                     | \iniziasimplecolumns [..=..] ... \terminasimplecolumns                       |
| iniziasospeso                           | \iniziasospeso [..=..] {...} ... \terminasospeso                             |
| iniziasospeso:argument                  | \iniziasospeso [...] {...} ... \terminasospeso                               |
| iniziasovrapponi                        | \iniziasovrapponi ... \terminasovrapponi                                     |
| iniziaspecialitem:item                  | \iniziaspecialitem [...] [...] ... \terminaspecialitem                       |
| iniziaspecialitem:none                  | \iniziaspecialitem [...] ... \terminaspecialitem                             |
| iniziaspecialitem:symbol                | \iniziaspecialitem [...] {...} ... \terminaspecialitem                       |
| iniziasplitformula                      | \iniziasplitformula ... \terminasplitformula                                 |
| iniziasplittext                         | \iniziasplittext ... \terminasplittext                                       |
| iniziaspread                            | \iniziaspread ... \terminaspread   |
| iniziastartstop:example                 | \iniziaSTARTSTOP ... \terminaSTARTSTOP                                       |
| iniziastaticMPfigure                    | \iniziastaticMPfigure {...} ... \terminastaticMPfigure                       |
| iniziastaticMPgraphic                   | \iniziastaticMPgraphic {...} {...} ... \terminastaticMPgraphic               |
| iniziastretto                           | \iniziastretto [...] [..=..] ... \terminastretto                             |
| iniziastretto:assignment                | \iniziastretto [..=..] [...] ... \terminastretto                             |
| iniziastretto:name                      | \iniziastretto [...] [...] ... \terminastretto                               |
| iniziastriictinspectnextcharacter       | \iniziastriictinspectnextcharacter ... \terminastriictinspectnextcharacter   |
| iniziastyle                             | \iniziastyle [..=..] ... \terminastyle                                       |
| iniziastyle:argument                    | \iniziastyle [...] ... \terminastyle   |
| iniziastyle:instance                    | \iniziaSTYLE ... \terminaSTYLE   |
| iniziasubformulas                       | \iniziasubformulas [...] ... \terminasubformulas                             |
| iniziasubjectlevel                      | \iniziasubjectlevel [...] [..=..] [..=..] ... \terminasubjectlevel           |
| iniziasubsentence                       | \iniziasubsentence ... \terminasubsentence                                   |
| iniziasubstack                          | \iniziasubstack ... \terminasubstack   |
| iniziasymbolset                         | \iniziasymbolset [...] [..=..] ... \terminasymbolset                         |
| iniziaTABLE                             | \iniziaTABLE [..=..] ... \terminaTABLE                                       |

|   |  |
|---|--|
| iniziaTABLEbody                             | \iniziaTABLEbody [...]\terminaTABLEbody                              |
| iniziaTABLEfoot                             | \iniziaTABLEfoot [...]\terminaTABLEfoot                              |
| iniziaTABLEhead                             | \iniziaTABLEhead [...]\terminaTABLEhead                              |
| iniziaTABLEnext                             | \iniziaTABLEnext [...]\terminaTABLEnext                              |
| iniziatabella                               | \iniziatabella [...]\terminatabella                                  |
| iniziatabella:name                          | \iniziatabella [...]\terminatabella                                  |
| iniziabelle                                 | \iniziabelle [...]\terminabelle                                      |
| iniziabelle:name                            | \iniziabelle [...]\terminabelle                                      |
| iniziatabulation:example                    | \iniziaTABULATION [...]\terminaTABULATION                            |
| iniziatabulato                              | \iniziatabulato [...]\terminatabulato                                |
| iniziatabulato:instance                     | \iniziaTABULATE [...]\terminaTABULATE                                |
| iniziatabulato:instance:fact                | \iniziabfact [...]\terminabfact                                      |
| iniziatabulato:instance:legend              | \iniziablegend [...]\terminablegend                                  |
| iniziatesta                                 | \iniziatesta {...}\terminatesta                                      |
| iniziatestatabella                          | \iniziatestatabella [...]\terminatestatabella                        |
| iniziatestatabulato                         | \iniziatestatabulato [...]\terminatestatabulato                      |
| iniziatesto                                 | \iniziatesto ... \terminatesto                                       |
| iniziatestoaiuto                            | \iniziatestoaiuto [...]\terminatestoaiuto                            |
| iniziatestoetichetta:instance               | \iniziabLABELtesto [...]\terminabLABELtesto                          |
| iniziatestoetichetta:instance:btxlabel      | \iniziabtxlabeltesto [...]\terminabtxlabeltesto                      |
| iniziatestoetichetta:instance:head          | \iniziabheadtesto [...]\terminabheadtesto                            |
| iniziatestoetichetta:instance:label         | \iniziablabeltesto [...]\terminablabeltesto                          |
| iniziatestoetichetta:instance:mathlabel     | \iniziabmathlabeltesto [...]\terminabmathlabeltesto                  |
| iniziatestoetichetta:instance:operator      | \iniziaboperatortesto [...]\terminaboperatortesto                    |
| iniziatestoetichetta:instance:prefix        | \iniziabprefixtesto [...]\terminabprefixtesto                        |
| iniziatestoetichetta:instance:suffix        | \iniziabsuffixtesto [...]\terminabsuffixtesto                        |
| iniziatestoetichetta:instance:taglabel      | \iniziabtaglabeltesto [...]\terminabtaglabeltesto                    |
| iniziatestoetichetta:instance:unit          | \iniziabunittesto [...]\terminabunittesto                            |
| iniziatestoincorniciato:instance            | \iniziaFRAMEDTEXT [...]\terminaFRAMEDTEXT                            |
| iniziatestoincorniciato:instance:framedtext | \iniziabframedtext [...]\terminabframedtext                          |
| iniziatexcode                               | \iniziatexcode ... \terminatexcode                                   |
| iniziatexdefinition                         | \iniziatexdefinition ... \terminatexdefinition                       |
| iniziatextbackground                        | \iniziatextbackground [...]\terminatextbackground                    |
| iniziatextbackgroundmanual                  | \iniziatextbackgroundmanual ... \terminatextbackgroundmanual         |
| iniziatextbackground:example                | \iniziaTEXTBACKGROUND [...]\terminaTEXTBACKGROUND                    |
| iniziatextcolor                             | \iniziatextcolor [...]\terminatextcolor                              |
| iniziatextcolorintent                       | \iniziatextcolorintent ... \terminatextcolorintent                   |
| iniziatextflow                              | \iniziatextflow [...]\terminatextflow                                |
| iniziatokenlist                             | \iniziatokenlist [...]\terminatokenlist                              |
| iniziatokens                                | \iniziatokens [...] \terminatokens                                   |
| iniziatransparent                           | \iniziatransparent [...] \terminatransparent                         |
| iniziatypescript                            | \iniziatypescript [...] \terminatypescript                           |
| iniziatypescriptcollection                  | \iniziatypescriptcollection [...] \terminatypescriptcollection       |
| iniziatyping:instance                       | \iniziaTYPING [...]\terminaTYPING                                    |
| iniziatyping:instance:argument              | \iniziaTYPING [...] \terminaTYPING                                   |
| iniziatyping:instance:argument:LUA          | \iniziaLUA [...] \terminaLUA   |
| iniziatyping:instance:argument:MP           | \iniziaMP [...] \terminaMP   |
| iniziatyping:instance:argument:PARSEDXML    | \iniziaPARSEDXML [...] \terminaPARSEDXML                             |
| iniziatyping:instance:argument:TEX          | \iniziaTEX [...] \terminaTEX   |
| iniziatyping:instance:argument:typing       | \iniziatyping [...] \terminatyping                                   |
| iniziatyping:instance:argument:XML          | \iniziaXML [...] \terminaXML   |
| iniziatyping:instance:LUA                   | \iniziaLUA [...]\terminaLUA  |
| iniziatyping:instance:MP                    | \iniziaMP [...]\terminaMP  |
| iniziatyping:instance:PARSEDXML             | \iniziaPARSEDXML [...]\terminaPARSEDXML                              |
| iniziatyping:instance:TEX                   | \iniziaTEX [...]\terminaTEX  |
| iniziatyping:instance:typing                | \iniziatyping [...]\terminatyping                                    |
| iniziatyping:instance:XML                   | \iniziaXML [...]\terminaXML  |
| iniziainiqueMPgraphic                       | \iniziainiqueMPgraphic {...}\terminainiqueMPgraphic                  |
| iniziainiqueMPpagegraphic                   | \iniziainiqueMPpagegraphic {...}\terminainiqueMPpagegraphic          |
| iniziainpacked                              | \iniziainpacked ... \terminainpacked                                 |
| iniziainusableMPgraphic                     | \iniziainusableMPgraphic {...}\terminainusableMPgraphic              |
| iniziainuseMPgraphic                        | \iniziainuseMPgraphic {...}\terminainuseMPgraphic                    |
| iniziainusemathstyleparameter               | \iniziainusemathstyleparameter ... \terminainusemathstyleparameter   |
| iniziainuserdata                            | \iniziainuserdata [...] \terminainuserdata                           |
| iniziainusingbtbspecification               | \iniziainusingbtbspecification [...] \terminainusingbtbspecification |
| iniziainvaia                                | \iniziainvaia [...] \terminainvaia                                   |
| iniziainvboxregister                        | \iniziainvboxregister ... \terminainvboxregister                     |
| iniziainvboxtohbox                          | \iniziainvboxtohbox ... \terminainvboxtohbox                         |
| iniziainvboxtohboxseparator                 | \iniziainvboxtohboxseparator ... \terminainvboxtohboxseparator       |
| iniziainviewerlayer                         | \iniziainviewerlayer [...] \terminainviewerlayer                     |
| iniziainviewerlayer:example                 | \iniziaVIEWERLAYER ... \terminaVIEWERLAYER                           |
| iniziainvtopregister                        | \iniziainvtopregister ... \terminainvtopregister                     |

|                                   |  |
|-----------------------------------|--|
| iniziaxcell                       | \iniziaxcell [...] [..=..] ... \terminaxcell                   |
| iniziaxcellgroup                  | \iniziaxcellgroup [...] [..=..] ... \terminaxcellgroup         |
| iniziaxcolumn                     | \iniziaxcolumn [..=..] ... \terminaxcolumn                     |
| iniziaxcolumn:name                | \iniziaxcolumn [...] ... \terminaxcolumn                       |
| iniziaxgroup                      | \iniziaxgroup [...] [..=..] ... \terminaxgroup                 |
| iniziaxmldisplayverbatim          | \iniziaxmldisplayverbatim [...] ... \terminaxmldisplayverbatim |
| iniziaxmlinlineverbatim           | \iniziaxmlinlineverbatim [...] ... \terminaxmlinlineverbatim   |
| iniziaxmlraw                      | \iniziaxmlraw ... \terminaxmlraw                               |
| iniziaxmlsetups                   | \iniziaxmlsetups [...] [...] ... \terminaxmlsetups             |
| iniziaxmlsetups:string            | \iniziaxmlsetups ... \terminaxmlsetups                         |
| iniziaxrow                        | \iniziaxrow [...] [..=..] ... \terminaxrow                     |
| iniziaxrowgroup                   | \iniziaxrowgroup [...] [..=..] ... \terminaxrowgroup           |
| iniziaxtable                      | \iniziaxtable [..=..] ... \terminaxtable                       |
| iniziaxtablebody                  | \iniziaxtablebody [..=..] ... \terminaxtablebody               |
| iniziaxtablebody:name             | \iniziaxtablebody [...] ... \terminaxtablebody                 |
| iniziaxtablefoot                  | \iniziaxtablefoot [..=..] ... \terminaxtablefoot               |
| iniziaxtablefoot:name             | \iniziaxtablefoot [...] ... \terminaxtablefoot                 |
| iniziaxtablehead                  | \iniziaxtablehead [..=..] ... \terminaxtablehead               |
| iniziaxtablehead:name             | \iniziaxtablehead [...] ... \terminaxtablehead                 |
| iniziaxtablenext                  | \iniziaxtablenext [..=..] ... \terminaxtablenext               |
| iniziaxtablenext:name             | \iniziaxtablenext [...] ... \terminaxtablenext                 |
| iniziaxtable:example              | \iniziaxTABLE [..=..] ... \terminaxTABLE                       |
| iniziaxtable:name                 | \iniziaxtable [...] ... \terminaxtable                         |
| inlinebuffer                      | \inlinebuffer [...]  |
| inlinedbox                        | \inlinedbox {...}  |
| inlinemath                        | \inlinemath {...}  |
| inlinemathematics                 | \inlinemathematics {...}                                       |
| inlinemessage                     | \inlinemessage {...}   |
| inlineordisplaymath               | \inlineordisplaymath {...} {...}                               |
| inlineprettyprintbuffer           | \inlineprettyprintbuffer {...} {...}                           |
| inlinerange                       | \inlinerange [...]   |
| innerflushshapebox                | \innerflushshapebox  |
| input                             | \input {...}   |
| inputfilebarename                 | \inputfilebarename   |
| inputfilename                     | \inputfilename   |
| inputfilerealsuffix               | \inputfilerealsuffix   |
| inputfilesuffix                   | \inputfilesuffix   |
| inputgivenfile                    | \inputgivenfile {...}  |
| input:string                      | \input ...   |
| inriga                            | \inriga {...} [...]  |
| insertpages                       | \insertpages [...] [...] [..=..]                               |
| installactionhandler              | \installactionhandler {...}                                    |
| installactivecharacter            | \installactivecharacter ...                                    |
| installalingua                    | \installalingua [...] [..=..]                                  |
| installalingua:name               | \installalingua [...] [...]                                    |
| installanddefineactivecharacter   | \installanddefineactivecharacter ... {...}                     |
| installattributestack             | \installattributestack \...                                    |
| installautocommandhandler         | \installautocommandhandler \... {...} \...                     |
| installautosetuphandler           | \installautosetuphandler \... {...}                            |
| installbasicautosetuphandler      | \installbasicautosetuphandler \... {...} \...                  |
| installbasicparameterhandler      | \installbasicparameterhandler \... {...}                       |
| installbottomframerenderer        | \installbottomframerenderer {...} {...}                        |
| installcommandhandler             | \installcommandhandler \... {...} \...                         |
| installcorenamespace              | \installcorenamespace {...}                                    |
| installdefinehandler              | \installdefinehandler \... {...} \...                          |
| installdefinitionset              | \installdefinitionset \... {...}                               |
| installdefinitionsetmember        | \installdefinitionsetmember \... {...} \... {...}              |
| installdirectcommandhandler       | \installdirectcommandhandler \... {...}                        |
| installdirectparameterhandler     | \installdirectparameterhandler \... {...}                      |
| installdirectparameterset handler | \installdirectparameterset handler \... {...}                  |
| installdirectsetuphandler         | \installdirectsetuphandler \... {...}                          |
| installdirectstyleandcolorhandler | \installdirectstyleandcolorhandler \... {...}                  |
| installframedautocommandhandler   | \installframedautocommandhandler \... {...} \...               |
| installframedcommandhandler       | \installframedcommandhandler \... {...} \...                   |
| installglobalmacrostack           | \installglobalmacrostack \...                                  |
| installleftframerenderer          | \installleftframerenderer {...} {...}                          |
| installmacrostack                 | \installmacrostack \...  |
| installnamespace                  | \installnamespace {...}  |
| installoutputroutine              | \installoutputroutine \... {...}                               |
| installpagearrangement            | \installpagearrangement ... {...}                              |
| installparameterhandler           | \installparameterhandler \... {...}                            |
| installparameterhashhandler       | \installparameterhashhandler \... {...}                        |

|                                   |  |
|-----------------------------------|--|
| installparametersethandler        | \installparametersethandler \... {...}             |
| installparentinjector             | \installparentinjector \... {...}                  |
| installrightframerenderer         | \installrightframerenderer {...} {...}             |
| installrootparameterhandler       | \installrootparameterhandler \... {...}            |
| installsetuphandler               | \installsetuphandler \... {...}                    |
| installsetuponlycommandhandler    | \installsetuponlycommandhandler \... {...}         |
| installshipoutmethod              | \installshipoutmethod {...} {...}                  |
| installsimplecommandhandler       | \installsimplecommandhandler \... {...} \...       |
| installsimpleframedcommandhandler | \installsimpleframedcommandhandler \... {...} \... |
| installstyleandcolorhandler       | \installstyleandcolorhandler \... {...}            |
| installswitchcommandhandler       | \installswitchcommandhandler \... {...} \...       |
| installswitchsetuphandler         | \installswitchsetuphandler \... {...}              |
| installtexdirective               | \installtexdirective {...} {...} {...}             |
| installtextracker                 | \installtextracker {...} {...} {...}               |
| installtopframerenderer           | \installtopframerenderer {...} {...}               |
| installunitsseparator             | \installunitsseparator {...} {...}                 |
| installunitsspace                 | \installunitsspace {...} {...}                     |
| installversioninfo                | \installversioninfo {...} {...}                    |
| integerrounding                   | \integerrounding {...}                             |
| intertext                         | \intertext {...}                                   |
| intorno                           | \intorno [...]                                     |
| invokepagehandler                 | \invokepagehandler {...} {...}                     |
| istltdir                          | \istltdir ...                                      |
| istrtdir                          | \istrtdir ...                                      |
| italiccorrection                  | \italiccorrection                                  |
| italicface                        | \italicface  |
| itemtag                           | \itemtag [...]                                     |
| jobfilename                       | \jobfilename                                       |
| jobfilesuffix                     | \jobfilesuffix                                     |
| kap                               | \kap {...}   |
| keeplinestogogether               | \keeplinestogogether {...}                         |
| keepunwantedspaces                | \keepunwantedspaces                                |
| kerncharacters                    | \kerncharacters [...] {...}                        |
| koreancirclegenumerals            | \koreancirclegenumerals {...}                      |
| koreannumerals                    | \koreannumerals {...}                              |
| koreannumeralsc                   | \koreannumeralsc {...}                             |
| koreannumeralsp                   | \koreannumeralsp {...}                             |
| koreanparentnumerals              | \koreanparentnumerals {...}                        |
| LAMSTEX                           | \LAMSTEX   |
| LATEX                             | \LATEX   |
| LamSTeX                           | \LamSTeX   |
| LaTeX                             | \LaTeX   |
| Lettera                           | \Lettera {...}                                     |
| Lettere                           | \Lettere {...}                                     |
| LUAJITEX                          | \LUAJITEX  |
| LUAMETATEX                        | \LUAMETATEX  |
| LUATEX                            | \LUATEX  |
| Lua                               | \Lua   |
| LuajitTeX                         | \LuajitTeX   |
| LuaMetaTeX                        | \LuaMetaTeX  |
| LuaTeX                            | \LuaTeX  |
| labellanguage:instance            | \LABELLingua                                       |
| labellanguage:instance:btxlabel   | \btxlabelingua                                     |
| labellanguage:instance:head       | \headlingua  |
| labellanguage:instance:label      | \labelingua  |
| labellanguage:instance:mathlabel  | \mathlabelingua                                    |
| labellanguage:instance:operator   | \operatorlingua                                    |
| labellanguage:instance:prefix     | \prefixlingua                                      |
| labellanguage:instance:suffix     | \suffixlingua                                      |
| labellanguage:instance:taglabel   | \taglabelingua                                     |
| labellanguage:instance:unit       | \unitlingua  |
| labeltexts:instance               | \LABELtexts {...} {...}                            |
| labeltexts:instance:head          | \headtexts {...} {...}                             |
| labeltexts:instance:label         | \labeltexts {...} {...}                            |
| labeltexts:instance:mathlabel     | \mathlabeltexts {...} {...}                        |
| languageCharacters                | \languageCharacters {...}                          |
| languagecharacters                | \languagecharacters {...}                          |
| languagecharwidth                 | \languagecharwidth {...}                           |
| lastcounter                       | \lastcounter [...] [...]                           |
| lastcountervalue                  | \lastcountervalue [...]                            |
| lastdigit                         | \lastdigit {...}                                   |
| lastlinewidth                     | \lastlinewidth                                     |

|                                  |  |
|----------------------------------|--|
| lastnaturalboxdp                 | \lastnaturalboxdp  |
| lastnaturalboxht                 | \lastnaturalboxht  |
| lastnaturalboxwd                 | \lastnaturalboxwd  |
| lastpredefinedsymbol             | \lastpredefinedsymbol  |
| lastrealpage                     | \lastrealpage  |
| lastrealpagenumber               | \lastrealpagenumber  |
| lastsubcountervalue              | \lastsubcountervalue [...] [...]                               |
| lastsubpagenumber                | \lastsubpagenumber   |
| lasttwodigits                    | \lasttwodigits {...}   |
| lastuserpage                     | \lastuserpage  |
| lastuserpagenumber               | \lastuserpagenumber  |
| lateluacode                      | \lateluacode {...}   |
| layeredtext                      | \layeredtext [..=..] [..=..] {...} {...}                       |
| layerheight                      | \layerheight   |
| layerwidth                       | \layerwidth  |
| lazysavetaggedtwopassdata        | \lazysavetaggedtwopassdata {...} {...} {...} {...}             |
| lazysavetwopassdata              | \lazysavetwopassdata {...} {...} {...}                         |
| lbox                             | \lbox ... {...}  |
| leftbottombox                    | \leftbottombox {...}   |
| leftbox                          | \leftbox {...}   |
| lefthbox                         | \lefthbox {...}  |
| leftlabeltext:instance           | \leftLABELtesto {...}  |
| leftlabeltext:instance:head      | \leftheadtesto {...}   |
| leftlabeltext:instance:label     | \leftlabeltesto {...}  |
| leftlabeltext:instance:mathlabel | \leftmathlabeltesto {...}                                      |
| leftline                         | \leftline {...}  |
| lefttorrighthbox                 | \lefttorrighthbox ... {...}                                    |
| lefttorrightvbox                 | \lefttorrightvbox ... {...}                                    |
| lefttorrightvtop                 | \lefttorrightvtop ...{...}                                     |
| leftskipadaption                 | \leftskipadaption  |
| leftsubguillemot                 | \leftsubguillemot  |
| lefttopbox                       | \lefttopbox {...}  |
| lefttoright                      | \lefttoright   |
| lefttorrighthbox                 | \lefttorrighthbox ... {...}                                    |
| lefttorrightvbox                 | \lefttorrightvbox ... {...}                                    |
| lefttorrightvtop                 | \lefttorrightvtop ... {...}                                    |
| letbeundefined                   | \letbeundefined {...}  |
| letcatcodecommand                | \letcatcodecommand \... ... \...                               |
| letcscsname                      | \letcscsname \... \csname ... \endcsname                       |
| letcsnamecs                      | \letcsnamecs \csname ... \endcsname \...                       |
| letcsnamecsname                  | \letcsnamecsname \csname ... \endcsname \csname ... \endcsname |
| letdummyparameter                | \letdummyparameter {...} \...                                  |
| letempty                         | \letempty \...   |
| letgvalue                        | \letgvalue {...} \...  |
| letgvalueempty                   | \letgvalueempty {...}  |
| letgvalurelax                    | \letgvalurelax {...}   |
| lettera                          | \lettera {...}   |
| letterampersand                  | \letterampersand   |
| letterat                         | \letterat  |
| letterbackslash                  | \letterbackslash   |
| letterbar                        | \letterbar   |
| letterbgroup                     | \letterbgroup  |
| letterclosebrace                 | \letterclosebrace  |
| lettercolon                      | \lettercolon   |
| letterdollar                     | \letterdollar  |
| letterdoublequote                | \letterdoublequote   |
| lettere                          | \lettere {...}   |
| lettereigroup                    | \lettereigroup   |
| letterescape                     | \letterescape  |
| letterexclamationmark            | \letterexclamationmark   |
| letterhash                       | \letterhash  |
| letterhat                        | \letterhat   |
| letterleftbrace                  | \letterleftbrace   |
| letterleftbracket                | \letterleftbracket   |
| letterleftparenthesis            | \letterleftparenthesis   |
| letterless                       | \letterless  |
| lettermore                       | \lettermore  |
| letteropenbrace                  | \letteropenbrace   |
| letterpercent                    | \letterpercent   |
| letterquestionmark               | \letterquestionmark  |
| letterrightbrace                 | \letterrightbrace  |
| letterrightbracket               | \letterrightbracket  |

|                            |  |
|----------------------------|--|
| letterrightparenthesis     | \letterrightparenthesis                      |
| lettersinglequote          | \lettersinglequote                           |
| letterslash                | \letterslash                                 |
| letterspacing              | \letterspacing [...] {...}                   |
| lettertilde                | \lettertilde                                 |
| letterunderscore           | \letterunderscore                            |
| letvalue                   | \letvalue {...} \...                         |
| letvalueempty              | \letvalueempty {...}                         |
| letvaluerelax              | \letvaluerelax {...}                         |
| lfence                     | \lfence {...}                                |
| lhbox                      | \lhbox {...}                                 |
| limitatefirstline          | \limitatefirstline [...] [...] {...}         |
| limitatelines              | \limitatelines [...] [...] {...}             |
| limitatetext               | \limitatetext [...] [...] {...}              |
| limitatetext:list          | \limitatetext [...] [...] {...}              |
| lineanera                  | \lineanera [..=..]                           |
| lineasottile               | \lineasottile                                |
| lineatesto                 | \lineatesto [...] {...}                      |
| linebox                    | \linebox {...}                               |
| lineenere                  | \lineenere [..=..]                           |
| lineeriempimento           | \lineeriempimento [..=..] [...] {...}        |
| linesottili                | \linesottili [..=..]                         |
| linenote:instance          | \LINENOTE {...}                              |
| linenote:instance:linenote | \linenote {...}                              |
| linespanningtext           | \linespanningtext [...] [...] {...}          |
| lingua                     | \lingua [...]                                |
| linguaprinzipale           | \linguaprinzipale [...]                      |
| lingua:example             | \LANGUAGE                                    |
| listcitation               | \listcitation [..=..][...]                   |
| listcitation:alternative   | \listcitation [...] [...]                    |
| listcitation:userdata      | \listcitation [..=..] [..=..]                |
| listcite                   | \listcite [..=..] [...]                      |
| listcite:alternative       | \listcite [...] [...]                        |
| listcite:userdata          | \listcite [..=..] [..=..]                    |
| listnamespaces             | \listnamespaces                              |
| llap                       | \llap {...}                                  |
| loadanyfile                | \loadanyfile [...]                           |
| loadanyfileonce            | \loadanyfileonce [...]                       |
| loadbtxdefinitionfile      | \loadbtxdefinitionfile [...]                 |
| loadbtxreplacementfile     | \loadbtxreplacementfile [...]                |
| loadcldfile                | \loadcldfile [...]                           |
| loadcldfileonce            | \loadcldfileonce [...]                       |
| loadfontgoodies            | \loadfontgoodies [...]                       |
| loadluafile                | \loadluafile [...]                           |
| loadluafileonce            | \loadluafileonce [...]                       |
| loadspellchecklist         | \loadspellchecklist [...] [...]              |
| loadtexfile                | \loadtexfile [...]                           |
| loadtexfileonce            | \loadtexfileonce [...]                       |
| loadtypescriptfile         | \loadtypescriptfile [...]                    |
| localframed                | \localframed [...] [..=..] {...}             |
| localframedwithsettings    | \localframedwithsettings [...] [..=..] {...} |
| localhsize                 | \localhsize                                  |
| localpopbox                | \localpopbox ...                             |
| localpopmacro              | \localpopmacro \...                          |
| localpushbox               | \localpushbox ...                            |
| localpushmacro             | \localpushmacro \...                         |
| localundefine              | \localundefine {...}                         |
| locatedfilepath            | \locatedfilepath                             |
| locatefilepath             | \locatefilepath {...}                        |
| locfilename                | \locfilename {...}                           |
| lomihi                     | \lomihi [...] [...] {...}                    |
| lowerbox                   | \lowerbox [...] \... {...}                   |
| lowercased                 | \lowercased {...}                            |
| lowercasestring            | \lowercasestring ... \to \...                |
| lowerleftdoubleninequote   | \lowerleftdoubleninequote                    |
| lowerleftsingleninequote   | \lowerleftsingleninequote                    |
| lowerrightdoubleninequote  | \lowerrightdoubleninequote                   |
| lowerrightsingleninequote  | \lowerrightsingleninequote                   |
| lowhigh:instance           | \LOWHIGH [...] [...] {...}                   |
| lowmidhigh:instance        | \LOWMIDHIGH [...] [...] {...}                |
| lrbbox                     | \lrbbox [...] [...] [...] [...] {...}        |
| ltop                       | \ltop ... {...}                              |

|                   |                                 |
|-------------------|---------------------------------|
| luacode           | \luacode {...}                  |
| luaconditional    | \luaconditional \...            |
| luaenvironment    | \luaenvironment ...             |
| luaexpanded       | \luaexpanded {...}              |
| luaexpr           | \luaexpr {...}                  |
| luafunction       | \luafunction {...}              |
| luajitTeX         | \luajitTeX                      |
| luamajorversion   | \luamajorversion                |
| luametaTeX        | \luametaTeX                     |
| luaminorversion   | \luaminorversion                |
| luaparameterset   | \luaparameterset {...} {...}    |
| luasetup          | \luasetup {...}                 |
| luaTeX            | \luaTeX                         |
| luaversion        | \luaversion                     |
| lunghezzaelenco   | \lunghezzaelenco                |
| MESE              | \MESE {...}                     |
| METAFONT          | \METAFONT                       |
| METAFUN           | \METAFUN                        |
| METAPOST          | \METAPOST                       |
| MetaFont          | \MetaFont                       |
| MetaFun           | \MetaFun                        |
| MetaPost          | \MetaPost                       |
| MKII              | \MKII                           |
| MKIV              | \MKIV                           |
| MKIX              | \MKIX                           |
| MKVI              | \MKVI                           |
| MKXI              | \MKXI                           |
| MONTHLONG         | \MONTHLONG {...}                |
| MONTHSHORT        | \MONTHSHORT {...}               |
| MPanchor          | \MPanchor {...}                 |
| MPbetex           | \MPbetex {...}                  |
| MPc               | \MPc {...}                      |
| MPcode            | \MPcode {...} {...}             |
| MPcolor           | \MPcolor {...}                  |
| MPcoloronly       | \MPcoloronly {...}              |
| MPcolumn          | \MPcolumn {...}                 |
| MPd               | \MPd {...}                      |
| MPdrawing         | \MPdrawing {...}                |
| MPfontsizehskip   | \MPfontsizehskip {...}          |
| MPgetmultipars    | \MPgetmultipars {...} {...}     |
| MPgetmultishape   | \MPgetmultishape {...} {...}    |
| MPgetposboxes     | \MPgetposboxes {...} {...}      |
| MPh               | \MPh {...}                      |
| MPII              | \MPII                           |
| MPIV              | \MPIV                           |
| MPinclusions      | \MPinclusions [...] [...] {...} |
| MPleftskip        | \MPleftskip {...}               |
| MPll              | \MPll {...}                     |
| MPlr              | \MPlr {...}                     |
| MPls              | \MPls {...}                     |
| MPmenubuttons     | \MPmenubuttons {...}            |
| MPn               | \MPn {...}                      |
| MPoptions         | \MPoptions {...}                |
| MPoverlayanchor   | \MPoverlayanchor {...}          |
| MPp               | \MPp {...}                      |
| MPpage            | \MPpage {...}                   |
| MPpardata         | \MPpardata {...}                |
| MPplus            | \MPplus {...} [...] {...}       |
| MPpos             | \MPpos {...}                    |
| MPpositiongraphic | \MPpositiongraphic [...] {...}  |
| MPposset          | \MPposset {...}                 |
| MPr               | \MPr {...}                      |
| MPrawvar          | \MPrawvar [...] {...}           |
| MPregion          | \MPregion {...}                 |
| MPrest            | \MPrest [...] {...}             |
| MPrightskip       | \MPrightskip {...}              |
| MPrs              | \MPrs {...}                     |
| MPstring          | \MPstring {...}                 |
| MPtext            | \MPtext {...}                   |
| MPtransparency    | \MPtransparency {...}           |
| MPul              | \MPul {...}                     |
| MPur              | \MPur {...}                     |

|   |   |
|---|---|
| MPVI  | \MPVI                                   |
| MPv   | \MPv {...} {...} {...}                  |
| MPvar   | \MPvar {...}                            |
| MPvariable  | \MPvariable {...}                       |
| MPvv  | \MPvv {...} {...}                       |
| MPw   | \MPw {...}                              |
| MPwhd   | \MPwhd {...}                            |
| MPx   | \MPx {...}                              |
| MPxy  | \MPxy {...}                             |
| MPxywhd   | \MPxywhd {...}                          |
| MPy   | \MPy {...}                              |
| m   | \m [...] {...}                          |
| makecharacteractive                                   | \makecharacteractive ...                |
| makerawcommalist                                      | \makerawcommalist [...] \...            |
| makestrutofbox  | \makestrutofbox ...                     |
| mapfontsize   | \mapfontsize [...] [...]                |
| marcatura   | \marcatura (...,...) (...,...) [...]    |
| margindata  | \margindata [...] [..=..] [..=..] {...} |
| margindata:instance                                   | \MARGINDATA [..=..] [..=..] {...}       |
| margindata:instance:atleftmargin                      | \atleftmargin [..=..] [..=..] {...}     |
| margindata:instance:atrightmargin                     | \atrightmargin [..=..] [..=..] {...}    |
| margindata:instance:ininner                           | \ininner [..=..] [..=..] {...}          |
| margindata:instance:ininneredge                       | \ininneredge [..=..] [..=..] {...}      |
| margindata:instance:ininnermargin                     | \ininnermargin [..=..] [..=..] {...}    |
| margindata:instance:inleft                            | \inleft [..=..] [..=..] {...}           |
| margindata:instance:inleftedge                        | \inleftedge [..=..] [..=..] {...}       |
| margindata:instance:inleftmargin                      | \inleftmargin [..=..] [..=..] {...}     |
| margindata:instance:inmargin                          | \inmargin [..=..] [..=..] {...}         |
| margindata:instance:inothet                           | \inothet [..=..] [..=..] {...}          |
| margindata:instance:inouter                           | \inouter [..=..] [..=..] {...}          |
| margindata:instance:inouteredge                       | \inouteredge [..=..] [..=..] {...}      |
| margindata:instance:inoutermargin                     | \inoutermargin [..=..] [..=..] {...}    |
| margindata:instance:inright                           | \inright [..=..] [..=..] {...}          |
| margindata:instance:inrightedge                       | \inrightedge [..=..] [..=..] {...}      |
| margindata:instance:inrightmargin                     | \inrightmargin [..=..] [..=..] {...}    |
| margindata:instance:margintext                        | \margintext [..=..] [..=..] {...}       |
| markcontent   | \markcontent [...] {...}                |
| markedpages   | \markedpages [...]                      |
| markinjector  | \markinjector [...]                     |
| markpage  | \markpage [...] [...]                   |
| mat   | \mat {...}                              |
| matematica  | \matematica [...] {...}                 |
| math  | \math [...] {...}                       |
| mathbf  | \mathbf                                 |
| mathbi  | \mathbi                                 |
| mathblackboard  | \mathblackboard                         |
| mathbs  | \mathbs                                 |
| mathcommand:example                                   | \MATHCOMMAND {...} {...}                |
| mathdefault   | \mathdefault                            |
| mathdouble  | \mathdouble [...] {...} {...} {...}     |
| mathdoubleextensible:instance                         | \MATHDOUBLEEXTENSIBLE {...} {...}       |
| mathdoubleextensible:instance:doublebar               | \doublebar {...} {...}                  |
| mathdoubleextensible:instance:doublebrace             | \doublebrace {...} {...}                |
| mathdoubleextensible:instance:doublebracket           | \doublebracket {...} {...}              |
| mathdoubleextensible:instance:doubleparent            | \doubleparent {...} {...}               |
| mathdoubleextensible:instance:overbarunderbar         | \overbarunderbar {...} {...}            |
| mathdoubleextensible:instance:overbraceunderbrace     | \overbraceunderbrace {...} {...}        |
| mathdoubleextensible:instance:overbracketunderbracket | \overbracketunderbracket {...} {...}    |
| mathdoubleextensible:instance:overparentunderparent   | \overparentunderparent {...} {...}      |
| mathextensible:instance                               | \MATHEXTENSIBLE {...} {...}             |
| mathextensible:instance:cleftarrow                    | \cleftarrow {...} {...}                 |
| mathextensible:instance:crightarrow                   | \crightarrow {...} {...}                |
| mathextensible:instance:crightoverleftarrow           | \crightoverleftarrow {...} {...}        |
| mathextensible:instance:elleftarrowfill               | \elleftarrowfill {...} {...}            |
| mathextensible:instance:eleftharpoonupdownfill        | \eleftharpoonupdownfill {...} {...}     |
| mathextensible:instance:eleftharpoonupfill            | \eleftharpoonupfill {...} {...}         |
| mathextensible:instance:eleftrightarrowfill           | \eleftrightarrowfill {...} {...}        |
| mathextensible:instance:eoverbarfill                  | \eoverbarfill {...} {...}               |
| mathextensible:instance:eoverbracefill                | \eoverbracefill {...} {...}             |
| mathextensible:instance:eoverbracketfill              | \eoverbracketfill {...} {...}           |
| mathextensible:instance:eoverparentfill               | \eoverparentfill {...} {...}            |
| mathextensible:instance:erightarrowfill               | \erightarrowfill {...} {...}            |



|  |   |
|--|---|
| mathextensible:instance:erightharpoondownfill      | \erightharpoondownfill {...} {...}      |
| mathextensible:instance:erightharpoonupfill        | \erightharpoonupfill {...} {...}        |
| mathextensible:instance:etwoheadrightarrowfill     | \etwoheadrightarrowfill {...} {...}     |
| mathextensible:instance:eunderbarfill              | \eunderbarfill {...} {...}              |
| mathextensible:instance:eunderbracefill            | \eunderbracefill {...} {...}            |
| mathextensible:instance:eunderbracketfill          | \eunderbracketfill {...} {...}          |
| mathextensible:instance:eunderparentfill           | \eunderparentfill {...} {...}           |
| mathextensible:instance:mequal                     | \mequal {...} {...}                     |
| mathextensible:instance:mhookleftarrow             | \mhookleftarrow {...} {...}             |
| mathextensible:instance:mhookrightarrow            | \mhookrightarrow {...} {...}            |
| mathextensible:instance:mLeftarrow                 | \mLeftarrow {...} {...}                 |
| mathextensible:instance:mLeftrightarrow            | \mLeftrightarrow {...} {...}            |
| mathextensible:instance:mleftarrow                 | \mleftarrow {...} {...}                 |
| mathextensible:instance:mlefttharpoondown          | \mlefttharpoondown {...} {...}          |
| mathextensible:instance:mlefttharpoonup            | \mlefttharpoonup {...} {...}            |
| mathextensible:instance:mleftrightharpoonup        | \mleftrightharpoonup {...} {...}        |
| mathextensible:instance:mleftrightharpoons         | \mleftrightharpoons {...} {...}         |
| mathextensible:instance:mmapsto                    | \mmapsto {...} {...}                    |
| mathextensible:instance:mRightarrow                | \mRightarrow {...} {...}                |
| mathextensible:instance:mrel                       | \mrel {...} {...}                       |
| mathextensible:instance:mrightarrow                | \mrightarrow {...} {...}                |
| mathextensible:instance:mrightharpoondown          | \mrightharpoondown {...} {...}          |
| mathextensible:instance:mrightharpoonup            | \mrightharpoonup {...} {...}            |
| mathextensible:instance:mrightrightarpoons         | \mrightrightarpoons {...} {...}         |
| mathextensible:instance:mrightharpoonoverleftarrow | \mrightharpoonoverleftarrow {...} {...} |
| mathextensible:instance:mtriplerel                 | \mtriplerel {...} {...}                 |
| mathextensible:instance:mtwoheadleftarrow          | \mtwoheadleftarrow {...} {...}          |
| mathextensible:instance:mtwoheadrightarrow         | \mtwoheadrightarrow {...} {...}         |
| mathextensible:instance:tequal                     | \tequal {...} {...}                     |
| mathextensible:instance:thookleftarrow             | \thookleftarrow {...} {...}             |
| mathextensible:instance:thookrightarrow            | \thookrightarrow {...} {...}            |
| mathextensible:instance:tLeftarrow                 | \tLeftarrow {...} {...}                 |
| mathextensible:instance:tLeftrightarrow            | \tLeftrightarrow {...} {...}            |
| mathextensible:instance:tleftarrow                 | \tleftarrow {...} {...}                 |
| mathextensible:instance:tlefttharpoondown          | \tlefttharpoondown {...} {...}          |
| mathextensible:instance:tlefttharpoonup            | \tlefttharpoonup {...} {...}            |
| mathextensible:instance:tlefttrightharpoonup       | \tlefttrightharpoonup {...} {...}       |
| mathextensible:instance:tlefttrightharpoons        | \tlefttrightharpoons {...} {...}        |
| mathextensible:instance:tmapsto                    | \tmapsto {...} {...}                    |
| mathextensible:instance:tRightarrow                | \tRightarrow {...} {...}                |
| mathextensible:instance:trel                       | \trel {...} {...}                       |
| mathextensible:instance:trightarrow                | \trightarrow {...} {...}                |
| mathextensible:instance:trightharpoondown          | \trightharpoondown {...} {...}          |
| mathextensible:instance:trightharpoonup            | \trightharpoonup {...} {...}            |
| mathextensible:instance:trightrightarpoons         | \trightrightarpoons {...} {...}         |
| mathextensible:instance:trightharpoonoverleftarrow | \trightharpoonoverleftarrow {...} {...} |
| mathextensible:instance:ttriplerel                 | \ttriplerel {...} {...}                 |
| mathextensible:instance:ttwoheadleftarrow          | \ttwoheadleftarrow {...} {...}          |
| mathextensible:instance:ttwoheadrightarrow         | \ttwoheadrightarrow {...} {...}         |
| mathextensible:instance:xequal                     | \xequal {...} {...}                     |
| mathextensible:instance:xhookleftarrow             | \xhookleftarrow {...} {...}             |
| mathextensible:instance:xhookrightarrow            | \xhookrightarrow {...} {...}            |
| mathextensible:instance:xLeftarrow                 | \xLeftarrow {...} {...}                 |
| mathextensible:instance:xLeftrightarrow            | \xLeftrightarrow {...} {...}            |
| mathextensible:instance:xleftarrow                 | \xleftarrow {...} {...}                 |
| mathextensible:instance:xlefttharpoondown          | \xlefttharpoondown {...} {...}          |
| mathextensible:instance:xlefttharpoonup            | \xlefttharpoonup {...} {...}            |
| mathextensible:instance:xleftrightharpoonup        | \xleftrightharpoonup {...} {...}        |
| mathextensible:instance:xleftrightharpoons         | \xleftrightharpoons {...} {...}         |
| mathextensible:instance:xmapsto                    | \xmapsto {...} {...}                    |
| mathextensible:instance:xRightarrow                | \xRightarrow {...} {...}                |
| mathextensible:instance:xrel                       | \xrel {...} {...}                       |
| mathextensible:instance:xrightarrow                | \xrightarrow {...} {...}                |
| mathextensible:instance:xrightharpoondown          | \xrightharpoondown {...} {...}          |
| mathextensible:instance:xrightharpoonup            | \xrightharpoonup {...} {...}            |
| mathextensible:instance:xrightleftharpoons         | \xrightleftharpoons {...} {...}         |
| mathextensible:instance:xrightoverleftarrow        | \xrightoverleftarrow {...} {...}        |
| mathextensible:instance:xtriplerel                 | \xtriplerel {...} {...}                 |
| mathextensible:instance:xtwoheadleftarrow          | \xtwoheadleftarrow {...} {...}          |
| mathextensible:instance:xtwoheadrightarrow         | \xtwoheadrightarrow {...} {...}         |
| mathfraktur  | \mathfraktur                            |
| mathframed:instance                                | \MATHFRAMED [...=.] {...}               |

|                                       |                                      |
|---------------------------------------|--------------------------------------|
| mathframed:instance:inmframed         | \inmframed [..=..] {...}             |
| mathframed:instance:mcframed          | \mcframed [..=..] {...}              |
| mathframed:instance:mframed           | \mframed [..=..] {...}               |
| mathfunction                          | \mathfunction {...}                  |
| mathit                                | \mathit                              |
| mathitalic                            | \mathitalic                          |
| mathmatrix                            | \MATHMATRIX {...}                    |
| mathop                                | \mathop {...}                        |
| mathornament:example                  | \MATHORNAMENT {...}                  |
| mathover                              | \mathover [...] {...} {...}          |
| mathoverextensible:example            | \MATHOVEREXTENSIBLE {...}            |
| mathovertextextensible:instance       | \MATHOVERTEXTEXTENSIBLE {...} {...}  |
| mathradical:example                   | \MATHRADICAL [...] {...}             |
| mathrm                                | \mathrm                              |
| mathscript                            | \mathscript                          |
| mathsl                                | \mathsl                              |
| mathss                                | \mathss                              |
| mathtext                              | \mathtext ... {...}                  |
| mathtextbf                            | \mathtextbf ... {...}                |
| mathtextbi                            | \mathtextbi ... {...}                |
| mathtextbs                            | \mathtextbs ... {...}                |
| mathtextit                            | \mathtextit ... {...}                |
| mathtextsl                            | \mathtextsl ... {...}                |
| mathtexttf                            | \mathtexttf ... {...}                |
| mathtf                                | \mathtf                              |
| mathtriplet                           | \mathtriplet [...] {...} {...} {...} |
| mathtriplet:example                   | \MATHTRIPLET [...] {...} {...} {...} |
| mathtt                                | \mathtt                              |
| mathunder                             | \mathunder [...] {...} {...}         |
| mathunderextensible:example           | \MATHUNDEREXTENSIBLE {...}           |
| mathundertextextensible:instance      | \MATHUNDERTEXTEXTENSIBLE {...} {...} |
| mathunstacked:example                 | \MATHUNSTACKED                       |
| mathupright                           | \mathupright                         |
| mathword                              | \mathword ... {...}                  |
| mathwordbf                            | \mathwordbf ... {...}                |
| mathwordbi                            | \mathwordbi ... {...}                |
| mathwordbs                            | \mathwordbs ... {...}                |
| mathwordit                            | \mathwordit ... {...}                |
| mathwordsl                            | \mathwordsl ... {...}                |
| mathwordtf                            | \mathwordtf ... {...}                |
| maxaligned                            | \maxaligned {...}                    |
| mbox                                  | \mbox {...}                          |
| measure                               | \measure {...}                       |
| measured                              | \measured {...}                      |
| medskip                               | \medskip                             |
| medspace                              | \medspace                            |
| menuinterattivo                       | \menuinterattivo [...] [..=..]       |
| mese                                  | \mese {...}                          |
| message                               | \message {...}                       |
| mettielenco                           | \mettielenco [...] [..=..]           |
| mettielencocombinato                  | \mettielencocombinato [...] [..=..]  |
| mettielencocombinato:instance         | \mettiCOMBINEDLIST [..=..]           |
| mettielencocombinato:instance:content | \metticontent [..=..]                |
| mettifiancoafianco                    | \mettifiancoafianco {...} {...}      |
| mettiformula                          | \mettiformula [...] {...}            |
| mettiingriglia                        | \mettiingriglia [...] {...}          |
| mettiingriglia:list                   | \mettiingriglia [...] {...}          |
| mettinotepdp                          | \mettinotepdp [..=..]                |
| mettinotepdplocali                    | \mettinotepdplocali [..=..]          |
| mettinumeropagina                     | \mettinumeropagina                   |
| mettiregistro                         | \mettiregistro [...] [..=..]         |
| mettiregistro:instance                | \mettiREGISTER [..=..]               |
| mettiregistro:instance:index          | \mettiindex [..=..]                  |
| mettisegnalibro                       | \mettisegnalibro [...] [...] [..=..] |
| mettisottoformula                     | \mettisottoformula [...] {...}       |
| mettiunosullaltro                     | \mettiunosullaltro {...} {...}       |
| mfence                                | \mfence {...}                        |
| mfunction                             | \mfunction {...}                     |
| mfunctionlabeltext                    | \mfunctionlabeltext {...}            |
| mhbox                                 | \mhbox {...}                         |
| middlealigned                         | \middlealigned {...}                 |
| middlebox                             | \middlebox {...}                     |

|                            |  |
|----------------------------|--|
| midhbox                    | \midhbox {...}                                       |
| midsentence                | \midsentence   |
| minimalhbox                | \minimalhbox ... {...}                               |
| mixedcaps                  | \mixedcaps {...}                                     |
| mkvibuffer                 | \mkvibuffer [...]                                    |
| moduleparameter            | \moduleparameter {...} {...}                         |
| molecule                   | \molecule {...}                                      |
| mono                       | \mono  |
| monograssetto              | \monograssetto                                       |
| mononormal                 | \mononormal  |
| monthlong                  | \monthlong {...}                                     |
| monthshort                 | \monthshort {...}                                    |
| mostraambientefontdeltesto | \mostraambientefontdeltesto [...]                    |
| mostracolore               | \mostracolore [...]                                  |
| mostracornice              | \mostracornice [...] [...]                           |
| mostrafontdeltesto         | \mostrafontdeltesto [...]                            |
| mostragriglia              | \mostragriglia [...]                                 |
| mostragruppocolori         | \mostragruppocolori [...] [...]                      |
| mostraimpostazioni         | \mostraimpostazioni [...]                            |
| mostralyout                | \mostralyout [...]                                   |
| mostramakeup               | \mostramakeup [...]                                  |
| mostrasettsimboli          | \mostrasettsimboli [...]                             |
| mostrastampa               | \mostrastampa [...] [...] [..=..]                    |
| mostrastruts               | \mostrastruts  |
| mostratavolozza            | \mostratavolozza [...] [...]                         |
| mprandomnumber             | \mprandomnumber                                      |
| mtext                      | \mtext {...}   |
| NormalizeFontHeight        | \NormalizeFontHeight \... {...} {...} {...}          |
| NormalizeFontWidth         | \NormalizeFontWidth \... {...} {...} {...}           |
| NormalizeTextHeight        | \NormalizeTextHeight {...} {...} {...}               |
| NormalizeTextWidth         | \NormalizeTextWidth {...} {...} {...}                |
| Numeri                     | \Numeri {...}  |
| Numeriromani               | \Numeriromani {...}                                  |
| namedheadnumber            | \namedheadnumber {...}                               |
| namedstructureheadlocation | \namedstructureheadlocation {...}                    |
| namedstructureuservariable | \namedstructureuservariable {...} {...}              |
| namedstructurevariable     | \namedstructurevariable {...} {...}                  |
| namedtaggedlabeltexts      | \namedtaggedlabeltexts {...} {...} {...} {...} {...} |
| nascondiblocchi            | \nascondiblocchi [...] [...]                         |
| naturalhbox                | \naturalhbox ... {...}                               |
| naturalhpack               | \naturalhpack ... {...}                              |
| naturalvbox                | \naturalvbox ... {...}                               |
| naturalvcenter             | \naturalvcenter ... {...}                            |
| naturalvpack               | \naturalvpack ... {...}                              |
| naturalvtop                | \naturalvtop ... {...}                               |
| naturalwd                  | \naturalwd ...                                       |
| negatecolorbox             | \negatecolorbox ...                                  |
| negated                    | \negated {...}                                       |
| negemspace                 | \negemspace  |
| negenspace                 | \negenspace  |
| negthinspace               | \negthinspace  |
| newattribute               | \newattribute \...                                   |
| newcatcodetable            | \newcatcodetable \...                                |
| newcounter                 | \newcounter \...                                     |
| newevery                   | \newevery \... \...                                  |
| newfrenchspacing           | \newfrenchspacing                                    |
| newmode                    | \newmode {...}                                       |
| newsignal                  | \newsignal \...                                      |
| newsystemmode              | \newsystemmode {...}                                 |
| nextbox                    | \nextbox   |
| nextboxdp                  | \nextboxdp   |
| nextboxht                  | \nextboxht   |
| nextboxhtdp                | \nextboxhtdp   |
| nextboxwd                  | \nextboxwd   |
| nextcounter                | \nextcounter [...] [...]                             |
| nextcountervalue           | \nextcountervalue [...]                              |
| nextdepth                  | \nextdepth   |
| nextparagraphs             | \nextparagraphs                                      |
| nextparagraphs:example     | \successivoPARAGRAPHS                                |
| nextrealpage               | \nextrealpage  |
| nextrealpagenumber         | \nextrealpagenumber                                  |
| nextsubcountervalue        | \nextsubcountervalue [...] [...]                     |

|                                   |   |
|-----------------------------------|---|
| nextsubpagenumber                 | \nextsubpagenumber                          |
| nextuserpage                      | \nextuserpage                               |
| nextuserpagenumber                | \nextuserpagenumber                         |
| nientelineecimafondo              | \nientelineecimafondo                       |
| nientelineintestazionepdp         | \nientelineintestazionepdp                  |
| nientespazio                      | \nientespazio                               |
| nocap                             | \nocap {...}                                |
| nocharacteralign                  | \nocharacteralign                           |
| nocitation                        | \nocitation [...]                           |
| nocitation:direct                 | \nocitation {...}                           |
| nocite                            | \nocite [...]                               |
| nocite:direct                     | \nocite {...}                               |
| nodetostring                      | \nodetostring \... {...}                    |
| noffigurepages                    | \noffigurepages                             |
| noflines                          | \noflines                                   |
| noflocalfloats                    | \noflocalfloats                             |
| noheightstrut                     | \noheightstrut                              |
| noindentation                     | \noindentation                              |
| noitem                            | \noitem                                     |
| nonfrenchspacing                  | \nonfrenchspacing                           |
| nonmathematics                    | \nonmathematics {...}                       |
| normalboldface                    | \normalboldface                             |
| normale                           | \normale                                    |
| normalframedwithsettings          | \normalframedwithsettings [..=..] {...}     |
| normalitalicface                  | \normalitalicface                           |
| normalizebodyfontsize             | \normalizebodyfontsize \... {...}           |
| normalizedfontsize                | \normalizedfontsize                         |
| normalizefontdepth                | \normalizefontdepth \... {...} {...} {...}  |
| normalizefontheight               | \normalizefontheight \... {...} {...} {...} |
| normalizefontline                 | \normalizefontline \... {...} {...} {...}   |
| normalizefontwidth                | \normalizefontwidth \... {...} {...} {...}  |
| normalizetextdepth                | \normalizetextdepth {...} {...} {...}       |
| normalizetextheight               | \normalizetextheight {...} {...} {...}      |
| normalizetextline                 | \normalizetextline {...} {...} {...}        |
| normalizetextwidth                | \normalizetextwidth {...} {...} {...}       |
| normalslantedface                 | \normalslantedface                          |
| normaltypeface                    | \normaltypeface                             |
| nota                              | \nota [...] [...]                           |
| nota:instance                     | \NOTE [...] {...}                           |
| nota:instance:assignment          | \NOTE [..=..]                               |
| nota:instance:assignment:endnote  | \endnote [..=..]                            |
| nota:instance:assignment:footnote | \footnote [..=..]                           |
| nota:instance:endnote             | \endnote [...] {...}                        |
| nota:instance:footnote            | \footnote [...] {...}                       |
| notesymbol                        | \notesymbol [...] [...]                     |
| notragged                         | \notragged                                  |
| ntimes                            | \ntimes {...} {...}                         |
| numberofpoints                    | \numberofpoints {...}                       |
| numeri                            | \numeri {...}                               |
| numeriromani                      | \numeriromani {...}                         |
| numeroformula                     | \numeroformula [...]                        |
| numeropagina                      | \numeropagina                               |
| numeropaginacompleto              | \numeropaginacompleto                       |
| numerotesta                       | \numerotesta [...] [...]                    |
| numerotestacorrente               | \numerotestacorrente                        |
| obeydepth                         | \obeydepth                                  |
| objectdepth                       | \objectdepth                                |
| objectheight                      | \objectheight                               |
| objectmargin                      | \objectmargin                               |
| objectwidth                       | \objectwidth                                |
| obox                              | \obox {...}                                 |
| offset                            | \offset [..=..] {...}                       |
| offsetbox                         | \offsetbox [..=..] \... {...}               |
| onedigitrounding                  | \onedigitrounding {...}                     |
| ordinaldaynumber                  | \ordinaldaynumber {...}                     |
| ordinalstr                        | \ordinalstr {...}                           |
| ornamenttext:collector            | \ornamenttext [..=..] [..=..] {...} {...}   |
| ornamenttext:direct               | \ornamenttext [...] {...} {...}             |
| ornamenttext:layer                | \ornamenttext [..=..] [..=..] {...} {...}   |
| ornament:example                  | \ORNAMENT {...} {...}                       |
| outputfilename                    | \outputfilename                             |
| outputstreambox                   | \outputstreambox [...]                      |

|                             |  |
|-----------------------------|--|
| outputstreamcopy            | \outputstreamcopy [...]                  |
| outputstreamunvbox          | \outputstreamunvbox [...]                |
| outputstreamunvcopy         | \outputstreamunvcopy [...]               |
| over                        | \over [...]                              |
| overlaybutton               | \overlaybutton [...]                     |
| overlaybutton:direct        | \overlaybutton {...}                     |
| overlaycolor                | \overlaycolor                            |
| overlaydepth                | \overlaydepth                            |
| overlayfigure               | \overlayfigure {...}                     |
| overlayheight               | \overlayheight                           |
| overlayimage                | \overlayimage {...}                      |
| overlaylinecolor            | \overlaylinecolor                        |
| overlaylinewidth            | \overlaylinewidth                        |
| overlayoffset               | \overlayoffset                           |
| overlayrollbutton           | \overlayrollbutton [...] [...]           |
| overlaywidth                | \overlaywidth                            |
| overloadererror             | \overloadererror                         |
| overset                     | \overset {...} {...}                     |
| PAROLA                      | \PAROLA {...}                            |
| PAROLE                      | \PAROLE {...}                            |
| Parola                      | \Parola {...}                            |
| Parole                      | \Parole {...}                            |
| PDFcolor                    | \PDFcolor {...}                          |
| PDFETEX                     | \PDFETEX                                 |
| PDFTEX                      | \PDFTEX                                  |
| PICTEX                      | \PICTEX                                  |
| PiCTeX                      | \PiCTeX                                  |
| PointsToBigPoints           | \PointsToBigPoints {...} \...            |
| PointsToReal                | \PointsToReal {...} \...                 |
| PointsToWholeBigPoints      | \PointsToWholeBigPoints {...} \...       |
| PPCHTEX                     | \PPCHTEX                                 |
| PPCHTeX                     | \PPCHTeX                                 |
| PRAGMA                      | \PRAGMA                                  |
| PtToCm                      | \PtToCm {...}                            |
| pagearea                    | \pagearea [...] [...] [...]              |
| pagebreak                   | \pagebreak [...]                         |
| pagefigure                  | \pagefigure [...] [..=..]                |
| pageinjection               | \pageinjection [...] [..=..]             |
| pageinjection:assignment    | \pageinjection [..=..] [..=..]           |
| pagestaterealpage           | \pagestaterealpage {...} {...}           |
| pagestaterealpageorder      | \pagestaterealpageorder {...} {...}      |
| pagina                      | \pagina [...]                            |
| paletsize                   | \paletsize                               |
| paragraphs:example          | \PARAGRAPHS                              |
| parola                      | \parola {...}                            |
| paroladestra                | \paroladestra [...] {...}                |
| pdfactualtext               | \pdfactualtext {...} {...}               |
| pdfbackendactualtext        | \pdfbackendactualtext {...} {...}        |
| pdfbackendcurrentresources  | \pdfbackendcurrentresources              |
| pdfbackendsetcatalog        | \pdfbackendsetcatalog {...} {...}        |
| pdfbackendsetcolorspace     | \pdfbackendsetcolorspace {...} {...}     |
| pdfbackendsettextgstate     | \pdfbackendsettextgstate {...} {...}     |
| pdfbackendsetinfo           | \pdfbackendsetinfo {...} {...}           |
| pdfbackendsetname           | \pdfbackendsetname {...} {...}           |
| pdfbackendsetpageattribute  | \pdfbackendsetpageattribute {...} {...}  |
| pdfbackendsetpageresource   | \pdfbackendsetpageresource {...} {...}   |
| pdfbackendsetpagesattribute | \pdfbackendsetpagesattribute {...} {...} |
| pdfbackendsetpattern        | \pdfbackendsetpattern {...} {...}        |
| pdfbackendsetshade          | \pdfbackendsetshade {...} {...}          |
| pdfcolor                    | \pdfcolor {...}                          |
| pdfTeX                      | \pdfTeX                                  |
| pdfTeX                      | \pdfTeX                                  |
| ped                         | \ped {...}                               |
| pedap                       | \pedap [...] [...] {...}                 |
| ped:instance                | \LOW {...}                               |
| ped:instance:unitslow       | \unitslow {...}                          |
| percent                     | \percent                                 |
| percentdimen                | \percentdimen [...] {...}                |
| perlungo                    | \perlungo {...}                          |
| permitcaretescape           | \permitcaretescape                       |
| permitcircumflexescape      | \permitcircumflexescape                  |
| permitspacesbetweengroups   | \permitspacesbetweengroups               |

|  |   |
|--|---|
| persiandecimals                            | \persiandecimals {...}                              |
| persiannumerals                            | \persiannumerals {...}                              |
| phantom                                    | \phantom {...}                                      |
| phantombox                                 | \phantombox [..=..]                                 |
| piccolo                                    | \piccolo  |
| piccolocorsivograssetto                    | \piccolocorsivograssetto                            |
| piccolofontdelcorpo                        | \piccolofontdelcorpo                                |
| piccolograssetto                           | \piccolograssetto                                   |
| piccolograssettocorsivo                    | \piccolograssettocorsivo                            |
| piccolograssettoinclinato                  | \piccolograssettoinclinato                          |
| piccoloinclinato                           | \piccoloinclinato                                   |
| piccoloinclinatograssetto                  | \piccoloinclinatograssetto                          |
| piccolonormale                             | \piccolonormale                                     |
| piccolotype                                | \piccolotype  |
| pickupgroupedcommand                       | \pickupgroupedcommand {...} {...} {...}             |
| placeattachments                           | \placeattachments                                   |
| placebtxrendering                          | \placebtxrendering [...] [..=..]                    |
| placecitation                              | \placecitation [...]                                |
| placecomments                              | \placecomments                                      |
| placecurrentformulanumber                  | \placecurrentformulanumber                          |
| placedbox                                  | \placedbox {...}                                    |
| placefloat                                 | \placefloat [...] [...] [...] {...} {...}           |
| placefloatwithsetups                       | \placefloatwithsetups [...] [...] [...] {...} {...} |
| placefloat:instance                        | \mettiFLOAT [...] [...] {...} {...}                 |
| placefloat:instance:chemical               | \mettichemical [...] [...] {...} {...}              |
| placefloat:instance:figure                 | \mettifigure [...] [...] {...} {...}                |
| placefloat:instance:graphic                | \mettigraphic [...] [...] {...} {...}               |
| placefloat:instance:intermezzo             | \mettiintermezzo [...] [...] {...} {...}            |
| placefloat:instance:table                  | \mettitable [...] [...] {...} {...}                 |
| placeframed                                | \placeframed [...] [..=..] {...}                    |
| placehelp                                  | \placehelp  |
| placeinitial                               | \placeinitial [...]                                 |
| placelayer                                 | \placelayer [...]                                   |
| placelayeredtext                           | \placelayeredtext [...] [..=..] [..=..] {...} {...} |
| placelistoffloats:instance                 | \placelistofFLOATS [..=..]                          |
| placelistoffloats:instance:chemicals       | \placelistofchemicals [..=..]                       |
| placelistoffloats:instance:figures         | \placelistoffigures [..=..]                         |
| placelistoffloats:instance:graphics        | \placelistofgraphics [..=..]                        |
| placelistoffloats:instance:intermezzi      | \placelistofintermezzi [..=..]                      |
| placelistoffloats:instance:tables          | \placelistoftables [..=..]                          |
| placelistofpublications                    | \placelistofpublications [...] [..=..]              |
| placelistofsorts                           | \placelistofsorts [...] [..=..]                     |
| placelistofsorts:instance                  | \placelistofSORTS [..=..]                           |
| placelistofsorts:instance:logos            | \placelistoflogos [..=..]                           |
| placelistofsynonyms                        | \placelistofsynonyms [...] [..=..]                  |
| placelistofsynonyms:instance               | \placelistofSYNONYMS [..=..]                        |
| placelistofsynonyms:instance:abbreviations | \placelistofabbreviations [..=..]                   |
| placelocalnotes                            | \placelocalnotes [...] [..=..]                      |
| placement                                  | \placement [...] [..=..] {...}                      |
| placement:example                          | \PLACEMENT [..=..] {...}                            |
| placenamedfloat                            | \placenamedfloat [...] [...]                        |
| placenamedformula                          | \placenamedformula [...] {...} {...}                |
| placenotes                                 | \placenotes [...] [..=..]                           |
| placepairedbox                             | \placepairedbox [...] [..=..] {...} {...}           |
| placepairedbox:instance                    | \mettiPAIREDBOX [..=..] {...} {...}                 |
| placepairedbox:instance:legend             | \mettilegend [..=..] {...} {...}                    |
| placeparallel                              | \placeparallel [...] [...] [..=..]                  |
| placeraawlist                              | \placeraawlist [...] [..=..]                        |
| placerenderingwindow                       | \placerenderingwindow [...] [...]                   |
| popattribute                               | \popattribute \...                                  |
| popmacro                                   | \popmacro \...                                      |
| popmode                                    | \popmode [...]                                      |
| popsystemmode                              | \popsystemmode {...}                                |
| positionoverlay                            | \positionoverlay {...}                              |
| positionregionoverlay                      | \positionregionoverlay {...} {...}                  |
| posizionanumerotesta                       | \posizionanumerotesta [...]                         |
| posizionatestotesta                        | \posizionatestotesta [...]                          |
| posizione                                  | \posizione [..=..] (...,...) {...}                  |
| postponenotes                              | \postponenotes                                      |
| predefinedfont                             | \predefinedfont [...]                               |
| predefinefont                              | \predefinefont [...] [...]                          |
| predefinesymbol                            | \predefinesymbol [...]                              |

|                                    |   |
|------------------------------------|---|
| prefixedpagenumber                 | \prefixedpagenumber                             |
| prendibuffer                       | \prendibuffer [...]                             |
| prendibuffer:instance              | \prendiBUFFER                                   |
| prendimarcatura                    | \prendimarcatura [...] [...] [...]              |
| prependetoks                       | \prependetoks ... \to \...                      |
| prependgvalue                      | \prependgvalue {...} {...}                      |
| prependtocommalist                 | \prependtocommalist {...} \...                  |
| prependtoks                        | \prependtoks ... \to \...                       |
| prependtoksonce                    | \prependtoksonce ... \to \...                   |
| prependvalue                       | \prependvalue {...} {...}                       |
| prerollblank                       | \prerollblank [...]                             |
| presetdocument                     | \presetdocument [..=..]                         |
| presetfieldsymbols                 | \presetfieldsymbols [...]                       |
| presetlabeltext:instance           | \presetLABELtesto [...] [..=..]                 |
| presetlabeltext:instance:btxlabel  | \presetbtxlabeltesto [...] [..=..]              |
| presetlabeltext:instance:head      | \presetheadtesto [...] [..=..]                  |
| presetlabeltext:instance:label     | \presetlabeltesto [...] [..=..]                 |
| presetlabeltext:instance:mathlabel | \presetmathlabeltesto [...] [..=..]             |
| presetlabeltext:instance:operator  | \presetoperatortesto [...] [..=..]              |
| presetlabeltext:instance:prefix    | \presetprefixtesto [...] [..=..]                |
| presetlabeltext:instance:suffix    | \presetsuffixtesto [...] [..=..]                |
| presetlabeltext:instance:taglabel  | \presettaglabeltesto [...] [..=..]              |
| presetlabeltext:instance:unit      | \presetunittesto [...] [..=..]                  |
| pretocommalist                     | \pretocommalist {...} \...                      |
| prettyprintbuffer                  | \prettyprintbuffer {...} {...}                  |
| prevcounter                        | \prevcounter [...] [...]                        |
| prevcountervalue                   | \prevcountervalue [...]                         |
| preventmode                        | \preventmode [...]                              |
| prevrealpage                       | \prevrealpage                                   |
| prevrealpagenumber                 | \prevrealpagenumber                             |
| prevsubcountervalue                | \prevsubcountervalue [...] [...]                |
| prevsubpage                        | \prevsubpage                                    |
| prevsubpagenumber                  | \prevsubpagenumber                              |
| prevuserpage                       | \prevuserpage                                   |
| prevuserpagenumber                 | \prevuserpagenumber                             |
| primasottopagina                   | \primasottopagina                               |
| procent                            | \procent  |
| processaction                      | \processaction [...] [...,..=>.,,...]           |
| processallactionsinset             | \processallactionsinset [...] [...,..=>.,,...]  |
| processassignlist                  | \processassignlist [...] \...                   |
| processassignmentcommand           | \processassignmentcommand [..=..] \...          |
| processassignmentlist              | \processassignmentlist [..=..] \...             |
| processbetween                     | \processbetween {...} \...                      |
| processbodyfontenvironmentlist     | \processbodyfontenvironmentlist \...            |
| processcolorcomponents             | \processcolorcomponents {...}                   |
| processcommacommand                | \processcommacommand [...] \...                 |
| processcommalist                   | \processcommalist [...] \...                    |
| processcommalistwithparameters     | \processcommalistwithparameters [...] \...      |
| processcontent                     | \processcontent {...} \...                      |
| processfile                        | \processfile {...}                              |
| processfilemany                    | \processfilemany {...}                          |
| processfilenone                    | \processfilenone {...}                          |
| processfileonce                    | \processfileonce {...}                          |
| processfirstactioninset            | \processfirstactioninset [...] [...,..=>.,,...] |
| processisolatedchars               | \processisolatedchars {...} \...                |
| processisolatedwords               | \processisolatedwords {...} \...                |
| processlinetablebuffer             | \processlinetablebuffer [...]                   |
| processlinetablefile               | \processlinetablefile {...}                     |
| processlist                        | \processlist {...} {...} {...} \...             |
| processMPbuffer                    | \processMPbuffer [...]                          |
| processMPfigurefile                | \processMPfigurefile {...}                      |
| processmonth                       | \processmonth {...} {...} {...}                 |
| processranges                      | \processranges [...] \...                       |
| processseparatedlist               | \processseparatedlist [...] [...] {...}         |
| processtexbuffer                   | \processtexbuffer [...]                         |
| processtokens                      | \processtokens {...} {...} {...} {...} {...}    |
| processuntil                       | \processuntil \...                              |
| processxtablebuffer                | \processxtablebuffer [...]                      |
| processyear                        | \processyear {...} {...} {...} {...}            |
| prodotto                           | \prodotto [...]                                 |
| prodotto:string                    | \prodotto ...                                   |
| profiledbbox                       | \profiledbbox [...] [..=..] {...}               |

|                              |  |
|------------------------------|--|
| profilegivenbox              | \profilegivenbox {...} ...                         |
| progetto                     | \progetto [...]                                    |
| progetto:string              | \progetto ...                                      |
| programma                    | \programma [...]                                   |
| pseudoMixedCapped            | \pseudoMixedCapped {...}                           |
| pseudoSmallCapped            | \pseudoSmallCapped {...}                           |
| pseudoSmallcapped            | \pseudoSmallcapped {...}                           |
| pseudosmallcapped            | \pseudosmallcapped {...}                           |
| pulsante                     | \pulsante [..=..] {...} [...]                      |
| pulsantemenu:button          | \pulsantemenu [..=..] {...} {...}                  |
| pulsantemenu:interactionmenu | \pulsantemenu [...] [..=..] {...} {...}            |
| pulsante:example             | \BUTTON [..=..] {...} [...]                        |
| pulsantinterazione           | \pulsantinterazione [..=..] [...]                  |
| punti                        | \punti [...]                                       |
| punti:assignment             | \punti [..=..]                                     |
| punto                        | \punto {...}                                       |
| purenumber                   | \purenumber {...}                                  |
| pusharrangedpages            | \pusharrangedpages ... \poparrangedpages           |
| pushattribute                | \pushattribute \...                                |
| pushbar                      | \pushbar [...] ... \popbar                         |
| pushbutton                   | \pushbutton [...] [...]                            |
| pushcatcodetable             | \pushcatcodetable ... \popcatcodetable             |
| pushcolore                   | \pushcolore [...] ... \popcolore                   |
| pushendofline                | \pushendofline ... \popendofline                   |
| pushindentation              | \pushindentation ... \popindentation               |
| pushMPdrawing                | \pushMPdrawing ... \popMPdrawing                   |
| pushmacro                    | \pushmacro \...                                    |
| pushmathstyle                | \pushmathstyle ... \popmathstyle                   |
| pushmode                     | \pushmode [...]                                    |
| pushoutputstream             | \pushoutputstream [...]                            |
| pushpath                     | \pushpath [...] ... \poppath                       |
| pushpunctuation              | \pushpunctuation ... \poppunctuation               |
| pushrandomseed               | \pushrandomseed ... \poprandomseed                 |
| pushreferenceprefix          | \pushreferenceprefix {...} ... \popreferenceprefix |
| pushsfondo                   | \pushsfondo [...] ... \popsfondo                   |
| pushsystemmode               | \pushsystemmode {...}                              |
| putboxincache                | \putboxincache {...} {...} ...                     |
| putnextboxincache            | \putnextboxincache {...} {...} \... {...}          |
| qquad                        | \qquad   |
| quad                         | \quad  |
| quads                        | \quads [...]                                       |
| qualcheriga                  | \qualcheriga [...]                                 |
| quarterstrut                 | \quarterstrut                                      |
| quitcommalist                | \quitcommalist                                     |
| quitprevcommalist            | \quitprevcommalist                                 |
| quittypescriptscanning       | \quittypescriptscanning                            |
| ReadFile                     | \ReadFile {...}                                    |
| raggedbottom                 | \raggedbottom                                      |
| raggedcenter                 | \raggedcenter                                      |
| raggedleft                   | \raggedleft  |
| raggedright                  | \raggedright                                       |
| raggedwidecenter             | \raggedwidecenter                                  |
| raisebox                     | \raisebox {...} \... {...}                         |
| randomizetext                | \randomizetext {...}                               |
| randomnumber                 | \randomnumber {...} {...}                          |
| rawcounter                   | \rawcounter [...] [...]                            |
| rawcountervalue              | \rawcountervalue [...]                             |
| rawdate                      | \rawdate [...]                                     |
| rawdoifelseinset             | \rawdoifelseinset {...} {...} {...} {...}          |
| rawdoifinset                 | \rawdoifinset {...} {...} {...}                    |
| rawdoifinsetelse             | \rawdoifinsetelse {...} {...} {...} {...}          |
| rawgetparameters             | \rawgetparameters [...] [..=..]                    |
| rawprocessaction             | \rawprocessaction [...] [...,=>...,...]            |
| rawprocesscommacommand       | \rawprocesscommacommand [...] \...                 |
| rawprocesscommalist          | \rawprocesscommalist [...] \...                    |
| rawstructurelistuservariable | \rawstructurelistuservariable {...}                |
| rawsubcountervalue           | \rawsubcountervalue [...] [...]                    |
| rbox                         | \rbox ... {...}                                    |
| readfile                     | \readfile {...} {...} {...}                        |
| readfixfile                  | \readfixfile {...} {...} {...} {...}               |
| readjobfile                  | \readjobfile {...} {...} {...}                     |
| readlocfile                  | \readlocfile {...} {...} {...}                     |



|                                   |  |
|-----------------------------------|--|
| readsetfile                       | \readsetfile {...} {...} {...} {...}             |
| readsysfile                       | \readsysfile {...} {...} {...}                   |
| readtexfile                       | \readtexfile {...} {...} {...}                   |
| readxmlfile                       | \readxmlfile {...} {...} {...}                   |
| realpagenumber                    | \realpagenumber                                  |
| realSmallCapped                   | \realSmallCapped {...}                           |
| realSmallcapped                   | \realSmallcapped {...}                           |
| realsmallcapped                   | \realsmallcapped {...}                           |
| recursedepth                      | \recursedepth                                    |
| recurselevel                      | \recurselevel                                    |
| recursestring                     | \recursestring                                   |
| redoconvertfont                   | \redoconvertfont                                 |
| referenceformat:example           | \REFERENCEFORMAT {...} {...} [...]               |
| referenceprefix                   | \referenceprefix                                 |
| referring                         | \referring (...,...) (...,...) [...]             |
| registerattachment                | \registerattachment [...] [..=..]                |
| registerctxluafile                | \registerctxluafile {...} {...}                  |
| registerexternalfigure            | \registerexternalfigure [...] [...] [..=..]      |
| registerfontclass                 | \registerfontclass {...}                         |
| registerhyphenationexception      | \registerhyphenationexception [...] [...]        |
| registerhyphenationpattern        | \registerhyphenationpattern [...] [...]          |
| registermenubuttons               | \registermenubuttons [...] [...]                 |
| registersort                      | \registersort [...] [...]                        |
| registersynonym                   | \registersynonym [...] [...]                     |
| registerunit                      | \registerunit [...] [..=..]                      |
| registro:instance                 | \REGISTER [...] {...+...+..}                     |
| registro:instance:index           | \index [...] {...+...+..}                        |
| registro:instance:ownnumber       | \REGISTER [...] {...} {...+...+..}               |
| registro:instance:ownnumber:index | \index [...] {...} {...+...+..}                  |
| regolare                          | \regolare  |
| reimpostamarcatura                | \reimpostamarcatura [...]                        |
| relatemarking                     | \relatemarking [...] [...]                       |
| relateparameterhandlers           | \relateparameterhandlers {...} {...} {...} {...} |
| relaxvalueifundefined             | \relaxvalueifundefined {...}                     |
| remainingcharacters               | \remainingcharacters                             |
| removebottomthings                | \removebottomthings                              |
| removedepth                       | \removedepth                                     |
| removefromcommalist               | \removefromcommalist {...} \...                  |
| removelastskip                    | \removelastskip                                  |
| removelastspace                   | \removelastspace                                 |
| removemarkedcontent               | \removemarkedcontent [...]                       |
| removepunctuation                 | \removepunctuation                               |
| removesubstring                   | \removesubstring ... \from ... \to \...          |
| removetoks                        | \removetoks ... \from \...                       |
| removeunwantedspaces              | \removeunwantedspaces                            |
| replacefeature                    | \replacefeature [...]                            |
| replacefeature:direct             | \replacefeature {...}                            |
| replaceincommalist                | \replaceincommalist \... {...}                   |
| replaceword                       | \replaceword [...] [...] [...]                   |
| rescan                            | \rescan {...}                                    |
| rescanwithsetup                   | \rescanwithsetup {...} {...}                     |
| resetallattributes                | \resetallattributes                              |
| resetandaddfeature                | \resetandaddfeature [...]                        |
| resetandaddfeature:direct         | \resetandaddfeature {...}                        |
| resetbar                          | \resetbar  |
| resetboxesincache                 | \resetboxesincache {...}                         |
| resetbreakpoints                  | \resetbreakpoints                                |
| resetbuffer                       | \resetbuffer [...]                               |
| resetcharacteralign               | \resetcharacteralign                             |
| resetcharacterkerning             | \resetcharacterkerning                           |
| resetcharacterspacing             | \resetcharacterspacing                           |
| resetcharacterstripping           | \resetcharacterstripping                         |
| resetcollector                    | \resetcollector [...]                            |
| resetcounter                      | \resetcounter [...] [...]                        |
| resetdigitsmanipulation           | \resetdigitsmanipulation                         |
| resetdirection                    | \resetdirection                                  |
| resetfeature                      | \resetfeature                                    |
| resetflag                         | \resetflag {...}                                 |
| resetfontcolorscheme              | \resetfontcolorscheme                            |
| resetfontfallback                 | \resetfontfallback [...] [...]                   |
| resetfontsolution                 | \resetfontsolution                               |
| resethyphenationfeatures          | \resethyphenationfeatures                        |

|                                   |                                    |
|-----------------------------------|------------------------------------|
| resetinjector                     | \resetinjector [...]               |
| resetinteractionmenu              | \resetinteractionmenu [...]        |
| resetitaliccorrection             | \resetitaliccorrection             |
| resetlayer                        | \resetlayer [...]                  |
| resetlocalfloats                  | \resetlocalfloats                  |
| resetMPdrawing                    | \resetMPdrawing                    |
| resetMPenvironment                | \resetMPenvironment                |
| resetMPinstance                   | \resetMPinstance [...]             |
| resetmarker                       | \resetmarker [...]                 |
| resetmode                         | \resetmode {...}                   |
| resetpagenumber                   | \resetpagenumber                   |
| resetparallel                     | \resetparallel [...] [...]         |
| resetpath                         | \resetpath                         |
| resetpenalties                    | \resetpenalties \...               |
| resetperiodkerning                | \resetperiodkerning                |
| resetprofile                      | \resetprofile                      |
| resetrecurselevel                 | \resetrecurselevel                 |
| resetreference                    | \resetreference [...]              |
| resetreplacement                  | \resetreplacement                  |
| resetscript                       | \resetscript                       |
| resetsetups                       | \resetsetups [...]                 |
| resetshownsynonyms                | \resetshownsynonyms [...]          |
| resetsubpagenumber                | \resetsubpagenumber                |
| resetsymbolset                    | \resetsymbolset                    |
| resetsystemmode                   | \resetsystemmode {...}             |
| resettimer                        | \resettimer                        |
| resettokenlist                    | \resettokenlist [...]              |
| resettrackers                     | \resettrackers                     |
| resettrialtypesetting             | \resettrialtypesetting             |
| resetusedsortings                 | \resetusedsortings [...]           |
| resetusedsynonyms                 | \resetusedsynonyms [...]           |
| resetuserpagenumber               | \resetuserpagenumber               |
| resetvalue                        | \resetvalue {...}                  |
| resetvisualizers                  | \resetvisualizers                  |
| reshapebox                        | \reshapebox {...}                  |
| resolvedglyphdirect               | \resolvedglyphdirect {...} {...}   |
| resolvedglyphstyled               | \resolvedglyphstyled {...} {...}   |
| restartcounter                    | \restartcounter [...] [...] [...]  |
| restorebox                        | \restorebox {...} {...}            |
| restorecatcodes                   | \restorecatcodes                   |
| restorecounter                    | \restorecounter [...]              |
| restorecurrentattributes          | \restorecurrentattributes {...}    |
| restoreendofline                  | \restoreendofline                  |
| restoreglobalbodyfont             | \restoreglobalbodyfont             |
| reusableMPgraphic                 | \reusableMPgraphic {...} {...=..}  |
| reuseMPgraphic                    | \reuseMPgraphic {...} {...=..}     |
| reuserandomseed                   | \reuserandomseed                   |
| revivefeature                     | \revivefeature                     |
| rfence                            | \rfence {...}                      |
| rhbox                             | \rhbox {...}                       |
| rif                               | \rif [...] [...]                   |
| riferimento                       | \riferimento [...] {...}           |
| riferimentopagina                 | \riferimentopagina [...]           |
| riferimentotesto                  | \riferimentotesto [...] {...}      |
| riflessione                       | \riflessione {...}                 |
| riga                              | \riga {...}                        |
| rigariempimento                   | \rigariempimento [...=..]          |
| rightbottombox                    | \rightbottombox {...}              |
| rightbox                          | \rightbox {...}                    |
| righthbox                         | \righthbox {...}                   |
| rightlabeltext:instance           | \rightLABELtesto {...}             |
| rightlabeltext:instance:head      | \righttheadtesto {...}             |
| rightlabeltext:instance:label     | \rightlabeltesto {...}             |
| rightlabeltext:instance:mathlabel | \rightmathlabeltesto {...}         |
| rightline                         | \rightline {...}                   |
| rightorleftpageaction             | \rightorleftpageaction {...} {...} |
| rightpageorder                    | \rightpageorder                    |
| rightskipadaption                 | \rightskipadaption                 |
| rightsubguillemot                 | \rightsubguillemot                 |
| righttopleft                      | \righttopleft                      |
| righttopleftthbox                 | \righttopleftthbox ... {...}       |
| righttoplefttvbox                 | \righttoplefttvbox ... {...}       |

|                              |   |
|------------------------------|---|
| righttopleftvtop             | \righttopleftvtop ... {...}   |
| righttopbox                  | \righttopbox {...}  |
| rigovuoto                    | \rigovuoto [...]  |
| ring                         | \ring {...}   |
| rlap                         | \rlap {...}   |
| robustaddtocommalist         | \robustaddtocommalist {...} \...  |
| robustdoifelseinset          | \robustdoifelseinset {...} {...} {...} {...}                            |
| robustdoifinsetelse          | \robustdoifinsetelse {...} {...} {...} {...}                            |
| robustpretocommalist         | \robustpretocommalist {...} \...  |
| rollbutton:button            | \rollbutton [..=..] ... [...]   |
| rollbutton:interactionmenu   | \rollbutton [...] [..=..] ... [...]                                     |
| roman                        | \roman  |
| rtop                         | \rtop ... {...}   |
| ruby                         | \ruby [...] {...} {...}   |
| ruledhbox                    | \ruledhbox ... {...}  |
| ruledhpack                   | \ruledhpack ... {...}   |
| ruledmbox                    | \ruledmbox {...}  |
| ruledtopv                    | \ruledtopv ... {...}  |
| ruledtpack                   | \ruledtpack ... {...}   |
| ruledvbox                    | \ruledvbox ... {...}  |
| ruledvpack                   | \ruledvpack ... {...}   |
| ruledvtop                    | \ruledvtop ... {...}  |
| runMPbuffer                  | \runMPbuffer [...]  |
| runninghbox                  | \runninghbox {...}  |
| ruota                        | \ruota [..=..] {...}  |
| ScaledPointsToBigPoints      | \ScaledPointsToBigPoints {...} \...                                     |
| ScaledPointsToWholeBigPoints | \ScaledPointsToWholeBigPoints {...} \...                                |
| Smallcapped                  | \Smallcapped {...}  |
| safechar                     | \safechar {...}   |
| samplefile                   | \samplefile {...}   |
| sans                         | \sans   |
| sansgrassetto                | \sansgrassetto  |
| sansnormal                   | \sansnormal   |
| sansserif                    | \sansserif  |
| savebox                      | \savebox {...} {...} {...}  |
| savebtxdataset               | \savebtxdataset [...] [...] [..=..]                                     |
| savebuffer                   | \savebuffer [..=..]   |
| savebuffer:list              | \savebuffer [...] [...]   |
| savecolore                   | \savecolore ... \restorecolore  |
| savecounter                  | \savecounter [...]  |
| savecurrentattributes        | \savecurrentattributes {...}  |
| savenormalmeaning            | \savenormalmeaning \...   |
| savetaggedtwopassdata        | \savetaggedtwopassdata {...} {...} {...} {...}                          |
| savetwopassdata              | \savetwopassdata {...} {...} {...}                                      |
| sbox                         | \sbox {...}   |
| scala                        | \scala [...] [..=..] {...}  |
| schermo                      | \schermo [...]  |
| script:instance              | \SCRIPT   |
| script:instance:ethiopic     | \ethiopic   |
| script:instance:hangul       | \hangul   |
| script:instance:hanzi        | \hanzi  |
| script:instance:latin        | \latin  |
| script:instance:nihongo      | \nihongo  |
| script:instance:test         | \test   |
| script:instance:thai         | \thai   |
| scrividentroelenco           | \scrividentroelenco [...] [..=..] {...}                                 |
| scriviinelenco               | \scriviinelenco [...] [..=..] {...} {...}                               |
| secondoffivearguments        | \secondoffivearguments {...} {...} {...} {...} {...}                    |
| secondoffourarguments        | \secondoffourarguments {...} {...} {...} {...}                          |
| secondofsixarguments         | \secondofsixarguments {...} {...} {...} {...} {...} {...}               |
| secondofthreearguments       | \secondofthreearguments {...} {...} {...}                               |
| secondofthreeunexpanded      | \secondofthreeunexpanded {...} {...} {...}                              |
| secondoftwoarguments         | \secondoftwoarguments {...} {...}                                       |
| secondoftwounexpanded        | \secondoftwounexpanded {...} {...}                                      |
| seeregister:instance         | \vediREGISTER [...] {...+...+..} {...}                                  |
| seeregister:instance:index   | \vediindex [...] {...+...+..} {...}                                     |
| segnalibro                   | \segnalibro [...] {...}   |
| select                       | \select {...} {...} {...} {...} {...}                                   |
| selezionablocchi             | \selezionablocchi <sup>OPT</sup> [...] [...] [...] [...] <sup>OPT</sup> |
| serializecommalist           | \serializecommalist [...]   |
| serializedcommalist          | \serializedcommalist  |
| serif                        | \serif  |

|                            |  |
|----------------------------|--|
| serifbold                  | \serifbold                                       |
| serifnormal                | \serifnormal                                     |
| setautopagestaterealpageno | \setautopagestaterealpageno {...}                |
| setbar                     | \setbar [...]                                    |
| setbigbodyfont             | \setbigbodyfont                                  |
| setboxllx                  | \setboxllx ... {...}                             |
| setboxlly                  | \setboxlly ... {...}                             |
| setbreakpoints             | \setbreakpoints [...]                            |
| setbuffer                  | \setbuffer [...] ... \endbuffer                  |
| setcapstrut                | \setcapstrut                                     |
| setcatcodetable            | \setcatcodetable \...                            |
| setcharacteralign          | \setcharacteralign {...} {...}                   |
| setcharacteraligndetail    | \setcharacteraligndetail {...} {...} {...} {...} |
| setcharactercasing         | \setcharactercasing [...]                        |
| setcharactercleaning       | \setcharactercleaning [...]                      |
| setcharacterkerning        | \setcharacterkerning [...]                       |
| setcharacterspacing        | \setcharacterspacing [...]                       |
| setcharacterstripping      | \setcharacterstripping [...]                     |
| setcharstrut               | \setcharstrut {...}                              |
| setcollector               | \setcollector [...] [..=..] {...}                |
| setcolormodel              | \setcolormodel [...]                             |
| setcounter                 | \setcounter [...] [...] [...]                    |
| setcounterown              | \setcounterown [...] [...] [...]                 |
| setcurrentfontclass        | \setcurrentfontclass {...}                       |
| setdataset                 | \setdataset [...] [...] [..=..]                  |
| setdefaultpenalties        | \setdefaultpenalties                             |
| setdigitsmanipulation      | \setdigitsmanipulation [...]                     |
| setdirection               | \setdirection [...]                              |
| setdocumentargument        | \setdocumentargument {...} {...}                 |
| setdocumentargumentdefault | \setdocumentargumentdefault {...} {...}          |
| setdocumentfilename        | \setdocumentfilename {...} {...}                 |
| setdummyparameter          | \setdummyparameter {...} {...}                   |
| setelementexporttag        | \setelementexporttag [...] [...] [...]           |
| setemeasure                | \setemeasure {...} {...}                         |
| setevalue                  | \setevalue {...} {...}                           |
| setevariable               | \setevariable {...} {...} {...}                  |
| setevariables              | \setevariables [...] [..=..]                     |
| setfirstline               | \setfirstline [...]                              |
| setfirstpasscharacteralign | \setfirstpasscharacteralign                      |
| setflag                    | \setflag {...}                                   |
| setfont                    | \setfont ...                                     |
| setfontcolorscheme         | \setfontcolorscheme [...]                        |
| setfontfeature             | \setfontfeature {...}                            |
| setfontsolution            | \setfontsolution [...]                           |
| setfontstrut               | \setfontstrut                                    |
| setglobalscript            | \setglobalscript [...]                           |
| setgmeasure                | \setgmeasure {...} {...}                         |
| setgvalue                  | \setgvalue {...} {...}                           |
| setgvariable               | \setgvariable {...} {...} {...}                  |
| setgvariables              | \setgvariables [...] [..=..]                     |
| sethboxregister            | \sethboxregister ... {...}                       |
| sethyphenatedurlafter      | \sethyphenatedurlafter {...}                     |
| sethyphenatedurlbefore     | \sethyphenatedurlbefore {...}                    |
| sethyphenatedurlnormal     | \sethyphenatedurlnormal {...}                    |
| sethyphenationfeatures     | \sethyphenationfeatures [...]                    |
| setinitial                 | \setinitial [...] [..=..]                        |
| setinjector                | \setinjector [...] [...] [...]                   |
| setinteraction             | \setinteraction [...]                            |
| setinterfacecommand        | \setinterfacecommand {...} {...}                 |
| setinterfaceconstant       | \setinterfaceconstant {...} {...}                |
| setinterfaceelement        | \setinterfaceelement {...} {...}                 |
| setinterfacemessage        | \setinterfacemessage {...} {...} {...}           |
| setinterfacevariable       | \setinterfacevariable {...} {...}                |
| setinternalrendering       | \setinternalrendering [...] [...] {...}          |
| setitaliccorrection        | \setitaliccorrection [...]                       |
| setJSreamble               | \setJSreamble {...} {...}                        |
| setlayer                   | \setlayer [...] [...] [..=..] {...}              |
| setlayerframed             | \setlayerframed [...] [..=..] [..=..] {...}      |
| setlayerframed:combination | \setlayerframed [...] [..=..] {...}              |
| setlayertext               | \setlayertext [...] [..=..] [..=..] {...}        |
| setlinefiller              | \setlinefiller [...]                             |
| setlocalhsize              | \setlocalhsize [...]                             |

|                             |  |
|-----------------------------|--|
| setlocalscript              | \setlocalscript [...]                                |
| setMPlayer                  | \setMPlayer [...] [...] [..=..] {...}                |
| setMPpositiongraphic        | \setMPpositiongraphic {...} {...} {..=..}            |
| setMPpositiongraphicrange   | \setMPpositiongraphicrange {...} {...} {...} {..=..} |
| setMPtext                   | \setMPtext {...} {...}                               |
| setMPvariable               | \setMPvariable [...] [..=..]                         |
| setMPvariables              | \setMPvariables [...] [..=..]                        |
| setmainbodyfont             | \setmainbodyfont                                     |
| setmainparbuilder           | \setmainparbuilder [...]                             |
| setmarker                   | \setmarker [...] [...]                               |
| setmarking                  | \setmarking [...] {...}                              |
| setmathstyle                | \setmathstyle {...}                                  |
| setmeasure                  | \setmeasure {...} {...}                              |
| setmessagetext              | \setmessagetext {...} {...}                          |
| setmode                     | \setmode {...}                                       |
| setnostrut                  | \setnostrut  |
| setnote                     | \setnote [...] [...] {...}                           |
| setnotetext                 | \setnotetext [...] [...] {...}                       |
| setnotetext:assignment      | \setnotetext [...] [..=..]                           |
| setnote:assignment          | \setnote [...] [..=..]                               |
| setobject                   | \setobject {...} {...} \... {...}                    |
| setoldstyle                 | \setoldstyle   |
| setpagereference            | \setpagereference {...} {...}                        |
| setpagestate                | \setpagestate [...] [...]                            |
| setpagestaterealpageno      | \setpagestaterealpageno {...} {...}                  |
| setpenalties                | \setpenalties \... {...} {...}                       |
| setpercentdimen             | \setpercentdimen {...} {...}                         |
| setperiodkerning            | \setperiodkerning [...]                              |
| setposition                 | \setposition {...}                                   |
| setpositionbox              | \setpositionbox {...} \... {...}                     |
| setpositiondata             | \setpositiondata {...} {...} {...} {...}             |
| setpositiondataplus         | \setpositiondataplus {...} {...} {...} {...} {...}   |
| setpositiononly             | \setpositiononly {...}                               |
| setpositionplus             | \setpositionplus {...} {...} \... {...}              |
| setpositionstrut            | \setpositionstrut {...}                              |
| setprofile                  | \setprofile [...]                                    |
| setrandomseed               | \setrandomseed {...}                                 |
| setreference                | \setreference [...] [..=..]                          |
| setreferencedobject         | \setreferencedobject {...} {...} \... {...}          |
| setregisterentry            | \setregisterentry [...] [..=..] [..=..]              |
| setreplacement              | \setreplacement [...]                                |
| setrigidcolumnbalance       | \setrigidcolumnbalance ...                           |
| setrigidcolumnhsize         | \setrigidcolumnhsize {...} {...} {...}               |
| setscript                   | \setscript [...]                                     |
| setsecondpasscharacteralign | \setsecondpasscharacteralign                         |
| setsectionblock             | \setsectionblock [...] [..=..]                       |
| setsimplecolumnhsize        | \setsimplecolumnhsize [..=..]                        |
| setsmallbodyfont            | \setsmallbodyfont                                    |
| setsmallcaps                | \setsmallcaps  |
| setstackbox                 | \setstackbox {...} {...} {...}                       |
| setstructurepageregister    | \setstructurepageregister [...] [..=..] [..=..]      |
| setstrut                    | \setstrut  |
| setsuperiors                | \setsuperiors  |
| setsystemmode               | \setsystemmode {...}                                 |
| settabular                  | \settabular  |
| settaggedmetadata           | \settaggedmetadata [..=..]                           |
| settext                     | \settext [...] [...] [...] [...] [...]               |
| settightobject              | \settightobject {...} {...} \... {...}               |
| settightreferencedobject    | \settightreferencedobject {...} {...} \... {...}     |
| settightstrut               | \settightstrut                                       |
| settightunreferencedobject  | \settightunreferencedobject {...} {...} \... {...}   |
| settokenlist                | \settokenlist [...] {...}                            |
| settrialtypesetting         | \settrialtypesetting                                 |
| setuevalue                  | \setuevalue {...} {...}                              |
| setugvalue                  | \setugvalue {...} {...}                              |
| setunreferencedobject       | \setunreferencedobject {...} {...} \... {...}        |
| setupalternativestyles      | \setupalternativestyles [..=..]                      |
| setupattachment             | \setupattachment [...] [..=..]                       |
| setupattachments            | \setupattachments [...] [..=..]                      |
| setupbackend                | \setupbackend [..=..]                                |
| setupbar                    | \setupbar [...] [..=..]                              |
| setupbars                   | \setupbars [...] [..=..]                             |

|                                 |  |
|---------------------------------|--|
| setupbleeding                   | \setupbleeding [..=..]                       |
| setupbookmark                   | \setupbookmark [..=..]                       |
| setupbtx                        | \setupbtx [...] [..=..]                      |
| setupbtxdataset                 | \setupbtxdataset [...] [..=..]               |
| setupbtxlist                    | \setupbtxlist [...] [..=..]                  |
| setupbtxregister                | \setupbtxregister [...] [..=..]              |
| setupbtxrendering               | \setupbtxrendering [...] [..=..]             |
| setupbtx:name                   | \setupbtx [...]                              |
| setupbutton                     | \setupbutton [...] [..=..]                   |
| setupcharacteralign             | \setupcharacteralign [..=..]                 |
| setupcharacterkerning           | \setupcharacterkerning [...] [..=..]         |
| setupcharacterspacing           | \setupcharacterspacing [...] [...] [..=..]   |
| setupchemical                   | \setupchemical [...] [..=..]                 |
| setupchemicalframed             | \setupchemicalframed [...] [..=..]           |
| setupcollector                  | \setupcollector [...] [..=..]                |
| setupcolumnsetarea              | \setupcolumnsetarea [...] [..=..]            |
| setupcolumnsetareatext          | \setupcolumnsetareatext [...] [...]          |
| setupcolumnsetlines             | \setupcolumnsetlines [...] [...] [...] [...] |
| setupcolumnsetspan              | \setupcolumnsetspan [...] [..=..]            |
| setupcolumnsetstart             | \setupcolumnsetstart [...] [...] [...] [...] |
| setupcolumnspan                 | \setupcolumnspan [..=..]                     |
| setupcombination                | \setupcombination [...] [..=..]              |
| setupcounter                    | \setupcounter [...] [..=..]                  |
| setupdataset                    | \setupdataset [...] [..=..]                  |
| setupdelimitedtext              | \setupdelimitedtext [...] [..=..]            |
| setupdescription                | \setupdescription [...] [..=..]              |
| setupdirections                 | \setupdirections [..=..]                     |
| setupdocument                   | \setupdocument [..=..]                       |
| setupeffect                     | \setupeffect [...] [..=..]                   |
| setupenumeration                | \setupenumeration [...] [..=..]              |
| setupenv                        | \setupenv [..=..]                            |
| setupexport                     | \setupexport [..=..]                         |
| setupexternalfigure             | \setupexternalfigure [...] [..=..]           |
| setupexternalsoundtracks        | \setupexternalsoundtracks [..=..]            |
| setupfacingfloat                | \setupfacingfloat [...] [..=..]              |
| setupfieldbody                  | \setupfieldbody [...] [..=..]                |
| setupfieldcategory              | \setupfieldcategory [...] [..=..]            |
| setupfieldcontentframed         | \setupfieldcontentframed [...] [..=..]       |
| setupfieldlabelframed           | \setupfieldlabelframed [...] [..=..]         |
| setupfieldtotalframed           | \setupfieldtotalframed [...] [..=..]         |
| setupfiller                     | \setupfiller [...] [..=..]                   |
| setupfirstline                  | \setupfirstline [...] [..=..]                |
| setupfittingpage                | \setupfittingpage [...] [..=..]              |
| setupfloatframed                | \setupfloatframed [...] [..=..]              |
| setupfontexpansion              | \setupfontexpansion [...] [..=..]            |
| setupfontprotrusion             | \setupfontprotrusion [...] [..=..]           |
| setupfonts                      | \setupfonts [..=..]                          |
| setupfontsolution               | \setupfontsolution [...] [..=..]             |
| setupformula                    | \setupformula [...] [..=..]                  |
| setupformulaframed              | \setupformulaframed [...] [..=..]            |
| setupframedcontent              | \setupframedcontent [...] [..=..]            |
| setupframedtable                | \setupframedtable [...] [..=..]              |
| setupframedtablecolumn          | \setupframedtablecolumn [...] [...] [..=..]  |
| setupframedtablerow             | \setupframedtablerow [...] [...] [..=..]     |
| setupframedtext                 | \setupframedtext [...] [..=..]               |
| setupglobalreferenceprefix      | \setupglobalreferenceprefix [...]            |
| setupheadalternative            | \setupheadalternative [...] [..=..]          |
| setuphelp                       | \setuphelp [...] [..=..]                     |
| setuphigh                       | \setuphigh [...] [..=..]                     |
| setuphighlight                  | \setuphighlight [...] [..=..]                |
| setuphyphenation                | \setuphyphenation [..=..]                    |
| setupindentedtext               | \setupindentedtext [...] [..=..]             |
| setupinitial                    | \setupinitial [...] [..=..]                  |
| setupinsertion                  | \setupinsertion [...] [..=..]                |
| setupitaliccorrection           | \setupitaliccorrection [...]                 |
| setupitemgroup                  | \setupitemgroup [...] [...] [...] [..=..]    |
| setupitemgroup:assignment       | \setupitemgroup [...] [..=..]                |
| setupitemgroup:instance         | \impostaitemgroup [...] [...] [..=..]        |
| setupitemgroup:instance:itemize | \impostaitemize [...] [...] [..=..]          |
| setuplabel                      | \setuplabel [...] [..=..]                    |
| setupplayer                     | \setupplayer [...] [..=..]                   |
| setuplayeredtext                | \setuplayeredtext [...] [..=..]              |

|                                   |  |
|-----------------------------------|--|
| setuplayouttext                   | \setuplayouttext [...] [...] [..=..]               |
| setuplinefiller                   | \setuplinefiller [...] [..=..]                     |
| setuplinefillers                  | \setuplinefillers [...] [..=..]                    |
| setuplinenote                     | \setuplinenote [...] [..=..]                       |
| setuplinetable                    | \setuplinetable [...] [...] [..=..]                |
| setuplistalternative              | \setuplistalternative [...] [..=..]                |
| setuplistextra                    | \setuplistextra [...] [..=..]                      |
| setuplocalfloats                  | \setuplocalfloats [..=..]                          |
| setuplocalinterlinespace          | \setuplocalinterlinespace [...] [..=..]            |
| setuplocalinterlinespace:argument | \setuplocalinterlinespace [...]                    |
| setuplocalinterlinespace:name     | \setuplocalinterlinespace [...]                    |
| setuplow                          | \setuplow [...] [..=..]                            |
| setuplowhigh                      | \setuplowhigh [...] [..=..]                        |
| setuplowmidhigh                   | \setuplowmidhigh [...] [..=..]                     |
| setupMPgraphics                   | \setupMPgraphics [..=..]                           |
| setupMPinstance                   | \setupMPinstance [...] [..=..]                     |
| setupMPpage                       | \setupMPpage [..=..]                               |
| setupMPvariables                  | \setupMPvariables [...] [..=..]                    |
| setupmarginblock                  | \setupmarginblock [...] [..=..]                    |
| setupmargindata                   | \setupmargindata [...] [..=..]                     |
| setupmarginframed                 | \setupmarginframed [...] [..=..]                   |
| setupmarginrule                   | \setupmarginrule [...] [..=..]                     |
| setupmathalignment                | \setupmathalignment [...] [..=..]                  |
| setupmathcases                    | \setupmathcases [...] [..=..]                      |
| setupmathematics                  | \setupmathematics [...] [..=..]                    |
| setupmathfence                    | \setupmathfence [...] [..=..]                      |
| setupmathfraction                 | \setupmathfraction [...] [..=..]                   |
| setupmathfractions                | \setupmathfractions [...] [..=..]                  |
| setupmathframed                   | \setupmathframed [...] [..=..]                     |
| setupmathmatrix                   | \setupmathmatrix [...] [..=..]                     |
| setupmathornament                 | \setupmathornament [...] [..=..]                   |
| setupmathradical                  | \setupmathradical [...] [..=..]                    |
| setupmathstackers                 | \setupmathstackers [...] [..=..]                   |
| setupmathstyle                    | \setupmathstyle [...]                              |
| setupmixedcolumns                 | \setupmixedcolumns [...] [..=..]                   |
| setupmodule                       | \setupmodule [...] [..=..]                         |
| setupnotation                     | \setupnotation [...] [..=..]                       |
| setupnotations                    | \setupnotations [...] [..=..]                      |
| setupnote                         | \setupnote [...] [..=..]                           |
| setupnotes                        | \setupnotes [...] [..=..]                          |
| setupoffset                       | \setupoffset [..=..]                               |
| setupoffsetbox                    | \setupoffsetbox [..=..]                            |
| setupoutputroutine                | \setupoutputroutine [...] [..=..]                  |
| setupoutputroutine:name           | \setupoutputroutine [...]                          |
| setuppagechecker                  | \setuppagechecker [...] [..=..]                    |
| setuppagecolumns                  | \setuppagecolumns [...] [..=..]                    |
| setuppageinjection                | \setuppageinjection [...] [..=..]                  |
| setuppageinjectionalternative     | \setuppageinjectionalternative [...] [..=..]       |
| setuppageshift                    | \setuppageshift [...] [...] [...]                  |
| setuppagestate                    | \setuppagestate [...] [..=..]                      |
| setuppairedbox                    | \setuppairedbox [...] [..=..]                      |
| setuppairedbox:instance           | \impostapAIREDBOX [..=..]                          |
| setuppairedbox:instance:legend    | \impostalegend [..=..]                             |
| setuppaper                        | \setuppaper [..=..]                                |
| setupparagraph                    | \setupparagraph [...] [..=..]                      |
| setupparagraphintro               | \setupparagraphintro [...] [...]                   |
| setupparallel                     | \setupparallel [...] [...] [..=..]                 |
| setupperiodkerning                | \setupperiodkerning [...] [..=..]                  |
| setupperiods                      | \setupperiods [..=..]                              |
| setupplacement                    | \setupplacement [...] [..=..]                      |
| setuppositionbar                  | \setuppositionbar [..=..]                          |
| setupprocessor                    | \setupprocessor [...] [..=..]                      |
| setupprofile                      | \setupprofile [...] [..=..]                        |
| setupquotation                    | \setupquotation [..=..]                            |
| setuprealpagenumber               | \setuprealpagenumber [..=..]                       |
| setupreferenceformat              | \setupreferenceformat [...] [..=..]                |
| setupreferenceprefix              | \setupreferenceprefix [...]                        |
| setupreferencestructureprefix     | \setupreferencestructureprefix [...] [...] [..=..] |
| setupregisters                    | \setupregisters [...] [..=..]                      |
| setupregisters:argument           | \setupregisters [...] [...] [..=..]                |
| setuprenderingwindow              | \setuprenderingwindow [...] [..=..]                |
| setupruby                         | \setupruby [...] [..=..]                           |

|                                     |   |
|-------------------------------------|---|
| setups                              | \setups [...]                           |
| setupscale                          | \setupscale [...] [..=..]               |
| setupscript                         | \setupscript [...] [..=..]              |
| setupscripts                        | \setupscripts [...] [..=..]             |
| setupselector                       | \setupselector [...] [..=..]            |
| setupshift                          | \setupshift [...] [..=..]               |
| setupsidebar                        | \setupsidebar [...] [..=..]             |
| setupspellchecking                  | \setupspellchecking [..=..]             |
| setupstretched                      | \setupstretched [..=..]                 |
| setupstruts                         | \setupstruts [...]                      |
| setupstyle                          | \setupstyle [...] [..=..]               |
| setupsubformula                     | \setupsubformula [...] [..=..]          |
| setupsubformulas                    | \setupsubformulas [...] [..=..]         |
| setupsynctex                        | \setupsynctex [..=..]                   |
| setups:direct                       | \setups {...}                           |
| setupTABLE                          | \setupTABLE [...] [...] [..=..]         |
| setupTEXpage                        | \setupTEXpage [..=..]                   |
| setuptabulation                     | \setuptabulation [...] [..=..]          |
| setuptagging                        | \setuptagging [..=..]                   |
| setuptextbackground                 | \setuptextbackground [...] [..=..]      |
| setuptextflow                       | \setuptextflow [...] [..=..]            |
| setuptooltip                        | \setuptooltip [...] [..=..]             |
| setupunit                           | \setupunit [...] [..=..]                |
| setupuserdata                       | \setupuserdata [...] [..=..]            |
| setupuserdataalternative            | \setupuserdataalternative [...] [..=..] |
| setupuserpagenumber                 | \setupuserpagenumber [..=..]            |
| setupversion                        | \setupversion [...]                     |
| setupviewerlayer                    | \setupviewerlayer [..=..]               |
| setupvspacing                       | \setupvspacing [...]                    |
| setupwithargument                   | \setupwithargument {...} {...}          |
| setupwithargumentswapped            | \setupwithargumentswapped {...} {...}   |
| setupxml                            | \setupxml [..=..]                       |
| setupxtable                         | \setupxtable [...] [..=..]              |
| setuvalue                           | \setuvalue {...} {...}                  |
| setuxvalue                          | \setuxvalue {...} {...}                 |
| setvalue                            | \setvalue {...} {...}                   |
| setvariable                         | \setvariable {...} {...} {...}          |
| setvariables                        | \setvariables [...] [..=..]             |
| setvboxregister                     | \setvboxregister ... {...}              |
| setvisualizerfont                   | \setvisualizerfont [...]                |
| setvtopregister                     | \setvtopregister ... {...}              |
| setwidthof                          | \setwidthof ... \to \...                |
| setxmeasure                         | \setxmeasure {...} {...}                |
| setxvalue                           | \setxvalue {...} {...}                  |
| setxvariable                        | \setxvariable {...} {...} {...}         |
| setxvariables                       | \setxvariables [...] [..=..]            |
| sfondo                              | \sfondo {...}                           |
| sfondo:example                      | \SFONDO {...}                           |
| shapedhbox                          | \shapedhbox {...}                       |
| shiftbox                            | \shiftbox {...}                         |
| shift:instance                      | \SHIFT {...}                            |
| shift:instance:shiftdown            | \shiftdown {...}                        |
| shift:instance:shiftup              | \shiftup {...}                          |
| showallmakeup                       | \showallmakeup                          |
| showattributes                      | \showattributes                         |
| showboxes                           | \showboxes                              |
| showbtxdatasetauthors               | \showbtxdatasetauthors [..=..]          |
| showbtxdatasetauthors:argument      | \showbtxdatasetauthors [...]            |
| showbtxdatasetcompleteness          | \showbtxdatasetcompleteness [..=..]     |
| showbtxdatasetcompleteness:argument | \showbtxdatasetcompleteness [...]       |
| showbtxdatasetfields                | \showbtxdatasetfields [..=..]           |
| showbtxdatasetfields:argument       | \showbtxdatasetfields [...]             |
| showbtxfields                       | \showbtxfields [..=..]                  |
| showbtxfields:argument              | \showbtxfields [...]                    |
| showbtxhashedauthors                | \showbtxhashedauthors [...]             |
| showbtxtables                       | \showbtxtables [...]                    |
| showchardata                        | \showchardata {...}                     |
| showcharratio                       | \showcharratio {...}                    |
| showcolorbar                        | \showcolorbar [...]                     |
| showcolorcomponents                 | \showcolorcomponents [...]              |
| showcolorset                        | \showcolorset [...]                     |
| showcolorstruts                     | \showcolorstruts                        |



|                             |  |
|-----------------------------|--|
| showcounter                 | \showcounter [...]                                       |
| showdirectives              | \showdirectives  |
| showdirsmargin              | \showdirsmargin  |
| showdebuginfo               | \showdebuginfo   |
| showexperiments             | \showexperiments   |
| showfont                    | \showfont [...] [...]                                    |
| showfontdata                | \showfontdata  |
| showfontexpansion           | \showfontexpansion                                       |
| showfontitalics             | \showfontitalics   |
| showfontkerns               | \showfontkerns   |
| showfontparameters          | \showfontparameters                                      |
| showfontstrip               | \showfontstrip [...]                                     |
| showfontstyle               | \showfontstyle [...] [...] [...] [...]                   |
| showglyphdata               | \showglyphdata   |
| showglyphs                  | \showglyphs  |
| showgridsnapping            | \showgridsnapping  |
| showhelp                    | \showhelp {...} [...]                                    |
| showhyphenationtrace        | \showhyphenationtrace [...] [...]                        |
| showhyphens                 | \showhyphens {...}                                       |
| showinjector                | \showinjector [...]                                      |
| showjustification           | \showjustification                                       |
| showkerning                 | \showkerning {...}                                       |
| showlayoutcomponents        | \showlayoutcomponents                                    |
| showligature                | \showligature {...}                                      |
| showligatures               | \showligatures [...]                                     |
| showlogcategories           | \showlogcategories                                       |
| showmargins                 | \showmargins   |
| showmessage                 | \showmessage {...} {...} {...}                           |
| showminimalbaseline         | \showminimalbaseline                                     |
| shownextbox                 | \shownextbox \... {...}                                  |
| showotfcomposition          | \showotfcomposition {...} {...} {...}                    |
| showparentchain             | \showparentchain \... {...}                              |
| showsetupdefinition         | \showsetupdefinition [...]                               |
| showtimer                   | \showtimer {...}   |
| showtokens                  | \showtokens [...]  |
| showtrackers                | \showtrackers  |
| showvalue                   | \showvalue {...}   |
| showvariable                | \showvariable {...} {...}                                |
| showwarning                 | \showwarning {...} {...} {...}                           |
| signalrightpage             | \signalrightpage   |
| simbolo                     | \simbolo [...] [...]                                     |
| simbolo:direct              | \simbolo {...}   |
| simplealignedbox            | \simplealignedbox {...} {...} {...}                      |
| simplealignedboxplus        | \simplealignedboxplus {...} {...} {...} {...}            |
| simplealignedspreadbox      | \simplealignedspreadbox {...} {...} {...}                |
| simplegroupedcommand        | \simplegroupedcommand {...} {...}                        |
| simplereversealignedbox     | \simplereversealignedbox {...} {...} {...}               |
| simplereversealignedboxplus | \simplereversealignedboxplus {...} {...} {...} {...}     |
| singalcharacteralign        | \singalcharacteralign {...} {...}                        |
| singlebond                  | \singlebond  |
| sinistra                    | \sinistra ...  |
| sixthofsixarguments         | \sixthofsixarguments {...} {...} {...} {...} {...} {...} |
| slantedface                 | \slantedface   |
| slicepages                  | \slicepages [...] [..=..] [..=..]                        |
| slovenianNumerals           | \slovenianNumerals {...}                                 |
| sloveniannumerals           | \sloveniannumerals {...}                                 |
| smallcappedcharacters       | \smallcappedcharacters {...}                             |
| smallcappedromannumerals    | \smallcappedromannumerals {...}                          |
| smaller                     | \smaller   |
| smallskip                   | \smallskip   |
| smash                       | \smash [...] {...}                                       |
| smashbox                    | \smashbox ...  |
| smashboxed                  | \smashboxed ...  |
| smashedhbox                 | \smashedhbox ... {...}                                   |
| smashedvbox                 | \smashedvbox ... {...}                                   |
| snaptogrid                  | \snaptogrid [...] \... {...}                             |
| snaptogrid:list             | \snaptogrid [...] \... {...}                             |
| someheadnumber              | \someheadnumber [...] [...]                              |
| somekindoftab               | \somekindoftab [..=..]                                   |
| somelocalfloat              | \somelocalfloat  |
| somenamedheadnumber         | \somenamedheadnumber {...} {...}                         |
| someplace                   | \someplace {...} {...} {...} {...} {...} [...]           |

|                                 |   |
|---------------------------------|---|
| sorting:instance                | \SORTING [...] {...}                                    |
| sorting:instance:logo           | \logo [...] {...}                                       |
| sottopaginasuccessiva           | \sottopaginasuccessiva                                  |
| spaceddigits                    | \spaceddigits {...}                                     |
| spaceddigitismethod             | \spaceddigitismethod                                    |
| spaceddigitsseparator           | \spaceddigitsseparator                                  |
| spaceddigitssymbol              | \spaceddigitssymbol                                     |
| spanishNumerals                 | \spanishNumerals {...}                                  |
| spanishnumerals                 | \spanishnumerals {...}                                  |
| spazifissi                      | \spazifissi   |
| spazio                          | \spazio   |
| spaziofisso                     | \spaziofisso  |
| spessoreriga                    | \spessoreriga   |
| spezzaoggettomobile             | \spezzaoggettomobile [..=..] {...} {...}                |
| splitatasterisk                 | \splitatasterisk ... \... \...                          |
| splitatcolon                    | \splitatcolon ... \... \...                             |
| splitatcolons                   | \splitatcolons ... \... \...                            |
| splitatcomma                    | \splitatcomma ... \... \...                             |
| splitatperiod                   | \splitatperiod ... \... \...                            |
| splitdffrac                     | \splitdffrac {...} {...}                                |
| splitfilename                   | \splitfilename {...}                                    |
| splitfrac                       | \splitfrac {...} {...}                                  |
| splitoffbase                    | \splitoffbase   |
| splitofffull                    | \splitofffull   |
| splitoffkind                    | \splitoffkind   |
| splitoffname                    | \splitoffname   |
| splitoffpath                    | \splitoffpath   |
| splitoffroot                    | \splitoffroot   |
| splitoffftokens                 | \splitoffftokens ... \from ... \to \...                 |
| splitoffftype                   | \splitoffftype  |
| splitstring                     | \splitstring ... \at ... \to \... \and \...             |
| spreadhbox                      | \spreadhbox ...   |
| sqrt                            | \sqrt [...] {...}                                       |
| stackcampi                      | \stackcampi [...] [...] [..=..]                         |
| stackrel                        | \stackrel {...} {...}                                   |
| startlinenote:instance          | \inizialLINENOTE [...] {...}                            |
| startlinenote:instance:linenote | \iniziallinenote [...] {...}                            |
| startregister                   | \startregister [...] [...] [...] [...] {...+...+...}    |
| startstop:example               | \STARTSTOP {...}  |
| startstructurepageregister      | \startstructurepageregister [...] [...] [..=..] [..=..] |
| stirato                         | \stirato [..=..] {...}                                  |
| stoplinenote:instance           | \terminalLINENOTE [...]                                 |
| stoplinenote:instance:linenote  | \terminallinenote [...]                                 |
| stopregister                    | \stopregister [...] [...]                               |
| stopstructurepageregister       | \stopstructurepageregister [...] [...]                  |
| strictdoifelsenextoptional      | \strictdoifelsenextoptional {...} {...}                 |
| strictdoifnextoptionalelse      | \strictdoifnextoptionalelse {...} {...}                 |
| stripcharacter                  | \stripcharacter ... \from ... \to \...                  |
| strippedcsname                  | \strippedcsname \...                                    |
| strippedcsname:string           | \strippedcsname ...                                     |
| stripspaces                     | \stripspaces \from ... \to \...                         |
| structurelistuservariable       | \structurelistuservariable {...}                        |
| structurenumber                 | \structurenumber  |
| structuretitle                  | \structuretitle   |
| structureuservariable           | \structureuservariable {...}                            |
| structurevariable               | \structurevariable {...}                                |
| strut                           | \strut  |
| strutdp                         | \strutdp  |
| strutgap                        | \strutgap   |
| strutht                         | \strutht  |
| struthtdp                       | \struthtdp  |
| struttedbox                     | \struttedbox {...}                                      |
| strutwd                         | \strutwd  |
| style                           | \style [..=..] {...}                                    |
| styleinstance                   | \styleinstance [...]                                    |
| style:argument                  | \style [...] {...}                                      |
| style:instance                  | \STYLE {...}  |
| subpagenumber                   | \subpagenumber  |
| subsentence                     | \subsentence {...}                                      |
| substituteincommalist           | \substituteincommalist {...} {...} \...                 |
| subtractfeature                 | \subtractfeature [...]                                  |
| subtractfeature:direct          | \subtractfeature {...}                                  |

|                                       |  |
|---------------------------------------|--|
| swapcounts                            | \swapcounts \... \...                              |
| swapdimens                            | \swapdimens \... \...                              |
| swapface                              | \swapface  |
| swapmacros                            | \swapmacros \... \...                              |
| swaptypesface                         | \swaptypesface                                     |
| switchstyleonly                       | \switchstyleonly [...]                             |
| switchstyleonly:command               | \switchstyleonly \...                              |
| switchtocolour                        | \switchtocolour [...]                              |
| switchtointerlinespace                | \switchtointerlinespace [...] [..=..]              |
| switchtointerlinespace:argument       | \switchtointerlinespace [...]                      |
| switchtointerlinespace:name           | \switchtointerlinespace [...]                      |
| symbolreference                       | \symbolreference [...]                             |
| synchronizeblank                      | \synchronizeblank                                  |
| synchronizeindenting                  | \synchronizeindenting                              |
| synchronizemarking                    | \synchronizemarking [...] [...] [...]              |
| synchronizeoutputstreams              | \synchronizeoutputstreams [...]                    |
| synchronizestrut                      | \synchronizestrut {...}                            |
| synchronizewhitespace                 | \synchronizewhitespace                             |
| synctexblockfilename                  | \synctexblockfilename {...}                        |
| synctexresetfilename                  | \synctexresetfilename                              |
| synctexsetfilename                    | \synctexsetfilename {...}                          |
| synonym:instance                      | \SYNONYM [...] {...} {...}                         |
| synonym:instance:abbreviation         | \abbreviation [...] {...} {...}                    |
| systemlog                             | \systemlog {...} {...} {...}                       |
| systemlogfirst                        | \systemlogfirst {...} {...} {...}                  |
| systemloglast                         | \systemloglast {...} {...} {...}                   |
| systemsetups                          | \systemsetups {...}                                |
| TABLE                                 | \TABLE   |
| TablE                                 | \TablE   |
| TEX                                   | \TEX   |
| TeX                                   | \TeX   |
| TheNormalizedFontSize                 | \TheNormalizedFontSize                             |
| TransparencyHack                      | \TransparencyHack                                  |
| tabulateautoline                      | \tabulateautoline                                  |
| tabulateautorule                      | \tabulateautorule                                  |
| tabulateline                          | \tabulateline                                      |
| tabulaterule                          | \tabulaterule                                      |
| taggedctxcommand                      | \taggedctxcommand {...}                            |
| taggedlabeltexts                      | \taggedlabeltexts {...} {...} {...}                |
| tbox                                  | \tbox {...}  |
| terminariga                           | \terminariga [...]                                 |
| testandsplitstring                    | \testandsplitstring ... \at ... \to \... \and \... |
| testcolumn                            | \testcolumn [...] [...]                            |
| testfeature                           | \testfeature {...} {...}                           |
| testfeatureonce                       | \testfeatureonce {...} {...}                       |
| testoaiuto                            | \testoaiuto [...] [...] {...}                      |
| testoetichetta:instance               | \LABELtesto {...}                                  |
| testoetichetta:instance:btxlabel      | \btxlabeltesto {...}                               |
| testoetichetta:instance:head          | \headtesto {...}                                   |
| testoetichetta:instance:label         | \labeltesto {...}                                  |
| testoetichetta:instance:mathlabel     | \mathlabeltesto {...}                              |
| testoetichetta:instance:operator      | \operatorortesto {...}                             |
| testoetichetta:instance:prefix        | \prefixtesto {...}                                 |
| testoetichetta:instance:suffix        | \suffixtesto {...}                                 |
| testoetichetta:instance:taglabel      | \taglabeltesto {...}                               |
| testoetichetta:instance:unit          | \unittesto {...}                                   |
| testoincorniciato:instance            | \FRAMEDTEXT [..=..] {...}                          |
| testoincorniciato:instance:framedtext | \framedtext [..=..] {...}                          |
| testonotapdp                          | \testonotapdp [...] {...}                          |
| testonotapdp:assignment               | \testonotapdp [..=..]                              |
| testoriempimento                      | \testoriempimento [..=..] {...} {...}              |
| testpage                              | \testpage [...] [...]                              |
| testpageonly                          | \testpageonly [...] [...]                          |
| testpagesync                          | \testpagesync [...] [...]                          |
| testtokens                            | \testtokens [...]                                  |
| tex                                   | \tex {...}   |
| texdefinition                         | \texdefinition {...}                               |
| texsetup                              | \texsetup {...}                                    |
| textbackground:example                | \TEXTBACKGROUND {...}                              |
| textcitation                          | \textcitation [..=..] [...]                        |
| textcitation:alternative              | \textcitation [...] [...]                          |
| textcitation:userdata                 | \textcitation [..=..] [..=..]                      |

|                                   |   |
|-----------------------------------|---|
| textcite                          | \textcite [..=..] [...]                                   |
| textcite:alternative              | \textcite [...] [...]                                     |
| textcite:userdata                 | \textcite [..=..] [..=..]                                 |
| textcontrolspace                  | \textcontrolspace   |
| textflowcollector                 | \textflowcollector {...}                                  |
| textmath                          | \textmath {...}   |
| textminus                         | \textminus  |
| textormathchar                    | \textormathchar {...}                                     |
| textormathchars                   | \textormathchars {...}                                    |
| textplus                          | \textplus   |
| textvisiblespace                  | \textvisiblespace   |
| thainumerals                      | \thainumerals {...}                                       |
| thefirstcharacter                 | \thefirstcharacter {...}                                  |
| thenormalizedbodyfontsize         | \thenormalizedbodyfontsize {...}                          |
| theremainingcharacters            | \theremainingcharacters {...}                             |
| thickspace                        | \thickspace   |
| thinspace                         | \thinspace  |
| thirddoffivearguments             | \thirddoffivearguments {...} {...} {...} {...} {...}      |
| thirddofffourarguments            | \thirddofffourarguments {...} {...} {...} {...}           |
| thirddofsixarguments              | \thirddofsixarguments {...} {...} {...} {...} {...} {...} |
| thirddofthreearguments            | \thirddofthreearguments {...} {...} {...}                 |
| thirddofthreeunexpanded           | \thirddofthreeunexpanded {...} {...} {...}                |
| threedigitrounding                | \threedigitrounding {...}                                 |
| tibetannumerals                   | \tibetannumerals {...}                                    |
| tieniblocchi                      | \tieniblocchi [...] [...]                                 |
| tightlayer                        | \tightlayer [...]   |
| tilde                             | \tilde {...}  |
| tinyfont                          | \tinyfont   |
| tlap                              | \tlap {...}   |
| tochar                            | \tochar {...}   |
| tolinenote                        | \tolinenote [...]   |
| tooltip:instance                  | \TOOLTIP [..=..] {...} {...}                              |
| tooltip:instance:argument         | \TOOLTIP [...] {...} {...}                                |
| tooltip:instance:argument:tooltip | \tooltip [...] {...} {...}                                |
| tooltip:instance:tooltip          | \tooltip [..=..] {...} {...}                              |
| topbox                            | \topbox {...}   |
| opleftbox                         | \opleftbox {...}  |
| toplinebox                        | \toplinebox {...}   |
| toprightbox                       | \toprightbox {...}  |
| topskippedbox                     | \topskippedbox {...}                                      |
| tracecatcodetables                | \tracecatcodetables                                       |
| tracedfontname                    | \tracedfontname {...}                                     |
| traceoutputroutines               | \traceoutputroutines                                      |
| tracepositions                    | \tracepositions   |
| traduci                           | \traduci [..=..]  |
| transparencycomponents            | \transparencycomponents {...}                             |
| transparent                       | \transparent [...] {...}                                  |
| triplebond                        | \triplebond   |
| truefilename                      | \truefilename {...}                                       |
| truefontname                      | \truefontname {...}                                       |
| ttraggedright                     | \ttraggedright  |
| twodigitrounding                  | \twodigitrounding {...}                                   |
| tx                                | \tx   |
| txx                               | \txx  |
| typ                               | \typ [..=..] {...}  |
| type                              | \type [..=..] {...}                                       |
| typebuffer                        | \typebuffer [...] [..=..]                                 |
| typebuffer:instance               | \typeBUFFER [..=..]                                       |
| typedefinedbuffer                 | \typedefinedbuffer [...] [..=..]                          |
| typeface                          | \typeface   |
| typefile                          | \typefile [...] [..=..] {...}                             |
| typeinlinebuffer                  | \typeinlinebuffer [...] [..=..]                           |
| typescriptone                     | \typescriptone  |
| typescriptprefix                  | \typescriptprefix {...}                                   |
| typescriptthree                   | \typescriptthree  |
| typescripttwo                     | \typescripttwo  |
| typesetbuffer                     | \typesetbuffer [...] [..=..]                              |
| typesetfile                       | \typesetfile [...] [...] [..=..]                          |
| type:angles                       | \type [..=..] <<...>>                                     |
| type:example                      | \TYPE [..=..] {...}                                       |
| type:example:angles               | \TYPE [..=..] <<...>>                                     |
| typ:angles                        | \typ [..=..] <<...>>                                      |

|                              |   |
|------------------------------|---|
| uconvertnumber               | \uconvertnumber {...} {...}                   |
| uedcatcodecommand            | \uedcatcodecommand \... \... {...}            |
| ultimasottopagina            | \ultimasottopagina                            |
| undefinevalue                | \undefinevalue {...}                          |
| undepthed                    | \undepthed {...}                              |
| underset                     | \underset {...} {...}                         |
| undoassign                   | \undoassign [...] [..=..]                     |
| unexpandeddocumentvariable   | \unexpandeddocumentvariable {...}             |
| unhhbox                      | \unhhbox ... \with {...}                      |
| unihex                       | \unihex {...}                                 |
| uniqueMPgraphic              | \uniqueMPgraphic {...} {..=..}                |
| uniqueMPpagegraphic          | \uniqueMPpagegraphic {...} {..=..}            |
| unita:instance               | \UNIT {...}                                   |
| unita:instance:unit          | \unit {...}                                   |
| unprotect                    | \unprotect ... \protect                       |
| unprotected                  | \unprotected ... \par                         |
| unregisterhyphenationpattern | \unregisterhyphenationpattern [...] [...]     |
| unspaceafter                 | \unspaceafter \... {...}                      |
| unspaceargument              | \unspaceargument ... \to \...                 |
| unspaced                     | \unspaced {...}                               |
| unspacestring                | \unspacestring ... \to \...                   |
| untexargument                | \untexargument {...} \to \...                 |
| untexcommand                 | \untexcommand {...} \to \...                  |
| uppercased                   | \uppercase {...}                              |
| uppercasestring              | \uppercasestring ... \to \...                 |
| upperlefthdoubleninequote    | \upperlefthdoubleninequote                    |
| upperlefthdoublesixquote     | \upperlefthdoublesixquote                     |
| upperleftsingleninequote     | \upperleftsingleninequote                     |
| upperleftsinglesixquote      | \upperleftsinglesixquote                      |
| upperrightdoubleninequote    | \upperrightdoubleninequote                    |
| upperrightdoublesixquote     | \upperrightdoublesixquote                     |
| upperrightsingleninequote    | \upperrightsingleninequote                    |
| upperrightsinglesixquote     | \upperrightsinglesixquote                     |
| url                          | \url [...]                                    |
| usablocco                    | \usablocco [...] [...] [..=..]                |
| usacartella                  | \usacartella [...]                            |
| usacolonnasonoraesterna      | \usacolonnasonoraesterna [...] [...]          |
| usadocumentoesterno          | \usadocumentoesterno [...] [...] [...]        |
| usafiguraesterna             | \usafiguraesterna [...] [...] [...] [..=..]   |
| usaJSscripts                 | \usaJSscripts [...] [...]                     |
| usamodulo                    | \usamodulo [...] [...] [..=..]                |
| usasimboli                   | \usasimboli [...]                             |
| usaURL                       | \usaURL [...] [...] [...] [...]               |
| usaur1                       | \usaur1 [...] [...] [...] [...]               |
| usealignparameter            | \usealignparameter \...                       |
| useblankparameter            | \useblankparameter \...                       |
| usebodyfont                  | \usebodyfont [...]                            |
| usebodyfontparameter         | \usebodyfontparameter \...                    |
| usebtxdataset                | \usebtxdataset [...] [...] [..=..]            |
| usebtxdefinitions            | \usebtxdefinitions [...]                      |
| usecitation                  | \usecitation [...]                            |
| usecitation:direct           | \usecitation {...}                            |
| usecolors                    | \usecolors [...]                              |
| usecomponent                 | \usecomponent [...]                           |
| usedummycolorparameter       | \usedummycolorparameter {...}                 |
| usedummystyleandcolor        | \usedummystyleandcolor {...} {...}            |
| usedummystyleparameter       | \usedummystyleparameter {...}                 |
| useenvironment               | \useenvironment [...]                         |
| useexternalrendering         | \useexternalrendering [...] [...] [...] [...] |
| usefigurebase                | \usefigurebase [...]                          |
| usefile                      | \usefile [...] [...] [...]                    |
| usegridparameter             | \usegridparameter \...                        |
| useindentingparameter        | \useindentingparameter \...                   |
| useindentnextparameter       | \useindentnextparameter \...                  |
| useinterlinespaceparameter   | \useinterlinespaceparameter \...              |
| uselanguageparameter         | \uselanguageparameter \...                    |
| uselua module                | \uselua module [...]                          |
| useMPenvironmentbuffer       | \useMPenvironmentbuffer [...]                 |
| useMPgraphic                 | \useMPgraphic {...} {..=..}                   |
| useMPLibrary                 | \useMPLibrary [...]                           |
| useMPPrun                    | \useMPPrun {...} {...}                        |
| useMPvariables               | \useMPvariables [...] [...]                   |

|                        |   |
|------------------------|---|
| usemathstyleparameter  | \usemathstyleparameter \...               |
| useproduct             | \useproduct [...]                         |
| useprofileparameter    | \useprofileparameter \...                 |
| useproject             | \useproject [...]                         |
| userreferenceparameter | \userreferenceparameter \...              |
| userpagenumber         | \userpagenumber                           |
| usesetupsparameter     | \usesetupsparameter \...                  |
| usestaticMPfigure      | \usestaticMPfigure [..=..] [...]          |
| usesubpath             | \usesubpath [...]                         |
| usetexmodule           | \usetexmodule [...] [...] [..=..]         |
| usetypescript          | \usetypescript [...] [...] [...]          |
| usetypescriptfile      | \usetypescriptfile [...]                  |
| usezipfile             | \usezipfile [...] [...]                   |
| utfchar                | \utfchar {...}                            |
| utflower               | \utflower {...}                           |
| utfupper               | \utfupper {...}                           |
| utilityregisterlength  | \utilityregisterlength                    |
| VerboseNumber          | \VerboseNumber {...}                      |
| vaia                   | \vaia [...] [...]                         |
| vaiabox                | \vaiabox [...] [...]                      |
| vaiapagina             | \vaiapagina [...] [...]                   |
| vaigiu                 | \vaigiu [...]                             |
| valorecolore           | \valorecolore {...}                       |
| vboxreference          | \vboxreference [...] {...}                |
| vec                    | \vec {...}                                |
| verbatim               | \verbatim {...}                           |
| verbatimstring         | \verbatimstring {...}                     |
| verbosenummer          | \verbosenummer {...}                      |
| versione               | \versione [...]                           |
| verticalgrowingbar     | \verticalgrowingbar [..=..]               |
| verticalpositionbar    | \verticalpositionbar [..=..]              |
| veryraggedcenter       | \veryraggedcenter                         |
| veryraggedleft         | \veryraggedleft                           |
| veryraggedright        | \veryraggedright                          |
| vglue                  | \vglue ...                                |
| viewerlayer            | \viewerlayer [...] {...}                  |
| v1                     | \v1 [...]                                 |
| vphantom               | \vphantom {...}                           |
| vpos                   | \vpos [...] {...}                         |
| vsmash                 | \vsmash {...}                             |
| vsmashbox              | \vsmashbox ...                            |
| vsmashed               | \vsmashed {...}                           |
| vspace                 | \vspace [...] [...]                       |
| vspacing               | \vspacing [...]                           |
| WidthSpanningText      | \WidthSpanningText [...] [...] [...]      |
| wdofstring             | \wdofstring {...}                         |
| widthofstring          | \widthofstring {...}                      |
| widthspanningtext      | \widthspanningtext [...] [...] [...]      |
| withoutpt              | \withoutpt {...}                          |
| words                  | \words {...}                              |
| wordtonumber           | \wordtonumber [...] [...]                 |
| writedatatolist        | \writedatatolist [...] [..=..] [..=..]    |
| writestatus            | \writestatus [...] {...}                  |
| XETEX                  | \XETEX                                    |
| XeTeX                  | \XeTeX                                    |
| xdefconvertedargument  | \xdefconvertedargument \... {...}         |
| xmladdindex            | \xmladdindex {...}                        |
| xmlafterdocumentsetup  | \xmlafterdocumentsetup [...] [...] [...]  |
| xmlafterssetup         | \xmlafterssetup [...] [...]               |
| xmlall                 | \xmlall [...] [...]                       |
| xmlappenddocumentsetup | \xmlappenddocumentsetup [...] [...]       |
| xmlappendsetup         | \xmlappendsetup {...}                     |
| xmlapplyselectors      | \xmlapplyselectors [...]                  |
| xmlatt                 | \xmlatt [...] [...]                       |
| xmlattdef              | \xmlattdef [...] [...] [...]              |
| xmlattribute           | \xmlattribute [...] [...] [...]           |
| xmlattributedef        | \xmlattributedef [...] [...] [...] [...]  |
| xmlbadinclusions       | \xmlbadinclusions [...]                   |
| xmlbeforedocumentsetup | \xmlbeforedocumentsetup [...] [...] [...] |
| xmlbeforesetup         | \xmlbeforesetup [...] [...]               |
| xmlchainatt            | \xmlchainatt [...] [...]                  |
| xmlchainattdef         | \xmlchainattdef [...] [...] [...]         |

|                          |   |
|--------------------------|---|
| xmlchecknamespace        | \xmlchecknamespace {...} {...}                |
| xmlcommand               | \xmlcommand {...} {...} {...}                 |
| xmlconcat                | \xmlconcat {...} {...} {...}                  |
| xmlconcatrange           | \xmlconcatrange {...} {...} {...} {...} {...} |
| xmlcontext               | \xmlcontext {...} {...}                       |
| xmlcount                 | \xmlcount {...}                               |
| xmldefaulttotext         | \xmldefaulttotext {...}                       |
| xmldirectives            | \xmldirectives {...}                          |
| xmldirectivesafter       | \xmldirectivesafter {...}                     |
| xmldirectivesbefore      | \xmldirectivesbefore {...}                    |
| xmldisplayverbatim       | \xmldisplayverbatim {...}                     |
| xmldoif                  | \xmldoif {...} {...} {...}                    |
| xmldoifatt               | \xmldoifatt {...} {...}                       |
| xmldoifelse              | \xmldoifelse {...} {...} {...} {...}          |
| xmldoifelseatt           | \xmldoifelseatt {...} {...} {...}             |
| xmldoifelseempty         | \xmldoifelseempty {...} {...} {...} {...}     |
| xmldoifelseselfempty     | \xmldoifelseselfempty {...} {...} {...}       |
| xmldoifsetext            | \xmldoifsetext {...} {...} {...} {...}        |
| xmldoifelsevalue         | \xmldoifelsevalue {...} {...} {...} {...}     |
| xmldoifnot               | \xmldoifnot {...} {...} {...}                 |
| xmldoifnotatt            | \xmldoifnotatt {...} {...}                    |
| xmldoifnotselfempty      | \xmldoifnotselfempty {...} {...}              |
| xmldoifnottext           | \xmldoifnottext {...} {...} {...}             |
| xmldoifselfempty         | \xmldoifselfempty {...} {...}                 |
| xmldoiftext              | \xmldoiftext {...} {...} {...}                |
| xmlelement               | \xmlelement {...} {...}                       |
| xmlfilter                | \xmlfilter {...} {...}                        |
| xmlfirst                 | \xmlfirst {...} {...}                         |
| xmlflush                 | \xmlflush {...}                               |
| xmlflushcontext          | \xmlflushcontext {...}                        |
| xmlflushdocumentsetups   | \xmlflushdocumentsetups {...} {...}           |
| xmlflushlinewise         | \xmlflushlinewise {...}                       |
| xmlflushpure             | \xmlflushpure {...}                           |
| xmlflushspacewise        | \xmlflushspacewise {...}                      |
| xmlflushtext             | \xmlflushtext {...}                           |
| xmlinclude               | \xmlinclude {...} {...} {...}                 |
| xmlinclusion             | \xmlinclusion {...}                           |
| xmlinclusions            | \xmlinclusions {...}                          |
| xmlinfo                  | \xmlinfo {...}                                |
| xmlinjector              | \xmlinjector {...}                            |
| xmlinlineprettyprint     | \xmlinlineprettyprint {...} {...}             |
| xmlinlineprettyprinttext | \xmlinlineprettyprinttext {...} {...}         |
| xmlinlineverbatim        | \xmlinlineverbatim {...}                      |
| xmlinstalldirective      | \xmlinstalldirective {...} {...}              |
| xmllast                  | \xmllast {...} {...}                          |
| xmllastatt               | \xmllastatt                                   |
| xmllastmatch             | \xmllastmatch                                 |
| xmllastpar               | \xmllastpar                                   |
| xmlloadbuffer            | \xmlloadbuffer {...} {...} {...}              |
| xmlloaddata              | \xmlloaddata {...} {...} {...}                |
| xmlloaddirectives        | \xmlloaddirectives {...}                      |
| xmlloadfile              | \xmlloadfile {...} {...} {...}                |
| xmlloadonly              | \xmlloadonly {...} {...} {...}                |
| xmlmain                  | \xmlmain {...}                                |
| xmlmapvalue              | \xmlmapvalue {...} {...} {...}                |
| xmlname                  | \xmlname {...}                                |
| xmlnamespace             | \xmlnamespace {...}                           |
| xmlnonspace              | \xmlnonspace {...} {...}                      |
| xmlpar                   | \xmlpar {...} {...}                           |
| xmlparam                 | \xmlparam {...} {...} {...}                   |
| xmlpath                  | \xmlpath {...}                                |
| xmlpos                   | \xmlpos {...}                                 |
| xmlposition              | \xmlposition {...} {...} {...}                |
| xmlprependdocumentsetup  | \xmlprependdocumentsetup {...} {...}          |
| xmlprependsetup          | \xmlprependsetup {...}                        |
| xmlprettyprint           | \xmlprettyprint {...} {...}                   |
| xmlprettyprinttext       | \xmlprettyprinttext {...} {...}               |
| xmlprocessbuffer         | \xmlprocessbuffer {...} {...} {...}           |
| xmlprocessdata           | \xmlprocessdata {...} {...} {...}             |
| xmlprocessfile           | \xmlprocessfile {...} {...} {...}             |
| xmlpure                  | \xmlpure {...} {...}                          |
| xmlraw                   | \xmlraw {...}                                 |

|                             |  |
|-----------------------------|--|
| xmlrefatt                   | \xmlrefatt {...} {...}                   |
| xmlregistereddokumentsetups | \xmlregistereddokumentsetups {...} {...} |
| xmlregisteredsetups         | \xmlregisteredsetups                     |
| xmlregisterns               | \xmlregisterns {...} {...}               |
| xmlremapname                | \xmlremapname {...} {...} {...} {...}    |
| xmlremapnamespace           | \xmlremapnamespace {...} {...} {...}     |
| xmlremovedokumentsetup      | \xmlremovedokumentsetup {...} {...}      |
| xmlremovesetup              | \xmlremovesetup {...}                    |
| xmlresetdokumentsetups      | \xmlresetdokumentsetups {...}            |
| xmlresetinjectors           | \xmlresetinjectors                       |
| xmlresetsetups              | \xmlresetsetups {...}                    |
| xmlsave                     | \xmlsave {...} {...}                     |
| xmlsetatt                   | \xmlsetatt {...} {...} {...}             |
| xmlsetattribute             | \xmlsetattribute {...} {...} {...} {...} |
| xmlsetentity                | \xmlsetentity {...} {...}                |
| xmlsetfunction              | \xmlsetfunction {...} {...} {...}        |
| xmlsetinjectors             | \xmlsetinjectors [...]                   |
| xmlsetpar                   | \xmlsetpar {...} {...} {...}             |
| xmlsetparam                 | \xmlsetparam {...} {...} {...} {...}     |
| xmlsetsetup                 | \xmlsetsetup {...} {...} {...}           |
| xmlsetup                    | \xmlsetup {...} {...}                    |
| xmlshow                     | \xmlshow {...}                           |
| xmlsnippet                  | \xmlsnippet {...} {...}                  |
| xmlstrip                    | \xmlstrip {...} {...}                    |
| xmlstripnolines             | \xmlstripnolines {...} {...}             |
| xmlstripped                 | \xmlstripped {...} {...}                 |
| xmlstrippednolines          | \xmlstrippednolines {...} {...}          |
| xmltag                      | \xmltag {...}                            |
| xmltexentity                | \xmltexentity {...} {...}                |
| xmltext                     | \xmltext {...} {...}                     |
| xmltobuffer                 | \xmltobuffer {...} {...} {...}           |
| xmltobufferverbose          | \xmltobufferverbose {...} {...} {...}    |
| xmltofile                   | \xmltofile {...} {...} {...}             |
| xmlvalue                    | \xmlvalue {...} {...} {...}              |
| xmlverbatim                 | \xmlverbatim {...}                       |
| xsplittedstring             | \xsplittedstring \... {...}              |
| xypos                       | \xypos {...}                             |







PRAGMA ADE  
Ridderstraat 27  
8061GH Hasselt NL  
[www.pragma-ade.com](http://www.pragma-ade.com)