ConTEXt

comandi

IT

ConTEXt

comandi

AfterPar	`\AfterPar {...}`
Alphabeticnumerals	`\Alphabeticnumerals {...}`
AMSTEX	`\AMSTEX`
AmSTeX	`\AmSTeX`
And	`\And`
abjadnaivenumerals	`\abjadnaivenumerals {...}`
abjadnodotnumerals	`\abjadnodotnumerals {...}`
abjadnumerals	`\abjadnumerals {...}`
activatespacehandler	`\activatespacehandler {...}`
acute	`\acute {...}`
adaptcollector	`\adaptcollector [...] [..=..]`
adaptfontfeature	`\adaptfontfeature [...] [..=..]`
adaptpapersize	`\adaptpapersize [...] [...]`
adattacampo	`\adattacampo [...] [..=..]`
adattalayout	`\adattalayout [...] [..=..]`
addfeature	`\addfeature [...]`
addfeature:direct	`\addfeature {...}`
addfontpath	`\addfontpath [...]`
addtocommalist	`\addtocommalist {...} \...`
addtoJSpreamble	`\addtoJSpreamble {...} {...}`
addvalue	`\addvalue {...} {...}`
aftersplitstring	`\aftersplitstring ... \at ... \to \...`
aftertestandsplitstring	`\aftertestandsplitstring ... \at ... \to \...`
al	`\al {...} {...} [...]`
alignbottom	`\alignbottom`
aligned	`\aligned [...] {...}`
alignedbox	`\alignedbox [...] \... {...}`
alignedline	`\alignedline {...} {...} {...}`
alignhere	`\alignhere`
alignmentcharacter	`\alignmentcharacter`
allineacentro	`\allineacentro {...}`
allineadestra	`\allineadestra {...}`
allineasinistra	`\allineasinistra {...}`
allinputpaths	`\allinputpaths`
alphabeticnumerals	`\alphabeticnumerals {...}`
alwayscitation	`\alwayscitation [..=..] [...]`
alwayscitation:alternative	`\alwayscitation [...] [...]`
alwayscitation:userdata	`\alwayscitation [..=..] [..=..]`
alwayscite	`\alwayscite [..=..] [...]`
alwayscite:alternative	`\alwayscite [...] [...]`
alwayscite:userdata	`\alwayscite [..=..] [..=..]`
ambiente	`\ambiente [...]`
ambiente:string	`\ambiente ...`
ampersand	`\ampersand`
anchor	`\anchor [...] [..=..] [..=..] {...}`
ap	`\ap {...}`
apagina	`\apagina [...]`
appendetoks	`\appendetoks ... \to \...`
appendgvalue	`\appendgvalue {...} {...}`
appendtocommalist	`\appendtocommalist {...} \...`
appendtoks	`\appendtoks ... \to \...`
appendtoksonce	`\appendtoksonce ... \to \...`
appendvalue	`\appendvalue {...} {...}`
apply	`\apply {...} {...}`
applyalternativestyle	`\applyalternativestyle {...}`
applyprocessor	`\applyprocessor {...} {...}`
applytocharacters	`\applytocharacters \... {...}`
applytofirstcharacter	`\applytofirstcharacter \... {...}`
applytosplitstringchar	`\applytosplitstringchar \... {...}`
applytosplitstringcharspaced	`\applytosplitstringcharspaced \... {...}`
applytosplitstringline	`\applytosplitstringline \... {...}`
applytosplitstringlinespaced	`\applytosplitstringlinespaced \... {...}`
applytosplitstringword	`\applytosplitstringword \... {...}`
applytosplitstringwordspaced	`\applytosplitstringwordspaced \... {...}`
applytowords	`\applytowords \... {...}`
ap:instance	`\HIGH {...}`
ap:instance:unitshigh	`\unitshigh {...}`
arabicdecimals	`\arabicdecimals {...}`
arabicexnumerals	`\arabicexnumerals {...}`
arabicnumerals	`\arabicnumerals {...}`
arg	`\arg {...}`
asciistr	`\asciistr {...}`

assignalfadimension	`\assignalfadimension {...} \... {...} {...} {...}`
assigndimen	`\assigndimen \... {...}`
assigndimension	`\assigndimension {...} \... {...} {...} {...}`
assignifempty	`\assignifempty \... {...}`
assigntranslation	`\assigntranslation [..=..] \to \...`
assignvalue	`\assignvalue {...} \... {...} {...} {...}`
assignwidth	`\assignwidth {...} \... {...} {...}`
assumelongusagecs	`\assumelongusagecs \... {...}`
astype	`\astype {...}`
attachment:instance	`\ATTACHMENT [...] [..=..]`
attachment:instance:attachment	`\attachment [...] [..=..]`
autocap	`\autocap {...}`
autodirhbox	`\autodirhbox ... {...}`
autodirvbox	`\autodirvbox ... {...}`
autodirvtop	`\autodirvtop ... {...}`
autoinsertnextspace	`\autoinsertnextspace`
autointegral	`\autointegral {...} {...} {...}`
automathematics	`\automathematics {...}`
autopagestaterealpage	`\autopagestaterealpage {...}`
autopagestaterealpageorder	`\autopagestaterealpageorder {...}`
autosetups	`\autosetups {...}`
autostarttesto	`\autostarttesto ... \autostoptesto`
availablehsize	`\availablehsize`
averagecharwidth	`\averagecharwidth`
BeforePar	`\BeforePar {...}`
Big	`\Big ...`
Bigg	`\Bigg ...`
Biggl	`\Biggl ...`
Biggm	`\Biggm ...`
Biggr	`\Biggr ...`
Bigl	`\Bigl ...`
Bigm	`\Bigm ...`
Bigr	`\Bigr ...`
backgroundimage	`\backgroundimage {...} {...} {...} {...}`
backgroundimagefill	`\backgroundimagefill {...} {...} {...} {...}`
backgroundline	`\backgroundline [...] {...}`
bar	`\bar {...}`
barracolori	`\barracolori [...]`
barrainterazione	`\barrainterazione [...] [..=..]`
bar:instance	`\BAR {...}`
bar:instance:hiddenbar	`\hiddenbar {...}`
bar:instance:nobar	`\nobar {...}`
bar:instance:overbar	`\overbar {...}`
bar:instance:overbars	`\overbars {...}`
bar:instance:overstrike	`\overstrike {...}`
bar:instance:overstrikes	`\overstrikes {...}`
bar:instance:underbar	`\underbar {...}`
bar:instance:underbars	`\underbars {...}`
bar:instance:underdash	`\underdash {...}`
bar:instance:underdashes	`\underdashes {...}`
bar:instance:underdot	`\underdot {...}`
bar:instance:underdots	`\underdots {...}`
bar:instance:underrandom	`\underrandom {...}`
bar:instance:underrandoms	`\underrandoms {...}`
bar:instance:understrike	`\understrike {...}`
bar:instance:understrikes	`\understrikes {...}`
basegrid	`\basegrid [..=..]`
baselinebottom	`\baselinebottom`
baselineleftbox	`\baselineleftbox {...}`
baselinemiddlebox	`\baselinemiddlebox {...}`
baselinerightbox	`\baselinerightbox {...}`
bbordermatrix	`\bbordermatrix {...}`
bbox	`\bbox {...}`
beforesplitstring	`\beforesplitstring ... \at ... \to \...`
beforetestandsplitstring	`\beforetestandsplitstring ... \at ... \to \...`
beginblock:example	`\beginBLOCK [...] ... \endBLOCK`
beginhbox	`\beginhbox ... \endhbox`
beginofshapebox	`\beginofshapebox ... \endofshapebox`
beginvbox	`\beginvbox ... \endvbox`
beginvtop	`\beginvtop ... \endvtop`
begstrut	`\begstrut ... \endstrut`
bigg	`\bigg ...`

```
bigger                                 \bigger
biggl                                  \biggl ...
biggm                                  \biggm ...
biggr                                  \biggr ...
bigl                                   \bigl ...
bigm                                   \bigm ...
bigr                                   \bigr ...
bigskip                                \bigskip
bitmapimage                            \bitmapimage [..=..] {...}
blap                                   \blap {...}
bleed                                  \bleed [..=..] {...}
bleedheight                            \bleedheight
bleedwidth                             \bleedwidth
blockligatures                         \blockligatures [...]
blocksynctexfile                       \blocksynctexfile [...]
bodyfontenvironmentlist                \bodyfontenvironmentlist
bodyfontsize                           \bodyfontsize
boldface                               \boldface
booleanmodevalue                       \booleanmodevalue {...}
bordermatrix                           \bordermatrix {...}
bottombox                              \bottombox {...}
bottomleftbox                          \bottomleftbox {...}
bottomrightbox                         \bottomrightbox {...}
boxcursor                              \boxcursor
boxmarker                              \boxmarker {...} {...}
boxofsize                              \boxofsize \... ... {...}
boxreference                           \boxreference [...] \... {...}
bpar                                   \bpar ... \epar
bpos                                   \bpos {...}
breakhere                              \breakhere
breve                                  \breve {...}
bTABLE                                 \bTABLE [..=..] ... \eTABLE
bTABLEbody                             \bTABLEbody [..=..] ... \eTABLEbody
bTABLEfoot                             \bTABLEfoot [..=..] ... \eTABLEfoot
bTABLEhead                             \bTABLEhead [..=..] ... \eTABLEhead
bTABLEnext                             \bTABLEnext [..=..] ... \eTABLEnext
bTC                                    \bTC [..=..] ... \eTC
bTD                                    \bTD [..=..] ... \eTD
bTDs                                   \bTDs [...] ... \eTDs
bTH                                    \bTH [..=..] ... \eTH
bTN                                    \bTN [..=..] ... \eTN
bTR                                    \bTR [..=..] ... \eTR
bTRs                                   \bTRs [...] ... \eTRs
bTX                                    \bTX [..=..] ... \eTX
bTY                                    \bTY [..=..] ... \eTY
btxabbreviatedjournal                  \btxabbreviatedjournal {...}
btxaddjournal                          \btxaddjournal [...] [...]
btxalwayscitation                      \btxalwayscitation [..=..] [...]
btxalwayscitation:alternative          \btxalwayscitation [...] [...]
btxalwayscitation:userdata             \btxalwayscitation [..=..] [..=..]
btxauthorfield                         \btxauthorfield {...}
btxdetail                              \btxdetail {...}
btxdirect                              \btxdirect {...}
btxdoif                                \btxdoif {...} {...}
btxdoifcombiinlistelse                 \btxdoifcombiinlistelse {...} {...} {...} {...}
btxdoifelse                            \btxdoifelse {...} {...} {...}
btxdoifelsecombiinlist                 \btxdoifelsecombiinlist {...} {...} {...} {...}
btxdoifelsesameasprevious              \btxdoifelsesameasprevious {...} {...} {...}
btxdoifelsesameaspreviouschecked       \btxdoifelsesameaspreviouschecked {...} {...} {...} {...}
btxdoifelseuservariable                \btxdoifelseuservariable {...} {...} {...}
btxdoifnot                             \btxdoifnot {...} {...}
btxdoifsameaspreviouscheckedelse       \btxdoifsameaspreviouscheckedelse {...} {...} {...} {...}
btxdoifsameaspreviouselse              \btxdoifsameaspreviouselse {...} {...} {...}
btxdoifuservariableelse                \btxdoifuservariableelse {...} {...} {...}
btxexpandedjournal                     \btxexpandedjournal {...}
btxfield                               \btxfield {...}
btxfieldname                           \btxfieldname {...}
btxfieldtype                           \btxfieldtype {...}
btxfirstofrange                        \btxfirstofrange {...}
btxflush                               \btxflush {...}
btxflushauthor                         \btxflushauthor [...] {...}
btxflushauthorinverted                 \btxflushauthorinverted {...}
```

```
btxflushauthorinvertedshort          \btxflushauthorinvertedshort {...}
btxflushauthorname                    \btxflushauthorname {...}
btxflushauthornormal                  \btxflushauthornormal {...}
btxflushauthornormalshort             \btxflushauthornormalshort {...}
btxflushsuffix                        \btxflushsuffix
btxfoundname                          \btxfoundname {...}
btxfoundtype                          \btxfoundtype {...}
btxhiddencitation                     \btxhiddencitation [...]
btxhybridcite                         \btxhybridcite [..=..] [...]
btxhybridcite:alternative             \btxhybridcite [...] [...]
btxhybridcite:direct                  \btxhybridcite {...}
btxhybridcite:userdata                \btxhybridcite [..=..] [..=..]
btxlistcitation                       \btxlistcitation [..=..] [...]
btxlistcitation:alternative           \btxlistcitation [...] [...]
btxlistcitation:userdata              \btxlistcitation [..=..] [..=..]
btxloadjournalist                     \btxloadjournalist [...]
btxoneorrange                         \btxoneorrange {...} {...} {...}
btxremapauthor                        \btxremapauthor [...] [...]
btxsavejournalist                     \btxsavejournalist [...]
btxsetup                              \btxsetup {...}
btxsingularorplural                   \btxsingularorplural {...} {...} {...}
btxsingularplural                     \btxsingularplural {...} {...} {...}
btxtextcitation                       \btxtextcitation [..=..] [...]
btxtextcitation:alternative           \btxtextcitation [...] [...]
btxtextcitation:userdata              \btxtextcitation [..=..] [..=..]
buildmathaccent                       \buildmathaccent {...} {...}
buildtextaccent                       \buildtextaccent {...} {...}
buildtextbottomcomma                  \buildtextbottomcomma {...}
buildtextbottomdot                    \buildtextbottomdot {...}
buildtextcedilla                      \buildtextcedilla {...}
buildtextgrave                        \buildtextgrave {...}
buildtextmacron                       \buildtextmacron {...}
buildtextognek                        \buildtextognek {...}
Cap                                   \Cap {...}
Caps                                  \Caps {...}
CONTEXT                               \CONTEXT
ConTeXt                               \ConTeXt
Context                               \Context
ConvertConstantAfter                  \ConvertConstantAfter \... {...} {...}
ConvertToConstant                     \ConvertToConstant \... {...} {...}
calligrafico                          \calligrafico
cambiaafontdeltesto                   \cambiaafontdeltesto [...]
camel                                 \camel {...}
campi                                 \campi [...] [...]
cap                                   \cap {...}
capello                               \capello
capoverso:instance                    \SECTION [...] {...}
capoverso:instance:assignment         \SECTION [..=..]
capoverso:instance:assignment:chapter \chapter [..=..]
capoverso:instance:assignment:part    \part [..=..]
capoverso:instance:assignment:section \section [..=..]
capoverso:instance:assignment:subject \subject [..=..]
capoverso:instance:assignment:subsection   \subsection [..=..]
capoverso:instance:assignment:subsubject   \subsubject [..=..]
capoverso:instance:assignment:subsubsection    \subsubsection [..=..]
capoverso:instance:assignment:subsubsubject    \subsubsubject [..=..]
capoverso:instance:assignment:subsubsubsection \subsubsubsection [..=..]
capoverso:instance:assignment:subsubsubsubject \subsubsubsubject [..=..]
capoverso:instance:assignment:title   \title [..=..]
capoverso:instance:chapter            \chapter [...] {...}
capoverso:instance:ownnumber          \SECTION [...] {...} {...}
capoverso:instance:ownnumber:chapter  \chapter [...] {...} {...}
capoverso:instance:ownnumber:part     \part [...] {...} {...}
capoverso:instance:ownnumber:section  \section [...] {...} {...}
capoverso:instance:ownnumber:subject  \subject [...] {...} {...}
capoverso:instance:ownnumber:subsection   \subsection [...] {...} {...}
capoverso:instance:ownnumber:subsubject   \subsubject [...] {...} {...}
capoverso:instance:ownnumber:subsubsection   \subsubsection [...] {...} {...}
capoverso:instance:ownnumber:subsubsubject   \subsubsubject [...] {...} {...}
capoverso:instance:ownnumber:subsubsubsection   \subsubsubsection [...] {...} {...}
```

capoverso:instance:ownnumber:subsubsubsubject	`\subsubsubsubject [...] {...} {...}`
capoverso:instance:ownnumber:subsubsubsubsection	`\subsubsubsubsection [...] {...} {...}`
capoverso:instance:ownnumber:subsubsubsubsubject	`\subsubsubsubsubject [...] {...} {...}`
capoverso:instance:ownnumber:title	`\title [...] {...} {...}`
capoverso:instance:part	`\part [...] {...}`
capoverso:instance:section	`\section [...] {...}`
capoverso:instance:subject	`\subject [...] {...}`
capoverso:instance:subsection	`\subsection [...] {...}`
capoverso:instance:subsubject	`\subsubject [...] {...}`
capoverso:instance:subsubsection	`\subsubsection [...] {...}`
capoverso:instance:subsubsubject	`\subsubsubject [...] {...}`
capoverso:instance:subsubsubsection	`\subsubsubsection [...] {...}`
capoverso:instance:subsubsubsubject	`\subsubsubsubject [...] {...}`
capoverso:instance:subsubsubsubsection	`\subsubsubsubsection [...] {...}`
capoverso:instance:subsubsubsubsubject	`\subsubsubsubsubject [...] {...}`
capoverso:instance:title	`\title [...] {...}`
catcodetablename	`\catcodetablename`
cbox	`\cbox ... {...}`
centeraligned	`\centeraligned {...}`
centerbox	`\centerbox ... {...}`
centeredbox	`\centeredbox ... {...}`
centeredlastline	`\centeredlastline`
centerednextbox	`\centerednextbox ... {...}`
centerline	`\centerline {...}`
centro	`\centro ...`
cfrac	`\cfrac [...] {...} {...}`
characterkerning:example	`\CHARACTERKERNING [...] {...}`
chardescription	`\chardescription {...}`
charwidthlanguage	`\charwidthlanguage`
check	`\check {...}`
checkcharacteralign	`\checkcharacteralign {...}`
checkedblank	`\checkedblank [...]`
checkedchar	`\checkedchar {...} {...}`
checkedfiller	`\checkedfiller {...}`
checkedstrippedcsname	`\checkedstrippedcsname \...`
checkedstrippedcsname:string	`\checkedstrippedcsname ...`
checkinjector	`\checkinjector [...]`
checknextindentation	`\checknextindentation [...]`
checknextinjector	`\checknextinjector [...]`
checkpage	`\checkpage [...] [..=..]`
checkparameters	`\checkparameters [...]`
checkpreviousinjector	`\checkpreviousinjector [...]`
checksoundtrack	`\checksoundtrack {...}`
checktwopassdata	`\checktwopassdata {...}`
checkvariables	`\checkvariables [...] [..=..]`
chemical	`\chemical [...] [...] [...]`
chemicalbottext	`\chemicalbottext {...}`
chemicalmidtext	`\chemicalmidtext {...}`
chemicalsymbol	`\chemicalsymbol [...]`
chemicaltext	`\chemicaltext {...}`
chemicaltoptext	`\chemicaltoptext {...}`
chim	`\chim {...} {...} {...}`
chineseallnumerals	`\chineseallnumerals {...}`
chinesecapnumerals	`\chinesecapnumerals {...}`
chinesenumerals	`\chinesenumerals {...}`
circondato	`\circondato [..=..] {...}`
citation	`\citation [..=..] [...]`
citation:alternative	`\citation [...] [...]`
citation:direct	`\citation {...}`
citation:userdata	`\citation [..=..] [..=..]`
cite	`\cite [..=..] [...]`
cite:alternative	`\cite [...] [...]`
cite:direct	`\cite {...}`
cite:userdata	`\cite [..=..] [..=..]`
clap	`\clap {...}`
classfont	`\classfont {...} {...}`
cldcommand	`\cldcommand {...}`
cldcontext	`\cldcontext {...}`
cldloadfile	`\cldloadfile {...}`
cldprocessfile	`\cldprocessfile {...}`
clip	`\clip [..=..] {...}`
clippedoverlayimage	`\clippedoverlayimage {...}`

```
clonacampo                                  \clonacampo [...] [...] [...] [...]
collect                                     \collect {...}
collectedtext                               \collectedtext [..=..] [..=..] {...} {...}
collectexpanded                             \collectexpanded {...}
colonna                                     \colonna [...]
colorcomponents                             \colorcomponents {...}
colore                                      \colore [...] {...}
colored                                     \colored [..=..] {...}
colored:name                                \colored [...] {...}
coloregrigio                                \coloregrigio [...] {...}
coloronly                                   \coloronly [...] {...}
columnbreak                                 \columnbreak [...]
columnsetspanwidth                          \columnsetspanwidth {...}
combinepages                                \combinepages [...] [..=..]
commalistelement                            \commalistelement
commalistsentence                           \commalistsentence [...] [...]
commalistsize                               \commalistsize
commento                                    \commento (...,...) (...,...) [..=..] {...}
commento:instance                           \COMMENT [...] [..=..] {...}
commento:instance:comment                   \comment [...] [..=..] {...}
comparedimension                            \comparedimension {...} {...}
comparedimensioneps                         \comparedimensioneps {...} {...}
completebtxrendering                        \completebtxrendering [...] [..=..]
completecombinedlist:instance               \completoCOMBINEDLIST [..=..]
completecombinedlist:instance:content       \completocontent [..=..]
completelist                                \completelist [...] [..=..]
completelistoffloats:instance               \completelistofFLOATS [..=..]
completelistoffloats:instance:chemicals     \completelistofchemicals [..=..]
completelistoffloats:instance:figures       \completelistoffigures [..=..]
completelistoffloats:instance:graphics      \completelistofgraphics [..=..]
completelistoffloats:instance:intermezzi    \completelistofintermezzi [..=..]
completelistoffloats:instance:tables        \completelistoftables [..=..]
completelistofpublications                  \completelistofpublications [...] [..=..]
completelistofsorts                         \completelistofsorts [...] [..=..]
completelistofsorts:instance                \completelistofSORTS [..=..]
completelistofsorts:instance:logos          \completelistoflogos [..=..]
completelistofsynonyms                      \completelistofsynonyms [...] [..=..]
completelistofsynonyms:instance             \completelistofSYNONYMS [..=..]
completelistofsynonyms:instance:abbreviations \completelistofabbreviations [..=..]
completeregister                            \completeregister [...] [..=..]
completeregister:instance                   \completoREGISTER [..=..]
completeregister:instance:index             \completoindex [..=..]
complexorsimple                             \complexorsimple \...
complexorsimpleempty                        \complexorsimpleempty \...
complexorsimpleempty:argument               \complexorsimpleempty {...}
complexorsimple:argument                    \complexorsimple {...}
componenet                                  \componenet [...]
componenet:string                           \componenet ...
composedcollector                           \composedcollector {...}
composedlayer                               \composedlayer {...}
compresult                                  \compresult
confrontagruppocolori                       \confrontagruppocolori [...]
confrontatavolozza                          \confrontatavolozza [...]
constantdimen                               \constantdimen \...
constantdimenargument                       \constantdimenargument \...
constantemptyargument                       \constantemptyargument \...
constantnumber                              \constantnumber \...
constantnumberargument                      \constantnumberargument \...
contentreference                            \contentreference [...] [..=..] {...}
continuednumber                             \continuednumber {...}
continueifinputfile                         \continueifinputfile {...}
convertargument                             \convertargument ... \to \...
convertcommand                              \convertcommand \... \to \...
convertedcounter                            \convertedcounter [...] [..=..]
converteddimen                              \converteddimen {...} {...}
convertedsubcounter                         \convertedsubcounter [...] [...] [..=..]
convertinumero                              \convertinumero {...} {...}
convertmonth                                \convertmonth {...}
convertvalue                                \convertvalue ... \to \...
convertvboxtohbox                           \convertvboxtohbox
copiacampo                                  \copiacampo [...] [...]
copyboxfromcache                            \copyboxfromcache {...} {...} ...
```

```
copylabeltext:instance                        \copyLABELtesto [...] [..=..]
copylabeltext:instance:btxlabel               \copybtxlabeltesto [...] [..=..]
copylabeltext:instance:head                   \copyheadtesto [...] [..=..]
copylabeltext:instance:label                  \copylabeltesto [...] [..=..]
copylabeltext:instance:mathlabel              \copymathlabeltesto [...] [..=..]
copylabeltext:instance:operator               \copyoperatortesto [...] [..=..]
copylabeltext:instance:prefix                 \copyprefixtesto [...] [..=..]
copylabeltext:instance:suffix                 \copysuffixtesto [...] [..=..]
copylabeltext:instance:taglabel               \copytaglabeltesto [...] [..=..]
copylabeltext:instance:unit                   \copyunittesto [...] [..=..]
copypages                                     \copypages [...] [..=..] [..=..]
copyparameters                                \copyparameters [...] [...] [...]
copyposition                                  \copyposition {...} {...}
copysetups                                    \copysetups [...] [...]
correggispaziobianco                          \correggispaziobianco {...}
corsivo                                       \corsivo
corsivograssetto                              \corsivograssetto
countersubs                                   \countersubs [...] [...]
counttoken                                    \counttoken ... \in ... \to \...
counttokens                                   \counttokens ... \to \...
cramped                                       \cramped {...}
crampedclap                                   \crampedclap {...}
crampedllap                                   \crampedllap {...}
crampedrlap                                   \crampedrlap {...}
ctop                                          \ctop ... {...}
ctxcommand                                    \ctxcommand {...}
ctxdirectcommand                              \ctxdirectcommand {...}
ctxdirectlua                                  \ctxdirectlua {...}
ctxfunction                                   \ctxfunction {...}
ctxfunctiondefinition:example                 \CTXFUNCTIONDEFINITION
ctxfunction:example                           \CTXFUNCTION
ctxlatecommand                                \ctxlatecommand {...}
ctxlatelua                                    \ctxlatelua {...}
ctxloadluafile                                \ctxloadluafile {...}
ctxlua                                        \ctxlua {...}
ctxluabuffer                                  \ctxluabuffer [...]
ctxluacode                                    \ctxluacode {...}
ctxreport                                     \ctxreport {...}
ctxsprint                                     \ctxsprint {...}
currentassignmentlistkey                      \currentassignmentlistkey
currentassignmentlistvalue                    \currentassignmentlistvalue
currentbtxuservariable                        \currentbtxuservariable {...}
currentcommalistitem                          \currentcommalistitem
currentcomponent                              \currentcomponent
currentenvironment                            \currentenvironment
currentfeaturetest                            \currentfeaturetest
currentinterface                              \currentinterface
currentlabel:example                          \currentETICHETTA [...] {...}
currentlanguage                               \currentlanguage
currentlistentrydestinationattribute          \currentlistentrydestinationattribute
currentlistentrylimitedtext                   \currentlistentrylimitedtext {...}
currentlistentrynumber                        \currentlistentrynumber
currentlistentrypagenumber                    \currentlistentrypagenumber
currentlistentryreferenceattribute            \currentlistentryreferenceattribute {...}
currentlistentrytitle                         \currentlistentrytitle
currentlistentrytitlerendered                 \currentlistentrytitlerendered
currentlistsymbol                             \currentlistsymbol
currentmainlanguage                           \currentmainlanguage
currentmessagetext                            \currentmessagetext
currentmoduleparameter                        \currentmoduleparameter {...}
currentoutputstream                           \currentoutputstream
currentproduct                                \currentproduct
currentproject                                \currentproject
currentregime                                 \currentregime
currentregisterpageuserdata                   \currentregisterpageuserdata {...}
currentresponses                              \currentresponses
currenttime                                   \currenttime [...]
currentvalue                                  \currentvalue
currentxtablecolumn                           \currentxtablecolumn
currentxtablerow                              \currentxtablerow
d                                             \d {...}
da                                            \da [...]
```

```
daqualcheparte                          \daqualcheparte {...} {...} [...]
data                                     \data [..=..] [...]
datadioggi                               \datadioggi [...]
datasetvariable                          \datasetvariable {...} {...} {...}
dayoftheweek                             \dayoftheweek {...} {...} {...}
dayspermonth                             \dayspermonth {...} {...}
dddot                                    \dddot {...}
ddot                                     \ddot {...}
decrement                                \decrement \...
decrementcounter                         \decrementcounter [...] [...]
decrementedcounter                       \decrementedcounter [...]
decrementpagenumber                      \decrementpagenumber
decrementsubpagenumber                   \decrementsubpagenumber
decrementvalue                           \decrementvalue {...}
decrement:argument                       \decrement (...)
defaultinterface                         \defaultinterface
defaultobjectpage                        \defaultobjectpage
defaultobjectreference                   \defaultobjectreference
defcatcodecommand                        \defcatcodecommand \... ... {...}
defconvertedargument                     \defconvertedargument \... {...}
defconvertedcommand                      \defconvertedcommand \... \...
defconvertedvalue                        \defconvertedvalue \... {...}
defineactivecharacter                    \defineactivecharacter ... {...}
definealternativestyle                   \definealternativestyle [...] [...] [...]
defineanchor                             \defineanchor [...] [...] [..=..] [..=..]
defineattachment                         \defineattachment [...] [...] [..=..]
defineattribute                          \defineattribute [...] [...]
definebackground                         \definebackground [...] [...] [..=..]
definebar                                \definebar [...] [...] [..=..]
definebodyfontswitch                     \definebodyfontswitch [...] [...]
definebreakpoint                         \definebreakpoint [...] [...] [..=..]
definebreakpoints                        \definebreakpoints [...]
definebtx                                \definebtx [...] [...] [..=..]
definebtxdataset                         \definebtxdataset [...] [...] [..=..]
definebtxregister                        \definebtxregister [...] [...] [..=..]
definebtxrendering                       \definebtxrendering [...] [...] [..=..]
definebutton                             \definebutton [...] [...] [..=..]
definecapitals                           \definecapitals [...] [...] [..=..]
definecharacterkerning                   \definecharacterkerning [...] [...] [..=..]
definecharacterspacing                   \definecharacterspacing [...]
definechemical                           \definechemical [...] {...}
definechemicals                          \definechemicals [...] [...] [..=..]
definechemicalsymbol                     \definechemicalsymbol [...] [...]
definecollector                          \definecollector [...] [...] [..=..]
definecolumnbreak                        \definecolumnbreak [...] [...]
definecolumnsetarea                      \definecolumnsetarea [...] [...] [..=..]
definecolumnsetspan                      \definecolumnsetspan [...] [...] [..=..]
definecombination                        \definecombination [...] [...] [..=..]
definecomment                            \definecomment [...] [...] [..=..]
definecomplexorsimple                    \definecomplexorsimple \...
definecomplexorsimpleempty               \definecomplexorsimpleempty \...
definecomplexorsimpleempty:argument      \definecomplexorsimpleempty {...}
definecomplexorsimple:argument           \definecomplexorsimple {...}
defineconversionset                      \defineconversionset [...] [...] [...]
definecounter                            \definecounter [...] [...] [..=..]
definedataset                            \definedataset [...] [...] [..=..]
definedelimitedtext                      \definedelimitedtext [...] [...] [..=..]
definedfont                              \definedfont [...]
defineeffect                             \defineeffect [...] [...] [..=..]
defineexpandable                         \defineexpandable [...] \... {...}
defineexternalfigure                     \defineexternalfigure [...] [...] [..=..]
definefacingfloat                        \definefacingfloat [...] [...] [..=..]
definefallbackfamily                     \definefallbackfamily [...] [...] [...] [..=..]
definefallbackfamily:preset              \definefallbackfamily [...] [...] [...] [...]
definefieldbody                          \definefieldbody [...] [...] [..=..]
definefieldbodyset                       \definefieldbodyset [...] [...]
definefieldcategory                      \definefieldcategory [...] [...] [..=..]
definefileconstant                       \definefileconstant {...} {...}
definefilefallback                       \definefilefallback [...] [...]
definefilesynonym                        \definefilesynonym [...] [...]
definefiller                             \definefiller [...] [...] [..=..]
definefirstline                          \definefirstline [...] [...] [..=..]
```

8

```
definefittingpage              \definefittingpage [...] [...] [..=..]
definefontalternative          \definefontalternative [...]
definefontfallback             \definefontfallback [...] [...] [...] [..=..]
definefontfamily               \definefontfamily [...] [...] [...] [..=..]
definefontfamilypreset         \definefontfamilypreset [...] [..=..]
definefontfamilypreset:name    \definefontfamilypreset [...] [...]
definefontfamily:preset        \definefontfamily [...] [...] [...] [...]
definefontfeature              \definefontfeature [...] [...] [..=..]
definefontfile                 \definefontfile [...] [...] [..=..]
definefontsize                 \definefontsize [...]
definefontsolution             \definefontsolution [...] [...] [..=..]
defineformula                  \defineformula [...] [...] [..=..]
defineformulaalternative       \defineformulaalternative [...] [...] [...]
defineformulaframed            \defineformulaframed [...] [...] [..=..]
defineframedcontent            \defineframedcontent [...] [...] [..=..]
defineframedtable              \defineframedtable [...] [...]
definefrozenfont               \definefrozenfont [...] [...]
defineglobalcolor              \defineglobalcolor [...] [..=..]
defineglobalcolor:name         \defineglobalcolor [...] [...]
definegraphictypesynonym       \definegraphictypesynonym [...] [...]
definegridsnapping             \definegridsnapping [...] [...]
defineheadalternative          \defineheadalternative [...] [...] [..=..]
definehelp                     \definehelp [...] [...] [..=..]
definehigh                     \definehigh [...] [...] [..=..]
definehighlight                \definehighlight [...] [...] [..=..]
definehspace                   \definehspace [...] [...] [...]
definehypenationfeatures       \definehypenationfeatures [...] [..=..]
defineindentedtext             \defineindentedtext [...] [...] [..=..]
defineindenting                \defineindenting [...] [...]
defineinitial                  \defineinitial [...] [...] [..=..]
defineinsertion                \defineinsertion [...] [...] [..=..]
defineinteraction              \defineinteraction [...] [...] [..=..]
defineinteractionbar           \defineinteractionbar [...] [...] [..=..]
defineinterfaceconstant        \defineinterfaceconstant {...} {...}
defineinterfaceelement         \defineinterfaceelement {...} {...}
defineinterfacevariable        \defineinterfacevariable {...} {...}
defineinterlinespace           \defineinterlinespace [...] [...] [..=..]
defineintermediatecolor        \defineintermediatecolor [...] [...] [..=..]
defineitemgroup                \defineitemgroup [...] [...] [..=..]
defineitems                    \defineitems [...] [...] [..=..]
definelabelclass               \definelabelclass [...] [...]
definelayer                    \definelayer [...] [...] [..=..]
definelayerpreset              \definelayerpreset [...] [..=..]
definelayerpreset:name         \definelayerpreset [...] [...]
definelinefiller               \definelinefiller [...] [...] [..=..]
definelinenote                 \definelinenote [...] [...] [..=..]
definelinenumbering            \definelinenumbering [...] [...] [..=..]
definelines                    \definelines [...] [...] [..=..]
definelistalternative          \definelistalternative [...] [...] [..=..]
definelistextra                \definelistextra [...] [...] [..=..]
definelow                      \definelow [...] [...] [..=..]
definelowhigh                  \definelowhigh [...] [...] [..=..]
definelowmidhigh               \definelowmidhigh [...] [...] [..=..]
defineMPinstance               \defineMPinstance [...] [...] [..=..]
definemarginblock              \definemarginblock [...] [...] [..=..]
definemargindata               \definemargindata [...] [...] [..=..]
definemarker                   \definemarker [...]
definemathaccent               \definemathaccent ... ...
definemathalignment            \definemathalignment [...] [...] [..=..]
definemathcases                \definemathcases [...] [...] [..=..]
definemathcommand              \definemathcommand [...] [...] [...] {...}
definemathdouble               \definemathdouble [...] [...] [...] [...]
definemathdoubleextensible     \definemathdoubleextensible [...] [...] [...] [...]
definemathematics              \definemathematics [...] [...] [..=..]
definemathextensible           \definemathextensible [...] [...] [...]
definemathfence                \definemathfence [...] [...] [..=..]
definemathfraction             \definemathfraction [...] [...] [..=..]
definemathframed               \definemathframed [...] [...] [..=..]
definemathmatrix               \definemathmatrix [...] [...] [..=..]
definemathornament             \definemathornament [...] [...] [..=..]
definemathover                 \definemathover [...] [...] [...]
definemathoverextensible       \definemathoverextensible [...] [...] [...]
```

9

```
definemathovertextextensible          \definemathovertextextensible [...] [...] [...]
definemathradical                      \definemathradical [...] [...] [..=..]
definemathstackers                     \definemathstackers [...] [...] [..=..]
definemathstyle                        \definemathstyle [...] [...]
definemathtriplet                      \definemathtriplet [...] [...] [...]
definemathunder                        \definemathunder [...] [...] [...]
definemathunderextensible              \definemathunderextensible [...] [...] [...]
definemathundertextextensible          \definemathundertextextensible [...] [...] [...]
definemathunstacked                    \definemathunstacked [...] [...] [...]
definemeasure                          \definemeasure [...] [...]
definemessageconstant                  \definemessageconstant {...}
definemixedcolumns                     \definemixedcolumns [...] [...] [..=..]
definemode                             \definemode [...] [...]
definemultitonecolor                   \definemultitonecolor [...] [..=..] [..=..] [..=..]
definenamedcolor                       \definenamedcolor [...] [..=..]
definenamedcolor:name                  \definenamedcolor [...] [...]
definenamespace                        \definenamespace [...] [..=..]
definenarrower                         \definenarrower [...] [...] [..=..]
definenote                             \definenote [...] [...] [..=..]
defineornament:collector               \defineornament [...] [..=..] [..=..]
defineornament:layer                   \defineornament [...] [..=..] [..=..]
defineoutputroutine                    \defineoutputroutine [...] [...] [..=..]
defineoutputroutinecommand             \defineoutputroutinecommand [...]
definepage                             \definepage [...] [...]
definepagebreak                        \definepagebreak [...] [...]
definepagechecker                      \definepagechecker [...] [...] [..=..]
definepagecolumns                      \definepagecolumns [...] [...] [..=..]
definepageinjection                    \definepageinjection [...] [...] [..=..]
definepageinjectionalternative         \definepageinjectionalternative [...] [...] [..=..]
definepageshift                        \definepageshift [...] [...] [...]
definepagestate                        \definepagestate [...] [...] [..=..]
definepairedbox                        \definepairedbox [...] [...] [..=..]
defineparagraph                        \defineparagraph [...] [...] [..=..]
defineparallel                         \defineparallel [...] [...]
defineparbuilder                       \defineparbuilder [...]
defineperiodkerning                    \defineperiodkerning [...] [...] [..=..]
defineplacement                        \defineplacement [...] [...] [..=..]
definepositioning                      \definepositioning [...] [...] [..=..]
defineprefixset                        \defineprefixset [...] [...] [...]
defineprocesscolor                     \defineprocesscolor [...] [...] [..=..]
defineprocessor                        \defineprocessor [...] [...] [..=..]
definepushbutton                       \definepushbutton [...] [..=..]
definepushsymbol                       \definepushsymbol [...] [...]
definerenderingwindow                  \definerenderingwindow [...] [...] [..=..]
defineresetset                         \defineresetset [...] [...] [...]
defineruby                             \defineruby [...] [...] [..=..]
definescale                            \definescale [...] [...] [..=..]
definescript                           \definescript [...] [...] [..=..]
definesectionlevels                    \definesectionlevels [...] [...]
defineselector                         \defineselector [...] [..=..]
defineseparatorset                     \defineseparatorset [...] [...] [...]
defineshift                            \defineshift [...] [...] [..=..]
definesidebar                          \definesidebar [...] [...] [..=..]
definesort                             \definesort [...] [...] [...] {...}
definespotcolor                        \definespotcolor [...] [...] [..=..]
definestyleinstance                    \definestyleinstance [...] [...] [...] [...]
definesubformula                       \definesubformula [...] [...] [..=..]
definesynonym                          \definesynonym [...] [...] [...] {...} {...}
definesystemattribute                  \definesystemattribute [...] [...]
definesystemconstant                   \definesystemconstant {...}
definesystemvariable                   \definesystemvariable {...}
defineTABLEsetup                       \defineTABLEsetup [...] [..=..]
definetabulation                       \definetabulation [...] [...] [..=..]
definetextbackground                   \definetextbackground [...] [...] [..=..]
definetextflow                         \definetextflow [...] [...] [..=..]
definetooltip                          \definetooltip [...] [...] [..=..]
definetransparency:1                   \definetransparency [...] [...]
definetransparency:2                   \definetransparency [...] [..=..]
definetransparency:3                   \definetransparency [...] [...]
definetwopasslist                      \definetwopasslist {...}
definetypeface                         \definetypeface [...] [...] [...] [...] [...] [..=..]
definetypescriptprefix                 \definetypescriptprefix [...] [...]
```

```
definetypescriptsynonym                    \definetypescriptsynonym [...] [...]
definetypesetting                          \definetypesetting [...] [...] [..=..]
defineunit                                 \defineunit [...] [...] [..=..]
defineviewerlayer                          \defineviewerlayer [...] [...] [..=..]
definevspace                               \definevspace [...] [...] [...]
definevspacing                             \definevspacing [...] [...]
definevspacingamount                       \definevspacingamount [...] [...] [...]
definextable                               \definextable [...] [...] [..=..]
definisci                                  \definisci [...] \... {...}
definisciaccento                           \definisciaccento ... ... ...
definisciambientefontdeltesto              \definisciambientefontdeltesto [...] [...] [..=..]
definisciblocco                            \definisciblocco [...] [...] [..=..]
definiscibloccosezione                     \definiscibloccosezione [...] [...] [..=..]
definiscibuffer                            \definiscibuffer [...] [...] [..=..]
definiscicampo                             \definiscicampo [...] [...] [...] [...] [...]
definiscicapoversi                         \definiscicapoversi [...] [...] [..=..]
definiscicarattere                         \definiscicarattere ... ...
definiscicolore                            \definiscicolore [...] [..=..]
definiscicolore:name                       \definiscicolore [...] [...]
definiscicomando                           \definiscicomando ... ...
definisciconversione                       \definisciconversione [...] [...] [...]
definisciconversione:list                  \definisciconversione [...] [...] [...]
definiscidescrizione                       \definiscidescrizione [...] [...] [..=..]
definiscidimensionicarta                   \definiscidimensionicarta [...] [..=..]
definiscidimensionicarta:name              \definiscidimensionicarta [...] [...] [...]
definiscielenco                            \definiscielenco [...] [...] [..=..]
definiscielencocombinato                   \definiscielencocombinato [...] [...] [..=..]
definiscienumerazione                      \definiscienumerazione [...] [...] [..=..]
definiscietichetta                         \definiscietichetta [...] [...] [..=..]
definiscifigurasimbolo                     \definiscifigurasimbolo [...] [...] [..=..]
definiscifont                              \definiscifont [...] [...] [..=..]
definiscifontdeltesto                      \definiscifontdeltesto [...] [...] [...] [..=..]
definiscifontdeltesto:argument             \definiscifontdeltesto [...] [...] [...] [...]
definiscifont:argument                     \definiscifont [...] [...] [...]
definisciformatoriferimento                \definisciformatoriferimento [...] [...] [..=..]
definiscigruppocolonne                     \definiscigruppocolonne [...] [...] [..=..]
definiscigruppocolori                      \definiscigruppocolori [...] [...] [x:y:z,..]
definiscihbox                              \definiscihbox [...] [...]
definisciincorniciato                      \definisciincorniciato [...] [...] [..=..]
definisciiniziatermina                     \definisciiniziatermina [...] [...] [..=..]
definiscilayout                            \definiscilayout [...] [...] [..=..]
definiscimakeup                            \definiscimakeup [...] [...] [..=..]
definiscimarcatura                         \definiscimarcatura [...] [...] [..=..]
definiscimenuinterazione                   \definiscimenuinterazione [...] [...] [..=..]
definiscimodellotabella                    \definiscimodellotabella [...] [|...|] [...] [...]
definiscioggettomobile                     \definiscioggettomobile [...] [...] [..=..]
definiscioggettomobile:name                \definiscioggettomobile [...] [...] [...]
definisciordinamento                       \definisciordinamento [...] [...] [...]
definisciprofilo                           \definisciprofilo [...] [...] [..=..]
definisciprogramma                         \definisciprogramma [...] [...] [...]
definisciregistro                          \definisciregistro [...] [...] [..=..]
definisciriferimento                       \definisciriferimento [...] [...]
definiscisezione                           \definiscisezione [...]
definiscisimbolo                           \definiscisimbolo [...] [...] [...]
definiscisinonimi                          \definiscisinonimi [...] [...] [...] [...]
definiscisinonimofont                      \definiscisinonimofont [...] [...] [..=..]
definiscisottocampo                        \definiscisottocampo [...] [...] [...]
definiscisovrapposizione                   \definiscisovrapposizione [...] [...] [...]
definiscistackcampi                        \definiscistackcampi [...] [...] [..=..]
definiscistile                             \definiscistile [...] [...] [..=..]
definiscistilefont                         \definiscistilefont [...] [...]
definiscitabulato                          \definiscitabulato [...] [...] [|...|]
definiscitavolozza                         \definiscitavolozza [...] [..=..] ᴼᴾᵀ
definiscitavolozza:name                    \definiscitavolozza [...] [...]
definiscitesta                             \definiscitesta [...] [...] [..=..]
definiscitesto                             \definiscitesto [...] [...] [...] [...] [...] [...] [...]
definiscitestoincorniciato                 \definiscitestoincorniciato [...] [...] [..=..]
definiscitype                              \definiscitype [...] [...] [..=..]
definiscityping                            \definiscityping [...] [...] [..=..]
delimited                                  \delimited [...] [...] {...}
delimitedtext                              \delimitedtext [...] [...] {...}
delimitedtext:instance                     \DELIMITEDTEXT [...] {...}
```

11

```
delimitedtext:instance:aside          \aside [...] {...}
delimitedtext:instance:blockquote     \blockquote [...] {...}
delimitedtext:instance:quotation      \quotation [...] {...}
delimitedtext:instance:quote          \quote [...] {...}
delimitedtext:instance:speech         \speech [...] {...}
depthofstring                         \depthofstring {...}
depthonlybox                          \depthonlybox {...}
depthspanningtext                     \depthspanningtext {...} {...} {...}
depthstrut                            \depthstrut
descrizione:example                   \DESCRIZIONE [...] {...} ... \par
destra                                \destra ...
determinacaratteristicheregistro      \determinacaratteristicheregistro [...] [..=..]
determinacarattersticheelenco         \determinacarattersticheelenco [...] [..=..]
determinanumerotesta                  \determinanumerotesta [...]
determinenoflines                     \determinenoflines {...}
devanagarinumerals                    \devanagarinumerals {...}
digits                                \digits {...}
digits:string                         \digits ...
dimensiontocount                      \dimensiontocount {...} \...
directboxfromcache                    \directboxfromcache {...} {...}
directcolor                           \directcolor [...]
directcolored                         \directcolored [..=..]
directcolored:name                    \directcolored [...]
directconvertedcounter                \directconvertedcounter {...} {...}
directcopyboxfromcache                \directcopyboxfromcache {...} {...}
directdummyparameter                  \directdummyparameter {...}
directgetboxllx                       \directgetboxllx ...
directgetboxlly                       \directgetboxlly ...
directhighlight                       \directhighlight {...} {...}
directlocalframed                     \directlocalframed [...] {...}
directluacode                         \directluacode {...}
directselect                          \directselect {...} {...} {...} {...} {...} {...}
directsetbar                          \directsetbar {...}    OPT    OPT    OPT    OPT    OPT
directsetup                           \directsetup {...}
directsymbol                          \directsymbol {...} {...}
directvspacing                        \directvspacing {...}
dis                                   \dis {...}
disabledirectives                     \disabledirectives [...]
disableexperiments                    \disableexperiments [...]
disablemode                           \disablemode [...]
disableoutputstream                   \disableoutputstream
disableparpositions                   \disableparpositions
disableregime                         \disableregime
disabletrackers                       \disabletrackers [...]
displaymath                           \displaymath {...}
displaymathematics                    \displaymathematics {...}
displaymessage                        \displaymessage {...}
distributedhsize                      \distributedhsize {...} {...} {...}
dividedsize                           \dividedsize {...} {...} {...}
doadaptleftskip                       \doadaptleftskip {...}
doadaptrightskip                      \doadaptrightskip {...}
doaddfeature                          \doaddfeature {...}
doassign                              \doassign [...] [..=..]
doassignempty                         \doassignempty [...] [..=..]
doboundtext                           \doboundtext {...} {...} {...}
docheckassignment                     \docheckassignment {...}
docheckedpagestate                    \docheckedpagestate {...} {...} {...} {...} {...} {...} {...}
docheckedpair                         \docheckedpair {...}
documentvariable                      \documentvariable {...}
dodoubleargument                      \dodoubleargument \... [...] [...]
dodoubleargumentwithset               \dodoubleargumentwithset \... [...] [...]
dodoubleempty                         \dodoubleempty \... [...] [...]
dodoubleemptywithset                  \dodoubleemptywithset \... [...] [...]
dodoublegroupempty                    \dodoublegroupempty \... {...} {...}
doeassign                             \doeassign [...] [..=..]
doexpandedrecurse                     \doexpandedrecurse {...} {...}
dofastloopcs                          \dofastloopcs {...} \...
dogetattribute                        \dogetattribute {...}
dogetattributeid                      \dogetattributeid {...}
dogetcommacommandelement              \dogetcommacommandelement ... \from ... \to \...
dogobbledoubleempty                   \dogobbledoubleempty [...] [...]
dogobblesingleempty                   \dogobblesingleempty [...]
```

```
doif                                      \doif {...} {...} {...}
doifallcommon                             \doifallcommon {...} {...} {...}
doifallcommonelse                         \doifallcommonelse {...} {...} {...} {...}
doifalldefinedelse                        \doifalldefinedelse {...} {...} {...}
doifallmodes                              \doifallmodes {...} {...} {...}
doifallmodeselse                          \doifallmodeselse {...} {...} {...}
doifassignmentelse                        \doifassignmentelse {...} {...} {...}
doifblackelse                             \doifblackelse {...} {...} {...}
doifbothsides                             \doifbothsides {...} {...} {...}
doifbothsidesoverruled                    \doifbothsidesoverruled {...} {...} {...}
doifboxelse                               \doifboxelse {...} {...} {...} {...}
doifbufferelse                            \doifbufferelse {...} {...} {...}
doifcolor                                 \doifcolor {...} {...}
doifcolorelse                             \doifcolorelse {...} {...} {...}
doifcommandhandler                        \doifcommandhandler \... {...} {...}
doifcommandhandlerelse                    \doifcommandhandlerelse \... {...} {...} {...}
doifcommon                                \doifcommon {...} {...} {...}
doifcommonelse                            \doifcommonelse {...} {...} {...} {...}
doifcontent                               \doifcontent {...} {...} {...} \... {...}
doifconversiondefinedelse                 \doifconversiondefinedelse {...} {...} {...}
doifconversionnumberelse                  \doifconversionnumberelse {...} {...} {...} {...}
doifcounter                               \doifcounter {...} {...}
doifcounterelse                           \doifcounterelse {...} {...} {...}
doifcurrentfonthasfeatureelse             \doifcurrentfonthasfeatureelse {...} {...} {...}
doifdefined                               \doifdefined {...} {...}
doifdefinedcounter                        \doifdefinedcounter {...} {...}
doifdefinedcounterelse                    \doifdefinedcounterelse {...} {...} {...}
doifdefinedelse                           \doifdefinedelse {...} {...} {...}
doifdimensionelse                         \doifdimensionelse {...} {...} {...}
doifdimenstringelse                       \doifdimenstringelse {...} {...} {...}
doifdocumentargument                      \doifdocumentargument {...} {...}
doifdocumentargumentelse                  \doifdocumentargumentelse {...} {...} {...}
doifdocumentfilename                      \doifdocumentfilename {...} {...}
doifdocumentfilenameelse                  \doifdocumentfilenameelse {...} {...} {...}
doifdrawingblackelse                      \doifdrawingblackelse {...} {...}
doifelse                                  \doifelse {...} {...} {...} {...}
doifelseallcommon                         \doifelseallcommon {...} {...} {...} {...}
doifelsealldefined                        \doifelsealldefined {...} {...} {...}
doifelseallmodes                          \doifelseallmodes {...} {...} {...}
doifelseassignment                        \doifelseassignment {...} {...} {...}
doifelseblack                             \doifelseblack {...} {...} {...}
doifelsebox                               \doifelsebox {...} {...} {...} {...}
doifelseboxincache                        \doifelseboxincache {...} {...} {...} {...}
doifelsebuffer                            \doifelsebuffer {...} {...} {...}
doifelsecolor                             \doifelsecolor {...} {...} {...}
doifelsecommandhandler                    \doifelsecommandhandler \... {...} {...} {...}
doifelsecommon                            \doifelsecommon {...} {...} {...} {...}
doifelseconversiondefined                 \doifelseconversiondefined {...} {...} {...}
doifelseconversionnumber                  \doifelseconversionnumber {...} {...} {...} {...}
doifelsecounter                           \doifelsecounter {...} {...} {...}
doifelsecurrentfonthasfeature             \doifelsecurrentfonthasfeature {...} {...} {...}
doifelsecurrentsortingused                \doifelsecurrentsortingused {...} {...}
doifelsecurrentsynonymshown               \doifelsecurrentsynonymshown {...} {...}
doifelsecurrentsynonymused                \doifelsecurrentsynonymused {...} {...}
doifelsedefined                           \doifelsedefined {...} {...} {...}
doifelsedefinedcounter                    \doifelsedefinedcounter {...} {...} {...}
doifelsedimension                         \doifelsedimension {...} {...} {...}
doifelsedimenstring                       \doifelsedimenstring {...} {...} {...}
doifelsedocumentargument                  \doifelsedocumentargument {...} {...} {...}
doifelsedocumentfilename                  \doifelsedocumentfilename {...} {...} {...}
doifelsedrawingblack                      \doifelsedrawingblack {...} {...}
doifelseempty                             \doifelseempty {...} {...} {...}
doifelseemptyvalue                        \doifelseemptyvalue {...} {...} {...}
doifelseemptyvariable                     \doifelseemptyvariable {...} {...} {...} {...}
doifelseenv                               \doifelseenv {...} {...} {...}
doifelsefastoptionalcheck                 \doifelsefastoptionalcheck {...} {...}
doifelsefastoptionalcheckcs               \doifelsefastoptionalcheckcs \... \...
doifelsefieldbody                         \doifelsefieldbody {...} {...} {...}
doifelsefieldcategory                     \doifelsefieldcategory {...} {...} {...}
doifelsefigure                            \doifelsefigure {...} {...} {...}
doifelsefile                              \doifelsefile {...} {...} {...}
doifelsefiledefined                       \doifelsefiledefined {...} {...} {...}
```

```
doifelsefileexists                \doifelsefileexists {...} {...} {...}
doifelsefirstchar                 \doifelsefirstchar {...} {...} {...} {...}
doifelseflagged                   \doifelseflagged {...} {...} {...}
doifelsefontchar                  \doifelsefontchar {...} {...} {...} {...}
doifelsefontfeature               \doifelsefontfeature {...} {...} {...}
doifelsefontpresent               \doifelsefontpresent {...} {...} {...}
doifelsefontsynonym               \doifelsefontsynonym {...} {...} {...}
doifelsehasspace                  \doifelsehasspace {...} {...} {...}
doifelsehelp                      \doifelsehelp {...} {...}
doifelseincsname                  \doifelseincsname {...} {...} {...} {...}
doifelseinelement                 \doifelseinelement {...} {...} {...}
doifelseinputfile                 \doifelseinputfile {...} {...} {...}
doifelseinsertion                 \doifelseinsertion {...} {...} {...}
doifelseinset                     \doifelseinset {...} {...} {...} {...}
doifelseinstring                  \doifelseinstring {...} {...} {...} {...}
doifelseinsymbolset               \doifelseinsymbolset {...} {...} {...} {...}
doifelseintoks                    \doifelseintoks {...} {...} {...} {...}
doifelseintwopassdata             \doifelseintwopassdata {...} {...} {...} {...}
doifelseitalic                    \doifelseitalic {...} {...}
doifelselanguage                  \doifelselanguage {...} {...} {...}
doifelselayerdata                 \doifelselayerdata {...} {...} {...}
doifelselayoutdefined             \doifelselayoutdefined {...} {...} {...}
doifelselayoutsomeline            \doifelselayoutsomeline {...} {...} {...}
doifelselayouttextline            \doifelselayouttextline {...} {...} {...}
doifelseleapyear                  \doifelseleapyear {...} {...} {...}
doifelselist                      \doifelselist {...} {...} {...}
doifelselocation                  \doifelselocation {...} {...}
doifelselocfile                   \doifelselocfile {...} {...} {...}
doifelseMPgraphic                 \doifelseMPgraphic {...} {...} {...}
doifelsemainfloatbody             \doifelsemainfloatbody {...} {...}
doifelsemarkedpage                \doifelsemarkedpage {...} {...} {...}
doifelsemarking                   \doifelsemarking {...} {...} {...}
doifelsemeaning                   \doifelsemeaning \... \... {...} {...}
doifelsemessage                   \doifelsemessage {...} {...} {...} {...}
doifelsemode                      \doifelsemode {...} {...} {...}
doifelsenextbgroup                \doifelsenextbgroup {...} {...}
doifelsenextbgroupcs              \doifelsenextbgroupcs \... \...
doifelsenextchar                  \doifelsenextchar {...} {...} {...}
doifelsenextoptional              \doifelsenextoptional {...} {...}
doifelsenextoptionalcs            \doifelsenextoptionalcs \... \...
doifelsenextparenthesis           \doifelsenextparenthesis {...} {...}
doifelsenonzeropositive           \doifelsenonzeropositive {...} {...} {...}
doifelsenoteonsamepage            \doifelsenoteonsamepage {...} {...} {...}
doifelsenothing                   \doifelsenothing {...} {...} {...}
doifelsenumber                    \doifelsenumber {...} {...} {...}
doifelseobjectfound               \doifelseobjectfound {...} {...} {...} {...}
doifelseobjectreferencefound      \doifelseobjectreferencefound {...} {...} {...} {...}
doifelseoddpage                   \doifelseoddpage {...} {...}
doifelseoddpagefloat              \doifelseoddpagefloat {...} {...}
doifelseoldercontext              \doifelseoldercontext {...} {...} {...}
doifelseolderversion              \doifelseolderversion {...} {...} {...} {...}
doifelseoverlapping               \doifelseoverlapping {...} {...} {...} {...}
doifelseoverlay                   \doifelseoverlay {...} {...} {...}
doifelseparallel                  \doifelseparallel {...} {...} {...} {...}
doifelseparentfile                \doifelseparentfile {...} {...} {...}
doifelsepath                      \doifelsepath {...} {...} {...}
doifelsepathexists                \doifelsepathexists {...} {...} {...}
doifelsepatterns                  \doifelsepatterns {...} {...} {...}
doifelseposition                  \doifelseposition {...} {...} {...}
doifelsepositionaction            \doifelsepositionaction {...} {...} {...}
doifelsepositiononpage            \doifelsepositiononpage {...} {...} {...} {...}
doifelsepositionsonsamepage       \doifelsepositionsonsamepage {...} {...} {...}
doifelsepositionsonthispage       \doifelsepositionsonthispage {...} {...} {...}
doifelsepositionsused             \doifelsepositionsused {...} {...}
doifelsereferencefound            \doifelsereferencefound {...} {...} {...}
doifelserightpage                 \doifelserightpage {...} {...}
doifelserightpagefloat            \doifelserightpagefloat {...} {...}
doifelserighttoleftinbox          \doifelserighttoleftinbox ... {...} {...}
doifelsesamelinereference         \doifelsesamelinereference {...} {...} {...}
doifelsesamestring                \doifelsesamestring {...} {...} {...} {...}
doifelsesetups                    \doifelsesetups {...} {...} {...}
doifelsesomebackground            \doifelsesomebackground {...} {...} {...}
```

doifelsesomespace	`\doifelsesomespace {...} {...} {...}`
doifelsesomething	`\doifelsesomething {...} {...} {...}`
doifelsesometoks	`\doifelsesometoks \... {...} {...}`
doifelsestringinstring	`\doifelsestringinstring {...} {...} {...} {...}`
doifelsestructurelisthasnumber	`\doifelsestructurelisthasnumber {...} {...}`
doifelsestructurelisthaspage	`\doifelsestructurelisthaspage {...} {...}`
doifelsesymboldefined	`\doifelsesymboldefined {...} {...} {...}`
doifelsesymbolset	`\doifelsesymbolset {...} {...} {...}`
doifelsetext	`\doifelsetext {...} {...} {...}`
doifelsetextflow	`\doifelsetextflow {...} {...} {...}`
doifelsetextflowcollector	`\doifelsetextflowcollector {...} {...} {...}`
doifelsetopofpage	`\doifelsetopofpage {...} {...}`
doifelsetypingfile	`\doifelsetypingfile {...} {...} {...}`
doifelseundefined	`\doifelseundefined {...} {...} {...}`
doifelseurldefined	`\doifelseurldefined {...} {...} {...}`
doifelsevalue	`\doifelsevalue {...} {...} {...} {...}`
doifelsevaluenothing	`\doifelsevaluenothing {...} {...} {...}`
doifelsevariable	`\doifelsevariable {...} {...} {...} {...}`
doifempty	`\doifempty {...} {...}`
doifemptyelse	`\doifemptyelse {...} {...} {...}`
doifemptytoks	`\doifemptytoks \... {...}`
doifemptyvalue	`\doifemptyvalue {...} {...}`
doifemptyvalueelse	`\doifemptyvalueelse {...} {...} {...}`
doifemptyvariable	`\doifemptyvariable {...} {...} {...}`
doifemptyvariableelse	`\doifemptyvariableelse {...} {...} {...} {...}`
doifenv	`\doifenv {...} {...}`
doifenvelse	`\doifenvelse {...} {...} {...}`
doiffastoptionalcheckcselse	`\doiffastoptionalcheckcselse \... \...`
doiffastoptionalcheckelse	`\doiffastoptionalcheckelse {...} {...}`
doiffieldbodyelse	`\doiffieldbodyelse {...} {...} {...}`
doiffieldcategoryelse	`\doiffieldcategoryelse {...} {...} {...}`
doiffigureelse	`\doiffigureelse {...} {...} {...}`
doiffile	`\doiffile {...} {...}`
doiffiledefinedelse	`\doiffiledefinedelse {...} {...} {...}`
doiffileelse	`\doiffileelse {...} {...} {...}`
doiffileexistselse	`\doiffileexistselse {...} {...} {...}`
doiffirstcharelse	`\doiffirstcharelse {...} {...} {...} {...}`
doifflaggedelse	`\doifflaggedelse {...} {...} {...}`
doiffontcharelse	`\doiffontcharelse {...} {...} {...} {...}`
doiffontfeatureelse	`\doiffontfeatureelse {...} {...} {...}`
doiffontpresentelse	`\doiffontpresentelse {...} {...} {...}`
doiffontsynonymelse	`\doiffontsynonymelse {...} {...} {...}`
doifhasspaceelse	`\doifhasspaceelse {...} {...} {...}`
doifhelpelse	`\doifhelpelse {...} {...}`
doifincsnameelse	`\doifincsnameelse {...} {...} {...} {...}`
doifinelementelse	`\doifinelementelse {...} {...} {...}`
doifinputfileelse	`\doifinputfileelse {...} {...} {...}`
doifinsertionelse	`\doifinsertionelse {...} {...} {...}`
doifinset	`\doifinset {...} {...} {...}`
doifinsetelse	`\doifinsetelse {...} {...} {...} {...}`
doifinstring	`\doifinstring {...} {...} {...}`
doifinstringelse	`\doifinstringelse {...} {...} {...} {...}`
doifinsymbolset	`\doifinsymbolset {...} {...} {...} {...}`
doifinsymbolsetelse	`\doifinsymbolsetelse {...} {...} {...} {...}`
doifintokselse	`\doifintokselse {...} {...} {...} {...}`
doifintwopassdataelse	`\doifintwopassdataelse {...} {...} {...} {...}`
doifitalicelse	`\doifitalicelse {...} {...}`
doiflanguageelse	`\doiflanguageelse {...} {...} {...}`
doiflayerdataelse	`\doiflayerdataelse {...} {...} {...}`
doiflayoutdefinedelse	`\doiflayoutdefinedelse {...} {...} {...}`
doiflayoutsomelineelse	`\doiflayoutsomelineelse {...} {...} {...}`
doiflayouttextlineelse	`\doiflayouttextlineelse {...} {...} {...}`
doifleapyearelse	`\doifleapyearelse {...} {...} {...}`
doiflistelse	`\doiflistelse {...} {...} {...}`
doiflocationelse	`\doiflocationelse {...} {...}`
doiflocfileelse	`\doiflocfileelse {...} {...} {...}`
doifMPgraphicelse	`\doifMPgraphicelse {...} {...} {...}`
doifmainfloatbodyelse	`\doifmainfloatbodyelse {...} {...}`
doifmarkingelse	`\doifmarkingelse {...} {...} {...}`
doifmeaningelse	`\doifmeaningelse \... \... {...} {...}`
doifmessageelse	`\doifmessageelse {...} {...} {...} {...}`
doifmode	`\doifmode {...} {...}`

```
doifmodeelse                      \doifmodeelse {...} {...} {...}
doifnextbgroupcselse              \doifnextbgroupcselse \... \...
doifnextbgroupelse                \doifnextbgroupelse {...} {...}
doifnextcharelse                  \doifnextcharelse {...} {...} {...}
doifnextoptionalcselse            \doifnextoptionalcselse \... \...
doifnextoptionalelse              \doifnextoptionalelse {...} {...}
doifnextparenthesiselse           \doifnextparenthesiselse {...} {...}
doifnonzeropositiveelse           \doifnonzeropositiveelse {...} {...} {...}
doifnot                           \doifnot {...} {...} {...}
doifnotallcommon                  \doifnotallcommon {...} {...} {...}
doifnotallmodes                   \doifnotallmodes {...} {...} {...}
doifnotcommandhandler             \doifnotcommandhandler \... {...} {...}
doifnotcommon                     \doifnotcommon {...} {...} {...}
doifnotcounter                    \doifnotcounter {...} {...}
doifnotdocumentargument           \doifnotdocumentargument {...} {...}
doifnotdocumentfilename           \doifnotdocumentfilename {...} {...}
doifnotempty                      \doifnotempty {...} {...}
doifnotemptyvalue                 \doifnotemptyvalue {...} {...}
doifnotemptyvariable              \doifnotemptyvariable {...} {...} {...}
doifnotenv                        \doifnotenv {...} {...}
doifnoteonsamepageelse            \doifnoteonsamepageelse {...} {...} {...}
doifnotescollected                \doifnotescollected {...} {...}
doifnotfile                       \doifnotfile {...} {...}
doifnotflagged                    \doifnotflagged {...} {...}
doifnothing                       \doifnothing {...} {...}
doifnothingelse                   \doifnothingelse {...} {...} {...}
doifnotinset                      \doifnotinset {...} {...} {...}
doifnotinsidesplitfloat           \doifnotinsidesplitfloat {...}
doifnotinstring                   \doifnotinstring {...} {...} {...}
doifnotmode                       \doifnotmode {...} {...}
doifnotnumber                     \doifnotnumber {...} {...}
doifnotsamestring                 \doifnotsamestring {...} {...} {...}
doifnotsetups                     \doifnotsetups {...} {...}
doifnotvalue                      \doifnotvalue {...} {...} {...}
doifnotvariable                   \doifnotvariable {...} {...} {...}
doifnumber                        \doifnumber {...} {...}
doifnumberelse                    \doifnumberelse {...} {...} {...}
doifobjectfoundelse               \doifobjectfoundelse {...} {...} {...} {...}
doifobjectreferencefoundelse      \doifobjectreferencefoundelse {...} {...} {...} {...}
doifoddpageelse                   \doifoddpageelse {...} {...}
doifoddpagefloatelse              \doifoddpagefloatelse {...} {...}
doifoldercontextelse              \doifoldercontextelse {...} {...} {...}
doifolderversionelse              \doifolderversionelse {...} {...} {...} {...}
doifoverlappingelse               \doifoverlappingelse {...} {...} {...} {...}
doifoverlayelse                   \doifoverlayelse {...} {...} {...}
doifparallelelse                  \doifparallelelse {...} {...} {...} {...}
doifparentfileelse                \doifparentfileelse {...} {...} {...}
doifpathelse                      \doifpathelse {...} {...} {...}
doifpathexistselse                \doifpathexistselse {...} {...} {...}
doifpatternselse                  \doifpatternselse {...} {...} {...}
doifposition                      \doifposition {...} {...} {...}
doifpositionaction                \doifpositionaction {...} {...} {...}
doifpositionactionelse            \doifpositionactionelse {...} {...} {...}
doifpositionelse                  \doifpositionelse {...} {...} {...}
doifpositiononpageelse            \doifpositiononpageelse {...} {...} {...} {...}
doifpositionsonsamepageelse       \doifpositionsonsamepageelse {...} {...} {...}
doifpositionsonthispageelse       \doifpositionsonthispageelse {...} {...} {...}
doifpositionsusedelse             \doifpositionsusedelse {...} {...}
doifreferencefoundelse            \doifreferencefoundelse {...} {...} {...}
doifrightpagefloatelse            \doifrightpagefloatelse {...} {...}
doifrighttoleftinboxelse          \doifrighttoleftinboxelse ... {...} {...}
doifsamelinereferenceelse         \doifsamelinereferenceelse {...} {...} {...}
doifsamestring                    \doifsamestring {...} {...} {...}
doifsamestringelse                \doifsamestringelse {...} {...} {...} {...}
doifsetups                        \doifsetups {...} {...}
doifsetupselse                    \doifsetupselse {...} {...} {...}
doifsomebackground                \doifsomebackground {...} {...} {...}
doifsomebackgroundelse            \doifsomebackgroundelse {...} {...} {...}
doifsomespaceelse                 \doifsomespaceelse {...} {...} {...}
doifsomething                     \doifsomething {...} {...}
doifsomethingelse                 \doifsomethingelse {...} {...} {...}
doifsometoks                      \doifsometoks \... {...}
```

doifsometokselse	`\doifsometokselse \... {...} {...}`
doifstringinstringelse	`\doifstringinstringelse {...} {...} {...} {...}`
doifstructurelisthasnumberelse	`\doifstructurelisthasnumberelse {...} {...}`
doifstructurelisthaspageelse	`\doifstructurelisthaspageelse {...} {...}`
doifsymboldefinedelse	`\doifsymboldefinedelse {...} {...} {...}`
doifsymbolsetelse	`\doifsymbolsetelse {...} {...} {...}`
doiftext	`\doiftext {...} {...} {...}`
doiftextelse	`\doiftextelse {...} {...} {...}`
doiftextflowcollectorelse	`\doiftextflowcollectorelse {...} {...} {...}`
doiftextflowelse	`\doiftextflowelse {...} {...} {...}`
doiftopofpageelse	`\doiftopofpageelse {...} {...}`
doiftypingfileelse	`\doiftypingfileelse {...} {...} {...}`
doifundefined	`\doifundefined {...} {...}`
doifundefinedcounter	`\doifundefinedcounter {...} {...}`
doifundefinedelse	`\doifundefinedelse {...} {...} {...}`
doifunknownfontfeature	`\doifunknownfontfeature {...} {...} {...}`
doifurldefinedelse	`\doifurldefinedelse {...} {...} {...}`
doifvalue	`\doifvalue {...} {...} {...}`
doifvalueelse	`\doifvalueelse {...} {...} {...} {...}`
doifvaluenothing	`\doifvaluenothing {...} {...}`
doifvaluenothingelse	`\doifvaluenothingelse {...} {...} {...}`
doifvaluesomething	`\doifvaluesomething {...} {...}`
doifvariable	`\doifvariable {...} {...} {...}`
doifvariableelse	`\doifvariableelse {...} {...} {...} {...}`
doindentation	`\doindentation`
dollar	`\dollar`
doloop	`\doloop {...}`
doloopoverlist	`\doloopoverlist {...} {...}`
donothing	`\donothing`
dontconvertfont	`\dontconvertfont`
dontleavehmode	`\dontleavehmode`
dontpermitspacesbetweengroups	`\dontpermitspacesbetweengroups`
dopositionaction	`\dopositionaction {...}`
doprocesslocalsetups	`\doprocesslocalsetups {...}`
doquadrupleargument	`\doquadrupleargument \... [...] [...] [...] [...]`
doquadrupleempty	`\doquadrupleempty \... [...] [...] [...] [...]`
doquadruplegroupempty	`\doquadruplegroupempty \... {...} {...} {...} {...}`
doquintupleargument	`\doquintupleargument \... [...] [...] [...] [...] [...]`
doquintupleempty	`\doquintupleempty \... [...] [...] [...] [...] [...]`
doquintuplegroupempty	`\doquintuplegroupempty \... {...} {...} {...} {...} {...}`
dorechecknextindentation	`\dorechecknextindentation`
dorecurse	`\dorecurse {...} {...}`
dorepeatwithcommand	`\dorepeatwithcommand [...] \...`
doreplacefeature	`\doreplacefeature {...}`
doresetandafffeature	`\doresetandafffeature {...}`
doresetattribute	`\doresetattribute {...}`
dorotatebox	`\dorotatebox {...} \... {...}`
dosetattribute	`\dosetattribute {...} {...}`
dosetleftskipadaption	`\dosetleftskipadaption {...}`
dosetrightskipadaption	`\dosetrightskipadaption {...}`
dosetupcheckedinterlinespace	`\dosetupcheckedinterlinespace {..=..}`
dosetupcheckedinterlinespace:argument	`\dosetupcheckedinterlinespace {...}`
dosetupcheckedinterlinespace:name	`\dosetupcheckedinterlinespace {...}`
doseventupleargument	`\doseventupleargument \... [...] [...] [...] [...] [...] [...] [...]`
doseventupleempty	`\doseventupleempty \... [...] [...] [...] [...] [...] [...] [...]`
dosingleargument	`\dosingleargument \... [...]`
dosingleempty	`\dosingleempty \... [...]`
dosinglegroupempty	`\dosinglegroupempty \... {...}`
dosixtupleargument	`\dosixtupleargument \... [...] [...] [...] [...] [...] [...]`
dosixtupleempty	`\dosixtupleempty \... [...] [...] [...] [...] [...] [...]`
dostarttagged	`\dostarttagged {...} {...} ... \dostoptagged`
dostepwiserecurse	`\dostepwiserecurse {...} {...} {...} {...}`
dosubtractfeature	`\dosubtractfeature {...}`
dotfskip	`\dotfskip {...}`
dotoks	`\dotoks \...`
dotripleargument	`\dotripleargument \... [...] [...] [...]`
dotripleargumentwithset	`\dotripleargumentwithset \... [...] [...] [...]`
dotripleempty	`\dotripleempty \... [...] [...] [...]`
dotripleemptywithset	`\dotripleemptywithset \... [...] [...] [...]`
dotriplegroupempty	`\dotriplegroupempty \... {...} {...} {...}`
doublebond	`\doublebond`
dowith	`\dowith {...} {...}`

dowithnextbox	`\dowithnextbox {...} \... {...}`
dowithnextboxcontent	`\dowithnextboxcontent {...} {...} \... {...}`
dowithnextboxcontentcs	`\dowithnextboxcontentcs \... \... \... {...}`
dowithnextboxcs	`\dowithnextboxcs \... \... {...}`
dowithpargument	`\dowithpargument \...`
dowithrange	`\dowithrange {...} \...`
dowithwargument	`\dowithwargument \...`
dpofstring	`\dpofstring {...}`
dummydigit	`\dummydigit`
dummyparameter	`\dummyparameter {...}`
ETEX	`\ETEX`
EveryLine	`\EveryLine {...}`
EveryPar	`\EveryPar {...}`
edefconvertedargument	`\edefconvertedargument \... {...}`
efcmaxheight	`\efcmaxheight {...}`
efcmaxwidth	`\efcmaxwidth {...}`
efcminheight	`\efcminheight {...}`
efcminwidth	`\efcminwidth {...}`
efcparameter	`\efcparameter {...} {...}`
effect	`\effect [...] {...}`
elaborablocchi	`\elaborablocchi [...] [...] [..=..]`
elapsedseconds	`\elapsedseconds`
elapsedtime	`\elapsedtime`
elementi	`\elementi [..=..] {...}`
elemento	`\elemento [...]`
em	`\em`
emphasisboldface	`\emphasisboldface`
emphasistypeface	`\emphasistypeface`
emptylines	`\emptylines [...]`
emspace	`\emspace`
enabledirectives	`\enabledirectives [...]`
enableexperiments	`\enableexperiments [...]`
enablemode	`\enablemode [...]`
enableoutputstream	`\enableoutputstream [...]`
enableparpositions	`\enableparpositions`
enableregime	`\enableregime [...]`
enabletrackers	`\enabletrackers [...]`
enskip	`\enskip`
enspace	`\enspace`
enumerazione:example	`\ENUMERAZIONE [...] {...} ... \par`
env	`\env {...}`
envvar	`\envvar {...} {...}`
epos	`\epos {...}`
equaldigits	`\equaldigits {...}`
eTeX	`\eTeX`
etichetta:example	`\ETICHETTA [...] {...}`
executeifdefined	`\executeifdefined {...} {...}`
exitloop	`\exitloop`
exitloopnow	`\exitloopnow`
expandcheckedcsname	`\expandcheckedcsname \... {...} {...}`
expanded	`\expanded {...}`
expandeddoif	`\expandeddoif {...} {...} {...}`
expandeddoifelse	`\expandeddoifelse {...} {...} {...} {...}`
expandeddoifnot	`\expandeddoifnot {...} {...} {...}`
expandfontsynonym	`\expandfontsynonym \... {...}`
expdoif	`\expdoif {...} {...} {...}`
expdoifcommonelse	`\expdoifcommonelse {...} {...} {...} {...}`
expdoifelse	`\expdoifelse {...} {...} {...} {...}`
expdoifelsecommon	`\expdoifelsecommon {...} {...} {...} {...}`
expdoifelseinset	`\expdoifelseinset {...} {...} {...} {...}`
expdoifinsetelse	`\expdoifinsetelse {...} {...} {...} {...}`
expdoifnot	`\expdoifnot {...} {...} {...}`
externalfigurecollectionmaxheight	`\externalfigurecollectionmaxheight {...}`
externalfigurecollectionmaxwidth	`\externalfigurecollectionmaxwidth {...}`
externalfigurecollectionminheight	`\externalfigurecollectionminheight {...}`
externalfigurecollectionminwidth	`\externalfigurecollectionminwidth {...}`
externalfigurecollectionparameter	`\externalfigurecollectionparameter {...} {...}`
fakebox	`\fakebox ...`
fastdecrement	`\fastdecrement \...`
fastincrement	`\fastincrement \...`
fastlocalframed	`\fastlocalframed [...] [..=..] {...}`
fastloopfinal	`\fastloopfinal`

fastloopindex	`\fastloopindex`
fastscale	`\fastscale {...} {...}`
fastsetup	`\fastsetup {...}`
fastsetupwithargument	`\fastsetupwithargument {...} {...}`
fastsetupwithargumentswapped	`\fastsetupwithargumentswapped {...} {...}`
fastswitchtobodyfont	`\fastswitchtobodyfont {...}`
fastsxsy	`\fastsxsy {...} {...} {...}`
feature	`\feature [...] [...]`
feature:direct	`\feature {...} {...}`
fence	`\fence`
fenced	`\fenced [...] {...}`
fence:example	`\FENCE {...}`
fetchallmarkings	`\fetchallmarkings [...] [...]`
fetchallmarks	`\fetchallmarks [...]`
fetchmark	`\fetchmark [...] [...]`
fetchmarking	`\fetchmarking [...] [...] [...]`
fetchonemark	`\fetchonemark [...] [...]`
fetchonemarking	`\fetchonemarking [...] [...] [...]`
fetchruntinecommand	`\fetchruntinecommand \... {...}`
fetchtwomarkings	`\fetchtwomarkings [...] [...]`
fetchtwomarks	`\fetchtwomarks [...]`
fieldbody	`\fieldbody [...] [..=..]`
fifthoffivearguments	`\fifthoffivearguments {...} {...} {...} {...} {...}`
fifthofsixarguments	`\fifthofsixarguments {...} {...} {...} {...} {...} {...}`
figuraesterna	`\figuraesterna [...] [...] [..=..]`
figurefilename	`\figurefilename`
figurefilepath	`\figurefilepath`
figurefiletype	`\figurefiletype`
figurefullname	`\figurefullname`
figureheight	`\figureheight`
figurenaturalheight	`\figurenaturalheight`
figurenaturalwidth	`\figurenaturalwidth`
figuresymbol	`\figuresymbol [...] [..=..]`
figurewidth	`\figurewidth`
filename	`\filename {...}`
filledhboxb	`\filledhboxb ... {...}`
filledhboxc	`\filledhboxc ... {...}`
filledhboxg	`\filledhboxg ... {...}`
filledhboxk	`\filledhboxk ... {...}`
filledhboxm	`\filledhboxm ... {...}`
filledhboxr	`\filledhboxr ... {...}`
filledhboxy	`\filledhboxy ... {...}`
filler	`\filler [...]`
fillupto	`\fillupto [...] {...}`
filterfromnext	`\filterfromnext {...} {...} {...} {...} {...} {...} {...}`
filterfromvalue	`\filterfromvalue {...} {...} {...}` OPT OPT OPT OPT
filterpages	`\filterpages [...] [...] [..=..]`
filterreference	`\filterreference {...}`
findtwopassdata	`\findtwopassdata {...} {...}`
finishregisterentry	`\finishregisterentry [...] [..=..] [..=..]`
firstcharacter	`\firstcharacter`
firstcounter	`\firstcounter [...] [...]`
firstcountervalue	`\firstcountervalue [...]`
firstinlist	`\firstinlist [...]`
firstoffivearguments	`\firstoffivearguments {...} {...} {...} {...} {...}`
firstoffourarguments	`\firstoffourarguments {...} {...} {...} {...}`
firstofoneargument	`\firstofoneargument {...}`
firstofoneunexpanded	`\firstofoneunexpanded {...}`
firstofsixarguments	`\firstofsixarguments {...} {...} {...} {...} {...} {...}`
firstofthreearguments	`\firstofthreearguments {...} {...} {...}`
firstofthreeunexpanded	`\firstofthreeunexpanded {...} {...} {...}`
firstoftwoarguments	`\firstoftwoarguments {...} {...}`
firstoftwounexpanded	`\firstoftwounexpanded {...} {...}`
firstrealpage	`\firstrealpage`
firstrealpagenumber	`\firstrealpagenumber`
firstsubcountervalue	`\firstsubcountervalue [...] [...]`
firstsubpagenumber	`\firstsubpagenumber`
firstuserpage	`\firstuserpage`
firstuserpagenumber	`\firstuserpagenumber`
fitfieldframed	`\fitfieldframed [..=..] {...}`
fittopbaselinegrid	`\fittopbaselinegrid {...}`
flag	`\flag {...}`

```
floatuserdataparameter                  \floatuserdataparameter {...}
flushbox                                 \flushbox {...} {...}
flushboxregister                         \flushboxregister ...
flushcollector                           \flushcollector [...]
flushedrightlastline                     \flushedrightlastline
flushlayer                               \flushlayer [...]
flushlocalfloats                         \flushlocalfloats
flushnextbox                             \flushnextbox
flushnotes                               \flushnotes
flushoutputstream                        \flushoutputstream [...]
flushshapebox                            \flushshapebox
flushtextflow                            \flushtextflow {...}
flushtokens                              \flushtokens [...]
flushtoks                                \flushtoks \...
fontalternative                          \fontalternative
fontbody                                 \fontbody
fontchar                                 \fontchar {...}
fontcharbyindex                          \fontcharbyindex {...}
fontclass                                \fontclass
fontclassname                            \fontclassname {...} {...}
fontface                                 \fontface
fontfeaturelist                          \fontfeaturelist [...] [...]
fontsize                                 \fontsize
fontstyle                                \fontstyle
forcecharacterstripping                  \forcecharacterstripping
forcelocalfloats                         \forcelocalfloats
forgeteverypar                           \forgeteverypar
forgetparameters                         \forgetparameters [...] [..=..]
forgetparskip                            \forgetparskip
forgetragged                             \forgetragged
formula                                  \formula [...] {...}
foundbox                                 \foundbox {...} {...}
fourthoffivearguments                    \fourthoffivearguments {...} {...} {...} {...} {...}
fourthoffourarguments                    \fourthoffourarguments {...} {...} {...} {...}
fourthofsixarguments                     \fourthofsixarguments {...} {...} {...} {...} {...} {...}
frameddimension                          \frameddimension {...}
framedparameter                          \framedparameter {...}
frazione:instance                        \FRACTION {...} {...}
frazione:instance:binom                  \binom {...} {...}
frazione:instance:dbinom                 \dbinom {...} {...}
frazione:instance:dfrac                  \dfrac {...} {...}
frazione:instance:frac                   \frac {...} {...}
frazione:instance:sfrac                  \sfrac {...} {...}
frazione:instance:tbinom                 \tbinom {...} {...}
frazione:instance:xfrac                  \xfrac {...} {...}
frazione:instance:xxfrac                 \xxfrac {...} {...}
freezedimenmacro                         \freezedimenmacro \... \...
freezemeasure                            \freezemeasure [...] [...]
frenchspacing                            \frenchspacing
fromlinenote                             \fromlinenote [...] {...}
frozenhbox                               \frozenhbox {...}
frule                                    \frule ... \relax
GetPar                                   \GetPar
GIORNOSETTIMANA                          \GIORNOSETTIMANA {...}
GotoPar                                  \GotoPar
Greeknumerals                            \Greeknumerals {...}
gdefconvertedargument                    \gdefconvertedargument \... {...}
gdefconvertedcommand                     \gdefconvertedcommand \... \...
getboxfromcache                          \getboxfromcache {...} {...} ...
getboxllx                                \getboxllx ...
getboxlly                                \getboxlly ...
getbufferdata                            \getbufferdata [...]
getcommacommandsize                      \getcommacommandsize [...]
getcommalistsize                         \getcommalistsize [...]
getdayoftheweek                          \getdayoftheweek {...} {...} {...}
getdayspermonth                          \getdayspermonth {...} {...}
getdefinedbuffer                         \getdefinedbuffer [...]
getdocumentargument                      \getdocumentargument {...}
getdocumentargumentdefault               \getdocumentargumentdefault {...} {...}
getdocumentfilename                      \getdocumentfilename {...}
getdummyparameters                       \getdummyparameters [..=..]
getemptyparameters                       \getemptyparameters [...] [..=..]
```

geteparameters	`\geteparameters [...] [..=..]`
getexpandedparameters	`\getexpandedparameters [...] [..=..]`
getfiguredimensions	`\getfiguredimensions [...] [..=..]`
getfirstcharacter	`\getfirstcharacter {...}`
getfirsttwopassdata	`\getfirsttwopassdata {...}`
getfromcommacommand	`\getfromcommacommand [...] [...]`
getfromcommalist	`\getfromcommalist [...] [...]`
getfromtwopassdata	`\getfromtwopassdata {...} {...}`
getglyphdirect	`\getglyphdirect {...} {...}`
getglyphstyled	`\getglyphstyled {...} {...}`
getgparameters	`\getgparameters [...] [..=..]`
getlasttwopassdata	`\getlasttwopassdata {...}`
getlocalfloat	`\getlocalfloat {...}`
getlocalfloats	`\getlocalfloats`
getMPdrawing	`\getMPdrawing`
getMPlayer	`\getMPlayer [...] [..=..] {...}`
getmessage	`\getmessage {...} {...}`
getnamedglyphdirect	`\getnamedglyphdirect {...} {...}`
getnamedglyphstyled	`\getnamedglyphstyled {...} {...}`
getnamedtwopassdatalist	`\getnamedtwopassdatalist \... {...}`
getnaturaldimensions	`\getnaturaldimensions ...`
getnoflines	`\getnoflines {...}`
getobject	`\getobject {...} {...}`
getobjectdimensions	`\getobjectdimensions {...} {...}`
getpaletsize	`\getpaletsize [...]`
getparameters	`\getparameters [...] [..=..]`
getprivatechar	`\getprivatechar {...}`
getprivateslot	`\getprivateslot {...}`
getrandomcount	`\getrandomcount \... {...} {...}`
getrandomdimen	`\getrandomdimen \... {...} {...}`
getrandomfloat	`\getrandomfloat \... {...} {...}`
getrandomnumber	`\getrandomnumber \... {...} {...}`
getrandomseed	`\getrandomseed \...`
getraweparameters	`\getraweparameters [...] [..=..]`
getrawgparameters	`\getrawgparameters [...] [..=..]`
getrawnoflines	`\getrawnoflines {...}`
getrawparameters	`\getrawparameters [...] [..=..]`
getrawxparameters	`\getrawxparameters [...] [..=..]`
getreference	`\getreference [...] [...]`
getreferenceentry	`\getreferenceentry {...}`
getroundednoflines	`\getroundednoflines {...}`
getsubstring	`\getsubstring {...} {...} {...}`
gettwopassdata	`\gettwopassdata {...}`
gettwopassdatalist	`\gettwopassdatalist {...}`
getuvalue	`\getuvalue {...}`
getvalue	`\getvalue {...}`
getvariable	`\getvariable {...} {...}`
getvariabledefault	`\getvariabledefault {...} {...} {...}`
getxparameters	`\getxparameters [...] [..=..]`
giornosettimana	`\giornosettimana {...}`
globaldisablemode	`\globaldisablemode [...]`
globalenablemode	`\globalenablemode [...]`
globalletempty	`\globalletempty \...`
globalpopbox	`\globalpopbox ...`
globalpopmacro	`\globalpopmacro \...`
globalpreventmode	`\globalpreventmode [...]`
globalprocesscommalist	`\globalprocesscommalist [...] \...`
globalpushbox	`\globalpushbox ...`
globalpushmacro	`\globalpushmacro \...`
globalpushreferenceprefix	`\globalpushreferenceprefix {...} ... \globalpopreferenceprefix`
globalswapcounts	`\globalswapcounts \... \...`
globalswapdimens	`\globalswapdimens \... \...`
globalswapmacros	`\globalswapmacros \... \...`
globalundefine	`\globalundefine {...}`
glyphfontfile	`\glyphfontfile {...}`
gobbledoubleempty	`\gobbledoubleempty [...] [...]`
gobbleeightarguments	`\gobbleeightarguments {...} {...} {...} {...} {...} {...} {...} {...}`
gobblefivearguments	`\gobblefivearguments {...} {...} {...} {...} {...}`
gobblefiveoptionals	`\gobblefiveoptionals [...] [...] [...] [...] [...]`
gobblefourarguments	`\gobblefourarguments {...} {...} {...} {...}`
gobblefouroptionals	`\gobblefouroptionals [...] [...] [...] [...]`
gobbleninearguments	`\gobbleninearguments {...} {...} {...} {...} {...} {...} {...} {...} {...`

gobbleoneargument	`\gobbleoneargument {...}`
gobbleoneoptional	`\gobbleoneoptional [...]`
gobblesevenarguments	`\gobblesevenarguments {...} {...} {...} {...} {...} {...} {...}`
gobblesingleempty	`\gobblesingleempty [...]`
gobblesixarguments	`\gobblesixarguments {...} {...} {...} {...} {...} {...}`
gobblespacetokens	`\gobblespacetokens`
gobbletenarguments	`\gobbletenarguments {...} {...} {...} {...} {...} {...} {...} {...} {...`
gobblethreearguments	`\gobblethreearguments {...} {...} {...}`
gobblethreeoptionals	`\gobblethreeoptionals [...] [...] [...]`
gobbletwoarguments	`\gobbletwoarguments {...} {...}`
gobbletwooptionals	`\gobbletwooptionals [...] [...]`
gobbleuntil	`\gobbleuntil \...`
gobbleuntilrelax	`\gobbleuntilrelax ... \relax`
grabbufferdata	`\grabbufferdata [...] [...] [...] [...]`
grabbufferdatadirect	`\grabbufferdatadirect {...} {...} {...}`
grabuntil	`\grabuntil {...} \...`
grafiamanuale	`\grafiamanuale`
grande	`\grande ...`
grassetto	`\grassetto`
grassettocorsivo	`\grassettocorsivo`
grassettoinclinato	`\grassettoinclinato`
grave	`\grave {...}`
grayvalue	`\grayvalue {...}`
greedysplitstring	`\greedysplitstring ... \at ... \to \... \and \...`
greeknumerals	`\greeknumerals {...}`
griglia	`\griglia [..=..]`
grossofontdeltesto	`\grossofontdeltesto`
groupedcommand	`\groupedcommand {...} {...}`
gsetboxllx	`\gsetboxllx ... {...}`
gsetboxlly	`\gsetboxlly ... {...}`
gujaratinumerals	`\gujaratinumerals {...}`
gurmurkhinumerals	`\gurmurkhinumerals {...}`
hairspace	`\hairspace`
halflinestrut	`\halflinestrut`
halfstrut	`\halfstrut`
halfwaybox	`\halfwaybox {...}`
handletokens	`\handletokens ... \with \...`
hash	`\hash`
hat	`\hat {...}`
hboxofvbox	`\hboxofvbox ...`
hboxreference	`\hboxreference [...] {...}`
hbox:example	`\hboxBOX {...}`
hdofstring	`\hdofstring {...}`
headhbox	`\headhbox ... {...}`
headnumbercontent	`\headnumbercontent`
headnumberdistance	`\headnumberdistance`
headnumberwidth	`\headnumberwidth`
headreferenceattributes	`\headreferenceattributes`
headsetupspacing	`\headsetupspacing`
headtextcontent	`\headtextcontent`
headtextdistance	`\headtextdistance`
headtextwidth	`\headtextwidth`
headvbox	`\headvbox ... {...}`
headwidth	`\headwidth`
heightanddepthofstring	`\heightanddepthofstring {...}`
heightofstring	`\heightofstring {...}`
heightspanningtext	`\heightspanningtext {...} {...} {...}`
help:instance	`\HELP [...] {...} {...}`
help:instance:helptext	`\helptext [...] {...} {...}`
hglue	`\hglue ...`
hiddencitation	`\hiddencitation [...]`
hiddencite	`\hiddencite [...]`
highlight	`\highlight [...] {...}`
highlight:example	`\HIGHLIGHT {...}`
highordinalstr	`\highordinalstr {...}`
hilo	`\hilo [...] {...} {...}`
himilo	`\himilo {...} {...} {...}`
hl	`\hl [...]`
horizontalgrowingbar	`\horizontalgrowingbar [..=..]`
horizontalpositionbar	`\horizontalpositionbar [..=..]`
hphantom	`\hphantom {...}`
hpos	`\hpos {...} {...}`

hsizefraction	\hsizefraction {...} {...}
hsmash	\hsmash {...}
hsmashbox	\hsmashbox ...
hsmashed	\hsmashed {...}
hspace	\hspace [...] [...]
htdpofstring	\htdpofstring {...}
htofstring	\htofstring {...}
hyphen	\hyphen
hyphenatedcoloredword	\hyphenatedcoloredword {...}
hyphenatedfile	\hyphenatedfile {...}
hyphenatedfilename	\hyphenatedfilename {...}
hyphenatedhbox	\hyphenatedhbox {...}
hyphenatedpar	\hyphenatedpar {...}
hyphenatedurl	\hyphenatedurl {...}
hyphenatedword	\hyphenatedword {...}
INRSTEX	\INRSTEX
ibox	\ibox {...}
ifassignment	\ifassignment ... \else ... \fi
iff	\iff
ifinobject	\ifinobject ... \else ... \fi
ifinoutputstream	\ifinoutputstream ... \else ... \fi
ifparameters	\ifparameters ... \else ... \fi
iftrialtypesetting	\iftrialtypesetting ... \else ... \fi
ignoreimplicitspaces	\ignoreimplicitspaces
ignoretagsinexport	\ignoretagsinexport [...]
ignorevalue	\ignorevalue {...}
ignoto	\ignoto
immediatesavetwopassdata	\immediatesavetwopassdata {...} {...} {...}
impliedby	\impliedby
implies	\implies
imposta	\imposta [...]
impostaallineamento	\impostaallineamento [...]
impostaampiezzariga	\impostaampiezzariga [...]
impostabarrainterazione	\impostabarrainterazione [...] [..=..]
impostablocco	\impostablocco [...] [..=..]
impostabloccosezione	\impostabloccosezione [...] [..=..]
impostabuffer	\impostabuffer [...] [..=..]
impostacampi	\impostacampi [...] [..=..] [..=..] [..=..]
impostacampo	\impostacampo [...] [...] [..=..] [..=..] [..=..]
impostacapoversi	\impostacapoversi [...] [...] [..=..]
impostacapoversi:assignment	\impostacapoversi [...] [..=..]
impostacaption	\impostacaption [...] [..=..]
impostacaptions	\impostacaptions [...] [..=..]
impostacima	\impostacima [...] [..=..]
impostaclippling	\impostaclippling [..=..]
impostacolonne	\impostacolonne [..=..]
impostacolore	\impostacolore [...]
impostacolori	\impostacolori [..=..]
impostacommento	\impostacommento [...] [..=..]
impostacommentopagina	\impostacommentopagina [..=..]
impostadimensionicarta	\impostadimensionicarta [...] [..=..]
impostadimensionicarta:name	\impostadimensionicarta [...] [...]
impostaelementi	\impostaelementi [...] [..=..]
impostaelencazioni	\impostaelencazioni [...] [..=..]
impostaelenco	\impostaelenco [...] [..=..]
impostaelencocombinato	\impostaelencocombinato [...] [..=..]
impostaelencocombinato:instance	*\impostaCOMBINEDLIST [..=..]*
impostaelencocombinato:instance:content	*\impostacontent [..=..]*
impostaenumerazioni	\impostaenumerazioni [...] [..=..]
impostafondo	\impostafondo [...] [..=..]
impostafontdeltesto	\impostafontdeltesto [...]
impostaforms	\impostaforms [..=..]
impostaformule	\impostaformule [...] [..=..]
impostagruppocolonne	\impostagruppocolonne [...] [..=..]
impostaincorniciato	\impostaincorniciato [...] [..=..]
impostainiziatermina	\impostainiziatermina [...] [..=..]
impostainstestazione	\impostainstestazione [...] [..=..]
impostainterazione	\impostainterazione [...] [..=..]
impostainterazione:name	\impostainterazione [...]
impostainterlinea	\impostainterlinea [...] [..=..]
impostainterlinea:argument	\impostainterlinea [...]
impostainterlinea:name	\impostainterlinea [...]

```
impostalayout                                   \impostalayout [...] [..=..]
impostalayout:name                              \impostalayout [...]
impostalineemargine                             \impostalineemargine [...] [..=..]
impostalineenere                                \impostalineenere [..=..]
impostalineeriempimento                         \impostalineeriempimento [..=..]
impostalineesottili                             \impostalineesottili [..=..]
impostalineetesto                               \impostalineetesto [..=..]
impostalingua                                   \impostalingua [...] [..=..]
impostamaiuscole                                \impostamaiuscole [...] [..=..]
impostamakeup                                   \impostamakeup [...] [..=..]
impostamarcatura                                \impostamarcatura [...] [..=..]
impostamenuinterazione                          \impostamenuinterazione [...] [..=..]
impostamenzione                                 \impostamenzione [..=..]
impostanumerazionecapoversi                     \impostanumerazionecapoversi [..=..]
impostanumerazionepagina                        \impostanumerazionepagina [..=..]
impostanumerazionerighe                         \impostanumerazionerighe [...] [..=..]
impostanumeropagina                             \impostanumeropagina [..=..]
impostanumerosottopagina                        \impostanumerosottopagina [..=..]
impostanumerotesta                              \impostanumerotesta [...] [...]
impostaoggettimobili                            \impostaoggettimobili [...] [..=..]
impostaoggettomobile                            \impostaoggettomobile [...] [..=..]
impostaordinamento                              \impostaordinamento [...] [..=..]
impostaparranging                               \impostaparranging [...]
impostapdp                                      \impostapdp [...] [..=..]
impostapiustretto                               \impostapiustretto [...] [..=..]
impostaposizionamento                           \impostaposizionamento [...] [..=..]
impostaposizionamentoopposti                    \impostaposizionamentoopposti [..=..]
impostaprogrammi                                \impostaprogrammi [..=..]
impostaregistro                                 \impostaregistro [...] [..=..]
impostaregistro:argument                        \impostaregistro [...] [...] [..=..]
impostaregistro:instance                        \impostaREGISTER [...] [..=..]
impostaregistro:instance:index                  \impostaindex [...] [..=..]
impostarientro                                  \impostarientro [...]
impostariferimento                              \impostariferimento [..=..]
impostarighe                                    \impostarighe [...] [..=..]
impostarigheriempimento                         \impostarigheriempimento [..=..]
impostarigovuoto                                \impostarigovuoto [...]
impostarotazione                                \impostarotazione [..=..]
impostaschermointerazione                       \impostaschermointerazione [..=..]
impostasegnosillabazione                        \impostasegnosillabazione [..=..]
impostasetsimboli                               \impostasetsimboli [...]
impostasfondi                                   \impostasfondi [...] [...] [..=..]
impostasfondi:page                              \impostasfondi [...] [..=..]
impostasfondo                                   \impostasfondo [...] [..=..]
impostasinonimi                                 \impostasinonimi [...] [..=..]
impostaspaziatura                               \impostaspaziatura [...]
impostaspaziobianco                             \impostaspaziobianco [...]
impostaspezzamentooggettomobile                 \impostaspezzamentooggettomobile [..=..]
impostatabelle                                  \impostatabelle [..=..]
impostatabulato                                 \impostatabulato [...] [...] [..=..]
impostatavolozza                                \impostatavolozza [...]
impostatesta                                    \impostatesta [...] [..=..]
impostateste                                    \impostateste [...] [..=..]
impostatesticima                                \impostatesticima [...] [...] [...] [...] [...]
impostatestifondo                               \impostatestifondo [...] [...] [...] [...] [...]
impostatestiincorniciati                        \impostatestiincorniciati [...] [..=..]
impostatestiintestazioni                        \impostatestiintestazioni [...] [...] [...] [...] [...]
impostatestipdp                                 \impostatestipdp [...] [...] [...] [...] [...]
impostatesto                                    \impostatesto [...] [..=..]
impostatestoetichette:instance                  \impostaLABELtesto [...] [..=..]
impostatestoetichette:instance:btxlabel         \impostabtxlabeltesto [...] [..=..]
impostatestoetichette:instance:head             \impostaheadtesto [...] [..=..]
impostatestoetichette:instance:label            \impostalabeltesto [...] [..=..]
impostatestoetichette:instance:mathlabel        \impostamathlabeltesto [...] [..=..]
impostatestoetichette:instance:operator         \impostaoperatortesto [...] [..=..]
impostatestoetichette:instance:prefix           \impostaprefixtesto [...] [..=..]
impostatestoetichette:instance:suffix           \impostasuffixtesto [...] [..=..]
impostatestoetichette:instance:taglabel         \impostataglabeltesto [...] [..=..]
impostatestoetichette:instance:unit             \impostaunittesto [...] [..=..]
impostatestotesti                               \impostatestotesti [...] [...] [...] [...] [...]
impostatolleranza                               \impostatolleranza [...]
impostatransizionepagina                        \impostatransizionepagina [...]
```

```
impostatype                                      \impostatype [...] [..=..]
impostatyping                                    \impostatyping [...] [..=..]
impostaurl                                       \impostaurl [..=..]
imposta:direct                                   \imposta {...}
in                                               \in {...} {...} [...]
inclinato                                        \inclinato
inclinatograssetto                               \inclinatograssetto
includemenu                                      \includemenu [...]
includeversioninfo                               \includeversioninfo {...}
incorniciato                                     \incorniciato [..=..] {...}
incorniciato:instance                            \FRAMED [..=..] {...}
incorniciato:instance:fitfieldframed             \fitfieldframed [..=..] {...}
incorniciato:instance:unframed                   \unframed [..=..] {...}
incrementa                                       \incrementa \...
incrementa:argument                              \incrementa (...)
incrementcounter                                 \incrementcounter [...] [...]
incrementedcounter                               \incrementedcounter [...]
incrementpagenumber                              \incrementpagenumber
incrementsubpagenumber                           \incrementsubpagenumber
incrementvalue                                   \incrementvalue {...}
indentation                                      \indentation
infofont                                         \infofont
infofontbold                                     \infofontbold
inheritparameter                                 \inheritparameter [...] [...] [...]
inhibitblank                                     \inhibitblank
initializeboxstack                               \initializeboxstack {...}
inizia                                           \inizia [...] ... \termina
iniziaalignment                                  \iniziaalignment [...] ... \terminaalignment
iniziaallineacentro                              \iniziaallineacentro ... \terminaallineacentro
iniziaallineadestra                              \iniziaallineadestra ... \terminaallineadestra
iniziaallineasinistra                            \iniziaallineasinistra ... \terminaallineasinistra
iniziaallmodes                                   \iniziaallmodes [...] ... \terminaallmodes
iniziaambiente                                   \iniziaambiente [...] ... \terminaambiente
iniziaambientebloccosezione                      \iniziaambientebloccosezione [...] ... \terminaambientebloccosezione
iniziaambiente:string                            \iniziaambiente ... ... \terminaambiente
iniziaattachment:instance                        \iniziaATTACHMENT [...] [..=..] ... \terminaATTACHMENT
iniziaattachment:instance:attachment             \iniziaattachment [...] [..=..] ... \terminaattachment
iniziabar                                        \iniziabar [...] ... \terminabar
iniziabbordermatrix                              \iniziabbordermatrix ... \terminabbordermatrix
iniziabitmapimage                                \iniziabitmapimage [..=..] ... \terminabitmapimage
iniziabordermatrix                               \iniziabordermatrix ... \terminabordermatrix
iniziabtxrenderingdefinitions                    \iniziabtxrenderingdefinitions [...] ... \terminabtxrenderingdefinitions
iniziabuffer                                     \iniziabuffer [...] ... \terminabuffer
iniziabuffer:instance                            \iniziaBUFFER ... \terminaBUFFER
iniziabuffer:instance:hiding                     \iniziahiding ... \terminahiding
iniziacapoverso                                  \iniziacapoverso [...] [..=..] ... \terminacapoverso
iniziacapoverso:instance                         \iniziaSECTION [..=..] [..=..] ... \terminaSECTION
iniziacapoverso:instance:chapter                 \iniziachapter [..=..] [..=..] ... \terminachapter
iniziacapoverso:instance:part                    \iniziapart [..=..] [..=..] ... \terminapart
iniziacapoverso:instance:section                 \iniziasection [..=..] [..=..] ... \terminasection
iniziacapoverso:instance:subject                 \iniziasubject [..=..] [..=..] ... \terminasubject
iniziacapoverso:instance:subsection              \iniziasubsection [..=..] [..=..] ... \terminasubsection
iniziacapoverso:instance:subsubject              \iniziasubsubject [..=..] [..=..] ... \terminasubsubject
iniziacapoverso:instance:subsubsection           \iniziasubsubsection [..=..] [..=..] ... \terminasubsubsection
iniziacapoverso:instance:subsubsubject           \iniziasubsubsubject [..=..] [..=..] ... \terminasubsubsubject
iniziacapoverso:instance:subsubsubsection        \iniziasubsubsubsection [..=..] [..=..] ... \terminasubsubsubsection
iniziacapoverso:instance:subsubsubsubject        \iniziasubsubsubsubject [..=..] [..=..] ... \terminasubsubsubsubject
iniziacapoverso:instance:subsubsubsubsection     \iniziasubsubsubsubsection [..=..] [..=..] ... \terminasubsubsubsubsection
iniziacapoverso:instance:subsubsubsubsubject     \iniziasubsubsubsubsubject [..=..] [..=..] ... \terminasubsubsubsubsubject
iniziacapoverso:instance:title                   \iniziatitle [..=..] [..=..] ... \terminatitle
iniziacatcodetable                               \iniziacatcodetable \... ... \terminacatcodetable
iniziacenteraligned                              \iniziacenteraligned ... \terminacenteraligned
iniziacharacteralign                             \iniziacharacteralign [..=..] ... \terminacharacteralign
iniziacharacteralign:argument                    \iniziacharacteralign [...] ... \terminacharacteralign
iniziacheckedfences                              \iniziacheckedfences ... \terminacheckedfences
iniziachemical                                   \iniziachemical [...] [..=..] ... \terminachemical
iniziacodatabella                                \iniziacodatabella [...] ... \terminacodatabella
iniziacodatabulato                               \iniziacodatabulato [...] ... \terminacodatabulato
iniziacollect                                    \iniziacollect ... \terminacollect
iniziacollecting                                 \iniziacollecting ... \terminacollecting
iniziacolonne                                    \iniziacolonne [..=..] ... \terminacolonne
iniziacolore                                     \iniziacolore [...] ... \terminacolore
```

```
iniziacolorintent                          \iniziacolorintent [...] ... \terminacolorintent
iniziacoloronly                            \iniziacoloronly [...] ... \terminacoloronly
iniziacolorset                             \iniziacolorset [...] ... \terminacolorset
iniziacolumnset                            \iniziacolumnset [...] [..=..] ... \terminacolumnset
iniziacolumnsetspan                        \iniziacolumnsetspan [...] [..=..] ... \terminacolumnsetspan
iniziacolumnset:example                    \iniziaCOLUMNSET [..=..] ... \terminaCOLUMNSET
iniziacolumnspan                           \iniziacolumnspan [..=..] ... \terminacolumnspan
iniziacombination                          \iniziacombination [...] [..=..] ... \terminacombination
iniziacombination:matrix                   \iniziacombination [...] [...] ... \terminacombination
iniziacommentopagina                       \iniziacommentopagina ... \terminacommentopagina
iniziacommento:instance                    \iniziaCOMMENT [...] [..=..] ... \terminaCOMMENT
iniziacommento:instance:comment            \iniziacomment [...] [..=..] ... \terminacomment
iniziacomponenet                           \iniziacomponenet [...] ... \terminacomponenet
iniziacomponenet:string                    \iniziacomponenet ... ... \terminacomponenet
iniziacontextcode                          \iniziacontextcode ... \terminacontextcode
iniziacontextdefinitioncode                \iniziacontextdefinitioncode ... \terminacontextdefinitioncode
iniziactxfunction                          \iniziactxfunction ... ... \terminactxfunction
iniziactxfunctiondefinition                \iniziactxfunctiondefinition ... ... \terminactxfunctiondefinition
iniziacurrentcolor                         \iniziacurrentcolor ... \terminacurrentcolor
iniziacurrentlistentrywrapper              \iniziacurrentlistentrywrapper ... \terminacurrentlistentrywrapper
iniziadelimited                            \iniziadelimited [...] [...] [...] ... \terminadelimited
iniziadelimitedtext                        \iniziadelimitedtext [...] [...] [...] ... \terminadelimitedtext
iniziadelimitedtext:instance               \iniziaDELIMITEDTEXT [...] [...] ... \terminaDELIMITEDTEXT
iniziadelimitedtext:instance:aside         \iniziaaside [...] [...] ... \terminaaside
iniziadelimitedtext:instance:blockquote    \iniziablockquote [...] [...] ... \terminablockquote
iniziadelimitedtext:instance:quotation     \iniziaquotation [...] [...] ... \terminaquotation
iniziadelimitedtext:instance:quote         \iniziaquote [...] [...] ... \terminaquote
iniziadelimitedtext:instance:speech        \iniziaspeech [...] [...] ... \terminaspeech
iniziadescrizione:example                  \iniziaDESCRIZIONE [..=..] ... \terminaDESCRIZIONE
iniziadescrizione:example:title            \iniziaDESCRIZIONE [...] {...} ... \terminaDESCRIZIONE
iniziadisplaymath                          \iniziadisplaymath ... \terminadisplaymath
iniziadmath                                \iniziadmath ... \terminadmath
iniziadocument                             \iniziadocument [..=..] ... \terminadocument
iniziaeffect                               \iniziaeffect [...] ... \terminaeffect
iniziaeffect:example                       \iniziaEFFECT ... \terminaEFFECT
iniziaelement                              \iniziaelement {...} [..=..] ... \terminaelement
iniziaelemento                             \iniziaelemento [...] ... \terminaelemento
iniziaembeddedxtable                       \iniziaembeddedxtable [..=..] ... \terminaembeddedxtable
iniziaembeddedxtable:name                  \iniziaembeddedxtable [...] ... \terminaembeddedxtable
iniziaenumerazione:example                 \iniziaENUMERAZIONE [..=..] ... \terminaENUMERAZIONE
iniziaenumerazione:example:title           \iniziaENUMERAZIONE [...] {...} ... \terminaENUMERAZIONE
iniziaexceptions                           \iniziaexceptions [...] ... \terminaexceptions
iniziaexpanded                             \iniziaexpanded ... \terminaexpanded
iniziaexpandedcollect                      \iniziaexpandedcollect ... \terminaexpandedcollect
iniziaextendedcatcodetable                 \iniziaextendedcatcodetable \... ... \terminaextendedcatcodetable
iniziaexternalfigurecollection             \iniziaexternalfigurecollection [...] ... \terminaexternalfigurecollecti
iniziafacingfloat                          \iniziafacingfloat [...] ... \terminafacingfloat
iniziafigura                               \iniziafigura [...] [...] [..=..] ... \terminafigura
iniziafisso                                \iniziafisso [...] ... \terminafisso
iniziafittingpage                          \iniziafittingpage [...] [..=..] ... \terminafittingpage
iniziafittingpage:instance                 \iniziaFITTINGPAGE [..=..] ... \terminaFITTINGPAGE
iniziafittingpage:instance:MPpage          \iniziaMPpage [..=..] ... \terminaMPpage
iniziafittingpage:instance:TEXpage         \iniziaTEXpage [..=..] ... \terminaTEXpage
iniziafloatcombination                     \iniziafloatcombination [..=..] ... \terminafloatcombination
iniziafloatcombination:matrix              \iniziafloatcombination [...] ... \terminafloatcombination
iniziafloattext:instance                   \iniziaFLOATtesto [...] [...] {...} ... \terminaFLOATtesto
iniziafloattext:instance:chemical          \iniziachemicaltesto [...] [...] {...} ... \terminachemicaltesto
iniziafloattext:instance:figure            \iniziafiguretesto [...] [...] {...} ... \terminafiguretesto
iniziafloattext:instance:graphic           \iniziagraphictesto [...] [...] {...} ... \terminagraphictesto
iniziafloattext:instance:intermezzo        \iniziaintermezzotesto [...] [...] {...} ... \terminaintermezzotesto
iniziafloattext:instance:table             \iniziatabletesto [...] [...] {...} ... \terminatabletesto
iniziafont                                 \iniziafont [...] ... \terminafont
iniziafontclass                            \iniziafontclass [...] ... \terminafontclass
iniziafontsolution                         \iniziafontsolution [...] ... \terminafontsolution
iniziaformula                              \iniziaformula [...] ... \terminaformula
iniziaformula:assignment                   \iniziaformula [..=..] ... \terminaformula
iniziaformula:instance                     \iniziaFORMULAformula [...] ... \terminaFORMULAformula
iniziaformula:instance:md                  \iniziamdformula [...] ... \terminamdformula
iniziaformula:instance:mp                  \iniziampformula [...] ... \terminampformula
iniziaformula:instance:sd                  \iniziasdformula [...] ... \terminasdformula
iniziaformula:instance:sp                  \iniziaspformula [...] ... \terminaspformula
iniziaformule                              \iniziaformule [...] ... \terminaformule
```

iniziaframedcell	`\iniziaframedcell [..=..] ... \terminaframedcell`
iniziaframedcontent	`\iniziaframedcontent [...] ... \terminaframedcontent`
iniziaframedrow	`\iniziaframedrow [..=..] ... \terminaframedrow`
iniziaframedtable	`\iniziaframedtable [...] [..=..] ... \terminaframedtable`
iniziagridsnapping	`\iniziagridsnapping [...] ... \terminagridsnapping`
iniziagridsnapping:list	`\iniziagridsnapping [...] ... \terminagridsnapping`
iniziahboxestohbox	`\iniziahboxestohbox ... \terminahboxestohbox`
iniziahboxregister	`\iniziahboxregister ... ... \terminahboxregister`
iniziahelp:instance	*\iniziaHELP [...] ... \terminaHELP*
iniziahelp:instance:helptext	*\iniziahelptext [...] ... \terminahelptext*
iniziahighlight	`\iniziahighlight [...] ... \terminahighlight`
iniziahyphenation	`\iniziahyphenation [...] ... \terminahyphenation`
iniziaimath	`\iniziaimath ... \terminaimath`
iniziaimpaccato	`\iniziaimpaccato [...] ... \terminaimpaccato`
iniziaincorniciato	`\iniziaincorniciato [...] [..=..] ... \terminaincorniciato`
iniziaindentedtext	`\iniziaindentedtext [...] ... \terminaindentedtext`
iniziaindentedtext:example	*\iniziaINDENTEDTEXT ... \terminaINDENTEDTEXT*
iniziainterazione	`\iniziainterazione [...] ... \terminainterazione`
iniziainterface	`\iniziainterface ... ... \terminainterface`
iniziaintertext	`\iniziaintertext ... \terminaintertext`
iniziaitemgroup	`\iniziaitemgroup [...] [...] [..=..] ... \terminaitemgroup`
iniziaitemgroup:instance	*\iniziaITEMGROUP [...] [..=..] ... \terminaITEMGROUP*
iniziaitemgroup:instance:itemize	*\iniziaitemize [...] [..=..] ... \terminaitemize*
iniziaJScode	`\iniziaJScode ... ... ... ... \terminaJScode`
iniziaJSpreamble	`\iniziaJSpreamble ... ... ... ... \terminaJSpreamble`
iniziaknockout	`\iniziaknockout ... \terminaknockout`
inizialayout	`\inizialayout [...] ... \terminalayout`
inizialinealignment	`\inizialinealignment [...] ... \terminalinealignment`
inizialineamargine	`\inizialineamargine [...] ... \terminalineamargine`
inizialineamargine:assignment	`\inizialineamargine [..=..] ... \terminalineamargine`
inizialineatesto	`\inizialineatesto {...} ... \terminalineatesto`
inizialinecorrection	`\inizialinecorrection [...] ... \terminalinecorrection`
inizialinefiller	`\inizialinefiller [...] [..=..] ... \terminalinefiller`
inizialinenumbering	`\inizialinenumbering [...] [..=..] ... \terminalinenumbering`
inizialinenumbering:argument	`\inizialinenumbering [...] [...] ... \terminalinenumbering`
inizialinetable	`\inizialinetable ... \terminalinetable`
inizialinetablebody	`\inizialinetablebody ... \terminalinetablebody`
inizialinetablecell	`\inizialinetablecell [..=..] ... \terminalinetablecell`
inizialinetablehead	`\inizialinetablehead ... \terminalinetablehead`
inizialocalfootnotes	`\inizialocalfootnotes ... \terminalocalfootnotes`
inizialocalheadsetup	`\inizialocalheadsetup ... \terminalocalheadsetup`
inizialocallinecorrection	`\inizialocallinecorrection [...] ... \terminalocallinecorrection`
inizialocalnotes	`\inizialocalnotes [...] ... \terminalocalnotes`
inizialocalsetups	`\inizialocalsetups [...] [...] ... \terminalocalsetups`
inizialocalsetups:string	`\inizialocalsetups ... ... \terminalocalsetups`
inizialua	`\inizialua ... \terminalua`
inizialuacode	`\inizialuacode ... \terminaluacode`
inizialuaparameterset	`\inizialuaparameterset [...] ... \terminaluaparameterset`
inizialuasetups	`\inizialuasetups [...] [...] ... \terminaluasetups`
inizialuasetups:string	`\inizialuasetups ... ... \terminaluasetups`
iniziaMPclip	`\iniziaMPclip {...} ... \terminaMPclip`
iniziaMPcode	`\iniziaMPcode {...} ... \terminaMPcode`
iniziaMPdefinitions	`\iniziaMPdefinitions {...} ... \terminaMPdefinitions`
iniziaMPdrawing	`\iniziaMPdrawing [...] ... \terminaMPdrawing`
iniziaMPenvironment	`\iniziaMPenvironment [...] ... \terminaMPenvironment`
iniziaMPextensions	`\iniziaMPextensions {...} ... \terminaMPextensions`
iniziaMPinclusions	`\iniziaMPinclusions [...] {...} ... \terminaMPinclusions`
iniziaMPinitializations	`\iniziaMPinitializations ... \terminaMPinitializations`
iniziaMPpositiongraphic	`\iniziaMPpositiongraphic {...} {...} ... \terminaMPpositiongraphic`
iniziaMPpositionmethod	`\iniziaMPpositionmethod {...} ... \terminaMPpositionmethod`
iniziaMPrun	`\iniziaMPrun {...} ... \terminaMPrun`
iniziamakeup	`\iniziamakeup [...] [..=..] ... \terminamakeup`
iniziamakeup:instance	*\iniziaMAKEUPmakeup [..=..] ... \terminaMAKEUPmakeup*
iniziamakeup:instance:middle	*\iniziamiddlemakeup [..=..] ... \terminamiddlemakeup*
iniziamakeup:instance:page	*\iniziapagemakeup [..=..] ... \terminapagemakeup*
iniziamakeup:instance:standard	*\iniziastandardmakeup [..=..] ... \terminastandardmakeup*
iniziamakeup:instance:text	*\iniziatextmakeup [..=..] ... \terminatextmakeup*
iniziamarginblock	`\iniziamarginblock [...] ... \terminamarginblock`
iniziamarkedcontent	`\iniziamarkedcontent [...] ... \terminamarkedcontent`
iniziamarkpages	`\iniziamarkpages [...] ... \terminamarkpages`
iniziamathalignment:instance	*\iniziaMATHALIGNMENT [..=..] ... \terminaMATHALIGNMENT*
iniziamathalignment:instance:align	*\iniziaalign [..=..] ... \terminaalign*

```
iniziamathalignment:instance:mathalignment          \iniziamathalignment [..=..] ... \terminamathalignment
iniziamathcases:instance                            \iniziaMATHCASES [..=..] ... \terminaMATHCASES
iniziamathcases:instance:cases                      \iniziacases [..=..] ... \terminacases
iniziamathcases:instance:mathcases                  \iniziamathcases [..=..] ... \terminamathcases
iniziamathmatrix:instance                           \iniziaMATHMATRIX [..=..] ... \terminaMATHMATRIX
iniziamathmatrix:instance:mathmatrix                \iniziamathmatrix [..=..] ... \terminamathmatrix
iniziamathmatrix:instance:matrix                    \iniziamatrix [..=..] ... \terminamatrix
iniziamathmode                                      \iniziamathmode ... \terminamathmode
iniziamathstyle                                     \iniziamathstyle [...] ... \terminamathstyle
iniziamatrices                                      \iniziamatrices [..=..] ... \terminamatrices
iniziamaxaligned                                    \iniziamaxaligned ... \terminamaxaligned
iniziamenuinterattivo                               \iniziamenuinterattivo [...] ... \terminamenuinterattivo
iniziamettiformula                                  \iniziamettiformula [..=..] ... \terminamettiformula
iniziamettiformula:argument                         \iniziamettiformula [...] ... \terminamettiformula
iniziamiddlealigned                                 \iniziamiddlealigned ... \terminamiddlealigned
iniziamixedcolumns                                  \iniziamixedcolumns [...] [..=..] ... \terminamixedcolumns
iniziamixedcolumns:instance                         \iniziaMIXEDCOLUMNS [..=..] ... \terminaMIXEDCOLUMNS
iniziamixedcolumns:instance:boxedcolumns            \iniziaboxedcolumns [..=..] ... \terminaboxedcolumns
iniziamixedcolumns:instance:itemgroupcolumns        \iniziaitemgroupcolumns [..=..] ... \terminaitemgroupcolumns
iniziamode                                          \iniziamode [...] ... \terminamode
iniziamodeset                                       \iniziamodeset [...] {...} ... \terminamodeset
iniziamodule                                        \iniziamodule [...] ... \terminamodule
iniziamoduletestsection                             \iniziamoduletestsection ... \terminamoduletestsection
iniziamodule:string                                 \iniziamodule ... ... \terminamodule
iniziananamedsection                                \iniziananamedsection [...] [..=..] [..=..] ... \terminananamedsection
iniziananamedsubformulas                            \iniziananamedsubformulas [...] {...} ... \terminananamedsubformulas
iniziananarrower                                    \iniziananarrower [...] ... \terminananarrower
iniziananarrower:example                            \iniziaNARROWER [...] ... \terminaNARROWER
inizianegativo                                      \inizianegativo ... \terminanegativo
iniziananicelyfilledbox                             \iniziananicelyfilledbox [..=..] ... \terminananicelyfilledbox
iniziananointerference                              \iniziananointerference ... \terminananointerference
iniziananotallmodes                                 \iniziananotallmodes [...] ... \terminananotallmodes
iniziananota:instance                               \iniziaNOTE [...] ... \terminaNOTE
iniziananota:instance:assignment                    \iniziaNOTE [..=..] ... \terminaNOTE
iniziananota:instance:assignment:endnote            \iniziaendnote [..=..] ... \terminaendnote
iniziananota:instance:assignment:footnote           \iniziafootnote [..=..] ... \terminafootnote
iniziananota:instance:endnote                       \iniziaendnote [...] ... \terminaendnote
iniziananota:instance:footnote                      \iniziafootnote [...] ... \terminafootnote
iniziananotext                                      \iniziananotext ... \terminananotext
iniziananotmode                                     \iniziananotmode [...] ... \terminananotmode
inizianopposto                                      \inizianopposto ... \terminanopposto
iniziaoutputstream                                  \iniziaoutputstream [...] ... \terminaoutputstream
iniziaoverprint                                     \iniziaoverprint ... \terminaoverprint
iniziapagecolumns                                   \iniziapagecolumns [..=..] ... \terminapagecolumns
iniziapagecolumns:instance                          \iniziaPAGECOLUMNS ... \terminaPAGECOLUMNS
iniziapagecolumns:name                              \iniziapagecolumns [...] ... \terminapagecolumns
iniziapagefigure                                    \iniziapagefigure [...] [..=..] ... \terminapagefigure
iniziapagelayout                                    \iniziapagelayout [...] ... \terminapagelayout
iniziapar                                           \iniziapar [...] [..=..] ... \terminapar
iniziaparagraphs                                    \iniziaparagraphs [...] ... \terminaparagraphs
iniziaparagraphscell                                \iniziaparagraphscell ... \terminaparagraphscell
iniziaparagraphs:example                            \iniziaPARAGRAPHS ... \terminaPARAGRAPHS
iniziaparallel:example                              \iniziaPARALLEL ... \terminaPARALLEL
iniziaparbuilder                                    \iniziaparbuilder [...] ... \terminaparbuilder
iniziaplacefloat                                    \iniziaplacefloat [...] [..=..] [..=..] ... \terminaplacefloat
iniziaplacefloat:instance                           \iniziamettiFLOAT [..=..] [..=..] ... \terminamettiFLOAT
iniziaplacefloat:instance:chemical                  \iniziamettichemical [..=..] [..=..] ... \terminamettichemical
iniziaplacefloat:instance:figure                    \iniziamettifigure [..=..] [..=..] ... \terminamettifigure
iniziaplacefloat:instance:graphic                   \iniziamettigraphic [..=..] [..=..] ... \terminamettigraphic
iniziaplacefloat:instance:intermezzo                \iniziamettiintermezzo [..=..] [..=..] ... \terminamettiintermezzo
iniziaplacefloat:instance:table                     \iniziamettitable [..=..] [..=..] ... \terminamettitable
iniziaplacepairedbox                                \iniziaplacepairedbox [...] [..=..] ... \terminaplacepairedbox
iniziaplacepairedbox:instance                       \iniziamettiPAIREDBOX [..=..] ... \terminamettiPAIREDBOX
iniziaplacepairedbox:instance:legend                \iniziamettilegend [..=..] ... \terminamettilegend
iniziapositioning                                   \iniziapositioning [...] [..=..] ... \terminapositioning
iniziapositionoverlay                               \iniziapositionoverlay {...} ... \terminapositionoverlay
iniziapositivo                                      \iniziapositivo ... \terminapositivo
iniziaposporre                                      \iniziaposporre [...] ... \terminaposporre
iniziapostponingnotes                               \iniziapostponingnotes ... \terminapostponingnotes
iniziaprocessassignmentcommand                      \iniziaprocessassignmentcommand [..=..] ... \terminaprocessassignmentcom
iniziaprocessassignmentlist                         \iniziaprocessassignmentlist [..=..] ... \terminaprocessassignmentlist
iniziaprocesscommacommand                           \iniziaprocesscommacommand [...] ... \terminaprocesscommacommand
```

```
iniziaprocesscommalist                      \iniziaprocesscommalist [...] ... \terminaprocesscommalist
iniziaprodotto                               \iniziaprodotto [...] ... \terminaprodotto
iniziaprodotto:string                        \iniziaprodotto ... ... \terminaprodotto
iniziaprogetto                               \iniziaprogetto [...] ... \terminaprogetto
iniziaprogetto:string                        \iniziaprogetto ... ... \terminaprogetto
iniziaprotectedcolors                        \iniziaprotectedcolors ... \terminaprotectedcolors
iniziapubblicazione                          \iniziapubblicazione [...] [..=..] ... \terminapubblicazione
iniziarandomized                             \iniziarandomized ... \terminarandomized
iniziarawsetups                              \iniziarawsetups [...] [...] ... \terminarawsetups
iniziarawsetups:string                       \iniziarawsetups ... ... \terminarawsetups
iniziareadingfile                            \iniziareadingfile ... \terminareadingfile
iniziaregime                                 \iniziaregime [...] ... \terminaregime
iniziareusableMPgraphic                      \iniziareusableMPgraphic {...} {...} ... \terminareusableMPgraphic
iniziariga                                   \iniziariga [...]
iniziarighe:instance                         \iniziaLINES [..=..] ... \terminaLINES
iniziarighe:instance:lines                   \inizialines [..=..] ... \terminalines
iniziaruby                                   \iniziaruby [...] ... \terminaruby
iniziascript                                 \iniziascript [...] ... \terminascript
iniziasectionblock                           \iniziasectionblock [...] [..=..] ... \terminasectionblock
iniziasectionblock:instance                  \iniziaSECTIONBLOCK [..=..] ... \terminaSECTIONBLOCK
iniziasectionblock:instance:appendices       \iniziaappendices [..=..] ... \terminaappendices
iniziasectionblock:instance:backmatter       \iniziabackmatter [..=..] ... \terminabackmatter
iniziasectionblock:instance:bodymatter       \iniziabodymatter [..=..] ... \terminabodymatter
iniziasectionblock:instance:frontmatter      \iniziafrontmatter [..=..] ... \terminafrontmatter
iniziasectionlevel                           \iniziasectionlevel [...] [..=..] [..=..] ... \terminasectionlevel
iniziasetups                                 \iniziasetups [...] [...] ... \terminasetups
iniziasetups:string                          \iniziasetups ... ... \terminasetups
iniziasfondo                                 \iniziasfondo [..=..] ... \terminasfondo
iniziasfondo:example                         \iniziaSFONDO [..=..] ... \terminaSFONDO
iniziashift                                  \iniziashift [...] ... \terminashift
iniziasidebar                                \iniziasidebar [...] [..=..] ... \terminasidebar
iniziasimplecolumns                          \iniziasimplecolumns [..=..] ... \terminasimplecolumns
iniziasospeso                                \iniziasospeso [..=..] {...} ... \terminasospeso
iniziasospeso:argument                       \iniziasospeso [...] {...} ... \terminasospeso
iniziasovrapponi                             \iniziasovrapponi ... \terminasovrapponi
iniziaspecialitem:item                       \iniziaspecialitem [...] [...] ... \terminaspecialitem
iniziaspecialitem:none                       \iniziaspecialitem [...] ... \terminaspecialitem
iniziaspecialitem:symbol                     \iniziaspecialitem [...] {...} ... \terminaspecialitem
iniziasplitformula                           \iniziasplitformula ... \terminasplitformula
iniziaspread                                 \iniziaspread ... \terminaspread
iniziastartstop:example                      \iniziaSTARTSTOP ... \terminaSTARTSTOP
iniziastaticMPfigure                         \iniziastaticMPfigure {...} ... \terminastaticMPfigure
iniziastaticMPgraphic                        \iniziastaticMPgraphic {...} {...} ... \terminastaticMPgraphic
iniziastretto                                \iniziastretto [...] [..=..] ... \terminastretto
iniziastretto:assignment                     \iniziastretto [..=..] [...] ... \terminastretto
iniziastretto:name                           \iniziastretto [...] [...] ... \terminastretto
iniziastrictinspectnextcharacter             \iniziastrictinspectnextcharacter ... \terminastrictinspectnextcharacter
iniziastyle                                  \iniziastyle [..=..] ... \terminastyle
iniziastyle:argument                         \iniziastyle [...] ... \terminastyle
iniziastyle:instance                         \iniziaSTYLE ... \terminaSTYLE
iniziasubformulas                            \iniziasubformulas [...] ... \terminasubformulas
iniziasubjectlevel                           \iniziasubjectlevel [...] [..=..] [..=..] ... \terminasubjectlevel
iniziasubsentence                            \iniziasubsentence ... \terminasubsentence
iniziasubstack                               \iniziasubstack ... \terminasubstack
iniziasymbolset                              \iniziasymbolset [...] [..=..] ... \terminasymbolset
iniziaTABLE                                  \iniziaTABLE [..=..] ... \terminaTABLE
iniziaTABLEbody                              \iniziaTABLEbody [..=..] ... \terminaTABLEbody
iniziaTABLEfoot                              \iniziaTABLEfoot [..=..] ... \terminaTABLEfoot
iniziaTABLEhead                              \iniziaTABLEhead [..=..] ... \terminaTABLEhead
iniziaTABLEnext                              \iniziaTABLEnext [..=..] ... \terminaTABLEnext
iniziatabella                                \iniziatabella [|...|] [..=..] ... \terminatabella
iniziatabella:name                           \iniziatabella [...] [..=..] ... \terminatabella
iniziatabelle                                \iniziatabelle [|...|] ... \terminatabelle
iniziatabelle:name                           \iniziatabelle [...] ... \terminatabelle
iniziatabulation:example                     \iniziaTABULATION [...] [..=..] ... \terminaTABULATION
iniziatabulato                               \iniziatabulato [|...|] [..=..] ... \terminatabulato
iniziatabulato:instance                      \iniziaTABULATE [.ᴼᴾᵀ.] [..=..] ... \terminaTABULATE
iniziatabulato:instance:fact                 \iniziafact [...] [..=..] ... \terminafact
iniziatabulato:instance:legend               \inizialegend [...] [..=..] ... \terminalegend
iniziatesta                                  \iniziatesta [...] {...} ... \terminatesta
iniziatestatabella                           \iniziatestatabella [...] ... \terminatestatabella
iniziatestatabulato                          \iniziatestatabulato [...] ... \terminatestatabulato
```

```
iniziatesto                                    \iniziatesto ... \terminatesto
iniziatestoaiuto                               \iniziatestoaiuto [...] ... \terminatestoaiuto
iniziatestoetichetta:instance                  \iniziaLABELtesto [...] [...] ... \terminaLABELtesto
iniziatestoetichetta:instance:btxlabel         \iniziabtxlabeltesto [...] [...] ... \terminabtxlabeltesto
iniziatestoetichetta:instance:head             \iniziaheadtesto [...] [...] ... \terminaheadtesto
iniziatestoetichetta:instance:label            \inizialabeltesto [...] [...] ... \terminalabeltesto
iniziatestoetichetta:instance:mathlabel        \iniziamathlabeltesto [...] [...] ... \terminamathlabeltesto
iniziatestoetichetta:instance:operator         \iniziaoperatortesto [...] [...] ... \terminaoperatortesto
iniziatestoetichetta:instance:prefix           \iniziaprefixtesto [...] [...] ... \terminaprefixtesto
iniziatestoetichetta:instance:suffix           \iniziasuffixtesto [...] [...] ... \terminasuffixtesto
iniziatestoetichetta:instance:taglabel         \iniziataglabeltesto [...] [...] ... \terminataglabeltesto
iniziatestoetichetta:instance:unit             \iniziaunittesto [...] [...] ... \terminaunittesto
iniziatestoincorniciato:instance               \iniziaFRAMEDTEXT [...] [..=..] ... \terminaFRAMEDTEXT
iniziatestoincorniciato:instance:framedtext    \iniziaframedtext [...] [..=..] ... \terminaframedtext
iniziatexcode                                  \iniziatexcode ... \terminatexcode
iniziatexdefinition                            \iniziatexdefinition ... ... ... ... ... ... ... ... \terminatexdefiniti
iniziatextbackground                           \iniziatextbackground [...] [..=..] ... \terminatextbackground
iniziatextbackgroundmanual                     \iniziatextbackgroundmanual ... \terminatextbackgroundmanual
iniziatextbackground:example                   \iniziaTEXTBACKGROUND [..=..] ... \terminaTEXTBACKGROUND
iniziatextcolor                                \iniziatextcolor [...] ... \terminatextcolor
iniziatextcolorintent                          \iniziatextcolorintent ... \terminatextcolorintent
iniziatextflow                                 \iniziatextflow [...] ... \terminatextflow
iniziatokens                                   \iniziatokens [...] ... \terminatokens
iniziatransparent                              \iniziatransparent [...] ... \terminatransparent
iniziatypescript                               \iniziatypescript [...] [...] [...] ... \terminatypescript
iniziatypescriptcollection                     \iniziatypescriptcollection [...] ... \terminatypescriptcollection
iniziatyping:instance                          \iniziaTYPING [..=..] ... \terminaTYPING
iniziatyping:instance:argument                 \iniziaTYPING [...] ... \terminaTYPING
iniziatyping:instance:argument:LUA             \iniziaLUA [...] ... \terminaLUA
iniziatyping:instance:argument:MP              \iniziaMP [...] ... \terminaMP
iniziatyping:instance:argument:PARSEDXML       \iniziaPARSEDXML [...] ... \terminaPARSEDXML
iniziatyping:instance:argument:TEX             \iniziaTEX [...] ... \terminaTEX
iniziatyping:instance:argument:typing          \iniziatyping [...] ... \terminatyping
iniziatyping:instance:argument:XML             \iniziaXML [...] ... \terminaXML
iniziatyping:instance:LUA                       \iniziaLUA [..=..] ... \terminaLUA
iniziatyping:instance:MP                        \iniziaMP [..=..] ... \terminaMP
iniziatyping:instance:PARSEDXML                 \iniziaPARSEDXML [..=..] ... \terminaPARSEDXML
iniziatyping:instance:TEX                        \iniziaTEX [..=..] ... \terminaTEX
iniziatyping:instance:typing                     \iniziatyping [..=..] ... \terminatyping
iniziatyping:instance:XML                        \iniziaXML [..=..] ... \terminaXML
iniziauniqueMPgraphic                          \iniziauniqueMPgraphic {...} {...} ... \terminauniqueMPgraphic
iniziauniqueMPpagegraphic                      \iniziauniqueMPpagegraphic {...} {...} ... \terminauniqueMPpagegraphic
iniziaunpacked                                 \iniziaunpacked ... \terminaunpacked
iniziausableMPgraphic                          \iniziausableMPgraphic {...} {...} ... \terminausableMPgraphic
iniziauseMPgraphic                             \iniziauseMPgraphic {...} {...} ... \terminauseMPgraphic
iniziausemathstyleparameter                    \iniziausemathstyleparameter \... ... \terminausemathstyleparameter
iniziausingbtxspecification                    \iniziausingbtxspecification [...] ... \terminausingbtxspecification
iniziavaia                                     \iniziavaia [...] ... \terminavaia
iniziavboxregister                             \iniziavboxregister ... ... \terminavboxregister
iniziavboxtohbox                               \iniziavboxtohbox ... \terminavboxtohbox
iniziavboxtohboxseparator                      \iniziavboxtohboxseparator ... \terminavboxtohboxseparator
iniziaviewerlayer                              \iniziaviewerlayer [...] ... \terminaviewerlayer
iniziaviewerlayer:example                      \iniziaVIEWERLAYER ... \terminaVIEWERLAYER
iniziavtopregister                             \iniziavtopregister ... ... \terminavtopregister
iniziaxcell                                    \iniziaxcell [...] [..=..] ... \terminaxcell
iniziaxcellgroup                               \iniziaxcellgroup [...] [..=..] ... \terminaxcellgroup
iniziaxcolumn                                  \iniziaxcolumn [...] [..=..] ... \terminaxcolumn
iniziaxgroup                                   \iniziaxgroup [...] [..=..] ... \terminaxgroup
iniziaxmldisplayverbatim                       \iniziaxmldisplayverbatim [...] ... \terminaxmldisplayverbatim
iniziaxmlinlineverbatim                        \iniziaxmlinlineverbatim [...] ... \terminaxmlinlineverbatim
iniziaxmlraw                                   \iniziaxmlraw ... \terminaxmlraw
iniziaxmlsetups                                \iniziaxmlsetups [...] [...] ... \terminaxmlsetups
iniziaxmlsetups:string                         \iniziaxmlsetups ... ... \terminaxmlsetups
iniziaxrow                                     \iniziaxrow [...] [..=..] ... \terminaxrow
iniziaxrowgroup                                \iniziaxrowgroup [...] [..=..] ... \terminaxrowgroup
iniziaxtable                                   \iniziaxtable [..=..] ... \terminaxtable
iniziaxtablebody                               \iniziaxtablebody [..=..] ... \terminaxtablebody
iniziaxtablebody:name                          \iniziaxtablebody [...] ... \terminaxtablebody
iniziaxtablefoot                               \iniziaxtablefoot [..=..] ... \terminaxtablefoot
iniziaxtablefoot:name                          \iniziaxtablefoot [...] ... \terminaxtablefoot
iniziaxtablehead                               \iniziaxtablehead [..=..] ... \terminaxtablehead
iniziaxtablehead:name                          \iniziaxtablehead [...] ... \terminaxtablehead
```

```
iniziaxtablenext                       \iniziaxtablenext [..=..] ... \terminaxtablenext
iniziaxtablenext:name                  \iniziaxtablenext [...] ... \terminaxtablenext
iniziaxtable:example                   \iniziaXTABLE [..=..] ... \terminaXTABLE
iniziaxtable:name                      \iniziaxtable [...] ... \terminaxtable
inlinebuffer                           \inlinebuffer [...]
inlinedbox                             \inlinedbox {...}
inlinemath                             \inlinemath {...}
inlinemathematics                      \inlinemathematics {...}
inlinemessage                          \inlinemessage {...}
inlineordisplaymath                    \inlineordisplaymath {...} {...}
inlineprettyprintbuffer                \inlineprettyprintbuffer {...} {...}
inlinerange                            \inlinerange [...]
innerflushshapebox                     \innerflushshapebox
input                                  \input {...}
inputfilebarename                      \inputfilebarename
inputfilename                          \inputfilename
inputfilerealsuffix                    \inputfilerealsuffix
inputfilesuffix                        \inputfilesuffix
inputgivenfile                         \inputgivenfile {...}
input:string                           \input ...
inriga                                 \inriga {...} [...]
insertpages                            \insertpages [...] [...] [..=..]
installactionhandler                   \installactionhandler {...}
installactivecharacter                 \installactivecharacter ...
installalingua                         \installalingua [...] [..=..]
installalingua:name                    \installalingua [...] [...]
installanddefineactivecharacter        \installanddefineactivecharacter ... {...}
installattributestack                  \installattributestack \...
installautocommandhandler              \installautocommandhandler \... {...} \...
installautosetuphandler                \installautosetuphandler \... {...}
installbasicautosetuphandler           \installbasicautosetuphandler \... {...} \...
installbasicparameterhandler           \installbasicparameterhandler \... {...}
installbottomframerenderer             \installbottomframerenderer {...} {...}
installcommandhandler                  \installcommandhandler \... {...} \...
installcorenamespace                   \installcorenamespace {...}
installdefinehandler                   \installdefinehandler \... {...} \...
installdefinitionset                   \installdefinitionset \... {...}
installdefinitionsetmember             \installdefinitionsetmember \... {...} \... {...}
installdirectcommandhandler            \installdirectcommandhandler \... {...}
installdirectparameterhandler          \installdirectparameterhandler \... {...}
installdirectparametersethandler       \installdirectparametersethandler \... {...}
installdirectsetuphandler              \installdirectsetuphandler \... {...}
installdirectstyleandcolorhandler      \installdirectstyleandcolorhandler \... {...}
installframedautocommandhandler        \installframedautocommandhandler \... {...} \...
installframedcommandhandler            \installframedcommandhandler \... {...} \...
installglobalmacrostack                \installglobalmacrostack \...
installleftframerenderer               \installleftframerenderer {...} {...}
installmacrostack                      \installmacrostack \...
installnamespace                       \installnamespace {...}
installoutputroutine                   \installoutputroutine \... {...}
installpagearrangement                 \installpagearrangement ... {...}
installparameterhandler                \installparameterhandler \... {...}
installparameterhashhandler            \installparameterhashhandler \... {...}
installparametersethandler             \installparametersethandler \... {...}
installparentinjector                  \installparentinjector \... {...}
installrightframerenderer              \installrightframerenderer {...} {...}
installrootparameterhandler            \installrootparameterhandler \... {...}
installsetuphandler                    \installsetuphandler \... {...}
installsetuponlycommandhandler         \installsetuponlycommandhandler \... {...}
installshipoutmethod                   \installshipoutmethod {...} {...}
installsimplecommandhandler            \installsimplecommandhandler \... {...} \...
installsimpleframedcommandhandler      \installsimpleframedcommandhandler \... {...} \...
installstyleandcolorhandler            \installstyleandcolorhandler \... {...}
installswitchcommandhandler            \installswitchcommandhandler \... {...} \...
installswitchsetuphandler              \installswitchsetuphandler \... {...}
installtexdirective                    \installtexdirective {...} {...} {...}
installtextracker                      \installtextracker {...} {...} {...}
installtopframerenderer                \installtopframerenderer {...} {...}
instalunitsseparator                   \instalunitsseparator {...} {...}
installunitsspace                      \installunitsspace {...} {...}
installversioninfo                     \installversioninfo {...} {...}
integerrounding                        \integerrounding {...}
```

```
intertext                              \intertext {...}
intorno                                \intorno [...]
invokepageheandler                     \invokepageheandler {...} {...}
istltdir                               \istltdir ...
istrtdir                               \istrtdir ...
italiccorrection                       \italiccorrection
italicface                             \italicface
itemtag                                \itemtag [...]
jobfilename                            \jobfilename
jobfilesuffix                          \jobfilesuffix
kap                                    \kap {...}
keeplinestogether                      \keeplinestogether {...}
keepunwantedspaces                     \keepunwantedspaces
kerncharacters                         \kerncharacters [...] {...}
koreancirclenumerals                   \koreancirclenumerals {...}
koreannumerals                         \koreannumerals {...}
koreannumeralsc                        \koreannumeralsc {...}
koreannumeralsp                        \koreannumeralsp {...}
koreanparentnumerals                   \koreanparentnumerals {...}
LAMSTEX                                \LAMSTEX
LATEX                                  \LATEX
LamSTeX                                \LamSTeX
LaTeX                                  \LaTeX
Lettera                                \Lettera {...}
Lettere                                \Lettere {...}
LUAJITTEX                              \LUAJITTEX
LUATEX                                 \LUATEX
Lua                                    \Lua
LuajitTeX                              \LuajitTeX
LuaTeX                                 \LuaTeX
labellanguage:instance                 \LABELlingua
labellanguage:instance:btxlabel        \btxlabellingua
labellanguage:instance:head            \headlingua
labellanguage:instance:label           \labellingua
labellanguage:instance:mathlabel       \mathlabellingua
labellanguage:instance:operator        \operatorlingua
labellanguage:instance:prefix          \prefixlingua
labellanguage:instance:suffix          \suffixlingua
labellanguage:instance:taglabel        \taglabellingua
labellanguage:instance:unit            \unitlingua
labeltexts:instance                    \LABELtexts {...} {...}
labeltexts:instance:head               \headtexts {...} {...}
labeltexts:instance:label              \labeltexts {...} {...}
labeltexts:instance:mathlabel          \mathlabeltexts {...} {...}
languageCharacters                     \languageCharacters {...}
languagecharacters                     \languagecharacters {...}
languagecharwidth                      \languagecharwidth {...}
lastcounter                            \lastcounter [...] [...]
lastcountervalue                       \lastcountervalue [...]
lastdigit                              \lastdigit {...}
lastlinewidth                          \lastlinewidth
lastnaturalboxdp                       \lastnaturalboxdp
lastnaturalboxht                       \lastnaturalboxht
lastnaturalboxwd                       \lastnaturalboxwd
lastpredefinedsymbol                   \lastpredefinedsymbol
lastrealpage                           \lastrealpage
lastrealpagenumber                     \lastrealpagenumber
lastsubcountervalue                    \lastsubcountervalue [...] [...]
lastsubpagenumber                      \lastsubpagenumber
lasttwodigits                          \lasttwodigits {...}
lastuserpage                           \lastuserpage
lastuserpagenumber                     \lastuserpagenumber
lateluacode                            \lateluacode {...}
layeredtext                            \layeredtext [..=..] [..=..] {...} {...}
layerheight                            \layerheight
layerwidth                             \layerwidth
lazysavetaggedtwopassdata              \lazysavetaggedtwopassdata {...} {...} {...} {...}
lazysavetwopassdata                    \lazysavetwopassdata {...} {...} {...}
lbox                                   \lbox ... {...}
leftbottombox                          \leftbottombox {...}
leftbox                                \leftbox {...}
lefthbox                               \lefthbox {...}
```

```
leftlabeltext:instance                      \leftLABELtesto {...}
leftlabeltext:instance:head                  \leftheadtesto {...}
leftlabeltext:instance:label                 \leftlabeltesto {...}
leftlabeltext:instance:mathlabel             \leftmathlabeltesto {...}
leftline                                     \leftline {...}
leftorrighthbox                              \leftorrighthbox ... {...}
leftorrightvbox                              \leftorrightvbox ... {...}
leftorrightvtop                              \leftorrightvtop ... {...}
leftskipadaption                             \leftskipadaption
leftsubguillemot                             \leftsubguillemot
lefttopbox                                   \lefttopbox {...}
lefttoright                                  \lefttoright
lefttorighthbox                              \lefttorighthbox ... {...}
lefttorightvbox                              \lefttorightvbox ... {...}
lefttorightvtop                              \lefttorightvtop ... {...}
letbeundefined                               \letbeundefined {...}
letcatcodecommand                            \letcatcodecommand \... ... \...
letcscsname                                  \letcscsname \... \csname ... \endcsname
letcsnamecs                                  \letcsnamecs \csname ... \endcsname \...
letcsnamecsname                              \letcsnamecsname \csname ... \endcsname \csname ... \endcsname
letdummyparameter                            \letdummyparameter {...} \...
letempty                                     \letempty \...
letgvalue                                    \letgvalue {...} \...
letgvalueempty                               \letgvalueempty {...}
letgvalurelax                                \letgvalurelax {...}
lettera                                      \lettera {...}
letterampersand                              \letterampersand
letterat                                     \letterat
letterbackslash                              \letterbackslash
letterbar                                    \letterbar
letterbgroup                                 \letterbgroup
letterclosebrace                             \letterclosebrace
lettercolon                                  \lettercolon
letterdollar                                 \letterdollar
letterdoublequote                            \letterdoublequote
lettere                                      \lettere {...}
letteregroup                                 \letteregroup
letterescape                                 \letterescape
letterexclamationmark                        \letterexclamationmark
letterhash                                   \letterhash
letterhat                                    \letterhat
letterleftbrace                              \letterleftbrace
letterleftbracket                            \letterleftbracket
letterleftparenthesis                        \letterleftparenthesis
letterless                                   \letterless
lettermore                                   \lettermore
letteropenbrace                              \letteropenbrace
letterpercent                                \letterpercent
letterquestionmark                           \letterquestionmark
letterrightbrace                             \letterrightbrace
letterrightbracket                           \letterrightbracket
letterrightparenthesis                       \letterrightparenthesis
lettersinglequote                            \lettersinglequote
letterslash                                  \letterslash
letterspacing                                \letterspacing [...] {...}
lettertilde                                  \lettertilde
letterunderscore                             \letterunderscore
letvalue                                      \letvalue {...} \...
letvalueempty                                \letvalueempty {...}
letvaluerelax                                \letvaluerelax {...}
lfence                                        \lfence {...}
lhbox                                         \lhbox {...}
limitatefirstline                            \limitatefirstline {...} {...} {...}
limitatelines                                \limitatelines {...} {...} {...}
limitatetext                                 \limitatetext {...} {...} {...}
limitatetext:list                            \limitatetext {...} {...} {...}
lineanera                                     \lineanera [..=..]
lineasottile                                  \lineasottile
lineatesto                                    \lineatesto [...] {...}
linebox                                       \linebox {...}
lineenere                                     \lineenere [..=..]
lineeriempimento                              \lineeriempimento [..=..] {...} {...}
```

lineesottili	`\lineesottili [..=..]`
linenote:instance	`\LINENOTE {...}`
linenote:instance:linenote	`\linenote {...}`
linespanningtext	`\linespanningtext {...} {...} {...}`
lingua	`\lingua [...]`
linguaprincipale	`\linguaprincipale [...]`
lingua:example	`\LANGUAGE`
listcitation	`\listcitation [..=..] [...]`
listcitation:alternative	`\listcitation [...] [...]`
listcitation:userdata	`\listcitation [..=..] [..=..]`
listcite	`\listcite [..=..] [...]`
listcite:alternative	`\listcite [...] [...]`
listcite:userdata	`\listcite [..=..] [..=..]`
listnamespaces	`\listnamespaces`
llap	`\llap {...}`
loadanyfile	`\loadanyfile [...]`
loadanyfileonce	`\loadanyfileonce [...]`
loadbtxdefinitionfile	`\loadbtxdefinitionfile [...]`
loadbtxreplacementfile	`\loadbtxreplacementfile [...]`
loadcldfile	`\loadcldfile [...]`
loadcldfileonce	`\loadcldfileonce [...]`
loadfontgoodies	`\loadfontgoodies [...]`
loadluafile	`\loadluafile [...]`
loadluafileonce	`\loadluafileonce [...]`
loadspellchecklist	`\loadspellchecklist [...] [...]`
loadtexfile	`\loadtexfile [...]`
loadtexfileonce	`\loadtexfileonce [...]`
loadtypescriptfile	`\loadtypescriptfile [...]`
localframed	`\localframed [...] [..=..] {...}`
localframedwithsettings	`\localframedwithsettings [...] [..=..] {...}`
localhsize	`\localhsize`
localpopbox	`\localpopbox ...`
localpopmacro	`\localpopmacro \...`
localpushbox	`\localpushbox ...`
localpushmacro	`\localpushmacro \...`
localundefine	`\localundefine {...}`
locatedfilepath	`\locatedfilepath`
locatefilepath	`\locatefilepath {...}`
locfilename	`\locfilename {...}`
lomihi	`\lomihi {...} {...} {...}`
lowerbox	`\lowerbox {...} \... {...}`
lowercased	`\lowercased {...}`
lowercasestring	`\lowercasestring ... \to \...`
lowerleftdoubleninequote	`\lowerleftdoubleninequote`
lowerleftsingleninequote	`\lowerleftsingleninequote`
lowerrightdoubleninequote	`\lowerrightdoubleninequote`
lowerrightsingleninequote	`\lowerrightsingleninequote`
lowhigh:instance	`\LOWHIGH [...] {...} {...}`
lowmidhigh:instance	`\LOWMIDHIGH {...} {...} {...}`
lrtbbox	`\lrtbbox {...} {...} {...} {...} {...}`
ltop	`\ltop ... {...}`
luacode	`\luacode {...}`
luaconditional	`\luaconditional \...`
luaenvironment	`\luaenvironment ...`
luaexpanded	`\luaexpanded {...}`
luaexpr	`\luaexpr {...}`
luafunction	`\luafunction {...}`
luajitTeX	`\luajitTeX`
luamajorversion	`\luamajorversion`
luaminorversion	`\luaminorversion`
luaparameterset	`\luaparameterset {...} {...}`
luasetup	`\luasetup {...}`
luaTeX	`\luaTeX`
luaversion	`\luaversion`
lunghezzaelenco	`\lunghezzaelenco`
MESE	`\MESE {...}`
METAFONT	`\METAFONT`
METAFUN	`\METAFUN`
METAPOST	`\METAPOST`
MetaFont	`\MetaFont`
MetaFun	`\MetaFun`
MetaPost	`\MetaPost`

```
MKII                                  \MKII
MKIV                                  \MKIV
MKIX                                  \MKIX
MKVI                                  \MKVI
MKXI                                  \MKXI
MONTHLONG                             \MONTHLONG {...}
MONTHSHORT                            \MONTHSHORT {...}
MPanchor                              \MPanchor {...}
MPbetex                               \MPbetex {...}
MPc                                   \MPc {...}
MPcode                                \MPcode {...} {...}
MPcolor                               \MPcolor {...}
MPcoloronly                           \MPcoloronly {...}
MPcolumn                              \MPcolumn {...}
MPd                                   \MPd {...}
MPdrawing                             \MPdrawing {...}
MPfontsizehskip                       \MPfontsizehskip {...}
MPgetmultipars                        \MPgetmultipars {...} {...}
MPgetmultishape                       \MPgetmultishape {...} {...}
MPgetposboxes                         \MPgetposboxes {...} {...}
MPh                                   \MPh {...}
MPII                                  \MPII
MPIV                                  \MPIV
MPinclusions                          \MPinclusions [...] {...} {...}
MPleftskip                            \MPleftskip {...}
MPll                                  \MPll {...}
MPlr                                  \MPlr {...}
MPls                                  \MPls {...}
MPmenubuttons                         \MPmenubuttons {...}
MPn                                   \MPn {...}
MPoptions                             \MPoptions {...}
MPoverlayanchor                       \MPoverlayanchor {...}
MPp                                   \MPp {...}
MPpage                                \MPpage {...}
MPpardata                             \MPpardata {...}
MPplus                                \MPplus {...} {...} {...}
MPpos                                 \MPpos {...}
MPpositiongraphic                     \MPpositiongraphic {...} {..=..}
MPposset                              \MPposset {...}
MPr                                   \MPr {...}
MPrawvar                              \MPrawvar {...} {...}
MPregion                              \MPregion {...}
MPrest                                \MPrest {...} {...}
MPrightskip                           \MPrightskip {...}
MPrs                                  \MPrs {...}
MPstring                              \MPstring {...}
MPtext                                \MPtext {...}
MPtransparency                        \MPtransparency {...}
MPul                                  \MPul {...}
MPur                                  \MPur {...}
MPVI                                  \MPVI
MPv                                   \MPv {...} {...} {...}
MPvar                                 \MPvar {...}
MPvariable                            \MPvariable {...}
MPvv                                  \MPvv {...} {...}
MPw                                   \MPw {...}
MPwhd                                 \MPwhd {...}
MPx                                   \MPx {...}
MPxy                                  \MPxy {...}
MPxywhd                               \MPxywhd {...}
MPy                                   \MPy {...}
m                                     \m [...] {...}
makecharacteractive                   \makecharacteractive ...
makerawcommalist                      \makerawcommalist [...] \...
makestrutofbox                        \makestrutofbox ...
mapfontsize                           \mapfontsize [...] [...]
marcatura                             \marcatura (...,...) (...,...) [...]
margindata                            \margindata [...] [..=..] [..=..] {...}
margindata:instance                   \MARGINDATA [..=..] [..=..] {...}
margindata:instance:atleftmargin      \atleftmargin [..=..] [..=..] {...}
margindata:instance:atrightmargin     \atrightmargin [..=..] [..=..] {...}
margindata:instance:ininner           \ininner [..=..] [..=..] {...}
```

```
margindata:instance:ininneredge                        \ininneredge [..=..] [..=..] {...}
margindata:instance:ininnermargin                      \ininnermargin [..=..] [..=..] {...}
margindata:instance:inleft                             \inleft [..=..] [..=..] {...}
margindata:instance:inleftedge                         \inleftedge [..=..] [..=..] {...}
margindata:instance:inleftmargin                       \inleftmargin [..=..] [..=..] {...}
margindata:instance:inmargin                           \inmargin [..=..] [..=..] {...}
margindata:instance:inother                            \inother [..=..] [..=..] {...}
margindata:instance:inouter                            \inouter [..=..] [..=..] {...}
margindata:instance:inouteredge                        \inouteredge [..=..] [..=..] {...}
margindata:instance:inoutermargin                      \inoutermargin [..=..] [..=..] {...}
margindata:instance:inright                            \inright [..=..] [..=..] {...}
margindata:instance:inrightedge                        \inrightedge [..=..] [..=..] {...}
margindata:instance:inrightmargin                      \inrightmargin [..=..] [..=..] {...}
margindata:instance:margintext                         \margintext [..=..] [..=..] {...}
markcontent                                            \markcontent [...] {...}
markedpages                                            \markedpages [...]
markinjector                                           \markinjector [...]
markpage                                               \markpage [...] [...]
mat                                                    \mat {...}
matematica                                             \matematica [...] {...}
math                                                   \math [...] {...}
mathbf                                                 \mathbf
mathbi                                                 \mathbi
mathblackboard                                         \mathblackboard
mathbs                                                 \mathbs
mathcommand:example                                    \MATHCOMMAND {...} {...}
mathdefault                                            \mathdefault
mathdouble                                             \mathdouble [...] {...} {...} {...}
mathdoubleextensible:instance                          \MATHDOUBLEEXTENSIBLE {...} {...}
mathdoubleextensible:instance:doublebar                \doublebar {...} {...}
mathdoubleextensible:instance:doublebrace              \doublebrace {...} {...}
mathdoubleextensible:instance:doublebracket            \doublebracket {...} {...}
mathdoubleextensible:instance:doubleparent             \doubleparent {...} {...}
mathdoubleextensible:instance:overbarunderbar          \overbarunderbar {...} {...}
mathdoubleextensible:instance:overbraceunderbrace      \overbraceunderbrace {...} {...}
mathdoubleextensible:instance:overbracketunderbracket  \overbracketunderbracket {...} {...}
mathdoubleextensible:instance:overparentunderparent    \overparentunderparent {...} {...}
mathextensible:instance                                \MATHEXTENSIBLE {...} {...}
mathextensible:instance:cleftarrow                     \cleftarrow {...} {...}
mathextensible:instance:crightarrow                    \crightarrow {...} {...}
mathextensible:instance:crightoverleftarrow            \crightoverleftarrow {...} {...}
mathextensible:instance:eleftarrowfill                 \eleftarrowfill {...} {...}
mathextensible:instance:eleftharpoondownfill           \eleftharpoondownfill {...} {...}
mathextensible:instance:eleftharpoonupfill             \eleftharpoonupfill {...} {...}
mathextensible:instance:eleftrightarrowfill            \eleftrightarrowfill {...} {...}
mathextensible:instance:eoverbarfill                   \eoverbarfill {...} {...}
mathextensible:instance:eoverbracefill                 \eoverbracefill {...} {...}
mathextensible:instance:eoverbracketfill               \eoverbracketfill {...} {...}
mathextensible:instance:eoverparentfill                \eoverparentfill {...} {...}
mathextensible:instance:erightarrowfill                \erightarrowfill {...} {...}
mathextensible:instance:erightharpoondownfill          \erightharpoondownfill {...} {...}
mathextensible:instance:erightharpoonupfill            \erightharpoonupfill {...} {...}
mathextensible:instance:etwoheadrightarrowfill         \etwoheadrightarrowfill {...} {...}
mathextensible:instance:eunderbarfill                  \eunderbarfill {...} {...}
mathextensible:instance:eunderbracefill                \eunderbracefill {...} {...}
mathextensible:instance:eunderbracketfill              \eunderbracketfill {...} {...}
mathextensible:instance:eunderparentfill               \eunderparentfill {...} {...}
mathextensible:instance:mequal                         \mequal {...} {...}
mathextensible:instance:mhookleftarrow                 \mhookleftarrow {...} {...}
mathextensible:instance:mhookrightarrow                \mhookrightarrow {...} {...}
mathextensible:instance:mLeftarrow                     \mLeftarrow {...} {...}
mathextensible:instance:mLeftrightarrow                \mLeftrightarrow {...} {...}
mathextensible:instance:mleftarrow                     \mleftarrow {...} {...}
mathextensible:instance:mleftharpoondown               \mleftharpoondown {...} {...}
mathextensible:instance:mleftharpoonup                 \mleftharpoonup {...} {...}
mathextensible:instance:mleftrightarrow                \mleftrightarrow {...} {...}
mathextensible:instance:mleftrightharpoons             \mleftrightharpoons {...} {...}
mathextensible:instance:mmapsto                        \mmapsto {...} {...}
mathextensible:instance:mRightarrow                    \mRightarrow {...} {...}
mathextensible:instance:mrel                           \mrel {...} {...}
mathextensible:instance:mrightarrow                    \mrightarrow {...} {...}
mathextensible:instance:mrightharpoondown              \mrightharpoondown {...} {...}
```

mathextensible:instance:mrightharpoonup	`\mrightharpoonup {...} {...}`
mathextensible:instance:mrightleftharpoons	`\mrightleftharpoons {...} {...}`
mathextensible:instance:mrightoverleftarrow	`\mrightoverleftarrow {...} {...}`
mathextensible:instance:mtriplerel	`\mtriplerel {...} {...}`
mathextensible:instance:mtwoheadleftarrow	`\mtwoheadleftarrow {...} {...}`
mathextensible:instance:mtwoheadrightarrow	`\mtwoheadrightarrow {...} {...}`
mathextensible:instance:tequal	`\tequal {...} {...}`
mathextensible:instance:thookleftarrow	`\thookleftarrow {...} {...}`
mathextensible:instance:thookrightarrow	`\thookrightarrow {...} {...}`
mathextensible:instance:tLeftarrow	`\tLeftarrow {...} {...}`
mathextensible:instance:tLeftrightarrow	`\tLeftrightarrow {...} {...}`
mathextensible:instance:tleftarrow	`\tleftarrow {...} {...}`
mathextensible:instance:tleftharpoondown	`\tleftharpoondown {...} {...}`
mathextensible:instance:tleftharpoonup	`\tleftharpoonup {...} {...}`
mathextensible:instance:tleftrightarrow	`\tleftrightarrow {...} {...}`
mathextensible:instance:tleftrightharpoons	`\tleftrightharpoons {...} {...}`
mathextensible:instance:tmapsto	`\tmapsto {...} {...}`
mathextensible:instance:tRightarrow	`\tRightarrow {...} {...}`
mathextensible:instance:trel	`\trel {...} {...}`
mathextensible:instance:trightarrow	`\trightarrow {...} {...}`
mathextensible:instance:trightharpoondown	`\trightharpoondown {...} {...}`
mathextensible:instance:trightharpoonup	`\trightharpoonup {...} {...}`
mathextensible:instance:trightleftharpoons	`\trightleftharpoons {...} {...}`
mathextensible:instance:trightoverleftarrow	`\trightoverleftarrow {...} {...}`
mathextensible:instance:ttriplerel	`\ttriplerel {...} {...}`
mathextensible:instance:ttwoheadleftarrow	`\ttwoheadleftarrow {...} {...}`
mathextensible:instance:ttwoheadrightarrow	`\ttwoheadrightarrow {...} {...}`
mathextensible:instance:xequal	`\xequal {...} {...}`
mathextensible:instance:xhookleftarrow	`\xhookleftarrow {...} {...}`
mathextensible:instance:xhookrightarrow	`\xhookrightarrow {...} {...}`
mathextensible:instance:xLeftarrow	`\xLeftarrow {...} {...}`
mathextensible:instance:xLeftrightarrow	`\xLeftrightarrow {...} {...}`
mathextensible:instance:xleftarrow	`\xleftarrow {...} {...}`
mathextensible:instance:xleftharpoondown	`\xleftharpoondown {...} {...}`
mathextensible:instance:xleftharpoonup	`\xleftharpoonup {...} {...}`
mathextensible:instance:xleftrightarrow	`\xleftrightarrow {...} {...}`
mathextensible:instance:xleftrightharpoons	`\xleftrightharpoons {...} {...}`
mathextensible:instance:xmapsto	`\xmapsto {...} {...}`
mathextensible:instance:xRightarrow	`\xRightarrow {...} {...}`
mathextensible:instance:xrel	`\xrel {...} {...}`
mathextensible:instance:xrightarrow	`\xrightarrow {...} {...}`
mathextensible:instance:xrightharpoondown	`\xrightharpoondown {...} {...}`
mathextensible:instance:xrightharpoonup	`\xrightharpoonup {...} {...}`
mathextensible:instance:xrightleftharpoons	`\xrightleftharpoons {...} {...}`
mathextensible:instance:xrightoverleftarrow	`\xrightoverleftarrow {...} {...}`
mathextensible:instance:xtriplerel	`\xtriplerel {...} {...}`
mathextensible:instance:xtwoheadleftarrow	`\xtwoheadleftarrow {...} {...}`
mathextensible:instance:xtwoheadrightarrow	`\xtwoheadrightarrow {...} {...}`
mathfraktur	`\mathfraktur`
mathframed:instance	`\MATHFRAMED [..=..] {...}`
mathframed:instance:inmframed	`\inmframed [..=..] {...}`
mathframed:instance:mcframed	`\mcframed [..=..] {...}`
mathframed:instance:mframed	`\mframed [..=..] {...}`
mathfunction	`\mathfunction {...}`
mathit	`\mathit`
mathitalic	`\mathitalic`
mathmatrix	`\MATHMATRIX {...}`
mathop	`\mathop {...}`
mathornament:example	`\MATHORNAMENT {...}`
mathover	`\mathover [...] {...} {...}`
mathoverextensible:example	`\MATHOVEREXTENSIBLE {...}`
mathovertextextensible:instance	`\MATHOVERTEXTEXTENSIBLE {...} {...}`
mathradical:example	`\MATHRADICAL [...] {...}`
mathrm	`\mathrm`
mathscript	`\mathscript`
mathsl	`\mathsl`
mathss	`\mathss`
mathtext	`\mathtext ... {...}`
mathtextbf	`\mathtextbf ... {...}`
mathtextbi	`\mathtextbi ... {...}`
mathtextbs	`\mathtextbs ... {...}`
mathtextit	`\mathtextit ... {...}`

```
mathtextsl                              \mathtextsl ... {...}
mathtexttf                              \mathtexttf ... {...}
mathtf                                  \mathtf
mathtriplet                             \mathtriplet [...] {...} {...} {...}
mathtriplet:example                     \MATHTRIPLET [...] {...} {...} {...}
mathtt                                  \mathtt
mathunder                               \mathunder [...] {...} {...}
mathunderextensible:example             \MATHUNDEREXTENSIBLE {...}
mathundertextextensible:instance        \MATHUNDERTEXTEXTENSIBLE {...} {...}
mathunstacked:example                   \MATHUNSTACKED
mathupright                             \mathupright
mathword                                \mathword ... {...}
mathwordbf                              \mathwordbf ... {...}
mathwordbi                              \mathwordbi ... {...}
mathwordbs                              \mathwordbs ... {...}
mathwordit                              \mathwordit ... {...}
mathwordsl                              \mathwordsl ... {...}
mathwordtf                              \mathwordtf ... {...}
maxaligned                              \maxaligned {...}
mbox                                    \mbox {...}
measure                                 \measure {...}
measured                                \measured {...}
medskip                                 \medskip
medspace                                \medspace
menuinterattivo                         \menuinterattivo [...] [..=..]
mese                                    \mese {...}
message                                 \message {...}
metaTeX                                 \metaTeX
mettielenco                             \mettielenco [...] [..=..]
mettielencocombinato                    \mettielencocombinato [...] [..=..]
mettielencocombinato:instance           \mettiCOMBINEDLIST [..=..]
mettielencocombinato:instance:content   \metticontent [..=..]
mettifiancoafianco                      \mettifiancoafianco {...} {...}
mettiformula                            \mettiformula [...] {...}
mettiingriglia                          \mettiingriglia [...] {...}
mettiingriglia:list                     \mettiingriglia [...] {...}
mettinotepdp                            \mettinotepdp [..=..]
mettinotepdplocali                      \mettinotepdplocali [..=..]
mettinumeropagina                       \mettinumeropagina
mettiregistro                           \mettiregistro [...] [..=..]
mettiregistro:instance                  \mettiREGISTER [..=..]
mettiregistro:instance:index            \mettiindex [..=..]
mettisegnalibro                         \mettisegnalibro [...] [...] [..=..]
mettisottoformula                       \mettisottoformula [...] {...}
mettiunosullaltro                       \mettiunosullaltro {...} {...}
mfence                                  \mfence {...}
mfunction                               \mfunction {...}
mfunctionlabeltext                      \mfunctionlabeltext {...}
mhbox                                   \mhbox {...}
middlealigned                           \middlealigned {...}
middlebox                               \middlebox {...}
midhbox                                 \midhbox {...}
midsubsentence                          \midsubsentence
minimalhbox                             \minimalhbox ... {...}
mixedcaps                               \mixedcaps {...}
mkvibuffer                              \mkvibuffer [...]
moduleparameter                         \moduleparameter {...} {...}
molecule                                \molecule {...}
mono                                    \mono
monograssetto                           \monograssetto
mononormal                              \mononormal
monthlong                               \monthlong {...}
monthshort                              \monthshort {...}
mostraambientefontdeltesto              \mostraambientefontdeltesto [...]
mostracolore                            \mostracolore [...]
mostracornice                           \mostracornice [...] [...]
mostrafontdeltesto                      \mostrafontdeltesto [...]
mostragriglia                           \mostragriglia [...]
mostragruppocolori                      \mostragruppocolori [...] [...]
mostraimpostazioni                      \mostraimpostazioni [...]
mostralyout                             \mostralyout [...]
mostramakeup                            \mostramakeup [...]
```

```
mostrasetsimboli                  \mostrasetsimboli [...]
mostrastampa                      \mostrastampa [...] [...] [..=..]
mostrastruts                      \mostrastruts
mostratavolozza                   \mostratavolozza [...] [...]
mprandomnumber                    \mprandomnumber
mtext                             \mtext {...}
NormalizeFontHeight               \NormalizeFontHeight \... {...} {...} {...}
NormalizeFontWidth                \NormalizeFontWidth \... {...} {...} {...}
NormalizeTextHeight               \NormalizeTextHeight {...} {...} {...}
NormalizeTextWidth                \NormalizeTextWidth {...} {...} {...}
Numeri                            \Numeri {...}
Numeriromani                      \Numeriromani {...}
namedheadnumber                   \namedheadnumber {...}
namedstructureheadlocation        \namedstructureheadlocation {...}
namedstructureuservariable        \namedstructureuservariable {...} {...}
namedstructurevariable            \namedstructurevariable {...} {...}
namedtaggedlabeltexts             \namedtaggedlabeltexts {...} {...} {...} {...} {...}
nascondiblocchi                   \nascondiblocchi [...] [...]
naturalhbox                       \naturalhbox ... {...}
naturalhpack                      \naturalhpack ... {...}
naturalvbox                       \naturalvbox ... {...}
naturalvcenter                    \naturalvcenter ... {...}
naturalvpack                      \naturalvpack ... {...}
naturalvtop                       \naturalvtop ... {...}
naturalwd                         \naturalwd ...
negatecolorbox                    \negatecolorbox ...
negated                           \negated {...}
negemspace                        \negemspace
negenspace                        \negenspace
negthinspace                      \negthinspace
newattribute                      \newattribute \...
newcatcodetable                   \newcatcodetable \...
newcounter                        \newcounter \...
newevery                          \newevery \... \...
newfrenchspacing                  \newfrenchspacing
newmode                           \newmode {...}
newsignal                         \newsignal \...
newsystemmode                     \newsystemmode {...}
nextbox                           \nextbox
nextboxdp                         \nextboxdp
nextboxht                         \nextboxht
nextboxhtdp                       \nextboxhtdp
nextboxwd                         \nextboxwd
nextcounter                       \nextcounter [...] [...]
nextcountervalue                  \nextcountervalue [...]
nextdepth                         \nextdepth
nextparagraphs                    \nextparagraphs
nextparagraphs:example            \successivoPARAGRAPHS
nextrealpage                      \nextrealpage
nextrealpagenumber                \nextrealpagenumber
nextsubcountervalue               \nextsubcountervalue [...] [...]
nextsubpagenumber                 \nextsubpagenumber
nextuserpage                      \nextuserpage
nextuserpagenumber                \nextuserpagenumber
nientelineecimafondo              \nientelineecimafondo
nientelineintestazionepdp         \nientelineintestazionepdp
nientespazio                      \nientespazio
nocap                             \nocap {...}
nocharacteralign                  \nocharacteralign
nocitation                        \nocitation [...]
nocitation:direct                 \nocitation {...}
nocite                            \nocite [...]
nocite:direct                     \nocite {...}
nodetostring                      \nodetostring \... {...}
noffigurepages                    \noffigurepages
noflines                          \noflines
noflocalfloats                    \noflocalfloats
noheightstrut                     \noheightstrut
noindentation                     \noindentation
noitem                            \noitem
nonfrenchspacing                  \nonfrenchspacing
nonmathematics                    \nonmathematics {...}
```

```
normalboldface                          \normalboldface
normale                                 \normale
normalframedwithsettings                \normalframedwithsettings [..=..] {...}
normalitalicface                        \normalitalicface
normalizebodyfontsize                   \normalizebodyfontsize \... {...}
normalizedfontsize                      \normalizedfontsize
normalizefontdepth                      \normalizefontdepth \... {...} {...} {...}
normalizefontheight                     \normalizefontheight \... {...} {...} {...}
normalizefontline                       \normalizefontline \... {...} {...} {...}
normalizefontwidth                      \normalizefontwidth \... {...} {...} {...}
normalizetextdepth                      \normalizetextdepth {...} {...} {...}
normalizetextheight                     \normalizetextheight {...} {...} {...}
normalizetextline                       \normalizetextline {...} {...} {...}
normalizetextwidth                      \normalizetextwidth {...} {...} {...}
normalslantedface                       \normalslantedface
normaltypeface                          \normaltypeface
nota                                    \nota [...] [...]
nota:instance                           \NOTE [...] {...}
nota:instance:assignment                \NOTE [..=..]
nota:instance:assignment:endnote        \endnote [..=..]
nota:instance:assignment:footnote       \footnote [..=..]
nota:instance:endnote                   \endnote [...] {...}
nota:instance:footnote                  \footnote [...] {...}
notesymbol                              \notesymbol [...] [...]
notragged                               \notragged
ntimes                                  \ntimes {...} {...}
numberofpoints                          \numberofpoints {...}
numeri                                  \numeri {...}
numeriromani                            \numeriromani {...}
numeroformula                           \numeroformula [...]
numeropagina                            \numeropagina
numeropaginacompleto                    \numeropaginacompleto
numerotesta                             \numerotesta [...] [...]
numerotestacorrente                     \numerotestacorrente
obeydepth                               \obeydepth
objectdepth                             \objectdepth
objectheight                            \objectheight
objectmargin                            \objectmargin
objectwidth                             \objectwidth
obox                                    \obox {...}
offset                                  \offset [..=..] {...}
offsetbox                               \offsetbox [..=..] \... {...}
onedigitrounding                        \onedigitrounding {...}
ordinaldaynumber                        \ordinaldaynumber {...}
ordinalstr                              \ordinalstr {...}
ornamenttext:collector                  \ornamenttext [..=..] [..=..] {...} {...}
ornamenttext:direct                     \ornamenttext [...] {...} {...}
ornamenttext:layer                      \ornamenttext [..=..] [..=..] {...} {...}
ornament:example                        \ORNAMENT {...} {...}
outputfilename                          \outputfilename
outputstreambox                         \outputstreambox [...]
outputstreamcopy                        \outputstreamcopy [...]
outputstreamunvbox                      \outputstreamunvbox [...]
outputstreamunvcopy                     \outputstreamunvcopy [...]
over                                    \over [...]
overlaybutton                           \overlaybutton [...]
overlaybutton:direct                    \overlaybutton {...}
overlaycolor                            \overlaycolor
overlaydepth                            \overlaydepth
overlayfigure                           \overlayfigure {...}
overlayheight                           \overlayheight
overlayimage                            \overlayimage {...}
overlaylinecolor                        \overlaylinecolor
overlaylinewidth                        \overlaylinewidth
overlayoffset                           \overlayoffset
overlayrollbutton                       \overlayrollbutton [...] [...]
overlaywidth                            \overlaywidth
overloaderror                           \overloaderror
overset                                 \overset {...} {...}
PAROLA                                  \PAROLA {...}
PAROLE                                  \PAROLE {...}
Parola                                  \Parola {...}
```

```
Parole                          \Parole {...}
PDFcolor                        \PDFcolor {...}
PDFETEX                         \PDFETEX
PDFTEX                          \PDFTEX
PICTEX                          \PICTEX
PiCTeX                          \PiCTeX
PointsToBigPoints               \PointsToBigPoints {...} \...
PointsToReal                    \PointsToReal {...} \...
PointsToWholeBigPoints          \PointsToWholeBigPoints {...} \...
PPCHTEX                         \PPCHTEX
PPCHTeX                         \PPCHTeX
PRAGMA                          \PRAGMA
PtToCm                          \PtToCm {...}
pagearea                        \pagearea [...] [...] [...]
pagebreak                       \pagebreak [...]
pagefigure                      \pagefigure [...] [..=..]
pageinjection                   \pageinjection [...] [..=..]
pageinjection:assignment        \pageinjection [..=..] [..=..]
pagestaterealpage               \pagestaterealpage {...} {...}
pagestaterealpageorder          \pagestaterealpageorder {...} {...}
pagina                          \pagina [...]
paletsize                       \paletsize
paragraphs:example              \PARAGRAPHS
parola                          \parola {...}
paroladestra                    \paroladestra [...] {...}
pdfactualtext                   \pdfactualtext {...} {...}
pdfbackendactualtext            \pdfbackendactualtext {...} {...}
pdfbackendcurrentresources      \pdfbackendcurrentresources
pdfbackendsetcatalog            \pdfbackendsetcatalog {...} {...}
pdfbackendsetcolorspace         \pdfbackendsetcolorspace {...} {...}
pdfbackendsetextgstate          \pdfbackendsetextgstate {...} {...}
pdfbackendsetinfo               \pdfbackendsetinfo {...} {...}
pdfbackendsetname               \pdfbackendsetname {...} {...}
pdfbackendsetpageattribute      \pdfbackendsetpageattribute {...} {...}
pdfbackendsetpageresource       \pdfbackendsetpageresource {...} {...}
pdfbackendsetpagesattribute     \pdfbackendsetpagesattribute {...} {...}
pdfbackendsetpattern            \pdfbackendsetpattern {...} {...}
pdfbackendsetshade              \pdfbackendsetshade {...} {...}
pdfcolor                        \pdfcolor {...}
pdfeTeX                         \pdfeTeX
pdfTeX                          \pdfTeX
ped                             \ped {...}
pedap                           \pedap [...] {...} {...}
ped:instance                    \LOW {...}
ped:instance:unitslow           \unitslow {...}
percent                         \percent
percentdimen                    \percentdimen {...} {...}
perlungo                        \perlungo {...}
permitcaretescape               \permitcaretescape
permitcircumflexescape          \permitcircumflexescape
permitspacesbetweengroups       \permitspacesbetweengroups
persiandecimals                 \persiandecimals {...}
persiannumerals                 \persiannumerals {...}
phantom                         \phantom {...}
phantombox                      \phantombox [..=..]
piccolo                         \piccolo
piccolocorsivograssetto         \piccolocorsivograssetto
piccolofontdelcorpo             \piccolofontdelcorpo
piccolograssetto                \piccolograssetto
piccolograssettocorsivo         \piccolograssettocorsivo
piccolograssettoinclinato       \piccolograssettoinclinato
piccoloinclinato                \piccoloinclinato
piccoloinclinatograssetto       \piccoloinclinatograssetto
piccolonormale                  \piccolonormale
piccolotype                     \piccolotype
pickupgroupedcommand            \pickupgroupedcommand {...} {...} {...}
placeattachments                \placeattachments
placebtxrendering               \placebtxrendering [...] [..=..]
placecitation                   \placecitation [...]
placecomments                   \placecomments
placecurrentformulanumber       \placecurrentformulanumber
placedbox                       \placedbox {...}
```

placefloat	`\placefloat [...] [...] [...] {...} {...}`
placefloatwithsetups	`\placefloatwithsetups [...] [...] [...] {...} {...}`
placefloat:instance	`\mettiFLOAT [...] [...] {...} {...}`
placefloat:instance:chemical	`\mettichemical [...] [...] {...} {...}`
placefloat:instance:figure	`\mettifigure [...] [...] {...} {...}`
placefloat:instance:graphic	`\mettigraphic [...] [...] {...} {...}`
placefloat:instance:intermezzo	`\mettiintermezzo [...] [...] {...} {...}`
placefloat:instance:table	`\mettitable [...] [...] {...} {...}`
placeframed	`\placeframed [...] [..=..] {...}`
placehelp	`\placehelp`
placeinitial	`\placeinitial [...]`
placelayer	`\placelayer [...]`
placelayeredtext	`\placelayeredtext [...] [..=..] [..=..] {...} {...}`
placelistoffloats:instance	`\placelistofFLOATS [..=..]`
placelistoffloats:instance:chemicals	`\placelistofchemicals [..=..]`
placelistoffloats:instance:figures	`\placelistoffigures [..=..]`
placelistoffloats:instance:graphics	`\placelistofgraphics [..=..]`
placelistoffloats:instance:intermezzi	`\placelistofintermezzi [..=..]`
placelistoffloats:instance:tables	`\placelistoftables [..=..]`
placelistofpublications	`\placelistofpublications [...] [..=..]`
placelistofsorts	`\placelistofsorts [...] [..=..]`
placelistofsorts:instance	`\placelistofSORTS [..=..]`
placelistofsorts:instance:logos	`\placelistoflogos [..=..]`
placelistofsynonyms	`\placelistofsynonyms [...] [..=..]`
placelistofsynonyms:instance	`\placelistofSYNONYMS [..=..]`
placelistofsynonyms:instance:abbreviations	`\placelistofabbreviations [..=..]`
placelocalnotes	`\placelocalnotes [...] [..=..]`
placement	`\placement [...] [..=..] {...}`
placement:example	`\PLACEMENT [..=..] {...}`
placenamedfloat	`\placenamedfloat [...] [...]`
placenamedformula	`\placenamedformula [...] {...} {...}`
placenotes	`\placenotes [...] [..=..]`
placepairedbox	`\placepairedbox [...] [..=..] {...} {...}`
placepairedbox:instance	`\mettiPAIREDBOX [..=..] {...} {...}`
placepairedbox:instance:legend	`\mettilegend [..=..] {...} {...}`
placeparallel	`\placeparallel [...] [...] [..=..]`
placerawlist	`\placerawlist [...] [..=..]`
placerenderingwindow	`\placerenderingwindow [...] [...]`
popattribute	`\popattribute \...`
popmacro	`\popmacro \...`
popmode	`\popmode [...]`
popsystemmode	`\popsystemmode {...}`
positionoverlay	`\positionoverlay {...}`
positionregionoverlay	`\positionregionoverlay {...} {...}`
posizionanumerotesta	`\posizionanumerotesta [...]`
posizionatestotesta	`\posizionatestotesta [...]`
posizione	`\posizione [..=..] (...,...) {...}`
postponenotes	`\postponenotes`
predefinedfont	`\predefinedfont [...]`
predefinefont	`\predefinefont [...] [...]`
predefinesymbol	`\predefinesymbol [...]`
prefixedpagenumber	`\prefixedpagenumber`
prendibuffer	`\prendibuffer [...]`
prendibuffer:instance	`\prendiBUFFER`
prendimarcatura	`\prendimarcatura [...] [...] [...]`
prependetoks	`\prependetoks ... \to \...`
prependgvalue	`\prependgvalue {...} {...}`
prependtocommalist	`\prependtocommalist {...} \...`
prependtoks	`\prependtoks ... \to \...`
prependtoksonce	`\prependtoksonce ... \to \...`
prependvalue	`\prependvalue {...} {...}`
prerollblank	`\prerollblank [...]`
presetdocument	`\presetdocument [..=..]`
presetfieldsymbols	`\presetfieldsymbols [...]`
presetlabeltext:instance	`\presetLABELtesto [...] [..=..]`
presetlabeltext:instance:btxlabel	`\presetbtxlabeltesto [...] [..=..]`
presetlabeltext:instance:head	`\presetheadtesto [...] [..=..]`
presetlabeltext:instance:label	`\presetlabeltesto [...] [..=..]`
presetlabeltext:instance:mathlabel	`\presetmathlabeltesto [...] [..=..]`
presetlabeltext:instance:operator	`\presetoperatortesto [...] [..=..]`
presetlabeltext:instance:prefix	`\presetprefixtesto [...] [..=..]`
presetlabeltext:instance:suffix	`\presetsuffixtesto [...] [..=..]`

```
presetlabeltext:instance:taglabel          \presettaglabeltesto [...] [..=..]
presetlabeltext:instance:unit              \presetunittesto [...] [..=..]
pretocommalist                             \pretocommalist {...} \...
prettyprintbuffer                          \prettyprintbuffer {...} {...}
prevcounter                                \prevcounter [...] [...]
prevcountervalue                           \prevcountervalue [...]
preventmode                                \preventmode [...]
prevrealpage                               \prevrealpage
prevrealpagenumber                         \prevrealpagenumber
prevsubcountervalue                        \prevsubcountervalue [...] [...]
prevsubpage                                \prevsubpage
prevsubpagenumber                          \prevsubpagenumber
prevuserpage                               \prevuserpage
prevuserpagenumber                         \prevuserpagenumber
primasottopagina                           \primasottopagina
procent                                    \procent
processaction                              \processaction [...] [..,..=>..,..]
processallactionsinset                     \processallactionsinset [...] [..,..=>..,..]
processassignlist                          \processassignlist [...] \...
processassignmentcommand                   \processassignmentcommand [..=..] \...
processassignmentlist                      \processassignmentlist [..=..] \...
processbetween                             \processbetween {...} \...
processbodyfontenvironmentlist             \processbodyfontenvironmentlist \...
processcolorcomponents                     \processcolorcomponents {...}
processcommacommand                        \processcommacommand [...] \...
processcommalist                           \processcommalist [...] \...
processcommalistwithparameters             \processcommalistwithparameters [...] \...
processcontent                             \processcontent {...} \...
processfile                                \processfile {...}
processfilemany                            \processfilemany {...}
processfilenone                            \processfilenone {...}
processfileonce                            \processfileonce {...}
processfirstactioninset                    \processfirstactioninset [...] [..,..=>..,..]
processisolatedchars                       \processisolatedchars {...} \...
processisolatedwords                       \processisolatedwords {...} \...
processlinetablebuffer                     \processlinetablebuffer [...]
processlinetablefile                       \processlinetablefile {...}
processlist                                \processlist {...} {...} {...} \...
processMPbuffer                            \processMPbuffer [...]
processMPfigurefile                        \processMPfigurefile {...}
processmonth                               \processmonth {...} {...} {...}
processranges                              \processranges [...] \...
processseparatedlist                       \processseparatedlist [...] [...] {...}
processtexbuffer                           \processTEXbuffer [...]
processtokens                              \processtokens {...} {...} {...} {...} {...}
processuntil                               \processuntil \...
processxtablebuffer                        \processxtablebuffer [...]
processyear                                \processyear {...} {...} {...} {...}
prodotto                                   \prodotto [...]
prodotto:string                            \prodotto ...
profiledbox                                \profiledbox [...] [..=..] {...}
profilegivenbox                            \profilegivenbox {...} ...
progetto                                   \progetto [...]
progetto:string                            \progetto ...
programma                                  \programma [...]
pseudoMixedCapped                          \pseudoMixedCapped {...}
pseudoSmallCapped                          \pseudoSmallCapped {...}
pseudoSmallcapped                          \pseudoSmallcapped {...}
pseudosmallcapped                          \pseudosmallcapped {...}
pulsante                                   \pulsante [..=..] {...} [...]
pulsantemenu:button                        \pulsantemenu [..=..] {...} {...}
pulsantemenu:interactionmenu               \pulsantemenu [...] [..=..] {...} {...}
pulsante:example                           \BUTTON [..=..] {...} [...]
pulsantinterazione                         \pulsantinterazione [..=..] [...]
punti                                      \punti [...]
punti:assignment                           \punti [..=..]
punto                                      \punto {...}
purenumber                                 \purenumber {...}
pusharrangedpages                          \pusharrangedpages ... \poparrangedpages
pushattribute                              \pushattribute \...
pushbar                                    \pushbar [...] ... \popbar
pushbutton                                 \pushbutton [...] [...]
```

```
pushcatcodetable                      \pushcatcodetable ... \popcatcodetable
pushcolore                            \pushcolore [...] ... \popcolore
pushendofline                         \pushendofline ... \popendofline
pushindentation                       \pushindentation ... \popindentation
pushMPdrawing                         \pushMPdrawing ... \popMPdrawing
pushmacro                             \pushmacro \...
pushmathstyle                         \pushmathstyle ... \popmathstyle
pushmode                              \pushmode [...]
pushoutputstream                      \pushoutputstream [...]
pushpath                              \pushpath [...] ... \poppath
pushpunctuation                       \pushpunctuation ... \poppunctuation
pushrandomseed                        \pushrandomseed ... \poprandomseed
pushreferenceprefix                   \pushreferenceprefix {...} ... \popreferenceprefix
pushsfondo                            \pushsfondo [...] ... \popsfondo
pushsystemmode                        \pushsystemmode {...}
putboxincache                         \putboxincache {...} {...} ...
putnextboxincache                     \putnextboxincache {...} {...} \... {...}
qquad                                 \qquad
quad                                  \quad
quads                                 \quads [...]
qualcheriga                           \qualcheriga [...]
quarterstrut                          \quarterstrut
quitcommalist                         \quitcommalist
quitprevcommalist                     \quitprevcommalist
quittypescriptscanning                \quittypescriptscanning
ReadFile                              \ReadFile {...}
raggedbottom                          \raggedbottom
raggedcenter                          \raggedcenter
raggedleft                            \raggedleft
raggedright                           \raggedright
raggedwidecenter                      \raggedwidecenter
raisebox                              \raisebox {...} \... {...}
randomizetext                         \randomizetext {...}
randomnumber                          \randomnumber {...} {...}
rawcounter                            \rawcounter [...] [...]
rawcountervalue                       \rawcountervalue [...]
rawdate                               \rawdate [...]
rawdoifelseinset                      \rawdoifelseinset {...} {...} {...} {...}
rawdoifinset                          \rawdoifinset {...} {...} {...}
rawdoifinsetelse                      \rawdoifinsetelse {...} {...} {...} {...}
rawgetparameters                      \rawgetparameters [...] [..=..]
rawprocessaction                      \rawprocessaction [...] [..,..=>..,..]
rawprocesscommacommand                \rawprocesscommacommand [...] \...
rawprocesscommalist                   \rawprocesscommalist [...] \...
rawstructurelistuservariable          \rawstructurelistuservariable {...}
rawsubcountervalue                    \rawsubcountervalue [...] [...]
rbox                                  \rbox ... {...}
readfile                              \readfile {...} {...} {...}
readfixfile                           \readfixfile {...} {...} {...} {...}
readjobfile                           \readjobfile {...} {...} {...}
readlocfile                           \readlocfile {...} {...} {...}
readsetfile                           \readsetfile {...} {...} {...} {...}
readsysfile                           \readsysfile {...} {...} {...}
readtexfile                           \readtexfile {...} {...} {...}
readxmlfile                           \readxmlfile {...} {...} {...}
realpagenumber                        \realpagenumber
realSmallCapped                       \realSmallCapped {...}
realSmallcapped                       \realSmallcapped {...}
realsmallcapped                       \realsmallcapped {...}
recursedepth                          \recursedepth
recurselevel                          \recurselevel
recursestring                         \recursestring
redoconvertfont                       \redoconvertfont
referenceformat:example               \REFERENCEFORMAT {...} {...} [...]
referenceprefix                       \referenceprefix
referring                             \referring (...,...) (...,...) [...]
registerattachment                    \registerattachment [...] [..=..]
registerctxluafile                    \registerctxluafile {...} {...}
registerexternalfigure                \registerexternalfigure [...] [...] [..=..]
registerfontclass                     \registerfontclass {...}
registerhyphenationexception          \registerhyphenationexception [...] [...]
registerhyphenationpattern            \registerhyphenationpattern [...] [...]
```

registermenubuttons	\registermenubuttons [...] [...]
registersort	\registersort [...] [...]
registersynonym	\registersynonym [...] [...]
registerunit	\registerunit [...] [..=..]
registro:instance	\REGISTER [...] {..+...+..}
registro:instance:index	\index [...] {..+...+..}
registro:instance:ownnumber	\REGISTER [...] {...} {..+...+..}
registro:instance:ownnumber:index	\index [...] {...} {..+...+..}
regolare	\regolare
reimpostamarcatura	\reimpostamarcatura [...]
relatemarking	\relatemarking [...] [...]
relateparameterhandlers	\relateparameterhandlers {...} {...} {...} {...}
relaxvalueifundefined	\relaxvalueifundefined {...}
remainingcharacters	\remainingcharacters
removebottomthings	\removebottomthings
removedepth	\removedepth
removefromcommalist	\removefromcommalist {...} \...
removelastskip	\removelastskip
removelastspace	\removelastspace
removemarkedcontent	\removemarkedcontent [...]
removepunctuation	\removepunctuation
removesubstring	\removesubstring ... \from ... \to \...
removetoks	\removetoks ... \from \...
removeunwantedspaces	\removeunwantedspaces
replacefeature	\replacefeature [...]
replacefeature:direct	\replacefeature {...}
replaceincommalist	\replaceincommalist \... {...}
replaceword	\replaceword [...] [...] [...]
rescan	\rescan {...}
rescanwithsetup	\rescanwithsetup {...} {...}
resetallattributes	\resetallattributes
resetandaddfeature	\resetandaddfeature [...]
resetandaddfeature:direct	\resetandaddfeature {...}
resetbar	\resetbar
resetboxesincache	\resetboxesincache {...}
resetbreakpoints	\resetbreakpoints
resetbuffer	\resetbuffer [...]
resetcharacteralign	\resetcharacteralign
resetcharacterkerning	\resetcharacterkerning
resetcharacterspacing	\resetcharacterspacing
resetcharacterstripping	\resetcharacterstripping
resetcollector	\resetcollector [...]
resetcounter	\resetcounter [...] [...]
resetdigitsmanipulation	\resetdigitsmanipulation
resetdirection	\resetdirection
resetfeature	\resetfeature
resetflag	\resetflag {...}
resetfontcolorsheme	\resetfontcolorsheme
resetfontfallback	\resetfontfallback [...] [...]
resetfontsolution	\resetfontsolution
resethyphenationfeatures	\resethyphenationfeatures
resetinjector	\resetinjector [...]
resetinteractionmenu	\resetinteractionmenu [...]
resetitaliccorrection	\resetitaliccorrection
resetlayer	\resetlayer [...]
resetlocalfloats	\resetlocalfloats
resetMPdrawing	\resetMPdrawing
resetMPenvironment	\resetMPenvironment
resetMPinstance	\resetMPinstance [...]
resetmarker	\resetmarker [...]
resetmode	\resetmode {...}
resetpagenumber	\resetpagenumber
resetparallel	\resetparallel [...] [...]
resetpath	\resetpath
resetpenalties	\resetpenalties \...
resetperiodkerning	\resetperiodkerning
resetprofile	\resetprofile
resetrecurselevel	\resetrecurselevel
resetreference	\resetreference [...]
resetreplacement	\resetreplacement
resetscript	\resetscript
resetsetups	\resetsetups [...]

```
resetshownsynonyms              \resetshownsynonyms [...]
resetsubpagenumber              \resetsubpagenumber
resetsymbolset                  \resetsymbolset
resetsystemmode                 \resetsystemmode {...}
resettimer                      \resettimer
resettrackers                   \resettrackers
resettrialtypesetting           \resettrialtypesetting
resetusedsortings               \resetusedsortings [...]
resetusedsynonyms               \resetusedsynonyms [...]
resetuserpagenumber             \resetuserpagenumber
resetvalue                      \resetvalue {...}
resetvisualizers                \resetvisualizers
reshapebox                      \reshapebox {...}
resolvedglyphdirect             \resolvedglyphdirect {...} {...}
resolvedglyphstyled             \resolvedglyphstyled {...} {...}
restartcounter                  \restartcounter [...] [...] [...]
restorebox                      \restorebox {...} {...}
restorecatcodes                 \restorecatcodes
restorecounter                  \restorecounter [...]
restorecurrentattributes        \restorecurrentattributes {...}
restoreendofline                \restoreendofline
restoreglobalbodyfont           \restoreglobalbodyfont
reusableMPgraphic               \reusableMPgraphic {...} {..=..}
reuseMPgraphic                  \reuseMPgraphic {...} {..=..}
reuserandomseed                 \reuserandomseed
revivefeature                   \revivefeature
rfence                          \rfence {...}
rhbox                           \rhbox {...}
rif                             \rif [...] [...]
riferimento                     \riferimento [...] {...}
riferimentopagina               \riferimentopagina [...]
riferimentotesto                \riferimentotesto [...] {...}
riflessione                     \riflessione {...}
riga                            \riga {...}
rigariempimento                 \rigariempimento [..=..]
rightbottombox                  \rightbottombox {...}
rightbox                        \rightbox {...}
righthbox                       \righthbox {...}
rightlabeltext:instance         \rightLABELtesto {...}
rightlabeltext:instance:head    \rightheadtesto {...}
rightlabeltext:instance:label   \rightlabeltesto {...}
rightlabeltext:instance:mathlabel \rightmathlabeltesto {...}
rightline                       \rightline {...}
rightorleftpageaction           \rightorleftpageaction {...} {...}
rightpageorder                  \rightpageorder
rightskipadaption               \rightskipadaption
rightsubguillemot               \rightsubguillemot
righttoleft                     \righttoleft
righttolefthbox                 \righttolefthbox ... {...}
righttoleftvbox                 \righttoleftvbox ... {...}
righttoleftvtop                 \righttoleftvtop ... {...}
righttopbox                     \righttopbox {...}
rigovuoto                       \rigovuoto [...]
ring                            \ring {...}
rlap                            \rlap {...}
robustaddtocommalist            \robustaddtocommalist {...} \...
robustdoifelseinset             \robustdoifelseinset {...} {...} {...} {...}
robustdoifinsetelse             \robustdoifinsetelse {...} {...} {...} {...}
robustpretocommalist            \robustpretocommalist {...} \...
rollbutton:button               \rollbutton [..=..] ... [...]
rollbutton:interactionmenu      \rollbutton [...] [..=..] ... [...]
roman                           \roman
rtop                            \rtop ... {...}
ruby                            \ruby [...] {...} {...}
ruledhbox                       \ruledhbox ... {...}
ruledhpack                      \ruledhpack ... {...}
ruledmbox                       \ruledmbox {...}
ruledtopv                       \ruledtopv ... {...}
ruledtpack                      \ruledtpack ... {...}
ruledvbox                       \ruledvbox ... {...}
ruledvpack                      \ruledvpack ... {...}
ruledvtop                       \ruledvtop ... {...}
```

```
runMPbuffer                          \runMPbuffer [...]
runninghbox                          \runninghbox {...}
ruota                                \ruota [..=..] {...}
ScaledPointsToBigPoints              \ScaledPointsToBigPoints {...} \...
ScaledPointsToWholeBigPoints         \ScaledPointsToWholeBigPoints {...} \...
Smallcapped                          \Smallcapped {...}
safechar                             \safechar {...}
samplefile                           \samplefile {...}
sans                                 \sans
sansgrassetto                        \sansgrassetto
sansnormal                           \sansnormal
sansserif                            \sansserif
savebox                              \savebox {...} {...} {...}
savebtxdataset                       \savebtxdataset [...] [...] [..=..]
savebuffer                           \savebuffer [..=..]
savebuffer:list                      \savebuffer [...] [...]
savecolore                           \savecolore ... \restorecolore
savecounter                          \savecounter [...]
savecurrentattributes                \savecurrentattributes {...}
savenormalmeaning                    \savenormalmeaning \...
savetaggedtwopassdata                \savetaggedtwopassdata {...} {...} {...} {...}
savetwopassdata                      \savetwopassdata {...} {...} {...}
sbox                                 \sbox {...}
scala                                \scala [...] [..=..] {...}
schermo                              \schermo [...]
script:instance                      \SCRIPT
script:instance:ethiopic             \ethiopic
script:instance:hangul               \hangul
script:instance:hanzi                \hanzi
script:instance:latin                \latin
script:instance:nihongo              \nihongo
script:instance:test                 \test
script:instance:thai                 \thai
scrividentroelenco                   \scrividentroelenco [...] [..=..] {...}
scriviinelenco                       \scriviinelenco [...] [..=..] {...} {...}
secondoffivearguments                \secondoffivearguments {...} {...} {...} {...} {...}
secondoffourarguments                \secondoffourarguments {...} {...} {...} {...}
secondofsixarguments                 \secondofsixarguments {...} {...} {...} {...} {...} {...}
secondofthreearguments               \secondofthreearguments {...} {...} {...}
secondofthreeunexpanded              \secondofthreeunexpanded {...} {...} {...}
secondoftwoarguments                 \secondoftwoarguments {...} {...}
secondoftwounexpanded                \secondoftwounexpanded {...} {...}
seeregister:instance                 \vediREGISTER [...] {..+...+..} {...}
seeregister:instance:index           \vediindex [...] {..+...+..} {...}
segnalibro                           \segnalibro [...] {...}
select                               \select {...} {...} {...} {...} {...} {...}
selezionablocchi                     \selezionablocchi [...] [...] [...] [..=..]       OPT
serializecommalist                   \serializecommalist [...]
serializedcommalist                  \serializedcommalist
serif                                \serif
serifbold                            \serifbold
serifnormal                          \serifnormal
setautopagestaterealpageno           \setautopagestaterealpageno {...}
setbar                               \setbar [...]
setbigbodyfont                       \setbigbodyfont
setboxllx                            \setboxllx ... {...}
setboxlly                            \setboxlly ... {...}
setbreakpoints                       \setbreakpoints [...]
setbuffer                            \setbuffer [...] ... \endbuffer
setcapstrut                          \setcapstrut
setcatcodetable                      \setcatcodetable \...
setcharacteralign                    \setcharacteralign {...} {...}
setcharacteraligndetail              \setcharacteraligndetail {...} {...} {...} {...}
setcharactercasing                   \setcharactercasing [...]
setcharactercleaning                 \setcharactercleaning [...]
setcharacterkerning                  \setcharacterkerning [...]
setcharacterspacing                  \setcharacterspacing [...]
setcharacterstripping                \setcharacterstripping [...]
setcharstrut                         \setcharstrut {...}
setcollector                         \setcollector [...] [..=..] {...}
setcolormodell                       \setcolormodell [...]
setcounter                           \setcounter [...] [...] [...]
```

setcounterown	`\setcounterown [...] [...] [...]`
setcurrentfontclass	`\setcurrentfontclass {...}`
setdataset	`\setdataset [...] [...] [..=..]`
setdefaultpenalties	`\setdefaultpenalties`
setdigitsmanipulation	`\setdigitsmanipulation [...]`
setdirection	`\setdirection [...]`
setdocumentargument	`\setdocumentargument {...} {...}`
setdocumentargumentdefault	`\setdocumentargumentdefault {...} {...}`
setdocumentfilename	`\setdocumentfilename {...} {...}`
setdummyparameter	`\setdummyparameter {...} {...}`
setelementexporttag	`\setelementexporttag [...] [...] [...]`
setemeasure	`\setemeasure {...} {...}`
setevalue	`\setevalue {...} {...}`
setevariable	`\setevariable {...} {...} {...}`
setevariables	`\setevariables [...] [..=..]`
setfirstline	`\setfirstline [...]`
setfirstpasscharacteralign	`\setfirstpasscharacteralign`
setflag	`\setflag {...}`
setfont	`\setfont ...`
setfontcolorsheme	`\setfontcolorsheme [...]`
setfontfeature	`\setfontfeature {...}`
setfontsolution	`\setfontsolution [...]`
setfontstrut	`\setfontstrut`
setglobalscript	`\setglobalscript [...]`
setgmeasure	`\setgmeasure {...} {...}`
setgvalue	`\setgvalue {...} {...}`
setgvariable	`\setgvariable {...} {...} {...}`
setgvariables	`\setgvariables [...] [..=..]`
sethboxregister	`\sethboxregister ... {...}`
sethyphenatedurlafter	`\sethyphenatedurlafter {...}`
sethyphenatedurlbefore	`\sethyphenatedurlbefore {...}`
sethyphenatedurlnormal	`\sethyphenatedurlnormal {...}`
sethyphenationfeatures	`\sethyphenationfeatures [...]`
setinitial	`\setinitial [...] [..=..]`
setinjector	`\setinjector [...] [...] [...]`
setinteraction	`\setinteraction [...]`
setinterfacecommand	`\setinterfacecommand {...} {...}`
setinterfaceconstant	`\setinterfaceconstant {...} {...}`
setinterfaceelement	`\setinterfaceelement {...} {...}`
setinterfacemessage	`\setinterfacemessage {...} {...} {...}`
setinterfacevariable	`\setinterfacevariable {...} {...}`
setinternalrendering	`\setinternalrendering [...] [...] {...}`
setitaliccorrection	`\setitaliccorrection [...]`
setJSpreamble	`\setJSpreamble {...} {...}`
setlayer	`\setlayer [...] [...] [..=..] {...}`
setlayerframed	`\setlayerframed [...] [..=..] [..=..] {...}`
setlayerframed:combination	`\setlayerframed [...] [..=..] {...}`
setlayertext	`\setlayertext [...] [..=..] [..=..] {...}`
setlinefiller	`\setlinefiller [...]`
setlocalhsize	`\setlocalhsize [...]`
setlocalscript	`\setlocalscript [...]`
setMPlayer	`\setMPlayer [...] [...] [..=..] {...}`
setMPpositiongraphic	`\setMPpositiongraphic {...} {...} {..=..}`
setMPpositiongraphicrange	`\setMPpositiongraphicrange {...} {...} {...} {..=..}`
setMPtext	`\setMPtext {...} {...}`
setMPvariable	`\setMPvariable [...] [..=..]`
setMPvariables	`\setMPvariables [...] [..=..]`
setmainbodyfont	`\setmainbodyfont`
setmainparbuilder	`\setmainparbuilder [...]`
setmarker	`\setmarker [...] [...]`
setmarking	`\setmarking [...] {...}`
setmathstyle	`\setmathstyle {...}`
setmeasure	`\setmeasure {...} {...}`
setmessagetext	`\setmessagetext {...} {...}`
setmode	`\setmode {...}`
setnostrut	`\setnostrut`
setnote	`\setnote [...] [...] {...}`
setnotetext	`\setnotetext [...] [...] {...}`
setnotetext:assignment	`\setnotetext [...] [..=..]`
setnote:assignment	`\setnote [...] [..=..]`
setobject	`\setobject {...} {...} \... {...}`
setoldstyle	`\setoldstyle`

setpagereference	`\setpagereference {...} {...}`
setpagestate	`\setpagestate [...] [...]`
setpagestaterealpageno	`\setpagestaterealpageno {...} {...}`
setpenalties	`\setpenalties \... {...} {...}`
setpercentdimen	`\setpercentdimen {...} {...}`
setperiodkerning	`\setperiodkerning [...]`
setposition	`\setposition {...}`
setpositionbox	`\setpositionbox {...} \... {...}`
setpositiondata	`\setpositiondata {...} {...} {...} {...}`
setpositiondataplus	`\setpositiondataplus {...} {...} {...} {...} {...}`
setpositiononly	`\setpositiononly {...}`
setpositionplus	`\setpositionplus {...} {...} \... {...}`
setpositionstrut	`\setpositionstrut {...}`
setprofile	`\setprofile [...]`
setrandomseed	`\setrandomseed {...}`
setreference	`\setreference [...] [..=..]`
setreferencedobject	`\setreferencedobject {...} {...} \... {...}`
setregisterentry	`\setregisterentry [...] [..=..] [..=..]`
setreplacement	`\setreplacement [...]`
setrigidcolumnbalance	`\setrigidcolumnbalance ...`
setrigidcolumnhsize	`\setrigidcolumnhsize {...} {...} {...}`
setscript	`\setscript [...]`
setsecondpasscharacteralign	`\setsecondpasscharacteralign`
setsectionblock	`\setsectionblock [...] [..=..]`
setsimplecolumnhsize	`\setsimplecolumnhsize [..=..]`
setsmallbodyfont	`\setsmallbodyfont`
setsmallcaps	`\setsmallcaps`
setstackbox	`\setstackbox {...} {...} {...}`
setstructurepageregister	`\setstructurepageregister [...] [..=..] [..=..]`
setstrut	`\setstrut`
setsuperiors	`\setsuperiors`
setsystemmode	`\setsystemmode {...}`
settabular	`\settabular`
settaggedmetadata	`\settaggedmetadata [..=..]`
settext	`\settext [...] [...] [...] [...] [...]`
settightobject	`\settightobject {...} {...} \... {...}`
settightreferencedobject	`\settightreferencedobject {...} {...} \... {...}`
settightstrut	`\settightstrut`
settightunreferencedobject	`\settightunreferencedobject {...} {...} \... {...}`
settrialtypesetting	`\settrialtypesetting`
setuevalue	`\setuevalue {...} {...}`
setugvalue	`\setugvalue {...} {...}`
setunreferencedobject	`\setunreferencedobject {...} {...} \... {...}`
setupalternativestyles	`\setupalternativestyles [..=..]`
setupattachment	`\setupattachment [...] [..=..]`
setupattachments	`\setupattachments [...] [..=..]`
setupbackend	`\setupbackend [..=..]`
setupbar	`\setupbar [...] [..=..]`
setupbars	`\setupbars [...] [..=..]`
setupbleeding	`\setupbleeding [..=..]`
setupbookmark	`\setupbookmark [..=..]`
setupbtx	`\setupbtx [...] [..=..]`
setupbtxdataset	`\setupbtxdataset [...] [..=..]`
setupbtxlist	`\setupbtxlist [...] [..=..]`
setupbtxregister	`\setupbtxregister [...] [..=..]`
setupbtxrendering	`\setupbtxrendering [...] [..=..]`
setupbtx:name	`\setupbtx [...]`
setupbutton	`\setupbutton [...] [..=..]`
setupcharacteralign	`\setupcharacteralign [..=..]`
setupcharacterkerning	`\setupcharacterkerning [...] [..=..]`
setupcharacterspacing	`\setupcharacterspacing [...] [...] [..=..]`
setupchemical	`\setupchemical [...] [..=..]`
setupchemicalframed	`\setupchemicalframed [...] [..=..]`
setupcollector	`\setupcollector [...] [..=..]`
setupcolumnsetarea	`\setupcolumnsetarea [...] [..=..]`
setupcolumnsetareatext	`\setupcolumnsetareatext [...] [...]`
setupcolumnsetlines	`\setupcolumnsetlines [...] [...] [...] [...]`
setupcolumnsetspan	`\setupcolumnsetspan [...] [..=..]`
setupcolumnsetstart	`\setupcolumnsetstart [...] [...] [...] [...]`
setupcolumnspan	`\setupcolumnspan [..=..]`
setupcombination	`\setupcombination [...] [..=..]`
setupcounter	`\setupcounter [...] [..=..]`

setupdataset	\setupdataset [...] [..=..]
setupdelimitedtext	\setupdelimitedtext [...] [..=..]
setupdescription	\setupdescription [...] [..=..]
setupdirections	\setupdirections [..=..]
setupdocument	\setupdocument [..=..]
setupeffect	\setupeffect [...] [..=..]
setupenumeration	\setupenumeration [...] [..=..]
setupenv	\setupenv [..=..]
setupexport	\setupexport [..=..]
setupexternalfigure	\setupexternalfigure [...] [..=..]
setupexternalsoundtracks	\setupexternalsoundtracks [..=..]
setupfacingfloat	\setupfacingfloat [...] [..=..]
setupfieldbody	\setupfieldbody [...] [..=..]
setupfieldcategory	\setupfieldcategory [...] [..=..]
setupfieldcontentframed	\setupfieldcontentframed [...] [..=..]
setupfieldlabelframed	\setupfieldlabelframed [...] [..=..]
setupfieldtotalframed	\setupfieldtotalframed [...] [..=..]
setupfiller	\setupfiller [...] [..=..]
setupfirstline	\setupfirstline [...] [..=..]
setupfittingpage	\setupfittingpage [...] [..=..]
setupfontexpansion	\setupfontexpansion [...] [..=..]
setupfontprotrusion	\setupfontprotrusion [...] [..=..]
setupfonts	\setupfonts [..=..]
setupfontsolution	\setupfontsolution [...] [..=..]
setupformula	\setupformula [...] [..=..]
setupformulaframed	\setupformulaframed [...] [..=..]
setupframedcontent	\setupframedcontent [...] [..=..]
setupframedtable	\setupframedtable [...] [..=..]
setupframedtablecolumn	\setupframedtablecolumn [...] [...] [..=..]
setupframedtablerow	\setupframedtablerow [...] [...] [..=..]
setupframedtext	\setupframedtext [...] [..=..]
setupglobalreferenceprefix	\setupglobalreferenceprefix [...]
setupheadalternative	\setupheadalternative [...] [..=..]
setuphelp	\setuphelp [...] [..=..]
setuphigh	\setuphigh [...] [..=..]
setuphighlight	\setuphighlight [...] [..=..]
setuphyphenation	\setuphyphenation [..=..]
setupindentedtext	\setupindentedtext [...] [..=..]
setupinitial	\setupinitial [...] [..=..]
setupinsertion	\setupinsertion [...] [..=..]
setupitaliccorrection	\setupitaliccorrection [...]
setupitemgroup	\setupitemgroup [...] [...] [...] [..=..]
setupitemgroup:assignment	\setupitemgroup [...] [..=..]
setupitemgroup:instance	\impostaITEMGROUP [...] [...] [..=..]
setupitemgroup:instance:itemize	\impostaitemize [...] [...] [..=..]
setuplabel	\setuplabel [...] [..=..]
setuplayer	\setuplayer [...] [..=..]
setuplayeredtext	\setuplayeredtext [...] [..=..]
setuplayouttext	\setuplayouttext [...] [...] [..=..]
setuplinefiller	\setuplinefiller [...] [..=..]
setuplinefillers	\setuplinefillers [...] [..=..]
setuplinenote	\setuplinenote [...] [..=..]
setuplinetable	\setuplinetable [...] [...] [..=..]
setuplistalternative	\setuplistalternative [...] [..=..]
setuplistextra	\setuplistextra [...] [..=..]
setuplocalfloats	\setuplocalfloats [..=..]
setuplocalinterlinespace	\setuplocalinterlinespace [...] [..=..]
setuplocalinterlinespace:argument	\setuplocalinterlinespace [...]
setuplocalinterlinespace:name	\setuplocalinterlinespace [...]
setuplow	\setuplow [...] [..=..]
setuplowhigh	\setuplowhigh [...] [..=..]
setuplowmidhigh	\setuplowmidhigh [...] [..=..]
setupMPgraphics	\setupMPgraphics [..=..]
setupMPinstance	\setupMPinstance [...] [..=..]
setupMPpage	\setupMPpage [..=..]
setupMPvariables	\setupMPvariables [...] [..=..]
setupmarginblock	\setupmarginblock [...] [..=..]
setupmargindata	\setupmargindata [...] [..=..]
setupmarginframed	\setupmarginframed [...] [..=..]
setupmarginrule	\setupmarginrule [...] [..=..]
setupmathalignment	\setupmathalignment [...] [..=..]
setupmathcases	\setupmathcases [...] [..=..]

setupmathematics	`\setupmathematics [...] [..=..]`
setupmathfence	`\setupmathfence [...] [..=..]`
setupmathfraction	`\setupmathfraction [...] [..=..]`
setupmathfractions	`\setupmathfractions [...] [..=..]`
setupmathframed	`\setupmathframed [...] [..=..]`
setupmathmatrix	`\setupmathmatrix [...] [..=..]`
setupmathornament	`\setupmathornament [...] [..=..]`
setupmathradical	`\setupmathradical [...] [..=..]`
setupmathstackers	`\setupmathstackers [...] [..=..]`
setupmathstyle	`\setupmathstyle [...]`
setupmixedcolumns	`\setupmixedcolumns [...] [..=..]`
setupmodule	`\setupmodule [...] [..=..]`
setupnotation	`\setupnotation [...] [..=..]`
setupnotations	`\setupnotations [...] [..=..]`
setupnote	`\setupnote [...] [..=..]`
setupnotes	`\setupnotes [...] [..=..]`
setupoffset	`\setupoffset [..=..]`
setupoffsetbox	`\setupoffsetbox [..=..]`
setupoutputroutine	`\setupoutputroutine [...] [..=..]`
setupoutputroutine:name	`\setupoutputroutine [...]`
setuppagechecker	`\setuppagechecker [...] [..=..]`
setuppagecolumns	`\setuppagecolumns [...] [..=..]`
setuppageinjection	`\setuppageinjection [...] [..=..]`
setuppageinjectionalternative	`\setuppageinjectionalternative [...] [..=..]`
setuppageshift	`\setuppageshift [...] [...] [...]`
setuppagestate	`\setuppagestate [...] [..=..]`
setuppairedbox	`\setuppairedbox [...] [..=..]`
setuppairedbox:instance	`\impostaPAIREDBOX [..=..]`
setuppairedbox:instance:legend	`\impostalegend [..=..]`
setuppaper	`\setuppaper [..=..]`
setupparagraph	`\setupparagraph [...] [..=..]`
setupparagraphintro	`\setupparagraphintro [...] [...]`
setupparallel	`\setupparallel [...] [...] [..=..]`
setupperiodkerning	`\setupperiodkerning [...] [..=..]`
setupperiods	`\setupperiods [..=..]`
setupplacement	`\setupplacement [...] [..=..]`
setuppositionbar	`\setuppositionbar [..=..]`
setupprocessor	`\setupprocessor [...] [..=..]`
setupprofile	`\setupprofile [...] [..=..]`
setupquotation	`\setupquotation [..=..]`
setuprealpagenumber	`\setuprealpagenumber [..=..]`
setupreferenceformat	`\setupreferenceformat [...] [..=..]`
setupreferenceprefix	`\setupreferenceprefix [...]`
setupreferencestructureprefix	`\setupreferencestructureprefix [...] [...] [..=..]`
setupregisters	`\setupregisters [...] [..=..]`
setupregisters:argument	`\setupregisters [...] [...] [..=..]`
setuprenderingwindow	`\setuprenderingwindow [...] [..=..]`
setupruby	`\setupruby [...] [..=..]`
setups	`\setups [...]`
setupscale	`\setupscale [...] [..=..]`
setupscript	`\setupscript [...] [..=..]`
setupscripts	`\setupscripts [...] [..=..]`
setupselector	`\setupselector [...] [..=..]`
setupshift	`\setupshift [...] [..=..]`
setupsidebar	`\setupsidebar [...] [..=..]`
setupspellchecking	`\setupspellchecking [..=..]`
setupstretched	`\setupstretched [..=..]`
setupstruts	`\setupstruts [...]`
setupstyle	`\setupstyle [...] [..=..]`
setupsubformula	`\setupsubformula [...] [..=..]`
setupsubformulas	`\setupsubformulas [...] [..=..]`
setupsynctex	`\setupsynctex [..=..]`
setups:direct	`\setups {...}`
setupTABLE	`\setupTABLE [...] [...] [..=..]`
setupTEXpage	`\setupTEXpage [..=..]`
setuptabulation	`\setuptabulation [...] [..=..]`
setuptagging	`\setuptagging [..=..]`
setuptextbackground	`\setuptextbackground [...] [..=..]`
setuptextflow	`\setuptextflow [...] [..=..]`
setuptooltip	`\setuptooltip [...] [..=..]`
setupunit	`\setupunit [...] [..=..]`
setupuserpagenumber	`\setupuserpagenumber [..=..]`

setupversion	`\setupversion [...]`
setupviewerlayer	`\setupviewerlayer [..=..]`
setupvspacing	`\setupvspacing [...]`
setupwithargument	`\setupwithargument {...} {...}`
setupwithargumentswapped	`\setupwithargumentswapped {...} {...}`
setupxml	`\setupxml [..=..]`
setupxtable	`\setupxtable [...] [..=..]`
setuvalue	`\setuvalue {...} {...}`
setuxvalue	`\setuxvalue {...} {...}`
setvalue	`\setvalue {...} {...}`
setvariable	`\setvariable {...} {...} {...}`
setvariables	`\setvariables [...] [..=..]`
setvboxregister	`\setvboxregister ... {...}`
setvisualizerfont	`\setvisualizerfont [...]`
setvtopregister	`\setvtopregister ... {...}`
setwidthof	`\setwidthof ... \to \...`
setxmeasure	`\setxmeasure {...} {...}`
setxvalue	`\setxvalue {...} {...}`
setxvariable	`\setxvariable {...} {...} {...}`
setxvariables	`\setxvariables [...] [..=..]`
sfondo	`\sfondo {...}`
sfondo:example	`\SFONDO {...}`
shapedhbox	`\shapedhbox {...}`
shiftbox	`\shiftbox {...}`
shift:instance	`\SHIFT {...}`
shift:instance:shiftdown	`\shiftdown {...}`
shift:instance:shiftup	`\shiftup {...}`
showallmakeup	`\showallmakeup`
showattributes	`\showattributes`
showboxes	`\showboxes`
showbtxdatasetauthors	`\showbtxdatasetauthors [..=..]`
showbtxdatasetauthors:argument	`\showbtxdatasetauthors [...]`
showbtxdatasetcompleteness	`\showbtxdatasetcompleteness [..=..]`
showbtxdatasetcompleteness:argument	`\showbtxdatasetcompleteness [...]`
showbtxdatasetfields	`\showbtxdatasetfields [..=..]`
showbtxdatasetfields:argument	`\showbtxdatasetfields [...]`
showbtxfields	`\showbtxfields [..=..]`
showbtxfields:argument	`\showbtxfields [...]`
showbtxhashedauthors	`\showbtxhashedauthors [...]`
showbtxtables	`\showbtxtables [...]`
showchardata	`\showchardata {...}`
showcharratio	`\showcharratio {...}`
showcolorbar	`\showcolorbar [...]`
showcolorcomponents	`\showcolorcomponents [...]`
showcolorset	`\showcolorset [...]`
showcolorstruts	`\showcolorstruts`
showcounter	`\showcounter [...]`
showdirectives	`\showdirectives`
showdirsinmargin	`\showdirsinmargin`
showedebuginfo	`\showedebuginfo`
showexperiments	`\showexperiments`
showfont	`\showfont [...] [...]`
showfontdata	`\showfontdata`
showfontexpansion	`\showfontexpansion`
showfontitalics	`\showfontitalics`
showfontkerns	`\showfontkerns`
showfontparameters	`\showfontparameters`
showfontstrip	`\showfontstrip [...]`
showfontstyle	`\showfontstyle [...] [...] [...] [...]`
showglyphdata	`\showglyphdata`
showglyphs	`\showglyphs`
showgridsnapping	`\showgridsnapping`
showhelp	`\showhelp {...} [...]`
showhyphenationtrace	`\showhyphenationtrace [...] [...]`
showhyphens	`\showhyphens {...}`
showinjector	`\showinjector [...]`
showjustification	`\showjustification`
showkerning	`\showkerning {...}`
showlayoutcomponents	`\showlayoutcomponents`
showligature	`\showligature {...}`
showligatures	`\showligatures [...]`
showlogcategories	`\showlogcategories`

showmargins	`\showmargins`
showmessage	`\showmessage {...} {...} {...}`
showminimalbaseline	`\showminimalbaseline`
shownextbox	`\shownextbox \... {...}`
showotfcomposition	`\showotfcomposition {...} {...} {...}`
showparentchain	`\showparentchain \... {...}`
showsetupsdefinition	`\showsetupsdefinition [...]`
showtimer	`\showtimer {...}`
showtokens	`\showtokens [...]`
showtrackers	`\showtrackers`
showvalue	`\showvalue {...}`
showvariable	`\showvariable {...} {...}`
showwarning	`\showwarning {...} {...} {...}`
signalrightpage	`\signalrightpage`
simbolo	`\simbolo [...] [...]`
simbolo:direct	`\simbolo {...}`
simplealignedbox	`\simplealignedbox {...} {...} {...}`
simplealignedboxplus	`\simplealignedboxplus {...} {...} {...} {...}`
simplealignedspreadbox	`\simplealignedspreadbox {...} {...} {...}`
simplegroupedcommand	`\simplegroupedcommand {...} {...}`
simplereversealignedbox	`\simplereversealignedbox {...} {...} {...}`
simplereversealignedboxplus	`\simplereversealignedboxplus {...} {...} {...} {...}`
singalcharacteralign	`\singalcharacteralign {...} {...}`
singlebond	`\singlebond`
sinistra	`\sinistra ...`
sixthofsixarguments	`\sixthofsixarguments {...} {...} {...} {...} {...} {...}`
slantedface	`\slantedface`
slicepages	`\slicepages [...] [..=..] [..=..]`
slovenianNumerals	`\slovenianNumerals {...}`
sloveniannumerals	`\sloveniannumerals {...}`
smallcappedcharacters	`\smallcappedcharacters {...}`
smallcappedromannumerals	`\smallcappedromannumerals {...}`
smaller	`\smaller`
smallskip	`\smallskip`
smash	`\smash [...] {...}`
smashbox	`\smashbox ...`
smashboxed	`\smashboxed ...`
smashedhbox	`\smashedhbox ... {...}`
smashedvbox	`\smashedvbox ... {...}`
snaptogrid	`\snaptogrid [...] \... {...}`
snaptogrid:list	`\snaptogrid [...] \... {...}`
someheadnumber	`\someheadnumber [...] [...]`
somekindoftab	`\somekindoftab [..=..]`
somelocalfloat	`\somelocalfloat`
somenamedheadnumber	`\somenamedheadnumber {...} {...}`
someplace	`\someplace {...} {...} {...} {...} {...} [...]`
sorting:instance	`\SORTING [...] {...}`
sorting:instance:logo	`\logo [...] {...}`
sottopaginasuccessiva	`\sottopaginasuccessiva`
spanishNumerals	`\spanishNumerals {...}`
spanishnumerals	`\spanishnumerals {...}`
spazifissi	`\spazifissi`
spazio	`\spazio`
spaziofisso	`\spaziofisso`
spessoreriga	`\spessoreriga`
spezzaoggettomobile	`\spezzaoggettomobile [..=..] {...} {...}`
splitatasterisk	`\splitatasterisk ... \... \...`
splitatcolon	`\splitatcolon ... \... \...`
splitatcolons	`\splitatcolons ... \... \...`
splitatcomma	`\splitatcomma ... \... \...`
splitatperiod	`\splitatperiod ... \... \...`
splitdfrac	`\splitdfrac {...} {...}`
splitfilename	`\splitfilename {...}`
splitfrac	`\splitfrac {...} {...}`
splitoffbase	`\splitoffbase`
splitofffull	`\splitofffull`
splitoffkind	`\splitoffkind`
splitoffname	`\splitoffname`
splitoffpath	`\splitoffpath`
splitoffroot	`\splitoffroot`
splitofftokens	`\splitofftokens ... \from ... \to \...`
splitofftype	`\splitofftype`

```
splitstring                          \splitstring ... \at ... \to \... \and \...
spreadhbox                           \spreadhbox ...
sqrt                                 \sqrt [...] {...}
stackcampi                           \stackcampi [...] [...] [..=..]
stackrel                             \stackrel {...} {...}
startlinenote:instance               \iniziaLINENOTE [...] {...}
startlinenote:instance:linenote      \inizialinenote [...] {...}
startregister                        \startregister [...] [...] [...] [...] {..+...+..}
startstop:example                    \STARTSTOP {...}
startstructurepageregister           \startstructurepageregister [...] [...] [..=..] [..=..]
stirato                              \stirato [..=..] {...}
stoplinenote:instance                \terminaLINENOTE [...]
stoplinenote:instance:linenote       \terminalinenote [...]
stopregister                         \stopregister [...] [...]
stopstructurepageregister            \stopstructurepageregister [...] [...]
strictdoifelsenextoptional           \strictdoifelsenextoptional {...} {...}
strictdoifnextoptionalelse           \strictdoifnextoptionalelse {...} {...}
stripcharacter                       \stripcharacter ... \from ... \to \...
strippedcsname                       \strippedcsname \...
strippedcsname:string                \strippedcsname ...
stripspaces                          \stripspaces \from ... \to \...
structurelistuservariable            \structurelistuservariable {...}
structurenumber                      \structurenumber
structuretitle                       \structuretitle
structureuservariable                \structureuservariable {...}
structurevariable                    \structurevariable {...}
strut                                \strut
strutdp                              \strutdp
strutgap                             \strutgap
strutht                              \strutht
struthtdp                            \struthtdp
struttedbox                          \struttedbox {...}
strutwd                              \strutwd
style                                \style [..=..] {...}
styleinstance                        \styleinstance [...]
style:argument                       \style [...] {...}
style:instance                       \STYLE {...}
subpagenumber                        \subpagenumber
subsentence                          \subsentence {...}
substituteincommalist                \substituteincommalist {...} {...} \...
subtractfeature                      \subtractfeature [...]
subtractfeature:direct               \subtractfeature {...}
swapcounts                           \swapcounts \... \...
swapdimens                           \swapdimens \... \...
swapface                             \swapface
swapmacros                           \swapmacros \... \...
swaptypeface                         \swaptypeface
switchstyleonly                      \switchstyleonly [...]
switchstyleonly:command              \switchstyleonly \...
switchtocolor                        \switchtocolor [...]
switchtointerlinespace               \switchtointerlinespace [...] [..=..]
switchtointerlinespace:argument      \switchtointerlinespace [...]
switchtointerlinespace:name          \switchtointerlinespace [...]
symbolreference                      \symbolreference [...]
synchronizeblank                     \synchronizeblank
synchronizeindenting                 \synchronizeindenting
synchronizemarking                   \synchronizemarking [...] [...] [...]
synchronizeoutputstreams             \synchronizeoutputstreams [...]
synchronizestrut                     \synchronizestrut {...}
synchronizewhitespace                \synchronizewhitespace
synctexblockfilename                 \synctexblockfilename {...}
synctexresetfilename                 \synctexresetfilename
synctexsetfilename                   \synctexsetfilename {...}
synonym:instance                     \SYNONYM [...] {...} {...}
synonym:instance:abbreviation        \abbreviation [...] {...} {...}
systemlog                            \systemlog {...} {...} {...}
systemlogfirst                       \systemlogfirst {...} {...} {...}
systemloglast                        \systemloglast {...} {...} {...}
systemsetups                         \systemsetups {...}
TABLE                                \TABLE
TaBlE                                \TaBlE
TEX                                  \TEX
```

```
TeX                                          \TeX
TheNormalizedFontSize                        \TheNormalizedFontSize
TransparencyHack                             \TransparencyHack
tabulateautoline                             \tabulateautoline
tabulateautorule                             \tabulateautorule
tabulateline                                 \tabulateline
tabulaterule                                 \tabulaterule
taggedctxcommand                             \taggedctxcommand {...}
taggedlabeltexts                             \taggedlabeltexts {...} {...} {...}
tbox                                         \tbox {...}
terminariga                                  \terminariga [...]
testandsplitstring                           \testandsplitstring ... \at ... \to \... \and \...
testcolumn                                   \testcolumn [...] [...]
testfeature                                  \testfeature {...} {...}
testfeatureonce                              \testfeatureonce {...} {...}
testoaiuto                                   \testoaiuto [...] {...} {...}
testoetichetta:instance                      \LABELtesto {...}
testoetichetta:instance:btxlabel             \btxlabeltesto {...}
testoetichetta:instance:head                 \headtesto {...}
testoetichetta:instance:label                \labeltesto {...}
testoetichetta:instance:mathlabel            \mathlabeltesto {...}
testoetichetta:instance:operator             \operatortesto {...}
testoetichetta:instance:prefix               \prefixtesto {...}
testoetichetta:instance:suffix               \suffixtesto {...}
testoetichetta:instance:taglabel             \taglabeltesto {...}
testoetichetta:instance:unit                 \unittesto {...}
testoincorniciato:instance                   \FRAMEDTEXT [..=..] {...}
testoincorniciato:instance:framedtext        \framedtext [..=..] {...}
testonotapdp                                 \testonotapdp [...] {...}
testonotapdp:assignment                      \testonotapdp [..=..]
testoriempimento                             \testoriempimento [..=..] {...} {...}
testpage                                     \testpage [...] [...]
testpageonly                                 \testpageonly [...] [...]
testpagesync                                 \testpagesync [...] [...]
testtokens                                   \testtokens [...]
tex                                          \tex {...}
texdefinition                                \texdefinition {...}
texsetup                                     \texsetup {...}
textbackground:example                       \TEXTBACKGROUND {...}
textcitation                                 \textcitation [..=..] [...]
textcitation:alternative                     \textcitation [...] [...]
textcitation:userdata                        \textcitation [..=..] [..=..]
textcite                                     \textcite [..=..] [...]
textcite:alternative                         \textcite [...] [...]
textcite:userdata                            \textcite [..=..] [..=..]
textcontrolspace                             \textcontrolspace
textflowcollector                            \textflowcollector {...}
textmath                                     \textmath {...}
textminus                                    \textminus
textormathchar                               \textormathchar {...}
textormathchars                              \textormathchars {...}
textplus                                     \textplus
textvisiblespace                             \textvisiblespace
thainumerals                                 \thainumerals {...}
thefirstcharacter                            \thefirstcharacter {...}
thenormalizedbodyfontsize                    \thenormalizedbodyfontsize {...}
theremainingcharacters                       \theremainingcharacters {...}
thickspace                                   \thickspace
thinspace                                    \thinspace
thirdoffivearguments                         \thirdoffivearguments {...} {...} {...} {...} {...}
thirdoffourarguments                         \thirdoffourarguments {...} {...} {...} {...}
thirdofsixarguments                          \thirdofsixarguments {...} {...} {...} {...} {...} {...}
thirdofthreearguments                        \thirdofthreearguments {...} {...} {...}
thirdofthreeunexpanded                       \thirdofthreeunexpanded {...} {...} {...}
threedigitrounding                           \threedigitrounding {...}
tibetannumerals                              \tibetannumerals {...}
tieniblocchi                                 \tieniblocchi [...] [...]
tightlayer                                   \tightlayer [...]
tilde                                        \tilde {...}
tinyfont                                     \tinyfont
tlap                                         \tlap {...}
tochar                                       \tochar {...}
```

tolinenote	`\tolinenote [...]`
tooltip:instance	`\TOOLTIP [..=..] {...} {...}`
tooltip:instance:argument	`\TOOLTIP [...] {...} {...}`
tooltip:instance:argument:tooltip	`\tooltip [...] {...} {...}`
tooltip:instance:tooltip	`\tooltip [..=..] {...} {...}`
topbox	`\topbox {...}`
topleftbox	`\topleftbox {...}`
toplinebox	`\toplinebox {...}`
toprightbox	`\toprightbox {...}`
topskippedbox	`\topskippedbox {...}`
tracecatcodetables	`\tracecatcodetables`
tracedfontname	`\tracedfontname {...}`
traceoutputroutines	`\traceoutputroutines`
tracepositions	`\tracepositions`
traduci	`\traduci [..=..]`
transparencycomponents	`\transparencycomponents {...}`
transparent	`\transparent [...] {...}`
triplebond	`\triplebond`
truefilename	`\truefilename {...}`
truefontname	`\truefontname {...}`
ttraggedright	`\ttraggedright`
twodigitrounding	`\twodigitrounding {...}`
tx	`\tx`
txx	`\txx`
typ	`\typ [..=..] {...}`
type	`\type [..=..] {...}`
typebuffer	`\typebuffer [...] [..=..]`
typebuffer:instance	`\typeBUFFER [..=..]`
typedefinedbuffer	`\typedefinedbuffer [...] [..=..]`
typeface	`\typeface`
typefile	`\typefile [...] [..=..] {...}`
typeinlinebuffer	`\typeinlinebuffer [...] [..=..]`
typescriptone	`\typescriptone`
typescriptprefix	`\typescriptprefix {...}`
typescriptthree	`\typescriptthree`
typescripttwo	`\typescripttwo`
typesetbuffer	`\typesetbuffer [...] [..=..]`
typesetfile	`\typesetfile [...] [...] [..=..]`
type:angles	`\type [..=..] <<...>>`
type:example	`\TYPE [..=..] {...}`
type:example:angles	`\TYPE [..=..] <<...>>`
typ:angles	`\typ [..=..] <<...>>`
uconvertnumber	`\uconvertnumber {...} {...}`
uedcatcodecommand	`\uedcatcodecommand \... ... {...}`
ultimasottopagina	`\ultimasottopagina`
undefinevalue	`\undefinevalue {...}`
undepthed	`\undepthed {...}`
underset	`\underset {...} {...}`
undoassign	`\undoassign [...] [..=..]`
unexpandeddocumentvariable	`\unexpandeddocumentvariable {...}`
unhhbox	`\unhhbox ... \with {...}`
unihex	`\unihex {...}`
uniqueMPgraphic	`\uniqueMPgraphic {...} {..=..}`
uniqueMPpagegraphic	`\uniqueMPpagegraphic {...} {..=..}`
unita:instance	`\UNIT {...}`
unita:instance:unit	`\unit {...}`
unprotect	`\unprotect ... \protect`
unprotected	`\unprotected ... \par`
unregisterhyphenationpattern	`\unregisterhyphenationpattern [...] [...]`
unspaceafter	`\unspaceafter \... {...}`
unspaceargument	`\unspaceargument ... \to \...`
unspaced	`\unspaced {...}`
unspacestring	`\unspacestring ... \to \...`
untexargument	`\untexargument {...} \to \...`
untexcommand	`\untexcommand {...} \to \...`
uppercased	`\uppercased {...}`
uppercasestring	`\uppercasestring ... \to \...`
upperleftdoubleninequote	`\upperleftdoubleninequote`
upperleftdoublesixquote	`\upperleftdoublesixquote`
upperleftsingleninequote	`\upperleftsingleninequote`
upperleftsinglesixquote	`\upperleftsinglesixquote`
upperrightdoubleninequote	`\upperrightdoubleninequote`

upperrightdoublesixquote	\upperrightdoublesixquote
upperrightsingleninequote	\upperrightsingleninequote
upperrightsinglesixquote	\upperrightsinglesixquote
url	\url [...]
usablocco	\usablocco [...] [...] [..=..]
usacartella	\usacartella [...]
usacolonnasonoraesterna	\usacolonnasonoraesterna [...] [...]
usadocumentoesterno	\usadocumentoesterno [...] [...] [...]
usafiguraesterna	\usafiguraesterna [...] [...] [...] [..=..]
usaJSscripts	\usaJSscripts [...] [...]
usamodulo	\usamodulo [...] [...] [..=..]
usasimboli	\usasimboli [...]
usaURL	\usaURL [...] [...] [...] [...]
usaurl	\usaurl [...] [...] [...] [...]
usealignparameter	\usealignparameter \...
useblankparameter	\useblankparameter \...
usebodyfont	\usebodyfont [...]
usebodyfontparameter	\usebodyfontparameter \...
usebtxdataset	\usebtxdataset [...] [...] [..=..]
usebtxdefinitions	\usebtxdefinitions [...]
usecitation	\usecitation [...]
usecitation:direct	\usecitation {...}
usecolors	\usecolors [...]
usecomponent	\usecomponent [...]
usedummycolorparameter	\usedummycolorparameter {...}
usedummystyleandcolor	\usedummystyleandcolor {...} {...}
usedummystyleparameter	\usedummystyleparameter {...}
useenvironment	\useenvironment [...]
useexternalrendering	\useexternalrendering [...] [...] [...] [...]
usefigurebase	\usefigurebase [...]
usefile	\usefile [...] [...] [...]
usegridparameter	\usegridparameter \...
useindentingparameter	\useindentingparameter \...
useindentnextparameter	\useindentnextparameter \...
useinterlinespaceparameter	\useinterlinespaceparameter \...
uselanguageparameter	\uselanguageparameter \...
useluamodule	\useluamodule [...]
useMPenvironmentbuffer	\useMPenvironmentbuffer [...]
useMPgraphic	\useMPgraphic {...} {..=..}
useMPlibrary	\useMPlibrary [...]
useMPrun	\useMPrun {...} {...}
useMPvariables	\useMPvariables [...] [...]
usemathstyleparameter	\usemathstyleparameter \...
useproduct	\useproduct [...]
useprofileparameter	\useprofileparameter \...
useproject	\useproject [...]
usereferenceparameter	\usereferenceparameter \...
userpagenumber	\userpagenumber
usesetupsparameter	\usesetupsparameter \...
usestaticMPfigure	\usestaticMPfigure [..=..] [...]
usesubpath	\usesubpath [...]
usetexmodule	\usetexmodule [...] [...] [..=..]
usetypescript	\usetypescript [...] [...] [...]
usetypescriptfile	\usetypescriptfile [...]
usezipfile	\usezipfile [...] [...]
utfchar	\utfchar {...}
utflower	\utflower {...}
utfupper	\utfupper {...}
utilityregisterlength	\utilityregisterlength
VerboseNumber	\VerboseNumber {...}
vaia	\vaia {...} [...]
vaiabox	\vaiabox {...} [...]
vaiapagina	\vaiapagina {...} [...]
vaigiu	\vaigiu [...]
valorecolore	\valorecolore {...}
vboxreference	\vboxreference [...] {...}
vec	\vec {...}
verbatim	\verbatim {...}
verbatimstring	\verbatimstring {...}
verbosenumber	\verbosenumber {...}
versione	\versione [...]
verticalgrowingbar	\verticalgrowingbar [..=..]

verticalpositionbar	`\verticalpositionbar [..=..]`
veryraggedcenter	`\veryraggedcenter`
veryraggedleft	`\veryraggedleft`
veryraggedright	`\veryraggedright`
vglue	`\vglue ...`
viewerlayer	`\viewerlayer [...] {...}`
vl	`\vl [...]`
vphantom	`\vphantom {...}`
vpos	`\vpos {...} {...}`
vsmash	`\vsmash {...}`
vsmashbox	`\vsmashbox ...`
vsmashed	`\vsmashed {...}`
vspace	`\vspace [...] [...]`
vspacing	`\vspacing [...]`
WidthSpanningText	`\WidthSpanningText {...} {...} {...}`
wdofstring	`\wdofstring {...}`
widthofstring	`\widthofstring {...}`
widthspanningtext	`\widthspanningtext {...} {...} {...}`
withoutpt	`\withoutpt {...}`
words	`\words {...}`
wordtonumber	`\wordtonumber {...} {...}`
writedatatolist	`\writedatatolist [...] [..=..] [..=..]`
writestatus	`\writestatus {...} {...}`
XETEX	`\XETEX`
XeTeX	`\XeTeX`
xdefconvertedargument	`\xdefconvertedargument \... {...}`
xmladdindex	`\xmladdindex {...}`
xmlafterdocumentsetup	`\xmlafterdocumentsetup {...} {...} {...}`
xmlaftersetup	`\xmlaftersetup {...} {...}`
xmlall	`\xmlall {...} {...}`
xmlappenddocumentsetup	`\xmlappenddocumentsetup {...} {...}`
xmlappendsetup	`\xmlappendsetup {...}`
xmlapplyselectors	`\xmlapplyselectors {...}`
xmlatt	`\xmlatt {...} {...}`
xmlattdef	`\xmlattdef {...} {...} {...}`
xmlattribute	`\xmlattribute {...} {...} {...}`
xmlattributedef	`\xmlattributedef {...} {...} {...} {...}`
xmlbadinclusions	`\xmlbadinclusions {...}`
xmlbeforedocumentsetup	`\xmlbeforedocumentsetup {...} {...} {...}`
xmlbeforesetup	`\xmlbeforesetup {...} {...}`
xmlchainatt	`\xmlchainatt {...} {...}`
xmlchainattdef	`\xmlchainattdef {...} {...} {...}`
xmlchecknamespace	`\xmlchecknamespace {...} {...}`
xmlcommand	`\xmlcommand {...} {...} {...}`
xmlconcat	`\xmlconcat {...} {...} {...}`
xmlconcatrange	`\xmlconcatrange {...} {...} {...} {...} {...}`
xmlcontext	`\xmlcontext {...} {...}`
xmlcount	`\xmlcount {...}`
xmldefaulttotext	`\xmldefaulttotext {...}`
xmldirectives	`\xmldirectives {...}`
xmldirectivesafter	`\xmldirectivesafter {...}`
xmldirectivesbefore	`\xmldirectivesbefore {...}`
xmldisplayverbatim	`\xmldisplayverbatim {...}`
xmldoif	`\xmldoif {...} {...} {...}`
xmldoifatt	`\xmldoifatt {...} {...}`
xmldoifelse	`\xmldoifelse {...} {...} {...} {...}`
xmldoifelseatt	`\xmldoifelseatt {...} {...} {...}`
xmldoifelseempty	`\xmldoifelseempty {...} {...} {...} {...}`
xmldoifelseselfempty	`\xmldoifelseselfempty {...} {...} {...}`
xmldoifelsetext	`\xmldoifelsetext {...} {...} {...} {...}`
xmldoifelsevalue	`\xmldoifelsevalue {...} {...} {...} {...}`
xmldoifnot	`\xmldoifnot {...} {...} {...}`
xmldoifnotatt	`\xmldoifnotatt {...} {...}`
xmldoifnotselfempty	`\xmldoifnotselfempty {...} {...}`
xmldoifnottext	`\xmldoifnottext {...} {...} {...}`
xmldoifselfempty	`\xmldoifselfempty {...} {...}`
xmldoiftext	`\xmldoiftext {...} {...} {...}`
xmlelement	`\xmlelement {...} {...}`
xmlfilter	`\xmlfilter {...} {...}`
xmlfirst	`\xmlfirst {...} {...}`
xmlflush	`\xmlflush {...}`
xmlflushcontext	`\xmlflushcontext {...}`

```
xmlflushdocumentsetups              \xmlflushdocumentsetups {...} {...}
xmlflushlinewise                    \xmlflushlinewise {...}
xmlflushpure                        \xmlflushpure {...}
xmlflushspacewise                   \xmlflushspacewise {...}
xmlflushtext                        \xmlflushtext {...}
xmlinclude                          \xmlinclude {...} {...} {...}
xmlinclusion                        \xmlinclusion {...}
xmlinclusions                       \xmlinclusions {...}
xmlinfo                             \xmlinfo {...}
xmlinjector                         \xmlinjector {...}
xmlinlineprettyprint                \xmlinlineprettyprint {...} {...}
xmlinlineprettyprinttext            \xmlinlineprettyprinttext {...} {...}
xmlinlineverbatim                   \xmlinlineverbatim {...}
xmlinstalldirective                 \xmlinstalldirective {...} {...}
xmllast                             \xmllast {...} {...}
xmllastatt                          \xmllastatt
xmllastmatch                        \xmllastmatch
xmllastpar                          \xmllastpar
xmlloadbuffer                       \xmlloadbuffer {...} {...} {...}
xmlloaddata                         \xmlloaddata {...} {...} {...}
xmlloaddirectives                   \xmlloaddirectives {...}
xmlloadfile                         \xmlloadfile {...} {...} {...}
xmlloadonly                         \xmlloadonly {...} {...} {...}
xmlmain                             \xmlmain {...}
xmlmapvalue                         \xmlmapvalue {...} {...} {...}
xmlname                             \xmlname {...}
xmlnamespace                        \xmlnamespace {...}
xmlnonspace                         \xmlnonspace {...} {...}
xmlpar                              \xmlpar {...} {...}
xmlparam                            \xmlparam {...} {...} {...}
xmlpath                             \xmlpath {...}
xmlpos                              \xmlpos {...}
xmlposition                         \xmlposition {...} {...} {...}
xmlprependdocumentsetup             \xmlprependdocumentsetup {...} {...}
xmlprependsetup                     \xmlprependsetup {...}
xmlprettyprint                      \xmlprettyprint {...} {...}
xmlprettyprinttext                  \xmlprettyprinttext {...} {...}
xmlprocessbuffer                    \xmlprocessbuffer {...} {...} {...}
xmlprocessdata                      \xmlprocessdata {...} {...} {...}
xmlprocessfile                      \xmlprocessfile {...} {...} {...}
xmlpure                             \xmlpure {...} {...}
xmlraw                              \xmlraw {...}
xmlrefatt                           \xmlrefatt {...} {...}
xmlregistereddocumentsetups         \xmlregistereddocumentsetups {...} {...}
xmlregisteredsetups                 \xmlregisteredsetups
xmlregisterns                       \xmlregisterns {...} {...}
xmlremapname                        \xmlremapname {...} {...} {...} {...}
xmlremapnamespace                   \xmlremapnamespace {...} {...} {...}
xmlremovedocumentsetup              \xmlremovedocumentsetup {...} {...}
xmlremovesetup                      \xmlremovesetup {...}
xmlresetdocumentsetups              \xmlresetdocumentsetups {...}
xmlresetinjectors                   \xmlresetinjectors
xmlresetsetups                      \xmlresetsetups {...}
xmlsave                             \xmlsave {...} {...}
xmlsetatt                           \xmlsetatt {...} {...} {...}
xmlsetattribute                     \xmlsetattribute {...} {...} {...} {...}
xmlsetentity                        \xmlsetentity {...} {...}
xmlsetfunction                      \xmlsetfunction {...} {...} {...}
xmlsetinjectors                     \xmlsetinjectors [...]
xmlsetpar                           \xmlsetpar {...} {...} {...}
xmlsetparam                         \xmlsetparam {...} {...} {...} {...}
xmlsetsetup                         \xmlsetsetup {...} {...} {...}
xmlsetup                            \xmlsetup {...} {...}
xmlshow                             \xmlshow {...}
xmlsnippet                          \xmlsnippet {...} {...}
xmlstrip                            \xmlstrip {...} {...}
xmlstripnolines                     \xmlstripnolines {...} {...}
xmlstripped                         \xmlstripped {...} {...}
xmlstrippednolines                  \xmlstrippednolines {...} {...}
xmltag                              \xmltag {...}
xmltexentity                        \xmltexentity {...} {...}
xmltext                             \xmltext {...} {...}
```

```
xmltobuffer                    \xmltobuffer {...} {...} {...}
xmltobufferverbose             \xmltobufferverbose {...} {...} {...}
xmltofile                      \xmltofile {...} {...} {...}
xmlvalue                       \xmlvalue {...} {...} {...}
xmlverbatim                    \xmlverbatim {...}
xsplitstring                   \xsplitstring \... {...}
xypos                          \xypos {...}
```