



playful math

pl > bachotex 2026

de > context 2026

us > julius ross

sv > mikael sundqvist

nl > hans hagen

prompting you

pennstander

- derived from grandstander by Tyler Finck
- enhanced with math and more by Julius Ross
- tested and applied by Mikael and Hans
- presented to you by Tove Sundqvist

pennstander

quiz by Tove @ bachotex

pennstander

- comes in several weights
- each weight has a math companion
- they have been tested in context
- they have been made a bit less extreme
- so that they could be enhanced with random

pennstander

- random math has some challenges
- fences need to match
- sizes need to be consistent
- characters should be distinctive
- radicals etc should just work
- script (script) sizes need to follow

pennstander

$$a_m = \lim_{\varepsilon \rightarrow 0} \frac{f(\varepsilon) - \sum_{k=0}^{m-1} a_k \phi_k(\varepsilon)}{\phi_m(\varepsilon)}$$

$$\Gamma(\lambda+1) \sim \sqrt{2\pi\lambda} \left(\frac{\lambda}{e}\right)^\lambda, \lambda \rightarrow +\infty$$

$$\left| \int_{[\alpha, \beta] \setminus U} e^{\lambda \phi(x)} a(x) dx \right| \leq C e^{\lambda(M-\eta)}$$

$$A(\varepsilon) = \begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 3 \end{bmatrix} + \varepsilon \begin{bmatrix} 0 & 1 & 1 \\ 1 & 2 & 0 \\ 1 & 0 & 0 \end{bmatrix}$$

pennstander

$$\frac{\sin(\alpha) + 1/z}{\int (0+x-1)} = \sqrt{a}$$

$(a + (b + (c + 1) + (d + 1)))$

$(a + (b + (c + 1) + (d + 1)))$