



Finding the balance

No way back

- We have passed the point of no return already years ago.
- Most users now use MkIV, with an occasional fall-back on MkII.
- The code base is now completely split, with the exception of some modules.
- Some solutions are implemented in Lua with only a small wrapper at the T_EX end.

To get an idea

- structure: sectioning, notes, descriptions, registers, synonyms
- typesetting: sectioning, notes, descriptions,

Hybrid coding

- The complete ConT_EXt user interface is available at the Lua end (context namespace).
- Eventually all Lua solutions will have a dual interface: Lua (all kind of namespaces) and towards T_EX (the command namespace).
- Some of the support Lua modules can also be used independent from ConT_EXt.

Coding in T_EX

```
\starttabulate[|l|c|r|]  
\NC one    \NC 1 \NC first \NC \NR  
\NC two    \NC 2 \NC second \NC \NR  
\NC three \NC 3 \NC third  \NC \NR  
\stoptabulate
```

Coding in LUA

```
local NC = context.NC
local NR = context.NR

context.starttabulate { "|l|c|r|" }
NC() one    NC() 1 NC() first  NC() NR()
NC() two    NC() 2 NC() second NC() NR()
NC() three  NC() 3 NC() third  NC() NR()
context.stoptabulate()
```

Pure LUA vs T_EX

```
function converters.ordinal(n,language)
    local t = ordinals[language]
    return t and t(n)
end
```

```
function commands.ordinal(n,language)
    local t = ordinals[language]
    local o = t and t(n)
    if o then
        context.highordinalstr(o)
    end
end
```

Up to MKVI

```
\def\MyPlace#Country#City%  
  {\blank  
   #City is situated in #Country  
  \blank}  
  
\starttexdefinition MyName #Name  
  My name is: #Name.  
\stoptexdefinition  
  
\MyPlace{Netherlands}{Hasselt}  
\MyPlace{Poland}      {Bachotek}  
  
\MyName{Hans Hagen}
```

CONTEXT LUA Documents

Let's look at some examples:

`cld-math-001.cld`

`music-001.cld`

`m-zint.mkiv`

`s-edu-01.mkiv`

`m-morse.mkvi`

`scrn-wid.[lua|mkvi]`

`[grph|lpdf|back]-swf.mkiv`

(In 2016 I'd show different examples.)