Fort Pickens State Park Aquatic Preserve SEACAR Discrete Water Quality Analysis


Last compiled on 26 June, 2024

Contents

Parameters
Chlorophyll a, Corrected for Pheophytin
Chlorophyll a, Uncorrected for Pheophytin
Dissolved Oxygen
Dissolved Oxygen Saturation
pH
Salinity
Secchi Depth
Total Nitrogen
Total Phosphorus
Total Suspended Solids
Turbidity
Water Temperature

Parameters

Chlorophyll a, Corrected for Pheophytin



-0.4241 0.0000 -0.1503125

TRUE


p < 0.00005 appear as 0 due to rounding.

0.8151

6.108029

Chlorophyll a, Uncorrected for Pheophytin


Chlorophyll a, Uncorrected for Pheophytin, Lab, All Depths Fort Pickens State Park Aquatic Preserve



p < 0.00005 appear as 0 due to rounding.

Dissolved Oxygen

RelativeDepth N_Data N_Years Median Independent



tau

TRUE

SennSlope

7.749116

0.0585 0.2156 0.009480519

p < 0.00005 appear as 0 due to rounding.


12.5938

SennIntercept ChiSquared pChiSquared Trend

0.3207

Dissolved Oxygen Saturation






p < 0.00005 appear as 0 due to rounding.

pH, Field, All Depths Fort Pickens State Park Aquatic Preserve 8.5 8 00 0 8.0 Hd 0 7.5 7.0 402× 700x -67× 7000 Year RelativeDepth N_Data N_Years Median Independent SennSlope SennIntercept ChiSquared pChiSquared Trend tau TRUE 0.1423 0.0450 0.004488636 8.031128 11.1676 0.4293

p < 0.00005 appear as 0 due to rounding.

Salinity






p < 0.00005 appear as 0 due to rounding.

Secchi Depth


Secchi Depth, Field, Surface Fort Pickens State Park Aquatic Preserve



p < 0.00005 appear as 0 due to rounding.

Total Nitrogen






TRUE -0.3169 0.0442 -0.006818182 0.3691808 1.7371 0.9992

p < 0.00005 appear as 0 due to rounding.


Total Phosphorus



p < 0.00005 appear as 0 due to rounding.

Total Suspended Solids


Total Suspended Solids, Lab and Field Combined, All Depths Fort Pickens State Park Aquatic Preserve



p < 0.00005 appear as 0 due to rounding.


Turbidity





p < 0.00005 appear as 0 due to rounding.

Water Temperature



p < 0.00005 appear as 0 due to rounding.