

Fort Pickens State Park Aquatic Preserve

SEACAR Water Quality Analysis

Last compiled on 18 March, 2025

Contents

Indicators	2
Nutrients	2
Total Nitrogen - Discrete	2
Total Phosphorus - Discrete	4
Water Quality	6
Dissolved Oxygen - Discrete	6
Dissolved Oxygen - Continuous	8
Dissolved Oxygen Saturation - Discrete	10
Dissolved Oxygen Saturation - Continuous	12
Salinity - Discrete	14
Salinity - Continuous	16
Water Temperature - Discrete	18
Water Temperature - Continuous	20
pH - Discrete	22
pH - Continuous	24
Water Clarity	26
Turbidity - Discrete	26
Turbidity - Continuous	28
Total Suspended Solids - Discrete	30
Chlorophyll a, Uncorrected for Pheophytin - Discrete	32
Chlorophyll a, Corrected for Pheophytin - Discrete	34
Secchi Depth - Discrete	36
Colored Dissolved Organic Matter - Discrete	38

Indicators

Nutrients

Total Nitrogen - Discrete





Table 1: Seasonal Kendall-Tau Results for - Total Nitrogen

Activity Type	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P
Lab	No significant trend	112	14	1999 - 2024	0.232	-0.21943	0.32595	-0.00539	0.18019961647207205501786120294



Total Phosphorus - Discrete





Table 2: Seasonal Kendall-Tau Results for - Total Phosphorus

Activity Type	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P
Lab	No significant trend	131	18	1999 - 2024	0.014	-0.05616	0.01336	-0.0003	0.4306439104814034357637808625440811738371849060058593750000000000



Water Quality

Dissolved Oxygen - Discrete





Table 3: Seasonal Kendall-Tau Results for - Dissolved Oxygen

Activity Type	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P
Field	No significant trend	1222	32	1991 - 2024	7.54	0.0679	7.59499	0.01049	0.16427430206192967



Dissolved Oxygen - Continuous





Table 4: Seasonal Kendall-Tau Results for All Stations - Dissolved Oxygen

Program Location	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P
P09	No significant trend	364	10	2002 - 2016	6.82	0.14	6.76	0.03	0.0969770612968386958
P26	Insufficient data to calculate trend	27	2	2011 - 2012	6.61	-	-	-	NA
EX4	Insufficient data to calculate trend	2	1	2002 - 2002	8.32	-	-	-	NA



Dissolved Oxygen Saturation - Discrete





Table 5: Seasonal Kendall-Tau Results for - Dissolved Oxygen Saturation

Activity Type	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P
Field	Significantly increasing trend	257	15	1999 - 2024	98.41	0.29401	89.58022	0.58056	0.000222102660050932051473415729248017669306136667728424072265625000000000



Dissolved Oxygen Saturation - Continuous





Table 6: Seasonal Kendall-Tau Results for All Stations - Dissolved Oxygen Saturation

Program Location	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P
P09	No significant trend	358	10	2002 - 2016	96.91	0.11	94.26	0.38	0.24456339910467967
P26	Insufficient data to calculate trend	27	2	2011 - 2012	98.17	-	-	-	NA



Salinity - Discrete





Table 7: Seasonal Kendall-Tau Results for - Salinity

Activity Type	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P
All	No significant trend	1163	32	1974 - 2024	25.98	-0.08377	28.13898	-0.0747	0.0999909351417735753283722033302183263003826141



Salinity - Continuous





Table 8: Seasonal Kendall-Tau Results for All Stations - Salinity

Program Location	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P
P09	No significant trend	373	10	2002 - 2016	25.91	-0.17	28.25	-0.27	0.129567284241111469
P26	Insufficient data to calculate trend	27	2	2011 - 2012	26.38	-	-	-	NA
EX4	Insufficient data to calculate trend	2	1	2002 - 2002	33.65	-	-	-	NA



Water Temperature - Discrete





Table 9: Seasonal Kendall-Tau Results for - Water Temperature

Activity Type	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P
Field	No significant trend	1264	35	1986 - 2024	27.1	0.07616	22.4764	0.02054	0.103259007465335298



Water Temperature - Continuous





Table 10: Seasonal Kendall-Tau Results for All Stations - Water Temperature

Program Location	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P
P09	No significant trend	373	10	2002 - 2016	26.39	0.1	23.79	0.05	0.4485077165791157560725821440428263
P26	Insufficient data to calculate trend	27	2	2011 - 2012	29.64	-	-	-	NA
EX4	Insufficient data to calculate trend	2	1	2002 - 2002	13.62	-	-	-	NA



pH - Discrete





Table 11: Seasonal Kendall-Tau Results for - pH

Activity Type	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P
Field	No significant trend	1024	31	1991 - 2024	8.1	0.11969	8.03003	0.00336	0.05857361425564454326941898898439831100404



pH - Continuous





Table 12: Seasonal Kendall-Tau Results for All Stations - pH

Program Location	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P
P09	Insufficient data to calculate trend	157	2	2015 - 2016	7.06	-	-	-	NA



Water Clarity

Turbidity - Discrete





Table 13: Seasonal Kendall-Tau Results for - Turbidity

Activity Type	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P
Lab	Significantly decreasing trend	313	18	1996 - 2016	1.0122	-0.31425	1.92558	-0.06511	0.00000064140194184612



Turbidity - Continuous





Table 14: Seasonal Kendall-Tau Results for All Stations - Turbidity

Program Location	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P
P09	No significant trend	275	7	2009 - 2016	0.85	0.07	1.31	0.02	0.3820326092369136
P26	Insufficient data to calculate trend	25	2	2011 - 2012	0.62	-	-	-	NA



Total Suspended Solids - Discrete





Table 15: Seasonal Kendall-Tau Results for - Total Suspended Solids

Activity Type	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P
Lab	Significantly decreasing trend	258	14	1997 - 2024	10	-0.60919	20.48186	-1.44236	0.000000000000006922882966478501698



Chlorophyll a, Uncorrected for Pheophytin - Discrete





Table 16: Seasonal Kendall-Tau Results for - Chlorophyll a, Uncorrected for Pheophytin

Activity Type	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P
Lab	Significantly decreasing trend	233	17	1998 - 2023	5	-0.32294	5.27153	-0.03542	0.00000089779847610620753858



Chlorophyll a, Corrected for Pheophytin - Discrete





Table 17: Seasonal Kendall-Tau Results for - Chlorophyll a, Corrected for Pheophytin

Activity Type	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P
Lab	Significantly decreasing trend	395	25	1994 - 2023	5	-0.4096	5.85363	-0.14	0.000000000000126534690040628



Secchi Depth - Discrete





Table 18: Seasonal Kendall-Tau Results for - Secchi Depth



Colored Dissolved Organic Matter - Discrete




Table 19: Seasonal Kendall-Tau Results for - Colored Dissolved Organic Matter

Activity Type	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P
Lab	Insufficient data to calculate trend	17	4	2021 - 2024	6	-	-	-	NA

