

# Fort Clinch State Park Aquatic Preserve

## SEACAR Water Quality Analysis

Last compiled on 18 March, 2025

### Contents

<b>Indicators</b>	<b>2</b>
Nutrients . . . . .	2
Total Nitrogen - Discrete . . . . .	2
Total Phosphorus - Discrete . . . . .	4
Water Quality . . . . .	6
Dissolved Oxygen - Discrete . . . . .	6
Dissolved Oxygen Saturation - Discrete . . . . .	8
Salinity - Discrete . . . . .	10
Water Temperature - Discrete . . . . .	12
pH - Discrete . . . . .	14
Water Clarity . . . . .	16
Turbidity - Discrete . . . . .	16
Total Suspended Solids - Discrete . . . . .	18
Chlorophyll a, Uncorrected for Pheophytin - Discrete . . . . .	20
Chlorophyll a, Corrected for Pheophytin - Discrete . . . . .	22
Secchi Depth - Discrete . . . . .	24

Indicators

Nutrients

Total Nitrogen - Discrete





Table 1: Seasonal Kendall-Tau Results for - Total Nitrogen

Activity Type	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P
Lab	No significant trend	55	12	2000 - 2024	0.354	-0.33333	0.50547	-0.01001	0.09079793075239506183748972035



## Total Phosphorus - Discrete





Table 2: Seasonal Kendall-Tau Results for - Total Phosphorus

Activity Type	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P
Lab	No significant trend	58	12	2000 - 2024	0.034	-0.25833	0.05592	-0.0012	0.237368605077561439786748564984009135514407756958007812500000000000



# Water Quality

## Dissolved Oxygen - Discrete





Table 3: Seasonal Kendall-Tau Results for - Dissolved Oxygen

Activity Type	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P
Field	Significantly decreasing trend	1641	26	1994 - 2024	7.1	-0.18465	7.61469	-0.03332	0.00004697327489331



## Dissolved Oxygen Saturation - Discrete





Table 4: Seasonal Kendall-Tau Results for - Dissolved Oxygen Saturation

Activity Type	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P
Field	Insufficient data to calculate trend	48	5	2000 - 2014	85.45	-	-	-	NA





## Salinity - Discrete





Table 5: Seasonal Kendall-Tau Results for - Salinity

Activity Type	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P
All	No significant trend	1638	26	1994 - 2023	33.5	-0.03841	33.58155	-0.01974	0.39121284769775682699233243511116597801446914673



## Water Temperature - Discrete





Table 6: Seasonal Kendall-Tau Results for - Water Temperature

Activity Type	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P
Field	Significantly increasing trend	1662	26	1994 - 2024	23.2	0.08897	21.96099	0.03893	0.039480888455193673



pH - Discrete





Table 7: Seasonal Kendall-Tau Results for - pH

Activity Type	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P
Field	No significant trend	1631	26	1994 - 2024	7.8	0.0303	7.80065	0.00102	0.55608984863439947510244110162602737545967



# Water Clarity

## Turbidity - Discrete





Table 8: Seasonal Kendall-Tau Results for - Turbidity

Activity Type	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P
Lab	No significant trend	49	10	2000 - 2024	5	-0.22105	9.61579	-0.19	0.30610346625699913492





## Total Suspended Solids - Discrete





Table 9: Seasonal Kendall-Tau Results for - Total Suspended Solids

Activity Type	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P
Lab	Insufficient data to calculate trend	22	2	2013 - 2014	17.5	-	-	-	NA



## Chlorophyll a, Uncorrected for Pheophytin - Discrete





Table 10: Seasonal Kendall-Tau Results for - Chlorophyll a, Uncorrected for Pheophytin

Activity Type	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P
Lab	Insufficient data to calculate trend	56	9	2004 - 2024	4.95419	-	-	-	NA



## Chlorophyll a, Corrected for Pheophytin - Discrete





Table 11: Seasonal Kendall-Tau Results for - Chlorophyll a, Corrected for Pheophytin

Activity Type	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P
Lab	Insufficient data to calculate trend	48	9	2004 - 2024	4.1	-	-	-	NA



## Secchi Depth - Discrete




Table 12: Seasonal Kendall-Tau Results for - Secchi Depth

Activity Type	Statistical Trend	Sample Count	Years with Data	Period of Record	Median Result Value	Tau	Sen Intercept	Sen Slope	P
Field	No significant trend	1511	23	2000 - 2022	-0.9	0.06468	-0.875	0.00568	0.1556145710321055475322538086402



