

Banana River Aquatic Preserve

SEACAR Water Quality Analysis

Last compiled on 09 January, 2025

Contents

Indicators	2
Nutrients	2
Total Nitrogen - Discrete	2
Total Phosphorus - Discrete	3
Water Quality	4
Dissolved Oxygen - Discrete	4
Dissolved Oxygen - Continuous	5
Dissolved Oxygen Saturation - Discrete	6
Dissolved Oxygen Saturation - Continuous	7
Salinity - Discrete	8
Salinity - Continuous	9
Water Temperature - Discrete	10
Water Temperature - Continuous	11
pH - Discrete	12
pH - Continuous	13
Water Clarity	14
Turbidity - Discrete	14
Turbidity - Continuous	15
Total Suspended Solids - Discrete	16
Chlorophyll a, Uncorrected for Pheophytin - Discrete	17
Chlorophyll a, Corrected for Pheophytin - Discrete	18
Secchi Depth - Discrete	19
Colored Dissolved Organic Matter - Discrete	20

Indicators

Nutrients

Total Nitrogen - Discrete




Table 1: Seasonal Kendall-Tau Results for - Total Nitrogen

ActivityType	Statistical Trend	N-Data	N-Years	Period of Record	Median	tau	SennIntercept	SennSlope	p
Lab	Significantly decreasing trend	2186	28	1997 - 2024	1.23541	-0.3929	1.43161	-0.01889	0.0000

Total Phosphorus - Discrete




Table 2: Seasonal Kendall-Tau Results for - Total Phosphorus

ActivityType	Statistical Trend	N-Data	N-Years	Period of Record	Median	tau	SennIntercept	SennSlope	p
Lab	Significantly increasing trend	4657	28	1997 - 2024	0.0355	0.2162	0.0323	0.00064	0.0000

Water Quality

Dissolved Oxygen - Discrete




Table 3: Seasonal Kendall-Tau Results for - Dissolved Oxygen

ActivityType	Statistical Trend	N-Data	N-Years	Period of Record	Median	tau	SennIntercept	SennSlope	p
Field	No significant trend	29828	35	1990 - 2024	6.48	-0.0308	6.59734	-0.00409	0.3660

Dissolved Oxygen - Continuous




Table 4: Seasonal Kendall-Tau Results for All Stations - Dissolved Oxygen

ProgramLocationID	Statistical Trend	N-Data	N-Years	Period of Record	Median	tau	SennIntercept	SennSlope	p
CMMerritt	Insufficient data to calculate trend	27378	4	2014 - 2017	6.51	-	-	-	-
IRLB04	Significantly increasing trend	65727	8	2017 - 2024	7.29	0.26	6.51	0.14	0.0022

Dissolved Oxygen Saturation - Discrete




Table 5: Seasonal Kendall-Tau Results for - Dissolved Oxygen Saturation

ActivityType	Statistical Trend	N-Data	N-Years	Period of Record	Median	tau	SennIntercept	SennSlope	p
Field	Significantly increasing trend	7455	34	1991 - 2024	58	0.449	9.7875	1.92677	0.0000

Dissolved Oxygen Saturation - Continuous




Table 6: Seasonal Kendall-Tau Results for All Stations - Dissolved Oxygen Saturation

ProgramLocationID	Statistical Trend	N-Data	N-Years	Period of Record	Median	tau	SennIntercept	SennSlope	p
CMMerritt	Insufficient data to calculate trend	25864	4	2014 - 2017	91.03	-	-	-	-
IRLB04	No significant trend	78329	8	2017 - 2024	101.46	0.13	97.74	1.02	0.1041

Salinity - Discrete




Table 7: Seasonal Kendall-Tau Results for - Salinity

ActivityType	Statistical Trend	N-Data	N-Years	Period of Record	Median	tau	SennIntercept	SennSlope	p
All	No significant trend	31351	35	1990 - 2024	19.8	0.0652	19.97985	0.05162	0.0672

Salinity - Continuous




Table 8: Seasonal Kendall-Tau Results for All Stations - Salinity

ProgramLocationID	Statistical Trend	N-Data	N-Years	Period of Record	Median	tau	SennIntercept	SennSlope	p
IRLB04	Significantly decreasing trend	61864	8	2017 - 2024	19.82	-0.46	21.52	-0.46	0.0000
CMMerritt	Insufficient data to calculate trend	25902	4	2014 - 2017	26.40	-	-	-	-

Water Temperature - Discrete




Table 9: Seasonal Kendall-Tau Results for - Water Temperature

ActivityType	Statistical Trend	N-Data	N-Years	Period of Record	Median	tau	SennIntercept	SennSlope	p
Field	Significantly increasing trend	31300	35	1990 - 2024	25.5	0.108	24.11772	0.01936	0.0023

Water Temperature - Continuous




Table 10: Seasonal Kendall-Tau Results for All Stations - Water Temperature

Program	LocationID	Statistical Trend	N-Data	N-Years	Period of Record	Median	tau	SennIntercept	SennSlope	p
CMMerritt		Insufficient data to calculate trend	27484	4	2014 - 2017	25.43	-	-	-	-
IRLB04		No significant trend	65731	8	2017 - 2024	25.90	0.1	25.69	0.06	0.2413

pH - Discrete




Table 11: Seasonal Kendall-Tau Results for - pH

ActivityType	Statistical Trend	N-Data	N-Years	Period of Record	Median	tau	SennIntercept	SennSlope	p
Field	No significant trend	22717	35	1990 - 2024	8.2	-0.0414	8.24329	-0.00121	0.2599

pH - Continuous




Table 12: Seasonal Kendall-Tau Results for All Stations - pH

ProgramLocationID	Statistical Trend	N-Data	N-Years	Period of Record	Median	tau	SennIntercept	SennSlope	p
CMMerritt	Insufficient data to calculate trend	27417	4	2014 - 2017	8.22	-	-	-	-
IRLB04	Significantly increasing trend	65643	8	2017 - 2024	8.48	0.27	8.38	0.04	0.0008

Water Clarity

Turbidity - Discrete




Table 13: Seasonal Kendall-Tau Results for - Turbidity

ActivityType	Statistical Trend	N-Data	N-Years	Period of Record	Median	tau	SennIntercept	SennSlope	p
Lab	Significantly decreasing trend	13427	28	1996 - 2024	3.2	-0.0902	3.46631	-0.02409	0.0256

Turbidity - Continuous




Table 14: Seasonal Kendall-Tau Results for All Stations - Turbidity

ProgramLocationID	Statistical Trend	N-Data	N-Years	Period of Record	Median	tau	SennIntercept	SennSlope	p
IRLB04	Significantly decreasing trend	62930	8	2017 - 2024	3.18	-0.6	8.62	-1.17	0.0000
CMMerritt	Insufficient data to calculate trend	12912	3	2015 - 2017	5.29	-	-	-	-

Total Suspended Solids - Discrete




Table 15: Seasonal Kendall-Tau Results for - Total Suspended Solids

ActivityType	Statistical Trend	N-Data	N-Years	Period of Record	Median	tau	SennIntercept	SennSlope	p
Lab	Significantly decreasing trend	2416	26	1997 - 2024	10	-0.2639	14.61993	-0.3114	0.0000

Chlorophyll a, Uncorrected for Pheophytin - Discrete




Table 16: Seasonal Kendall-Tau Results for - Chlorophyll a, Uncorrected for Pheophytin

ActivityType	Statistical Trend	N-Data	N-Years	Period of Record	Median	tau	SennIntercept	SennSlope	p
Lab	Significantly decreasing trend	386	15	1999 - 2024	8.47787	-0.3217	48.73476	-1.32103	0.0003

Chlorophyll a, Corrected for Pheophytin - Discrete




Table 17: Seasonal Kendall-Tau Results for - Chlorophyll a, Corrected for Pheophytin

ActivityType	Statistical Trend	N-Data	N-Years	Period of Record	Median	tau	SennIntercept	SennSlope	p
Lab	Significantly decreasing trend	475	15	2005 - 2024	7.0221	-0.2346	20.67029	-0.54761	0.0154

Secchi Depth - Discrete




Table 18: Seasonal Kendall-Tau Results for - Secchi Depth

ActivityType	Statistical Trend	N-Data	N-Years	Period of Record	Median	tau	SennIntercept	SennSlope	p
Field	Significantly increasing trend	8795	34	1991 - 2024	0.85	0.091	0.81327	0.00373	0.0112

Colored Dissolved Organic Matter - Discrete




Table 19: Seasonal Kendall-Tau Results for - Colored Dissolved Organic Matter

ActivityType	Statistical Trend	N-Data	N-Years	Period of Record	Median	tau	SennIntercept	SennSlope	p
Lab	Insufficient data to calculate trend	332	9	2016 - 2024	11.8761	-	-	-	NA