

**Vercel + Puppeteer** 

#puppeteer #vercel #nextjs #browserless

Vercel is the platform for frontend developers, providing the speed and

X

Kindness is contagious

Engage with a sea of insights in this enlightening article, highly esteemed within the encouraging DEV Community. **Programmers of every skill level** are invited to participate and enrich our shared knowledge.

A simple "thank you" can uplift someone's spirits. Express your appreciation in the comments section!

On DEV, **sharing knowledge smooths our journey** and strengthens our community bonds. Found this useful? A brief thank you to the author can mean a lot.



- You should be somewhat familiar with how environment variables work in NextJS to properly store secrets. Feel free to read more here.
- For the purpose of this blogpost we'll create a basic route that generates a PDF of a URL. Feel free to alter this, but it'll be enough to get you started!

## **Setting up Puppeteer for Vercel**

To get started, create a new Next.js application through the CLI:

\$ npx create-next-app@latest

This command will create your basic "Hello World" app and then exit. For NextJS apps in particular, you'll likely have a "pages" directory with an "api" folder as well. This is where we'll be spending most of our time since our functionality is created inside the NodeJS environment.

Once your application is set up then we'll also install Puppeteer. We'll opt for the 'puppeteer-core' module to avoid the first issue in Vercel: **the 50MB file-size limit**. Puppeteer by default ships with headless Chrome bundled together, which is easily over 50MB in size. By using 'puppeteer-core' we can get around this by only having puppeteer's code installed and not the

Kindness is contagious

Engage with a sea of insights in this enlightening article, highly esteemed within the encouraging DEV Community. **Programmers of every skill level** are invited to participate and enrich our shared knowledge.

A simple "thank you" can uplift someone's spirits. Express your appreciation in the comments section!

On DEV, **sharing knowledge smooths our journey** and strengthens our community bonds. Found this useful? A brief thank you to the author can mean a lot.

```
}
export default async function handler(
  req: NextApiRequest,
  res: NextApiResponse<Json | Buffer>
  const { searchParams } = new URL(
    req.url as string,
    `http://${req.headers.host}`
  const url = searchParams.get('url')
  if (!url) {
    return res
      status(400)
      .json({ message: `A ?url query-parameter is required` })
  }
  const browser = await puppeteer.connect({
    browserWSEndpoint: `wss://chrome.browserless.io?token=${proce
  })
  const page = await browser.newPage()
  await page.setViewport({ width: 1920, height: 1080 })
  await page.goto(url)
```

Engage with a sea of insights in this enlightening article, highly esteemed within the encouraging DEV Community. **Programmers of every skill level** are invited to participate and enrich our shared knowledge.

A simple "thank you" can uplift someone's spirits. Express your appreciation in the comments section!

On DEV, **sharing knowledge smooths our journey** and strengthens our community bonds. Found this useful? A brief thank you to the author can mean a lot.



## Making puppeteer work on Vercel with browserless

The reason we're able to get puppeteer and Chrome working on Vercel is by avoiding having to download and run Chrome inside of our Vercel app. Separating your puppeteer code from Chrome is actually a great best practice as it cleanly separates Chrome from your application code.

Powered by Algolia

In order to connect to browserless and use headless Chrome you'll need to get an API token. We offer free accounts with no credit card required here. Once you have your API key, you'll want to create an env.local file with it:

# Browserless Token BLESS\_TOKEN=YOUR-API-KEY-HERE

Now that that's set up, let's start our application and visit the route to see if it works properly. From the root of the project, run the following command. You'll want to restart this as any environment variable changes do require a restart of the dev server:



Kindness is contagious

Engage with a sea of insights in this enlightening article, highly esteemed within the encouraging DEV Community. Programmers of every skill level are invited to participate and enrich our shared knowledge.


A simple "thank you" can uplift someone's spirits. Express your appreciation in the comments section!

On DEV, sharing knowledge smooths our journey and strengthens our community bonds. Found this useful? A brief thank you to the author can mean a lot.





This will prompt you for a few options, but we'll want to deploy from GitHub. After adding access here's the permissions and screen grab of our GitHub selection:



Engage with a sea of insights in this enlightening article, highly esteemed within the encouraging DEV Community. **Programmers of every skill level** are invited to participate and enrich our shared knowledge.

A simple "thank you" can uplift someone's spirits. Express your appreciation in the comments section!

On DEV, **sharing knowledge smooths our journey** and strengthens our community bonds. Found this useful? A brief thank you to the author can mean a lot.




Engage with a sea of insights in this enlightening article, highly esteemed within the encouraging DEV Community. Programmers of every skill level are invited to participate and enrich our shared knowledge.

A simple "thank you" can uplift someone's spirits. Express your appreciation in the comments section!

On DEV, sharing knowledge smooths our journey and strengthens our community bonds. Found this useful? A brief thank you to the author can mean a lot.




Once in you'll click "Add" then "Deploy." After a few seconds your page should load and display their "Hello World" Screen since we never altered it:



Engage with a sea of insights in this enlightening article, highly esteemed within the encouraging DEV Community. **Programmers of every skill level** are invited to participate and enrich our shared knowledge.

A simple "thank you" can uplift someone's spirits. Express your appreciation in the comments section!


On DEV, **sharing knowledge smooths our journey** and strengthens our community bonds. Found this useful? A brief thank you to the author can mean a lot.



Engage with a sea of insights in this enlightening article, highly esteemed within the encouraging DEV Community. **Programmers of every skill level** are invited to participate and enrich our shared knowledge.

A simple "thank you" can uplift someone's spirits. Express your appreciation in the comments section!

On DEV, **sharing knowledge smooths our journey** and strengthens our community bonds. Found this useful? A brief thank you to the author can mean a lot.



Engage with a sea of insights in this enlightening article, highly esteemed within the encouraging DEV Community. **Programmers of every skill level** are invited to participate and enrich our shared knowledge.

A simple "thank you" can uplift someone's spirits. Express your appreciation in the comments section!

On DEV, **sharing knowledge smooths our journey** and strengthens our community bonds. Found this useful? A brief thank you to the author can mean a lot.



## Read next



**Next-auth App Router Credentials - An Annotated Guide** 

Powered by Q Algolia

Rafaat Ahmed - Jun 4



**Advanced Server Rendering | React Query with Next.js App Router** 

Rayen Mabrouk - May 30



**Deploying NextJS app to mobile App Stores using CapacitorJS** 

SonicDev - Jun 4



**Next.js: Best Way to Organize Your Project Structure** 

Jonathan U - Jun 4



Kindness is contagious

Engage with a sea of insights in this enlightening article, highly esteemed within the encouraging DEV Community. Programmers of every skill level are invited to participate and enrich our shared knowledge.

A simple "thank you" can uplift someone's spirits. Express your appreciation in the comments section!

On DEV, **sharing knowledge smooths our journey** and strengthens our community bonds. Found this useful? A brief thank you to the author can mean a lot.



σοιπετεπος πραρρετεεί πιανασστην πυτονίσει

7 Tips to Making Your Puppeteer Scripts More Bulletproof

#javascript #node #puppeteer #chrome

**DEV Community** 



## Life is too short to browse without dark mode

You can customize your theme, font, and more when you are signed in.

**DEV Community** — A constructive and inclusive social network for software developers. With you every step of your journey.

Home • Podcasts • Videos • Tags • DEV Help • Forem Shop • Advertise on DEV • DEV Challenges • DEV Showcase • About • Contact • Guides • Software comparisons Code of Conduct • Privacy Policy • Terms of use

Built on Forem — the open source software that powers DEV and other inclusive communities. Made with love and Ruby on Rails. DEV Community © 2016 - 2024.



Kindness is contagious

Engage with a sea of insights in this enlightening article, highly esteemed within the encouraging DEV Community. Programmers of every skill level are invited to participate and enrich our shared knowledge.

A simple "thank you" can uplift someone's spirits. Express your appreciation in the comments section!

On DEV, sharing knowledge smooths our journey and strengthens our community bonds. Found this useful? A brief thank you to the author can mean a lot.