

.T WRWSIHIST 2305121140/

Department of Water Resources

California Cooperative Snow Surveys

Chronological Reconstructed Sacramento and San Joaquin Valley

Water Year Hydrologic Classification Indices

Based on measured unimpaired runoff (in million acre-feet), subject to revision.

\*\*\* See explanatory notes at bottom \*\*\*

[.....Sacramento Valley.....]						[.....San Joaquin Valley.....]				
[.....Runoff (maf).....]						[.....Runoff (maf).....]				
WY	Oct-Mar	Apr-Jul	WYsum	Index	Yr-type	Oct-Mar	Apr-Jul	WYsum	Index	Yr-type
-----										
1901						3.49	5.58	9.39	4.60	W
1902						1.12	3.81	5.08	3.41	AN
1903						1.45	4.13	5.71	3.45	AN
1904						1.96	5.37	7.64	4.31	W
1905						1.82	3.36	5.30	3.24	AN
1906	12.57	12.92	26.71	11.76	W	2.53	9.24	12.43	6.70	W
1907	18.96	13.45	33.70	14.07	W	3.67	7.61	11.82	6.20	W
1908	8.29	5.60	14.77	7.73	BN	0.98	2.17	3.32	2.40	D
1909	20.61	8.98	30.68	12.10	W	2.85	5.91	8.97	4.59	W
1910	13.12	6.11	20.12	9.38	W	2.87	3.62	6.64	3.65	AN
1911	12.27	13.12	26.38	11.74	W	3.63	7.52	11.48	5.97	W
1912	4.84	5.65	11.41	6.71	BN	0.54	2.57	3.21	2.55	BN
1913	5.72	6.29	12.85	6.24	D	0.44	2.34	3.00	2.00	C
1914	16.72	10.08	27.81	10.92	W	2.72	5.67	8.69	4.35	W
1915	11.41	11.42	23.86	10.99	W	1.29	4.95	6.40	4.10	W
1916	14.25	8.89	24.14	10.83	W	2.67	5.50	8.38	4.65	W
1917	7.25	9.14	17.26	8.83	AN	1.66	4.84	6.66	4.13	W
1918	5.27	4.89	10.99	6.19	D	1.07	3.40	4.59	3.08	BN
1919	8.12	6.77	15.66	7.00	BN	1.06	2.99	4.09	2.62	BN
1920	3.63	4.91	9.20	5.15	C	0.72	3.29	4.09	2.64	BN
1921	15.47	7.52	23.80	9.20	AN	1.97	3.84	5.90	3.23	AN
1922	6.63	10.57	17.98	8.97	AN	1.51	5.99	7.68	4.54	W
1923	6.21	6.27	13.21	7.06	BN	1.39	3.95	5.51	3.55	AN
1924	3.27	1.94	5.74	3.87	C	0.45	1.03	1.50	1.42	C
1925	8.76	6.51	15.99	6.39	D	1.45	3.93	5.51	2.93	BN
1926	6.37	4.79	11.76	5.75	D	0.89	2.56	3.49	2.30	D
1927	14.34	8.75	23.83	9.52	W	1.80	4.56	6.50	3.56	AN
1928	10.24	5.86	16.76	8.27	AN	1.69	2.64	4.37	2.63	BN
1929	4.00	3.84	8.40	5.22	C	0.52	2.29	2.84	2.00	C

1930	8.24	4.65	13.52	5.90	D	0.76	2.44	3.25	2.02	C
1931	3.52	2.09	6.10	3.66	C	0.46	1.18	1.66	1.20	C
1932	6.28	6.24	13.12	5.48	D	1.79	4.69	6.63	3.41	AN
1933	3.73	4.66	8.94	4.63	C	0.49	2.77	3.34	2.44	D
1934	5.68	2.45	8.63	4.07	C	0.98	1.26	2.28	1.44	C
1935	6.27	9.69	16.59	6.98	BN	1.26	5.03	6.41	3.56	AN
1936	10.32	6.41	17.35	7.75	BN	2.00	4.38	6.49	3.74	AN
1937	5.50	7.24	13.33	6.87	BN	1.78	4.66	6.53	3.90	W
1938	17.96	12.93	31.83	12.62	W	3.58	7.33	11.24	5.89	W
1939	4.56	3.04	8.18	5.58	D	1.00	1.83	2.90	2.20	D
1940	14.78	6.93	22.43	8.88	AN	2.49	4.04	6.59	3.36	AN
1941	16.32	9.77	27.08	11.47	W	2.22	5.51	7.93	4.43	W
1942	14.33	9.93	25.24	11.27	W	1.93	5.28	7.38	4.44	W
1943	13.37	6.90	21.13	9.77	W	2.86	4.28	7.28	4.03	W
1944	4.81	4.93	10.43	6.35	D	0.87	2.97	3.92	2.76	BN
1945	8.42	5.92	15.06	6.80	BN	2.07	4.37	6.60	3.59	AN
1946	10.89	5.97	17.62	7.70	BN	1.99	3.65	5.73	3.30	AN
1947	5.90	3.83	10.39	5.61	D	1.26	2.12	3.42	2.18	D
1948	5.39	9.55	15.75	7.12	BN	0.56	3.58	4.21	2.70	BN
1949	5.73	5.59	11.97	6.09	D	0.62	3.12	3.79	2.53	BN
1950	7.01	6.72	14.44	6.62	BN	1.02	3.57	4.65	2.85	BN
1951	16.77	5.42	22.95	9.18	AN	4.35	2.83	7.25	3.14	AN
1952	13.86	13.68	28.60	12.38	W	2.18	6.84	9.30	5.17	W
1953	10.84	8.26	20.09	9.55	W	1.07	3.18	4.35	3.03	BN
1954	9.74	6.81	17.43	8.51	AN	1.10	3.16	4.30	2.72	BN
1955	5.19	5.07	10.98	6.14	D	0.78	2.67	3.50	2.30	D
1956	20.32	8.60	29.89	11.38	W	4.14	5.29	9.67	4.46	W
1957	7.72	6.29	14.89	7.83	AN	1.02	3.19	4.29	3.01	BN
1958	16.37	12.24	29.71	12.16	W	1.67	6.40	8.36	4.77	W
1959	7.40	3.84	12.05	6.75	BN	0.98	1.85	2.98	2.21	D
1960	7.72	4.65	13.06	6.20	D	0.85	2.07	2.96	1.85	C
1961	6.87	4.39	11.97	5.68	D	0.54	1.50	2.10	1.38	C
1962	8.17	6.23	15.11	6.65	BN	1.26	4.24	5.61	3.07	BN
1963	12.01	10.09	22.99	9.63	W	1.68	4.37	6.24	3.57	AN
1964	5.90	4.37	10.92	6.41	D	0.93	2.14	3.14	2.19	D
1965	16.59	8.13	25.64	10.15	W	3.20	4.55	8.13	3.81	W
1966	7.42	4.84	12.95	7.16	BN	1.49	2.42	3.98	2.51	BN
1967	12.14	11.01	24.06	10.20	W	2.46	7.09	9.98	5.25	W
1968	8.66	4.12	13.64	7.24	BN	1.02	1.85	2.94	2.21	D
1969	15.33	10.68	26.98	11.05	W	3.84	8.14	12.29	6.09	W
1970	18.87	4.35	24.06	10.40	W	2.55	2.96	5.61	3.18	AN
1971	12.71	8.90	22.57	10.37	W	1.56	3.23	4.91	2.89	BN
1972	7.61	5.02	13.43	7.29	BN	1.25	2.22	3.57	2.16	D
1973	12.80	6.38	20.05	8.58	AN	1.87	4.48	6.47	3.50	AN
1974	21.69	9.78	32.50	12.99	W	2.43	4.53	7.12	3.90	W
1975	9.24	8.95	19.23	9.35	W	1.37	4.65	6.18	3.85	W
1976	4.63	2.75	8.20	5.29	C	0.78	1.07	1.97	1.57	C
1977	2.49	1.93	5.12	3.11	C	0.22	0.80	1.05	0.84	C
1978	14.90	8.12	23.92	8.65	AN	2.57	6.50	9.65	4.58	W
1979	6.06	5.64	12.41	6.67	BN	1.87	3.99	5.98	3.67	AN
1980	15.49	6.00	22.33	9.04	AN	3.74	5.41	9.47	4.73	W
1981	6.81	3.63	11.10	6.21	D	0.85	2.29	3.22	2.44	D
1982	20.56	11.82	33.41	12.76	W	3.78	7.00	11.41	5.45	W



1901						
1902						
1903						
1904						
1905						
1906	0.55	3.69	2.93	7.00	5.34	6.43
1907	2.14	2.83	6.01	10.40	7.32	5.86
1908	1.43	2.27	2.12	2.19	2.53	2.59
1909	0.66	11.14	6.85	3.71	4.22	4.78
1910	3.09	2.90	2.55	4.84	4.21	3.30
1911	1.15	4.11	3.61	5.88	6.36	5.71
1912	0.55	1.20	0.94	1.61	1.58	3.33
1913	0.77	1.60	1.01	1.32	2.81	3.31
1914	1.72	8.50	3.99	4.18	5.05	5.28
1915	0.76	1.86	5.43	3.54	4.43	6.38
1916	1.52	3.75	4.89	5.71	5.03	4.44
1917	1.28	1.01	3.13	2.15	4.29	4.37
1918	0.70	0.57	1.22	2.99	3.09	2.53
1919	0.68	1.20	3.13	2.74	3.89	4.06
1920	0.68	0.57	0.58	1.71	2.58	3.20
1921	2.90	4.34	3.15	4.22	3.30	4.01
1922	1.16	1.07	2.63	2.41	3.66	6.68
1923	2.03	1.75	1.20	1.51	3.38	3.66
1924	0.49	0.56	1.16	0.64	1.07	1.10
1925	0.92	0.94	4.99	2.18	3.82	3.70
1926	0.67	0.76	3.18	1.73	3.79	2.18
1927	2.01	2.22	6.05	3.53	4.82	4.28
1928	1.10	1.37	1.94	5.69	3.73	3.02
1929	0.64	0.61	1.12	1.29	1.63	2.49
1930	2.37	1.41	1.84	2.78	2.64	2.29
1931	0.39	0.80	0.78	1.20	1.23	1.18
1932	1.68	1.33	1.84	2.50	2.73	4.16
1933	0.42	0.70	0.58	1.89	1.97	2.36
1934	1.04	1.47	1.59	1.90	1.61	1.09
1935	0.79	1.87	1.56	2.13	6.18	4.74
1936	0.51	3.22	5.04	2.77	3.83	3.71
1937	0.45	0.54	2.36	3.28	3.77	4.92
1938	4.81	1.86	5.27	7.50	5.98	7.34
1939	0.80	0.79	0.81	1.91	2.26	1.47
1940	0.68	3.88	5.68	6.22	4.61	3.77
1941	3.41	4.28	5.07	4.72	4.62	5.75
1942	3.58	4.18	5.10	2.23	4.64	4.76
1943	1.83	4.67	2.84	5.33	4.23	3.59
1944	0.55	0.78	1.44	1.94	1.88	3.34
1945	1.50	1.07	4.13	2.17	2.82	3.82
1946	4.60	2.64	1.31	2.29	3.45	3.68
1947	1.06	0.64	1.57	2.51	2.20	2.05
1948	0.50	1.91	0.70	1.56	4.34	4.51
1949	0.66	0.53	0.92	3.32	3.27	3.39
1950	0.43	1.82	2.54	2.46	3.74	3.73
1951	5.95	3.40	3.52	2.66	2.81	3.15
1952	3.36	3.48	4.03	3.68	6.35	7.51
1953	1.92	5.40	1.52	2.06	3.25	3.38

1954	0.80	2.20	2.84	3.66	4.56	3.27
1955	1.35	1.16	0.96	1.27	1.97	3.22
1956	9.14	7.52	3.71	3.07	3.51	5.24
1957	0.61	0.79	2.65	3.41	2.36	3.85
1958	1.62	2.39	7.61	4.71	6.04	6.74
1959	0.58	2.25	2.50	1.98	2.27	1.82
1960	0.47	0.90	3.15	3.22	2.50	2.39
1961	1.36	0.86	2.14	1.93	2.02	2.16
1962	1.19	0.78	4.08	2.39	3.89	3.14
1963	1.90	1.70	4.66	2.10	5.60	4.99
1964	0.85	1.55	1.01	1.15	1.92	2.44
1965	8.66	5.61	2.26	1.97	4.74	3.81
1966	1.04	1.85	1.56	2.52	3.33	2.52
1967	2.98	3.34	2.52	4.09	3.82	6.26
1968	0.85	1.49	3.71	2.55	2.17	2.15
1969	1.77	7.91	4.73	3.36	5.44	7.34
1970	3.30	10.68	3.02	3.12	1.82	2.77
1971	3.26	3.05	1.83	3.73	3.40	4.18
1972	1.19	1.40	1.73	3.30	2.52	2.61
1973	1.83	4.08	3.66	3.27	3.08	4.76
1974	3.68	6.93	2.10	6.18	5.07	4.69
1975	0.86	1.01	2.92	4.65	2.89	5.40
1976	0.76	0.65	0.88	1.34	1.35	1.44
1977	0.38	0.47	0.48	0.54	0.69	0.91
1978	1.90	5.91	3.48	5.36	4.40	4.70
1979	0.53	1.44	2.10	2.90	2.67	4.50
1980	1.24	6.89	5.93	3.62	3.11	3.67
1981	0.92	1.57	1.76	2.48	2.32	2.11
1982	5.58	3.50	5.57	4.74	8.05	5.68
1983	3.69	4.25	6.46	10.57	4.87	6.96
1984	6.72	2.85	2.29	3.08	2.50	3.60
1985	1.20	0.84	1.21	1.59	2.79	2.14
1986	1.25	2.62	11.55	7.09	3.19	3.56
1987	0.53	0.78	1.48	2.60	1.73	1.48
1988	1.70	1.84	1.01	1.26	1.48	1.59
1989	0.72	0.85	0.99	6.17	3.59	2.22
1990	0.45	1.27	0.88	1.84	1.80	1.77
1991	0.34	0.37	0.45	2.64	1.95	2.40
1992	0.47	0.58	2.41	1.99	2.17	1.33
1993	1.25	4.06	3.13	5.70	4.33	5.23
1994	0.78	0.78	1.23	1.49	1.57	1.79
1995	1.06	8.11	3.12	10.19	5.61	7.18
1996	1.72	2.47	6.25	4.25	3.97	5.50
1997	6.84	12.15	2.74	2.45	2.70	2.96
1998	1.18	5.19	7.44	5.11	4.53	5.53
1999	1.88	2.60	4.59	3.67	3.26	4.27
2000	0.65	2.55	5.49	4.08	3.55	3.62
2001	0.67	0.87	1.50	2.39	2.03	2.49
2002	2.50	2.70	1.74	2.31	2.82	2.60
2003	3.24	3.40	1.66	2.52	3.27	4.82
2004	2.14	1.90	3.98	3.47	2.64	2.29
2005	1.56	2.49	2.01	3.75	3.18	7.23
2006	5.83	5.16	3.42	5.38	8.56	6.84

2007	1.32	0.87	2.14	2.07	1.74	1.67
2008	0.70	1.70	1.81	1.79	1.89	2.68
2009	0.57	0.96	2.32	3.64	2.40	4.21
2010	0.71	2.48	2.31	2.31	3.25	3.70
2011	4.31	2.10	1.96	6.20	5.23	4.94
2012	0.49	0.96	0.74	3.03	3.70	2.27
2013	4.09	1.34	1.08	1.71	2.02	1.43
2014	0.38	0.36	1.22	2.05	1.71	1.18
2015	2.89	0.79	2.23	0.84	0.76	0.82
2016	1.26	3.67	2.10	6.50	2.92	2.53
2017	3.71	8.53	12.65	5.52	6.61	5.84
2018	0.73	1.47	0.81	3.85	4.23	2.13
2019	0.86	2.83	5.20	5.89	6.16	4.97
2020	1.44	1.22	0.90	1.16	2.50	2.36
2021	0.47	0.72	0.97	1.08	1.41	1.21
2022	1.97	1.64	1.03	1.41	2.06	1.76
min	0.34	0.36	0.45	0.54	0.69	0.82
mean	1.85	2.82	2.95	3.60	3.37	3.56
max	9.14	12.15	12.65	10.57	8.56	7.51

1991-2020 mean

Official Year Classifications based on May 1 Runoff Forecasts

Sacramento Valley Index			San Joaquin Valley Index		
WY	Index	Yr-type	Index	Yr-type	
1995	12.4	W	5.5	W	
1996	9.7	W	3.9	W	
1997	11.0	W	4.2	W	
1998	12.4	W	4.9	W	
1999	10.0	W	3.4	AN	
2000	9.2	W	3.3	AN	
2001	5.9	D	2.3	D	
2002	6.5	D	2.3	D	
2003	8.0	AN	2.7	BN	
2004	7.7	BN	2.2	D	
2005	7.4	BN	4.2	W	
2006	13.0	W	5.5	W	
2007	6.2	D	1.9	C	
2008	5.4	C	2.1	C	
2009	5.5	D	2.4	D	
2010	6.9	BN	3.5	AN	
2011	10.0	W	5.1	W	
2012	6.9	BN	2.2	D	
2013	5.8	D	1.6	C	
2014	4.0	C	1.1	C	
2015	4.0	C	0.7	C	
2016	7.1	BN	2.4	D	
2017	14.9	W	6.2	W	
2018	7.2	BN	3.0	BN	
2019	10.2	W	4.2	W	

2020	6.0	D	2.2	D
2021	4.0	C	1.3	C
2022	4.5	C	1.5	C

#### Abbreviations:

WY	Water year (Oct 1 - Sep 30)
W	Wet year type
AN	Above normal year type
BN	Below normal year type
D	Dry year type
C	Critical year type
% exc.	Probability in % that a given value will be exceeded
[maf]	Million acre-feet

#### Notes:

Unimpaired runoff represents the natural water production of a river basin, unaltered by upstream diversions, storage, export of water to or import of water from other basins.

Sacramento River Runoff is the sum (in maf) of Sacramento River at Bend Bridge, Feather River inflow to Lake Oroville, Yuba River at Smartville, and American River inflow to Folsom Lake. The WY sum is also known as the Sacramento River Index, and was previously referred to as the "4 River Index" or "4 Basin Index". It was previously used to determine year type classifications under State Water Resources Control Board (SWRCB) Decision 1485.

Sacramento Valley Water Year Index =  $0.4 * \text{Current Apr-Jul Runoff Forecast (in maf)} + 0.3 * \text{Current Oct-Mar Runoff in (maf)} + 0.3 * \text{Previous Water Year's Index}$  (if the Previous Water Year's Index exceeds 10.0, then 10.0 is used).

This index, originally specified in the 1995 SWRCB Water Quality Control Plan, is used to determine the Sacramento Valley water year type as implemented in SWRCB D-1641. Year types are set by first of month forecasts beginning in February. Final determination is based on the May 1 50% exceedence forecast.

#### Sacramento Valley Water Year Hydrologic Classification:

Year Type:	Water Year Index:
Wet	Equal to or greater than 9.2
Above Normal	Greater than 7.8, and less than 9.2
Below Normal	Greater than 6.5, and equal to or less than 7.8
Dry	Greater than 5.4, and equal to or less than 6.5
Critical	Equal to or less than 5.4

San Joaquin River Runoff is the sum of Stanislaus River inflow to New Melones Lake, Tuolumne River inflow to New Don Pedro Reservoir, Merced River inflow to Lake McClure, and San Joaquin River inflow to Millerton Lake (in maf).

San Joaquin Valley Water Year Index =  $0.6 * \text{Current Apr-Jul Runoff Forecast (in maf)} + 0.2 * \text{Current Oct-Mar Runoff in (maf)} + 0.2 * \text{Previous Water Year's Index}$  (if the Previous Water Year's Index exceeds 4.5, then 4.5 is used).

This index, originally specified in the 1995 SWRCB Water Quality Control Plan, is used to determine the San Joaquin Valley water year type as implemented in SWRCB D-1641. Year types are set by first of month forecasts beginning in February. Final determination for San Joaquin River flow objectives is based on the May 1 75% exceedence forecast.

#### San Joaquin Valley Water Year Hydrologic Classification:

Year Type:	Water Year Index:
------------	-------------------

Wet	Equal to or greater than 3.8
Above Normal	Greater than 3.1, and less than 3.8
Below Normal	Greater than 2.5, and equal to or less than 3.1
Dry	Greater than 2.1, and equal to or less than 2.5
Critical	Equal to or less than 2.1

Eight River Index = Sacramento River Runoff + San Joaquin River Runoff

This Index is used from December through May to set flow objectives as implemented in SWRCB Decision 1641.

The 'reconstructed' table is based on observed runoff, and does NOT show the official year-types, which are based on May 1 forecasts of future runoff.

The current water year indices based on forecast runoff are posted at [http://cdec.water.ca.gov/water\\_supply.html](http://cdec.water.ca.gov/water_supply.html) and published in DWR Bulletin 120 (also available at <http://cdec.water.ca.gov/snow/bulletin120>)

These indices have been used operationally since 1995, and are defined in SWRCB Decision 1641

([https://www.waterboards.ca.gov/waterrights/water\\_issues/programs/bay\\_delta/decision\\_1641/](https://www.waterboards.ca.gov/waterrights/water_issues/programs/bay_delta/decision_1641/))

This report is updated each fall once the data is available.

For more information, contact CDWR Flood Management, Hydrology Branch

Sean de Guzman	(916) 885-8993	<a href="mailto:sean.deguzman@water.ca.gov">sean.deguzman@water.ca.gov</a>
Andy Reising	(916) 914-0050	<a href="mailto:andrew.reising@water.ca.gov">andrew.reising@water.ca.gov</a>
Anthony Burdock	(916) 914-0051	<a href="mailto:anthony.burdock@water.ca.gov">anthony.burdock@water.ca.gov</a>
Jacob Kollen	(916) 914-0028	<a href="mailto:jacob.kollen@water.ca.gov">jacob.kollen@water.ca.gov</a>
Jordan Thoennes	(916) 885-8992	<a href="mailto:jordan.thoennes@water.ca.gov">jordan.thoennes@water.ca.gov</a>
Steve Nemeth (Part-Time)		<a href="mailto:stephen.nemeth@water.ca.gov">stephen.nemeth@water.ca.gov</a>

.END