



Time Allotted : 3 Hours

Full Marks :70

The Figures in the margin indicate full marks.
Candidate are required to give their answers in their own words as far as practicable

Group-A (Very Short Answer Type Question)

1. Answer any ten of the following :

[1 x 10 = 10]

- (i) When variance of a random variable is $2/3$, then $\text{var}(3x+7)$ is
 - a) 8
 - b) 2
 - c) 6
 - d) 11
- (ii) The mode of the following data 2,1,3,2,1,5,2,2,1,6,4,2,1,3 is
 - (a) 5
 - (b) 2
 - (c) 3
 - (d) 1
- (iii) If two events A and B are independent and $P(A)=0.2$, $P(B)=0.3$, then the value of $P(A \cup B)=$
- (iv) A random variable X has a Poisson distribution such that $P(1)=P(2)$. Then the Standard Deviation of X is
- (v) Which probability distribution has the same expected value and variance?
 - a) Binomial b) Poisson c) Hypergeometric d) Negative Binomial
- (vi) If X has Binomial distribution with parameter n and p, then its variance is
- (vii) Kurtosis reveals the shape of the distribution at the top:
 - True
 - False
- (viii) In a test of hypothesis type I Error is committed when
 - a) Null hypothesis is rejected through it was really false.
 - b) Null hypothesis is rejected through it was really true.
 - c) Null hypothesis is accepted through it was really false.
 - d) Null hypothesis is accepted through it was really true.
- (ix) If the correlation coefficients of x,y is 0.8 and that of u, v is 0.6 then
 - a) association of x and y is lower then that of u and v.
 - b) association of x and y is higher then that of u and v.
 - c) association of x and y is same as that of u and v.
 - d) None of these.
- (x) If probability of hitting a target by A, B and C are respectively 0.3, 0.4, 0.5, then the probability that the target will be hit by A but not by B and C is
- (xi) Two numbers are chosen from the set {1,2,3,4,5,6} one after another without replacement. The probability that the smaller value of the two is less than 4 is
- (xii) What is the area under a conditional Cumulative density function?

Group-B (Short Answer Type Question)

Answer any three of the following

[5 x 3 = 15]

2. A box contains 2 red & 3 green balls. Two balls are drawn from the box without replacement.
 - a) If the 1st ball is green then what is the probability that the 2nd ball is also green?
 - b) What is the probability that the 2nd ball is Red where the first ball can have any colour?
3. A fair coin is tossed 10 times. Find the probability of getting at least 7 heads.
4. A die is thrown 6 times. If the experiment is repeated 729 times, then in how many cases at least 3 times a 5 or 6 will appear?

5. Using Z-transform solve the difference equation

$$x_{n+2} + 4x_{n+1} + 3x_n = 3^n \text{ with } x_0 = 0, x_1 = 1$$

6. Following is a grouped frequency distribution having a missing frequency. The mean of the distribution is 127.5. Find the missing frequency

| Class interval | 100-109 | 110-119 | 120-129 | 130-139 | 140-149 | 150-159 |
|----------------|---------|---------|---------|---------|---------|---------|
| Frequency | 5 | 7 | - | 8 | 4 | 6 |

Group-C (Long Answer Type Question)

Answer any three of the following

[15 x 3 = 45]

7. (a) Show that the mean of the Binomial distribution with p probability of success and n trials is np .
 (b) Show that the mean of the Poisson distribution is μ , if the probability mass function is $e^{-\mu} \mu^x / x!$.
8. 1. From the following cumulative frequency distribution of marks obtained by 22 students, calculate

- a. A.M.
 b. median
 c. mode

| Marks | No of students |
|----------|----------------|
| Below 10 | 3 |
| Below 20 | 8 |
| Below 30 | 17 |
| Below 40 | 20 |
| Below 50 | 22 |

2. Calculate mean:

| Class Interval | 10-25 | 25-40 | 40-55 | 55-70 | 70-85 | 85-100 |
|--------------------|-------|-------|-------|-------|-------|--------|
| Number of Students | 2 | 3 | 7 | 6 | 6 | 6 |

9. (a) The number of telephone calls arriving on an internal switch board of an office is 90 per hour. Find the probability that at the most 1 to 3 calls in a minute on the board arrive. (Use $e^{-1.5} = 0.223$)
 (b) Six dice are thrown together at a time, the process is repeated 729 times. How many times do you expect at least three dice to have 4 to 6?

- (c) Probability distribution of blood types in India is given in the table

Types: O A B AB

Probability: 0.3712 0.2288 0.3226 0.0774

A random sample of 10 is considered from Indian population. What is the probability that there will be 4 Os, 3 As, 2 Bs and 1 AB blood types, respectively?

10. (a) Find the Z transform of

$$\frac{2z^2 + 3z}{(z+2)(z-4)}$$

- (b) Find the inverse Z-transform of the function

$$\frac{4z^2 - 2z}{z^3 - 5z^2 + 8z - 4}$$

- (c) Find the inverse Z-transform of the function

$$1(z-6)^{-3} \text{ when } |z| > 6$$

1. Calculate Skewness and Kurtosis for the following distribution and comment the nature of the distribution:

[8+7]

| | | | | | | | | |
|------------|------|------|------|------|------|------|------|-------|
| Mid value: | 34.5 | 44.5 | 54.5 | 64.5 | 74.5 | 84.5 | 94.5 | total |
| Frequency: | 2 | 3 | 11 | 20 | 32 | 25 | 7 | 100 |

2.

Find the co efficient of skewness

| | | | | | |
|------------|-------|-------|-------|-------|-------|
| Marks: | 55-58 | 58-61 | 61-64 | 64-67 | 67-70 |
| Frequency: | 12 | 17 | 23 | 18 | 11 |