



```
function makeCounter() {  
  var count = 0;  
  return function() {  
    count++;  
    console.log(count);  
  }  
}  
  
var counter = makeCounter();  
counter();  
counter();  
counter();
```



```
function makeCounter() {  
  var count = 0;  
  return function() { count++; console.log(count); }  
}  
  
var c1 = makeCounter();  
var c2 = makeCounter();  
c1();  
c1();  
c2();  
c2();
```



```
function makeCounter(start) {  
  var count = start;  
  return function() { count++; console.log(count); }  
}  
  
var c = makeCounter(5);  
c();  
c();
```



```
function makeCounter(step) {  
  var count = 0;  
  return function() { count += step; console.log(count); }  
}  
  
var c = makeCounter(2);  
c();  
c();
```



```
function makeCounter() {  
  var count = 0;  
  return {  
    inc: function() { count++; console.log(count); },  
    reset: function() { count = 0; console.log('reset'); }  
  }  
}  
  
var c = makeCounter();  
c.inc();  
c.inc();  
c.reset();  
c.inc();
```



```
function makeCounter() {  
  var count = 0;  
  return {  
    inc: function() { count++; console.log(count); },  
    dec: function() { count--; console.log(count); }  
  }  
}  
  
var c = makeCounter();  
c.inc();  
c.inc();  
c.dec();
```



```
function makeCounters() {  
  var count = 0;  
  return [  
    function() { count++; console.log(count); },  
    function() { count += 2; console.log(count); }  
  ];  
}  
  
var [c1, c2] = makeCounters();  
c1();  
c2();  
c1();
```



```
function makeCounter(max) {  
  var count = 0;  
  return function() {  
    if (count < max) {  
      count++;  
      console.log(count);  
    } else {  
      console.log('Reached max');  
    }  
  }  
}
```

```
    }  
  }  
}  
  
var c = makeCounter(2);  
c();  
c();  
c();
```



```
function makeCounter(start) {  
  var count = start;  
  return function() { count++; console.log(count); }  
}  
  
var c1 = makeCounter(0);  
var c2 = makeCounter(10);  
c1();  
c2();  
c1();  
c2();
```



```
function createCounters(n) {  
  var arr = [];  
  for (let i = 0; i < n; i++) {  
    let count = 0;  
    arr.push(function() {  
      count++;  
      console.log(`Counter ${i}: ${count}`);  
    });  
  }  
  return arr;  
}  
  
var counters = createCounters(2);  
counters[0]();
```

```
counters[1]();
```

```
counters[0]();
```