

# Package ‘treetop’

February 18, 2021

**Type** Package

**Title** A Shiny-based Application for Extracting Forest Information from  
LiDAR data for Ecologists and Conservationists

**Version** 0.01

**Maintainer** Carlos Alberto Silva <carlos\_engflorestal@outlook.com>

**Description** Shiny-based application for processing and visualizing lidar data.

**License** GPL-3

**Encoding** UTF-8

**LazyData** true

**Depends** R (>= 3.5.0), shiny, RColorBrewer, spatstat, raster,  
rasterVis, sp, geometry, maptools, rgdal, rgl, lidR, pryr, sf,  
stars, rglwidget

**RoxygenNote** 7.1.1

**URL** <https://github.com/carlos-alberto-silva/weblidar-treetop>

**Copyright** inst/COPYRIGHTS

**Author** Carlos Alberto Silva [aut, cre, cph],  
Andrew Hudak [aut, cph],  
Lee Vierling [aut, ctb],  
Ruben Valbuena [aut, ctb],  
Adrian Cardil [aut, ctb],  
Midhun Mohan [aut, ctb],  
Danilo Roberti Alves de Almeida [aut, ctb],  
Eben North Broadbent [aut, ctb],  
Angelica Zambrano [aut, ctb],  
Ben Wilkinson [aut, ctb],  
Ajay Sharma [aut, ctb],  
Jason Drake [aut, ctb],  
Paul Medley [aut, ctb],  
Jason Vogel [aut, ctb],  
Gabriel Prata [aut, ctb],  
Jeff Atkins [aut, ctb],  
Caio Hamamura [aut, ctb],  
Carine Klauberg [aut, ctb]

## R topics documented:

launchApp . . . . . 2

**Index****3**

launchApp

*Launch treetop application***Description**

This function launch the treetop application

**Usage**

```
launchApp(...)
```

**Arguments**

... additional parameters from the [runApp](#) function.

**Examples**

```
## Not run:  
  
# Launch treetop application  
treetop::launchApp(launch.browser = TRUE)  
  
## End(Not run)
```

# Index

launchApp, [2](#)

runApp, [2](#)