


J1
16P
15P
14P
13P
12P
11P
395021006
TP2
DNP
BAT+
16P
D1
100V
R1
100
TP1
BAT
C1
1uF
C2
100pF
VSS
R2
20
R3
20
R4
20
R5
20
R6
20
R7
20
R8
20
R10
20
R11
20
R12
20
R13
20
R14
20
R16
20
R17
20
R18
20
R19
20
R21
20.0
C3
220nF
C4
220nF
C6
220nF
C7
220nF
C8
220nF
C9
220nF
C10
220nF
C11
220nF
C12
220nF
C14
220nF
C17
220nF
C18
220nF
C19
220nF
C20
220nF
C21
220nF
C22
220nF
C23
220nF
J2
10P
9P
8P
7P
6P
395021005
J3
5P
4P
3P
2P
1P
1N
395021006
TP5
DNC
C5
0.47uF
TP3
U1
CP1
BAT
VC16
VC15
VC14
VC13
VC12
VC11
VC10
VC9
VC8
VC7
VC6
VC5
VC4
VC3
VC2
VC1
VC0
SRP
NC
SRN
TS1
TS2
TS3
REG18
CHG
NC
DSG
PACK
LD
PCHG
PDSG
FUSE
BREG
REGIN
REG1
REG2
RST_SHUT
DDSG
DCHG
DFETOFF
CFETOFF
HDQ
SDA
SCL
ALERT
VSS
bq76952PFBR
CD
D2
100V
R9
300
Q1
FCX495TA
C13
1uF
C15
1uF
C16
22nF
R15
1.0k
R20
1.0k
R22
1.0k
TP4
TS1
RT1
TP6
RT2
TP7
REG18
C24
2.2uF
TS2
TP12
WAKE
J5
PEC02SAAN
R27
10k
NT1
Net-Tie
BAT-
TP8
TP9
TP10
TP11
GND
TP13
SRP
TP14
SRN
C26
100pF
C27
0.1uF
R25
100
R26
100
R28
0.001
PGND
TP15
BAT-
External I2C Connection
R23
10k
R24
10k
J4
SDA
SCL
PACK-
U2
U3
E1
E2


16P
D4
Red
FUSE
R29
7.5k
R30
7.5k
C28
0.1uF
C29
0.1uF
TP16
Q2
1,2,3
7,8
5,6,
D5
16V
R31
10M
Q3
7,8
5,6,
1,2,3
R32
10M
D6
16V
R33
10M
D7
16V
Q4
R34
0
R35
10k
C30
0.1uF
C31
0.1uF
PACK+
E3
J6
PACK+
PACK+
PACK-
PACK-
Output
PGND
FUSE
R36
5.1k
Q5
PMV213SN,215
R37
5.1k
TP17
CHG
TP19
R38
20k
C32
0.1uF
D9
10V
VSS
CHG
CD
TP18
D8
100V
PGND
R39
5.1k
R40
7.50k
DSG
R41
5.1k
TP23
D10
100V
DSG
PACK
TP21
LD
TP22
PACK
LD
R42
5.1k
R43
5.1k
R44
5.1k
R45
5.1k
TP20
PGND

SH-J1

H1
SJ-5303 (CLEAR)

H2
SJ-5303 (CLEAR)

H3
SJ-5303 (CLEAR)

H4
SJ-5303 (CLEAR)

H5
MECH
39500-0006

H6
MECH
39500-0005

H7
MECH
39500-0006

DNP
FID1

DNP
FID2

DNP
FID3

PCB Number: PR2410
PCB Rev: A

ZZ1
Assembly Note
These assemblies are ESD sensitive, ESD precautions shall be observed.

ZZ2
Assembly Note
These assemblies must be clean and free from flux and all contaminants. Use of no clean flux is not acceptable.

ZZ3
Assembly Note
These assemblies must comply with workmanship standards IPC-A-610 Class 2, unless otherwise specified.

ZZ4
Assembly Note
Indication provided for the D* components at their cathode side.