



FloodLAMP Direct RNA Assays




FloodLAMP Direct RNA Assays





Validation: First Run

QuickColor™ LAMP Test





EasyPCR™ Test



FloodLAMP Biotechnologies,
a Public Benefit Corporation
contact@floodlamp.bio

Gamma Contrived Positive Diagram


[Gamma Contrived Positive v1.3](#)




FloodLAMP Biotechnologies,
a Public Benefit Corporation
contact@floodlamp.bio

100X Inactivation Solution XL Diagram

100X Inactivation Solution XL
Batch Record v1.0





COMPONENT VOLUMES			
Row	Step	Standard	Adjusted
(A)	TCEP	25 g	
(B)	Supplemental Water Volume = (A) * 8.9	122.5 mL	
(C)	EDTA Volume = (A) * 2.79	69.8 mL	
(D)	NaOH Volume = (A) * 1.6	40.0 mL	



1X Inactivation Saline Solution Diagram

From Inactivation Protocol
v5.1





FloodLAMP Biotechnologies,
a Public Benefit Corporation
contact@floodlamp.bio

UPDATE- Keep Old

Twist Positive Control Diagram

TPC - Twist Positive
Control Batch Record v1.0



Use 2 μ L per Amp Reaction.



FloodLAMP Biotechnologies,
a Public Benefit Corporation
contact@floodlamp.bio

Gamma Blue Dil. GBD Diagram



Gamma Blue Dil Batch Record
v1.1



FloodLAMP Biotechnologies,
a Public Benefit Corporation
contact@floodlamp.bio

Gamma 10K Dil. G10K Diagram



Gamma 10K Dil Batch Record
vX



FloodLAMP Biotechnologies,
a Public Benefit Corporation
contact@floodlamp.bio

Primer-Guanidine Solution Diagram

Batch Record v2.0






FloodLAMP Biotechnologies,
a Public Benefit Corporation
contact@floodlamp.bio

Colorimetric Assay Diagram

CLAMP Assay v2.5

FIX





FloodLAMP Biotechnologies,
a Public Benefit Corporation
contact@floodlamp.bio

Colorimetric Assay Diagram

CLAMP Assay v2.5



FIX



FloodLAMP Biotechnologies,
a Public Benefit Corporation
contact@floodlamp.bio



Numbers need to be updated
for whole Eurofins Genomics
Kit

5X PCR Primers Diagram




PCR Assay Diagram

PCR Assay v1.3



FloodLAMP Biotechnologies,
a Public Benefit Corporation
contact@floodlamp.bio





EXTRA





FloodLAMP Biotechnologies,
a Public Benefit Corporation
contact@floodlamp.bio




100X Inactivation Solution Diagram

100X Inactivation Solution
Batch Record v1.0






FloodLAMP Biotechnologies,
a Public Benefit Corporation
contact@floodlamp.bio





FloodLAMP Lab Playbook

Positives or Invalids from
QuickColor™ Covid-19 Test
Reflexed using FloodLAMP
EasyPCR™ Covid-19 Test



FloodLAMP Biotechnologies,
a Public Benefit Corporation
contact@floodlamp.bio