Enter your search term... Randy

FloodLAMP

San Carlos, CA, United States

XPRIZE RAPID COVID TESTING

(../Prizes/PrizeDetails?codename=xprize_rapid_covid_testing)

Registration In Progress

← Back (TeamProfile?TeamID=3362&tab=1)

Save Submit

WHAT IS YOUR LIMIT OF DETECTION? *

Limit of Detection (LoD). (copies/uL)

1-5 copies/µL

WHAT TARGETS IS YOUR LIMIT OF DETECTION BASED ON? *

Our estimated limit of detection is based upon both our experiments (spiking ZeptoMetrix inactivated virions into raw samples and Twist RNA into inactivated samples) and what has been found by Rabe, Cepko, Anahtar et al in running the same assay chemistry. We have yet do to the full 20 replicates at several levels near the LOD to precisely determine it, as we have instead prioritized optimizing various aspects of the workflow (primarily handling the silica pellet prior to amplification). Our goal for the LOD is a real world raw sample level of 1e4/mL, as this gets us to 1e5/mL for a pool of 10. This is a level significantly below what has been cited as the suspected threshold for infectiousness (1e6/mL). The viral target which we are detecting is a combination of ORF1a and N genes (using AS1e and N2 primers).

WHAT SAMPLE TYPES ARE USED FOR YOUR LIMIT OF DETECTION? *

- [ ] NP
- [ ] OP
- [x] Nasal swab
- [ ] Sputum
- [x] Saliva
- [ ] Not applicable
- [ ] Other

IF OTHER, PLEASE SPECIFY

Help

ARE RESULTS BASED OFF OF CLINICAL OR CONTRIVED SAMPLES? *

- ○ Clinical
- ◉ Contrived
- ○ Both

WHAT SAMPLE TYPES ARE USED FOR YOUR RESULTS *

- ☐ NP
- ☐ OP
- ☑ Nasal swab
- ☐ Sputum
- ☑ Saliva
- ☐ Other

IF OTHER, PLEASE SPECIFY

MEDIAN POSITIVE SAMPLE CONCENTRATION (X LOD) *

NA, have not yet run clinical validation pilots

WHAT IS YOUR POSITIVE PERCENT AGREEMENT (PPA)? (%) *

NA, have not yet run clinical validation pilots

HOW MANY POSITIVE SAMPLES WERE USED *

NA, have not yet run clinical validation pilots

WHAT IS YOUR NEGATIVE PERCENT AGREEMENT (NPA)? (%) *

NA, have not yet run clinical validation pilots

HOW MANY NEGATIVE SAMPLES WERE USED *

NA, have not yet run clinical validation pilots

ARE YOUR RESULTS QUALITATIVE OR QUANTITATIVE? *

- (●) Qualitative
- ( ) Quantitative

HAVE YOU CONDUCTED CROSS REACTIVITY EXPERIMENTS? *

- ( ) Yes
- (●) No

Save Submit

← Back (TeamProfile?TeamID=3362&tab=1)

"THE DAY BEFORE SOMETHING IS TRULY A BREAKTHROUGH, IT'S A CRAZY IDEA."

PETER DIAMANDIS

(https://www.linkedin.com/company/x-prize-foundation) (https://twitter.com/xprize) (https://www.facebook.com/xprize) (https://www.youtube.com/user/xprize/) (https://plus.google.com/110054947143553293693/posts) (https://flipboard.com/@XPrize)

Terms & Conditions (/Home/TermsAndConditions)

Privacy Policy (/Home/PrivacyPolicy)

© 2020 XPRIZE Foundation. All Rights Reserved. Build Version: 20200825.1