


```
<template lang="pug">
  .background
    ul.clouds
      li(v-for='n in 10')
        img.clouds__cloud( src='@/images/background/cloud.png')
    .ocean
      .ocean_back-wave(v-for='n in 3')
    .ship
      slot
      .ocean__front-wave
</template>
<script>
export default {
  name: 'Environment'
</script>
```

```
background {
 width: 100%;
 height: 100%;
 position: relative;
```

```
.clouds {
 position: relative;
 width: 100%;
 height: 100%;
 img {
   width: 100%;
   float: left;
 @for $i from 1 through 10 {
   new-position: 10 * $i;
    li:nth-of-type(#{$i}) {
      list-style: none;
      padding-left: #{100 * $i}px;
      position: absolute;
      width: \#\{600 - (\$i * 10)\}px;
      height: auto;
      top: random(100) + px;
      animation-delay: -\#\{\$i * 15\}s;
      animation-direction: normal;
      animation-iteration-count: infinite;
      animation-name: horizontal-scroll;
      animation-timing-function: linear;
      animation-duration: (10 * (\$i * 2))+(s);
      opacity: (.25 * $i);
```

```
@keyframes horizontal-scroll {
 from { right: -100vw }
 to { right: 100vw }
```

```
@keyframes front-wave {
  0% {
    background-position: 100vw 0;
    transform: translate(0, 0) rotate(1deg);
 50% {
    background-position: 0 0;
    transform: translate(10px, -20px) rotate(-5deg);
  100% {
    background-position: -100vw 0;
    transform: translate(0, 0) rotate(1deg);
```



ENVIRONMENT. VUE FILE

```
@keyframes front-wave {
    0% {
        background-position: 100vw 0;
        transform: translate(0, 0) rotate(1deg);
    }
    50% {
        background-position: 0 0;
        transform: translate(10px, -20px) rotate(-5deg);
    }
    100% {
        background-position: -100vw 0;
        transform: translate(0, 0) rotate(1deg);
    }
}
```

```
<template lang="pug">
  .background
   ul.clouds
      li(v-for='n in 10')
        img.clouds__cloud( src='@/images/background/cloud.png')
    .ocean
      .ocean__back-wave(v-for='n in 3')
    .ship
      slot
   .ocean__front-wave
</template>
<script>
export default {
 name: 'Environment'
</script>
```

CHARACTER. VUE FILE

```
<template lang="pug">
  .character(:style='inlineStyle')
</template>
<script>
export default {
 name: 'Character',
  props: {
    characterName: String,
    animationName: String
  computed: {
    inlineStyle() {
      return `background-image: url(${this.characterImagePath}); animation-name: ${this.animationName}`
    },
    characterImagePath() {
      return require(`@/images/${this.characterName}/animations.png`)
</script>
```