


```
Parent.vue example2/src/components
      <template lang="pug">
       div
 3
        h2 Nested routes
        ul.menu.menu--vertical
5
          router-link.menu__item(
 6
            tag='li'
            active-class='menu__item--active'
 8
            to='/parent/1'
 9
            a Child 1
10
          router-link.menu__item(
            tag='li'
12
13
            active-class='menu__item--active'
14
            to='/parent/2'
15
            a Child 2
16
          router-link.menu__item(
            tag='li'
18
19
            active-class='menu__item--active'
20
            to='/parent/3'
21
22
            a Child 3
        .child-wrapper
23
          transition(:name='transitionName')
24
            router-view.child-view(:key='$route.path')
25
26
     </template>
27
28
      <script>
29
      export default {
        data () {
30
          return {
31
            transitionName: 'slide-up'
32
33
34
        },
35
        beforeRouteUpdate (to, from, next) {
          console.log(to)
36
37
          this.transitionName = to.params.child < from.params.child</pre>
                                 ? 'slide-down' : 'slide-up'
38
39
          next()
40
41
42
      </script>
43
```



```
.slide-up-enter,
.slide-down-leave-active {
 opacity: 0;
 transform: translate(0, 300px);
.slide-up-leave-active,
.slide-down-enter {
 opacity: 0;
 transform: translate(0, -300px);
```



NS

home • parent • another

## **Nested routes**

| Child 1

Child 2


Child 3

1



home • parent • another

## **Group Transitions**



SHUFFLE!

Ø