




Dr Laurent Souriau

Les ondes de forme

vues par

un physicien

Les émissions de forme ont une action bien réelle





Dr Laurent Souriau

Les ondes de forme

vues par

un physicien

Les émissions de forme ont une action bien réelle



DR LAURENT SOURIAU

LES ONDES DE FORME
VUES
PAR UN PHYSICIEN

ÉDITIONS SERVANX

To all genuine seekers

My thanks go to Jacqueline Bousquet, without whom I could not have written this book, and also to Alexandre, Sylvain and Eric for their precious help and advice.

INTRODUCTION

I have always been fascinated by the waves, from the moment I understood that they were in a way the fabric of our universe.

The waves are everywhere in our civilization, thanks to them we can listen to the radio, watch television, scan the bottom of the oceans and the immensities of the cosmos. They also make it possible to play *pass wall* by allowing to see through the matter, with as examples of this faculty echography based on ultrasounds, or the metal detector based on electromagnetic waves.

At the end of the 1980s, during classes at the Faculty of Marseilles, I drank in the words of my professor of electromagnetism, ROGER PETIT, who explained with real clarity phenomena that were quite complex all the same.

The other course that fascinated me was that of quantum physics, I did not miss it under any pretext. This is where our teacher introduced us to a marvelous world where almost *paranormal* phenomena as far as the human scale is concerned, could occur on an atomic or subatomic scale.

We were no longer talking about determinism, but about the probability of the presence of a particle, but also about the tunnel effect. The human being influenced the outcome of the measurement he wanted to perform.

I learned there that matter was not what it seemed to be, a simple cluster of particles, but that it also had a wave aspect (this is what physicists call *wave-particle duality*).

Under Einstein's famous formula $E=mc^2$, meaning that matter is energy, which is a revolution compared to nineteenth - century thought, hides the formula of LOUIS DE BROGLIE $E = hc / \lambda$. This formula implies that each particle is associated with a wavelength λ .

In short, are even the particles of matter that seem inert also waves, or do they at least have a wave-like appearance?

At the same time, I was also interested in authors who had more spiritual approaches to physics. *The world of the Aeons* of JEAN CHARON fascinated me, because this man had the audacity to claim that matter had a conscience. Needless to say, this opinion was very far from unanimous in the scientific community.

FRITJOF CAPRA 's *Tao of Physics* was also one of my bedside books. The author described in this work a whole set of parallels between the results of quantum physics and the principles stemming from Buddhism and Taoism. Bell's theorem, for example, which states that all particles are immediately related, finds its parallel in the Buddhist principle of the interdependence of all phenomena.

I experienced a few years of interruption due to military service, a first job and a period of unemployment. During the latter, I had already begun to take an interest in the problem of shape waves and made pyramids with which I had fun mummifying pieces of meat, treating headaches, and changing the taste of wine. . But at that time, 1991, the origin of the wave form phenomenon totally escaped me.

After these years of interruption, I decided to return to my first love, physics, by enrolling in a doctoral thesis. I had the choice between a thesis on image processing at Jussieu, and a thesis on the development of a new submarine detection system based on electromagnetic waves. Of course I chose the second option which allowed me to return to my dear waves.

During my thesis, I was able to become a real specialist in electromagnetic waves and, with my thesis supervisor, we developed a new high-performance underwater object detection system using very low frequency waves. of the ELF range.

In the process, I worked for two years in a laboratory in North America with American researchers to improve methods of radiology and diagnosis of breast cancer, the device on which we were working used ultrasound.

Back in France, I reoriented myself towards the development of software in telecommunications. It was not until 2003 that I looked again at the problem of shape waves, this time in a more pragmatic way.

I started making my first shape wave emitters myself and learning how to detect them with a pendulum.

My approach was to “see” and “feel” the phenomenon. During dowsing and geobiology internships, I learned to detect the HARTMANN network and the CURRY network and I understood in a practical way that certain waves of form in the habitat could really make its occupants sick (the famous V e), while others had the power to improve their health (*magnetic polarity waves*).

Despite this practical approach, it seemed difficult to me to grasp the real nature of the phenomenon, not knowing if it is purely physical, purely spiritual, or a mixture of both.

MOREL and BÉLIZAL spoke of a form wave spectrum, which made me think of the spectrum of electromagnetic waves, but a telephone call to JACQUES RAVATIN, one of the great French ODF specialists, told me that these are not not electromagnetic waves.

I found myself again in an impasse, until the day when in 2010, a friend of mine told me about a website called ARSITRA (Art, Science, Tradition). The ARSITRA website (www.arsitra.org) develops purely scientific subjects, but also deals with articles on more spiritual themes such as alchemy. The three video-conferences by JACQUELINE BOUSQUET available on this site were of considerable help to me, because they allowed me to have access to the link that I was missing, fields **H1** , H2 , **H3** of ÉMILE PINELL.

CHAPTER I

PRESENTATION OF SHAPE WAVES

The expression “waves of form” was created by LÉON CHAUMERY and ANDRÉ DE BÉLIZAL following their research in dowsing at the beginning of the 20th century. When I think of their pioneering work, because for me they are authentic researchers and experimenters. Their book *Physique micro-vibratoire et forces invisibles* [1](#) is full of results both in terms of physics and in the field of health.

In reality CHAUMERY and BÉLIZAL created the scientific terminology of form waves and I think that they had a great experimental mastery of this science, and that they had a solid physical understanding of it.

This duo had the brilliant idea of creating the spectrum of form colors, that is to say the equivalent of the spectrum of electromagnetic waves.




FIG. 1: THE SHAPE WAVES SPECTRUM

This same tandem also showed that the Egyptians had an excellent mastery of the waves of form and that a large part of the power of their empire rested on this mastery.

Pendulums of Thoth have been found in very ancient sarcophagi, and apparently thanks to the emissions in the form of pyramids in a reduced model, the high dignitaries could converse several hundred kilometers from each other, without knowing the use of radio waves.



FIG. 2: PENDULUM OF THOT [2](#)

In reality, this science of shape emissions seems even older, and could go back to prehistory, to the time of the construction of megalithic sites such as circular or triangular cromlechs.

DEFINITION OF SHAPE WAVES

Here is the definition given by the inventors of form wave theory, ANDRÉ DE BELIZAL, LÉON CHAUMERY and MOREL :

“The forms capture terrestrial magnetism, saturate themselves with it and re-emit the captured energy in a form wave. If the shape is symmetrical, regular, the shape wave emitted is beneficial; if the form is irregular, asymmetrical, the re-emitted form wave is evil, pathological.

“If we orient a geometric shape successively in twelve positions marked on the circle of the compass, it will express in turn the color/vibration corresponding to its position.

“Magnetic North is indeed the basis of form waves, and this is the rule essential to observe.

THE POINT OF VIEW OF RADIESTHESISTS ON THE SHAPE WAVES

The word *dowsing* comes from the Latin word *radius* which means *ray* and from the word Greek *aisthesis* which means *sensitivity*.

The dowser is therefore a person sensitive to waves.

His detection tools are the pendulum (there are hundreds of kinds), the dowsing rod, the radmasters (angled metal rods), the LECHER antenna (more advanced rods with a cursor allowing you to select what you research).

The dowser detects the wave emitted by the object of his research. He is therefore able to detect waveforms, due to its sensitivity to waves.

Here is the definition of waveforms given by JEAN DE LA FOYE, student of Bézilal, in his book *Ondes de vie, ondes de mort* ³ :

“Invisible, they are there, surrounding us, investing us, penetrating the smallest fibers of our body. Everything that is form, everything that releases energy, the basement, buildings, familiar furniture, objects carried on oneself, electrical appliances, food, and so on... All this emits waves of form on which our health, our behavior, our well-being partially depend. Some are beneficial, others harmful. »

THE POINT OF VIEW OF PHYSICIANS ON THE WAVES OF FORM

Physicists do not recognize the existence of form waves.

The vast majority of them describe in the best of cases the phenomenon of *pseudoscience* and do not even deign to broach the subject.

One can understand it, knowing that the phenomenon could never be measured except with the pendulum of dowsing. There is enough to discourage a pure and hard Cartesian.

The TOTARIS group, founded by JACQUES RAVATIN, and which later became the Ark'all group, included mathematicians, physicists and other researchers such as LOUIS BOUTARD, LÉON SPINK, HEUDERSHOTT, MORAY, DUFOUR, BIGNAUD, KEELY. These researchers failed in the attempt to find form waves.

Later, new concepts emerged within the ARK'ALL group.

J. GATTINO proposed the name “ *Emission due to forms* ”.

Every being, every object, has a form, an image, in a field of coherence, with an origin and a neighborhood. There is emission due to forms (EIFS), the form can be seen as a reality or an abstraction, in or outside space-time, localized or delocalized.

For my part, in chapter III, I indeed demonstrate the nature of the phenomenon of form waves, thanks to an experiment reproducible by anyone wishing to take the trouble. I claim that it is a phenomenon explainable by physics and I demonstrate it. But I think that there also exists jointly with this physical phenomenon, a spiritual or informational component which is located outside our space-time: the **H2** field of ÉMILE PINEL (cf. chapter II).

THE SHAPE WAVES SPECTRUM

It is still to Messrs . CHAUMERY and DE BÉLIZAL that we owe the discovery of the spectrum of the shape waves. They had the good idea to probe with colored spherical pendulums the entire surface of a natural wooden sphere with a seeker point indicating a precise location on this same sphere.

They realized that a pendulum of a well-determined color (red for example) reacts on a spiral going from one pole to the other of the sphere.




FIG. 3: THE SPHERE PROBED BY COLORED PENDULUMS

A strange property, underlined by DE LA FOYE, now finds its explanation: the spirals follow the sun and move around the fixed axis of the poles, making a complete turn in twenty-four hours. This is no longer surprising knowing that most neutrinos come from the sun (see chapter III on the physical nature of waveforms).

By making a section of this sphere along its equator, we obtain the spectrum of the shape waves. The different colors are distributed every thirty degrees.




FIG. 4: THE SHAPE WAVES SPECTRUM

CHAUMERY and BÉLIZAL also differentiated two perpendicular meridians of the sphere and ended up with two new spectra containing the same colors as the initial spectrum, but distributed over two phases, one called *magnetic* and the other *electric*.

Finally, these spectra are divided into twelve colors, seven *visible* and five *invisible* (referring to true colors), here are their abbreviations:

Visible color vibrations

- Violet : Vi
- Indigo: I
- Blue: Bu
- Green positive: V+
- Yellow: Y
- Orange: Oh
- Red: R

Invisible color vibrations

- Infrared: IR
- Black: N

- Green negative: V-
- Blanc : Bc
- Ultra violet : UV

FORM WAVE TRANSMITTERS

In this part, two types of waveform transmitters developed by DE LA FOYE are described. Any do-it-yourselfer with the slightest skill with his hands can make them himself. I encourage the reader to do so to be able to feel the phenomenon for himself, and to reproduce the experiences described in this book, on an individual basis and for non-commercial purposes.

THE EQUATORIAL DISC


This transmitter is a reproduction of the equator of the equatorial pendulum.

It is a disk thirty centimeters in diameter and two centimeters thick. One can choose to modify the dimensions, but it should be known that the more the volume of the transmitter is important, the more the transmitter of waves of form is powerful.

The disc is pierced with a very fine hole in its center in order to be able to slip in a bent copper wire needle and which will serve as a cursor to select the waveform to be emitted.

This transmitter emits the differentiated spectrum of the ODFs (electrical and magnetic polarization). The circle is graduated from 0° to 360° . 0° corresponds to $V_e +$, 90° to $V_e -$, 180° to $V_m +$, 270° to $V_m -$.

Four grooves are traced along radii following certain directing axes of the shape field: (see figure below) a vertical groove (axis 0° - 180°), a horizontal groove (axis 90° - 270°), a groove on the 105° - 285° axis, and a groove joining the center of the disc to the 60° point.



The amplification is proportional to the number of turns.




FIG. 6: ODF AMPLIFICATION WITH THE EQUATORIAL DISC

RECIPROCAL CIRCLES

Here is a second transmitter, again designed by DE LA FOYE, which you can build easily. On a rectangular wooden board, you draw three circles of the same diameter. The line of centers must be on the longitudinal axis of symmetry of the rectangle.

Drill holes right through on the line joining the centers to the ends diameters and in the center of the circles (5 holes in all, see figure 7).

At the four intersections of the three circles, a hole is started. Finally, it is necessary to groove the directing rays of the form field. The meeting point of these grooves is the center of the central circle.

By placing a bent copper needle in the center of the upper circle, we gets a shape show in the center of the lower circle.

Just like for the equatorial disc, this transmitter must be oriented at 5° from magnetic North for it to work (355°).

One can also insert the wire from a copper coil into the center of the lower circle for amplification purposes.




FIG. 7: THE TRANSMITTER OF RECIPROCAL CIRCLES

THE ODF

AN UNMEASURED PHENOMENON?

ARGUMENTATION IN FAVOR OF A PHENOMENON NOT MEASURABLE

The detractors of the phenomenon of the *waves of form* or *emission due to the forms*, and mainly physicists, have a strong argument.

At first glance, we have never been able to measure the presence of wave forms with the usual instruments of physics, not the shadow of a measurement result with an electromagnetic wave detector, with a temperature sensor, with

a Geiger counter, etc.

We will see in chapter II that form emissions, a term indeed more appropriate to our phenomenon, are closely linked to ÉMILE PINEL 's **H1** , **H2** , **H3** fields, and mainly to the **H3** field .

In October 2010, I asked the following question to Jacqueline Bousquet: "Where are we currently on the question of the physical measurement of the **H3** field ? »

Here is what she answered

me: "Official science has not yet managed to take an interest in the immaterial, therefore in the fields!!! She is only interested in matter, she studies television by dismantling television sets. It is still going to take a long time for materialists to learn quantum physics. It's not win.

"The **H3** field is a transition field between the **H2** field , immaterial, and the **H1** field , material. It transforms a wave into electric current (energy of the form).

"The **H3** field is not measurable, but the neutrino emitted perpendicular to the electric field can only be perceived under certain conditions (Kirlian photo), or detected by the pendulum or the Lecher antenna.

" Best regards "

I must admit that at first this answer seemed very enigmatic to me.
But after reflection, it becomes clear: the **H3 field which induces form emissions is not measurable, but its effects on matter, mainly due to the neutrino, are.**

COUNTER ARGUMENTATION

If we are willing to take the trouble to document ourselves seriously, we can see that even if the **H3** field has never been measured, on the other hand we have been able to observe an action of the waves of form on matter, and this in a way reproducible.

– In 1930, ALFRED BOVIS, during a campaign of scientific studies on the site of Cheops in Egypt, found that despite a

frightening humidity in the great pyramid, many rats were totally desiccated in the royal chamber, while they were in decomposition everywhere else.

Back in France, he built a small pyramid in the ratio of Cheops and installed it by orienting its faces. He introduces a third of his height (place of the royal chamber) a small piece of meat. The latter will be mummified, while the piece left outside rots.

This phenomenon is also reproducible – It is ⁴

also known that worn razor blades resharpen at inside such a pyramid.

– Another very pleasant property of the latter is the improvement of the wine. Fifteen minutes of exposure is enough to improve an ordinary booze!

– Another physical manifestation of the emissions due to the forms cited by MOREL and DE BÉLIZAL in their book ⁵ is the production of ice. Of water samples to be treated in a spherical emitter, the C30 bomb. They noted that a temperature of +1°C in the laboratory corresponded inside the bombs to a cold of -2° to -3°C, to the point that the water being treated was transformed into ice! They found with high precision mercury thermometers a temperature difference of 3 to 4°C between the thermometer placed in the bomb and that of the laboratory, summer and winter.

– The Vm- also seems to produce results on cancer, tuberculosis and the treatment of pain according to MOREL and DE BÉLIZAL ⁵

And to close this chapter, I present in chapter IV a simple experiment with a physical effect directly observable with the naked eye, and in chapter V an application of the emissions due to the forms on the radioactivity of radon.

¹ – A. DE BÉLIZAL and PA MOREL, *Micro-vibratory physics and invisible forces*, Desforges, Paris, 1976.

² – Pendulum of Thoth - Exclusivity of Servranx editions, Brussels.

³ – JEAN DE LA FOYE, *Waves of life, waves of death*, Laffont, Paris, 1975.

⁴ – ANNIE HASCH, *The power of the pyramids*, Retz.

⁵ – A. DE BÉLIZAL and PA MOREL, *Micro-vibratory physics and invisible forces*, Desforges, Paris, 1976.

CHAPTER II

FIELDS H1, H2, H3 OF ÉMILE pinel

It was through JACQUELINE BOUSQUET, in one of her video conferences, that I first heard about ÉMILE PINEL. ÉMILE PINEL was both a mathematician and a biologist, this

is rare enough to emphasize. He was born in 1906 and died in 1985. His Curriculum Vitae is extensive, including these three titles:

- Doctor of Science in Mathematics in the United Kingdom.
- Doctor of physical medicine in the United States
- Director of studies at the University of Paris

ÉMILE PINEL worked in the medical departments and laboratories of Paris hospitals, as well as in the laboratory of the Collège de France directed by Professor HYACINTHE VINCENT.

His theories in biology have led to experimentation, and the healing of many patients.

We owe him in particular chronopharmacology, a technique for taking drugs at specific times linked to the biological rhythms of leukocyte production, which increases their efficiency.

ÉMILE PINEL demonstrated that gravitation and biology are intimately linked

(see on the website www.arsitra.org the presentation of ÉMILE PINEL 's work by SERGE NAHON). In particular, he explained that the period of production of white blood cells increases with altitude. This lengthening of the period allowed him to predict and explain the decalcification of astronauts in orbit.

INTRA-CELLULAR FIELDS

PINEL, by modeling the functioning of the living cell, put forward the *ingenious* hypothesis of the action of a unitary field H, having three components **H1** , **H2** , **H3** , which themselves have three components, which gives a set of nine components for the unit field H. In mathematics, this is called a tensor.

These three fields **H1** , **H2** , **H3** make it possible to mathematically model the operation of the cell. Thanks to this model, we can find the normal or abnormal functioning phenomena observed in the cells: bipartition, polynucleosis, anarchic multiplication, regulation

What are these three fields really?

For PINEL, field **H1** is a physical field, **H2** is a *physico-biological* field serving as memory and **H3** is a transmission field. Let's see this in more detail:

THE **H1** FIELD :

PINEL affirms that the field **H1** is a pure magnetic field which one can consider as executing orders from field **H2** .

We now know that the amplitude of the magnetic field generated by cerebral activity is of the order of a femto Tesla (10⁻¹⁵ Tesla). On the other hand, the field is crossed by electrical fields and currents of low amplitude.

The field **H1** in the cell is therefore of the order of magnitude of a billion times smaller than the ambient magnetic field. It has already been measured using very sensitive, superconducting sensors. The measurement of the field **H1** is therefore feasible, but it is necessary to have sophisticated and expensive technical means. The three components of **H1** are real (as opposed to complex in the sense

mathematical).

THE H2 FIELD :

For PINEL, this field is not in the *real domain*, ie it cannot be measured with any physical instrument. I admit that this notion of non-real field disturbed me.

During a discussion, JACQUELINE BOUSQUET enlightened me by telling me that the **H2** field is not in our space-time. In mathematics, we model a non-real number thanks to complex numbers, it suffices to precede it with the *i* of pure imaginary numbers.

As SERGE NAHON explains ^{7.} an imaginary magnitude, mathematically speaking, can have a very real impact on people's lives. These imaginary numbers are used in electronics, in particular to model complex impedances

$$(ex : Z = R + i Lw)$$

or the phase shifts between voltage and current.

H2 is in a way a principal, it is a gifted field of memory, containing all the cellular programming. It is closely linked to our psyche and our thoughts influence it. It is psycho-biological, in the sense that information or our thoughts can have an impact on our state of health. We understand that this theory of the three fields explains the psychosomatic phenomena perfectly well.


THE H3 FIELD_:

We are going to take a particular interest in this field, because it is thanks to him that we can explain the phenomenon of emissions due to forms.

The **H3** field is a *physico-psycho-biological field*, it is also called the transmission field. Why is it so called by PINEL?

We can say that the fields **H1** and **H2** being of fundamentally different nature, one being purely physical, and the other purely spiritual (or informational, if one prefers), they cannot communicate between them.

They do this via the **H3** field which includes both real characteristics and informational characteristics. **H3** is used to transmit orders from **H2** to **H1** as shown in the diagram below:



Mathematically, we can say that **H3** is a vector that has three real components and three imaginary components:

$$\mathbf{H3} (a + i a', b + i b', c + i c')$$

A fundamental point to underline is the variability in time of the field. At each instant, it changes, because it captures information each time it **H3** . captures

This variability over time is expressed by the term **dH3 /dt**. Which therefore time a being is alive, its field **H3** , moment, expressing its "form", changes each

This term **dH3 /dt** is transformed into a voltage **E** inside the cell. This voltage induces an electric field manifesting the "I do", the action in the world.

This results in the following equation:

$$E = \ddot{y} \times (A \times \mathbf{H1} + B \times \mathbf{H2}) + C \times d\mathbf{H3} /dt$$

E corresponds to a voltage at the centriole. $\ddot{y}$, **A**, **B** and **C** are coefficients and **H1** , **H2** and **H3** are the three fields cited.

At the death of the cell, **E** becomes zero and so does $\ddot{y}$. Fields **H1** and **H2**

become inactive, it follows that dH_3/dt becomes zero.

H3 does not die, but it no longer varies over time. The form remains, but remains motionless.

When the metals leave the cell, after about three days, the form begins to fall apart.

The **H3** field pre-exists any form and generates the form. To be convinced of this, see how the **H3** field makes it possible to generate the DNA molecule in the works of Émile Pinel [8](#) and [9](#)

IS A NON-LIVING FORM SUBJECT TO THE FIELDS OF PINEL?

The essential difference between a non-living form and the cell intervenes especially in my opinion at the level of the **H1** field. In the cell, there is a magnetic field **H1** generated by the biology of living organisms.

For an inanimate form, the earth's magnetic field plays the role of the **H1** field .

The **H3** field continues to vary over time each time it captures information (**H2**) in the form of neutrinos.

Here is an example of the **H1** and **H3** fields represented on a simple shape, the circle:




FIG. 8 : REPRESENTATION OF FIELDS H1 AND H3 FOR A SIMPLE FORM: THE CIRCLE

The vector **H3** is built starting from the center of gravity of the shape, here the point O, going towards the edge of the shape (the point M).

The dimension of the field **H3**

PINEL had shown in *Vie et Mort* that the pitch of the DNA helix is linked to the **H3** field. That there is a possible indirect measurement of the physical part of the field length.

For example, in the case of Figure 8, the length of **H3** would be equal to or proportional to the radius of the circle.

However, PINEL made it clear that the physical part of H3 is a magnetic field. **H3** would thus be a vector with two facets, it would be both a length and a magnetic field.

Here is a hypothesis that I propose: the intensity of the vector **H3** in the form of a magnetic field would be very weak (not measurable) and proportional to the length of the segment OM (figure 8).

$$\mathbf{H3} \text{ (magnetic)} = k \text{ OM}$$

It remains to determine the value of the coefficient k .

A NEW VISION OF RADIESTHESIA BASED ON THE FIELDS OF PINEL

No offense to television journalists who love to judge and talk about everything when they are specialists in nothing: no, dowzers are not charlatans.

I will try to give a new vision of dowsing in the light of fields $\mathbf{H1}$, $\mathbf{H2}$ and $\mathbf{H3}$ defined in the previous pages.

What happens when a person sits at a table while holding a pendulum between his thumb and index finger?

This person asks a question, and therefore searches the universe for information. If this person is available, that is to say, he is able to stop the flow of his thoughts, he is able to capture the $\mathbf{H2}$ (informational) field of the universe.

She must silence her own preconceived thoughts and intentions so that her own $\mathbf{H2}$ field does not interfere with that of the universe.

This person is a living form, so he has a time-varying $\mathbf{H3}$ field ($d\mathbf{H3}/dt$). She captures the information corresponding to her question, in the form of neutrinos (information support).

The cells of the nervous system are able to transform this information into electric current (through the centriole), this electric current in turn allows to generate an involuntary movement of the arm which holds the pendulum.

Of course, for the individual to be able to capture the information corresponding to his question, he needs an $\mathbf{H1}$ field, this $\mathbf{H1}$ field is his own intracellular magnetic field.

YVES ROCARD, well-known physicist, the father of MICHEL ROCARD, the man

politician, took a close interest in dowsing. He had found that the best dowsers had a concentration of magnetite in the body higher than normal. Their **H1** field is therefore higher in intensity than that of most individuals, so they are better able to capture information.

Everything is explained !

6 – *Life and Death* – ÉMILE PINEL – Downloadable from www.arsitra.org

7 – *Presentation of cellular fields H1, H2, H3* by ÉMILE PINEL – SERGE NAHON –
Downloadable from www.arsitra.org

8 – *Life and Death* – ÉMILE PINEL, p. 164 – Downloadable from www.arsitra.org

9 – *Essay on the presentation of cellular fields H1, H2, H3* by ÉMILE PINEL – SERGE NAHON –
Downloadable from www.arsitra.org

10 – *Essay on the presentation of cellular fields H1, H2, H3* BY ÉMILE PINEL – SERGE NAHON –
Downloadable from www.arsitra.org

CHAPTER III

IN SEARCH OF THE MONOPOLY MAGNETIC

Once again, it was during one of the discussions with JACQUELINE BOUSQUET and while reading one of her articles that the idea of taking an interest in magnetic monopoles came to me.

You will say to me: "What relationship with the waves of form? I will try to explain it to you. JACQUELINE BOUSQUET kept telling me that the **H3** field of a form picks up information in the form of a neutrino, then expels it.

But how the hell does this attraction of neutrinos by the **H3** field work ? I was racking my brains until the phrase *magnetic monopole* caught my eye in an article.

The magnetic monopole is a bit like the Arlesian of the world of physics, everyone has looked for it since MAXWELL in 1873 in his treatise, up to of electromagnetism¹¹ GEORGES LOCHAK who finalized his equation and has demonstrated this in several experiments.

First of all, here is a very simplified definition that will allow the reader to understand what it is:

The magnetic monopole is a particle carrying a single magnetic charge, north or south, and not two opposite charges like a

magnet. It is the equivalent of the electron (elementary electric charge), but for magnetism.

A bit of history is in order:

– The concept of magnetic charge appears for the first time in MAXWELL in 1873 in his treatise on electromagnetism in which he shows that such charges obey and form magnetic currents similar to an axis of rotation.

– Then, it was PIERRE CURIE (1894) who published an article on the possibility existence of magnetic conductivity and free magnetism in this article ¹². He shows that a magnetically charged sphere would not be superimposable on its image in a mirror. PIERRE CURIE is not yet talking about particles. But it should be known that at that time, even the electron was not yet experimentally highlighted.

– In 1931, PAUL DIRAC, one of the greatest physicists and mathematicians of the century, rediscovered the magnetic monopole by seeking why there is a minimum electric charge (the charge of the electron) of which the others are multiple. Its monopole is 137 times more charged than the electron. To explain the non-observation of this particle, he gives it an enormous mass.

– In 1974, T. HOFT and POLIAKOV showed that the theories of grand unification impose the existence of the magnetic monopole. But these two scientists attribute to them an ultra-heavy mass (about 10 million billion times that of the hydrogen atom).

– Finally in 1983, GEORGES LOCHAK, spiritual son of LOUIS DE BROGLIE, proposed another theory. It describes a very light magnetic monopole. It follows not from unification theories, but from the DIRAC equation.

This monopole appears as the magnetic side of the electron. His theory is the only one based on experimental arguments and CURIE's laws of symmetry. **In fact, the magnetic monopole proposed by GEORGES LOCHAK is an excited form of the neutrino.**

EXPERIMENTAL EVIDENCE

Currently, some people still doubt the existence of the magnetic monopole, but a good number of experiments, including the one I present at the

chapter IV, seem indeed to validate the existence of the light magnetic monopole proposed by GEORGES LOCHAK.

Around the year 2000, monopoles nearly blew up one of the laboratories of the Kurchatov Institute, on the outskirts of Moscow. It's still just a hypothesis, but the researchers couldn't find any other explanation to interpret a multitude of strange results. ¹³


These physicists spray titanium electrodes with electric pulses of 5000 volts each and lasting about a hundred microseconds.

Each time, a ball of lightning appears above the box (figure 9).




FIG. 9: A BALL OF LIGHTNING APPEARS ABOVE THE ELECTRODES IN THE KURCHATOV INSTITUTE EXPERIMENT

Figures 10 and 11 represent the diagrams of the experiment carried out by OURUTSKOÏEV, LIKSONOV and TSINOÏEV.



1. Cable – 2. Switch – 3. Capacitor bank 4. Plastic cover
polyethylene – 5. Cover attachment 6. Foil – 7. Electrode – 8. Distilled water 9.
Explosion chamber

FIG. 10 : THE KURCHATOV INSTITUTE EXPERIMENT CASE



Layout diagram of the photosensors 1. Place of the explosion of the leaves – 2. Permanent magnets 3. Plate with a nuclear emulsion – 4. Photo films 5. Coil of the magnetic field 6. Photo films near the permanent magnet.

FIG. 11 : PHOTO-SENSORS FROM THE KURCHATOV INSTITUTE EXPERIMENT

The analysis of the titanium powders after the explosion conceals other surprises, the three scientists realize that a strange alchemy has occurred: the natural isotope of titanium (at 48 nucleons) has dropped by around 10 %, while the rarer isotopes (at 47, 49 or 50 nucleons) have increased in percentage.

Another more disturbing fact, mass spectrometer analyzes show the appearance in the samples of foreign elements, initially absent (Aluminium, Silicon, Calcium, Iron, etc.), and this in significant proportions. All without the emission of neutrons or gamma rays. It is therefore not a radioactive phenomenon, but rather a transmutation.

Another oddity, the physicists observed a strange radiation which streaked photographic plates intended to detect the passage of particles two meters from the experiment (figure 12).




FIG. 12: THE STRANGE RADIATION PHOTOGRAPHED
A) COMET-TYPE PLOT B) ENLARGEMENT
OF THE COMET HEAD

The similarity of these shots with the photos taken by MOREL and DE BÉLIZAL in one of their shape wave transmitters is striking.



FIG. 13 : PICTURE TAKEN BY MOREL AND DE BÉLIZAL INSIDE THEIR ODF TRANSMITTER, LA BOMBE C30

All of this is very disturbing, especially since three teams in Russia have obtained similar results, as well as a French team in 2009 ¹⁴

According to all these teams, the magnetic monopole would be at the heart of the mystery: it would be responsible for the strong magnetic fields necessary for the transmutation reactions.

At first, the Russian researchers thought of heavy magnetic monopoles, but the low energies involved made them abandon this hypothesis. It was then that they fell into the specialized literature on another magnetic monopole, much lighter, proposed by GEORGES LOCHAK in 1956.

CAN WE FIND MAGNETIC MONOPOLES UNDER OUR LATITUDES?

First of all, the following question must be answered:

"What is the difference between a neutrino and a magnetic monopole?" »

The answer is simple, a neutrino is a magnetic monopole with zero magnetic charge. Moreover, a neutrino can turn into a monopole if it is exposed to a magnetic field of sufficiently strong amplitude.

An expedition of JEAN-LOUIS ÉTIENNE brought back films from the North Pole bearing traces of monopoles, confirming the hypothesis put forward by GEORGES LOCHAK, that if the monopoles are excited states of the neutrinos, it is possible that part of the solar neutrinos are transformed into monopoles under the effect of local magnetic fields.

Note that there are northern monopoles (attracted by the southern pole of a magnet) and south monopoles (attracted by the north pole of a magnet).

There are therefore monopoles at the magnetic poles of the Earth. Knowing that the Earth's magnetic field at the pole has a value of about 57 micro-teslas, and that in the center of France it has a value of 47 micro-teslas, there is no reason why there is no there are no monopoles in our latitudes.

The field created by a magnet is of the order of 0.02 tesla, which means that a simple magnet is able to transform neutrinos into monopoles.

11 – J. C. MAXWELL, *A treatise on electricity and magnetism* (1873) – Third edition, Clarendon Press (1891), Dover (1954).

12 – P. CURIE, *On the symmetry of physical phenomena*, Journal de Physique, 3rd series, t. III, 1894, p. 393.

13 – Experimental detection of strange radiation and transmutations of chemical elements – Fusion n° 93 – Nov-Dec 2002 – downloadable from the net.

14 – *Transmutation and traces of monopoles obtained during electric discharges* – D. Priem, C. Daviau, G. Rooty.

CHAPTER IV

THE TRUE NATURE OF SHAPE EMISSIONS

Now you have all the theoretical elements at your disposal to understand how this amazing experiment works. I strongly encourage you to try to reproduce it at home, on an individual basis.

THE EXPERIENCE

This experiment is easily reproducible by everyone, which is why I selected it. To implement it, you must have an equatorial disk (waveform transmitter described in chapter I) and a coil of copper wire of about 15 or 16 turns. The copper wire must be enamelled to avoid contact between the turns of the coil.

The shape wave transmitter must be oriented to shape North, that is to say that the 0° graduation of the transmitter must be oriented at 355° from the compass graduation.

The copper coil serves both as an amplifier and also allows driving the form emission towards its target.

The end of the coil is adhered to the 180° graduation (V_m+), with adhesive tape or glue, as in figure 14.




FIG. 14 : THE EXPERIMENT PROVING THE TRUE NATURE OF SHAPE EMISSIONS

The purpose of the experiment is to demonstrate that the south of the transmitter emits magnetic force. For this, a piece of metal is placed at the end of the coil, and here an aluminum nut.

Check yourself that this piece of metal is not magnetized by a conventional magnet. Only four metals are magnetic: Iron, Nickel, Cobalt and Gadolinium (family of rare earths).

Now set the equatorial transmitter slider to 180° (Vm+).

Once everything is in place and you are sure that the end of the coil point well on the piece of metal and not next to it, just wait three days.

When the three days are up, remove the piece of metal. You will find that it has become magnetized!

If the piece is light enough, it adheres easily to both sides of the magnet! You have achieved the feat of making a non-magnetic metal magnetic.



FIG. 15: THE ALUMINUM NUT HAS BECOME MAGNETIC

The reader will be able to consult the two videos of the experiment on the site <http://physiqueodf.free.fr>


HOW IT WORKS ?

To understand the physical functioning of this experiment, we must go back to Coulomb's Law.

This law is expressed in the form:

$$\mathbf{F_e} = q \mathbf{E}$$

This equality means that an electric charge q immersed in an electric field $\mathbf{E}$ undergoes a force $\mathbf{F_e}$ equal to the product of the electric charge by the electric field.



This Law has its equivalent in the magnetic field:

$$\mathbf{F_m} = a \mathbf{H}$$

This new equality is stated as follows: a magnetic charge of value 'a' (a magnetic monopole) immersed in a magnetic field $\mathbf{H}$ undergoes a force $\mathbf{F_m}$ equal to the product of the magnetic charge by this magnetic field.



Here is the operating principle of the experiment for any form:




FIG. 16 : THE OPERATING PRINCIPLE OF THE EXPERIMENT IN FIGURE 14.

When a magnetically excited neutrino – they are abundantly present in the atmosphere –, as we have seen previously, approaches the form (the emitter for our experiment), it is attracted by the field **H3** by the force **Fm** = a **H3** to the shape's center of gravity. Once at the center of gravity, it is the magnetic field **H1** of the earth, oriented North-South, which takes over and guides the neutrino and makes it leave by the south face thanks to the force **Fm** = a Then the daysmagnetismcomparable fits into the picture of metals. At the end of the tree

WHAT ARE THE CONSEQUENCES OF THIS EXPERIENCE?

The consequences of this experience are numerous and of great importance. capital, here are the main ones:

- **Form emissions are magnetic monopoles!**

We now understand why shape wave specialists say that these are emitted by the southern part of a transmitter. We also understand why the earth's magnetic field is essential to the existence of a form emission. Without a magnetic field, magnetic monopoles cannot be picked up and re-emitted.

- **Magnetic monopoles do exist and they are certainly magnetically charged neutrinos** which are abundant in our atmosphere thanks to the sun.

- **A beam of magnetic monopoles can be produced with very inexpensive means**, which can be very useful for carrying out physics experiments.

All these consequences are very important, because we will see in the following chapter that they make it possible to explain from the point of view of physics why and how the "waves of form" act on matter.

15 – In everyday language, we could also say "magnetable" and "unmagnetable".

CHAPTER V

ACTIONS FOR EMISSIONS DUE TO SHAPES ON MATTER

We have just demonstrated in the previous chapter by an experiment that the emissions due to the forms are emissions of magnetically excited neutrinos, that is to say emissions of magnetic monopoles.

Physicists know that neutrinos interact very little with matter.

These can pass through several hundred kilometers of material without interacting with a single atom.

On the other hand, a magnetic monopole has not only electromagnetic interactions (it is deflected by an electric field and attracted by a magnetic field), but also nuclear interactions: more precisely weak interactions!

It can therefore act on matter.

WHAT IS WEAK INTERACTION?

All known physical, chemical or biological processes can be explained using only four fundamental interactions which we will describe one by one.

THE GRAVITATIONAL INTERACTION

This is responsible for gravity, tidal phenomena, but also for a certain number of astronomical phenomena such as the movement of the planets around the stars.

THE ELECTROMAGNETIC INTERACTION

This interaction is responsible for electricity, magnetism, light or a certain number of chemical and biological reactions. It is she who is the basis of the attraction of two electrical charges of opposite sign and the repulsion of two electrical charges of identical sign.

THE STRONG INTERACTION

This interaction is responsible for the cohesion of atomic nuclei. It acts at a very short distance, unlike the first two interactions, i.e. at a distance of the order of the diameter of the atomic nucleus: 10^{-15} m.

It is thanks to her that the atomic nuclei do not dislocate into one multitude of protons and neutrons.

WEAK INTERACTION

This interaction is probably the least known to the general public. And it is she who will keep us in suspense until we know the outcome of the great adventure of emissions due to forms.

The weak interaction is responsible for γ radioactivity, which allows the sun to shine, for example. Weak perhaps, but its action is far from negligible!

Not being a specialist in the weak interaction, I will develop this concept in a succinct way. My goal in writing this book is to draw attention to the physical nature of the phenomenon of form waves, and also and above all to allow the implementation by everyone of their applications.

The weak interaction takes place only in the atomic nuclei. It is so called because its intensity is 100,000 times weaker than the strong interaction and is 1000 times weaker than the electromagnetic force.

However, its intensity increases rapidly with the energy of the particles present, and it can catch up with the electromagnetic interaction if the particles in

game reach sufficient energy (a few tens of GeV – gigaelectron volt).

The weak interaction involves: neutrinos, quarks and charged leptons (electrons, positrons, muons, tauons).

It is realized thanks to the W and Z bosons. The bosons are very heavy and very short-lived.

PARTICLE INTERACTION AND EXCHANGE

Interactions are explained in particle physics as the exchange of radiation particles between particles of matter.

Figure 17 shows two boats moving away from each other because their occupants are exchanging a ball (by the principle of conservation of momentum). There is therefore remote interaction between the two boats by exchange of an intermediate object (the balloon). This object is called the interaction vector. Thus, in particle physics, any interaction between particles is explained by the exchange between these particles of vectors (which are themselves particles). For the weak interaction, the exchanged particles are the W and Z bosons.






FIG. 17 : TWO BOATS INTERACT WITH THE EXCHANGE OF A BALLOON

EXAMPLES OF REACTIONS DUE TO INTERACTION WEAK


β^- - decay : a neutron is converted to a proton, and a β^- - particle (an electron) and an antineutrino are emitted.



As the W boson is very heavy, the reaction time $n \rightarrow p + W^-$ is extremely short, and in practice, we write the decay reaction:



β^+ + decay : a proton is converted into a neutron through the weak nuclear force, and a β^+ particle (a positron) and a neutrino are emitted.



AN IMPORTANT NOTE:

We noticed that the radioactive activity of certain samples is modified during solar eruptions, but this is when the emission of neutrinos from the sun is at its maximum. Moreover, GEORGES LOCHAK writes ¹⁶ that "the lifetime of a radioactive sample is modified under the action of magnetic monopoles. »

AN EXAMPLE OF THE APPLICATION OF DUE EMISSIONS FORMS: THE MODIFICATION OF THE ACTIVITY RADIOACTIVE DU RADON

I had the idea for this experiment just after the Fukushima nuclear disaster in Japan.

This accident moved and touched many people around the world. I must say that I was also very touched by what happened.

The population does not understand the dangers of nuclear energy because it is an invisible pollution: we do not see α , β or γ radiation. Moreover, the diseases caused by nuclear irradiation are observed after

several years. Malformations, infirmities and deaths are however very visible and very real. According to VIATCHESLAV GRISHIN, president of the CHERNOBYL UNION (the main association of liquidators) out of 600,000 liquidators "25,000 died and 70,000 remained disabled in Russia, in Ukraine the figures are close, and in Belarus 10,000 died and 25,000 disabled", this which left a total of 60,000 dead (10% of the 600,000 liquidators) and 165,000 disabled. It's time to start understanding that invisible pollution is often much more dangerous than visible pollution.

Going back to our experience, one of the rooms in my apartment is affected by radioactive radon pollution.

Radon is a radioactive gas that escapes from rocks such as granite and also from geological faults. This gas is responsible in particular for many lung cancers if it is inhaled in too large quantities.

Radon's half-life period is approximately 3.8 days. This means that the number of radon atoms in a sample of this gas is halved in 3.8 days. Radon radioactivity is γ radioactivity.

The experiment consisted of measuring the reference level of radon in the room for 72 hours. I got an average level of 1.0 pico Curie per liter of air.

Once this reference level has been measured, I placed a shape wave transmitter in the room (reciprocal circle transmitter described in chapter I) set to Vm- near the geological fault.




FIG. 18: THE SHAPE WAVE TRANSMITTER (see fig. 7) USED FOR THE EXPERIMENT OF THE RADON

I again measured the level of radioactivity for 4 days. Thirdly, a pair of fairly powerful magnets was added near the transmitter, and the radioactivity was measured again for 4 days. And finally to finish, I removed the transmitter and the magnets to make measurements again for 20 consecutive days.

The results of all of these measurements are summarized in the graph in Figure 19.

EXPERIMENTAL CONDITIONS:

All measurements were made with the Pro Series 3 Radon Detector HS71512, which is a detector approved by the US Environmental Protection Agency. The results displayed are in pci/L (1 pci/L = 1 pico curie per liter of air = 37 Bq/m³, or 37 disintegrations per second and liter of air). As that experiment took place in April and May 2011 in Île de France, the weather conditions were extremely stable during

their entire duration (good sunny weather).

RESULTS ANALYSIS :

We know that the sun can have an influence on the variation in radioactivity of certain samples. Luckily the sunshine conditions were very stable throughout the experience.

We see that the presence of a Vm- wave causes the level of radon radioactivity to drop to around 0.8 pci/L. That's a drop of about 20% in three or four days!

If magnets are added near the emitter, the level of radioactivity drops to around 0.65 pci/L, a drop of 35% compared to the initial level!




FIG. 19 : GRAPH SUMMARIZING ALL THE RADIOACTIVITY MEASUREMENTS OF RADON

The magnetic field of the magnets does have an impact on the level of efficiency of the transmitter. How to explain it?

The magnetic field makes it possible to increase the magnetic charge of the magnetic monopoles, which has the effect of increasing their effectiveness in the phenomenon of weak interaction.

And finally, which adds coherence to the results given above, when the transmitter and the magnets are removed, the level of radioactivity drops initially to 0.5 pci/L, then oscillates between 0.4 and 0.5 pci/L (up to 60% decrease) then stabilizes for 9 days at 0.5 pci/L and rises after 20 days to 0.8 pci/L.

IN SUMMARY :

- Vm- form emissions have a non-negligible reduction in radon radioactivity, ie γ radioactivity. This is a new result to my knowledge.
- The presence of a sufficiently intense magnetic field increases this decrease
- The radioactivity returns to its initial level in about 20-21 days if all forms of emission are stopped.

Interested readers can get more information on the site
<http://ondesdeforme.free.fr>

A SECOND EXPERIMENT: THE ACTION OF FORM EMISSIONS ON THE ORE OF PECHBLENDE

We have just seen that certain forms of emissions have an effect on radioactive particles in the gaseous phase (radon). It would now be interesting to see if these same form emissions have an impact on the radioactivity of a solid-phase ore.

To perform this test, I used a sample of pitchblende ore from a few grams.

Pitchblende is a well-known radioactive mineral. It is based on uranium, polonium and actinium. Pitchblende mainly emits γ radioactivity, accompanied by β radiation.

As for the previous experiment, we measured the level of γ radioactivity “empty”, that is to say without the presence of the ore and without a shape wave emitter. This measurement was carried out for a whole day and we obtained a very stable level of 0.15 μ SV/h for γ radioactivity (the counter we have does not allow us to measure β radioactivity).

Once this reference level has been measured, the sample of pitchblende in a transparent plastic box with a hole in it.

The level of γ radioactivity in the ore is measured with the Geiger counter over a whole day, an average value of 0.45 μ SV/h is obtained.

Then, position the ODF emitter close to the plastic box, set it to Vm- and introduce the end of the coil into the hole in the box in order to bombard the sample (see figure 20) , neodymium magnets are added to reinforce the action of the magnetic monopoles. After eight days, the transmitter and magnets are removed. The radioactivity measurement results are summarized in the graph of Figure 21.



FIG. 20: SHAPE WAVE TRANSMITTER BOMBARDING PECHBLENDE ORE

EXPERIMENTAL CONDITIONS:

All the measurements were taken with a professional Geiger counter, judged to be one of the best on the market, it is the MKS-05 Terra marketed by ECOTEST. Each measurement is taken in $\mu\text{SV/h}$ and is the result of an average taken internally by the device.

Weather conditions were stable throughout the experience (good weather).




FIG. 21 : GRAPH SUMMARIZING PECHBLENDE RADIOACTIVITY MEASUREMENTS

RESULTS ANALYSIS :

The presence of the shaped wave transmitter equipped with magnets, set to Vm- slightly lowers the level of γ radioactivity to an average value of 0.39 $\mu\text{SV/h}$ (initial level of 0.45 $\mu\text{SV/h}$), a decrease of approximately 13%.

When the transmitter and the magnets are removed, the sample resumes its initial level of radioactivity after approximately 7 days. However, the results are less marked than for radon.

It seems that the magnetic monopoles have more facility to act on the radioactivity of gases than on that of solids. They probably have more difficulty penetrating solid matter because of its density.

TRANSMUTATIONS AND CHEMICAL REACTIONS

We saw in chapter IV that several Russian teams obtained transmutations of chemical elements by means of electric discharges on titanium immersed in water.

These teams attribute the responsibility for these transmutations to the magnetic monopoles.

It is not prohibited to think that one could obtain certain transmutations or other chemical reactions by diluting chemical elements in water and by bombarding this water with waves of form.

In any case, this is an avenue to explore for all researchers interested in this question.

Here is a list of other possible applications of form emissions

BIOLOGICAL EFFECTS

A Russian scientist named PRYAKHINE showed that irradiating mice with monopoles increases bone marrow production. There is therefore a hope of developing research with a view to possible medical applications.

Other effects on health, in particular on pain in the terminal phase of cancer, have been observed by specialists in waveforms and by dowsers.

DESTRUCTION OF NUCLEAR WASTE

BY THEIR DISINTEGRATION

This is a path to explore and develop. If the magnetic monopoles are capable of decreasing the γ and β radioactivity of samples as I have just demonstrated, we also know that they are capable of exciting samples

radioactive $\gamma\gamma$ and γ^+ , thus accelerating their disintegration.

PROTECTION OF A PLACE AGAINST RADIOACTIVITY

It is possible to protect a place that has already been irradiated by placing a shaped wave transmitter equipped with magnets in a room of the house. If the transmitter is set to ODF V_m^- this will have the effect of reducing γ and γ radioactivity.

One can imagine having a huge ODF emitter emitting V_m^- to allow nuclear workers to intervene on a contaminated site.

For more information. interested persons can connect to the site <http://physiqueodf.free.fr>

Your opinion interests us !

Leave a comment on the website of your online bookseller and share your favorites on social networks!

16 – Georges Lochak, *The magnetic monopole is no longer a myth. It has an equation, experiments and it foresees applications*, Fondation Louis de Broglie.

CONCLUSION AND PERSPECTIVES

I hope that this book will enable certain open-minded scientists to no longer consider dowrsers and, in general, all those who practice disciplines in which feelings are preponderant, as charlatans.

I also hope that it will make it possible to decompartmentalise science and spirituality.

We have seen that the prospects for the use of shaped waves are great, they will in particular make it possible to fight against radioactivity, a scourge so decried since the nuclear disasters of Chernobyl and Fukushima.

Scientists at CERN succeeded in September 2011 in highlighting a neutrino beam moving faster than light, thus apparently disproving EINSTEIN 's theory that no particle can pass it. This experience was publicized around the world. This is the OPERA experience. Six months later, these same scientists recognized an experimental error.

Now, THIERRY LASSERRE and DAVID LHUILLIER, both physicists at the CEA in Saclay, have observed, after very comprehensive calculations and measurements of the quantity of neutrinos emitted by nuclear power plant reactors during the disintegration of uranium nuclei, that the number of neutrinos measured is 7.3% lower than that expected theoretically. These 7.3% of neutrinos seem to have disappeared mysteriously...

To explain the disappearance of these neutrinos, they propose the existence of a new neutrino, baptized "the sterile neutrino", which interacts neither with the strong force nor with electromagnetism (just like its classical cousins), but which, moreover, does not have a weak interaction. It would then be an undetectable particle. In short, a physicist's nightmare...

Anyway, the neutrino is really a very special particle, it straddles two worlds: the physical world (our space-time) and the spiritual world (H2 field outside our space-time). It is she who makes the link between these two worlds.

It is also necessary to underline the importance of the theory of the fields of PINEL **H1 , H2 , H3** . This theory has, in my humble opinion, enormous potential in the explanation of living phenomena, the understanding of so-called paranormal phenomena, but also in physics and in the field of health.

The XX E century was dominated by the electron and all the applications of electricity, but we realize that the production of electricity has an exorbitant environmental and human cost.

Now, many independent scientists and tinkerers are working on designing permanent magnet motors. MUAMMER YILDIZ, a Turkish engineer, succeeded in patenting his free-energy magnetic motor in around thirty countries. It is possible to consult demonstration videos of the operation of its engine on YOUTUBE.

These free-energy generators will give everyone access to clean, free and unlimited-time electricity. I believe that the 21st century will be the century of magnetism.

Welcome to the magnetic world!

* * *

Contact the [physical authorodf@free.fr](mailto:physical.authorodf@free.fr)

LEXICON

RADIOACTIVE ACTIVITY : the radioactive activity of a radioactive source is measured in Becquerel (Bq), a unit corresponding to the number of disintegrations per second. For radon, the activity is measured in Bq per m³ or in pci (pico curie) per liter of air.

RECIPROCAL CIRCLES : shape wave transmitter in the shape of a rectangular board on which are traced three circles, grooves and holes.

PINEL FIELDS : fields discovered by the mathematician and biologist ÉMILE PINEL. **H2** is a purely informational field, **H1** is a magnetic field, and **H3** is a field that is both magnetic and informational which makes the connection between the **H2** and **H1** fields .

EQUATORIAL DISC : shape wave emitter in the shape of a disc and making it possible to select and emit a wave of a particular shape.

FORM EMISSION : see "form waves".

WEAK INTERACTION : very short-range interaction taking place at the heart of atomic nuclei. The weak interaction is responsible for the γ radioactivity.

ISOTOPE : chemical element of a species which does not have the same number of neutrons as the standard number of neutrons of this same species. Example: Uranium 235 and Uranium 238, the first of which has 143 neutrons and the second 146 neutrons.

COULOMB 'S LAW : law linking the expression of the force exerted on a point electric charge and the electric field prevailing in the vicinity of this charge.

MAGNETIC MONOPOLY: particle carrying a single magnetic charge, north or south. The existence of this particle was predicted by PAUL DIRAC in 1931.

NEUTRINO : elementary particle of physics having no electrical charge and a very low mass. For GEORGES LOCHAK and for the author, the magnetic monopole is a magnetically excited neutrino.

NUCLEON : generic term designating indiscriminately the main particles of an atomic nucleus, i.e. a neutron or a proton.

ODF: abbreviation for “wave form”.

SHAPE WAVES : phenomenon describing the emission of energy by the shapes and objects that surround us. The term “shape emission” is more appropriate. The author demonstrates experimentally that shapes pick up magnetic monopoles and re-emit them into their environment.

RADIOACTIVITY : property of certain nuclei, or heavy atoms, capable of spontaneously disintegrating into lighter atoms.

TRANSMUTATION : transformation of a chemical element into another chemical element, without radioactivity.

ANNEX

KIRLIAN PHOTOGRAPHS



FIG. 22 : KIRLIAN PHOTO OF A POLISH COIN (AUTHOR : KAROL LUSZCZ),
THE TRAJECTORIES OF MAGNETIC MONOPOLES ARE VERY SHARP



FIG. 23 : KIRLIAN PHOTO OF A KEY (AUTHOR : KAROL LUSZCZ)

BIBLIOGRAPHY

- *Micro-vibratory physics and invisible forces*. A. FROM BELIZAL AND PA MOREL. Photo p. 42 ©A. by Bélizal and PA Morel - Presented as a citation.
- *Waves of life, waves of death* – JEAN DE LA FOYE – Laffont, Paris, 1975. • *The power of the pyramids* – ANNIE HASCH – Retz. • *Life and Death* – ÉMILE PINEL – Downloadable from www.arsitra.org • *Trial of presentation of cellular fields H1, H2, H3 by Emile Pinel*, SERGE NAHON – Downloadable from www.arsitra.org
- JC MAXWELL, *A treatise on electricity and magnetism* (1873) – Third edition, Clarendon Press (1891), Dover (1954). • P. CURIE, *On the symmetry of physical phenomena*, Journal de Physique, 3 e serie, t III, 1894, p393 • *Experimental detection of strange radiation and transmutations of chemical elements* – Fusion n° 93 – Nov-Dec 2002 – downloadable from the net.
- *Transmutation and traces of monopoles obtained during electrical discharges* – D. PRIEM, C. DAVIAU, G. RACINEUX.
- GEORGES LOCHAK, *The magnetic monopole is no longer a myth. It has an equation, experiments and it foresees applications.*, Fondation Louis de Broglie. http://aflb.enscm.fr/MEMOS/GLmonopole/CONF_monopole.pdf • 1998
• *dethroned the Higgs Boson. The Neutrino, the particle that will blow up all of physics*. Sciences et Vie N° 1137 – June 2012.

From the same digital publisher

*The curse of an ordinary family, Thierry Glaise Method
for unblocking the emotional shocks of the past, Michel Henry Know
yourself better and you will know the universe and the gods, Henri François
Lafaure The pendulum of Thoth and its mysteries, Marc Roquart Beauty and
rejuvenation, F. and W. Servranx Maps and Clocks, F. and W. Servranx and
associates Radiesthesic chiology, F. and W. Servranx and associates Servranx
graphics for dowsing and radionics, F. and W. Servranx The Pyramid, Servranx
& associates The success of our children, F. and W. Servranx Radiesthesic
sensitivity, F. and W. Servranx and associates Numbers and pebbles that act,
F. and W. Servranx Your beginnings in dowsing, Félix Servranx Waves of shape
seen by a physicist, Dr Laurent Souriau*

All rights of reproduction, translation and adaptation of this work reserved for all countries.

© Servranx Editions, 2013,2016

Rue Gustave Biot 23-25
1050 Brussels

Belgium Tel. :
02 649 18 40 Fax: 02
649 12 10 Tel. from

abroad: 00 32 26 49 18 40

info@servranx.com
www.servranx.com

e-ISBN: 9782872421459

© 2017, digital version Primento and Éditions Servranx

This book was produced by [Primento](#), the digital partner of publishers