

MICRO-VIBRATORY PHYSICS AND INVISIBLE FORCES

A. de Belizal and P. A. Morel



“There exist shape-caused waves capable of creating a protective barrier . . . M. de Belizal has acquired a proof, a proof which I have since then personally verified in my own experiments.”

--HOUSES THAT KILL, by R. de Lafforest
Editions Robert Laffont

1965
DEFORGES – PARIS

The radiesthesic instruments described in this book are sold at the Librairie DESFORGES, PARIS.

Universal Pendulum

Egyptian Pendulum

Magnetic Disk Selector (called *Escargot*)

Pyramid of Cheops, 1:1000 scale (with graduated base)

Virtual Cone Pendulum

Infra-Red to Ultra-Violet Detector

Biometry Special

Force Re-equilibrator (called Luxor)

Re-equilibrator for apartment or house

Magnetic Anti-Interference

Micrometer

Biometric Ruler

Atlantis Ring

Free catalogue available upon request.

Also published by Desforges: *Trials in Vibratory Radiesthesia* by L. Chaumery and A. de Belizal, copyright 1965 by Desforges.

That which ancient thought had foreseen and imagined as a natural harmony of numbers, modern science has grasped and realized in the precision of formulas blended with measure. It is in fact always to the most minute measurements more than to direct observations that we must go in order to know the micro and the macro structure of the universe.

Teilhard de Chardin, *The Human Phenomenon*

TABLE OF CONTENTS

Warning	13
Introduction	15
Vocabulary	17

PART I: THEORIES

1. Invisible Forces	23
2. Theory of Balancing or Compensating Forces	25
3. Color Vibrations	26
4. The Circle	27
5. The Sphere	28
6. Angular Refraction	28
7. The Square	29
8. Shape-caused Waves	29
9. The great currents of modern physics	30
10. The terrestrial magnetic current	31
11. Cosmic rays, cosmic radio-waves	31
12. The energy of terrestrial radiation	32
a) Global radiation	32
b) Terrestrial radiation	32
c) Atmospheric electricity	33
13. The Doppler effect	33
14. Geometric forms	34
15. The ancient Egyptians and the shape-caused waves	38
16. Measurement systems	39
17. Practical experiments	40
18. Abstract waves	41
19. Conclusions of the study	41

PART II: COSMO-MAGNETIC EMITTERS

1. Shock-wave emitter by angular refraction	43
2. Derivative emitters	47
a) Pistolet disk with multiple rays	47
b) Tetrahedral emitter	49
c) Yin-Yang emitter	50

d) Chromo-Puncture	51
e) Table for Chromo-puncture	52
3. The Bomb C30	56
a) Magnetic corrector	58
b) Radio-vibrated products	59
4. Bomb C30 “Cosmos”	61
a) Magnetic compensator	62
b) The capture-antenna	63
c) Incorporated magnetic battery. Magnetic field of magnets	64
d) Artificial pole	65
e) Cosmic radio-waves captured by the Bomb C30	66
5. General Functioning	67
6. Disimpregnation	68
7. Protection against the radio-active effects of shockwave emitters	69
8. Vibratory re-education of the cells	72
9. Effects of the shape-caused emissions at a distance	73
a) Compensation of amplitude: Doppler effect	74
10. Be careful: wise advice	75
11. Radio-activity	76
12. Influence of the moon on emitters	77

PART III: THE DETECTORS

1. The Universal Pendulum	79
a) Detection of noxious waves	83
b) Research on shortcomings and analysis	84
c) Potability of waters	84
d) Analysis of wines	85
e) Analysis of mushrooms	85
f) Analysis of Elements	86
g) Vibratory emitter	87
h) Biometry	87
i) Astronomical settings for radio-waves	87
2. The Virtual Cone Pendulum	88
3. Infra-red/ultra-violet detector	90
4. The Egyptian Pendulum	95
5. Telecommunications with the Egyptian Pendulum	98
6. The telemagnetograph	98

PART IV: MEASURING INSTRUMENTS

1. Electro-magnetic disk	105
a) Table of Reference Calibrations	109
2. The Biometric Ruler	114
a) Scale A: blood pH	115
b) Scale B: biometric measure in %	116
c) Method of testing plants and curative mixtures	121
d) Scale C: measure of arterial tension	122
3. The Micrometer	124
a) Psychotechnique	127
Physical form of candidates	127
Intellectual scope	127
Morality	128
b) Biometric measures	128

PART V: TOXIC WAVES

1. Theoretical study and technique	131
2. Atmospheric fields	132
Cosmic rays	133
3. Magnetic fields	135
4. Electrical fields	136
5. Evolutive fields	138
6. The Peyré rays	142
7. The protections. Principle technique of protection	142
8. The adjustable Luxor	145
9. The neutralizer-compensator with battery. Adjustable.	146
a) Proofs of the vibratory action of the battery-neutralizer	147
10. Detection on a map or plan	151
11. Disimpregnation	152
12. Battery of Oscillants: Pyramid and Stevelinck	153

PART VI: VARIOUS INSTRUMENTS

1. Analysis of climates and electro-static fields of the soil by the escargot and the synchronized Universal Pendulum	155
2. The balancer of the electro-statics of the soil (1)	159
3. Generator of Human Magnetism Accumulator of Fluid: “GEMAF”	161
4. Electric circuit magnetic anti-static	171
5. Pendular Radionic Balance	173
Insights into magnetism	179
<i>Added at the last minute:</i>	
Experiments on the physical reality of emissions issued from the emitters of shape-caused waves (Bomb C30)	185
Conclusion	189

TABLE OF FIGURES

1. Spectrum of the colors of shape	36
2. Photographic emulsion bombardment by disk-emitter with battery	
3. Photographic emulsion bombardment by disk-emitter with battery	
4. Photographic emulsion bombardment by Bomb C30	
5. Photographic emulsion bombardment by Bomb C30	
6. Photographic emulsion bombardment by Bomb C30	
7. Disk-emitter of multiple rays (schematic)	47
8. Disk-emitter of multiple rays with piles	48
9. Tetrahedral emitter	49
10. Yin-yang emitter	50
11. Bomb C30 with piles	56
12. Bomb C30, equator detail	57
13. I. Universal Pendulum, cutaway view	79
II. Universal Pendulum	80
III. Universal Pendulum, electric meridian	81
IV. Universal Pendulum, magnetic meridian	81
V. Universal Pendulum, equator	82
14. Virtual Cone Pendulum	89
15. Infra-red/Ultra-violet detector	90
16. Egyptian Pendulum	95
17. Telemagnetograph	99
18. <i>Escargot</i> with selector	106
18A. Vibratory Frequency of colors; Case of Mme. X	107
19. Biometric ruler	115
20. Micrometer	125
21. Luxor	143
22. Neutralizer-compensator with pile	145
23. Neutralizer-compensator with protected pile	146
24. Battery of Oscillants: Pyramid and Stevelinck	153
25. Equilibrator of electrostatic fields in the soil	159

FOREWARD (WARNING)

This work is the fruit of thirty years of studies, of silent and patient research, disappointments, and exaltations. It is the natural sequel to the volume first published in 1939, then revised in 1956 under a different title: *Trials in Vibratory Radiesthesia*, in collaboration with Léon Chaumery, lifted up, alas, prematurely to our affection 27 February 1957.

Our collaborator and friend fell victim to his experiments: he was completely dehydrated by the Negative Green ray. At that time, we had not yet found the vibrational antidote, discovered since then with M. P.A. Morel who desired to collaborate with us in our work.

If we were isolated from normal life activity during our long period in the passionate domain of the Invisible Forces, it was precisely because we wanted to find and discover the protective vibration that permits us to continue our work in complete safety.

It is now done, and we know from now on that the antidote to Negative Green is Positive Green, which neutralizes all stored radioactivity in the organism.

Alas! Most of the dowzers using rod and pendulum are ignorant of the fundamental laws that facilitate dissection and calibration of all the vibrations of the visible and invisible spectrum from the longest, infra-black, to the shortest, ultra-white.


Negative Green represents the point 0, or 400, on our scale; it is a mysterious vibration, truly a feature of the union between life and death. It has power over the material: it burns, it destroys; but it can also conserve life potentially beyond time and space.

This vibration served the Egyptians for dehydrating their dead and to preventing decomposition of the body. We rediscovered it and took a patent in April 1936, knowing that it might be contested by certain people, but they are unaware of any way to cast doubt on its authenticity.

This vibration also forms the basis of our “decomposition of the spectrum in the sphere”. It is, in fact, the cornerstone of our method, and without it, as is recognized by serious researchers, our valuable theory would be difficult to construct.

Thirty years ago, with Léon Chaumery, we began our research. Now, it is with M. A.P. Morel that we have together rethought the problem of invisible forces and written these notes, which, we hope, will not mislead the reader.

-- A. de Belizal



INTRODUCTION [ix]

Before undertaking the writing of this book, it is necessary to set the climate of this work for the reader, for we use a new vocabulary in a domain not yet explored by official science.

We have had to create all the pieces of a terminology in which the technical value corresponds to the parameters of the outlined problems.

The terms that we employ are not by any means a distortion of those recognized by classical physics, but are apt terms for our conception of the invisible world of vibration whose mysteries we have attempted to pierce.

Experts have inventoried the laws governing the phenomena of the visible world: they are concerned with chemical reactions in the body and physical reactions in matter, but science does not incline toward the invisible world of vibrations.

It is recognized that matter is not inert but in continuous movement, from a grain of sand or the head of a pin to a block of granite. This matter, which compares to a universe in miniature, is composed of atoms; and the atoms are composed of a nucleus of protons and neutrons, surrounded by electrons.

The different combinations of these primary substances produce the entire range of the living world with its particular characteristics and its intrinsic values.

All movement is life, the spending of energy. This energy can be captured in the form of radiation of which the frequencies will be a function of the constituents of matter.

Not only does matter have its own radiation because of its constituents, but it also possesses a second radiation due to its shape, its angular refraction being at the foundation of all vibratory emission known as a “shape-caused wave”. This phenomenon, little-studied today, is the subject of a powerful inventory under the heading of Micro-vibratory Physics.

It was necessary to make some hypotheses, establish the laws, and create the new instruments that correspond to these new laws. This required thirty years of effort, work, research, moments of profound joy, and sometimes, bitter deceptions.

The vocabulary of the invisible forces, which we submit to the reader in order that he learn easily, follows in the next pages. We will turn to them, perhaps with surprise, but surely with curiosity and sympathy.

Some errors may appear in the course of our exposé. How could it be otherwise? Man is a perfectible being and not born to perfection. We can at

least have some certitude about having planted some vigorous seeds in a field not yet explored, so we continue tomorrow to do the groundwork, and to cultivate, with all the friendship that surrounds us and which, in the long run, supports our efforts.

VOCABULARY [xi]

Bombardment: a succession of vibratory waves, magnetic carrier waves, and modulating cosmic waves; the sum of the energy of movements of cosmic particles in the emitters of piles, and of which the array, concentrated in a point, bombards an objective, witness-relay, or support liquid.

Magnetic compensator: Disk of silver interposed between the BC 30, to which it belongs, and its cosmic pile. Its function consists, by its influence of shape, to compensate the variations of the lunar magnetic coefficient in order to obtain an invariable coefficient

Metallic receiver: A combination of metal plates, in pairs of metals consistent in capacity with the natural terrain of a living being, acting by radiation on its witness-relay. These plates are placed in the central cavity of the BC 30, stacked one upon the other, and by opposite polarities. The witness-relay is in the middle.

Magnetic corrector: Separator of phases (magnetic/electric) constituted by one silver arrow that pivots on the central axis of the BC 30 and explores its way around the equator. Its principal role consists of directing the emission of shape-caused waves on one or the other of these phases by its magnetic attraction on the meridians.

Colors: Periodic vibratory frequencies of the waves of the colors of the decomposition of the spectrum. They are proportional and equivalent to those of sound, light, and Hertzian waves.

Visible colors: Vibratory state of the seven colors of the visible, optical spectrum.

Invisible colors: Zone of the spectrum consisting of the infra, the ultra, and the vibratory frequencies which are not optically visible because their wavelength is outside our field of perception.

Colors of shape: Periodic frequencies of wave vibrations engendered by shape. They differ from the visible color-waves by the difference in their wavelengths.

Biometric colors: Vibratory frequencies of waves expressed by the nature of the organs of living beings and which are measured in relative value.

Colors called “astral wave”: Vibratory rhythm expressed by the fundamental nature of a living being since his birth, and which constitutes his base during his entire life. This notion is set in a superior plane to the usual.

Detector: Radiesthetic instrument, separator of waves, sensitive to vibratory fields of diverse energies, which it aids in identifying and measuring.

Physical energy: Sum of all forms of energy originating in matter and the cosmos.

Psychic energy: Abstract form of the thought-force, which, impregnated in an accumulator such as “Gemaf” can act on living beings.

Fluid energy: Magnetic and energetic potential radiated by a living being, and which emerges particularly from the hands. This energy can impregnate and accumulate in “Gemaf”.

Ferrites: Composite ferrous metals excited by the attraction of a magnet, and transparent to electro-magnetic waves of which they are perfect conductors, insensitive to exterior fields and not emitting secondary effects.

Frequency of shape-vibrations: Number of times that one periodic phenomenon of vibrations of shape-caused waves reproduces per second.

G.E.M.A.F.: Acronym for “generator of human magnetism, accumulator of fluid”. Made of magnetized and excited ferrites, it is charged with impregnations of human fluid, under tension of an emitter-pendulum, and giving off this accumulated energy of a given capacity, according to a discharge curve nearly constant over time.

Wave height: Vertical identification of a body by the waves which it radiates. The simple elements are distributed in eight families of wave height placed in grades on the equator of the Universal pendulum.

Wavelengths: Scale of vibratory proportional values of the lengths of the waves of substances, such that they are represented on the scale of a spectroscope, and which can be measured in relative value.

Meridians, equator: three great circles on the surface of a sphere (BC 30 and Universal Pendulum), which intersect at right angles. The vertical circle running north-south is called the “magnetic meridian”, the vertical circle going east-west, the “electric meridian”, and the horizontal, the “equator”.

Micro-vibrations: Tiny vibrations (from the Greek *mikros*, small), issuing from magnetic, cosmic, and shape-caused waves. “Rapid back-and-forth movement of waves from particles around an equilibrium position, characterized by their duration, or period, and their amplitude, or maximum separation from the position of equilibrium.”

Shape-caused wave: Vibrations engendered by forms or shapes, which take birth in the decomposition of natural magnetic current that exists in the center of the cavity of all bodies. The geometric and symmetric shape-caused waves are favorable to the balance of living beings. Certain others, more or less combined, disequilibrate this balance, and are unfavorable to it.

Cosmic waves: Magnetic waves which accompany cosmic particles, unfurling in spirals around their line of trajectory, creating a magnetic field which moves at the same speed.

Noxious waves: Modulating waves issued from anomalies of the sub-soil telluric currents of water, or of other diverse causes, carried by carrier waves equally propagated by the sub-soil. They influence the vibratory rhythm of cells of a living being, causing him a vibratory imbalance or disequilibrium damaging to his health.

Octave: Interval of repetition of a vibratory phenomenon designated by the same sign, and which is measured by the length of the suspension cord of the detector.

Cosmic pile (battery): Accumulation of hemispheres one upon the other in a straight and raised vertical. It is conductive of waves of cosmic rays that it transmits to an objective (BC 30 or emitter disk).

Magnetic pile (battery): Accumulation of hemispheres one upon the other and oriented to the magnetic axis of the earth North-South. This accumulation of forms produces a progressive amplification of the magnetic waves, principal carriers of the emissions of form, shape-caused waves.

Electric and magnetic phases: Difference in state and direction of the vibratory current of form. In correlation with the “poles”. Term applied to the meridians (perpendicular directions in BC 30), or to the direction of the rays in a disk-emitter (directions reversed 180 degrees) one compared with the other.

Polarities of metals and forms: State of a body where two opposing poles are manifest, which the detectors identify according to the direction of their circling as they react. Normally, the bodies that make the detectors react through the circling in the direction of the hands of a clock (clockwise) are called “positive”. Inversely for the bodies then called “negative”.

Functional curative principle: Principle (cause) of which the function (activity) is favorable to re-establishment of the balance of a living being. This principle can be contained in the waves or various supports, through which it orients the action.

Radio-activity, Radio-active (R.A.):

1. Property of certain nuclei, or of heavy atoms, susceptible to spontaneous disintegration, in modifying their structure.
2. Conventional designation for vibratory frequencies situated in the spectral zone going from infra-red to ultra-violet (symbols of heat radiation). Certain vibratory frequencies are marked by Greek letters that designate, by analogy, the magnetic waves of radioactivity.

Rays: Specific grades of a vibratory frequency of a shape-caused wave.

Vibratory resonance: vibratory period shared by two bodies possessing similar characteristics. “When a body is susceptible to vibrations of period P, one can make it resonate by subjecting it to repeated excitations having the same period, or a period which is a multiple of P.”

Rupture of the Balancing Forces:

1. Balance of the Forces: the cosmic radiations that bombard the earth are normally absorbed in depth by the soil, which is dielectric and permeable to the waves. The atmospheric air, positive, is in attraction with the radio-active waves emitted by the soil, of negative propensity. The field of the soil is thus neutral; there is balance, equilibrium, and the forces are compensated, or balanced.

2. **Disequilibrium of the Forces:** A terrain that is an “electric conductor” and impermeable to cosmic waves, only absorbs them to a feeble depth. The waves, reflected and superficially diffused, provoke at the surface of the soil a new field interfering with positive radiations (issuing from reflected cosmic waves), which are lost with the normal field because it is no longer compensated or neutral. There is a rupture of equilibrium; stationary waves form. These stationary waves are better known under the term “noxious” waves. In effect, when the positive atmosphere meets a negative soil, they complete each other by mutual attraction, and they form a neutral field. On the other hand, a soil that has become equally positive to the atmosphere creates a repulsion of polarities, or a rupture.

Basic vibratory rhythm: Regular alternation of the maximum moments of vibration of the nature of a living being, based on its balance or equilibrium.

Selector (from *selective*, which makes a choice): Separator of vibratory frequencies by selection. A copper pivoting arrow in the BC 30, and in the secondary and mobile form of the measuring instrument called “*Escargot*” (snail).

Solenoid: Helical conductor constituted of a certain number of spirals and connected to the earth (that is the current justification of its name). It is called “positive” when the spirals are wound in the direction of the hands of a clock (clockwise), and “negative” in the inverse direction.

Witness-Relay: Body or biological piece, detached from its original body, geometrically- or biologically-linked likenesses; the relay and its source of origin are reciprocally submitted to the law of resonance.

Witness-Word: Abstract value, or expression of a form, an object, an organ or a function, represented by a symbolic word that designates it precisely. It acquires the value of concrete witness for the solution of problems of radiesthesic research.



PART I: THEORIES [3]

1. Invisible Forces

Man has arrived at such a degree of knowledge in every domain that humans now believe themselves permitted to think they have become Masters of the Universe.

On land, on sea, under the oceans, as in the air, the perfection and rapidity of their machines have abolished the notion of Space-Time.

Radio waves circle the globe in several fractions of a second; they are even reflected by the cosmic plasma, or by the moon or Venus, and recaptured in echoes by radar. The television screens even permit participation, thanks to the worldvision at "Telstar and to Syncom", in events farthest away on the planet; they go to the other side of the world.

It seems that the earth has no more secrets for man, and tomorrow his rockets and manned satellites will permit him ever more audacious explorations in the cosmos. Already some living beings, some men and women, have been propelled into space and they have returned in perfect physical condition after having made, for men 81 times, for women 48 times, orbits of the globe, respectively in 119 hours and 71 hours, in satellite capsules on orbits clearly defined and rigorously calculated by the electronic brains.

Five days in space, submitting to conditions of weightlessness, more than 5,300,000 km traveled by them at the same time! Are we dreaming? And yet these performances are only the point of departure of a science yet unknown which tomorrow will free man of terrestrial attraction and he will become a true cosmic explorer.

Note 1. 31 July 1964, the Americans with Ranger VII made 4000 photographs of the illuminated side of the moon in the area of the Sea of Clouds. The last photos were taken 300 m. above the lunar soil and permitted identification of an object the size of a car.

12 October 1964, the USSR put a vessel, the "Voskhod", in orbit, inhabited by three men: Komarov, Egorov, Feoktistov: a pilot, a doctor, and a scholar. After having flown 24 hours and 17 minutes, accomplishing 16 revolutions around the earth, the Voskhod landed in exceptional conditions of safety and softness at a place previously chosen and controlled from the ground.

In the meanwhile 60 artificial satellites rotate over our heads (June 1963) and in the USA as in the USSR the problems posed by these flights border on military problems, and always the most important purposes are for research in order to go farther away. Does this not constitute an enigmatic

menace for the human species? One has the right to ask: What will they do tomorrow?

Note 2. The progressive loss of altitude by Vostok 5 is not accidental... Lately it has been noticed that after having descended to the limit of the ceiling of safety, it attempted several times to go back up. The technique of spatial ricochet: the Vostok had to gather a good quantity of cosmic data . . . It had researched the advantages and the inconveniences of this limited belt of our atmosphere because it is there that it has been decided to launch intercontinental rockets. These vehicles, which are charged with 50 to 100 passengers, are shot over our planet, and then they pierce our atmosphere at a wide angle, like a stone skims the water of a pond. The surface of the pond, one knows, but one knows nearly nothing of this surface of the dense atmosphere . . . Certainly, this technique of spatial ricochet can serve other ends than commercial ones. They can very well mobilize in service of orbiting nuclear bombs. Consequently, one glimpses why the experts are shown so discretely with regard to their intentions and of the results from their recent flights. (from Noir et Blanc)

Biology, chemistry, and surgery, want equally soon to turn upside-down all the ancient conceptions of the origin of life. In addition, the atom with its inexhaustible reservoir of energy will be carried to the humanity of tomorrow. If humanity knows how to earn it, this will be the Age of Gold that the most respected prophets have announced to the men of good will.

Yes, *Homo sapiens* is truly a superior intelligence, the fruit of a millennial evolution, and each problem does not seem strange. His body is made with matter that he must discipline, but his spirit is, however, at liberty to free himself when he wills. And he perceives then another universe, how many different forms of universe, worlds apart, without constancy, and yet real, by the measure of his human intelligence.

Only there is . . . he lacks the key that renders to these invisible forces their able creator. The secret has been lost, although in the ancient times, this ability had been largely utilized. The Egypt of the pharaohs, heritage of the civilization of Atlantis, knew the “eternal Lamp”, this disintegration of the atom and its transformation, certainly very simple, in luminous and resplendent waves of the sun.

It knew as well the possibility of escaping the laws of gravity, a modern problem, and if they actually did it, the cosmonauts know something about it.

Note 3. The flying saucers were transformed by a powerful “fluctuating energy” unknown by earthly experts. . . the flying disks travel in the absolute void and at the speed of light, using the same energy that the celestial bodies use, and comprise the planets of the solar system, to rest in space in a state of

perfect absence of gravity in relation to other planets. To begin with, would there not be a residue of energy still in a state of relative condensation, left in the wake of the flying disks, to train the terrestrial airplanes, before total disintegration? (AFP)

How do these marvels remain with us? The fairy wand that enchants the parties of our little children! Legend? No, what is not reality today could be the reality of tomorrow. In India and Tibet, where certain secrets have been held, Masters and Sages in these far-off countries still hold the ability to travel in the ether for considerable distances, not only in spirit, but also in material body. They utilize the force currents endowing the human form with invisibility, fluidity, and complete absence of weight.

2) Theory of Balancing Forces [5]

For Westerners, such phenomena make us smile, overtaking and escaping the scientific givens of our modern civilization. And yet, the invisible forces are not illusion; they surround us, they impact us everywhere.

First, there are natural cosmo-telluric vibrations that give to all life on earth its equilibrium and permit its normal development. So, in order for the living cell, whether it be human, animal, or vegetable, to grow, enlarge, mature, age, and finally die from old age and being used up rather than from illness, it must, during all its existence, vibrate in balance with the two forces:

- a) The telluric force which streams from the center of the earth and tends to escape into the stratosphere.
- b) The cosmic force, which comes from the cosmos, our galaxy, and our solar system, and which must constantly bombard the telluric force in order to neutralize it.

As long as the living cell is located in the balance of these two forces, and to a lesser degree of other secondary accidental causes, it is sheltered from all the evils which reverse the life flows; but if, for whatever reason, one of these two forces fails, and it is always the cosmic force, disequilibrium rapidly engenders illness in many forms.

This state of illness then is shown to be a vibratory disequilibrium caused by what we call the "Rupture of the Balancing Forces". But in our time in Europe, who worries about these invisible, yet so dreadful, contingencies?

Yes, so dreadful, because the unbalanced telluric vibration is in fact a Negative Green carrier wave on which rides a modulating or carried wave. A true support for all the evil forces, the Negative Green wave drains the vibrations of dirty water, microbes, emanations from cemeteries, sewers,

poorly drained subterranean rivers, or dry radio-active faults that form a sort of battery where several different layers of minerals meet in the soil.

Everywhere in the earth are substances that can contribute their magnetic field to destroy the equilibrium of the living cell. But we insist on the fact that, in order for this powerful toxicity to act, it is required that these unbalanced vibrations find a support, a carrier wave, which permits them to escape into the atmosphere. This carrier wave is precisely the telluric Negative Green wave. It plays the same role in the soil that the Hertzian wave plays in the ether with relation to the modulated wave.

As long as the telluric wave is compensated and balanced by the cosmic wave, its modulated or carried wave cannot cause any damage and it stays in the soil. Only when the cosmic force fails does disequilibrium occur.

3) Color-vibrations [7]

Besides the natural waves there are other vibrations owing, not to the cosmo-telluric complex, but to the shape, itself, of matter.

Indeed, all, absolutely all that exists in the universe, radiates and emits vibrations, but these vibrations have oscillating fields so tiny that they escape notice even by the most highly sensitive instruments of physics. These are the shape-caused waves.

So, it is simpler to deny their existence. Their length is on the order of the Angstrom; how far we are even from the modulating wave of the radio, which is ultra-short! This microscopic frequency carries a precise and powerful force. Transported by a natural carrier wave or created artificially, this micro-vibration can make a circuit around the globe in several fractions of a second. These shape-caused waves sit on the scale of the spectrum that includes all the vibrations existing in the cosmos.

Everyone knows that the spectrum splits up into visible and invisible color-vibrations.

There are seven color-vibrations visible with each their infra and their ultra, that is to say:

Violet, Indigo, Blue, Positive Green (green of the visible spectrum),
Yellow, Orange, Red.

Then five invisible color-vibrations also with their infra and their ultra, being:
Infra-red, Black, Negative Green, White, Ultra-violet.

It is noteworthy, however, that in the section comprised between black and white, there exist other numerous vibratory points indicating considerable energy. It is an intensely radio-active zone in the center of which sits

Negative Green, this latter being exactly at the antipode of green of the visible spectrum, or Positive Green.

This is the shortest vibration and the most powerful in the universe: a natural carrier wave in the soil. It is the actual telluric wave which streams from the center of the earth and tends to escape into the stratosphere, attracting and carrying with it all the vibrations found along its route.

It is of negative sign and it is precisely when it is not compensated or balanced by the positive force coming from the cosmos that it produces a vibratory disequilibrium disorganizing the living cell. This is why we have designated this situation by the term “rupture of the compensating forces”. The equilibrium is only perfect when the two positive and negative forces oppose each other and compensate each other.

This negative vibration can also be obtained artificially by a rigorously calculated shape-caused wave. This discovery was the object of patent number 816 132, April 10, 1936, taken in collaboration with M. Léon Chaumery, today deceased. It is our cosmo-magnetic battery.

Thanks to this discovery we have been able to invent our well-known universal detector and some prodigiously powerful emitters of the gamma ray: also prodigious are their therapeutic possibilities in the medicine of tomorrow for healing a number of organic deficiencies.

4) The circle

We examine a circle in the plane and study it from a vibratory perspective. We notice two lines of force crossing; their point of intersection constitutes the center of a figure around which radiate other secondary lines exactly equidistant and synchronized with all the vibrations of the visible and invisible spectrum.

The summit of the circle is the positive sign and vibrates with the color green of the spectrum.

Its opposite pole is of negative sign, although synchronizing equally with the green of the spectrum. We are then within rights to conclude that the entire circumference possesses a positive north pole and a negative south pole.

If we examine now the perpendicular line North-South, passing through the center of the figure, we notice that this line of force synchronizes with the red to the West and the violet to the East.

Between the branches of this imaginary cross, we detect all the vibrations of the spectrum, more visible than invisible, each emitted from the center of the figure and coming to touch the periphery of the circle.

All the visible vibrations are located in the north hemisphere and all the invisible vibrations in the south.

5) The sphere

If the circle in the plane has only two lines of force, North-South and East-West, cutting each other at a right angle, by comparison the sphere possesses a vibratory radiation much more complex.

It has two meridians, one electric, the other magnetic, and an electro-magnetic equator. Each of these imaginary circles is radio-active and registers all the vibrations of the visible and invisible spectrum; the two meridians separate the electric waves from the magnetic waves, while the equator vibrates in the complete electro-magnetic array.

This is what supports the theory for which we were permitted, in 1936, to patent a new detector under the name Universal Pendulum (Chaumery and A. de Belizal).

This precision instrument was the object of a very powerful description in our two previous works: *Experimental Treatise of Radiesthesic Physics*, and *Trials in Vibratory Radiesthesia*. At the end of this volume we will give another study, more succinct, but necessary, because the detector is the basis for all our discoveries resulting from the separation of the spectrum in the sphere.

6) Angular refraction [9]

The layperson opening a geometry book does not doubt that he is in the presence of the most formidable network of vibrations that it is possible to condense into one feeble volume. From all the pages stream waves of different frequencies; the entire range of the visible and invisible spectrum is represented there, because *angular refraction* creates the vibration, and the Egyptians knew perfectly its power as emitter. Their frescoes are composed of designs of which the angles are so rigorously calculated that they radiate, on their own, beneficent or maleficent waves according to their intended use. Their hieroglyphics have the same power, and it is precisely in studying Egypt in its architecture and bas-reliefs that we are amazed at the extraordinary possibilities of shape-caused waves.

This pharaonic civilization which descended directly from the Atlanteans possessed the most prodigious secrets giving man power over matter; and that, not like in our twentieth century, by means of hundreds of millions of volts requiring enormous capital and the cooperation of numerous

engineers working in shifts, but simply by putting into play the invisible natural forces that Providence gives for our use.

Man has completely complicated and completely confused; certainly he has obtained by his science positive, incontestable results, but at what price? Take an example. In order to produce electricity he has overturned great countrysides, raised dams, created artificial lakes, constructed enormous hydraulic and thermal power stations, and encircled the entire earth with a veritable spider web of wire, while electromagnetic energy is at his disposition in its natural state in the ether: we only have to capture it. It is time that we return to simple laws that preside over creation, and that we use the invisible forces that God has given in profusion in the universe.

Life is always one and many; it is also energy. The great savant Einstein has perfectly defined the equivalence of energy and matter in his famous formula: $E = mc^2$.

It is in expanding our thoughts, in meditating on the power of shape and of symbol, that we are parvenus to the certitude we find there alongside the debris of lost science, and alongside the invisible forces, which, perhaps, it will one day be possible to liberate and use.

7) The Square [11]

All the artisans who work with wood use a square, but they ignore what they have there between their hands, an emitter of waves of which the vibration is of the order of gamma rays.

The square forms angles of 90 degrees, and when you draw two perpendicular lines having a point in common, you obtain the shortest and most powerful vibration in the universe, Negative Green. This is the form that engenders the vibration and emission streaming out always by the horizontal line of the angle of 90 degrees.

If one makes a modification on the vertical line of the square angling it either to the right or the left, one obtains different angles that are no longer 90 degrees. These are obtuse or acute angles, and the vibration changes as well. It is possible from 0 degrees to 180 degrees to detect the entire range of vibrations of the visible and invisible spectrum.

This property of angular refraction permits us to invent the emitting instruments of which the power is a function of the number of elements put into play; each angle brings its own vibratory energy exactly like the elements of an accumulator which, added on to the others, raises the voltage.

This stored energy can be considerably amplified by connecting to the cosmo-magnetic forces, as we will see later on.

8) What is it about?

The question of shape-caused waves has remained rather controversial until today, between partisans, detractors, or those without a precise opinion, and the light is far from being cast on this important subject.

It is about a simple view of spirit or concrete realities. We are going to attempt to elucidate this question.

Trials in Vibratory Radiesthesia tracks the theoretical basis that has served our work in order to progress to this stage that we are going to study now.

9) The great currents of modern physics

We live in an evolving scientific world and in an accelerated interpenetrating rhythm, the fruits of the rising progression of knowledge and improving technical level; in fact, we live in an exciting epoch.

The concept of waves, such as described in other times, returns with importance in present reality. We notice this of classical waves: Hertzian, electro-magnetic, sound, acoustical, light, optical, resonance — they are all vibratory and of measurable frequencies. Now we see in application new formulas for waves.

Plasma waves: oscillations between particles charged in an ionized gas, or at least partially ionized, which subdivide into electronic waves and pseudo-sound waves. The ionosphere is naturally the seat of these waves.

Masers: Quantum amplifiers of hyperfrequency waves.

Lasers: Quantum amplifiers of light waves, which, utilized as oscillators of optical frequencies, produce the light waves of which extraordinary characteristics have been published.

Gas lasers: helium-neon, or neon-oxygen, and argon-oxygen.

Solid lasers: of crystal (rubies) with discontinuous functioning (by impulses).

Pulsing lasers

Tube lasers: with progressive waves.

Receptors of modulated light

All these particularities are utilized in industry, which has commercialized them. Between other industrial applications, firms are producing these lasers destined to high-precision use with hard metals or refractories, to solder delicate pieces like lamp filaments in the interior of

glass envelopes in a vacuum, etc. For communications in space, these transmissions are insensitive to magnetic storms, constituting a net progress.

A project of application is in the works for the commands of electronic computers in which the wires would be replaced by tubes of continuous light. Tomorrow, perhaps, interplanetary signals.

Here is what is on the edges of the technical atmosphere in which we are engaged. The waves are the grand stars of the modern discoveries.

Why, in these conditions, do they persist in unjustified skepticism vis-à-vis radiesthesic waves, and particularly shape-caused waves?

10) The terrestrial magnetic current [13]

As everyone knows, the terrestrial magnetic current evolves in a North-South line of emission, corresponding to the poles of our globe. The magnetic needle of the compass is influenced by this current that radiesthesists utilize for their various researches. This current is also the fundamental basis of the shape-caused waves. Indeed the geometric shapes, lines, planes, or volumes store this current and are charged by it with more or less intensity, along their orientation in relation to true magnetic North.

But this current is not constant and suffers variations of intensity due to various causes: latitude of the location, diurnal variation, vertical component, total variable force in the field, irregular variations in the rotation of the earth (speed), and last, of a lesser importance, the continuous displacement of the north pole.

Those who say that one cannot always trust a fixed north, but that one must constantly verify it with a good precision compass, are admitting again that the elements of the place are magnetically neutral.

11) Cosmic rays, cosmic radio-waves

The shape-caused waves are essentially composed of energy developed by these various components.

Contemporary physicists have taken part in very important work on the probable origin of cosmic rays, and of the recent discovery of accompaniment waves, as well as that of the waves emitted by “different celestial bodies” of the galaxies.

Indeed, the existence of these accompanying waves of particles has been practically demonstrated, and photographs of these particles have been taken in certain conditions. Their angles of arriving, their curves and trajectories, analyzed by very precise calculations that determine their speed, their energy, their polarity, at the same time as their identification.

One theory of the origin of accompaniment waves puts them in the magnetic phase, and one can even evaluate their energy by calculations.

The important discovery of the waves of the celestial bodies with radio-telescopes created Radio-Astronomy.

In summation, the particles of cosmic rays, by virtue of the similarities of formation and diverse polarities, are accompanied along their route by spiraling magnetic waves. In certain cases the waves even precede the arrival of the particles.

These waves, under certain conditions, are stored by our form-emitters.

12) Energy of terrestrial radiation [14]

This form of energy consists of several elements that we review briefly below:

The radiation of matter, which disintegrates little by little by clearing out energy.

Solar radiation, energy of radiation reaching from the sun to the confines of the atmosphere, usually called “solar constant” for simplification of the elements of the calculations, evaluated at nearly 2 calories per minute per square cm of soil, convertible into watts per square cm. In fact, however, it is extremely variable, according to place, altitude, terrain of soil, season, hour of the day or night, atmospheric circumstances, periods of sunspots, eruptions of the chromosphere, etc.

As one can see, this value of 2 cal/cm² can obscure very important differences.

a) *Global radiation*. For the land masses of the globe, the average daily value is on the order of around 300 cal/cm². When the sky is entirely covered, the global radiation is constituted only by radiation of the sky, which is then an average of a quarter of the global radiation through clear skies. But this average is relative since solar eruptions, or sunspots, represent enormous differences.

b) *Terrestrial radiation*. The earth sends towards space a radiation and absorbs a part of the radiation of the sun and the sky. It behaves at the surface like a black body. In principle each day it receives more energy than it can radiate, and at night, we have the reverse with diverse variations as we have seen above.

This notion is interesting to retain in order to evaluate the scale of energy values from shape-caused emissions, diurnal or nocturnal, as well as general atmospheric conditions and the season. This is what interested the Chinese thousands of years ago, seeking the most favorable conditions for doing acupuncture. We know that they refrained from handling meridians

during storms; they took into account the seasons, the current time and energy in the meridians, and observed a rule of noon/midnight in order to determine their intervention.

c) *Atmospheric electricity* puts into play three types of completely variable scales:

The *electric field of the soil*, expressed in volts per meter, with incessant variations. These are due to meteorologic circumstances that are completely different from one place to another, as to configuration of the terrain as well as clouds expanding vertically, having considerable differences between the upper atmosphere and the soil.

The *atmospheric air*, a slight conductor, and ionized by radioactive substances and cosmic radiation. Its conductability is variable with the altitude and weather.

The *currents of conduction and convection*, currents of charges of the atmosphere under the action of its field and discharges by precipitation, such as the lightning bolt, etc.; the diurnal variation corresponds to that of the cloudy areas.

There again, one can notice an extreme variability and very important differences on which the shape-caused waves are dependent, relatively speaking.

That is the reason for which, in order to take into consideration all these variations, we have provided our spherical emitter (Bomb C) with a magnetic corrector and with a magnetic compensator, which, theoretically, makes us obtain a constant emission. In fact, the result is very close to the constant as we had hoped.

One more factor to consider: emissions nearby or far.

13) The Doppler Effect

The Doppler effect, well-known in physics, can, by analogy, be applied to vibratory emission. It is defined by an apparent modification of wavelength of a vibration of which the source is moving in relation to the observer. This modification is especially perceptible in acoustics: variation of pitch can be perceived when the source moves in relation to the observer, which illustrates the influence of the movement of the source and of the observer on the measured wavelength.

We can word it thus: “if an immobile sound (or vibration) source emits a sound (or vibration) of a given frequency, a listener placed at a predetermined distance perceives a sound of the same frequency. It does not

remain the same if the auditor or the source are moving, because the perceived sound is different from the source”.

This is the effect that Fizeau has repeated for the propagation of light called the Doppler-Fizeau effect, and which is utilized in astronomy to calculate the movement of the stars and, in particular, the expansion of our galaxy. Following the traditional example “an observer who watches the passing of a locomotive that is whistling, perceives a sound which progressively lowers, apparently due to a modification of frequency. By analogy, the Doppler effect is applied to the vibratory emissions of the shape-caused waves, and one must take into account emissions at a distance. Those require augmentation of the intensity, or the duration of emission, to compensate in a certain measure the “apparent difference” in relation to the emission. (This compensation is treated later, in the chapter on emitters of form.)

14) Geometric forms [17]

Definition of Shape-caused waves:

Geometric forms in their three dimensions: linear, planar, and volumetric, are influenced by the terrestrial magnetic current as we have seen. By the composition of their forms, they store the total energy defined above, in a very weak portion resulting from their combination. Oversaturated with stored energy, they radiate this radiation anew, and so on. This is that which seemingly passes for terrestrial radiation, and we call shape-caused waves.

The waves emitted by symmetrical shapes are beneficial. Those waves emitted by irregular polygons, and not compensated, are malefic and noxious.

The *spiral* fixed by a straight line (*escargot*) is beneficial.

The *circle* form, in the equilibrated plane, is a power of expression superior to other planar forms.

The *sphere* is the most powerful volume-shape, since it is composed theoretically of an aggregate of accumulated circles of which their central points are common. The central point of a sphere possesses a very important centripetal magnetic energy and a centrifugal radiation superior to all the other polygons. We have utilized these particularities in the Bomb C.

The *hemisphere*. Possessing a part of the properties of the sphere and of combined circles, it has essentially a centrifugal emission from the central point of its plane face. An accumulation of hemispheres on top of each other constitutes an amplifier of magnetic energy, which exits by the central point of the bottom face of the pile.

The number and size of the elements of a pile constitute the voltage of its shape-caused wave. The calculation of this voltage can be obtained by a progression taking into account the successive amplification of each element through the next. Only the mass of the hemisphere is taken into consideration; the volume alone has no significance.

The diameter of the elements of the pile, and by consequence the total mass, constitutes its amplitude. Its intensity is then proportional to its dimensions (diameters of the hemispheres).

The amplitude of a sphere follows the same rules. In the Bomb C the two laws are combined: being constituted of three concentric spheres, the surface of each sphere captures magnetic energy, and amplifies that which it receives from the preceding exterior; the central point is thus charged with an amplified, centripetal energy, which is then utilized for transmitting vibrations to a witness-relay. The utilization of these values passes through a point of equilibrium for action upon the living cell. This is why it is necessary to research the maximum possible intensity (without exceeding the limits) determined by the dimensions, rather than by the voltage resulting from the number of elements of a pile.




Figure 1: Spectrum of the colors of shape

Visible Spectrum (to the left): Red, Orange, Yellow, Green +, Blue, Indigo, Violet
 Invisible Spectrum (to the right): Ultra-violet, White, Green —, Black, Infra-red

The *vibratory frequencies* called “colors” are classified in a set order, on a line or on a circle, which corresponds to: (See Figure 1.)

the visible spectrum: red, orange, yellow, Positive Green, blue, indigo, violet;

the invisible spectrum: ultra-violet, white, Negative Green, black, infra-red.

The green is found twice, at opposite positions of the circle; a positive visible color, Green +, or Positive Green, and an invisible negative frequency, Green —, or Negative Green. The latter ray is the most powerful of all and possesses properties of mummification. Its other power is magnetic, a “carrier wave” for emissions at a distance.

The term “octave” when utilized for our instruments is in fact an “interval” of two vibratory frequencies carrying the same denomination; otherwise known as “a phenomenon of repetition”.

The vibratory waves are different from each other, and the detectors of form are conceived for the differences:

- a) The *shape-caused ray* is expressed in wavelengths.
- b) The *color-ray* in height of the wave.
- c) The *human waves* are differentiated by a special measurement in length of the suspension cord of the detector, and are named *biometric*.

Finally, we have separated two sorts of waves that can resemble the others, but which are detectable:

- a) *Radio-active waves*
- b) A special measurement of *four elements*, not always necessary, but which, in several cases, have been shown to be very useful.

If one orients a particular geometrical form, successively in the 12 positions marked on the circle, with regard to *magnetic north*, it will express, in turn, and in immutable order, the color/vibration corresponding to its position.

By consequence, *magnetic north* is really the foundation of the shape-caused waves and it is the fundamental rule to observe.

The *shape-caused waves*, by analogy with the other vibratory waves, submit to the same laws of *reflection, diffraction, and refraction*. One can assure oneself of this fact with the aid of a mirror, a rough screen or shield, or a prism, and a detector of form.

The *magnetic* part of the energy deducted by the geometric forms is proportional to their symmetry and to their combinations, as well as to their proportions, as we have seen above. And we have seen that it is extremely variable. Although magnetic, it has still a small electric portion (solar radiations); also, one could say that it is electro-magnetic. Our detectors are conceived to separate the two phases.

The *electric* form is toxic. By contrast, the magnetic is curative and beneficial. This latter form is also of infinite value, but very active on the living cell to the same degree. The question is very complex. This is why a very knowledgeable author, in order to publish about shape-caused waves, and of which the competence of the material rests merely on his authority, has committed a fundamental misjudgment.

Deceived by a toxic action of Negative Green and the two types of action of the colors in general, he gets the idea that there were two kinds of spectra: one of colors called “negative” and the other of “solar colors”. This led him, in order to find the properties of Negative Green, which he no longer recognized, to shift it from its normal position opposite Positive Green, and to rename these beneficial rays by borrowing from the Greek alphabet! In

reality, as we came to see above, there is only one unique spectrum, but having two phases: one electric and the other magnetic. And we have also seen that, for example, the Negative Green on its electric phase is toxic, which seems not at all to correspond to the known beneficial action of this ray.

One experiment with a disk of multiple rays used with one of the emitter-batteries. The rays in one direction emit in magnetic phase, and if one turns it over in the inverse direction, they emit in the electric phase. With a Universal Pendulum it is easy to verify this.

We think then that it is not necessary to move the Negative Green from its initial position but rather to simply leave it at its true place and name.

15) The ancient Egyptians and the shape-caused waves [21]

Shape-caused waves were utilized by the Egyptians, who certainly held a secret to which we have not yet found the key. We can, however, still follow the traces of the perceptible effects by detecting the radiation from the geometrical forms over which they had mastery. Did they hold the secrets of the ancient Atlanteans? We have reason to suppose they did, given the discoveries and new studies of recent years.

Vibratory waves were utilized for various ends and to solve a number of problems of their time: conservation of the body by mummification, protection of the sepulchers and treasures, orientation, and transmissions and telecommunications (see Part III, Chapter 6). It seems, however, that Hertzian waves were unknown in this epoch.

Their hieroglyphs, in their diversity of forms of expressions, seem also to have been inspired by the shape-caused waves: their phonetic and figurative meaning; their ordinary, ideographic meaning; and their religious initiatic meaning. The Egyptians certainly knew radiesthesia because a sandstone pendulum was found in an ancient sarcophagus, of which we possess a copy faithfully reproduced in hardwood. We possess also a ring in sandstone of the same provenance, probably utilized by its possessor for temporary protection against certain toxicities without being obliged to carry on him the series of ankhs that were used in that period.

The geometric composition of forms on this ring had been utilized in order to create an effective compensatory vibration against toxic waves. We have also noticed the capacity of the pyramids for dissolving certain magnetic forms of radioactivity. We do not cite here the various properties of the monuments, such as the sphinx of Giza, for example, or the permanent dispositions of the sarcophagi, because they have been abundantly covered in *Trials in Vibratory Radiesthesia*.

16) Measurement Systems [22]

In these conditions, it seems normal that one could verify this “energy of the shape-caused waves” by the use of a simple needle placed on a dial, the only truly valuable way. But there exists a major difficulty that is not close to being resolved, its cause residing in the order of scale of magnetic power.

In order to settle these issues, physicists have evaluated the radioactivity deployed by cosmic particles as being on the order of tens to hundreds of *millions* of electron-volts. The various artificial radio-activities evolve in the tens and hundreds of *billions* of electron-volts.

On the other hand, the magnetic carrier waves of the cosmic rays are on the order of *millionths* and *billionths* of electron volts, and there is every reason to think that the shape-caused waves exist in the same order of scale. We have not been able to arrange, until today, the measuring instruments sensitive enough to be able to register powers so minute. The progress of science will perhaps permit it in the near future.

One must remember that on that day when such a system of measures is found, we will have less need of radiesthesia. Shape-caused waves, which are so far beyond the current domain of physics, will then have become a part of an exact science. But we are not there yet, and having had to establish the measuring instruments, we based them on the shape-caused waves themselves, in particular the Snail Selector with its neutral pendulum, an improved version of the original *Escargot* of Chaumery.

Then, the detectors of form: the Universal Pendulum, the Virtual Cone Pendulum, and the Infra-red/Ultra-violet detector.

Before leaving this subject, it is important to note that it is just at this order of minute magnetic intensity that the oscillations of the living cell vibrate. These vibrations have only a remote relationship with the order of differences of electric potential that one might perceive on the skin surface with various recently-conceived instruments, such as detectors of acupuncture points or of depressions of organs or systems. This order of things is, in occurrence, different, because it is essentially a matter of oscillation of the living cells.

And there is the problem, of immense importance since the discovery of the very powerful action of minute magnetic intensities, of artificial radioactivity, as well as of various vibrating toxicities, that all vibrate on the same frequencies as the cells, and that all have a disequilibrating action on these cells. This is the root of various forms of cancer.

The emissions of form being of the same order, permit battle on the same terrain and by another modulation, but in an inverse sense: to aid nature

itself so that each cell can return to order and recover its initial state. The cells, by this law of Nature, naturally store what can come to their aid.

17) Practical experiments [23]

We have seen that the emitters have had in particular the capacity to store cosmic waves. Placing gamma emulsion (used in X-rays and films) before the cannon of an emitter of shape-waves or to the interior of a Bomb C, we have been able to obtain numerous snapshots of impacts of the passage of cosmic particles captured and diverted by these instruments. Theoretically, these snapshots can be obtained only under certain conditions and with special devices that will not be described here.

We have then the confirmation of the reality of the action of our emitters, as well as of the real presence of the magnetic wave component of the cosmic rays that accompany cosmic particles.

We observed the action of these batteries on many rats exposed in net-traps. It immobilizes them after having provoked all sorts of defensive movements and panic, or shall we say, terror.

Fingers exposed to the cannon of a small emitter for about ten minutes of Negative Green have had their skin burned as if they had touched a red-hot iron. Without any pain, after several days, the skin blackened and peeled, leaving in place a new skin, just as it would after an authentic burn.

The proximity of the batteries, without special precautions for protection against the radiation, occasions certain malaises; thus, it is preferable not to prolong exposure.

Craftsmen who have fabricated batteries of large dimensions for us have shown the same malaises during the turning of the parts, especially when oriented by chance to the North-South axis.

It is good to prove the powerful action of these accumulated forms, and it is standard that a prolonged emission of Negative Green provokes troubles, even at long distances from the place of emission.

On the other hand, large numbers of convincing experiments using these emitters have been undertaken in and on all kinds of afflictions where cellular vibration was the issue.

It has even been possible to obtain radioactive water and oils, treated with very precise rays, which show extreme activity. We know this because they have entirely healed, through the intermediary of the medical corps, several cases of cancers of the digestive system and urinary tract that were clinically recognized and considered inoperable and incurable.

The same water, after passage in the Bomb C 30 and put in compresses on various ulcers, cause a total healing of wounds in some three weeks. With

solute pulverized from external tumors, it instantly suppressed all purulent liquid and largely attenuated suffering.

18) Abstract waves [24]

At first we entitled this section: *mind*. The shape emitters are sensitive to thought-waves, which they easily capture, and their emission of shape waves can be impregnated if one does not take precautions. Thought-waves could affect the resultant emissions, which are mainly radiations of physical energy.

Dr. Leprince, with his theory of psychons, is mostly inclined toward the problem of thought, and it is possible to affirm with him that abstract thought-waves exist.

In parallel, the works of MM. Servranx and their collaborators have proven that these abstract waves could be completely captured and concretized with forms as word-witnesses, the designs or even impregnations of *stelcyl* paper, as in the case of the *E'ctrets* that we have considered.

In particular, we have been able to verify that word-witnesses make the best witnesses that it could be possible to establish, and they are constant. We have verified that these word-witnesses express shape-caused waves easily detectable with a Universal Pendulum or a Virtual Cone Pendulum. The colors are different according to the form of thought preceding their being written; one finds even the different sorts of waves that we have already seen according to the established type of witness: biometric, color, and even planetary, with a special astronomical Universal Pendulum which we have developed and synchronized with photographs of the planets or special charts of the sky used for astronomical observation.

All these discoveries are important, because they connect us to new ways that are practically virgin compared to previous investigations. Recognizing the shape-caused waves as a reality, it is possible by assimilation to advance rather far in the world of the abstract.

This is, however, another question that largely exceeds the scope of this exposé, and we do not intend to develop it further in the present work. We have said many times that with the analogous properties of the shape-caused waves, we see through the distance a fourth dimension.

19) Conclusions of the study

In conclusion, we repeat that we have: an analogy common to the various laws of physics; a real presence of abstract thought-waves; and the synthesis of expressions of the shape-caused waves, relying altogether on the knowledge coming through the channel of radiesthesia.

The transcendental utilization of shape-caused waves with abstract waves, brought into reality by word-witnesses, tosses us glimpses of exciting possibilities.

In addition, living on the earth, we cannot escape voluntarily or otherwise from the laws that control it. On the practical plane, the combined shape-caused waves can intervene very effectively and rather rapidly in all sorts of vibratory affections of the human, animal, or vegetable cell, and that by disimpregnation of the dangerous radio-active accumulations, by using their always-equilibrating magnetic phase.

Finally, they permit a re-education of these cells, thus aiding Nature in her constant work to look after and repair.

PART II: COSMO-MAGNETIC EMITTERS

1) Shock-wave emitter by angular refraction (Disk of multiple rays) [29]

We use the facts for angular refraction in order to develop a shock-wave emitter of which the power is a function of the chosen diameter and number of elements in the stack of the battery of the cosmo-magnetic pile.

The reader being familiar now with our theory of angular vibrations, it will be easy for him to understand the functioning of the emitter that we will describe (in two versions).

Imagine a mobile disk pivoting on its center and fashioned of 13 or 21 parallel grooves incised across the face of the disk, the protruding relief-grooves being painted in black (see figures 7 and 8 of the reduced-scale *pistolet* emitter).

This disk is centered on a platform on which are inscribed all the visible and invisible vibrations of the spectrum, and of which one of the sides supports a fixed scale also painted black, and featuring a cannon of the same color at the end.

Following the angular refraction of the grooves of the rotatable disk in relation to the fixed scale, we obtain all the vibrations of the spectrum. The 90-degree angle, the square, gives Negative Green as we saw earlier.

The *acute angles*: white, ultra-violet, violet, indigo, blue, and Positive Green

The *obtuse angles*: black, infra-red, red, orange, yellow, and Positive Green

Take notice that the parallel direction of the grooves by relation to the fixed scale always give Positive Green.

We attach two series of our piles to this disk, by mounting them on its platform, which emit natural waves uniquely related to the angular refraction. First, a vertical stack of 4 or 15 elements, terminating with a twisted antenna of 7 wires, and another of 4 or 30 elements, placed exactly in the N-S axis at the end of the fixed scale, and also provided with a twisted antenna. We obtain a considerable energetic signal of cosmo-magnetic forces.

The capture of this energy reinforces the natural vibration of the angular refraction which, amplified, leaves via the cannon.

If we put an unexposed film in front of the cannon, it immediately registers an impression – on the conditions, however, that the film be of gamma emulsion. Meat placed before the cannon is mummified, and with it, the maggots if a fly should lay some eggs before the bombardment. Flowers

are immediately sterilized and preserved intact. And so for eggs which no longer rot but remain indefinitely sterile and dehydrated.

In order to obtain such results, the instrument must be scaled for Negative Green, but it is also possible to produce all the other visible and invisible vibrations in accordance with the chosen angular refraction. These vibrations are of the sort such that when an illness-witness is placed in front of the emitter of shock waves, they will, by the Law of Similar, transmit a predetermined beneficial and curative vibration to the organism from which the witness came. No longer are we limited by time or distance, and these emissions of shape-caused waves, measured on the order of Angstroms, make the tour of the globe at the speed of light (The wavelength of the γ rays is of the order of $\lambda < 0.1 \text{ \AA}$).

It is then possible to obtain healing of cancers if they are treated early, or of tuberculosis if the emitted ray has been judiciously calculated. If healing is impossible because the illness is too advanced, one is assured of a nearly complete suppression of the suffering and a departure in calmness.

To attempt a healing of cancer, the instrument must be regulated on one of the rays found between negative green and black.

This is what we have identified:

Rays	-Green	α	β	θ	X	ν	ζ	Black
Grades	0	5	10	15	20	25	30	33.5

The more serious the cancer, the closer the curative vibration approaches Negative Green. If there is no hope left for healing, Negative Green itself must be used to neutralize the suffering and prolong life a bit.

When healing is possible, that is to say when the disease has not yet metastasized, use the rays, alpha, beta, theta, submitting the affected organ to daily bombardment, but with rigorously calculated timing in order to avoid burns.

In the event that the illness evolves in a positive direction, one will notice a progressive movement of the curative wave in relation to Negative Green, but toward black, which it reaches when the healing is accomplished.

It is of note that an organism tainted by cancer is always radioactive. This radioactivity is always situated between 80 and 90%, sometimes longer; before all treatment by healing cosmo-magnetic waves, it is imperative to reduce this radioactivity and bring it down below the danger zone, that is to say under 65%. In order to do this it is necessary to bombard the drawing of the diseased organ with the patient's witness overloaded with Positive Green,

which absorbs radioactivity and reduces it). This use of Positive Green can last two or three hours daily and it is only after this, that it is possible to treat with the curative ray, either alpha, beta, or theta, etc., for which the duration of emission must be rigorously calculated.

For tuberculosis the beneficial rays sit between negative green and white. We find in this sector these rays:

Rays	– Green	ω	ρ	ψ	λ	χ	ε	White
Grades	0	395	390	385	380	375	370	366.5

The omega and rho vibrations have the property of desiccating and purifying the lungs, which then recover their vitality. Another benefit of these invisible, sterilizing rays: a patient enters a clinic in order to undergo an intervention there. This accomplished, the amputated organ is immediately submitted to bombardment of Negative Green beams that mummify it and sterilize it perfectly in several days.

The practical result of this sterilization of a dead organ, making it no longer part of a living organism, is the following: the patient in the clinic heals up rapidly, much more rapidly than seen before. There is never a fever or infection, and he can leave the operating center 8 to 10 hours sooner than the time generally needed for such an operation. The emitter-sterilizer has no need to be found in the place, close to the patient. Its action is also efficacious whatever be the distance separating the patient from the organ earlier set aside and submitted to the action of the rays.

Two other tests further confirm, if one needs further confirmation, the value emitted from this shock-wave instrument:

a) If you expose water to the action of the Negative Green beam for several days, a milliamp meter will show that this water indicates the presence of an electric charge through a deviation in the angular position of the needle of the meter. The direction of deviation indicates negative or positive charge.

b) If you place an electric pendulum (Ato pendulum, for example, which functions like an electromagnet excited by a battery of 1.5 volts) in the radiation of the instrument set at Negative Green, you notice a considerable advance after an hour, even when the regulating screw is set at the maximum period of exposure.

As soon as you move the pendulum in order to shroud the radiation of the emitter, it goes back to regular and normal operation.

However, after a sojourn of three months in the laboratory, isolated at the bottom of a garden where there are four permanent emitters in action, we

noticed that the pendulette continued to advance far behind these emitters rather than in front. This would seem to indicate intense radiations throughout the whole piece, which is entirely saturated with radio-activity.

When the pendulum leaves the laboratory and is returned to the house, it goes back to normal operation immediately.

Backing our theory of angular refraction, the reader is referred to the photographs of films bombarded with our instrument that emits shock waves. (See photos, Figures 2 and 3.)

Two items needing consideration:

1. The film fixed a considerable quantity of binary particles and others with their satellite, a kind of little moon perfectly visible on the print.
2. The particles are in movement and the film seizes their trajectories. These are not all the same: some rise, others are horizontal, yet others make their more diverse angles in relation to North.

The whole gives the impression of an immense starry sky teeming with millions of stars, each having its own life and placed there by the mysterious laws of cosmic mathematics.

The possession of such an emitter in a home is not recommended; it presents real inconveniences for the persons called to live in its radiation. It is necessary to separate and isolate it by a barricade and with screens of metallic grill (in small squares) that are grounded for protection.

In case of radiation poisoning by the vibrations of the Negative Gree beam, set the instrument for Positive Green and put the witness in front of the cannon.

2) Derivative emitters [34]

a) *Pistolet disk with multiple rays*: This little emitter is derived from the large emitter described previously. It has a disk reduced to 13 rays, a horizontal magnetic pile of four elements and a vertical cosmic pile of the same value aligned on the center of the disk. This instrument is very curative and does not present the inconvenience of intense radiation of the large emitter. It is used under the same conditions.




Figure 7: Disk Emitter of multiple rays (schematic)




Figure 8: Disk Emitter of multiple rays with its twisted antenna, vertical cosmic pile, and horizontal magnetic pile. T = witness.

b) *Tetrahedral emitter*: This emitter is composed of the same elements as the preceding, without the cosmic pile (see Figure 9). The Disk of Rays is replaced by a tetrahedral pyramid having the property of emitting on only three combined vibratory frequencies:

- 1) a beam of ultra-white going from 372 to 380 grades of the radioactive spectrum
- 2) a beam of infra-red going from 67 to 33.5 grades of the radioactive spectrum
- 3) a beam of magnetic Positive Green of 196 to 212 degrees.

In order to obtain these emissions, place the point of the tetrahedral form corresponding to the particular frequency perpendicular to the cannon.




Figure 9: Tetrahedral Emitter

c) *Yin-Yang Emitter*: Identical to the disk-emitter, the cosmic pile can, or not, be employed. The disk of rays is replaced by a disk in the form of the Yin-Yang, which is differentiated by incision and relief, and volumetrically registered into the mass of the disk (See Figure 10).




Figure 10: Yin-Yang Emitter

d) *The Chromo-puncture*: This emitter acts directly on the patient by what we call radiesthetic “pricks” or “touches” on the points of the body corresponding to the acupuncture points recognized by the Chinese. These points emit all the colors of the spectrum and in a certain order for each meridian.

Certain of these, however, correspond to key points at a special “radio-active” frequency, which really simplifies the research because it is not necessary to resort to an electric detector. A simple Universal Pendulum or an Escargot-Selector suffices for measuring the decreases in potential.

A list of color-points established previously allows rapid discovery with the indications of the Universal Pendulum of those points that must be processed.

Each color-frequency emitted by the emitter is of one phase, Yin or Yang, according to the direction of the line of the “eyes” of the yin-yang:

for the *negative* factor and for the *Yin* phase, if the form incised in black is opposite the emitter cannon: the black Yin eye is found opposite to the color of the superior dial.

for the *positive* factor and for the *Yang* phase, if the form in relief and white is opposite the cannon: the white Yang eye is found opposite to the color on the dial. (One recognizes that one finds one or the other phase by the aid of the Universal Pendulum tuned on its meridians, and presented before the cannon. Its turnings give the accord with one phase or the other.)

For the color of the magnetic meridian, indicating the negative *Yin*, the Universal Pendulum turns normally in accord to the left (CCW).

That of the electric meridian indicates the positive *Yang*, the Universal Pendulum turning to the right (CW).

To transmit the Yin or Yang vibration to the Chinese skin point and recharge it so that it recovers its initial color, the cannon of the emitter is wound up with a fiber cord of rather large diameter. This cord is attached near the magnetic pile, along the straight path of the cannon, and on the external face. The windings of the cord are made on the middle terminal of the length of the cylindrical cannon. After attachment at the center of the base, the cord continues free and of a length permitting easy movement in order to “prick”. Lastly, the cord is connected to a “toucher”, either in wood or in silver, the latter being a better magnetic conductor, to isolate it from contact of the hand that pricks.

The time, duration, clocks, etc., are found by the pendulum.

We add that the points of “chromo-puncture” can be perfectly identified on a chart of Chinese points, the same as if it were an anatomical chart. By

the same token, one can detect the full and the void, the excesses and the drops in potential, as well as the “full” realized again – this with a dial of measures (*Escargot*), or the graphic representation of an ohmmeter, such that one of our colleagues has recently published in the review *La Radiesthesia pour tous*. Comparison of the present subject permits verification of the detections and the “full” of the point.

In the following tables, we have established, by meridian, the colors related to each point according to our observations.

Chromo-puncture: Colors related to the Meridians
nomenclature by P. Ferreyrolles and Soulie de Morant

Stomach	<i>Estomac</i>		<i>Rate-pancréas</i>		Pancreas
	1 I.R.	24 R	17 O	20 Bu	
	2 U.V.	25 I.R.	18 J	21 I	
	3 Bu	26 R	19 V +		
	4 V +	27 O	<i>Cœur</i>		
	5 J	28 J	Heart		
	6 I.R.	29 V +			
	7 U.V.	30 U.V.			
	8 I	31 Bu			
	9 Bu	32 V +			
	10 V +	33 J			
	11 J	34 O			
	12 O	35 R			
	13 I	36 I.R.	<i>Intestin-grêle</i>		
	14 Bu	37 R	Small Intestine		
	15 V +	38 O			
	16 J	39 J			
	17 O	40 V +			
	18 R	41 Bu			
	19 I.R.	42 U.V.			
	20 U.V.	43 I			
	21 V +	44 Bu			
	22 J	45 V +			
23 O					
Pancreas	<i>Rate-pancréas</i>		<i>Vessie</i>		Bladder
	1 U.V.	9 I.R.	Bladder		
	2 Vi	10 U.V.			
	3 I	11 I			
	4 V—	12 Bu			
	5 Bc	13 V +			
	6 V—	14 J			
	7 R	15 O			
	8 O	16 R			

Bladder

Vessie

11	I.R.	39	V +
12	R	40	Bu
13	O	41	I
14	J	42	Vi
15	I.R.	43	R
16	V +	44	O
17	Bu	45	J
18	I	46	V +
19	Vi	47	Bu
20	U.V.	48	I
21	R	49	I.R.
22	O	50	R
23	J	51	O
24	V +	52	J
25	Bu	53	V +
26	I	54	Bu
27	Vi	55	I
28	U.V.	56	Vi
29	R	57	U.V.
30	O	58	R
31	J	59	O
32	V +	60	J
33	Bu	61	V +
34	I	62	Bu
34b	Vi	63	I
35	U.V.	64	Vi
36	R	65	R
37	O	66	O
38	J		

Reins

1	U.V.	6	V +
2	U.V.	7	J
3	Vi	8	O
4	I	9	R
5	Bu	10	O

Reins

11	Vi	20	Bu
12	I	21	V +
13	Bu	22	J
14	V +	23	O
15	J	24	R
16	O	25	Vi
17	R	26	I
18	Vi	27	Bu
19	I		

Vaisseaux (M.C.)

1	R	6	R
2	O	7	I.R.
3	J	8	R
4	V +	9	O
5	V —		

Trois foyers (T.R.)

1	Bc	13	Bu
2	U.V.	14	I
3	Vi	15	Vi
4	I	16	R
5	Bu	17	O
6	V +	18	J
7	J	19	V +
8	O	20	Bu
9	R	21	I
10	O	22	Vi
11	J	23	R
12	V +		

Vésicule biliaire

1	R	3	J
2	O	4	V +

Kidney

Circulation/Sex

Triple
Warmer

Kidney

Gall
Bladder

Gall Bladder

Vésicule biliaire

5 Bu	25 V +
6 I	26 Bu
7 Vi	27 I
8 R	28 Vi
9 O	29 R
10 J	30 O
11 V +	31 J
12 Bu	32 V +
13 I	33 V —
14 Vi	34 U.V.
15 R	35 R
16 O	36 O
17 J	37 J
18 V +	38 V +
19 Bu	39 I.R.
20 I	40 R
21 Vi	41 O
22 R	42 J
23 O	43 V +
24 J	44 Bu

Liver

Foie

1 U.V.	8 R
2 Vi	9 Vi
3 I	10 I
4 Bu	11 Bu
5 V +	12 I.R.
6 J	13 U.V.
7 O	

Lung

Poumon

1 Vi	4 V +
2 I	5 J
3 Bu	6 O

Poumon

7 I.R.	10 J
8 R	11 V +
9 O	

Lung

Gros intestin

Large intestine

1 Vi	11 V —
2 I	12 Vi
3 Bu	13 I
4 V +	14 Bu
5 V +	15 V +
6 O	16 J
7 R	17 O
8 O	18 R
9 J	19 Vi
10 V +	20 I

Jenn-mo

Central

1 Vi	13 U.V.
2 I	14 I.R.
3 Bu	15 R
4 V +	16 O
5 I.R.	17 J
6 R	18 V +
7 O	19 Bu
8 J	20 I
9 V +	21 Vi
10 Bu	22 U.V.
11 I	23 Vi
12 Vi	24 U.V.

Tou-mo

Governing

1 V —	3 I
2 Bu	4 Vi

Governing

<i>Tou-mo</i>		<i>Tou-mo</i>	
5 U.V.	11 Bu	17 R	23 I.R.
6 I.R.	12 I	18 O	24 I.R.
7 R	13 Bc	19 J	25 V +
8 O	14 I.R.	20 V +	26 I.R.
9 J	15 I.R.	21 I.R.	27 I.R.
10 V +	16 I.R.	22 V +	

3) The Bomb C 30 (see Figure 11) [42]




Figure 11: Bomb C 30

The idea for the Bomb C was Léon Chaumery's, and it is one of the last instruments to come from the mind of this genius. Since his death in 1957, we have rethought the problem and applied important modifications to our friend's original instrument.

Originally, the Bomb C was composed of a simple sphere, formed of two hemispheres exactly juxtaposed. Each hemisphere bound a cavity of 3 to 4 millimeters at the center of which was fixed a bar of metal of positive sign, and another of negative sign, forming a cross when the two parts are fitted together one on the other.

The equator of the Bomb C (Figure 12), divided into 400 grades (color-vibrations), was belted by a movable, curved dial, supported by a spur supporting an equally curved index, attached at the North Pole, and following the perimeter of the sphere.




Figure 12: Bomb C 30, equator detail

The cavity contains the biological witness of the person to be treated. This witness is placed between the two metals of different polarity forming the pile, and the index was placed on the grade corresponding to the beneficial vibration indicated by the *Escargot-Selector*. The Bomb must first be placed in front of the magnetic flux, Negative Green to the North.

This Bomb, such as it was conceived by our friend Chaumery, has been completely modified. Henceforth we refer to it as Bomb C 30 because it is now 30 centimeters in diameter, having more than four times the intensity of the original instrument.

Moreover, it is actually composed of six hemispheres, three complete spheres fitted together one inside the other, each polarity having been carefully determined.

The interior sphere, the smallest, contains an exposure chamber with interchangeable positive and negative metals. It is there that the witness of the ill person and drawings of the organ to be treated are found.

The exterior sphere, the largest, has two meridians, one electric, the other magnetic, and an electro-magnetic equator.

A principal curved index, called the “selector”, of shape-caused emissions and aligned to the North Pole, can track the perimeter of the equator, which is divided into 400 grades labeled in color-vibrations of the visible and invisible spectrum. A moving marker of non-magnetic metal encircles this equator, supported by a spur on which the selector rests.

a) *Magnetic corrector* [45] The energy emitted by the Bomb is unstable for each of the color-vibrations with the exception of the Negative Green beam for which the loss of power is insignificant. We have been conducting research on a selection corrector and on equilibrating the magnetic flux. The corrector is a mobile strip of silver placed around the equator and its purpose is to re-equilibrate the captured energetic power for the Bomb by maintaining it either on the electric or the magnetic phase, whichever is curative.

In order to augment the vibratory intensity of the magnetic phase, we have connected, so that the cosmic forces serve us, a battery that we described in our earlier work, *Trials in Vibratory Radiesthesia*. We remember that it consisted of hemispheres machined of the same material, and of which the round part emits the Positive Green and the flat part the Negative Green. Each element carries energetic power that is amplified in tension like a Voltaic battery; the Negative Green ray of the first element is added to the second, which is amplified in a geometric progression down the line.

The intensity or amperage is obtained by the diameter of the hemispheres. Naturally, the larger the diameter, the larger the intensity. We have prepared a frame to support this cosmic pile; the flat part directs the Negative Green toward the base, and is disposed over the North Pole of the Bomb. The summit of the pile is equipped with a twisted antenna of several stems that capture the cosmic rays. These rays pass across the pile, intensify, and irradiate the instrument.

A cosmic pile of four elements of 150 mm. is largely sufficient for the capture and transmission of important energy.

In order to concretize the reality of the energetic power of the piles, here are two examples:

Ten years ago the basement of a cinema in Bordeaux became completely infested by rats that an army of cats could not control. Several batteries were suspended in the basement, Negative Green directed through the base. Eight days later there was not even one rat, and even fewer cats — all had evacuated the premises, being unable to endure the strong gamma radiations of the Negative Green beam. An unexpected secondary consequence: the overseer of the basement was taken by such a state of somnolence that the batteries had to be removed.

A second experiment was made in Aizenay, in Vendée, at the establishments of Praud, and at our request. Several rats had been captured alive in nets, and they were subjected to the action of a cosmic pile of seven elements of 25-cm. diameter.

Immediately the rodents went to twitching their whiskers in all directions and scratching their whole bodies in perfect unison. They spread out in all directions against the walls of their prison, hoping to find an exit to escape these undesirable radiations. Seeing the impossibility to flee, they grouped in a corner of their cage, hair on end, huddling one against the other without budging.

If, at this moment, the cosmic pile had been doubled by a second pile of the same value, the merry-go-round would have recommenced, then to end as before with a frightened immobility in a corner of the net.

Conclusion: ruling out any possible error, the rats clearly resented the radio-active radiation of the beam of Negative Green and attempted to escape it.

b) Radio vibrated products. Irradiated water and oil. Microbicidic action. One of the specific properties, capital we say, of the Bomb C 30, is the possibility of charging products with oscillations of high frequency. Just raise the little interior sphere in order to expose a cavity sufficiently large enough for liquids and ingredients such as oil, water, powdered lactose, unguents, etc. They can be vibrated and ionized in the field of the instrument. These products become, then, veritable high-content radio-active remedies that act by their vibratory effects.

This radioactivity will vary according to the chosen frequency: one could have water or oil vibrated starting from the infra-reds to ultra-violets and passing by the pure Negative Green, or even to one of the color vibrations of the visible spectrum.

The duration of exposure of the products in the Bomb can vary from several hours to several days. If the frequency for any given illness-witness

has been judiciously calculated, the water or oil thus charged will have a very effective curative value. With daily doses going as high as 50 drops to a glass of liqueur, according to the case, one obtains concrete results.

Furthermore, it is possible to ionize vibrated oil and water with the radiations of metals: cobalt, gold, silver, copper, iron, aluminum, etc., plunging one of them in the liquid during the exposure in the Bomb C 30.

Here are the two frequencies most commonly used for cancer and tuberculosis:

Cancer: ray 5, ionized with sulfate of cobalt, gold, uranium acetate.

Tuberculosis: ray 385, ionized with gold, silver, iron.

All oil or water vibrated in the infra-red to ultra-violet sector is microbiocidic and becomes immediately radio-active. This is why it is not necessary to adjust the number of prescribed drops, for the number can vary according to the case or the gravity of the illness.

Moreover, the flask containing the treated product must be constantly kept sheltered from light and wrapped in black paper lest it lose its properties.

Along the same line, before results were obtained in the therapeutic domain, we have vibrated a product with the essence of Negative Green, or mixed it with whatever was in the reservoir, and it has immediately given to the automobile in which it travels an appreciable gain of power particularly in respect to valve clicking.

Hypothesis

There is a lesson here. Taking into account the considerable energy of the cosmic rays and experiments of the same order in this field but on another scale, some official and industrial laboratories would perhaps be interested in supporting us towards some basic development, notably for the regions of tropical or desert countries, the Sahara for example, certain regions of Israel, Australia, South America, etc.

The challenging winter of 1962-63 permitted us to make an observation, to say the least, of something most unclear:

Having water treated with Negative Green ray in our Bombs, we were stunned to find, at the first cold, that a temperature of $+1^{\circ}$ in the laboratory corresponded to the interior temperature of the Bombs of -2° to -3° , so that the water being treated was transformed into ice.

Never did the reserve water in bottles, sitting on a table near the Bombs, freeze all that winter, or during the entire period of cold which lasted more

than six weeks in Brittany, with lows of -15° to -16° . But the water in the Bombs always became a block of ice.

In order to be clear in our minds, we procured ourselves two high-precision thermometers, one of which we placed in the laboratory and the other in the interior of one of the bombs: the difference between the two thermometers was always three to four degrees, the lowest temperature always in the interior of the Bomb.

We repeated these experiments so often that we found even in full summer when the ambient temperature indicated 20° , at the interior of the Bomb it was only 16° or 17° .

We are then obliged to observe and admit that the Bomb C 30, regulated by Negative Green, makes cold. It is the easiest physical phenomenon to control. A hypothesis comes immediately to mind:

Everyone knows that the poles of the earth are subjected to huge amounts of cosmic rays. R. Richard, astronomer at the observatory of Meudon, has confirmed this fact in a highly documented article appearing in a bulletin of *Astronomie*.

These intense jets of particles, in liaison with certain solar eruptions, were they not at the origin of the formation of the glacial icecaps? And also of certain *auroras borealis*? It is our hypothesis, which seems *a priori* logical since the Bomb C, conceived to capture the cosmic rays, possesses the strange ability to lower the ambient temperature around 15%, a large drop, and they are only 30 cm. in diameter.

It is the only risk we take: making this observation leads to practical consequences of great interest. Interesting, because in order to obtain really usable cold chambers, it might be possible to construct Bombs C on an industrial scale and of a volume such that they make cold or ice, even in full summer, fueled by the considerable energy of cosmic rays put freely by Providence to the service of man.

4) Bomb C 30 “Cosmos” [49]

The Bomb C 30 *Cosmos* is rigorously constructed, and is, on the whole, like its progenitor. Yet, it differs from it in its possibilities, because it is equipped to permit capture of cosmic radio-waves.

Like the Bomb C 30 it has three spheres in six hemispheres, an irradiation chamber, a curved selector, a magnetic corrector in silver, and a curved anti-magnetic movable equatorial belt equipped with a spur. But it

includes further a magnetic compensator and a capture-antenna reinforced by a magnetized field.

a) *Magnetic compensator.* The energy captured by the Bomb equipped with its pile is not constant, but varies according to influence from the vibratory fields of which oscillations pass from maximum to minimum. One of the factors causing this instability is the moon, which according to its position emits series of waves varying in proportion to its luminosity, these rays being received and then reflected.

In measuring this energy, we have noticed that the 100% maximum power occurs during the phase of the full moon (from two days before until two days after). Then it decreases progressively and falls to 50% at the end of the last quarter. Then the radiant energy increases anew from the new moon until the full moon. This moon, being the mirror of the cosmos, captures and reroutes to us a considerable but irregular cosmic energy according to the laws that regulate its cycle.

It is in order to obviate this inconvenience that we have adapted the BC 30 with a magnetic compensator. It is a disk of silver and its function is different from that of the corrector. Its mission is to put the sphere's North-South orientation in "phase" with the point of quadrature of the lunar month.

The zero point having already been marked precisely, the circumference of the disk is stamped with 12 marks, each corresponding to one of the 12 lunar months, and 4 sub-divisions corresponding to the quadratures. These different points of the dial must then be presented to each monthly lunar quadrature on the magnetic meridian of the emitter, at 200 grades.

Then a line of the ecliptic corresponding to the declinations of the solstices is marked on a track on the disk, and this line serves as a reminder that it can be necessary to advance or retard the point of the ruler three days to compensate for the new moons of June and December. To establish this compensator we based it on the lunar cycle so we would be able to utilize it as easily in a diurnal period as in a nocturnal period.

This compensator is fixed over the selector and it carries a constant medium of magnetic shape-caused emission, thus regularizing the differences of magnetic coefficients due to the diverse factors.

Correctly regulated, the device compensates for the large magnetic separations from one month to another, according to the portion of our globe in the ecliptic, and from one day to the other follows the advancement or the return of the lunar quadratures.

Otherwise the variable lunar magnetic coefficient would give differences such that the power of the magnetic shape-caused emissions would go from single to double in relation to the extremes.

It is why the action of the compensator permits an emission of constant power, and it does so no matter what the day or the hour of its use.

b) The Capture-antenna [51] In addition to what is indicated above, we use for the simple BC 30 an antenna constituted of a tangle of a certain number of strands of wire twisted in a galvanized curve, the end being open in the form of a tulip. This device has brought us an increase in power to which will be added an increased intensity.

Since the adaptation of the BC30 to the detection of cosmic radio-waves, we have been induced to modify the angle of the opening of the strands in order to join it to a second antenna.

This new antenna is formed of two concentric solenoids of opposite and inverse polarity: one negative at the exterior, the other positive at the interior. The twisted capture-antenna is found at the center and interior of the two solenoids from which it is isolated.

Each kind of solenoid relies on opposition, one part to the lower rod of the antenna inserted in the cosmic pile, and the other part to the magnetic corrector. Finally a battery of magnetic cylinders, incorporated in the interior of the second (intermediate) sphere, is calibrated in accord with the capture-antenna and the magnetic corrector on the position in degrees corresponding to the cosmic planetary radio-wave, like the effect of frameworks incorporated in the receptor posts of the radio.

Composition of the solenoids isolated one from the other:

Interior solenoid: positive (turning to the right), one meter wire wound in 6 turns, diameter 50 mm.

Exterior solenoid: negative (turning to the left), 2 meters wire wound in 8 turns, diameter 75 mm.

The wire must be annealed copper 15/10.

A ferrite in the form of a rod is placed horizontally in the interior of the negative solenoid, its positive polarity directed towards the north. Its role is eminently magnetic; it is a dipole influencing the wavelengths, and it permits staying on a band of around 20 meters, the most favorable.

The captor-antenna is placed at the positive summit of the cosmic pile and this is fixed on a frame overhanging the bomb.

The calculation of the mass of different combinations leads us to opt for a proportion 1/2 for the amperage and the figure 4, number of elements, for the voltage.

The figure 4 is in harmony with the vibratory frequency of the human cell. The terms “amperage” and “voltage” are borrowed from physics, for we are lacking other words more qualified to express the energetic value emitted by the piles. They express here the relationships of mass and volume in order to show the great importance of the diameter of the hemispheres.

In order to find the setting in accord with the BC 30 for planetary radio-waves, we position:

- 1) the captor-antenna
- 2) the magnetic battery of incorporated magnetic cylinders
- 3) the magnetic corrector connected with the negative external solenoid

The captor-antenna is calibrated in wavelengths like an ordinary antenna. Being connected with the magnetic corrector, it is tuned to the negative solenoid, short-circuiting one part of the windings, with the aid of a crocodile clip, to the chosen planetary wavelength.

For this operation, one utilizes the Universal Pendulum using the cord length for “planetary cosmic waves”. The detector will turn when the accord is obtained between the length of the negative winding and the planetary wave.

The suspension cord of the Universal Pendulum will have been marked beforehand in millimeters as we shall see.

In order to obtain this accord, present the Universal Pendulum to turn above a photo of the planet to test and look for the point of turning which will be carefully noted and will serve ultimately for all the planetary settings.

Example: Universal Pendulum on orange, accord obtained with the photo of the moon.

If one desires to verify what happens in the interior of the BC 30, use a small piece of blotting paper torn in two. Place one of the pieces in the interior of the Bomb, the other in the exterior to serve as witness-relay.

The exterior fragment will express all that happens in the interior of the BC 30. To obtain a correct solution, it is necessary to check the silver compensator disk to be sure of the exact lunar phase.

c) Incorporated magnetic battery. Magnetic field of magnets. [53]
The role of this battery is, as we have seen, to be tuned to the BC30 with the capture-antenna on the planetary radio-waves.

This battery is composed of two cylindric magnets of very large mass, in steel, aligned one with the other and incorporated in the interior of the second sphere. The poles are, of course, opposed one to the other, creating an intense magnetic field in the interior of the cavity. Because of the form of the magnets, the magnetic field is itself spherical, composed of two hemispheres of opposing polarities.

A small support separates and retains the two elements and can contain a biologic witness which in fact is found exactly in the center of the sphere.

In this case, the two central hemispheres of the bomb are removed and set aside. The metals they contain are no longer needed in the magnetic field caused by the magnets.

This magnetic field, central nucleus of the BC 30, communicates little by little (currents of conduction) its magnetic force of attraction to the whole of the spherical mass of the BC. This constitutes a vast, inviting magnetic field for the cosmic radio-waves.

The battery is orientable at will with the mass of the second sphere to which it is connected. An “orientation line” is traced on the upper part of the second sphere. It is perpendicular to the axis line of force of the magnets. It is this traced line that is utilized for the regulation of the colors of the battery.

d) Artificial pole: One of the principle particularities of the magnetic battery is the creation of a new pole at the center of the BC 30, an “artificial pole”.

The central point of the sphere, also the median point of the two magnetic hemispheres of the battery, constitutes an artificial bi-polar pole, which would be oriented to the battery. As a result of the accumulated centripetal energy, this pole has a very strong attraction on the whole of the mass. In consequence, the energy that it transmits to the central point, then to the witness, is very important. That is especially important, for according to the orientation, the magnetic battery amplifies more or less of the energy received by the piles.

But the artificial pole fulfills also another role that is unique to it: it has the property to dissociate interiorly the immutable order of the colors of shape and to have its own spectrum that is different from that expressed by the mass of the BC 30.

This is very important, and we give the two possibilities:

1) Shape-caused emission from BC 30, according to the classic spectrum;

2) Magnetic emission of the nucleus of the central sphere which expresses another spectrum combining with the first, the latter being of variable intensity.

One sees immediately the importance of this innovation and the new possibilities acquired by the BC 30. Indeed, with the available energy of the piles transmitting a carrier wave of intense negative green, the BC 30 offers several solutions:

- 1) A shape-caused emission of unitary frequency, added to the vibration of the metal plates of the battery.
- 2) A shape-caused emission added to that of the magnetic battery on a common frequency, but amplified in relation to it.
- 3) A shape-caused emission added to that of the magnetic battery on two different frequencies.
- 4) The two preceding solutions, but on planetary radio-waves.
- 5) The vibration of liquids at the interior by each of the formulas of choice.

The witness-relay can then receive the vibrations on several frequencies at the same time, and of a variable intensity that can be measured.

e) Cosmic radio-waves captured by the Bomb C 30 [55] As we have indicated at the beginning of the chapter concerning radio-waves, the emitter-receptor is equipped with possibilities of very extensive cosmic captures.

Without any intermediary of an electric amplification circuit, solely by the power it gives to its shape-caused wave and to different elements with which we have equipped it, this Bomb captures the cosmic waves, the accompaniment waves of the cosmic particles, and even the particles.

The different photos obtained at the center of the figure of the sphere and of which we reproduce some examples, are sufficiently convincing (See Figures 4 through 6). Perhaps we have here a mystery of the geometric forms; we do not pretend to explain, but render here witness to the truly irrefutable results.

Actually the research of what the physicists and radio-astronomers have called "radio sources" is the order of the day. In France, in Sologne, in Nançay, they have built a center for cosmic listening of considerable importance, more for the value of these installations than for their technical possibilities. No one, however, knows what to say about the streams of captured waves proving that nebulae or stars exist, some of which have even disappeared long ago, maybe millennia, and are now reduced to a state of cosmic power. No, no one would know what to say, since these waves, which we perceive from intersidereal space, took birth millions of light-years ago,

only to reach our planet now. Some of them reach us a long time after the disappearance of their stars.

Indeed, the vibratory study of radio-electric waves gives the celestial vault a different appearance than that with which we are familiar.

This vibratory observation can be confirmed when the sun inundates the planet with light, but not at night. Only at night do the stars shine; this is but an effect, not a matter of visual perception in the manner of perfected optical instruments, but rather, well-maintained waves of which each group has its own frequency and are captured by our giant radars.

What the physicists call radio-sources are then vibratory waves completely independent of light waves. They are constituted of particles of very high energy, a part of which falls on earth in the form of cosmic rays: alpha, beta, and gamma. They are the invisible waves of considerable energetic potential, and they are responsible for the radio-electric vibrations captured by our physics detectors.

5) General functioning: [56] We have seen how the Bomb C 30 functions and the different sorts of vibratory frequencies it emits.

These shape-caused frequencies are expressed in grades on the magnetic equator. We say grades, not degrees, because all our instruments are graduated with this numbering of 400 grades.

These grades represent the color-vibrations of the spectrum with their ultras and their infras. The term, color, however, does not indicate the impressions that are made on the human eye by light reflected from a body such that our sense of sight represents, but, rather, a vibratory frequency. This is exactly the same concern for our Universal Pendulum, the Virtual Cone Pendulum, or even the *Escargot*, to mention only our most commonly-used instruments.

In the infra-red/ultra-violet detector, we have further identified 25 rays of invisible radio-active frequencies that give this instrument a sensitivity without equal for study of micro-vibratory waves in the laboratory.

We recall the mode of utilization of the BC 30: The illness-witness, with a drawing of the deficient organ, must be placed in the center of the small interior sphere forming the chamber of irradiation, between its positive and negative metals, or between the magnets of the magnetic battery around the case.

The BC must be precisely oriented North-South by the compass, and equipped with its cosmic pile and its magnetic pile, the selector resting on the

spur of the circle of the equator at the height of the grade emitting the curative vibration previously detected by the *Escargot*.

The silver magnetic corrector is set on the magnetic meridian opposite grade 300, or on the planetary color of cosmic radio-waves in accord with the magnetic battery, in this case functioning at “cosmos”.

Lastly, verify that the compensator finds itself well in “phase” with the corresponding lunar month.

The emission at the center of the figure of the Bomb is very active, especially when the irradiation is done directly on the patient, that is to say, when the patient is present and in a ray close to the instrument, rather than when it acts on his witness.

One must not exceed, in irradiating, the time-value given by the disk-measure. Otherwise, it produces in the organism an accumulation of intense magnetic radio-activity which can have unfavorable consequences.

That is also a valuable precaution for the operator who might stay close to the instrument for too long a duration.

Since the accident occurring in 1957 to our friend and collaborator Léon Chaumery, we have discovered that the antidote of the radio-activity is the vibration Positive Green. This was the result of our research effort oriented toward:

- a) how to disimpregnate;
- b) cellular vibratory re-education.

The action of the Bomb C 30 is eminently an emission of micro-vibratory waves acting on a given organism, by the intermediary of a witness-relay, either hair, blood, or urine, etc. But in order for this action to have a maximum effect, it is necessary to satisfy two conditions noted above: disimpregnation and re-education.

6) Disimpregnation [58]

Before all vibratory treatment of cells, one must disimpregnate the last of the interfering vibrations that have a tendency to break the harmony of cellular equilibrium. One must not lose sight of the view that our cells are actually tiny assimilating oscillators with variable primary Hertzian resonators.

These resonator-cells are at the same time emitters and receptors of periods of the unique frequencies from each individual. The range of these frequencies is limited in space and can be expressed inversely in wavelength. These wavelengths are extremely tiny and of the order of tens to hundreds of Angstroms.

As everyone knows, wavelength is inversely proportional to frequency. If the wavelength, for whatever cause, diminishes its frequency of vibratory period, the wavelength will increase, and it will increase sometimes beyond the limits, endangering the existence of the cells subjected to this accelerated rhythm. This is the case of an intense impregnation of radio-activity. Invariably the perturbed cells vibrate on a frequency higher than their fundamental state. It is necessary to reduce their vibratory rate to the base, and that is the principle of disimpregnation.

In the Bomb C 30, this disimpregnation is obtained on the frequency of Positive Green which we express G+.

The witness-relay of a subject in radio-active disequilibrium is placed in the chamber of irradiation of the small interior sphere, the instrument being set to Positive Green and oriented along the magnetic North-South axis.

It requires around two hours, sometimes more, to obtain a lowering of the rate of radio-activity, and reducing this rate below the threshold of danger, which is at 65%.

In order to control the effect of disimpregnation obtained with Positive Green, we utilize a disk calibrated at 100% and upon which are inscribed three thresholds.

1. Threshold of treatment: 0 to 30%
2. Threshold of surveillance (to disimpregnate): 30 - 65%
3. Threshold above which there is danger: 65 - 100%

One need not worry if someone in the course of treatment attains or even surpasses the first threshold of 30%, because all emissions of vibratory order produce radio-activity, especially if one utilizes the frequencies between infra-red and ultra-violet. What is equally important to know is that an individual tainted by cancer, for example, emits a natural radio-activity, inherent in his illness and of which the content can vary between 75 and 100%. It is necessary then before all vibratory treatment commences to give prolonged irradiation on Positive Green. It is only after this preliminary intervention that it is possible to treat the patient with a ray of which the frequency corresponds to a progressive return to cellular equilibrium.

7) Protection against the radio-active effects of emitters of shock waves and of Bombs C 30 simple and C 30 “Cosmos”. [59]

So there you have the essence of our three instruments: shock-wave emitter, Bomb C 30 simple, and Bomb C 30 “Cosmos”.

One must not believe, however, that we have said everything, or that there remains no more to discover about their possibilities. We are sure that

we know hardly enough about these captured, little understood, invisible forces.

The emitters act to completely ionize the radiations of the atmosphere in the laboratories, especially when they are connected to the cosmo-magnetic forces of which the energetic reservoir is inexhaustible.

These radiations are so much more dangerous than any others are. Instruments of physics, as sensitive as Geiger counters or scintillators, cannot reveal their existence. Also, one would be quickly tempted to deny their existence if their reality were not revealed by the undeniable effects, especially by the bombardments of gamma-emulsion films (see photo) in which the reader will be able to admire the test calibrations inserted in this work that record the tracks and flight of the moving particles.

Yes, it is certainly a matter of radio-activity, but of a radio-activity that does not resemble anything known by physicists and which is on the order of the electro-magnetic. This is why the most sensitive instruments and apparatuses of the physicists remain silent before these manifestations.

We find ourselves here in the presence of a *pure magnetic energy*, of which the order of amplitude is millionths and billionths of electron-volts, while known radio-activity releases energies which measure in millions of electron-volts. For the mesons and hyperons, it is in billions and tens of billions.

Also, in a nuclear reaction, physicists estimate as completely negligible, the magnetic forces that apply between two magnetic moments of two particles in collision, and that vis-à-vis the power of the nuclear forces themselves.

This is perfectly exact, but it is not less true that the pure magnetic force, taking into account its minute energetic potential, still exerts and influences energetic phenomena with a formidable power.

And it is this purely natural force that our emitters capture. It is necessary, therefore, that every operator utilizing our instruments take precautions for his security, and this security concerns periods of work and of repose.

Relating to these matters, here is what to do:

For the shock-wave emitter:

- a) Regulate the mobile disk on Positive Green;
- b) Raise the cosmic and magnetic antennae of the piles;
- c) Put security fittings on the glass parts of the two batteries with appropriate locks;
- d) Ground to earth the locks of the glass parts;



Impression on gamma-emulsion film obtained in the Bomb C30 equipped with its interior spheres and with a battery of Alnico magnets oriented East-West.

For the Bomb C 30 and Bomb C 30 “Cosmos”:

- a) Place the selector, corrector and spur of the equatorial belt on Positive Green;
- b) Place the instrument after use in a locked wooden box lined on all interior faces with sheets of glass, forming a Faraday cage and connected to a ground
- c) Lock to the glass all the piles with ground in order to neutralize lateral radiation.

Even during the work period, the piles can remain locked, but it is necessary to keep watch over the North orientation of the magnetic pile. Be sure that the superior part of the cosmic pile not be obstructed, but free from all shielding. Otherwise the instrument would be mostly neutralized, if not completely, from the input of its most important energetic source. Anticipate this circumstance with a protective screen of glass and grounds, isolating particularly the South and West areas. The area being favorable in a particular way, one can only partially isolate the West, the preferred area for the operator doing the manipulations.

8) Vibratory re-education of the cells [61]

With the disimpregnation done, it is possible to proceed to a vibratory treatment in order to re-educate the cells and to leave them at a normal frequency, a frequency that they are found to have naturally, and in which they bathe again in a balanced electromagnetic field.

One must not lose sight of the fact that every living cell is not only a veritable oscillator with the most perfect mechanism, but also the most delicate, and most vulnerable. It does not amount to true knowledge of the life of the cell to simply identify separate parts like protoplasm, nucleus, etc. To know their physical, chemical, and physiological properties, it is necessary to study the incidence of the reactions in the exterior medium and that of the media between them, and the intensity of the influences of each factor: light, electricity, magnetism, radioactivity. In the small world of the cell, a phenomenon of the greatest intensity might seem to us at our human scale to be only negligible.

This is why research into causes of cancer, for example, and that is to say of the cellular anarchy of the disequilibrated oscillator, must be pursued to its source in order to know this life of the cell intimately. We must also come to know its sensitivity to the reactions of the external milieu in which it lives. This frequency of equilibrium or balance, which permits it to come into existence, to develop, to mature, to work at its reproduction and the benefit of the collective organism of which it is a part, exists within very narrow limits.

On this side and the other lurks disequilibrium and, through reaction, an evolution toward death. The problem is then of maintenance of the equilibrium or of reduction to the state of stable equilibrium assuring a course of normal existence.

It is in this direction that all vibratory treatment acts with cautiously calculated rays, but the duration of their emission is variable and lasts between several tens of minutes, several hours, or several days, according to the nature and gravity of the ill patient, and the function and temperament of each individual. It is necessary, however, to be extremely prudent in the sector of Negative Green, between the White and the Black.

9) Effects of the shape-caused emissions at a distance [63]

We have seen how we protect from radio-active emissions emitted by our shock-wave emitters and the Bombs 30, in order to neutralize their effects in the laboratories where they function, as much during the work period as of repose.

We have also indicated the danger in changing the durations of irradiation given by a disk for measuring, and the bombardment of the witness-relay in a place close to the patient.

We would now like to draw the attention of the reader to irradiations at a distance.

So that the processes of the action can get underway, to embark, it is necessary that a link of resonance be established between the ill patient and the emitter producing and transmitting to him the vibratory emission via the intermediary of his witness-relay. Should there be a problem with this link, the emission does not “stick” upon reception.

All the cells of a living organism vibrate on a clearly determined frequency that is unique to each individual. It is this state of stable equilibrium that constitutes a perfect health in its most absolute sense.

Should this equilibrium be modified more or less, sickness rapidly ensues. The action of the Bomb C 30 has precisely as its goal the re-establishment of the state of equilibrium through a wave emission of which the judiciously calculated vibration supplements any shortcomings of a deficient organism.

This action can be perfectly efficacious at a distance, under the condition, however, that the witness of the patient is bombarded with his own health-frequency.

This frequency establishes a field of stable waves between the emitter and the person who receives the re-equilibrating vibration emitted by the bomb. This again raises the law of resonance (Note that amplitude or Doppler

effect which we will discuss later does modify the intensity of the emission); it produces in the organism submitted to this action a “gap”, and we find there, a veritable natural circuit breaker. The vibration no longer “sticks” because of an error of resonance and of amplitude.

On another plane, the dynamic action of the Bomb C 30 resembles the dynamism of homeopathic succussions. These repeated succussions have the power to invert the effect of the products thus treated. Above a certain dilution, there remains no chemical trace of the product, but only the energetic effects acquired by the dynamism of the succussions.

Thus, one curatively utilizes venoms or chemical poisons for healing; they were previously fatal in their natural and normal poisonous state.

For example: the venom of the viper and “vipera”, arsenic and “arsenicum”. The gas yperite and “ypericum” and so it goes, because theoretically, the inverses of all noxious products go towards the curative direction of their own chemical action.

a) Compensation of amplitude: Doppler effect

If an operator or patient treated by the intermediary of his witness-relay is in close proximity to the emitter, he receives a maximum of vibratory amplitude, and this constitutes a danger of overexposure if the times of irradiation are not strictly observed.

Overexposure is not a danger when the operator and subject are not found in the immediate field of the emitter, and even in this case, it is reasonable to anticipate an increase in the duration of exposure until “disengaging”, taking into account the inevitable diminishing of power due to the distance.

This is because of the Doppler effect, which we have indicated earlier. There can be differences of intensity in the reception of the emission because it is accomplished either in an immediate zone, a neighboring zone, or at a great distance. This is the reason to take into account the time of duration of emission. It will be lengthened for long-distance emission in order to take into account the apparent lowering of intensity.

On the other hand, closer observation is necessary for the emissions in the direct immediate zone.

We add that in the case of great distance, the importance of this caution is not as significant in shape-caused emissions, starting with a certain threshold, and that this is not a disadvantage.

10) Be careful: wise advice [64]

To end this chapter, we must put the reader on alert to the subject of emitters of shape-caused waves that we are going to describe.

The purpose of our communication about these instruments is intended to educate about the potential of the shape-caused waves for health maintenance. On this subject, it is necessary to be precise that the medical corps is, officially, the sole competent in the matter, and that what we have here cannot be a matter of substituting for medical treatment any conclusions that the reader might be forming.

The emitters of great power cannot be handled without impropriety except by persons competent in the matter and proven in the study of the shape-caused waves and their action on living cells. We advise against employing non-qualified persons who are handling these instruments out of simple experimentation or curiosity.

A deep study of the problem of the shape-caused waves and of their action is indispensable before being able to approach emission, experimentation, or even simple research. We would even add: especially the latter, for it is understood that many of these energetic forces being captured and handled are, in truth, practically unknown and unpredictable.

On the other hand, the small, less powerful emitters do not present the same unsuitableness and could be utilized without the same reservations, never losing sight of the theoretical insight that the question is the same, and that to obtain a specific result, it is necessary to be right about this question.

11) Radio-activity [65]

Before passing from this chapter about instruments and specialized detectors, we would like to say some words about the radio-activity that engenders and supports fear throughout the entire world, and in particular in the United States, where we find veritable fear psychosis.

It is of the electro-magnetic order and is found in its natural state in the soil in minerals and radio-active waters which are contained by the earth, and also in the atmosphere resulting from the incessant bombardments which our planet receives in cosmic rays.

This radio-activity is charged with alpha, beta, and gamma rays.

a) *Alpha rays* act like charged masses of positive electricity. They are the atomic nuclei of helium, or helium atoms deprived of their two peripheral electrons: their atomic mass is that of helium (4). They are charged by two elementary masses of positive electricity and their speed varies from 15,000 to 25,000 km/sec.

b) *Beta rays*, deviating in mass inversely and more strongly, are electrons or particles of negative electricity. Their mass is around 1800 times smaller than that of the hydrogen atom. Their speed varies from 100,000 to 300,000 km/sec. They have all the properties of cathode rays: in particular, each atom that they hit emits X-rays.

c) *Gamma rays* are unaffected by a magnetic field, and are specifically electromagnetic waves, analogous to X-rays of a very short wavelength. They are very strong and are emitted by atoms of radio-active bodies hit by beta radiation. Their speed is that of light, around 300,000 km/sec.

Every radio-active body is a constant emitter of energy and this energy is measurable by way of the instruments of physics. Thus, a gram of radium sends out 132.3 calories of heat per gram per hour.

This radiant energy can also be registered in an audible way by Geiger counters. As much as is found in the natural state in the soil or in the air, radio-activity presents no danger for the human organism. It was in 1896 that the Frenchman Becquerel discovered radio-activity by chance. Since then, how the road has been traveled! Man in some 50 years has accomplished overtaking the secret of the atom and in bombarding the nuclei by rapid neutrons, to transform nature, even matter.

The fission of a nucleus of uranium, for example, accompanies an expulsion of considerable energy at the nuclear level of course. It is on the order of 50 times greater than “classic” transmutations.

This fission is accompanied then with an intense radiation of alpha, beta, and gamma rays, which completely disequilibrate the vibratory harmony of the living cell. Cells are now found to be contaminated by the most current sources of radio-activity: strontium 90, cesium 137, iodine 131, and carbon 14.

There is no going back. This radio-activity is strictly of the electromagnetic order and that is why it is detectable by way of classical physics instrumentation.

This is not the same radio-activity emitted by our emitters, which is purely magnetic, and it is why no instrument of physics can detect it. At least, this is the hypothesis that appears to be the most logical to us.

Indeed, we notice the presence of radio-activity with a Geiger counter; these effects are found in the presence of alpha, beta, and gamma rays. This presence is revealed by the “beeps” which are more or less rapid according to the intensity of the vibratory field.

The same Geiger counter remains silent, however, on the “radio-active accumulation” vibrations, detected by our measuring instruments conceived and based on our microvibratory method. These indicate “radio-activity”.

Here is an enigma; through our deductions we have begun to understand that it is certainly a matter of “phase” difference, but incident to the electromagnetic action. In summary, a pure associated and incident magnetic vibration.

Study of the work of M.M. de Broglie, Leprince-Rinquet and other physicists have influenced us to consider as real the existence of nuclear magnetism, accompaniment waves, micro-vibratory effects, and minute power, all undetectable by even the most sensitive of physics instruments.

And it is why we have given two hypotheses, to know:

- a) that our measuring instruments are only sensitive to manifestations of pure magnetism to the exclusion of electromagnetism;
- b) that this purely magnetic radio-activity action has so much more effect on the living organism; that its power is minute, and by consequence very near the capture-emission of the tiny oscillating resonators which constitute the cells.

For those cells there are two choices: whether to be destroyed almost instantaneously by electro-magnetic effects of high intensity, or to be only disequilibrated slowly but surely by induction, under the action of pure magnetism.

It is certainly thinkable that matter (macro-molecule) would be especially sensitive to the electric or electro-magnetic effect rather than to magnetism only, while conversely the living cells (men, animals, plants) must feel a disequilibrium in the personal structure through pure magnetism. Yet well-being is re-established in their harmony by this same magnetism, a double-edged sword.

Confirmation of this opinion came through a pathologic case published in the journals, regarding a young soldier. After having assisted in atomic explosions at Reggane, he died from destruction of white bloodcells, but no Geiger counter could register radio-activity.

The intuition of the medical corps influenced it to counsel members of the family of the dead man to submit him to “certain analyses”. What would this analysis prove since using the physicist’s instruments reveals absolutely nothing about radio-activity?

Taking everything into consideration, we conclude that research should be oriented on pure magnetism.

12) Influence of the moon on emitters [68]

We have seen, in the chapter on shape-caused waves, that by day the solar rays have full play in the constitution of the energy of the shape-caused

waves, and by night the accumulated rays are recreated by the terrestrial radiation, which the emitters capture.

To this radiation one must add another: the magnetic influence of the moon. This influence is particularly perceptible after sunset. It shows a variable magnetic coefficient as a function of its eccentric orbit around the earth, the periods of solar eruptions, and, especially, the quadratures.

Of course, between the moon's rising and setting, defined hourly and locally by the almanacs, the influence is maximum, but it varies according to the position of its current phase. We have recognized by experience that:

From the new moon and progressively until two days after the full moon, the magnetic influence is favorable, to the maximum during the full moon.

From the third day after the full moon, the influence reverses and becomes clearly unfavorable. However, the magnetic coefficient diminishes progressively during this last period, and the unfavorable effect correspondingly diminishes. It does not stay less than the other causes of variations of the coefficient's subsiding, and there are all the other variables to take into account.

The Chinese knew this peculiarity affected Acupuncture considerations for handling the meridians. The moon has a strong influence on the Yin in particular.

The Bomb C 30 is very sensitive to magnetic influences of the moon and it is in order to take that into account that it is equipped with a "magnetic corrector" and a "magnetic compensator". This compensation brings it a constant emission of the average coefficient. But the unfavorable period cannot be compensated, and it is something to remember for the nightly emissions.

PART III: THE DETECTORS

1) The Universal Pendulum [73]

To conduct precise experiments, it was necessary to possess an instrument based on the laws of physics that would be at the same time an emitter and a receptor of rigorously calculated vibrations. To satisfy these requirements the Universal Pendulum was invented in 1936 by Léon Chaumery and A. de Belizal. In the opinion of numerous specialists, the creation of this detector marked an important date in radiesthesia work and its advancement towards a sure technique that could one day transform our art into a true science.

The Universal Pendulum is made in the form of a carefully balanced sphere, 60 mm in diameter, and weighing 125 gm.

This sphere shows two meridians, one electric, the other magnetic, and an equator sensitive to electromagnetic vibrations. (See Figure 13-I.)




Figure 13-I: Universal Pendulum, showing magnetic and electric meridians, equator, North and South Poles; interior features include diamagnetic metal inserts at opposite sides, and pile of four hemispheres.

A non-ferrous metallic handle links the two poles + and —, and its mobility permits explorations of all the marked points of the sphere. (See Figure 13-II.)




Figure 13-II: Universal Pendulum, showing its curved frame for suspension and selection, equator, and winch on the suspension cord. North Pole to left, South to right.

On this handle is fixed the suspension cord in such a way that it can slide from one pole to the other.

Moreover, in order to give the detector stability, it is equipped with a pile of four elements that reinforces the polarities while at the same time preventing them from inverting due to the action of some more powerful shape-caused wave. The principle of two opposed diamagnetic masses, fixed at the equator, assures the vibratory stability of the great circles and of the entire sphere, suppressing the spiral vibratory effect.

The electric meridian carries on its upper (superior) hemisphere seven color vibrations, the complete visible spectrum: red, orange, yellow, green, blue, indigo, violet, ultra-violet, white, Negative Green. In the lower (inferior) hemisphere the electric meridian emits five invisible color-vibrations: ultra-violet, white, Negative Green, black, and infra-red. (See Figure 13-III.)




Figure 13-III: Universal Pendulum, showing electric meridian

The magnetic meridian also shows the seven vibrations in the superior hemisphere of which four are visible: Positive Green, blue, indigo, violet; and three are invisible: ultra-violet, white, Negative Green. The lower hemisphere contains five color-vibrations of which three are visible: yellow, orange, red, and two invisible: infra-red, black. (See Figure 13-IV.)




Figure 13-IV: Universal Pendulum, showing magnetic meridian

Only, then, the lower hemisphere of the “electric” meridian carries the complete vibrations of the invisible and particularly those which have been designated by convention, Negative Green, and that because it is situated at the opposite from Positive Green of the spectrum.

Negative Green is a mysterious vibration radiating exactly between the white and the black and which has the property of making a neutral detector circle negatively to the left when submitted to its action. It is the shortest vibration and the most powerful existing in the universe. It is so powerful that it passes through thicknesses of lead that are considered effective in screening against X-rays.

This vibration was discovered in 1934 and made the object in 1936 of a patent that protects all the instruments and methods of “separation of the spectrum in the sphere”.

If we now pass to the study of the equator, we notice that its characteristic is to vibrate on all the electromagnetic beams, and that it has 12 divisions, seven visible, and five invisible, with this particularity, that Positive Green of the equator coincides with the Positive Green of the magnetic meridian (Figure 13-V.)




Figure 13-V: Universal Pendulum, showing grades of the equator and the full spectrum of Negative Green.

The three radio-active planes of the universal pendulum meridians and equator constitute a harmonious equilibrium and a perfect synchronization of the separation of the twelve equidistant color rays.

The Universal Pendulum, such as it has been conceived, is an ideal receptor-emitter as much for research in the field as for laboratory studies. There is, moreover, an important particular sensitivity in every sector touching on radio-activity, whether natural or artificial.

This sector of radio-activity occupies divisions of the Negative Green part of the spectrum, and here are the vibrations which we have identified, and which figure on the equator of the Universal Pendulum (See Figure 13- V.) Between Negative Green and black are these rays:

Rays	–Green	α	β	θ	X	ν	ζ	Black
Grades	0	5	10	15	20	25	30	33.5

Between Negative Green and white, these rays:

Rays	– Green	ω	ρ	ψ	λ	χ	υ	White
Grades	0	395	390	385	380	375	370	366.5

The factor determining the rate of radio-activity must be known nowadays, especially in these times of the folly of man’s becoming sorcerer’s apprentice and contaminating the pleasant terrestrial atmosphere by continuing nuclear explosions at high altitudes until they destroy the magnetic belt protecting the earth from terrible solar radiations.

a) *Detection of noxious waves.* In order for the Universal Pendulum to obtain the given three precisions concerning radio-activity and particularly the noxious waves, it is most important to insure that the suspension cord length is precisely indicated on the detector, and to place the mobile handle to indicate the values identifying the waves. This length of cord is indicated in the case presented by “Radio-Activity” followed by a number in millimeters; the length of the cord will be accorded to this number.

With this calibration, it will be possible to detect noxious natural or artificial waves or even the ambient and accumulated radio-activity, and their impregnations on a person or his witness; likewise for detection on a plan.

Among the recognized identifications we can show:

5 grades: α ray = faults in the subsoil with magnetic emanations

10 grades: β ray = telluric water currents with magnetic emanations

15 to 25 grades: rays $\theta - X - \nu$. The consecutive electric fields of “electro-filtrations” of water in sand or rock. Noxious gamma rays from televisions

30 grades: ζ ray = radio-activity in all forms

The rays occurring between 370 and 395 grades identify toxicities due to electricity, whether atmospheric, high-tension lines, or neighborhood factories giving off electric emissions.

b) *Research on shortcomings and analysis.* The equator of the Universal Pendulum has 8 reference points: 13, 19, 25, 50, 55, 62, 68, 80 which correspond to 8 families of pure elements on the Periodic Table. They are in fact wave heights; and the number of turnings of the detector indicates the atomic number of the substances canvassed (see the Periodic Table of Elements) to graduate the cord in wave height, given on the equator of the Pendulum.

ANALYSES: [78]

c) *Potability of water* (each graduation must be made on the water analyzed).

Potable, pure water	Blue	7 turns	negative
Potable, mineral water	Indigo		
Potable, charged with noxious waves	Infra-red		
Animal particulates (boiled)	Ultraviolet		
Nonpotable, decomposing vegetable Particles	Violet		
Nonpotable, too much ozone	White		
Nonpotable, tainted, carcinogenic	Positive Green		
Nonpotable, radio-active	Negative Green		
Constituents, nonpotable	Yellow		
Dangerous, chemicals	Orange		
Dangerous, bacteria	Red		

Water: graded according to the four elements:

Rainwater:	Water, air
Mineral water:	Water, air, fire
Spring water:	Water, earth
Sea water:	Water, radio-active

Graded on the electric meridian (12 negative circlings).

Blue: normal

Black: brackish, bitter, salty (seawater mixed with sweet water)

d) Analysis of wines: graded on wine canvassed (here research on wines of Bordeaux)

White: natural wine modified by cuts with wines from outside the department.

Positive Green: Wine from the *midi*.

Ultra-violet: Algerian wine

Blue: natural ordinary wine, *vin du table*

Indigo: natural pasteurized wine

Orange: with chemical products

Infra-red: carrying products other than chemicals

Red: wine for not-drinking

Yellow: bad wine

Violet: worked of the season or lunar phase;
good nevertheless

Black: tannin

e) Analysis of Mushrooms. Vegetables. Gradations on mushroom analysis.

Comestibles Blue: Indigo (I = *très bon*!)

Uncertain, indigestible Yellow: Positive Green (G+ = aggravation)

Venomous, dangerous Orange: Red (Red = reject)

Analysis of Elements
of the Periodic Table of Mendeleyev
Graded by the 8 families and wave height (amplitude).
Columns: Atomic Number, Substance, Family

<i>N/Atom.</i>	<i>Corps</i>	<i>Famille</i>	<i>N/Atom.</i>	<i>Corps</i>	<i>Famille</i>	<i>N/Atom.</i>	<i>Corps</i>	<i>Famille</i>
1	Hydrogène x	13	18	Argon x	13	35	Brome	
2	Hélium x		19	Potassium x	19	36	Krypton x	
3	Lithium		20	Calcium x		37	Rubidium	50
4	Glucinium		21	Scandium		38	Strontium	
5	Bore		22	Titane x		39	Yttrium	
6	Carbone x		23	Vanadium x		40	Zirconium	
7	Azote x		24	Chrome		41	Colombium	
8	Oxygène x		25	Manganèse x		42	Molybdene	
9	Fluor x		26	Fer x		43	Masurium (1)	
10	Néon x		27	Cobalt		44	Ruthenium	
11	Sodium x		28	Nickel x		45	Rhodium	
12	Magnésium x		29	Cuivre	25	46	Palladium	
13	Aluminium		30	Zinc		47	Argent x	
14	Silicium x		31	Gallium x		48	Cadmium	55
15	Phosphore x		32	Germanium		49	Indium	
16	Soufre x		33	Arsenic x		50	Étain	
17	Chlore x		34	Selenium		51	Antimoine	

(1) Élément artificiel, régler sur 330 grades.

(1) Artificial element, measure on 330 grades

<i>N/Atom.</i>	<i>Corps</i>	<i>Famille</i>	<i>N/Atom.</i>	<i>Corps</i>	<i>Famille</i>	<i>N/Atom.</i>	<i>Corps</i>	<i>Famille</i>
52	Tellure		70	Ytterbium		88	Radium	80
53	Iode x		71	Lutecium		89	Actinium	
54	Xenon x		72	Celtium		90	Thorium	
55	Cesium		73	Tantale x		91	Brevium	
56	Barium x		74	Tungstene x		92	Uranium x	
57	Lanthane		75	Rhenium		93	Neptunium (2)	
58	Cerium		76	Osmium		94	Plutonium (2)	
59	Praseodyne		77	Iridium		95	Américium (2)	
60	Neodyne		78	Platine		96	Curium (2)	
61	Prometheum (3)		79	Or	68	97	Berkelium (2)	
62	Samarium x		80	Mercure x		98	Californium (2)	
63	Europium		81	Thallium x		99	Einsteinium (2)	
64	Gadolum		82	Plomb x		100	Fermium (2)	
65	Terbium		83	Bismuth x		101	Mendelerium (2)	
66	Dysposium		84	Polonium x		102	Nobelium (2)	
67	Holmium		85	Astate		103	Lawrencium (2)	
68	Erbium		86	Radon		N.B. — Les x désignent les principaux constituants du corps humain.		
69	Thylium	62	87	Francium	80			

(2) 93-100 artificial elements, 360 grades

N.B. X designates principle constituents of the human body

(3) Artificial element, 338 grades

For all these analyses it is recommended to use a dial of the type of Dr. Naret, oriented to North magnetic.

g) *Vibratory emitter*. The Universal Pendulum is a receptor when it gyrates over a substance or a radiation to which it has been adjusted.

It is an emitter, by virtue of its pile of four incorporated elements, when the radiesthesist makes it turn at his will and with force, whether directly over some substance or in using a pointer-antenna in contact with a substance thus charged by the turnings of the pendulum.

It directly impregnates a witness in the direction of the turning, that is to say to the right (clockwise), but one rotation in the inverse direction annuls the emission previously emitted.

h) *Biometry*. Adjust the length of the cord on “Bio” (Biometry) indicated on the detector.

The detector gives indications and particular measurements for the potentials of living cells.

It indicates also the curative shape-caused ray for re-establishing vibratory equilibrium.

It turns to the right in accord with an illness-witness. To the left (inversely) on the remedy or the appropriate ray.

It is advised against making use of its emitting ability for biometric research on organs and anatomical charts, but this prohibition is offset by its very large sensitivity. For detection on organs and anatomical charts, it is preferable to use the Virtual Cone Pendulum, actually it is required, and we describe it below.

i) *Astronomical settings for radio-waves*: We mentioned cosmic radio-waves in the chapter on emitters, in the paragraph on the Bomb C 30 “Cosmos” (we urge the reader to refer back). The Universal Pendulum, in order to be put in accord with this detection and the following controls, must have its cord-length regulated on the photo of a planet, the sun, or the moon. Note this setting for future reference.

Here is the nomenclature of cosmic radio-waves that we have identified: the settings indicated correspond in grades on the equator of the Bomb C 30 or on the circle of the *Escargot*-selector described further on.

	<i>Grades</i>	<i>Radio-activité</i>	<i>Grades</i>	<i>Radio-activité</i>	
α	25	alpha	285	nu	ν
	110	—	340	—	
β	128	bêta	237	—	
	390	—	130	dzéta	ξ
	200	—	132	—	
	160	—	350	—	
θ	290	thêta	306	—	
	295	—	220	—	
	210	—	240	—	
	250	—	310	—	
	232	—	370	—	
	267	—	308	—	
	50	—	330	rayonne sur V	$\left. \begin{array}{l} (+\text{green}) \\ + \end{array} \right\}$
	60	—	150	rayonne sur I/R	
	320	—			
	15	—			
	228	—			

These radio-waves can be captured and re-emitted accompanying a shape-caused wave, for example: Negative Green or Positive Green.

2) The Virtual Cone Pendulum (See Figure 14) [83]

This detector also possesses universal possibilities since it is calibrated on all the vibrations of the visible and invisible spectrum.

It consists of a cylindrical wooden shaft, cone-shaped at each end. The color vibrations are marked on the flat side of the cylinder. A flat, circular slider, of a calculated dimension so as to relate to the shaft, slides on the shaft. Along the depth of the shaft by relation to the mass on which it traverses, one obtains a Virtual Cone more or less short or more or less long.

The value of the emitted vibration is instantaneously read on the shaft, which is graduated in wavelength.

Figure 14: Virtual Cone Pendulum
 Cord knots from the bottom:
 Biometry, Shape-caused rays, Color rays

This small laboratory pendulum is precise, particularly for biometrical research and diagnostics and on the anatomical chart.

It is possible to tune this pendulum to the wave of a person. We refer to the “personal wave, the astral impregnation which follows each human being from his birth until his death. In detecting with this colorimetric, tuned pendulum, one is infinitely less likely to make errors.


But this detector possesses also properties of separation of waves, provided the suspension cord is correctly set as to the length of the cord, three calibrations marked by knots.

The first knot (at the bottom) corresponds to the calibration in biometry, which is also known as the “astral wave”.

The second knot (above the preceding knot) is a special marking of the “shape-caused ray” (shape-caused waves).

The third (the highest above) is uniquely sensitive to “color-waves”. It responds to emissions of *visible* colors.


Each type of wave is thus easily selected; and on each of these calibrations, the detector reacts only to the type of wave for which it is set, or else really weakly, in contrast to genuine circling and to the distinct starts of specialized adjustments.



3) Infra-red/ultra-violet detector
(Figure 15) [85]

Détecteur
IR·UV

Figure 15: Infra-red/
ultra-violet detector



On the “radio-active” section of the spectrum from infra-red to ultra-violet, we have discovered a number of rays whose frequencies have been of interest in the better-known branches of research: physics, radio-activity, cosmic waves, stratigraphy, biology, noxious waves, etc.

To solidify the research in these domains and go further, it is necessary to create a new detector, specially conceived for this work and subdivided for precise detection, without error, and without risk of autosuggestion by the operator.

We believe, being upstarts, that we have such an instrument in the infra-red/ultra-violet detector. It possesses an increased vibratory field, but is limited to emissions only of the radio-active spectrum.

This detector is composed principally of an octagonal rod around which slides a matching octagonal flat piece whose role will be indicated further on. The shaft has at each extremity a cone with the cord affixed at the ultra-violet end. The cord has four knots of adjustment that correspond to the four vibratory ranges shown below.

We have inscribed on the octagonal rod:

5 frequencies: infra-red, black, Negative Green, white, ultra-violet

4 vibratory ranges containing six subdivisions, on each of the 8 faces of the cylinder: 24 vibratory points in all.

1 subdivision of infra-red

Total number of identified rays:

5 frequencies

24 sub-divisions

1 sub-division of infra-red

30 X 8 faces = 240 vibratory points, going from infra-red to ultra-violet.

The conjunction of the octagonal rod and the different rays is obtained with the aid of the flat octagonal slider. One of the faces of this flat piece is entirely stained in black, marking it. This mark must always be placed on the face of the shaft concerned with the particular area of research. The flat piece is maintained at the height of the chosen ray with the aid of a copper axle serving to secure and support the slider. Since there are 30 rays, there are then 30 holes.

First, with a cord-length setting where each of the four knots corresponds to one of the four ranges of frequency; and second, with an adjustment hole for each fixed ray for the axle of the slider, we have a precise and stable detector. It is of incomparable sensitivity when correctly adjusted, and remains totally inactive in the contrary case.

The rays of 25 sub-divisions are inscribed in Greek letters. Each of the 8 faces of the octagonal rod relates to the following and is selected by means of the black sector of the sliding disk:

- Face No. 1: work on the frequency pure infra-red, black, Negative Green, white, ultra-violet
- 2: cosmic waves, cosmic radio-waves
 - 3: infra-waves, noxious telluric waves, water currents
 - 4: rupture of telluric force, faults, cavities of the soil
 - 5: biometry
 - 6: radio-activity
 - 7: ultra-wave spectra of frequency sub-divisions
 - 8: diverse analyses, geology, stratigraphy

The suspension cord carries, as we have already said above, four knots that correspond to four ranges of frequency, each of them separated by a black mark 5 mm. thick.

The first knot, that is to say, the shortest cord-length, concerns the frequencies occurring between infra-red and black: Infra-red spectrum.

The second knot, above, concerns the frequencies occurring between black and Negative Green: Negative Green spectrum.

The third knot concerns the frequencies occurring between Negative Green and white: White spectrum.

The fourth knot concerns the frequencies occurring between white and ultra-violet: Ultra-violet spectrum.

The hole for adjustment serves as lodging to the copper axle found always under the designated ray, which must be totally masked by the flat octagonal piece.

Here is the nomenclature in Greek letters of the 24 rays of sub-divisions, being six per range, plus the sub-division of infra-red. Beginning at the top in the ultra-violet sector, we find successively:

ELEMENTS: Ranges of vibratory frequency

Ultra-violet global frequency: AIR; Face 2; cosmic radio-waves

- π pi
- σ sigma
- δ delta (face 6 = iodine 131)
- $\omicron$ omicron
- ι iota
- ϕ phi

White global frequency: WATER; Face 2; cosmic radio-waves

- ϵ epsilon
- χ chi
- λ lambda
- ψ psi (face 6 cesium 144) Electric atmospheric (face 8)
- ρ rho (face 6 barium 140) High voltage (face 8)
- ω omega Radio installations (face 8)

Negative Green global frequency: EARTH; Television waves (face 8)

- α alpha (radioactive) face 4; telluric waves, cavities
- β beta (radioactive) face 3; telluric waves, water currents
face 6; carbon 14
- θ theta (radioactive, gamma) face 6; strontium 90
- X (radioactive, gamma) face 6; X-rays
- N nu (radioactive, gamma)
- ζ zeta (radioactive, gamma) face 6; cesium 137 artificial radioactivity

Black frequency of infra-red in superior phase

6	6 th	sub-division of infra-red; face 8; geology; stone, rocks, sandstone
5	5 th	clays
4	4 th	chalks
3	3 rd	sands
2	2 nd	alluvials, metals
1	1 st	(also called tau, τ) therapeutic mineral waters

Infra-red global frequency: FIRE

μ mu inferior phase division of infra-red, subterranean grottoes

BIOMETRY

Face 5, length of cord: second knot

The entire spectrum of Negative Green is radio-active. It is particularly utilized for the detection of cancer. The sector of neoplasms sits between Negative Green, the most serious cases, and the zeta (ζ) ray, less serious cases.

The evolution of healing always tends toward black.

4) **The Egyptian Pendulum** This detector is an exact reproduction of a sandstone pendulum discovered in a sarcophagus in the Valley of the Kings, and it is evidence that the Egyptians of the Pharaohs knew and practiced radiesthesia.

The classically elegant profile is, moreover, the most pure Egyptian antique style.

In order to obtain a corresponding equivalence to the density of the sandstone, this pendulum has been executed in Brazilian ironwood, and reinforced in the center with a rod of lead, which assures an average weight of around 22 grams.

The ironwood has remarkable intrinsic properties; it is unaffected by humidity, and it does not reduce in volume or in shape, a consequence of heaviness, and moreover is inert to saltwater; also it is well-researched in maritime construction for delicate pieces such as sternposts, propellers, and is preferred sometimes to bronze which eventually oxidizes. Ironwood does not oxidize.



Figure 16: Egyptian Pendulum

The pendulum does not radiate lead. Contrary to what one might suppose, this Egyptian pendulum does not radiate the wave of lead. The unique radiation of this form annuls the waveforms of metal.

Metal-witnesses. Periodic Table classifications. [91]

From another perspective, the presence of lead in the interior of the detector makes a witness; and by mental convention, the pendulum is very sensitive through synchronization with all sorts of metals. This is why it is perfectly possible to detect gold, platinum, copper, etc. by simple thought-waves. One perceives then that this pendulum is infinitely more sensitive than many others working in the same conditions.

With the same properties as those ascribed to the original sandstone pendulum, it radiates naturally, in combination with its shape, all the elements of the Periodic Table, even the last ones most recently identified.

Inverse spectrum: Oriented to the four cardinal points, it radiates:

to the North: Negative green

to the South: Positive green

to the East: red

to the West: violet

that is to say: for the same observations, this detector shows the inverse response from all the other detectors. Certainly the special particularities of this pendulum are due to the ancient inventors' combination and adaptation of its precisely calculated form.

Sensitivity to radio-activity: The Egyptian pendulum is sensitive without any special calibration to different radio-active rays from infra-red to ultra-violet, and more particularly to rays 5 to 30 which express radio-activity.

Presented to a test tube filled with acetate of Uranium (gamma ray), the pendulum reacts vigorously. This particularity facilitates research on substances or metallic radio-actives in the soil, such as uranium, or the detection of ambient accumulated radio-activity, even in its magnetic phase, that is practically undetectable by Geiger counters.

In consequence, it combines all the qualities or conditions necessary for the detection of noxious telluric waves, and that always without special calibration.

Biometry: In biometry it gives the personal astral wave and the vibratory rhythm for the base of each individual.

It possesses a particular affinity, and a large sensitivity for all biometric research, on the subject itself, or his witness-relay, and for all sorts of detections and measures.

Mental witness: Another aspect of this pendulum tuned for “mental ideation”, makes a witness of the object of the research with a frank sensitivity in its responses. It is so sensitive that it seems to have been created specifically for an intense mental action.

Abstract witness: Tests on a “Micrometer”, an instrument that gives confidential indications on the physical and psychic (morality, honesty, spiritual evolution, sense of the Divine when at the source) state, confirm that the Egyptian pendulum expresses the maximum of abstract radiation. Its use for research of this order gives individual, precise and rigorous indications on the “Micrometer”.

Emitter pendulum: If one voluntarily makes it turn, this pendulum will emit a Negative Green carrier wave, which permits charging by impregnation a piece of paper, an object, water, etc., of waves of a composing metal, chemical product or other, as well as an abstract wave or thought-wave, and of a color expressed mentally or held in the hand.

Conversely, one can disimpregnate the same witness or object of the waves with which it has been charged, by simply making the pendulum turn in the inverse direction of its charging. Normally the direction of charging is clockwise, and by consequence, the disimpregnation is in the inverse direction.

Neutral pendulum: Although ultra-sensitive and emissive, the Egyptian pendulum does not impregnate either the personal astral wave, nor inquiry, nor any kind of prior research nor successive emission, and one can thus work indefinitely without being preoccupied by any special precaution. Very rare are the detectors in this category.

In conclusion we have noticed that this antique Egyptian pendulum possesses stupefying properties certainly issuing from a secret formula which was held by the pharaonic civilization, inherited most probably from their distant ancestors, the Atlanteans.

While we attempt to solve the mystery and its formula, it becomes more and more baffling. Indeed, an amulet has been found of which the design and the description resemble the Egyptian pendulum on all points. It is the “Scepter of Papyrus” which, in ancient Egypt, seems to have been the symbol of several forms of life.

Two chapters of the *Book of the Dead* are dedicated to it entirely.

How do we assimilate this symbolism in our scientific epoch, and who gets credit for the same properties?

It remains to us to admire the symbolic genius shown in the Egyptian geometric science of the symmetry of forms, a science of the highest regard, and which we uncover, bit by bit, particularly with modern physics.

The Egyptians were certainly capable of capturing and transmitting universal energy by the intermediary of geometric shapes, and perhaps thus expressing their thoughts in communion with the Cosmos for which they held the secrets so well.

Esoteric geometry is the basis for their inspiration; we catch a glimpse of certain solutions even more subtle than those of our rigorous geometric conceptions. Yet they come together, in a certain manner, though they remain for us mysterious secrets.

The Egyptian pendulum will aid us to uncover some of their traces.

Following a laborious execution of numerous tests between correspondents at a distance of several tens of kilometers, our experiment of telecommunication (at a distance) succeeded, and it was repeated with success each time.

Each of the correspondents participating in these experiments was in possession of an Egyptian pendulum and a scale reproduction of the Great Pyramid.

This authorizes us to postulate, being given the possibility and reality of the facts, that the Egyptians would have had perfect knowledge of and use of a similar process for all their telecommunications concerning their official state messages.

This pure hypothesis lifts a corner of the veil on certain mysteries of pharaonic Egypt heretofore without solution.

We give the description of the telemagnetograph in the following section.

5) Telecommunications with the Egyptian pendulum and the pyramid

The Telemagnetograph (See Figure 17.) [94]

When the pyramid is oriented North face to magnetic North, it emits the gamut of the colors of the spectrum:

North face: Positive Green, yellow, and blue

East face: violet, indigo, ultra-violet

West face: red, orange, and infra-red

South face: Negative Green, black, and white

The last vibrations are detected closer to the vertices.




Figure 17: The Telemagnetograph
North and + Green at the top, MG = magnetogram

If we charge the summit of the pyramid by making the Egyptian pendulum turn above the terminal point, and that after having placed a square of blotting paper in the interior precisely at the center of the figure, we notice that the blotting paper becomes impregnated with Negative Green, the wave expressed by the base of the pyramid. This is the mummification wave *par excellence*, at the same time a carrier wave.

On the other hand, if we put a finger against one face or one of the sides of the pyramid corresponding to one of the color-vibrations expressed by it, and we charge the summit with the Egyptian pendulum in the same conditions as those preceding, we notice that the square of blotting paper is charged, no longer with Negative Green, but of the color-vibration designated by the contact of the finger.

Extending the principle to the other features, if we now place the finger precisely on an edge, a face, or side of the pyramid, we notice that the square of blotting paper will be impregnated by the wave emitted by this latter to that same place.

This is the first principle of emission by impregnation of a witness-relay. Now, when a second operator, situated at a point X in relation to the first, possesses a pyramid identically properly oriented, the square of blotting paper placed under it becomes impregnated of the same color-vibrations that were emitted from the first pyramid.

The experiment works at whatever distance the two operators (emitter and receptor) are located, placing a word-witness at the same time under their respective pyramids. The word witness contains their corresponding surname, first name, address, and whatever would effectively direct the emission towards the place that was intended (thought wave).

Then, with the aid of an Egyptian pendulum, the receptor can decipher the message emitted by his correspondent-emitter, the detector held waiting over the summit of his pyramid to be guided by the successive angulations towards a face or an edge, thus designating the emitted vibration.

While the finger is positioned in the designated emplacement by the pendulum, the latter immediately begins turning in accord.

This is the second principle: that of resonance of accord with the witness-relay on one part, and that of the receptor by the Egyptian pendulum, on the other part.

Finally, the blotting paper impregnated at a distance conserves its impregnations for a certain time, and it is possible to go back as many times as necessary for deciphering, on the condition that the square of blotting paper is found always in the interior of the pyramid.

All that just described and expounded can be translated in one word: "Telemagnetograph". We have chosen this term because it contains the elements of "telegraph" and "magnetophone", functioning systems that inspire and resemble the present experiment.

It is supposed that pharaonic Egypt utilized a system of this kind for telecommunications. This is what we have wanted to demonstrate, and we believe to have found here one of the Egyptian secrets reserved solely for

initiates of these people now disappeared, and who count yet among the biggest, the most scientifically evolved, of the era which preceded the coming of Christianity.

Language-code of emission-reception [97]

For the experiment, we chose arbitrarily to use the Latin alphabet in concordance with the color-vibrations, even though they were derived or adapted from hieroglyphic and Hebraic translations, because the “phonetics” of the alphabets are absolutely different from each other.

The term “alphabet” frozen in its etymologic concept becomes devoid of meaning, and it is probable that the Egyptians utilized the ideograms rather than the phonetics of their hieroglyphs, or more likely, a secret and initiatic code.

It is possible, taking into account our present knowledge, for us to be able to communicate like the Egyptians did. We have chosen to use a different ideological system, one rich in expression and old as the earth, certainly still known in times of yore along the shores of the Nile: the signs and decans of the zodiac.

Following the example of the hieroglyphs and Hebrew characters, each sign of the Zodiac expresses one of a dozen color-vibrations of the spectrum: 12 signs express 12 colors.

Alternatively, these 12 signs are positioned, no longer classically on a circle every 30°, but according to their expression on the pyramid (4 cardinal colors to 4 faces and the others on either side of the edges), one obtains a distribution on two positions: faces and edges.

The measure of the arcs of the faces and that of the edges is different as is the distribution of the 3 decans in each of the arcs. These measurements are referred by projection onto the pyramid, each of the points representing decans, and constituting a possibility of emission when a finger is placed there, as previously indicated.

We place thus $12 \times 3 = 36$ possibilities of ideographs that can perfectly express our language of telegraphic expression. The decoding of it is very easy, because in opposite manner to our alphabet, each ideogram contains in itself a complete and finite expression. Each point touched by the pyramid, by the intermediary of the decans and colors, becomes then expressive and constitutes a telegraphic message.

This is the system adopted for the Telemagnetograph, the ordinary chosen code of expression filling the condition that it be ideographic. There resides the mystery that we have not yet been able to elucidate. Here, then, is

revealed the functioning of the Telemagnetograph, of which all the figurative details are shown in Figure 17.

The square of blotting paper, white and virgin, named “magnetogramme”, and utilized for the experiments of emission-reception, measures 10 cm. on a side. Normally the two squares (emission and reception) must be issued from the same sheet, yet that is not obligatory. The correspondent, that is to say receptor, can use any blotting (or stencil) paper on the condition, that it be white, virgin, and of identical dimension.

The word-witness of the correspondents is constituted of a rectangle of white cardboard of 2.5 x 4 cm., carrying the inscriptions in Chinese ink and developed for about 20 minutes in a decagon.

It includes names, first names, and address of the place where the correspondent is during the emission. These two documents, elements of the base, are placed under the pyramid, as we have indicated above. There is no stopping of emission to observe; the Egyptian pendulum ceases its gyrations, by a characteristic “mumbling” or “sputtering”, when the complete charge of the magnetogram has been realized in the color-vibration indicated by the emission.

For reception, it is possible to take one’s time and even to do the decoding with as much time as necessary since the “magnetic telegram” remains impregnated. It can be disimpregnated, whether by the emitter at a distance, or by the correspondent-receptor by simply being turned in the inverse direction of the emission, holding the Egyptian pendulum above the magnetogram itself, or the pyramid if the magnetogram is in the interior. Either way works, for the emitter can easily annul its message at a distance for any reason.

After the experiments done by certain Parisian radiesthesists among us, it was revealed that the word-witness must be placed successively at the interior of the pyramid, then in front of the face or edge corresponding to the color-sign emitted.

On the other hand, if the emitter-correspondent has written the sign and figure emitted, all possible indecision on the part of the receiver is removed and we get a very clear reception.

When the inscription is made in pencil, it is possible to use the word-witness many times for successive messages because the inscription can be erased. The magnetogram can be impregnated with several colors in the same session and those are easily decipherable together in the order they were emitted.

This is truly a magnetic telegram, and in the experiment the impregnation received at a distance by the blotting paper lasts a week and then

progressively weakens. There is every reason to think that in using another material, paper stencil, or rod of ferrite, or even a magnetic strip of magnetophone, the magnetogram remains impregnated longer, perhaps, if not indefinitely.

One sees immediately the importance of a document that is decipherable at will, like a magnetic tape or phonograph disk. The only difference resides in the fact that this “memory” is not sounded, but is charged with coded vibrations, detectable only by radiesthesia.

For backup material the Egyptians would have been able to utilize either fragments of papyrus or simple pebbles, since we know that they can, under certain conditions, conserve a received impregnation artificially.

Completed experiments: Three experiments were finished last February. (Refer to the February 1963 issue of *La Radiesthesia pour Tous*.)

The first experiment dated the first of February between a correspondent citizen of the 12th Arr. of Paris (the same emitter for all experiments) and an inhabitant of La Varenne Saint-Hilaire (Seine).

Second experiment February 5 with another correspondent living in the 11th Arr. of Paris.

Third experiment 8 February with a correspondent of Nogent-on-Marne (Seine).

These positive experiments have served as tests for the moment.

More recently in May 1963, the magnetograph experiments have been equally successful in making the point:

10 May, Paris 12th Arr. with Nogent-sur-Marne.


17 May, Paris 12th Arr. with Nogent-sur-Marne.

19 May, Paris 12th Arr. with a correspondent of the 11th.

In each of these receptions, the receptor-correspondent had perfectly decoded the message with the sign of the Zodiac-color and decan exactly. It remains only to attribute a coded sign to each of the 36 recognized points of the pyramid in order to realize a true telecommunication, without any other material than a pyramid of cardboard or wood and an Egyptian pendulum.

The magnetogram remains impregnated for at least one week on the blotting paper support; the receptor-correspondent arranges all the necessary time in order to decode his document at his leisure.

A third person knowing the system utilized, can also without difficulty decode the magnetic document at his leisure, but always according to radiesthetic procedure.



PART IV: MEASURING INSTRUMENTS

1. Electro-magnetic Disk [103]

Escargot-selector: This instrument can be considered an enlargement of the equator of the Universal Pendulum. Calibrated like the latter in 400 grades, its divisions are much more precise and permit perception of the wavelengths of $1/400^{\text{th}}$ of the circumference.

It consists (See Figure 18.) of :

- a) a flat circular disk on which is found a fixed recessed shape of zinc called "*escargot*" (snail), and equipped with a compass for orienting the instrument to magnetic North during all research.
 - b) a second *escargot*-form, in copper, but mobile, called the "selector".
 - c) a search-needle mounted on a pivot, on which slides, either a flat disk in metal or a chromed sphere according to the object of the research, and aligned to the center of the figure of the *escargot* shape. The role of this needle is to explore the circumference calibrated in 400 grades and by consequence to materialize the vibration sensed by the detector.
- ad) neutral pendulum. (A Virtual Cone Pendulum is still necessary for most research indicated herein.)

Escargot-selector equipped with Principle Plateau [103] To measure a given wavelength to establish a vibratory diagnosis of deficient organs, requires:

1. Research with the aid of a Virtual Cone Pendulum regulated at "biometry". First, assess the astral, or fundamental, wave, as well as the vibratory rhythm of the subject who is the focus of the study. (The research on the astral wave must be done on the back of the hand of the patient. The vibratory rhythm is found on the base of the *escargot*.) These determinations made, place the search needle on the correct indication for the vibratory rhythm.

Example: gyration of the Virtual Cone Pendulum on the "blue" vibration and vibratory rhythm of the base is 270. The search needle is placed on grade 270 (See Figure 18.).




Figure 18: Escargot-selector, north to the left

2. Place the witness to test on the plate surmounting the search needle, and always with the aid of the Virtual Cone Pendulum regulated in biometry and on the astral wave, research the value of each organ in relation to the vibratory rhythm of the base.

Here is a real example, limited to two organs:

Case of Mme X . . . Astral vibration/color: blue


Vibratory rhythm of base: 270 grades

The Virtual Cone Pendulum is then set on "blue" and the search needle on 270 of the *escargot* (See Figures 18 and 18A.).

Normal vibration:	270 grades	Value	Deficiency
Bladder vibration	202 grades	$\frac{202 \times 100}{270} = 74.8\%$	25.2%
Difference	68 grades	270	
Urethra vibration	95 grades	$\frac{95 \times 100}{270} = 35.2\%$	64.8%
Difference	175 grades	270	

N.B. If the figure of vibratory rhythm had been higher than 270, that is to say, above the normal base vibration, the indication would have implied an excitability of the functioning of the cells of that organ, a process of organic taint in the body, of which it is urgently necessary to find the causes.

Figure 18A. Schematic representation of the case of Madame X.



The Virtual Cone Pendulum adjusted to “biometry” gives the *escargot*-selector great sensitivity. In order to make this adjustment, determine the color-vibration of an illness-witness by the gyrating of the pendulum on the resonating color. The color obtained, present the detector on an organ-witness and let it slip between the fingers to the length of cord necessary for a frank turning in resonance.

Mark the spot with a knot. The pendulum is now adjusted for “biometry” which will be constant for all research. The current Virtual Cone Pendulums feature this marking at the first, or lowest knot.

Functional Activity of Organs and Systems [105] The *escargot* is equipped with a plate. On the plate place a hair-witness, or blood, urine, etc., or more directly, a finger of the patient.

The detector, whether a neutral pendulum or the preferred Virtual Cone Pendulum, is adjusted on the color-vibration of the witness.

The selector (copper moveable *escargot*) is then presented on each “color”. Normally the pendulum must simply turn, the search needle being regulated on the figure in grades representing the vibratory rhythm of the base of the subject studied.

In order to obtain a attunement of the organ with the vibrations, it is not necessary to have witnesses of each organ; and since it is a matter of conditioned reflexes, a list of word-witnesses suffices; the only precaution to take is to place the copper selector on the graduation corresponding to each organ.

The list of types of organs or systems at 100% health is given in the appended chart. It can be used in place of all witnesses and was established using word-witnesses. Have it in front of you when conducting research and when successively placing the selector of the *escargot*, thus making conventional witnesses out of the organs or systems.

The search-needle being set on the vibration-rhythm of the base, if there is no deficiency, the turning of the detector will end, since it is in accord with the base (in the case of Mme X: 270 grades).

Disequilibrium is the difference between the vibration of the base (270) and the vibration found. In this case, the pendulum will have indicated an angle (on the left) more or less obvious by relation to the reference mark of the base. Canceling this angle by positioning the search-needle there will re-establish the gyration of resonance. The reading of the figure on which the needle has been positioned gives the angle of deficiency (reported in the example of Mme X above).

TABLE OF REFERENCE CALIBRATIONS [110]

Grades	Corresponding witness	Grades	Corresponding witness
31	Vitamins	150	Nasal Mucus
34	White Blood cells	154	Appendix
50	Hemoglobin	155	Stomach
55	Blood	157	Digestive system
57	Venous circulation	159	Cecum
60	Constituents of the organism	160	Stomach mucus
61	Bone system	163	Tongue
63	Veins	170	Duodenum
66	Breast	171	Assimilation
67	Circulatory system	175	Cardia
68	Skeleton	184	Rectum
69	Vertebrae	185	Pepsin
		186	Pylorus
70	Bone	189	Colon
80	Heart	190	Esophagus
85	Arteries	193	Small intestine
90	Myocardium		
92	Ventricle	194	Thymus
93	Aorta	195	Parotid gland
96	Endocardium		
98	Ear	196	Spleen
100	Immune system	197	Adrenals
101	Red cells	199	Lymphatic circulation
102	Pericardium	200	Glandular system
120	Trachea	201	Lymphatic gland
125	Pleura	202	Bile duct
128	Prostate	203	Liver
129	Organism chemistry	204	Parathyroid
130	Bronchia	205	Pituitary gland
132	Organism Exchanges	206	Adrenal cortex
134	Respiratory system	207	Pineal gland
135	Amygdalas	208	Parotid salivary gland
139	Larynx	209	Thyroid
140	Lungs	210	Interstitial gland

TABLE OF REFERENCE CALIBRATIONS (Continued)

Grades	Corresponding witness	Grades	Corresponding witness
211	Submaxillary salivary Gland	308	Uterus
212	Sublingual Salivary	310	Sperm
213	Ureter	312	Fallopian tubes
214	Pelvis	320	Placenta
220	Bladder	339	Sciatic nerve
225	Kidneys	340	Sympathetic nervous system
233	Urinary system	343	Sympathetic nerve
234	Sensory system	345	Sympathetic ganglion
		346	Rachidian nervous system
240	Hearing	349	Rachidian nerve
245	Skin	350	Spinal cord
250	Taste	353	Rachidian ganglion
252	Retina	358	Optic nerve
254	Olfactory	359	Vertebral column
257	Diaphragm	360	Peripheral nervous system
260	Periton		
266	Muscular system	367	Vago-sympathetic nervous system
270	Striated muscle	385	Vagus nerve
275	Abdominal wall	390	Central nervous system
285	Testicles	392	Brain
288	Epididymus	395	Medulla oblongata
300	Genitalia	398	Cerebellum
305	Vagina		
307	Ovaries	399	Menninges

Energetic potential of the cells [106] The same process is used as for functional activity, with the only difference being that the plate is replaced by the sphere. The detector utilized is always the Virtual Cone Pendulum, adjusted to “biometry” and on the astral color.

But as it is more a measure of capacity than the functional vibratory rhythm, the base-standard must no longer be established on the base rhythm, but on the maximum, be it 400 grades.

The separation in numeration divided by 4 produces the percentage.

In the example of Mme X:

Bladder: 320 to 400 = difference of 80 representing 20% drop

Urethra: 210 to 400 = difference of 190, 47.5% drop.

Toxic magnetic waves and radio-activity [107] Use the *Escargot*-selector equipped with the central sphere, and for a detector, use the Universal Pendulum, adjusted for radio-activity, attached to the device and set on Negative Green at the Equator.

The sectors of the *escargot* contain between 0 and 30 grades in one part and 370 to 400 in the other part, representing the rate of toxicity of both natural and artificial radio-activity.

If the Universal Pendulum turns when the selector is placed on one of these points, then there is the accord of resonance; the sphere is being charged by the witness-relay or by directly captured ambiance.

This indicates toxicity or rupture of the forces. Otherwise, if all were normal, the Universal Pendulum would either rest inert or oscillate.

It is the same for accumulated radio-activity. In the latter case one uses the Universal Pendulum always on Radio-activity, but on *Negative Green* of the *magnetic meridian* or on 30 grades.

The graduation-indices of toxicity change by 5-grade increments, the same on the Universal Pendulum as the *Escargot*.

The principal indications are the following:

5 grades = telluric toxicity from cavities or faults.

10 grades = noxious water currents.

Radio-activity accumulated or momentary is located in the entire zone going from 5 to 30 grades and the Greek letters indicated correspond to the official denomination of these radiations.

Radio-activity accumulated in the soil and the presence of Radon (emanations of X-rays) are located especially in the gamma area, that is to say in the zone comprising 15 to 30 grades.

The graduations comprising the zone of 370 to 400 grades are the indices of toxicity of electric currents, high or low voltage, or storms.

Finally, the indications carried in the margin, at the exterior of the circle of the *escargot*, are the indices of radio-active isotopes found habitually in the organism in the case of radio-active accumulation. This is the general case now because of all the experiments involving nuclear disintegration. One detects them in the same way as in research on radio-activity, but by setting the selector on each mark, and the finger or the subject-witness on the selector, near the sphere.

Curative waves [108] With the aid of the search needle, it is possible to find the favorable vibratory wave and curative emission on the witness-relay of the subject if one utilizes an emitter of vibratory waves by piles, or a completely different equivalent system, in particular the Bomb C 30, of which the *escargot*-selector is a valuable auxiliary.

The detector used must reverse the turning, in resonance and accord, as soon as the curative wave is detected.

To disimpregnate the noxious or radio-active radiations, the curative vibratory wave is invariably Positive Green.

***Escargot*-selector used as climatometer** [108] In addition to the properties already described of the *Escargot*-selector, it can be utilized as a *climatometer* for research in two different cases: ambient climate and personal climate.

The sphere of chrome-plated copper constitutes an ideal captor-recorder, an accumulator of human thoughts, true “memory” concerning the object of precise climatological research, this research expressing an agreeable personal climate for an individual.

The research can then present two aspects:

1. A study of local climate, the ambient climate, having as a corollary its principle factors: heat, light, wind, humidity, dryness, continental or maritime influences, etc.

2. A therapeutic and physiological value, personal climate for a given temperament, or on the contrary, its noxious and debilitating action on the organism.

In order to function correctly in research of ambient climate, the instrument must be oriented correctly: Positive Green face to the North, mobile selector and search-needle on the grade 200.

A neutral detector is then presented over the sphere, and it stabilizes itself after several circlings, by an oscillation forming an angle in relation to magnetic North, and corresponding to a color-vibration having the value of an ambient climate.

Note this angle in setting the mobile selector on the color-vibration expressing a well-defined category of climate over an extended zone. This climate, however, can actually not fit this or that subject, or this or that temperament.

To know, it is necessary to proceed to a second test:

The sphere-memory is charged with the vibration of the person who is the subject of this research. Charging is done by looking at the spherical captor while three fingers of the hand energetically grip it.

The detector is presented anew on the charge sphere, and after several gyrations, it is put to oscillate in a swing constituting a second angle to read. The search-needle, always on grade 200, is then presented to the grade corresponding to the second angle, and it is this grade that indicates the value of an ideal climate for the subject being examined.

It is easy to compare the two grades: ambient climate, then personal climate. Find the difference, and this is the negative value of an ambient climate in relation to the personal climate that is suitable only for the given organism.

The best climate is from violet, that is to say, from grade 300, and if the detector oscillates in the environs of 370, one measures an ambient ideal climate for the majority of the temperaments. They are the dry and healthy climates. On the other hand, the humid ambient climates are detected on red (100 grades) at yellow (166 grades), this latter vibration indicating a maximum of humidity. This is the case, for example, in the Ivory Coast.

By way of information we must add that it is possible to charge the sphere with Negative Green polarity, electric meridian, by the Universal Pendulum in wave height.

By making willful turning of the pendulum on this setting, the sphere's memory is impregnated with two vibrations: for one part the Negative Green carrier wave, and for the other part, a vibration X corresponding to the vibratory rhythm, or astral wave, of the person who impels the detector, or for whom the detector is moved.

We remember the example cited above, the case of Mme X, for whom the astral wave was blue. As soon as Mme X charges the sphere with her waves and having the Universal Pendulum adjusted to Negative Green, we easily find this vibration, but we also find a second: the blue, which is the vibratory rhythm of Mme X.

This is with a detector set on the blue that we obtained from the resonating gyrations, and not set on Negative Green, with which, however, the sphere was charged. In fact, directly or by the intermediary of an operator, the sphere-memory recorded mentally the personal emission of Mme X, which is

the blue. The Negative Green will not in this case have been the value of a carrier wave; it serves only as a vehicle for the astral wave of Mme X.

The sphere constitutes then a unique “memory” important for the charge of the person who is the subject for a climatological or other study.

We have very briefly indicated the possibilities that the user could obtain from the *escargot*-selector. This is an instrument of very great precision but which requires a long practice in order to get the maximum rendering.

N.B. After each occasion of research with the sphere, one must disimpregnate it by misting with a hot breath, as if cleaning a mirror.

For all detections the Egyptian pendulum is sufficient and advantageous.

2. The Biometric Ruler (See Figure 19) [112] The principle of this ruler derives from the emitter ruler as well as the *escargot*-selector.

It is constructed in the following way:

One part is a straight wooden ruler, refoldable on itself and carrying several biometric scales; the other part is a collection of emitter forms:

- 1) A fixed zinc lozenge, oriented on North-South axis
- 2) A second lozenge in copper; mobile, pivoting on the zinc lozenge.

Its function is that of a selector by displacement of the positive point.

The two lozenges, fixed and mobile, are centered on a disk calibrated in color-vibrations of the visible and invisible spectrum. The mobility of the copper lozenge authorizes, according to its position, a very precise orientation of color emissions in synchronization with the settings of the Universal Pendulum or the Virtual Cone Pendulum.

The rule itself includes:

1. A: a scale measuring blood pH in basic coefficient, alkalinity, acidity, as well as polarities.
2. B: a scale of biometric measured in per cent.
3. C: a scale of measures for arterial tension




Figure 19: Biometric Ruler

It is necessary, for its practical use, to place a finger or a biological witness on the zinc-copper emitter form, thus making it the object of the research.

Here are the instructions to observe for each scale:

a) *Scale A: blood pH* [113]

This scale is equipped with a steel cord, stretched between two fixed points and stamped with 14 divisions, each separated by 10 sub-divisions.

Two magnets, placed one each at the two fixed points create a magnetic field in the steel cord.

At the left, point 0, the magnet on its positive pole;

At the right, point 14, the magnet on its negative pole.

The point of equilibrium of the magnetic field sits at the middle, point 7: the acidity zone goes from 0 to 7; the alkalinity zone goes from 7 to 14.

The point of normal equilibrium of blood pH is theoretically 7.4, lightly alkaline with negative predominance.

Everything on the acid side [0 to 7.4] is of acid tendency and positive.

Everything on the basic side [7.4 to 14] is of progressively alkaline tendency and negative.

If the polarity, for a serious reason, would come to be mixed, the detector would signal immediately by shuttling back and forth between the negative and positive, and vice-versa.

In order to proceed to a study of blood pH one must present the positive point of the lozenge-selector face to the A scale. Then place on the Lozenge, either a finger or a biologic witness to assure contact with the object of the research.

With the aid of a neutral detector, or better yet with a Virtual Cone Pendulum, previously adjusted on the subject submitting to this examination, find accord; this manifests itself with perpendicular swinging above the figure corresponding to the basic blood coefficient and then the polarity.

As we have tried to demonstrate, the principle of this scale is based on the point of unstable equilibrium of the magnetic field of the steel cord. It is the vibration of the examined subject or of his witness (blood, hair, urine, etc.) that breaks the point of unstable equilibrium and influences it in one direction or the other: alkaline or acid.

b) Scale B, biometric measure in %

This scale has multiple uses, and is the most important of the three. It is situated in the center of the ruler and its graduation extends the length of the ruler; the two others occupy only a part.

It includes the complete spectrum of visible and invisible colors, with the stopping points on three of the four cardinal colors: red, Positive Green, violet. The Negative Green is the last stopping point at the end of the scale.

The scale has 100 divisions each of one centimeter, permitting precise measurements between two color-vibrations and thus establishing the energetic potential and valuation of vitality in percentage.

It is for this reason that the 400 classic grades have not been utilized; however, the numeric position of the colors remains proportionally the same.

On the circle: Red = 25, Positive Green = 50, Violet = 75, and Negative Green = 100 on the rule, corresponding to 100 grades, 200 grades, 300 grades, and 400 grades.

The copper inserts at these cardinal vibrations outline the stops of the swinging on the perpendicular, which the detector manifests for anyone in good health in its route from 0 to 100 on the scale.

These stopping points are similar to the North-South and East-West swings of the neutral pendulum acting on the *Escargot* and are called "crossing".

The system of the B-scale is excited by the emission of shape-caused waves from the lozenges on the disk of colors. This emission is of a variable vibratory frequency according to the angular displacement of the lozenge-selector, which (excepting certain cases studied farther away) must be oriented with the positive point in alignment with the B-scale.

The theoretical principle of the system consists of the following:

There is in the constitution of this scale, a combination between the shape-caused emission from the system of the shifted lozenges and the constant of the harmonic repetition of the swings of the pendulum on the sites of the fixed balancing points of the cardinal colors of the spectrum.

The constant of this harmonic repetition is just the vibratory expression of the subject in good equilibrium and health, and comparable to the geometric position of the “crossing” on the “circle” of the *escargot*, this value being proportional from 400 to 100 on the “right” of the scale.

On the other hand, it is easy to assure oneself of this constant and of its harmonics, by placing a wand of ferrite on the lozenge-selector, and regulating a Universal Pendulum on the violet (in biometry) color corresponding to the wand of ferrite. As everyone knows this vibration represents not only the ferrite, but also a human being in good health.

The Universal Pendulum circles several times, then to perpendicular swingings over each copper point, and so until the end of the ruler.

If one looks with precision at the undulatory nature of this phenomenon by the separation of the waves, one will utilize not the equator of the Universal Pendulum, but its meridians, which are specifically the separators of the waves.

Adjusted on the violet of the electric meridian (always in biometry), the Universal Pendulum commences to describe the gyrations until red, first point, swings on this color; then oscillates until at Positive Green, swings anew on this vibration; resumes its gyrations until violet, swings on the third point; and finally oscillates until at Negative green.

The swings correspond to each cardinal color. Adjusted on violet of the magnetic meridian, the Universal Pendulum will do exactly the inverse, replacing its oscillations by circlings and vice-versa, while keeping the same swings on the cardinal colors.

Such behavior can be translated thus:

A first zone, circular, positive;

Second zone, negative;

Third, positive;

Fourth, negative.

The points of swinging are the neutral points of transition.

This behavior, expressed in a different manner, actually proves the famous pendular waves of L. Turenne; and we have the proof of it by utilizing his detector with magnetized pointers.

We notice that the first zone gives positive vertical waves, and so does the third. Then the second and fourth zones give negative horizontal waves.

The equilibrium of these pendular waves in the four zones expresses harmony, the state of perfect health in resonance with the wand of ferrite.

It goes completely otherwise if one replaces the ferrite with the witness of an ill person. The swingings of the harmonics disappear in order to make place for the unequal stoppings, without resolution of continuity corresponding to the resonance of the state of the subject.

If the ferrite is removed and we retry the experiment with Turenne's pendulum with magnetized needles, we notice the presence of positive waves for the first 6 colors: black, infra-red, red, orange, yellow, Positive Green; and negative waves for the others: blue, indigo, violet, ultra-violet, white, Negative Green. This confirms that we knew already the polarity of the colors.

In the case of disequilibrium, even partial disequilibrium, we have seen that the constant no longer manifests itself as in the healthy subject. And in this case the detector stops on other intermediary points. These points will require interpretation in order to determine the cause of the disequilibrium and to attempt to remedy it, having evaluated the percentage of the deficiency on the scale.

It is possible to mark and note certain stopping points using the organ-witnesses or illness-witnesses. These points once detected always emerge constant for the same deficiency.

An illness-witness placed on the lozenge-selector will give accord of resonance with the examined subject on a point X of the B scale, the point corresponding to the organic deficiency of the said subject.

After treatment the patient must vibrate on the harmonics of the constant of health, that is to say on the cardinal colors: red/Positive Green/violet/Negative green — 25/50/75/100.

There you have the important principles for all the research on the B-scale.

State of health and deficiency of the organs. [117] With the positive point of the lozenge-selector facing the graduated B scale, the action of the detector follows successively on the cardinal colors and is based particularly on the ruler. If there are intermediate stopping points, those indicate either a passing deficiency, or a serious deficiency, according to the valuation in percentage of the case considered.

Nomenclature of the stopping points. Now that we have precision in one part, a rigorous labeling is always strictly personal and only valuable for any given operator. Each individual possesses a sensitivity unique to him and inherent

in his wavelength. Sensitivity is a matter of the resulting measure of the ruler on the stopping points, and those can vary several millimeters more or less.

It is necessary, then, that each operator establish his labeling prior to testing.

With respect to this example, it is possible for us still to indicate here the value of certain figures appearing more stable to us than others:

The points 3 to 15 are in resonance with interference-witnesses.

- 55 carcinogenic terrain
- 63 secondary cancer
- 56 leukemia
- 44 albumin
- 53 syphilis
- 54 bloody urine
- 63 excess cholesterol, secondary cancer
- 77 hepatitis
- 78 *glucose*

The impregnations of microbes are between 21 and 38 except for the stable glandular and nerve points indicated below:

Stopping points for glandular system

- 51 thyroid
- 53 pituitary
- 81 para-thyroid
- 85 pancreas
- 88 liver
- 97 adrenals

Stopping points of the nervous system: In order to obtain precise measurements concerning the nervous system, it is necessary to present the + point of the lozenge-selector on the different color-vibrations of the disk:

indigo	resonant with the peripheral and spinal nervous systems
ultra-violet	medulla
black	psychic
red	central
orange	sympathetic
yellow	vago-sympathetic
blue	brain, cerebellum, meninges

Here are the stopping points appearing stable and concerning the nervous organs:

- 18 sympathetic nerve
- 24 spinal cord
- 32 sciatic nerve
- 35 Vagus nerve
- 39 spinal nerve
- 45 optic nerve

If there is a deficiency of certain organs, there is an absence of swings of the detector on the cardinal colors. This makes it possible to detect an affliction even before it becomes activated, permitting intervention in time for prompt and efficacious therapy.

Study of blood and viscosity. [119] For this research the positive point of the lozenge-selector must be presented face to Positive Green of the color-disk; this vibration, itself, can be made to serve as a blood-witness in natural conjunction with a classic witness such as hair, urine, etc. It is, however, preferable to procure a true hemoglobin witness. Place it behind the center of the lozenge.

The blood state is measured on the rule between 0 and 100, and the viscosity by the swings on the cardinal colors.

The positive point facing white makes a witness for the white cells. The positive point facing infra-red makes a witness for the red cells.

c) *Method of testing plants and curative mixtures.* [120] It is possible with the B scale to test the value of medication and medicinal plants, whether alone or in mixture with others.

For this, the witness of the subject of the study is placed on the lozenge-selector. Charge this witness with ameliorating medication or plants.

Then with the aid of a detector, one can travel all over the scale from 0 to 100, and the value is given by a perpendicular swinging between 25 and 75, or sometimes directly on 100 if the remedy or plant is curative alone. That is, however, less frequent.

Thus one can examine allopathic or homeopathic medication, one plant separately or several species of plants at a time in mixture.

In the latter case it is possible to obtain either a very clear ascending indication with a tendency toward 100: mixture balanced and curative; or an inverse indication with tendency toward 0: mixture containing noxious, contra-indicated plants, which the researcher can then eliminate.

In the majority of cases a mixture of well-selected plants is often more active than the action of one isolated plant.

Here is the way to proceed for the preparation of a balanced mixture: if several plants studied separately seem favorable, an evaluation is necessary to make a useful choice. We have previously seen that the beneficial pendular indications are on 25 and its multiples.

We put them together in the same pile, all plants having identical value, and each of these groups constitutes a perfect homogeneous curative mixture. If we find several balanced mixtures at the same rate of valuation, each of these mixtures could be administered alternatively with common chances of success.

This example can simplify the procedure: Suppose that stomachaches resist several treatments whether allopathic or homeopathic. In the presence of these repeated failures we have decided to attempt a curative action by medicinal plants.

The biometric ruler on B-scale, we are able to say it is a deficiency of the digestive tract, but seemingly originating from a failure of the liver. The detector, after its stop-and-swinging on the three primary cardinal colors, has swung several times on 88, before directing itself frankly to 91 with definitive swinging.

We easily deduce that it is the stomach at cause for a deficiency of 9%, but the liver is clearly responsible. The proof of such diagnosis can be given with a biologically healthy "liver" witness placed on the division 88 of the B-scale. We notice when the detector no longer marks the stop on 88 and when it moves frankly to 100, there is perfect equilibrium.

In possession of this criteria, we test a certain number of plants likely to intervene effectively. We think of centaury, blessed thistle, hop, chamomile, *ményanthe*, chelidon, chicory, dogtooth, fumitory, gentian, hoarhound, basil, hawthorne, rosemary, licorice, marjoram.

The evaluation of each kind studied separately by placement in the lozenge-selector in contact with the witness of the patient, reveals to us six interesting plants, divided into two groups. The others give no positive reaction for the considered case.

rosemary, licorice, marjoram	evaluation 50
basil, hawthorne, centaury	evaluation 25

Then the two groups not having the same benefit index which, however, in contact with the witness of the patient on the lozenge-selector, charges each separately with a valuation of 100%.

We have thus made two ideal curative mixtures duly checked and able to be absorbed in tissues on alternate days with the quasi certitude that the patient will experience a rapid amelioration in his state of health.

With respect to the contra-proof: if we add to the first mixture (value 50) a plant from the second mixture (value 25), we obtain not more than 100, index of equilibrium, but a stabilization at points 25 and 50, that is to say, a return to individual evaluations of the group, because the plants do not constitute a homogeneous mixture.

If we now add to the first mixture (value 50) a contra-indicated plant X, we notice on the B-scale a negative value, reduced to 0.

Conclusion: in the first case the supplementary plant with a different value does not ameliorate the mixture, but it reduced its base value: 50 and 25. In the second case, the contra-indicated plant has been clearly noxious and has completely neutralized the curative effect of the mixture.

d) *Scale "C", measure of arterial tension.* [122] This last scale is made of a piano wire. Tuning is obtained through a tuning key screwed into the block. One of the points is fixed, the other regulated with the key.

The scale is graduated in 30 divisions, of which the figure 15 occupies the middle and vibrates with Positive Green. The complete spectrum of visible and invisible colors is distributed along the scale, on either side of Positive Green.

The principle is based on the resonance of emitted sound by the string when it vibrates. It is known that notes of music, perfumes, and colors have common frequencies in the spectrum of wavelengths. So, for example, the

essence of violet (scent), the color blue, and the fourth Si have the same vibratory point, which sits at grade 233.5 on our disk of color-vibrations.

We made this statement nearly twenty-five years ago, and it is why we invented with Léon Chaumery this curious instrument for study. According to the tightening or loosening of the piano string, all the vibrations are given in accord with the colors. When we removed this instrument from its base, we realized the C scale gave the measure of arterial tension.

And here we must add a note: Each living being receives, at its birth, a cosmic (some call it astral) impregnation which hardens itself into a unique invariable frequency sustained until death. It is this impregnation that constitutes the personality of each individual.

One could, by analogy, assimilate this vibration by digital imprinting, which, on the material plane, permits identification of each individual human being without any possible error: there could not exist two identical imprints pertaining to any two individuals born on earth at exactly the same time in exactly the same space.

This astral impregnation is called “Destiny” by the Orientals, because it is affected, in a certain measure, by beneficent or maleficent vibratory fluctuations of the planets to which it is tightly connected. Now it is to this personal cosmic impregnation we set resonance in order to measure the arterial tension and the material vibration that varies constantly according to the state of health of the living being.

This matter-vibration can oscillate on all frequencies of the spectrum, but it is violet that constitutes a state of perfect health toward which each must strive to reach.

But we examine the accord with the astral vibration. Suppose for a subject X that it is indigo, or an infra or ultra indigo. Using a Virtual Cone Pendulum set it precisely on this indigo frequency. By tightening or loosening the key, we make the piano string vibrate until it reaches the frank gyration, then a swinging on a color-vibration that corresponds to the desired setting. We obtain at this moment two harmonious vibrations: that of the detector and that of the piano string, and these two vibrations are in common with a third: the astral vibration to which the subject is “connected”, it being indigo.

Thus we have a perfect triple accord: personal vibration, piano string, detector.

We insist: cosmic personal vibration is invariable, and non-material vibration is subject to indeterminate variation.

In addition to this synchronized adjustment, it remains yet to measure the tension. For that the finger or the witness of the subject must touch the

lozenge-selector oriented either for maximum tension face to the C scale, or for minimum tension face to infra-red.

Then, with the Virtual Cone Pendulum set to explore the C scale from 0 to 30, the detector swings perpendicularly to the ruler at the two figures corresponding to the tension maximum and minimum.

Note these two figures which are easily readable, and which express the true tension of the subject.

We direct the attention of the reader to the fact that normal usage of the ruler can render the greatest services on the familial plane, but it can in no case be substituted for intervention of a doctor, the only competent and qualified person in this matter.

3. The micrometer [124]

A mysterious and confidential instrument, having possibilities for extraordinary psychic research, the Micrometer ought to have a place in the office of all industries, of all the chiefs of enterprise, of all the people finally, for whom these activities demand a constant call for personnel, from the highest echelon to the simple unskilled worker.

The properties are of three types: it can test the physical value of an individual, and then control his state of health. It tests the moral value of this individual, and this is very important. Lastly, it can be utilized for biometric measurements, to test remedies, the schedule for taking remedies, etc.

The principle rests on the angular refraction of the function of Unity, that is to say, the figure 3. It is commonly understood that the trinity equals Unity. And this conception, which is at the basis of Christianity, can equally be found under other forms, in all the esoteric doctrines taught since the highest antiquity to individual initiates in the secret temples of Asia, Egypt, and Greece. All the adepts of these doctrines attach a very great importance to certain mystic properties of numbers: the school of Pythagoras has insisted upon this point.

Considering the Trinity from this point of view, it is the application of divine essence to the law of three, which resolves itself in Unity, a law that the esoteric teachings uncover in all creations of Nature and thought, and to which occultists refer even today. We based our instrument on these fundamentals of Unity.

The micrometer consists of a rectangular plate at the center of which spreads out a wind rose of 270 degrees, separated into three fans of 90 degrees each. Each fan has a value of 1 micron (See Figure 20.):

- 0 to 90° = 1 micron
 - 90 to 180° = 2 microns
 - 180 to 270° = 3 microns
- So 270° represents ternary Unity.




Figure 20: The Micrometer, north to the top

At a right angle to the plate a disk of silver is embedded, serving to receive the witness to test. This is found to be in direct contact with the center of the instrument at the middle of a special assembly.

Each micron is graduated in tenths, and from 0 to 1 micron we test the physical value of an individual and that alone. From 1 to 3 microns we measure his psychic value. In order to function correctly the Micrometer must be rigorously oriented in the direction of magnetic north, and that is very easy thanks to the compass embedded in the base of the instrument. After having placed the witness on the silver disk, charge the detector (using an Egyptian pendulum, if possible) with its waves, making it gyrate at will above the disk for several instants.

This makes the pendulum report back to the center of the instrument and imprint a frank swing North-South, without having beforehand specifically added to the thought of the object of the detection, whether physical or psychic research.

1) If it is a matter of physical research, the swings of the detector take an angle to the right, corresponding to the value of physical health. Example: 4/10 micron, mediocre health. In the case of cancer, the detector oscillates immediately on 0 micron.

2) For psychic research (keeping the thought held), the detector will swing at an angle to the left of a corresponding value between 1 and 2.5 microns, which is generally a maximum reach. Indeed, in order to pass 2.5 microns, it is necessary to possess a spiritual elevation and a moral sense without flaw, qualities often little accessible to common mortals.

But the witness of a dead person in the fragrance of saintliness, or considered as such by the church, marks 3 microns. On the other hand, if in a test of psychic research the detector, rather than oscillating to the left between 1 and 3 microns, takes an angle to the right, between 1 and 0 microns, this clearly indicates that the moral qualities of the subject being examined are more than suspect, and that one must not in any case give him confidence. When a study is terminated, it is necessary to disimpregnate the disk before proceeding to another examination. This is done either by stroking it for several instants with a magnet, or by neutralizing the closed circuit, the finger of one hand touching the disk, the finger of the other hand touching the copper wire coming up through the plate on the north side of the instrument, opposite the compass. Or, even better: use a hot breath.

In later chapters we examine in more detail the possibilities of the Micrometer in psycho technique and in biometric measures that were only briefly explained above.

A) PSYCHOTECHNIQUE. It has been recognized that this instrument could render great service in psychotechnique in all its aspects, particularly for the research and selection of personnel for hiring.

Indeed, today, several psychotechnicians accept the collaboration of radiesthesists for research of statistics to complete the results of proofs and classic tests.

These evaluations must address three points: physical form, intellectual scope, and morality.

1. The physical form of candidates. [128] This is a matter solely of the physical form, which, in sports for example, conditions the general aptitude for the work considered.

All depends on this work and of enterprise, that is to say, of the milieu. In practice it is counseled to begin by establishing detailed norms, with the measures of many persons giving complete satisfaction in each of the different functions and for the principal types of enterprises.

But it can have been determined that manual labor, requiring a rather constant physical effort, necessitates an average form of 0.6 to 0.8 microns. While a regular activity in the office will be more compatible with a form averaging from 0 to 0.76 microns, sales outside requires from 0.8 to 0.9 microns.

One immediately notices that the elements giving the greatest satisfaction are grouped in these limits, confined by the function under consideration.

An inferior form is the index of insufficiency of efficiency or of regularity. A superior form to use denotes a maladapted, unsatisfactory person, who harmonizes himself badly with his surroundings.

The sector going from 0 to 1 micron lends itself nicely to these determinations provided that one take the measurements in the clear intention to evaluate the physical form for the envisioned function and to arrange a scale of norms, which it is easy to find with the Micrometer. The candidates acceptable from this point of view are those for whom the measurements fit with the established limits for the post.

2. Intellectual scope. [128] The classic tests permit the precise typing of intelligence, general tendencies, and the approximate reasons. But all function requires a determined intellectual scope, not to be confused with the aptitude in passing tests.

The notion of function is due to the late M. le Docteur Oscar Brunler, who published in the December, 1946, issue of the *Journal of the British*

Society of Dowsters, and article entitled: “Radiations and the Radiation of the Brain”. In this article he showed the benefit of a global measure of intelligence which he suggested be taken by biometry (his was only a simplification of Bovis with a ruler of two meters). This notion of intellectual scope was a true discovery and proof. We must also cite at this point in history MM. Servranx, of Brussels, whom we thank here for the information that they have given us concerning Psychotechnique.

On the Micrometer, the intellectual scope of a candidate reads between 0.8 and 1.9 microns. Here again it is necessary to prepare a scale of norms. It has already been established that commercial activities and sales are located between 1.3 and 1.5 microns. No salesman is possible below 1.3 microns. A superior scope from 1.5 to 1.7 is acceptable in the event that the subject must come into contact with specialists or developed clients (as in the case of sales technicians, specialists in domains asking for a particular formation or level of superior instruction, etc.).

For physical work, a span from 0.8 to 1 micron is acceptable, but if it requires practical spirit, *savoir-faire*, the norm will be closer to 1.2 to 1.4 microns. Executive functions require from 1.5 to 1.8 microns. An incursion in the domain of artistic sensibility places the artistic creators between 1.9 and 2.1 microns (for designers, illustrators, commercial artists, etc.).

We have been able to take into account that the most capable subjects in their activity were certainly those for whom the intellectual spread corresponded to the norms of their activity. A figure on the lower side sometimes permits adaptation (and the gradual awakening of interest, through practice). But a figure that is much higher is an indicator of a subject difficult to direct or to condition.

3. Morality [129] In the world of business, a measure of 1.5 to 1.6 is very acceptable for most commercial functions; well-supervised production work can be confined to those showing 1.3 to 1.4 microns. For treasurers and people in confidence, it would certainly be necessary to have at least 1.7 to 1.8 microns. This is otherwise difficult to properly establish in the absence of sufficient testing.

B) BIOMETRIC MEASURES. [130] As we have indicated at the beginning of the third chapter, the micrometer can successfully be used in biometry, putting a witness-relay or a photo on the silver disk.

Between 0 and 1 micron:

A good state of health calibrated between 0.6 and 0.9, rarely 1.0 micron.

A measure under 0.5 requires a little attention.

A lower measure than 0.3 is a sign of illness.

The remedies (or their witness) placed on the side near the photo, can be tested in the same manner. If they influence the initial measure and carry it toward 1 micron, they are favorable and curative.

Homeopathic dilutions are precise in their effect, some by rapport with others: a 3rd by relation to a 30th for example.

A treatment by radionic or shape-caused waves, etc., as well as the determination of the best hour for treatment, taking of the remedy, duration of action, etc., by pure mental orientation, make the detector evolve towards a higher or lower graduation in initial position according to the opposing considerations of resonance or not in efficacy.

In the case of non-fitness, the pendulum oscillates under the initial measure-limit and the inappropriate remedy is rejected.



1) Theoretical study and technique

This important and serious question of toxic waves (since they are at the foundation of much of the disequilibrium of health) has been treated many times by competent authors who have provided information and observations that can serve as a foundation for a completely new, although ancient science. We will show this in the following chapters.

We will not return, therefore, to the object of the question, already abundantly treated, and we assume it is understood by the reader. We remember that in our theory of “compensated forces”, evoked in the second chapter of the first part of this work, we pointed out that it is a matter of two orders of vibrations which must normally be in equilibrium in order that the living cell develop in harmony, the primordial condition of good health:

- a) The telluric force which spreads from the center of the earth and spreads to escape into the atmosphere. It is a negative force.
- b) The cosmic force, which comes from the cosmos, from our galaxy, from our solar system, and which constantly bombards the telluric force to neutralize it. It is a positive force.

We think that in the scientific interest of the question, it is necessary to specify the definition of the terms employed and to give a summary of knowledge to this day. We endeavor to do this in the following chapters.

The question comes up again from the various disciplines of geology, stratigraphy, geophysics, geomagnetism, astrophysics, electromagnetism, biology, and finally, physics itself, in its generality.

It is recognized that progress in science and physics can move in giant steps, and it becomes absolutely necessary to adapt and rigorously update our own theories.

A good portion of our homes (in a proportion we do not dare evaluate, it is so frequent) are submitted to the influence of toxicities. They come in all kinds, but each one of us only perceives the destructive effects according to his own sensitivity to disequilibrium, his vibratory nature in accord or not with the terrain, or even his personal heredity.

Sensitivity to perturbing effects is variable; for those of more resilient health, understandably, it appears to be not too harmful, and tends to manifest in, say, a less serious, unforeseeable incident: grippe, travel fatigue, lack of sleep, etc., the vibratory disequilibrium takes over, and that so often that we do not even question it. If it is not remedied at this point, medications cannot deliver any healing, and they are left completely ineffective in spite of science

and the most tested medical technique. Indeed, the specific nature of toxic waves is to annul, to neutralize all medication, and if it is thus, that is the test without further right of appeal to which the patient has been submitted.

Official medicine refuses to recognize that vibratory disequilibrium causes the disequilibrium of health. Its belief is that few cases of maladies called incurable can ever be ameliorated or healed. But how do we promote the truth since no physics instrument yet invented is capable of detecting these “ruptures of forces” that we recognize to be the origin of so many evils?

Nevertheless, the truth is there — this truth that has several faces and that no one can entirely possess. The day when a field of force rupturing the equilibrium will make the pointers of a dial deviate, this day Official Science will recognize the good foundation of our discoveries.

Yes, why does the knowing world not take a position to resolve this serious problem? The question however, seems now to be in the air since certain biologists and no less, physicians, and among them one quite illustrious, appear to want to be interested in radiesthesia.

Returning to the object of our study, we must define those subdivisions and examine them separately:

- Atmospheric fields
- Magnetic fields
- Electric fields
- Evolving fields
- Those electromagnetic partitions of the globe, Peyré rays
- Protections and detection on a map or plan (most controversial)

2) Atmospheric fields [135]

We find solar influence, but we will not address “rupture of forces” in this section.

Energy transported by the sun to the earth exerts considerable influence, and it has variable influences on the electromagnetic fields of the soil.

From the information we drew from the *Annual of the Bureau of Longitudes* (1963, Gautier-Villars Éditeur, Paris), we collected the elements for the following statements:

The sun sends us electric waves perceived by the radio stations as a form of parasitic or static interference; the same perturbations are observed in the automatic telephone networks.

It plays an important part in the daily magnetic fluctuations. This solar influence is also felt on the terrestrial surface, and most profoundly in its layers.

In summary, the sunspots transmit waves that, by their interference come to modify the average value of the electromagnetic field of the planet. Human oscillatory disequilibrium, a factor in illness, can be produced by a sudden modification of the electromagnetic field, the waves of radiation modifying the state of ionization and electric voltage of the terrestrial field.

We see further evidence that this modification is not uniform, but is essentially local, following vertical components expressed by the letter Z and by horizontal components expressed by the letter H.

The solar radiation directly depends on the height of the sun in any determined place, then the season, then the hour of the day, the latitude and the altitude of the point considered, as well as the meteorological conditions.

We have here an element of variability, which, taking into account the global radiation (sun and atmosphere) from all points of the sky, influences the terrestrial nocturnal radiation in a zone H in the neighborhood of the soil. As we stated in Chapter 1, during the night, the earth absorbs a part of the radiation that she received during the day and discharges the surplus back into space.

There exists, then, a “gradient” (not to be confused with the meteorological gradient) that is evaluated according to the season, and a function of the meteorological conditions of this season. In addition we examine a table of intensities of solar radiation; one notices that the average daily and monthly radiation goes from 0.03 to 1.25 calories/cm²/minute (convertible to watts per cm² = X 0.0698). The months of greatest intensity are generally April to September, the summertime. This corresponds well to our statements on the variabilities of the nocturnal electric field H, of which the intensity grows during the summer and decreases in the autumn and in winter.

This notion of variability is most important, as we shall see in the chapter on protections.

Cosmic rays (extracts from *Contribution à l'Étiologie du Cancer* by G. Lakhovsky, Gautier-Villars and Cie Éditeur, Paris)

The influence of the nature of the soil plays an important role in the oscillatory equilibrium of living cells, the condition of the keeping of perfect health. For want of this equilibrium, serious perturbations can appear in the long run, and it is as the author told us: “. . . cancer appears to us to be a reaction of the organism against a modification of its vibratory equilibrium, due to the effect of cosmic radiations. As these radiations augment or attenuate in intensity, as they increase or diminish their wavelength, the oscillatory equilibrium of our cells changes. And yet, the cosmic radiations

that plow the ether are partly captured by the soil, since these waves penetrate to an appreciable depth.

“It is even certain that the conditions of this absorption more or less modify the electromagnetic field of these radiations at the surface of the soil, which re-emit another radiation. These then modify by themselves the conditions of life of the living cell that oscillates in the field.

“ . . . one knows that the waves penetrate so much better in the soil where the terrain is less conductive . . . The depth to which the wave penetrates in the soil is inversely proportional to the square root of the product of the pulsation by the conductability of the soil . . . Certain terrains particularly permeable to waves, that is to say, dielectrics, like sand, sandstone, gravel, etc., absorb this radiation to a very great depth, without giving the reaction of the surface field.

“Of other terrains, on the contrary, particularly impermeable to waves, that is to say, conductors: clays, *marnes*, silts, carboniferous terrains, ferrous minerals, etc., absorb this radiation to a small depth and provoke, thus, in the soil, intense surface currents in order to react on the field at the surface of the Earth and to modify it.

“While in the first case, the surface field is not modified; in the second case the reflected radiations, refracted and diffused, combine with the first to produce an interference field and stationary waves.

“Relative to the etiology of cancer, the first terrains which little affect the field of radiation, will be those for which the density of the observed case will be the weakest. The second terrains, in profoundly modifying the field of cosmic radiations and in creating with them new fields of radiation, provoke the oscillatory disequilibrium of the living cell and present the strongest density of cases of cancer . . . All comes back to the conductability of the terrains.”

In summary and after the figures illustrated by the author:

Dielectric terrain permeable to waves: the surface field of the radiation is not modified. There is no reflected wave, no diffusion, no reradiation.

Conductive terrain impermeable to waves: the radiations reflect and diffuse on the surface, provoking at the surface of the soil a new field of radiation.

In the first case: normal terrain. In the second case: toxic terrain by “rupture of the compensating forces”.

3) Magnetic fields.

The terrestrial field is comparable, magnetically, to the resultant of a field of preponderantly internal origin, and of an external field having its seat in the atmosphere, as we have seen in the previous chapter.

This *internal field* separates into three fields:

1) A uniform field called longitudinal, of which the axis is akin to the corresponding magnetic poles of the terrestrial core (magnetic North-South axis).

2) A transverse field, oblique in relation to the poles, and irregular, resulting from the magnetic induction developed in the deep parts by the magnetism of the core, of which the dissymmetries could be in rapport with the meteorologic temperatures of the terrestrial surface, but also, and this is what interests us, by the presence of layers of subterranean water, or currents of subterranean water. The diverse elements that we have cited bring to this field a large variability in the gradient.

3) The field of the terrestrial skin subject to ancient variation, of different value according to timing, this variation due to progressive changes in the physical state of the interior.

Finally, the *external field*, subject to the variations of short period, due to electrical phenomena. Diurnal variations, different from one day to another, are more important in summer, and the average exactly follows the eleven-year period of the sunspots. We have seen in the preceding chapter how, indirectly, these variations influence the night and by repercussion, the magnetic fields of the soil.

Along with the importance of the irregular variations, one distinguishes another part, the calm days, the agitated days, and the perturbed days (their number is larger around the time of the equinoxes). Their variability, with relation to the solar activity is unpredictable.

We retain from all these givens that the magnetic fields created by the layers or currents of water are eminently variable. We detect the magnetic fields of water, whether with the divining rod, or with our detectors set on the “beta” ray at 10 grades of the Universal Pendulum.

An additional variability consists of the action of lunar attraction on the masses of water and particularly on the isolated cavities of atmospheric air, the faults, and the empty spaces. The resulting magnetic coefficient of the progression of the lunar phases plays fully then, and the local magnetic field Z is influenced by it.

4) Electrical fields. [139]

We now tackle an important part of the terrains of fields of toxic waves that often escapes study and detection: the electrical fields, their formation, and their variation.

Electrical currents, called “telluric currents” by geologists, propagate in the soil. They can be detected by connecting two metallic substances with a conductive wire deeply buried in the soil at a sufficient distance from each other. This is an experiment related to us by an eminent professor of physics in a work treating the mystery of the action of the divining rod, which he had developed with great mastery. It seems to be a matter of the occurrence of subterranean water currents, of the “electro-filtrations”, according to the term used by this eminent author. From there, confirmation of important differences of “gradient” can be read on precision instruments.

The metallic substances used were spheres, applying the well-known physics theorem of the “capacity of a sphere isolated in space”. The equipotential surfaces and lines of force were detected in relation with the electro-filtrations.

This is certainly the subject of our preoccupation: telluric water currents, because this notion of electrical field seems too often neglected. Now we see how, in the function of the variations of the other constituents, this element becomes definitive, of the highest importance, and capable of foiling the cleverest combinations of protection devices.

These currents are generally very weak and show continuous capricious variations. They are sensitive and increase during magnetic storms and can attain differences of potential of 1 volt per kilometer or even more. In the neighborhood of industrial complexes, there is an additional propagation of vagabond currents due in part to certain electrical distributions.

Some currents developed in the neighborhood of certain metallic masses form and propagate as well; it is a known fact that they are electric currents propagated on the surface over certain subterranean aqueous layers *buried in the sands*, even cited by Lakhovsky, like the best terrains. For example, in the Landes and environs of Bordeaux, where the sandy beaches are frequent, under the sand lie slabs of “alios”, a sort of coarse sandstone, brown and iron-bearing, indicating sands evolved by pressure.

These slabs are often in irregular layers and opposed to the free circulation of the water, the resulting differences of rate of flow are by themselves the causes of electro-filtrations, but their iron-bearing constituents are the foundation of the vertical Z currents. In other similar cases, while different in their formation, are those of layers of “biochemical” origin, or “swamp iron”, beds of iron hydroxide formed in certain marshes at a shallow

depth. The iron, dissolved in the water as organic acid salts originating in vegetated soil, would be absorbed by a particular bacteria, oxidized and fixed on the cell of this organism, and finally precipitated. The raised layer reconstitutes itself in a few years. Geologists tell us “that it is not impossible that one would have to take them into consideration in certain reactions of subterranean waters”.

The currents developed in the neighborhood of oxidizable metallic masses are found in the soil in analogous situation to a metallic mass bathed in its two polarities by two different electrolytes. The whole situation is neither more nor less than an electric battery.

The electromotive force produced develops a rising current that propagates by the emission of the deposit. If, after noting the precise measures, we trace the equipotential lines at the surface of the soil, we obtain curves that envelop the deposit in a general manner.

The conductability of certain rocks, resulting from the water of impregnation containing traces of electrolytes, is also a source of propagation of electric currents.

The faults or closed cavities in the soil emit magnetic waves of which the vibratory amplitude is maximum on the Z plane, the residual magnetism developing in the ferromagnetic substances under the influence of the fault. But they also emit electric currents that join in the electric H field at the surface of the soil.

To detect them, it is preferable to find a tracing of the equipotential curves delimiting the emplacements, rather than the lines of force expressing their action in the field. We think that it is the best way to identify them. For our part, outside of the divining rod, we do this identification with the Universal Pendulum (set for radioactivity) on ray 5 of the equator, which corresponds to alpha waves. The equipotential curves are very easily found with this detector.

The local vertical Z components are registering in the complex of the horizontal H field, which amplifies them more or less according to the variabilities we studied in the preceding chapter.

The electrical field at a point X is the “gradient” of a potential and is expressed in volts per meter. The most regular days of good weather in France give an average intensity equal to 100 V/m above a plain. This intensity rises and falls if there are obstacles in the terrain. This field is atmospheric and in proximity to the soil; it is in principle positive and implies for the Earth the existence of a surface negative charge (around 9×10^{-10} coulomb/m²).

Geophysics teaches us that this intensity is generally at maximum morning and evening. One must remember that the “charge” is stronger in summer than during other periods.

In reality, we have noticed that nocturnal pressures occur with an effect noticed around three hours before dawn; that puts it near two o'clock in summer, three o'clock in spring and autumn, and five o'clock in winter, lasting until sunrise. This pressure is not detectable outside of this schedule. It produces a lightly variable effect after midnight, toward two o'clock in the morning, if the electric field of the soil is normally negative, all goes well, and it aids the relaxing of the nervous system so that one sleeps profoundly. On the other hand, if the H field of the soil is consequently positive, due to toxic and agitating components, this pressure amplifies the intensity of the toxic field.

It is the same around this period, when generally the protection devices are unbalanced, and in the most inconvenient way possible, at the precise moment when we find ourselves drowsy. This effect of the early morning has long remained mysterious for us: the verified system of protection in complying with the night, is imperfect in the early morning, this variability making the adjustments of one day worthless the next day. (Note: we have verified that the polarity of the H field of the soil inverts daily between two o'clock and 4:45, with several exceptions that confirm the rule.)

5) Evolutive fields. [143]

We have acquired the following notion following several observations of normal fields gone toxic, although they were reputed to always have been perfectly healthy; other cases, studied by eminent specialists several years ago, are now revealed to be completely modified in terms of an significant aggravation.

Needless to say, the previously indicated protections are now found to be exceeded and perfectly ineffective. The return of the pathological phenomena accompanying a disequilibrium warned a patient that the problem of the toxic waves continued. The protection instruments he had installed seemed to have proved effective in several cases, but finally, even having moved them closer, they no longer protected, having lost all ability for neutralization.

What happened? One thinks immediately: there is an impregnation, and yet these protections have been well-tested and controlled. They neutralized the perturbed field when they were established.

We think, rather, that for the most part, it is a matter of evolution of the local Z and H components that are being modified under the impulse of

several geophysical factors: variations of the terrestrial skin, progressive changes in the internal physical state, variations of the residual magnetism of the deep rocks, changes arising in the natural local subterranean complex, new vagabond currents in the sub-soil, variations of the seasonal magnetic and electric coefficients, etc. The causes are infinite and are far from having been completely inventoried.

One fixed protection cannot take into account, even by successive adjustments, all the modifications of the local field. Overall, it contributes to the total inefficacy. In this domain, there is no in-between. Either one is effectively protected, or there is no protection, even partial. The field induces Z, neutralized only on one phase, starting up again on another, propagated by an H field of which the intensity no longer finds obstacles to its effects.

If we insist on all these notions of variability and of evolution, it is for the simple reason that they annul all originally acquired protection, making one doubt the possibility of resolving the problem posed. The repercussions of this failure make themselves well-understood and felt in the state of health, which does not resist these repeated assaults.

We cite three different examples of evolutive fields to illustrate our point:

First case: a rural habitation in a place always reputed to be healthy, and no serious pathological case has been reported. On this occasion: ulcerated wounds on an animal, of which the cause is unknown. A search on the premises reveals the existence of beta rays due to a layer of subterranean water and of zeta rays propagated by a metallic deposit. Incredulated, the inhabitants knew this area to be perfectly healthy for generations. Nonetheless, there is the ulcerated animal.

From a study of the problem by prominent people, with the support of letters from general staff headquarters, and from information furnished by the inhabitants, it came out that in the immediate environs of the home (within 20 meters) there existed at one time a giant elm tree, splendid and flourishing, which died of old age several hundred years ago.

This elm, during the time when nature had placed it on this spot, absorbed the radiations of the iron-bearing deposit on which it had lived, and pumped all the water of an infiltrated derivation from a nearby stream. This natural equilibrium thus established, the tree prospered in its privileged situation, and it was at the same time the providence of the place. Its death entrained a modification in the order of things and a complete reversal of the situation. The infiltrating waters no longer were pumped by the roots of the tree, and they became little by little spread out and collected in an

impermeable hollow. This slight movement of the water toward this location produced a minute current H in the magnetic Z field.

Then, the metallic deposit, without any echoing repercussions in its surroundings, began emitting an electromagnetic Z radiation over the induction of the H field propagated by the aqueous layer. This had been detected as zeta rays, which resemble a certain radioactivity. That is how the mere fact of the presence, then the disappearance, of a tree perturbs a healthy place.

Second case: A suburban house located on sandy terrain of sandstone, the best terrain for health according to all appearances. This is always the situation in a "*thallweg*" (sloping hollow), a place of accumulations of infiltrations of water. The waters could be assimilated in a subterranean marsh contained in the sand, because underneath there exists an "alios" plate, registered by several compass readings along a straight village wall. This alios (we are in the Southwest) forms a very hard bed opposing the normal descent of the water. But compared to the sandstone, it lets the cosmic rays pass through, and not to any disadvantage if there is no noticeable light excitation of the magnetic Z field (difference of 15 to 20° between points several meters apart).

A known subterranean stream passing about fifty meters away also feeds the swamp, and the derived infiltrations from this stream go downwards. No toxicity is observed. A cave containing soil is located below the midlevel of the layers. It must be lined with cement and provided with sinkholes to protect against infiltrations of water. At certain periods of the year particularly coincident with the tides of the equinox at a high coefficient (because we are rather close to the maritime influence), the pressure rises under the influence of backwash from the stream flowing into the sea. Infiltrations due to these thrusts of pressure pass several times across the cemented soil of the cave.

One year passes. During that time a magnetic antenna in the earth protected the house from beta waves that would have been able to spread, and all was well. The local community works, however, ditched underneath the collector of the stream, thus draining an important infiltration of water toward the swamp and toward the cave and in the same blow suppressing the occasional thrusts of pressure.

It would have been possible to believe the situation healthy and one of the best, given the disappearance of the risk of the composite magnetic field. Besides, the infiltrations in the soil have entirely disappeared, and there is a total absence of humidity. The reality, however, has been the reverse. The

current of water with a certain removal from the subterranean layer has evolved the swamp toward the “electrofiltration” form: weak unequal infiltrations across the sand and plates of alios create a weak electric current and an H field. The magnetic field of the alios, excited by the H field, varies in intensity, and a new magnetic Z field is created. A crossing of Peyré rays (more later) has intensified everything, and the conjunction of the H and Z fields being established, the procession of habitual variabilities became completely transformed.

Third case: An upstairs apartment, in a house in Switzerland. The sick and uncomfortable inhabitants, sleeping very poorly, asked a specialist to study their case. He detected a vast metallic deposit for which he traced the lines of force in the field of the house using a map. Protective tubes were placed in four corners of the building, forming a sort of magnetic Faraday cage.

All seemed to go normally for some time, then the effects of the telluric waves were again felt; the inhabitants asked the authoritative opinion of a second specialist. This one confirmed the metallic deposit found by his predecessor, and detected in his turn a water current a bit more perpendicular to the North-South axis by 30° , with ruptures of force. He did not indicate protection out of discretion for the preceding radiesthesist who had installed devices.

Finally the map went to a third consultant. The deposit was still detected and seemed to have intensified its action. The water current was also confirmed and marked on the map. In addition, a fault was detected by its equipotential curves and emitted lines of force of electromagnetic waves. Finally, a crossing of Peyré rays above this fault and just under the bed of one of the uncomfortable inhabitants was detected. Lines of force of an H field of zeta rays seems to indicate a radioactive field of the “radon” type of radiation of magnetic rays, proving the cosmic rays are reflected by a terrain conductor (as Lakhovsky describes). A true mosaic of radiations. Of course the initial protection no longer existed, having been overwhelmed by the evolution of the situation. It was a matter of the effect of the Z and H located in the middle of the deposit, and of the rupture of the compensating forces very clearly found by each of the specialists.

Given what we know of the variabilities, only a regulatable protection, and a very delicate one, can invoke a change of habitat in a unique, truly efficacious way advocated by several authors. Considering the complexity of the problem we think that the patient, or his next-of-kin if he is unable, must monitor and regulate the device. It is the only counsel we can lavish on him.

These three examples illustrate by their diversity the conditions that we put forth on the evolutive fields. We notice that there is a common point in each of these three cases: the presence of subterranean water. This supports the thesis of propagation by the H field activated by water more or less in movement, and the vertical Z field is the true toxicity.

6) The Peyré rays.

Credit goes to Docteur Peyré and the deductions of Henri Mager and Docteur Larvaron for having precisely determined the nature of electro-magnetic rays, most likely a secondary formation, at once cosmic and telluric.

These rays are superimposed and in parallel with the magnetic North-South meridians first, and perpendicular East-West secondly: the first from magnetic influence, the second from electric influence. They appear to form at the surface of the soil. From there they are immediately reflected or projected across the atmosphere, forming a gridwork in the soil that is felt at latitude and in longitude, spaced at around 8 meters. These rays are not dangerous in themselves, but combined with certain H fields, they amplify, at the precise point of their crossing, the electro-magnetic waves of a vertical Z field (toxic).

Following the advice of Docteur Peyré, it is possible to detect these rays, preferably with a dowsing rod straight North-South, until its jump indicates that the perpendicular East-West is found cutting the line.

A second check can be made, repeating the experiment based on this perpendicular. Then a new jump of the rod indicates, and precisely at the same spot, the presence of the North-South ray, the exact point of the crossing.

It is extremely important to be concerned, because straight from the crossing (because of its amplification power), there is a very powerful and excessively dangerous wave, a generator of cancers; and one must take into account the vibratory frequency by which it modulates that of cells.

The only way to neutralize this toxic effect is to exactly neutralize the toxicity (Lapalicienne formula) because one cannot neutralize the rays themselves any more than the other constituent physics of the terrain. Only biologic and pathologic effects can be neutralized by an effective device. Nature leaves no other way for man, but comes sometimes to his aid when he is clever enough to accept it.

7) The protections. Principle technique of protection.

We reviewed the problem of noxious waves and the “Ruptures of Compensating Forces”. We apologize to the reader for the inevitable length

of a technical exposé, for we want to be the clearest possible while avoiding tables of norms and algebraic equations.

Now we tackle the important issue of protection, giving the rest of the chapters over to detection.

In reducing the factors to a common denominator, the technique of protection comes back to production of a “demagnetizing field” that exactly compensates the Z field, and in addition eliminates the H field radiation and its pathological effects on the living cell.

It is here that “personalization” of the system offers protection.

We are persuaded that the effect of the “noxious” waves applies only to those waves to which we are sensitive. That is to say, those waves for which the central nervous system energy, by deficiency, no longer intervenes as defense for the organism. The other waves are sheltered from vibratory disequilibria since they are naturally protected by this essential system, maker of perfect health.

Demagnetize the field, we have said. But not all cases are identical, and one must take into account the specific variabilities that cause the failure of the protective system.

The exact compensation of the demagnetizing field must then be adjustable in order to fulfill all the desired conditions. However, in reporting our study technique, we know that if the compensation of the base is correct, the setting of the variabilities limits itself to two: the vertical Z field, and the timing of each equinox.

Because of the radiation of the H field and the way it protects itself, the better to our mind is to have recourse to the windings of a solenoid with a ground.

There are always distinctions to make between the cases of toxicities, and a valuable device for one case is not inevitably applicable to another; the personal element comes equally into play.

The personal element is different, not only according to the persons, but according to the places where they usually stay. These places are dependent on the gravimetry, of the anomalies of weight, of latitude, of altitude, of the richness or deficiency of magnesium in milligrams per square centimeter, etc. It is certain that the vibratory gravimetric state of the soil specifically influences the natural reactions of the individual to the point of being a determinant in the racial particularities of an ethnic group. The gravimetric field acts on the individuals and the animals (the dynamism of an inhabitant of Mexico is not that of a Parisian).

If one held to the norms of gravimetry, and to gravimetric cards laid out for each country, one notices that the acceleration of G (gravity) and of

secondary derivatives of potential are equally variable in a function of the local solar-lunar attraction. For example: —200 milligals in the Alps, Rocky Mountains, or the African Fosses. And +200 milligals in the Hawaiian Islands. That reveals that a case of toxic waves will be different to an inhabitant of Montevideo, Washington, or Moscow than to an inhabitant of Paris, Brussels, or Geneva. The element of personalization, one of the most important in this problem, must never be lost from view.

We remember that Lakhovsky addressed this problem: “Conversely as my experiments on the pelargoniums have proven, by strengthening or diminishing the intensity of the cosmic radiation by means of the appropriate systems, it is possible to reestablish the original oscillatory equilibrium of the living cell and to effectively combat the cancerous tumor.”

Success is a matter of the talent of the physician-biologist in applying a correction system appropriate to the case. There are no physics devices that can keep us out of trouble in the evaluation of the intensity of compensation, because “pathological effects” and not “physical effects” must be addressed. There is no possibility of modification of these physics effects by themselves. On the other hand the measurement of minute electrical and magnetic forces of the perturbed fields do not authorize the use of physics instruments of measurement because they are so costly, and are not generally accessible by private individuals.

In order to indicate orders of magnitude, in reconsidering the givens above, the superficial negative charge of the soil is normally $9 \times 10^{-10} \text{ cm}^2$ being (by 1 amp/sec) equal to 9 ten-billionths amp per second. In the case of an excited, positive field, the augmentation of the charge must be situated in values of the same order of magnitude. It is the same for the flux of magnetic induction not easily substantial in maxwell. [A maxwell is the centimeter-gram-second unit of magnetic flux, equal to the magnetic flux through one square centimeter normal to a magnetic field of one gauss.] It is this minute power that acts so strongly on living cells because they vibrate on related frequencies.

There remains only the radiesthesic method for evaluating the H and Z fields that one finds, and for establishing appreciation for the choosing of a device. What is necessary for a simple subterranean current of water will be different than that necessary for a fault, and those are different still than for a “rupture of cosmo-telluric forces” due to an earth-conductor, to an evolutive variable field, etc.

To be effective and provide enduring protection, a device must be studied for each individual case.

We will examine in the following section several sorts of devices of different conceptions having a common point: compensation by emission of a demagnetizing field, this field being obtained by the emission of vibratory shape-caused waves. These are the emitters.

8) **The adjustable Luxor.** [151]

This instrument, originally an extended rod, is based on an authentic shape-generated wave originating from an Egyptian sarcophagus, and creating a zone of balanced protection. It shelters the user from certain ruptures of cosmo-telluric forces, whether of natural origin or artificially created by man in an attempt for protection, for example, against the pillars of funerary monuments in the pharaonic tombs in the Valley of Kings.

This shape-caused wave, of which the properties are extraordinary, have been utilized in the “Luxor”, which possesses the same equilibrating qualities as the Egyptian rod. (See Figure 21.)

The form, originally fixed in place, has been rendered mobile on the central axis of a circular plate divided into 400 grades that represent the entire range of vibrations. A metallic sphere, a kind of captor, is aimed at the center of the instrument. It has the function of capturing the cosmic energy, which, assimilated by the shape-caused wave, radiates according to the frequency on which the mobile form is set.

The plate is equipped with a fixed *escargot* of copper and with a compass to obtain a precise orientation for stabilization in the direction of magnetic north. One of these points, marked in black, must be placed on the compensating vibration inscribed in grades on the plate. The role of the *escargot* is magnetic amplification.

The action of the instrument is theoretically effective in a zone limited to 20 or 30 meters around its axis, but practically its ray works in an effective zone of only 15 to 20 meters.




Figure 21: Luxor


There exists a compensating point common to all these vibrations. It is situated on 300 grades and corresponds to the vibration of violet. Nevertheless, if a particular case requires a special, precise adjustment, it will be necessary to find it on the instrument itself with the aid of a detector. We have stated that the Universal Pendulum, adjusted on the wave of compensation, is the ideal detector and the best instrument for finding the precise setting, which comes up by a designated angle on the point in grade. It confirms this by its gyrations in the inverse direction of the original wave.

The Luxor instrument is effective for all electromagnetic effects, especially since we have recently equipped it with an open circuit surrounding the form and connected to the earth. The device has the effect of maintaining the emitter constantly in phase with the H field. (This modification is not shown on Figure 21.)

9) The neutralizer-compensator with battery. Adjustable. [153]

This device is composed of an emitter consisting of a dodecagon (12 sides) that pivots on a circular base permanently fixed on a frame. The base is divided in 400 grades, and the point 200, corresponding to Positive Green, must always be oriented in the direction of magnetic North.

← Magnetic North



The device is effective on telluric currents of water, cavities, subterranean faults, or several similar cases one above the other. The settings are made depending these conditions, and offer the advantage of being modifiable at will, like the Luxor emitter following the evolution of the noxious fields.

The emission of this neutralizer is very powerful due to the fact that the pile emits Negative Green. If the instrument is placed too close to sleeping persons, they may be disturbed by magnetic excitation. Taking into account the constraints of the location, it is advised to observe a distance of four meters around sleeping persons.

A good method consists of establishing a line of protection on a map, based as much as possible on a North-South Peyré ray. Search on this line for the best place to position the instrument.

Leaving a space between the base of the emitter and the frame, one positions it in order to give the possibility of disimpregnation of oneself or others of toxic radiations accumulated in their bodies.

For disimpregnation, place a lock of hair, for example, or a photo, in the space left free under the base, and set the emission of the grade 200 (Positive Green). Length of exposure is around two or three hours.

Of course, it is necessary for protection to remove the witness immediately and replace the dodecagon on its original setting.

a) Proofs of the vibratory action of the battery-neutralizer. [155]

We have established the experimental proof of the battery-neutralizer for the compensation of noxious waves, a vibratory action occurring even through boards and walls.

We know the method of M. Charles Voillaume (E.P.), his pendulum of millimetric setting, and his table of simple substances with the millimetric settings along the corresponding cord. In principle, this calibrated pendulum, precisely set for a given substance, can only gyrate in accord with the presence of this substance, or of the “radiations emitted by this substance”. This last paragraph is important for our experiment, and so we filled two test tubes, one with powdered magnesium, the other with grated calcium.

After having adjusted the pendulum for each substance in the test tubes, we placed them in the cellar of a home. Upstairs, we easily monitored a clear response of the detector, especially when we were directly above the said substance. As soon as we moved away from it, however, the pendular reaction disappeared completely. This notion conforms to the theory of the author that considers, moreover, a series of gyrations administered to each substance following a “fundamental layer”, whose radiation would be

composed of lines of magnetic force along which the vibrations of the substance propagate.

Magnetic field to electric field, exactly perpendicular and at a right angle: this is the magnetic field that reacts “radiesthesically” directly below the Charles-Voillaume pendulum. If one separates this relationship, the pendulum stops its gyrations.

With these preliminary indications, here is the experiment to which we dedicate this exposé:

If we place our tubes containing magnesium and calcium on the base of the neutralizer, and then place it in the cellar, we notice that the Charles-Voillaume pendulum, adjusted successively on Mg and Ca, gyrates on the floor above them in accord with resonance. Not only do they gyrate directly above the tubes, but also “together with the observed field” of the emission of the neutralizer, irradiating an area 25 to 30 meters around the neutralizer.

The other gyrations are even more violent and to the horizontal than when one simply searches for substances directly below. This reemphasizes that one finds oneself in the presence of rays of radiations emitted by the substances, propagated and carried by the vibratory emission of form through boards and walls to rooms of the higher floor. We ignore whether or not this propagation could reach higher floors; the house of which we used for the experiment did not feature a second story, just a cellar. It is probable that the law of absorption was at play, and that this propagation must be proportional to the ray of the center of the neutralizer at the point considered.

We must take from this experiment the fact of the propagation of vibratory radiation of a substance (through the walls of the Pyrex tubes) through the atmosphere, the walls and boards not constituting serious obstacles. This vibratory propagation is likely exploited by certain precise situations where the respiratory tract, the skin, or the nervous system are in play, and the combination of vibratory properties of certain substances. It remains to the biologists to draw the conclusions.

Compensation of the horizontal electric fields. Protection of the compensator device [156]

In analysis of the study we have presented, we need to bring out the variability of the constituents of perturbed fields, and at the same time the toxic combined action of certain electric H fields and their power of induction by pressure on the protector device. The device must be protected from such variations lest its beneficial action be rapidly neutralized.

This is why we have perfected the dodecagon emitter with battery, getting positive responses to the problematical issues, and proceeding consistently to protect the integrity of the permanent demagnetizing field.

An example: in storms and lightning strikes, several thousand, or even tens of thousands of electrical volts move to discharge at a point of impact or in an immediate area, causing damage to industrial and private electric lines. Recently underground cables of 15,000 volts and transformers for high-tension grids have been damaged.

The intense charge to the soil propagates in a vast ray of several kilometers creating new vagabond currents ten times more powerful those previously existing.

The noxious perturbed field is influenced in its potential of propagation with a persistence that lasts a long time due to this charge in the soil; toxic effects increase, in inverse function of the distance from the zone of the strike.

If the device of protection is fixed, rather than adjustable, and not protected, its demagnetizing field is reduced and the protection is neutralized.

We have been able to observe on the other hand that in setting a device on “summery excited field” and grounding it with a solenoid to the earth, it perfectly absorbed the power of intensity, and the perturbed field remained absolutely neutral, a lightning strike within a kilometer notwithstanding.




Figure 23.
 “Protected” Neutralizer-compensator.
 Protection of the compensating device.

Exploiting the action of the magnetic field of a solenoid and of the various physical laws of electro-magnetic induction, we surrounded the pile with a solenoid composed of 10 spirals of red 30/10 copper wire. The diameter of the solenoid is 20 centimeters, the diameter of the elements of the pile 15 centimeters.

The solenoid is negative or positive, that is to say the coils wound in the inverse or same direction of the hands of a clock. This condition is indispensable for being able to capture the negative or positive currents of the H field. Otherwise there would be repulsion and the solenoid would not have any action apart from contrary. The entrance of the solenoid is directed straight toward the North, and the exit, after winding, is connected to a ground by the intermediary of a copper coiled-fiber electric wire. The ground can be remote from the instrument if necessary; this is of no importance.

Finally, a small captor, a metallic sphere, is screwed onto the upper face of the dodecagon-emitter. Its role is to establish an equilibrium between the cosmic magnetic currents and the action of the solenoid.

We think the results obtained with this device have resolved the quasi-insolvable problem of the induction of the H field, the variations in pulses, and the protection of the device itself, by shunting the surplus charge of the field, incorrectly called “impregnation”, into the earth.

Here are the measurements of this device for those who desire to construct it:

Dodecagon: outside diameter = 22 mm.

Base: Diameter = 150 mm.

Thickness of the two forms: 20 mm.

Pile of 4 hemispheric elements of 150 mm. in diameter.

Solenoid: diameter = 200 mm. in 10 coils of copper wire 30/10 to the earth.

Direction of winding: negative to the left, or positive to the right, according to the case.

Metallic sphere of 40 or 50 mm. diameter.

The pile must be in line with the emitter and oriented bomb-side to the North, the face plate toward the center of the emitter.

May we be permitted to give advice: Do not wait in order to remedy. The ruptures of forces can commit irreparable damage to the equilibrium of health. Then it is often too late.

The solution of the problem resides in a battle-technique without mercy against the physically-perturbing elements, and the more often unstable, the more vigilance must be imposed.

In the material there is no half-measure: either the victim of the toxic waves takes all the necessary precautions in order to neutralize with a qualified technician the evil forces and hope is maintained, or he treats this disequilibrated vibratory power with disdain and there is, in brief, chance for the total ruin of his health.

Sometimes leaving the affected lodging is a wise solution, but that does not resolve the problem, because one is not certain that one will not find another problem of toxicity elsewhere. The best course is to seriously address the problem and put in place an adequate protective device.

10) Detection on a map or plan. [159]

We know that in the scientific world, detection on a map or plan is considered purely an action of the mind. And so it is sometimes among inexperienced radiesthesists. It is, however, not so for others, and not the least of them, for Abbé Mermet, who has obtained confirmed positive results from one continent to the other.

In detection of noxious waves, be it over terrain or living space, it is nearly always preferable to proceed to search on a plan before a search on the site itself. Otherwise one risks, through distraction, omitting a small detail that can come up afterwards and might be the main link in the chain of cause and effect that determines the entire problem.

It is not necessary that the plan be established by an architect or industrial designer. Certain old maps would be something to avoid, especially if they have been handled by several persons whose impregnations could certainly have been preserved and which would later interfere.

A simple plan without great precision in the dimensions, but established by the interested person himself or a technician on his verbal indications, is largely sufficient, especially if he stays several hours in the places himself for impregnation.

It is essential to include all the rooms of the house with placement of doors and windows, and principle furniture must be included, especially the sleeping bed.

Indicate the direction of magnetic North. Without this, it is absolutely impossible to proceed with a positive serious study and detection of the selected places.

11) Disimpregnation. [160]

People living on the noxious waves are permanently impregnated with disturbed vibratory frequencies to which they are subjected. These radioactive frequencies are easily detected on the victims themselves with the aid of a Universal Pendulum adjusted on grade 5, grade 10, or grade 20.

Normally this radioactivity must escape by the fingertips, but when its level in the organism is too elevated, the too-slow evacuation is not absolute, and it produces, with time, an accumulation that carries a certain prejudice to the general health.

Outside of the noxious telluric waves, one must also count on radioactive fallout from the many nuclear experiments that empoisoned the atmosphere and will soon contribute to numerous cases of leukemia and cancer as a consequence of the disequilibrium that such radiations provoke in the vibratory field of the cells.

In order to activate the evacuation of this radioactivity in the organism, several procedures can be used. First, there is the Positive Green of the pile emitters and the Bomb C 30 which disintegrate the noxious radiations in a relatively short time, as a function of their power.

It is not necessary that the contaminated subject be exposed in person in the field of waves of these emitters. It suffices that his biologic witness-relay be subjected to these beneficial vibrations in order that they be immediately transmitted by resonance.

For persons not having a pile emitter or a Bomb C 30: the Stevelinck (Colonel Stevelinck is the inventor) battery of oscillants.

This battery (See Figure 24.) is constituted of:

9 open circuits of 20/10 copper wire

9 open circuits of 20/10 zinc wire

Diameter of central circuit: 65 mm.

Space between circuits: 10 mm.

Line of the separators: uniform opening of 10 mm.

The battery is mounted on three isolated supports (wood for example, and water-repellant varnish). Finally, the line of the separators in work position must be always directed towards the North.

Placing the extremities of the fingers on the center of the battery produces an escape of excess radioactivity in the form of an invisible cloud that escapes by the corridor of the separators. It is necessary to repeat the operation several times with several minutes between sessions in order to entirely “wear out” the organism of its toxicities.




Figure 24: Batteries of Oscillants: Pyramid and Stevelinck

On the other hand, this invisible but quite real cloud, after having left the field of the separators, does not dissolve: it stays in place, floating in the ambient air. It can then be recaptured by the subject who was liberated or by any other nearby person.

In order to dissolve this cloud, place at 30 cm. from the exit of the corridor of the separators, a pyramid, proportionate to the Great Pyramid, its North face in the direction of Magnetic North. Immediately upon contact of the shape-caused wave with the pyramid, the radioactive cloud dissolves as if by magic.

PART VI: VARIOUS INSTRUMENTS

1. ANALYSIS OF CLIMATES AND ELECTRO-STATIC FIELDS OF THE SOIL BY THE *ESCARGOT* AND THE SYNCHRONIZED UNIVERSAL PENDULUM [165]

It is generally held that the atmosphere is the siege of the electro-static fields in which horizontal equipotential surfaces cross and recross along the altitude of the terrain in relation to sea level.

One knows also that the air is a slight conductor, being ionized, on one hand by the cosmic radiation, and on the other by the radioelements contained in the soil.

The radioelements exist in trace quantities in the air, surrounding us and containing radioactive gases, such as radon, whose disintegration produces ionizing radiations alpha, beta, and gamma.

This air that we breathe also contains electrified particles called “atmospheric ions”, of which the nature, the number, and the relative proportions affect our impression of well-being and our health.

In the case where the soil is particularly radioactive, ionization of the air can be very important; it is a particularly important factor for the layers of air next to the soil, in a field existing up to about two meters from the soil.

To the natural ionization of the air, the lower layers of radioelements and cosmic radiation, add secondary factors, which can take on great importance locally. These factors are principally the manifold chemical reactions that bring an increase in energy to the atmospheric molecules, and contribute to the local ionization of the air.

The “light aero-ions” which are formed in the atmosphere are carried by an elementary charge + or -. These are “small positive ions” or negative ones. They are characterized by a large mobility (around 1.5 cm/sec for a field of 1 V/cm), and they collide frequently, neutralizing themselves. Their concentration in pure, dry air occurs because of an equilibrium between their speed of formation and the speed of recombination. They are beneficial for the health, particularly the small negative ions. The theoretical average concentration of the small ions in a healthy climate is around 1400 pairs per cm^3 .

In polluted or humid air, the number of little ions diminishes rapidly due to the secondary factors cited above. This diminution is accompanied by the appearance of charged particles, 1000 to 3000 times less mobile than the small ions, and with a mass 1000 to 2000 times larger. They are the “big

ions”, formed by the impurities of the air and which have absorbed the small ions by capture. Their average length of life is considerably superior to that of the small ions because they have less mobility. A large ion can subsist one hour, and a small ion disappears in 30 seconds in polluted air.

These large ions are charged + and –, and they are toxic, particularly the positive ones. In addition, they are toxic according to the source of their formation. They result from pressures, soots, smokes, products of erosion, intense automobile traffic, factory fumes with more or less large proportions of toxic gases, etc.

Finally, it is evident the progressive increase and continued radioactive accumulation in the soil (due to artificial causes) adds to the natural radioactivity. Its propagation is effected by horizontal planes, like that of the large ions, forming electro-static fields having tendencies to elevate in the atmosphere and to grow in intensity. These different electro-static fields are independent of the “ruptures of compensating forces”, which are caused by toxicity and disequilibrium.

Records of atmospheric ionization such as Larex, at two recordings per minute, capture the large and small ions separately, and record the value and sign of electric charge, and the conductability. These cumbersome instruments are not portable for most of us. On the other hand, we arrange, with our radiesthesic instruments and processes, an easy way to evaluate atmospheric ions in relative values.

This procedure can replace the physics way by employing detectors and instruments of measurement possessing a solid and sure base technique calibrated for synthesis and comparison.

This is the case with the Universal Pendulum and *Escargot* with selector, of which the conjugated and synchronized magnetic effect permits an evaluation acceptable in relative value, the absolute value being accessible only to classical physics instruments.

In order to test the value of a local climate, we establish the proportions in relative value of the small ions in relation to the large ions, and in each of the two signs. The best salubrious climate is composed of a very large majority of small negative ions, of a lesser proportion of small positive ions, an even lesser amount of large negative ions, and very small or not any amount at all of large positive ions. Prevalence of large ions determines an unfavorable, unhealthy climate.

It is evident that the magnetic effects of a field of this genre act vibrationally on the cells of our organisms, which then are impregnated. These are then submitted to an accelerated vibratory rhythm that acts on the nervous system with a clearly unfavorable rhythm.

Now we see the synchronism of the setting of the Universal Pendulum combined with the setting of the instrument of measurement called the “*escargot* with selector”.

The length of the suspension cord of the Universal Pendulum uses as its base-calibration that of polluted atmosphere. For example, a locale closed to air and aeration, where several persons have stayed during a certain time. In this case, the large ions have absorbed the small ions and the positive ions form nearly the totality of the ambient air.

The Universal Pendulum is regulated on “polluted atmosphere” setting, which serves as a base for all the others.

Negative Green of the electric meridian: reactions of the
Universal Pendulum indicate large positive ions.

Positive Green of the electric meridian: reactions of the
Universal Pendulum indicate large negative ions.

Red of the magnetic meridian: reactions of the Universal
Pendulum indicate small positive ions.

Violet of the magnetic meridian: reactions of the Universal
Pendulum indicate small negative ions.

30 grades on the equator (gamma rays) indicate the presence of magnetic radioactivity, the most active on our cells (same calibration of the length of cord).

For the *escargot*, the selector will be set in synchrony with the Universal Pendulum, held above its sphere constituting the captor. For example: the selector on red creates a magnetic field of which the vibratory frequency is in resonance with the presence of small positive ions. The Universal Pendulum’ circling in agreement will also identify small positive ions set on red of the magnetic meridian. The proportion is evaluated with the movement of the search-needle, and on 400 grades. If this, in our example, gives an agreement with the Universal Pendulum on 300 grades, we can say that 75% (300/400) of the field at the soil is constituted of small positive ions. Another example: Selector and Universal Pendulum (magnetic meridian) on violet and needle on 200: we get the presence of small negative ions in the proportion of 50% (200/400), etc.

It is understood that the total of the large ions and the small ions of both signs is always equal to 400, being 100%. The percentage of magnetic radioactivity being always separate, does not figure in this proportion.

So it is possible to establish the dosage and the composition of each constituent of the ambient atmospheric air, and this permits us to be able to lay out a true assessment of the climate in which we live.

2. THE BALANCER OF THE ELECTRO-STATICS OF THE SOIL (I)

[169]

Having given a method of detection and measure of the electro-statics of the soil, we are going to indicate a simple device to sweeten and neutralize zones of excessive magnetic radio-activity, and reinstate a favorable balance of small and large ions. (Refer to Figure 25 below.)

This device acts in an inverse conical zone, of which the vertical axis originates at the point of equilibrium of the conductors that we are going to describe. The height of the axis extends around 7 meters and the zone, from the same point of equilibrium, radiates as far as 10 to 15 meters. It is a device to place preferably in the cellar so that the action of its indicated ray benefits the floor above.

A first conductor A is made of a cylindrical copper rod and terminated at each end by a point (length 250 mm, diameter 6 mm). To set the height of the lower point vertically, it is grooved so that it can be screwed or unscrewed into a nut fixed on a supporting tripod. The dimensions of this assembly depend on the height of the whole device.

A second conductor "B" (of identical dimensions to A, but not pointed at one of its ends) is underneath A, mounted also at around 5 cm. This conductor B also carries a grooving for regulating the height of its point, and it stands opposite the lower point of A, where it screws into a fixed nut on the device described below. This constitutes the potential of B.

Mounted on the B conductor, under the fixed nut and isolated by a copper washer 30 mm in diameter, a disk of zinc (or of silver) 50 mm in diameter pivots freely. Its poles + and — are marked. Next to the "D" disk is an isolated plastic washer of the same dimensions as the copper washer, then a lozenge in copper (long axis 120 mm, small axis 80, 1 or 2 mm thick) that also pivots freely on the body of conductor B. Its polarities + and — are also marked.

Finally, the B conductor terminates at its lower end with a unipolar cable holding a metallic, polished sphere (door knob of chromed copper) 1.20 m. from the soil. The lozenge is L, the cable F, and the spherical captor C.




Figure 25: Device for creating a healthy ion balance

The assembly B-F-C including D-L is solid. The captor C is suspended at a beginning distance from the soil of several centimeters, for evaluation with the Universal Pendulum. It is raised little by little according to the different compensation settings changing every five days.

The simplest way to mount the B-D-F ensemble is to put it across an old table drilled in the center, with a block of wood for support, which will also permit the isolation of the assembly of conductor A.

The disk D is oriented negative pole to North magnetic, and the lozenge L positive to North magnetic. This is the shape-caused wave emitter system, magnetic compensator of the magnetic radioactive field of the soil. It frees the conductor B from the influence of radioactivity.

We know that a pointed conductor in static equilibrium, discharges a certain potential of stored static electricity, recaptures again, discharges again, etc.

It is in this way that conductor A captures a certain quantity of static electricity in the atmospheric field through its upper point and evacuates it by its lower point.

The same for conductor B, but it captures the field of the soil by the captor C and the cable F, and releases a certain potential by its point vertically opposite to A.

The adjusting of the two conductors A and B, one in relation to the other, ends by raising them to a potential of the points. Similarly, they form a couple, a system of two equal and parallel forces directed in opposite directions. Finally, there is a region or a point where the fields are almost in opposition and annul each other. The fields cannot join together, but on the contrary, they entrench themselves.

This operation, “search for a point of equilibrium”, in fact annuls the couple created. Here is how it occurs: The magnetic compensator device R-D consists of a copper washer R installed in polarity with D. RD represents their common function. (See Figure 25.) RD is correctly oriented as indicated, to regulate the height of B-F-C, with the Universal Pendulum on the frequency of violet of the electric meridian (equator), presented before the point of conductor B, in screwing or unscrewing B on its nut. Then adjust the lower point of A with the Universal Pendulum set on violet of the magnetic meridian. When the first setting gives gyrations to the right (normal direction for “magnetic” frequencies), it indicates the point of equilibrium and annulment of the couple of the electro-static fields in question.

If one has taken the precaution to note the proportions of small and large ions of both signs in the soil field (see the preceding chapter) before and after the operation, one will notice a complete reversal of the situation. The small negative ions no longer being hindered and absorbed by the large ions, now in the minority, can stay and be normally reconstituted by the new contributions.

The same is true for the less-abundant small positive ions. As for the large ions, they are found to be compensated vibrationally by the oppositions of the fields and no longer find the vibratory atmosphere favorable to their development. This means that fewer electrons are continually pulled away to fewer and fewer large atoms. The small ions can then travel without capture and stay longer in the field of the soil.

At the same time, the magnetic radioactivity will have been reduced from the large proportions by the compensation of the field and the magnetic compensation of the R-D-L device.

This equilibrating device does not have any action on the “ruptures of compensating forces” or noxious telluric waves. These must be neutralized by another instrument, for example the Luxor, or the neutralizer with a protective pile.

The setting of the equilibrator of fields must be checked every five days.

One feels the benefits of this action after a period of around 10 days. This period before corresponds to a new permanent changing of the components of the field of the soil, and probably to its adaptation by our cells, which require a certain amount of time in order to adapt to a new field.

3. GENERATOR OF HUMAN MAGNETISM ACCUMULATOR OF FLUID: “GEMAF” [174]

We know that the Bomb C 30 captures all forms of energy through the properties of its form, amplified by the symmetric accumulation of its concentric spheres, and of the piles that adjoin it.

It captures even noxious waves, telluric or otherwise, if one is not careful.

As a result, it captures, without the knowledge of the operator, his own fluid waves, (those of his thoughts, etc.), during the short time required for the manipulations to put in place the witness-relay, metallic receiver, and to make adjustments — a small proportion in relation to the time of exposure necessary for emission.

In the limits of this proportion it is evident that the power of personal magnetic fluid and the intensity of its thought-force make the operator himself a factor of important energetic power which, added to the energy deployed by the entire device, can grow proportionally during the intervention (factor proportional to the magnetic intensity of the operator).

To arrange in a worthwhile proportion of this means of growth necessitates that the operator stay permanently beside his BC 30, which, besides exposure to the radiation of the piles, would be fatiguing over the long hours required.

GEMAF offers a solution to this problem. In effect, it charges itself with impregnations of human magnetic fluid and thought-force, which it accumulates and conserves. Then it furnishes a magnetic current carried by

the energetic current of the fluid captured by the system, and the output as required in the manner of a simple accumulator of electricity. The laws ruling the accumulators are identical for GEMAF.

Description. Function.

GEMAF is made essentially of ferrites (FeO) of which the properties are multiple. A ferrite is composed of atoms of which the reference point is magnetite (Fe_3O_4), the oldest known magnetic material. Industry utilizes several types of compositions of ferrites, all in a base of Fe. In the case with which we are concerned, we need one ferrous composite: certain ferrites are magnetic and others are not.

Ferrites present properties otherwise not brought together in the same material: magnetization to a high saturation, high permeability, and high electrical resistance, which considerably diminish the losses encountered in other systems by obtaining high speeds of return of magnetism. Furthermore, ferrites are practically transparent to electro-magnetic waves.

Ferrite atoms, being excited by the attractive influence of magnets, organize themselves in a way to create an internal field more powerful than the exciter field superimposed upon it. The excited field is impregnated with all vibrations (or vibratory waves) communicated to it. It is a property that is exploited in the electronic calculators that use ferrites.

It is also a double property, the faculty of vibratory impregnation and transparence, that we use in GEMAF.

Indeed, only the magnets constituting the battery offer the inconvenience of creating a magnetic field concentrated on itself, which also makes a magnetic screen opposing the linear propagation of the vibratory waves in the interior of the BC 30. They deform this propagation and according to its intensity, can compel it to bypass the field. In certain cases this effect can be calculated and used, but results are generally unpredictable.

With the ferrites everything is managed. The field they create, superimposed and excited, is transparent to vibratory waves. Any obstacle to their linear propagation and the magnetic screen is eliminated by itself. They retain, nevertheless, the properties of concentration extending to the external surface of the sphere rather than concentrating in a central limited zone.

The Bomb C 30 equipped with GEMAF no longer radiates: this device absorbs all the energy. Radiation would produce a loss of important energy, particularly of the magnetic North-South carrier waves, which, amplified by their passage in BC 30, would traverse its mass and go radiating well beyond.

The battery of ferrites of GEMAF is comprised of 8 ferrites in wands and two magnets. After a laborious tuning (which necessitates 24 diagrams),

we stop on the weakest magnetic field, just enough necessary for exciting the ferrites, in order for them to be powerfully impregnated.

The magnets are small ticonal cylindrical magnets. The ferrites are placed in groups of two, each face in plane with the magnets.

The polarities are opposed, those of the ferrites like those of the magnets. A separation is maintained between each group thus formed, a negative group and the other positive. We have noticed that the direction of current of the lines of force were negative towards positive at the charge, and inverse during the subsequent discharge. Thus, the magnetic capacity accumulated is predominately positive (in the direction of the current), and the discharge is predominately negative since the direction reverses (+ toward —) during the discharge.

The battery is normally and during the discharge oriented positive to the East. This constitutes an angle of 90° with the North magnetic, and which, technically, works most successfully. On the other hand, during the charge it is necessary that the magnetizing be to the maximum of its excitation by attraction, and, like the compass, positive face to magnetic North satisfies the conditions.

So there are two positions for orienting GEMAF:

First: Positive of the battery to the magnetic North,
in order to effectuate the charging operations.

Second: Negative at 90° , to the East, to give the discharge.

If one desires to stop the discharge, to go again to accumulation and to conserve the major part of the unused balance, one replaces the positive face to the magnetic North, source of the elevated radio-activity.

In order that the magnetic field, possessor of only one magnetic moment, can become a generator, that is to say a supplier of current, it is necessary that it be fed by a carrier energy. We have supplied this with a radioactive source that also possesses the property of considerably intensifying the sum of all the diverse energies propagating in the interior of the BC 30.

Finally the metallic combination, composed of plates of metals of opposing polarities, already used in the BC 30, is saved, but used in another conception, as we shall see further on.

Conditions of charge. [177]

As for a regulated accumulator, in order to realize an accumulation, it is necessary to place a source of active energy reducing itself by the discharge, and to charge it under a given tension of intensity to a maximum capacity in a certain period of time. These different elements constituting the charge are calculated following very precise norms in electricity. This is practically the same operation. The source of energy is the radio-fluidic energy of transfer in the GEMAF.

Tension: If one voluntarily makes a detector-emitter like the Universal Pendulum or the Egyptian Pendulum turn above some surface, this surface is impregnated by the waves from the emitter. The quality of these waves depends on their composition at the option of the operator. The intensity of the charge depends on the vigor with which the detector-emitter is handled. This intensity can be considered in number of gyrations per second. It is thus that we arrange 1, 2, 3, or 4 gyrations per second. If one measures the tension which results on an *escargot* equipped with its sphere, one notices the differences in grades with the selector, according to its being one intensity or another.

Power: It is logical that the power be a function of the weight of the detector used and of the radiation of the arms of the lever that make up the suspension cord. Thus, the charge obtained in power with an Egyptian Pendulum of 22 grams and a cord of 15 to 20 cm of length will have a value X. And the power obtained with a Universal Pendulum weighing 125 grams, and a long cord of 20 to 40 cm will be much higher, especially in progressively elongating the arms.

Capacity: Finally the duration of time during which we are going to effectuate this charge contributes to an accumulated capacity which can also be measured with the *escargot* equipped with its sphere, the selector placed to rest on the calibration in grades which was reached during the measuring of the tension of the charge.

In order to realize a unity of capacity valuable by analogy and measurable on the *escargot*, we have utilized the commutative system: capacity = mass = volume = weight. In consequence the gram is chosen as the unit of capacity, by proportional and analogic relation.

The capacities thus “weighed” on the pendular balance constituting the *escargot* are different according to it being a matter of a charge effectuated by an emitter arm of 40 cm weighing 125 grams, or a charge with an arm of 15 cm weighing 22 grams.

Different still if one accumulates the two types of charges, and this is the case, as we shall see further on.

Integral charge: In order to realize the “fullness” of these elements of the battery of GEMAF, and with respect to the direction of the current of charge, it is necessary to proceed successively and alternatively to the charge of each group, beginning with the negative, then the positive, for one type of charge; then returning to the negative and positive for the following charge with another weight of detector. It is a very simple operation with the cooperation of the magnetic corrector of the BC 30 and the magnetic attraction it exerts on the meridians.

The battery, when in position to charge, is oriented positive to magnetic North, by consequence in line with the magnetic meridian of the BC 30. The positive is then at the same time facing Positive Green 200 grades, and the negative to Negative Green at 400 grades. One charges the negative group with the corrector placed on the magnetic meridian, face toward 400 grades Negative Green, and the positive with the corrector face towards 200 grades Positive Green, etc.

This table summarizes elements of the above discussion:

Charge on “continue”	<u>Egyptian Pendulum</u> 1G/s, 2G/s, 3G/s 4G/s				<u>Universal Pendulum</u> 1G/s, 2G/s		<u>Observation</u> Gyrations
Tension = units G/T	80	140	200	260	200	260	Grades
Time of charge	48’	30’	26’	12’	6’	6’	Minutes
Capacity in grams	240	240	240	240	365	730	With arm: 15 cm for EP 18 cm for UP
Curve of discharge in	24h	48h	72h	72h	72h	72h	Hours

N.B. The capacity of charge with the Universal Pendulum is with a lever arm of 18 cm to be at the fourth knot on the cord, corresponding to the setting of the maximum base on a person. Normally one can use three superior octaves representing around 65 mm more of the length of the cord. By consequence, according to the setting of the base in resonance, with 3

supplementary knots, one obtains a different maximum length of cord. The capacity-weight being proportional to the relationship of weight-arms of the lever, one notices a “weight” corresponding to this relationship. Example: with 4 knots, 18 cm = 365 g. With 7 knots, 26.5 cm = 730 g. With 8 knots, 30 cm = 860 g. With 9 knots, 33.5 cm = 860 g.

Analysis of the table: We notice that the tension of charge (analogous to micro-volts) is proportional to the number of gyrations per second (a system that we have called “continuous” in opposition to the alternating oscillations called “alternating”). The charging time required to obtain “full” is also inversely proportional to the mode of gyrations.

The capacity of charge is proportional to the relation weight/arm of the lever of the emitter which charges. If one increases the number of knots (octaves), that is to say the length of the cord (arm of the lever of the pendulum), the capacity increases progressively and in proportion (the capacity is analogous to micro-amps-hour. mAH).

It is always necessary to notice that the passage of 365 g on 730 g (double) does not represent exclusively that of a mode of 1 G/s to that of 2 G/s of the Universal Pendulum, but also of a formula of a GEMAF of 4 ferrites, to that of one of 8 ferrites.

So the doubling of ferrites especially occasions the doubling of capacity. The fact that this had not increased more is due to the fact that the magnets with 8 ferrites weigh less than those used with 4 ferrites. One always finds the elements proportional to the progression.

We notice also that the capacity passes through a maximum in an example of going from 8 to 9 knots, or from 30 to 33.5 cm of cord length. Capacity attained with the relation 15 cm/22 g of the Egyptian Pendulum stayed constant, but the intensity grew.

The rate of discharge. [180]

Unlike the other devices, the GEMAF can be set at will for the rate of discharge, for stopping to save, even for partial recharging in the course of the discharge in order to reconstitute the full charge. It is exactly like the storage battery of an automobile.

We have seen that the charge is effected with the line of the battery positive to magnetic North, and the discharge, on the other hand, with the line positive to the East (300 grades on the BC 30) at an angle of 90° with magnetic North.

In order to regulate the rate of discharge, one can vary the angle of positive in relation to magnetic North. Experiment has proven that there

exists a norm of relation between the value of the angle of Positive Green to magnetic North to positive battery: G+/mN/+battery, the capacity of the rate of discharge, and the curve of the discharge. But experiment also has proved that it was a useless complication, so we have abandoned it in order to consider only the curve of the rate on the maximum (90° angle, + to the East).

With the battery of 4 high-magnetization ferrites and a charge of 365 g in 72 hours, the curve was established thus: rate of around 1 unit hour (0.995) during the first 40 hours, then 0.81 during 24 hours in order to accelerate to 3 units per hour until the 71st hour and shooting to the vertical. The 72nd hour goes to zero.

The usage of a battery of 8 weak-magnetization ferrites markedly modifies this curve, and the sense is that the excitation is less powerful, while being sufficient. The curve tends to be less in the first parts, but increases later on, adopting a more constant and regular form. The averages: during the first 24 hours of the total curve, the rate is 3.4 units/hour. The following 24 hours: 2.65. The next 24 hours: 8.65 units/hour. Balance: 100 units. This produces a general average of 10.5 units/hour rate of capacity in 72 hours.

The tension is maintained at nearly constant during around 50% of the curve of discharge, then decreases following a curve which passes by 0.272 units in 6 hours; 1.135 in 16 hours and 1.43 until the end. This is for batteries of 4 ferrites. For those of 8 it is proportionally the same, at the beginning of the upward shooting of tension toward 50% and the plateaus toward 80 to 90% of the curve. The upward shooting is less than that of capacity, and there remains an appreciable tension accompanying the last units of capacity.

The curve of discharge of the capacity of the fluidic energy follows, with several close variations, that of the energetic capacity.

Thus, one has a rate of discharge of fluidic energy of which the average per hour is calculable as is the duration in time.

We add that the charge is effected in several periods, and always with the pendulum emitter held turning over the BC 30, the detached cosmic pile.

A charge is composed of:

1 st period:	3-minute group	— with UP on 2 G/s	fluidic energy
2 nd period:	3-minute group	+ with UP on 2 G/s	fluidic energy
3 rd period:	3-minute group	— with EP on 4 G/s	psychic energy
4 th period:	3-minute group	+ with EP on 4 G/s	psychic energy

Total: 12 minutes for the complete charge

In this way, the power of the charging of the Universal Pendulum transmits the energy of the magnetic fluid of the operator, serving to support the psychic energy that the Egyptian Pendulum transmits. The respective capacities add if the tension is equivalent. The curve of discharge is closely linked to the whole.

The metallic receiver with GEMAF is used a little differently than the method described for the BC 30 by itself. They are outside of the polarities and capacities of the metals considered. We have seen that they “weigh” on the *escargot* in grams. These capacities are combined with the capacity that analogically represents the subject being considered, and in relation with the vibratory rhythm of the base called “astral wave”. This is for resuming the reconstitution, by synthesis with the witness-relay, of the natural terrain and of temperament.

The table below contains all the indications we have noted.

<u>Negative Metal</u>	<u>Positive Metal</u>					<u>Temperament</u>
Zinc	Cu	Pb	Sn	Ni	Pt	Series I
Capacity	30	60	120	280	235	
Astral Wave	Black	IR	G+	Or	In	
Aluminum		Ni	Pt	Pb		Series II
Capacity		150	330	265		
Astral Wave		UV	V	R		
Silver	Au	Pt	Sn	Cu		Series III
Capacity	220	280	310	275		
Astral Wave	G—	Wh	Y	Blue		

Thus is it easy, through the color expressed by the person and by the intermediary of these capacities, to choose which receiver will be in harmony with his temperament. Note that the capacity agrees with the positive metal adjoining the negative metal corresponding to its series of receivers (silver, “Ag”, has a mixed polarity).

Below we recapitulate the receiver classes in the order of the spectrum:

Negative Green	Silver	Gold
Black	Zinc	Copper
Infra Red	Zinc	Lead
Red	Aluminum	Lead
Orange	Zinc	Tin
Yellow	Silver	Tin
Positive Green	Zinc	Tin
Blue	Silver	Copper
Indigo	Zinc	Platinum
Violet	Aluminum	Platinum
Ultra Violet	Aluminum	Nickel
White	Silver	Platinum

The receiver joined to the witness-relay reconstitutes analogically the terrain that will establish maximum resonance with the person represented by the witness-relay.

Experiment indicates that this resonance originating with the witness-relay is not always easy to commence, and that precise choosing of the metals in order to realize a harmony of capacity ameliorates the conditions of necessary similitudes.

In conclusion, we have established that it is possible to transmit the energy of human magnetic and psychic fluid to an accumulator system that impregnates and stores. It releases this energy in a measured way via an emitter of shape-caused waves.

This special skilled energy, without a doubt, is an action of guiding principle towards those of energies of form, and is added to them, producing a non-negligible definitive increase.

Before closing this chapter, we will indicate the different checks and measures more graphically so that the reader can easily follow and understand the unfolding of the experiments.

We have seen in the course of the text of this work, as well as in the vocabulary, the conditions necessary to obtain resonance and definition of the witness-relay; and it is precisely by the intermediary of the witness-relay that we have been able to realize all these measures. These conditions bring back up the law of geometric similitude, which affirms that two fragments issued from the same body are subjected to the same vibratory effect: the Law of Similars (refer in the vocabulary to “witness-relay”).

We have used for our experiments a fragment of stencil paper cleaved into two squares. One was placed in the interior of the BC 30, near the biologic witness and in the vibratory field of the ferrites. The other was placed at the exterior, on the selector of the *escargot*.

All the vibrations felt by the witness at the interior of the BC30 were transferred to its relay situated on the *escargot*, by the sole fact of resonance. With the aid of a detector like the Universal Pendulum, it was easy to measure all the vibratory frequencies selected by the selector of the *escargot*. The accord can only be obtained when the Universal Pendulum and the selector are similarly set.

Here are the frequency-symbols which we have used for measuring:

- a) *magnetic pile*: field on the infra-red frequency
- b) *cosmic pile*: field on the ultra-violet frequency
- c) *magnetic field*: field on the black frequency
- d) *capacity of the fluidic energy*: field on the white frequency
- e) *tension of the charge*: the selector was presented successively on each frequency until registering an accord of the detector, itself set on red of the equator. Then the figure in grades read on the *escargot* indicates the units of tension.

f) *capacity of charge* with the Universal Pendulum always on red, and the selector on its setting in tension, we have “weighed” this capacity with weights, in gram-units, according to the analogic relation and the principle of resonance: capacity-mass-volume-weight.

The notes have been made in identical time and carried on a graphic ordered in 400 grades (common symbol) or multiples when that has been known necessary and projected on the abscissa in time (division by hour) for a duration of 72 hours corresponding to the total discharge.

We have noticed that the detection of impregnations of the witness-relay is of a very great sensitivity.

4. MAGNETIC ANTI-STATIC FOR ELECTRIC CIRCUIT [186]

Checking with a Universal Pendulum near the plug of an electrical cord passing free current, it is surprising to notice radiation, both linear and perpendicular, on 5 grades of the equator (alpha waves) and Negative Green of the electric meridian. This constitutes, following precise settings of the detector, an alpha wave carried on a Negative Green carrier wave. We know now that the electric phase is noxious, and that the two united waves form a radiating toxicity.

If one pursues the examination, one notices that not only the plug, but also all encased isolated circuits radiate equally, except the circuit in a metallic tube. On the other hand, as soon as the lamps are illuminated or the prongs of the instruments are plugged in, the radiation disappears.

Additionally, in front of the screen of an operating television, one notices a radiation of magnetic waves on 1 grade, 5 grades, 10 grades, and 30 grades (the cord of the Universal Pendulum being adjusted for radio-activity).

One grade and 5 grades are alpha waves; 10 grades are beta waves, and 30 grades are gamma waves. Certain televisions are equipped with screens absorbent to magnetic waves as well as alpha waves, and sometimes the beta waves are absorbed and arrested, but the gamma waves are not absorbed so easily and radiate in spite of any screen. So it is necessary that protective screens contain a large proportion of lead, which darkens their luminosity. Since defunct televisions no longer emit radiation, these remarks are only valuable in this exposé for the uniquely electric circuit; a circuit of central heating or a radio receiver, for example, has no relation to this issue.

The magnetic anti-static. [187]

This emitter of form is constituted of an equilateral triangle in zinc, 120 mm on a side, which pivots on a base of wood graduated in 400 grades. One of the points of the triangle carries a mark +. It is this point that serves to set the instrument.

Like all our emitters, it is the point 200 (Positive Green) of the base, which must be previously oriented to magnetic north. The emission of shape or form is always an angular relation to magnetic North.

If one places the emitter on the electric meter, the point 200 of the base oriented to magnetic North, and the positive of the triangle on the point 300 (angle of 90° to the East), one is surprised again, because the radiations previously noticed have all disappeared, including the operating television.

Before nighttime when the circuit is dead, the radiations propagate through the plugs or the circuit of wires under casing. That could present a

certain inconvenience for the plugs close to the head of a bed, or the wires passing behind the bed, as is very often the case. With the magnetic emitter in operation, not only the unfavorable radiations are absorbed, but throughout the complete circuit radiate the magnetic waves on the frequency of violet (300 grades), which is a wave favorable to living beings.

The unfavorable radiation does not occur from the wires inside metallic tubes, but the magnetic emission radiates, whether the meter is closed or open.

The principle of this emitter is based on the magnetic emission of shape and form, and the fact that an electric isolant is a good magnetic conductor. This is how the magnetic propagation is effected: not by the electric wire conductors, but by their isolants. This is the reason why, on the other hand, propagation affects even the closed meter.

Thus, the stationary waves of electric current in the circuit and prongs of the plug are compensated, cancelled, or balanced by the magnetic emission.

Conclusive experiments have been realized using a large industrial meter. In one case, users had several meters in their installation. Under these conditions, it is necessary to research the meters feeding the line of the protective circuit. This is an easy operation with the aid of the emitter placed successively on each meter, and verification of the posts of the plugs with the Universal Pendulum.

Another possibility is to emit on only one meter in order to propagate by induction on two or three circuits operating near each other.

In principle, verification would be through the meter of which the cables are the largest in section or possessing the strongest isolant. The exception is cables inside tubes, since we know that the propagation is not effected through them. Otherwise, the greater the thickness of the isolant, the better the propagation will be established. Thus by induction of one circuit on the other, one could protect two, or even three circuits. The magnetic suppressor device has no action on noxious waves of other origin. Its action is strictly limited to the electric circuit, and cannot neutralize noxious telluric waves or emissions of instruments that are not connected to an electric circuit.

5. PENDULAR RADIONIC BALANCE [189]

The pendular radionic balance realized with the *escargot*, without modification other than of placing in its center the spherical captor and a couple of magnets like we shall see below, rests on the six following principles which we will examine more in detail.

1) The similitude and the symmetry of the witness-relay impregnating reciprocally.

2) The commutative system: Capacity = Mass = Volume = Weight, (CMVW).

3) The molecular excitation of metals by a magnetic field, producing an “apparent amplification”.

4) The principle of “neutral point” applied to the *escargot*, and its measuring pointer in the role of an authentic balance “beam”.

5) The measure expressed in weight for the CMVW system, with a common base of the real weights, or “substitute artificial physics”.

6) The scales of measurement appropriate to each kind of operation, by the modification of vibratory frequency of the field of the *escargots*, via the medium of the selector.

1) The witness-relay:

We have not developed in this section the principle of similitude and of symmetry, nor of the witness-relay, for which the reader may refer to Part II.

In order to effect a “weight” at a distance, it is necessary to position the two witness-relays absolutely geometrically similarly, and they must originate from the same source. One of these two is placed on or under or in the object of the weighing, the other on the selector (secondary *escargot*). It is understood that the vibratory rhythm with which it is impregnated is immediately transferred to the other and *vice versa*.

The “weight” causes effects at a distance, which is important, provided that the rules below are strictly observed.

One also positions little similar squares of identical blotting paper, or better yet, stencil paper for Gestetner duplicating, which is much more sensitive to impregnation.

2) The commutative system: CMVP

Theoretical physics principles applied to radionics, and presiding over the pendular swings: that is to say, reciprocal reversibility of each of the systems in whatever order. Theoretically, by the universal laws of attraction, a radiation has weight (photons of light have a weight), a capacity is a volume,

also a mass, also a weight. An energy is a mass, a capacity, a volume, consequently, a weight, etc. An intensity, by commutativity, can also “weigh”.

Everything depends then on the disposition of a system of measures of one or the other genre. We think we have resolved the problem by “weighing” with weight.

3) The magnetic field and “apparent” amplification:

In order to obtain a magnetic excitation of this entire device, particularly the combined area of the *escargots* (primary and secondary), it is necessary to create an intense magnetic field on the surface. In the end one places on each side of the disk, East/West and perpendicularly, a Ticonal magnet, face positive towards the East, and its similar opposing negative face towards the West (recall that East is 300 grades, West at 100 grades).

When using horseshoe magnets, they must be equal in coercive force, placed perpendicularly to the disk, and the disposition of the branches will be: positive branch toward the North, negative toward South. This for the horseshoe to the East of the disk (300 grades). Inversely for the magnet to the West (100 grades): negative branch towards North and positive towards South. There must always be attraction between the magnets, and especially not repulsion. The disposition of the poles is an essential condition for the correct direction of circulation of magnetic current in the field, as it is for the effectiveness of the balance device.

The magnetic excitation of the field has another consequence: the molecular excitation of metals. This excitation of atoms produces a phenomenon of “apparent amplification” which can only be perceived with a Universal Pendulum detector and which measures the balance. The metals situated in the field have a superior apparent amplitude to their norm at the base, the amplitude of mass varying with the characteristics of their atomic mass (or atomic number, which is proportional).

It is thus that zinc (Zn 30) of the primary *escargot* normally represents a multiplier of 1000 for the marked substances that will be placed in the field. Copper (Cu 29) of the secondary *escargot* being inferior in value is not for consideration.

To put it differently, a weight of 1 gram placed on the selector represents 1 kilo for the weighing. And 1 mg equals 1 gm., etc.

Other metals, according to their higher atomic number, constitute yet higher multipliers. Placing a fragment of the metal in the field pads the effect.

We have in particular:

Platinum	(Pt 78)	as multiplier: x	100,000;	1 cg = 1 kg.
Gold	(Au 79)	as multiplier: x	1,000,000;	1 mg = 1 kg.
Lead	(Pb 82)	as multiplier: x	10,000,000;	1 mg = 10 kg.

This is what allows such a large application of the pendular-weight scales.

Thus a series of weights going from milligrams to kilograms is sufficient in order to effectuate all values of weighings. A hole can be presented between the scales of values by the multipliers and the number and composition of the real weights. Radionics offers us a solution for remedying it, particularly in primary operation, without multiplier and x 1000.

This solution is a parallel system, linked by the physics witnesses, a physics substitute or witness of materialization by form and number, which we call the “radionic weights”. They are executed in cardboard, composed of drawings of planar forms their artificial value in number inscribed in their centers, and serving as a geometric form.

The inexperienced, in regard to the question of radionics, will be surprised by this statement of terms that are absolute strangers to them. But given the limited extent of this exposé, we cannot explore the details which would necessitate an entire work where the conditioned reflexes (according to Pavlov), the form, the nature, the aspect of witnesses, all remain dominated by the significance that is attributed to them by the operator, their physical character remaining indirectly present in these witnesses. And all the more so, because they have been developed on a symmetrical geometric form.

Our radiesthetic accumulators (see our preceding work) as well as the materials of the Egyptian pharaohs whom we have studied, the work of the Mazda Society (physical influence of thought at a distance on an electric lamp), the famous machine to detect lies, the recent work in USA and USSR, etc., have put us on the track of a relationship of parallel reciprocity between thought and physical materialization that can no longer be repudiated in our time.

Thus, the radionic weights, physical substitutes of real weights, can be made of cardboard cut in octagonal forms of 5 cm. in outside diameter, constituting the volume form. One can make a series of 10 substitutes for 1 to 10 kilograms for example. It will include all their nominal value inscribed in China ink in the center; it is the “sensory and motor structuration” of the substitute (see the work of physiologists).

One kg. Will be constituted simply of its octagonal form.

Two kg: with a traced octagon in china ink around the number and the genre.

Three kg: two traces.

4 kg: three traces.

5 kg: 4 traces.

6 kg: one circle.

7 kg: one circle in a tracing.

8 kg: one circle in two tracings.

9 kg: one circle in three tracings.

10 kg, one circle in four tracings, etc.

These are the plane and linear forms, proportional in their influence to the experimental value.

The assembly forms the physical substitute which will become “witness of materialization” after having been evaluated energetically on a geometric form such as a decagon; around 20 minutes or so are necessary (for more ample experiments on the energetic action of forms, consult the first part of this work).

Thus we are in possession of a series of radionic weights, which, next to the real weights, weigh exactly their value marked, with the small difference that they are not multipliable like the others. So do not use them with the multipliers above 1000.

4) The principle of the neutral point. The pointer. The beam: [193]

In practical terms, this regards the system of weight of the pendular swing. It is the point of equilibrium, or neutral point of the median line of the magnetic field, at the same time that the field of vibratory frequency of the *escargots* sits at 200 grades on the disk. It is normally oriented to the North. In placing the pointer of measures one transforms it into an authentic scales, in equilibrium between the diverse influences; and it will point out, by its accords with the gyrations of the Universal Pendulum, weights of either excess or shortage. If through these relationships they fix on a graduation beyond the 200 grades, it is an excess, and it is necessary to elevate the weights in order to reestablish the equilibrium at the neutral point. Inversely, if it sits on the lower side of 200, it is a shortage, and it is necessary to add weights to achieve an exact weight.

Precision is very approachable. It exists for no more valuable reason than that it is not exact if one does not take all the necessary care.

5) The common base of measures:

As we have seen in Chapter II (commutative system CMVW) for the reciprocal reversibility of the systems, we have adopted this system of weights for the common measure of all the others. This measure is the gram, its multiples, and sub-multiples.

Thus we express in “units” equivalent to 1 gm-weight. Units of capacity. Units of intensity, of volume, of mass. With the simplification of expression for the multiples such as kilo for 1000 and mega for 1 million. In order to express symbolically 2 million units of capacity we write: 2 Muc. For 200,000: 0.2Muc.

6) Scales of Measurement:

With weights, real or radionic, and following the system CMVW one can measure and evaluate intensities, capacities of masses, volumes or diverse energies. Yet it is necessary to establish the scales with appropriate measures and specific to each kind of operation. Logically the vibratory frequency of an operation of weighing of an intensity is different than that of a mass, etc.

The selector of the *escargot*, by the selected modification of the vibratory frequency of the field of *escargots*, primary and secondary, we furnish this way.

Here are the scale-frequencies we have selected:

Position of the selector	Corresponding Scale
Indigo	Oxygen
Ultra-violet	Capacities of electric-pile cosmic energy
Violet	Tension intensities
White	Capacities of psychic energies
Negative Green	Mass-weights
Black	Analysis of substances by the atomic mass
Infra-red	Magnetic-Magneton-gram-Magnetic Pile capacities
Orange	Hydrogen
Red	Capacities of static energy in the emitters
Positive Green	Functional energetic principle of a support (Water)

Not all has been discovered and this only constitutes a beginning.

Detector: It is the Universal Pendulum set in synchrony with the selector. We have many times remarked that, set on infra-red (equator), the weighings were much more sensitive. Its gyrations of accord synchronized with the placement of the needle constitute the entire system of the “weighing”.

The weighings in sub-multiples of the gram: In order to define the mass of sub-multiple quantities of the gram, particularly those of atoms in the zones going to $1\text{ g} \times 10^{-24}$, for example, the system of the pendular balance must undergo modification permitting use of “divisors in negative numbers”.

The balance must be equipped with a “by-pass” constituted of a copper wire linking, underneath, the central pivot of the *escargot* to a small plate-balance of a scales-balance placed at the exterior, and destined to receive the weights in grams.

The compass is raised on its holder, and to the place where one mounts a support linked by the by-pass (the support is then in interference). This support holds the zinc plate that normally equips the *escargot*. The plate plays the role of contra-beam in negative action by relation to the pointer and at the neutral point.

In other words, the metals placed on the plate, according to their atomic weight, constitute not the “multipliers”, but the “divisors” by the play of the inverse interference, playing thus on the negative numbers.

The divisors in negative numbers:

Silver	(Ar 47): $\times 10^{-3}$	$1\text{ g} = 1\text{ mg}$
Platinum	(Pt 78): $\times 10^{-6}$	$1\text{ g} = 1\text{ gamma (1/1000 g)}$
Gold	(Au 79): $\times 10^{-9}$	$1\text{ g} = 1/100\text{ gamma (1 millionth g)}$
Mercury	(Hg 80): $\times 10^{-12}$	$1\text{ g} = 1 \times 10^{-12}\text{ g}$
Lead	(Pb 82): $\times 10^{-24}$	$1\text{ g} = 1 \times 10^{-24}$

Thus it becomes possible to evaluate by “weights” in grams and multiples, of minute quantities of atoms of matter. For example, separated hydrogen and oxygen after electrolysis, the weights of the atoms of metals contained in an impregnation of water, certain radiations, etc. This is only possible otherwise with complicated instruments, and outside our means, in the science of physics. The evaluation obtained is largely sufficient in order to respond to the objective that we are pursuing.

INSIGHTS INTO MAGNETISM [197]

We have seen in the course of the preceding chapters that it was possible to capture cosmo-magnetic energies. With the appropriate intermediary shape-caused wave, they can be amplified, channeled, and domesticated to use for the relief of most human misery.

This process of emission is purely physics; the psychic enters for only a modest part, and during emission becomes crucial when the practitioner makes a call for magnetism, be it purely animal or spiritual, and aligned with a well-defined goal for healing.

They say that the man or woman who practices this profession of psychism has the “fluid”, and it is under this term a bit mysterious and still wrongly thought that the magnetizer makes miracles and reestablishes equilibrium in deficient health.

What is the “fluid” and why do certain persons possess this while others are lacking? Until now no useful explanation has been given. Nonetheless, the magnetism exists, heals, and heals with certainty, whether official medical science recognizes it or not.

All the magnetizers, these experts of medicine, are considered by the Disciples of the Scalpel to be charlatans, looking to exploit the public credulity and earning their living without making the long and costly studies required for the diploma of medicine. This argument has value, and it would be vain to deny or object to it, because many more than just true magnetizers often slide out from the mangy flock, without any sacrifice, looking to profit from an art to which they are a complete stranger.

The problem remains: yes or no, is magnetism a reality or a chimera? Does it exist in the hands that heal, who make true miracles? Is it this or medicine which is powerful?

Yes, magnetism exists and heals, and it is why the Faculty must lean over this problem and study it, instead of giving pure and simple rejection without even attempting to explain it.

Most experts refuse to admit the existence of magnetic “fluid”, sometimes called “universal spirit” or even “vital spirit”. However, this fluid is a reality, and it has an important role to play in the equilibrium of all phenomena, whether they be organic or non-organic.

A large percentage of maladies is due, precisely, to the weakening of this imponderable therapeutic agent, known to the Sages since the farthest antiquity.

In 1621 Van Helmont focused on himself the attention of the experts of the world in writing his book: *On the Magnetic Treatment of the Plague*. But

it was necessary to wait until the end of the eighteenth century and the work of Mesmer in order to fully appreciate these ideas.

After having attempted in his thesis, *On the Influence of the Planets on the Human Body*, to resuscitate the doctrine of universal fluid, Mesmer delivered it in Vienna, then in Paris, in 1778, with results of his experiments. People interested in these questions have heard talk of the sometimes hysterical scenes produced around what was conveniently called the “Mesmer Tub”, which consisted of applying to the sick patients a rod of iron or some other object that was itself in contact with the magnetized water of the tub.

Toward the same epoch the Marquis de Puységur practiced a therapy based on magnetic somnambulism and his students, until the middle of the nineteenth century, used with more or less good fortune the method of the master. They healed without too much knowledge why or how, only because their organisms were related in frequency with the superior forces naturally captured by the subconscious, then retransmitted to the sensitive nerve cells.

From the extremities of the fingers flows the fluid composed of cosmic vibrations vitalized by the millions of human cells of the magnetizer, a true fountain of life, to reestablish the equilibrium of the deficient organisms submitted to their radiation.

Here the power of human thought is not seriously at stake. It is a matter of a purely animal mechanism, not dependent on conscious effort of an intelligent will. It is the flow of a vital magnetic radiant fluid, no more.

A concrete example of this natural unconscious magnetism is the cat. The cellular and nervous systems of the cat are related in frequency with the cosmic waves that it captures without knowing it, then restored by radiation. This is why if you place a cat on a rheumatic person, the sufferings of the patient are immediately attenuated or even absent at the end of several days.

The cat, without its comprehending, is a magnetizer without peer, a catalyser of cosmo-magnetic flux. As long as man refuses to admit that he is, after all, nothing but a beam of vibratory waves of which the frequency is multiplied by a multiplicity of aspects, then never shall he realize or comprehend that certain organisms can naturally (because of their frequency) capture the superior forces and reconstruct them for the greatest well-being of sufferers submitted to this radiation.

Magnetism, for certain persons, is as normal as the most natural functions in life are for each of us. Many have the gift but ignore it, and it is sometimes only chance that reveals this power. For the beneficiary of this gift, it is a true revelation, and in him grows rapidly a need, a necessity to heal, that can become imperious, demanding of the otherwise ordinary functions of existence.

Arriving in 1843, after Braid of Manchester, magnetism was no longer studied all that much in terms of curative properties, but simply as a natural phenomenon easily obtained with the aid of mirrors or by placing of the hands.

The work of Bernheim and Liegeois at Nancy, toward 1875; then Charcot at the Salpêtrière in 1882; and finally closer to our time, Pierre Janet and Colonel de Rochas have established definitively the reality of the magnetic flux.

Hector Durville, in a work known to all the magnetizers, has magnificently codified this abstract art. He compared man to a magnet having positive and negative polarities, and receiving his energy from the Cosmos.

Without exception:

Right hand positive, invigorating, exciting;

Left hand negative, dispersant, calming;

With reinforcing effect a “battery”: one hand upon the other

Two types of pass:

Rapid, having a dispersive action (similar polarity)

Slow, with tonifying action (opposite polarity)

The imposition of hands of combined or opposing polarities is only arrived at, in principle, after a “holding of contact” in order to harmonize the subject in “receptivity” and the magnetizer in “phase”.

In the margin of this natural, purely animal magnetism, there exists another, more evolved form, which goes under the name of spiritual magnetism. This is a magnetism directed, teleguided, and proceeding no longer from matter alone, but from matter and from spirit.

Every endowed magnetizer can transform his animal magnetism into directed magnetism. With an effort of concentrated will, the results are stupefying.

This is how one needs to proceed: the tips of the fingers of each hand must lightly touch the organ being treated, one hand above and one hand under, like a closed circuit. Indeed, as soon as the spirit makes a call to the Superior Forces, these, after having passed through the body of the magnetizer, escape by his emitting hand to irradiate the sick organ. Then they will be captured by the other hand (receiver) and returned in the circuit.

For as long as the magnetizer holds his fingers at these opposing polarities in contact with the ill party, he will produce an induced, revitalizing current. The secret reinforcer of this teleguided magnetism is: at the precise moment when the hands have taken their working position, by a

concentration of powerful thought, the humanity of this art surpasses the material, rising in spirit through the cosmos and capturing the beneficial energetic rays of the Superior Forces.

As soon as they touch, his emitter hand is taken with a trembling that is impossible for him to control. He feels the radiation penetrate the top of his head, accumulate in him, then escape by his emitter hand. The powerful vibrations, after having crossed his body and passed through the organ of the patient, are then captured by the other hand and returned in the circuit.

It is not necessary to heal more than 10 or 15 minutes for each session, but these must be repeated daily during several days according to the gravity of the illness. In the course of these daily sessions, the magnetizer must be able to contact and capture the Superior Forces, the interstellar Forces, at least a dozen times.

The results are most encouraging: in 15 or 20 days various ulcers are healed (understand, in the course of treatment it is necessary to give the patient a blood cleansing with a base of vitamins in order to not risk locking the wolf in the sheepfold), the bile ducts enliven, the liver is revitalized, the rheumatisms relived, the nervous depressions stopped.

On the other hand if we want to return to a state of exhaustion, not having more vital reserve, it is necessary to recharge the two accumulators of each human body.

Here are the points for light touching:

- a) Superior circuit: base in front of the left ear — solar plexus
- b) Inferior circuit: solar plexus — coccyx.

These are the three routes (The solar plexus is common to the two accumulators.) that the hands must contact during the minutes of treatment. For the superior circuit in the beginning, it must not last longer than 3 or 4 minutes per session, or there would be grave risks for the brain. Progressively augment daily by half-minutes, but never surpass 5 or 6 minutes.

On the other hand, the inferior circuit, solar plexus — coccyx, can support an irradiation of 10 to 15 minutes and that during 15 to 20 days.

Proceed with one hand, fingers pointed, on each pole, beginning with the superior circuit, followed by the inferior circuit.

Remember that there is a common pole to both circuits: the solar plexus.

Make a call to the Superior Forces with an intense focus of thought, as previously indicated. With such a precedent, it is possible to rapidly reestablish the equilibrium of the nervous system which, recharged, resumes its functions in the vibratory concert of the cells of the organism.

One preliminary precaution: assure, before all treatment by directed magnetism, that the patient resides on a neutral terrain and not on a “Rupture of Force”. The latter condition must be avoided by moving his bed or even by a change of lodging should it not be possible to detect a healthy room, sheltered from the noxious waves. If that is impossible, install a device of protection.

This method, unknown even to some magnetizers, can be amazing. We have it from Tibet and have practiced it here for more than twenty years with success. Therefore we unveil it today, in a humanitarian spirit. May it serve in the largest measure possible to assuage the suffering of our brothers.

EXPERIMENTS IN THE PHYSICAL REALITY OF THE ACTION OF THE BOMB C 30 [203]

(While *Micro-Vibratory Physics* was at press, we completed three crucial experiments that were checked by physics measuring instruments. We feel it essential to include this last-minute addition.)

The current instruments of measure (millampmeter, millivoltmeter) are not sensitive enough for testing the weak energies of the order of those we address in our work. Lacking the expensive high-precision instruments used in most laboratories, we have, with the aid of a radio technician, constructed and perfected a special measuring instrument.

This instrument has a dial featuring an oscillating pointer at its center, equipped with an assembly having a transistor fed by a 9-volt pile. Its amplification value gives a relation of 50 to 1.

This disposition permits measuring of microamperes and microvolts. The device cannot be calibrated to standards; only to the differences of measure in divisions on the dial are to be considered, it being always understood that the order of magnitude of 10 divisions + 1 millivolt or 10 microamperes.

Experiment A. A pyrex container of tap water is submerged in a radioactive source. In it is placed a tube of sulfate of cobalt and disks of gold and silver.

The container is placed in the center of the Bomb C 30 equipped with its cosmic and magnetic piles. The selected ray is Negative Green and the water to be treated stays exposed in the bomb for a period of 139 consecutive hours: around 6 days.

At the expiration of this period, 25 cl of this liquid is removed for measuring against an equal quantity of neutral water from the same tap, but not submitted to testing in the bomb.

By means of the gold and silver electrodes in the treated water, the pointer of the instrument with the transistor charges a value of 50 divisions, while it oscillates on only 20 divisions for the non-treated water.

From where comes this difference of potential of 30 divisions in favor of the irradiated water? This water is then placed in a bottle of yellow glass covered with black paper, blocking the sample from daylight.

Measurements are made again two days later and under the same conditions for the treated and untreated water.

The latter charges a value of 24 divisions while the treated water makes the pointer oscillate at 164, a difference of 140 divisions in favor of the irradiated water.

A new measurement is taken two hours later. This time it shows no perceptible difference between treated and untreated water: 24 divisions for both.

This sudden loss of energetic potential for the treated water certainly proves that exposing the treated water to the light of day, upon two different occasions for the measurement tests, explains the stillness of the Universal Pendulum. It no longer detects the presence and radiation of Negative Green in the water.

It turns out that it is necessary to protect treated water from light rays in order to save all its energetic potential. But this experiment divulges another mysterious observation: the phenomenon of the increase of potential of the treated water two days after having been stored away from light.

After 48 hours, we notice a potential of energetic charge accrued to 110 divisions ($140 - 30 = 110$).

How shall we interpret this difference of energetic increase, around 367%, for water that would logically have been preserved at its original value, or even diminished over time?

In studying the problem more closely, we notice that two hours after the second exposure of the treated water to light, this water lost its energy at the same time as its radiation of form, Negative Green, the carrier wave. It would be logical to assume that this carrier wave constitutes the principle of amplification of radioactive radiation issued from the radio-active source immersed in the water by some sort of multiplier process over time.

Thus the treated water held in the flask impermeable to the light of day possessed the far superior energetic properties at its decanting than when it was placed in the flask.

Here we leave the field of hypothesis because it was verified by the experiment and checked by physics instruments of measure.

Moreover, with a variable magnetic pile, we would have already noticed that we had stored in the treated water two distinct vibratory elements:

A: a shape-caused energy issuing and produced by the Bomb C30

B: a radioactive radiation transmitted to the water by a radioactive source and the metals in contact with it.

A is amplified by B, under the condition of irradiation in the bosom of the Bomb C30.

B is independent of A, but mixes with it under the first condition.

B continues its process as amplificatory in the bosom of A as long as A exists, because if A disappears, the mixture AB disappears also. A is the carrier of AB.

It is certain that there exists a self-limit of initial amplification as soon as the radioactive source no longer is present in the mixture. This threshold must be very close to what we have observed by measuring with the microamperemeter.

Experiment B. After verifying that it is a matter of energy transmitted to the water by irradiation in the Bomb C 30, we proceeded to a second experiment consisting of the analysis of a volume of neutral water identical to that previously used from the same tap and containing a radioactive source, sulfate of cobalt, and metals gold-silver. This time our sample remains outside the Bomb C30.

After 144 hours, we processed this water again with our microamperemeter and the same electrodes of gold-silver.

This water treated outside the Bomb C30 measured 30 divisions, and was identical in measurement to the neutral sample of water taken from the tap: no acquired charge.

Now no one can doubt that the irradiated water does not contain its amalgamated AB energy, acquired under condition of exposure in the Bomb C30, and it is certainly what gives the value to the treated water. Without this exposure in the Bomb, the water, even equipped with its radioactive source and its metals, shows no measurable potential to measuring instruments, and it stays neutral of all energy.

These two experiments confirm the observations that we had already made with the pendular radionic balance where the energy of the treated water in the bomb could be “weighed”. It is interesting that the pointer of a microamperemeter confirms the physical reality of the action of the Bomb C30.

Experiment C. In order to complete our experiments, and to assure ourselves of the reality of A itself, the shape-caused energy produced by the Bomb C30, we submitted a quantity of water, like the previous ones, without any supplementary provision, to the irradiations of the Bomb C30 under the Negative Green ray. The Bomb C30 was equipped as previously with its cosmic and magnetic piles. The duration of irradiation was 192 hours.

By the measurements of the microamperemeter, the irradiated water measured 24 divisions, while the neutral water from the tap measured 10 divisions on this day.

Having recommenced the measurements a half-hour later, we were able to observe that the pointer was only charging 10 divisions, completely like the neutral water. The phenomenon of loss by exposure to light, following the measurements, was renewed in the same way as in Experiment A. As before, the Universal Pendulum was no longer able to detect Negative Green.

Experiment with gammaphone. We have utilized a gammaphone, equipped with Geiger tubes, for the detection of alpha, beta, and gamma radioactive radiations. This gammaphone (with transistors) is equipped with a reliable probe wired to the instrument. It can be used with or without the shutter, the latter way rendering the perception more sensitive by less metallic interference.

Normally, the passage of rays and cosmic particles impresses the gammaphone, as does geologic radiation. A normal average is 5 beeps per minute for gamma radiation, and 22 beeps per minute when the probe is set on alpha and beta. These averages were taken in the region of Paris, but the experiments were conducted in the country.

Checking for gamma, the numbers of beeps in the local atmosphere were equal to that for the proximity of the emitting instruments. On the other hand, with the probe set on alpha and beta, it was different.

In the room where the Bomb C30 and the shock wave emitter were, the radiation was 26/28 beeps per minute, but 20/25 near the Bomb C30.

In raising the shutter of the probe, we have observed 30/35 beeps in the room, but 45/50 near the Bomb C30.

Near the shock wave emitter (with a disk of multiple rays amplified by the cosmic and magnetic piles), we have been able to observe 55/58 beeps per minute.

That gives roughly 15 to 20 beeps per minute of increase of response of the gammaphone resulting from the radiation of the emitters. We know that the number of sounds per minute differs from one day to the next and from one hour to the next, and passages of cosmic "showers" lasting between 11 to 14 hours, for example, make the machine crackle with such rapidity that we can no longer count the sounds.

In all modes, however, when the sounds are countable, there is a difference between the averages registered in the room and that in the proximity of the emitters of shape-caused waves.

In this way we have been able to establish proof of the action of the emitters with the pointer of the dial of a microamperemeter and the sounds per minute of the gammaphone.

On the other hand, the reality of the possible direct action on witness-relays from the shape-caused energy transmits to water with the addition of a radioactive source that multiplies the effects. This water can be preserved intact, at the minimum, under condition that it be isolated from light.

CONCLUSION

We are not able to close these pages without discussing our reservations regarding the Invisible Forces from which we have intercepted certain secrets.

Knowledge of the Invisible Forces is a double-edged sword that can be eminently beneficial if it is used for the good, for the purpose of alleviation of human misery; but it is also an evil sword if persons without scruples seize it to satiate their hatred or further their diabolic designs.

The whole gamut of vibrations emitted by shapes and amplified by cosmo-magnetic waves is more or less at the beck and call of humans, both the good ones and also the bad ones, those who would harm equilibrated health.

This is why we have to put the reader on guard against the power and the hazards that a shock wave emitter or a Bomb C30, wrongly used or used without discernment, could present. These instruments can be capable of launching completely regrettable and unpredictable accidents.

This is also why, for the present moment, we are not fabricating or selling the high-power emitters of shape-caused waves (even at a high price), nor would we allow acquisition by anyone except persons giving a complete guarantee of their competence and enormous moral integrity.

Indeed, in nature all things have their place as well as their seamy underside. This is the front and the backside of the disguise: the evil forces are neighbors to the good ones. It is up to each one of us to know how to distinguish between them, recognize them according to conscience. This conscience makes man free and intelligent, a superior being, master of his passions and of his instincts, capable of surpassing the physical matter, and of carrying his gaze toward the infinity of the blue sky.

What we have offered to sketch out in these pages is the astonishing power of the vibratory energy found as the basis of life, this life for which all biologists attempt to learn its mysterious secrets.

Vain will be their efforts as long as they refuse to pose the problem in its true milieu, in its true light: Life? It is a cosmic principle that relies, outside of space and time, on the most minute of the material-vibrations of the Uncreated Vibration.

Other works on radiesthesia by the same publisher

TRIALS IN VIBRATORY RADIESTHESIA, by L. Chaumery and A. de Belizal, third edition revised and augmented (1975). Ancient radiesthesia (prehistoric, Chinese, Egyptian, Indian), Detectors and Instruments of Radiesthesia, Shape-caused waves, Illness waves, Toxic waves, the Negative Green Ray, Large magnetic currents, Re-equilibrating, Teleradiesthesia.

THEORETICAL AND PRACTICAL RADIESTHESIA, by Henry de France. The most simple procedures for all radiesthesic applications.

RADIESTHESIA AND INTUITIVE KNOWING by Henry de France. How to utilize our intuitive possibilities thanks to radiesthesia.

ON RESEARCH OF THE UNKNOWN by Henry de France. Procedures of intuitive research and Radiesthesia. Conditions for health and success.

RADIESTHESIA IS A REALITY by H. Baumbach. Demonstration in 10 illustrated lessons with examples applicable to all domains of human activity.

PRACTICAL NOTIONS OF RADIESTHESIA for MISSIONARIES, by Father Bourdoux. Preliminary notions of Radiesthesia and response to principal objections. Explanation of radiesthesic facts. Several applications.

THE MYSTERIOUS ABILITIES OF THE HUMAN BRAIN DEMONSTRATED BY RADIESTHESIC WRITING, by J. Auscher. A pendulum-writer? Why? Mental scripto-pendulum technique. Physical, mental, inspired radiesthesia. Research on the causes of failure. Medical research, disappearances, at a distance, police work, etc. Numerous testimonies from important people.

Coming soon: The work of Louis Turenne condensed into a single volume.