

Born To Be Magnetic. Volumes 1 & 2

plus Supplement by Frances Nixon

Since the beginning of time, the migratory birds and animals have been guided back to the location of their birth. The mystery of these forces have always intrigued and baffled man. This book presents a study of these energies with examples

Volume 1

Chapter I. It's As Plain As The Nose On Your Face

Since the beginning of time, the migratory birds and animals have been guided back to the location of their birth. The mystery of these forces have always intrigued and baffled man.

It was nine years ago that I accidentally stumbled upon a natural law. A law that not only released this secret but changed my whole destiny. It has also changed the lives and health of an increasing number of people who have shared this discovery through the knowledge released in the books, *Vivaxis* and *Magnetically Yours* and through our Research Society. In a recent article on my work, which appeared in *Week-End Magazine*, August 1970, Doyle Klyn summed up my observations in a few well-chosen phrases; "We all have magnetic waves which link directly with the geographic point where we were born. This point of origin acts like a compass to which the energies of our bodies are aligned. From it life-giving forces flow in a two-way magnetic link and can be utilized not only to channel new energy to the body, but to heal certain specific areas of it."

"It's as plain as the nose on your face", is an appropriate title, for one's nose plays a vital role.

During tests, if a salmon's nose is blocked with absorbent cotton it is unable to get its correct bearings to its spawning ground. In similar tests if a person has their nose plugged, they no longer can locate their bearing to their birth place. People with blocked sinuses have similar trouble until the sinus cavities are cleared through the technique of "channeling".

Homing pigeons that have small magnets attached to them are unable to find their correct bearings, for their energies are out of proper phase. Persons who have been treated with strong magnets and radiation are also unable to locate their correct bearings to their birthplace, however once these foreign atomic influences are erased, then they generally can.

In order to survive as normal healthy human beings we must devise a new code of ethics, that works in harmony with nature. The yardstick of intelligence should be man's ability to evaluate and understand natural laws and work at all times constructively within these bounds. To do otherwise is generally creating imbalance, an imbalance that destroys the fundamental pattern of magnetic influence, which we have discovered, is vital to all life. In our research, an imbalance of energies is detected underlying all malfunctions of the body and mind. Therefore we must first have an understanding of these basic laws, which include a balanced atomic arrangement of related magnetic energies. Only then can we intelligently preserve them from the onslaught of drugs, chemicals and radiations. In many instances devised by the minds of men with complete disregard of the cumulative effects that conflict with and destroy what nature has implanted to work naturally for us. The reference is particularly applicable to the type of drugs that go in and out of fashion like women's dresses, rather appropriately illustrated in the story of the doctor

who handed a patient a prescription for a drug instructing, "Hurry and have this filled while it is still a remedy". I repeat, the true yardstick of intelligence is the type of mind that recognizes nature's laws and those of the Universe as supreme and works at all times in harmony and accordance with those laws. As a direct result he is also far better equipped to constructively contribute to mankind and the world he inhabits.

In matter of time it is not long since *The Pulse of Life* appeared; a treatise of limited distribution, which was written in 1966 and copyrighted in my name. It summarized the results of my work at that time and was the original presentation of my discoveries. It enunciated a fundamental law of nature governing all forms of life, the importance of a permanent and fixed atomic and molecular magnetic alignment found in the bones of animals, fish and in the structure of plant life.

The following is a summary of these findings:

1. The alignment of atoms and molecules become fixed in our bones at the time of birth or shortly prior to birth.
2. Through this alignment the geographic point where a person was born can be located and further, the level of his individual magnetic pole can be determined.
3. Each person is linked by wave circuits to his individual field of magnetic energy.
4. By channeling the individual brings the energies of his entire body into phase through particle currents, which, obedient to a natural law, run side by side in opposite directions. The individual's alignment is thus strengthened, which in turn tends to correct abnormalities of nerves and muscles within his body.
5. Similarly, channeling can be used as an effective weapon by an individual to annihilate foreign energies including those of viruses and bacteria.
6. After a person channels to his magnetic pole the thyroid gland and blood record the alignment of energies.
7. Cigarette tobacco and insecticides weaken and disrupt the alignment in bones.
8. The geographic location can be pinpointed at which a permanent bar magnet was originally magnetized.

Early in 1969, *Vivaxis, the Spiral of Life* was published. This particular book was written with the collaboration of Bessie O'Connor who, in her capacity of illustrator and a teacher of English, was an enthusiastic assistant. I was persuaded to include within the book, the story of the many paths that led me to the discovery of a natural law of magnetics and the various methods used to verify its existence.

Before the year 1969 had elapsed I had completed the book *Magnetically Yours*, whose main intent was to illustrate the significance of this law of magnetics and its useful application to us. From it I quote:

"The title Magnetically Yours has significance; it refers to your personal magnetic wave link to the geographical point where you were born. The birds, animals and fish have been aware of this wave link and utilized it for thousands of years; for example, the faithful return of many species to their place of origin.

"Man has emerged rapidly into the electronic age but in his haste has pathetically ignored his own part in the Universal scheme of magnetics. It is increasingly apparent that ignorance and abuse of this important biological law of nature is responsible for a good majority of both physical and mental ills. The book explains how magnetic wave messages are relayed from the brain to the receptor cells of the motor neurons, which control the reflexes of the body. Examples show what happens to the reflexes when messages are disrupted or blocked.

"To most people it is a tremendous revelation to discover that through the new knowledge of channeling they can reactivate their dormant or sluggish reflexes. The reactions are usually instant and give a feeling of power and special satisfaction, to realize they have accomplished it themselves by harnessing their own atomic energies.

"It is well recognized that a healthy body is full of electromagnetic waves but during illness there is a detectable deficiency. The discovery of their origin makes it possible to reinstate these waves to their normal pattern within the human system."

Interest and enthusiasm grew as many readers discovered for themselves they had the ability to locate and channel to their Vivaxis. As a result the Northwest Magnetics Research Society* was formed in February 1970, as a nonprofit organization for the purpose of supporting my research into the magnetism of the human body and the dissemination of factual information to its members. With the aid of the organization progress accelerated and as a direct result of the society's seminars the bounds of our knowledge continually advance. The subject is a vast one and it is the society's aim to educate those of its members who require further knowledge and guide them in the application of channeling. My discovery of code receptors in the summer of 1970 prompted me to write the booklet New Techniques of Channeling; as a supplement to the information contained in Magnetically Yours.

So much has evolved in the last twelve months that it seems a century of time rather than a year and it is the intention of Born to be Magnetic to correlate the new and the old knowledge within this one volume. Prior to detailing the wave mechanics, it would be appropriate to first make the reader aware, how members of our Society are very constructively utilizing the application of the knowledge of our magnetic energies.

* Northwest Magnetics Research Society, P.O. Box 114, Nanaimo, B.C.

Chapter II. Friends Of Vivaxis

The word "Vivaxis" is the name we have given the geographical point where a permanent magnetic alignment was introduced into the atomic structure of our bones. Introduced at the approximate time of our birth, as our bones solidified. A magnetic alignment, which is characteristic of the earth's magnetism of that particular geographic point. An acid liquid has a flexible atomic arrangement, its molecules move relative to the magnetic influences in its immediate environment. Prior to birth a fetus is contained within a solution of amniotic acid in its mother's womb; the bones of the unborn child at this stage are soft with a flexible atomic arrangement. Around the time of birth when the bones solidify the magnetic pattern becomes fixed within them, acquiring the specific wave characteristics of the magnetic energies at that point, relative both to the position upon the earth's surface and also the distance from the earth's centre.

Thus, each person has his own individual Vivaxis. In accordance with a law of wave mechanics, where a wave returns to the source of energy from which it originated, we find we can at all times detect a two-way link to our own Vivaxis, the point of our magnetic energy. When we are correctly positioned and faced to our Vivaxis we used the term "aligned in our channel".

The world behaves as one large magnet and we, as individuals, are an integral part of the magnetic whole. Not only do we have a wave link characteristic of a given magnetic point, but also in addition we are able to receive and link circuits with other waves in the same band of wave lengths which are also magnetically linked with the world's magnetism. This gives us a gigantic communication system, linking all life that is part of the same magnetic whole.

Everyone has his own Vivaxis, but all are magnetically related through a common parent, Mother Earth.

A fundamental law of the entire universe is the orderly arrangement of magnetic energies, and because of it, order is maintained and chaos prevented. Man is comprised of atoms and atoms generate magnetism; man is also part of the universe and it is natural the same laws should apply to him. The magnetic energies within a healthy body are strong and work in continuity as they do in the solar system; the related magnetic energies are able to recognize self and refuse to accept foreign energies introduced by harmful viruses and bacteria. On this theme our stories are largely founded, for friends of Vivaxis have learned their Vivaxis is their friend acting as a guardian angel to reject invaders with foreign patterns of magnetic alignment. However, in order to do this successfully we have learned that our own atomic alignment must be kept magnetically strong.

The invaluable support and rapid growth of the Northwest Magnetics Research Society has been the direct result of the members discovering

through themselves, that they can channel into their own Vivaxis and in a manner that rebalances their energies.

We have illustrated in the seminar classes how the magnetic code receptors* are responsible for transporting wave messages from the brain to the reflexes of the limbs and various organs. If these code receptors show a disrupted wave alignment, messages are also disrupted, resulting in varying degrees of physical discrepancies, including paralysis. Reinstating the correct wave arrangement characteristic of the individual's Vivaxis energies, restores the code receptors to their proper functioning as wave carriers, in nature's design of communication within the body; communication of wave messages from brain to legs, to arms and to other parts of the human system.

Generally, the results are dramatically instant and leave no room for scepticism. At the commencement of a recent seminar, a man of the medical profession made this comment, "We in science feel your claims fall into the realm of quackery, for nothing could happen as fast as your books indicate." In the seminar we worked with a member of the society who had suffered serious injury from an automobile accident. Numerous circuits of magnetic wave receptors were disrupted; as he corrected these by channeling, immediate improvement in the control and manoeuvrability of the parts of his body was very apparent. The class of fifty students were obviously moved as they observed the "before and after". Most of us never cease to experience a feeling of deep emotion as we witness the beneficial results wrought immediately by specific channeling. With this feeling of emotion I focused my eyes on the doctor who had voiced his disbelief and queried, "Does the gentleman still feel that response could not possibly be so instant?" He replied by shaking his head!

* Code receptors described in Chapter 15.

Man has a well-known talent for overlooking the "obvious" and is fated to judge and evaluate within the relatively limited bounds of his own cognizance. Nevertheless, knowledge of magnetic fields, as it relates to the human body, is expanding especially in the realm of space research and in various medical schools throughout the U.S.A. where investigations are underway. Those who have explored and witnessed the orderly arrangement of magnetic influence in their bodies, realize the findings and the results of channeling have been far too consistent to classify as mere theory. As a consequence, we should not have to defend this wonderful law of nature when challenged by skeptics. It would be an indignity; since it is a law governing our lives and should be recognized and revered by all. For those who want proof there is only one answer; teach them to discover it through themselves and because it is a part of them, here is where they will find confirmation. Those who have not explored and researched this subject are hardly qualified to judge and should be ignored when they negatively attempt to reduce our discoveries to the narrow limits of their present understanding.

Member groups of the Northwest Magnetics Research Society are already established in various centres of Canada and the U.S.A. When requested, the society holds classes in these places to provide instruction for the members; initially beginner's classes, followed by more advanced seminars for those

who seek a deeper understanding. In the seminars where all contribute to the forward progress of the work, we search for those capable of becoming instructors. The training of instructors is supervised by the society, with the objective of developing in each centre one or more well-qualified persons capable of helping new society members in their area. We have cast the first pebble and now we watch the ripples fanning out.

Through my good friend, Angela Kilsby, I had made many friends and associations in the San Francisco area. Angela is a person well known for her work in promoting speakers whose messages she considers authentic and worthwhile; I am very grateful for her vote of confidence since she provided my first launching pad into the realm of public speaking. The response at lectures taught me the world is ready for our knowledge of magnetics. A cross section of society appears very weary of today's accepted practices of drugging, cutting and burning with high-powered X-rays. Our work has opened a new door, where with the aid of a natural law, the individual himself corrects imbalances of the body and the results have far exceeded our expectations.

Friends Of Vivaxis. Continued

Our first seminar was held in the San Francisco area. It was here we initially found our magnetic energies to be the underlying force that balances and stimulates the reflexes of the entire endocrine system. The picture unfolded gradually and in the process one sensed a humbleness and reverence for this universal law of magnetism; grateful it is a basic part of us and we are capable of exploring and discovering its influence within ourselves. We may command nature only to the extent by which we are willing to obey her, however, in order to obey nature we must first understand her laws. We observed the essential ingredient of a tranquil mind and healthy body is the rhythm and balance of flowing magnetic energies. We also found energy wave distress signals being emitted from points where energies were disrupted, telling a story of their malfunction.

As a group we discovered many of nature's secrets. Ironically, these are sometimes revealed by disobedience of her laws causing deviations and energy unbalance, which is detected by energy wave distress signals released at the site of the trouble. The members of the seminar were taught to recognize a disturbed energy wave pattern from a normal one and it was in the course of this demonstration that we found yet another secret.

I was showing the class that a wave pattern could be identified by the angle wire swinging in its copper sleeve held in the right hand, while the tip of the left index fingernail was placed over the centre part of the nose. The wire swung in the sleeve seeking a channel that radiated an energy wave pattern corresponding to the one on the nose. The majority of the students found their wire moved in a direction orientated to that of their individual Vivaxis; however, the wave recording wires of four showed a distress pattern by circulating or wandering aimlessly.

The four students had characteristics in common; they were very thin, afflicted with nervous allergies and unable to digest starches and sugars. I was unaware at the time that signals from a particular gland were given off at this point on the nose and was speculating on what story this particular distress signal was telling. With what organ was it associated? It was Kay, one of the four, who suggested the answer and so we will use her story to illustrate.

"Could it be the pancreas?" Kay asked. Yes, it was! We detected and marked distress signals at other receptor points on the front, sides and back of the head, all on the same level corresponding with the one on the nose. We found distress signals at the site of the pancreas itself and in addition located and marked similar distress signals at terminal receptors, associated with the pancreas in the hands and feet. The terminal receptors play an important role as circuit grounders and are essential elements for an efficient energy wave circuit.

In order to establish that all the distress signals were interrelated Kay pressed the receptor signal of the pancreas itself; immediately the other associated receptors responded to the temporary energy introduced by Kay which indicated they belonged to the same circuit. The response was recorded in my angle wire as I checked in turn each disturbed receptor of the head, hands and feet; as Kay pressed, the circulating pattern in the wire stopped with an immediate jerk. My wire, circulating in the copper sleeve, stopped as though a brake had been applied, which is in effect what happened, since the uncontrolled electric potential was temporarily shut off by Kay's action. Had Kay applied pressure to a part of her body other than the receptors in question, the circulating pattern of my wire might have slowed, but not stopped. This standard method of testing a circuit is done to make certain that each receptor is rightfully associated with the particular circuit which is being ear marked for correction, in this case the pancreas.

Kay was the darling of our group. She was a young woman, who possessed a frail beauty and a warm compassionate nature that endeared her to all. Kay's life was slipping gradually away; she was about five feet six inches tall, weighing a mere 87 pounds and for a year or more had continually lost weight. Her husband had taken her to doctors throughout the U.S.A. and abroad, but all were at a loss to stem the tide and they fatalistically claimed her cells were dying faster than she could replace them. She lacked the ability to digest foods, particularly sugars and starches; she was extremely nervous, pathetically weak and absolutely exhausted; in fact, she was rapidly running out of time.

Kay believed her trouble stemmed from the time she and her husband visited an old radium mine reputed to have therapeutic and revitalizing powers. For a week she was exposed to its radiation and it was shortly after this session that her system showed signs of deterioration. In the light of our findings concerning the detrimental effects of outside radiation upon our own magnetic waves, her opinion is probably correct.

The group wanted to find a clue that would reverse the tragic disintegration of her body cells. So often in this science of magnetics it has been my experience that the answer is generally there, if you will let your subconscious mind tune into it. In this instance it was Kay's initiative that paved the way; her suggestion that led us to the disrupted circuit of the pancreas.

Only the marked receptor points were stimulated when Kay corrected her pancreas circuit; I helped with those she found difficult to reach and between us we thoroughly activated the entire circuit. As soon as the stimulation was completed she channelled to her Vivaxis. (Methods are detailed in subsequent chapters.) At a subsequent session receptors connected with the thyroid and parathyroid glands were also corrected.

After the corrections were made and all the receptors showed a normal pattern, I asked Kay if she would now be willing to test her tolerance to honey, by eating a quarter of a teaspoonful when she returned home. She agreed but not without misgivings. The following day she was elated, her eyes shone with new hope; Kay had taken the honey with no ill effects! She described the alarming reactions she had formerly experienced as a result of eating honey, sugar or starches; her throat would swell and she suffered violent spasms of

choking, which lasted for long periods. She had arrived at a turning point, the pancreas reflexes were evidently working in magnetic harmony with the thyroid gland and now the pancreas was playing its proper role of producing the important enzymes necessary for digestion. Kay, using discretion, consumed only small quantities of sugar and starches at one time and it was surprising how quickly her system readjusted. Soon Kay started to record gains in weight, for the first time in years.

It had never occurred to me the songs of the birds might be associated with the balance of energies in the endocrine system, but Rolleen, the young wife of an electronic engineer, taught us this biological fact. She attended the seminar as the guest of her husband and during the course of the evening drew my attention to a protruding growth in her thyroid gland; as a research project she agreed to try to remove the growth by channeling. We found various disturbed receptors associated with the thyroid gland which were located at the base of the neck, in the head and at the terminal receptors of the hands and feet. The receptors were stimulated and Rolleen channelled immediately; half an hour later the growth had not only disappeared but there was a noticeable indentation where formerly it had been. The speed with which the growth vanished was a lesson we will always remember - the power to balance energies was so visibly demonstrated!

A few evenings later Rolleen enthusiastically corrected the disturbed receptors associated with her pancreas and thereafter she bubbled with a new found joy of living. For many months her throat had been dry and depleted of the normal flow of saliva to the point where she had been compelled to stop singing. This vocation had long been one of her greatest pleasures although at the time I had no idea of the depth of her talents. The channeling had successfully restored her throat to a normal condition and within hours after correction this young soprano had arranged with her singing teacher, also a member of the seminar group, to resume her singing lessons.

Several days later I was enjoying a farewell party given in my honour at the home of "Maestro" and attended by the members of the seminar group. While we leisurely sipped champagne in the red-carpeted studio, Maestro seated himself at the grand piano; his sensitive and musical fingers danced lightly over the keys creating the harmonious chords of a beautiful melody. Rolleen, petite and radiant, burst forth into glorious song with a voice I thought could only belong to nightingales. She sang one song after another with a clarity and beauty that told of joy and elation deep in her heart. When she concluded with "Ah! Sweet Mystery of Life" every person in the room had tears of emotion swelling in their eyes. She turned to me as she finished, "Fran, thank you from the bottom of my heart for sharing the secrets of the Universe; it has made it physically possible for me to sing again!" Her husband and Maestro her teacher, were deeply moved too, since they had never before heard her sing so exquisitely.

A few months later I was a speaker at a convention where I told her story and in conclusion to the talk Maestro played as Rolleen sang. It illustrated so vividly how the balancing and reinstating of magnetic energies restores the very song to the birds.

Let us return to the party which we left rather prematurely for it was a fun party, everyone sharing and celebrating in the elation of their channeling accomplishments. A huge cake appropriately decorated was placed before me; Kay was there and had two pieces, which showed the huge step she had made in the one week.

How can so little do so much? These and similar experiences repeated so many times, demonstrate the underlying atomic arrangement designed by our Creator. A design, which we must recognize and reverence, if we are to exist as efficiently functioning human beings. This is a science of balanced energies and the results are only possible because we have the ability to channel into its known source, our "Vivaxis". Channel much in the same manner as we tune our radio set into the wavelength of our chosen radio station. Living creatures are known to be emitters and receivers of electromagnetic waves.

Until I started working with groups in seminars I had no idea of the illness and miseries people accepted as a part of their daily lives; suffering so often from disabilities that disappeared with the proper balancing of their magnetic energies. In modern civilization death comes at a later age, but in many instances one wonders, is it an extension of normal life or a mere prolongation of death? On this theme I conclude with an appropriate verse, author unknown:

Just Fine, Thanks

There's nothing whatever the matter with me.

I'm just as healthy as I can be.

I have arthritis in both my knees

And when I talk, I talk with a wheeze.

My pulse is weak and my blood is thin

But I'm awfully well for the shape I'm in.

I think my liver is out of whack and a terrible pain is in my back. My hearing is poor, my sight is dim, most everything seems to be out of trim. I jump like mad at the drop of a pin but I'm awful well for the shape I'm in.

I have arch supports for both my feet

Or I wouldn't be able to go on the street.

I cannot sleep night after night

And in the morning I'm a sight.

My memory's failing, my head's in a spin

But I'm awfully well for the shape I'm in.

Chapter III. Words Of Wisdom Live On

"It should be only your own magnetic energies that are used." These words of wisdom echo continually through my mind; a friend, a public health nurse, foretold them. Although she died some years ago the truth of her words lived on and proved to be factual; they left an impact which helped lead to the discovery that we have the ability to channel into our Vivaxis.

Marg and her family had a summer place near us and she became very interested in my initial discoveries. One summer she arrived suffering considerable pain in her back due to cancer of the spine. The pain had been very severe and her doctor had operated hoping to relieve the agony; at the time of the operation he predicted she had only three months to live.

At that time our experience with energy waves was elementary but from experiments with ice, in various sized round containers and with water Vivaxes, I had discovered the atomic particles of ice and running water are flexible and have the ability to align as a unit to the magnetic field existing in their immediate environment. Thus, if ice is taken from one place to another, its particles quickly change alignment under the influence of the magnetic fields characteristic of the respective locations.

I found the most practical and efficient sized container for the ice is one of two gallons where the contents can be frozen into a solid round block. My husband, Dick, was the first guinea pig! As a result of an injury, he had been plagued with chronic pain in the upper part of his back for some twenty-five years. Vertical travelling waves spiral upwards from the centre point of the solid ice and I was able to effectively transfer them by holding my left index finger over the centre of the ice container and my right index finger over the injury on my husband's back. For a few days the swelling receded and ache disappeared but inevitably the trouble would return. Tests showed I was introducing energies that produced an alignment, but one that was foreign and eventually rejected by his own predominant field.

In our observations of other types of magnetic and contact healing, a realignment to a foreign field can very often be detected. In some instances one or more brain receptors have taken a permanent alignment differing from that of their own Vivaxes; instead of one Vivaxis these people have two or more. Sometimes this is justified, especially where people were critically ill and recovered as a result of realignment. In many of these cases, however, personality changes and unpredictable behaviour are side effects that appear to have a direct association with the conflict of alignment in the brain receptors. Foreign fields introduced by treatment with powerful magnets also tend to build static potentials that are cumulative and lead in many cases to serious nervous tensions. Similar adverse effects have been observed in children who play with strong magnets, for example, magnets sold as

scientific instruments and capable of lifting forty pounds. The strength of these magnets, unfortunately, makes them also capable of interacting with the child's atomic arrangement.

Returning to our story of Marg, it was heartbreaking to witness her suffering and we discussed how the magnetic waves transferred from the ice temporarily helped Dick. Marg experimented and found it also gave her relief but only for short periods, three to four hours at a time. She analysed the problem and reached the conclusion that, "It should be only your own magnetic energies that are used." At the time we discussed the possibility of returning to our Vivaxis, the exact magnetic field to which our energies were aligned, but the chances of locating the precise point appeared too remote to consider seriously. Marg's life slowly slipped from her as the doctor had predicted.

Her interest in my research had developed a strong bond between us and the news of her death sparked an urge to search further. Marg had requested to be buried in a cemetery on our small island; my husband and another friend dug the grave. Her family, who had travelled from distant parts of Canada, came to our home after the funeral and it was there her husband and daughter further fanned the incentive to probe deeper as they spoke of Marg's strong conviction of the importance and reality of my findings. I realized it was a key capable of unlocking many universal secrets and Marg helped to spark the necessary desire that gave me the power to use that key.

The words, "It should be only your own magnetic energies that are used," were firmly imprinted on my mind. The morning after the funeral I awoke about four, with an irresistible urge to experiment and investigate the possibility of locating a channel leading to what we now term our "Vivaxis".

My initial experiments that early morning were conducted with two swivel chains held between the thumb and forefinger of either hand. I had previously learned the necessity of holding my spine erect and feet apart in order to record energies and, in addition, I took the precaution of holding my head level while testing with the two chains.

Observing the results, I noted the chain in my right hand circulated while the one in the left remained stationary. I turned a few degrees into a new position, paused and noticed that the chains had described the same motion. I continued to repeat the manoeuvre, moving a few degrees each time. About the fourth occasion after I paused both chains suddenly started to swing back and forth in an alternating motion keeping in perfect phase as if obedient to some natural law, as indeed they were. With a compass I checked the direction in which the chains were swinging and found it pointed towards Vancouver, my birthplace, or as we later termed it, my "Vivaxis"; I marked the bearing of this line. I tested when faced at right angles to the marked line; the chains immediately swung in unison back and forth in contrast to the alternating motion. I faced with my back to Vancouver and the chains reacted in the same manner as when I faced the original direction.

I carried out further tests by facing towards my Vivaxis and tilting my head slightly from the level position; the alternating motion of the two chains promptly changed and the one in the left hand came to a stop while the right

one circulated. I tried twisting my spine and found that both chains lost their motion. These were important lessons in wave behaviour and stressed -the importance of keeping the head level and spine erect while testing.

This was my first giant step towards the realization that we could utilize and control our waves through channeling. The permanent cure to my husband's injury was subsequently found through realignment by "specific channeling" with his own magnetic waves. These methods will be detailed later in the book; prior to this discussion we will recount the techniques of channelingin the next chapter.

Chapter IV. Methods Of Determining Your Channel

Early in our work we observed that waves travel in horizontal and vertical planes and as a consequence I started to experiment with angle wires. The angle wire in combination with the copper sleeve has proved the most versatile and useful instrument presently available for locating one's channel and wave testing.

The angle wire is made from soft steel that temporarily magnetizes and aligns its atomic particles to the waves introduced. Copper, on the other hand, does not magnetize and cannot be used for the angle wire; however, it is a good conductor and is utilized for the sleeve in which the angle wire rotates.

Galvanized wire, soft steel or welding rod of one-eighth inch diameter are commonly used for the angle wire; a piece approximately eighteen inches long is bent at the middle to a right angle. It is essential for the arms of the angle wire to be straight and the angle between them an accurate ninety degrees, so when one arm is held in the vertical the other is free to move in the horizontal plane. Since the waves travel in horizontal and vertical planes the wire must be checked often to ensure the angle remains an accurate right angle and the angle wire itself remains an efficient instrument. The ends of the wire must be sharpened to a point and kept free from rust.

The sleeve is generally a six-inch length of copper tubing, one-quarter inches in diameter. The ends are machine cut with a pipe cutter and smoothed so the angle wire can turn freely in the sleeve.

In use, one arm of the angle wire is inserted through the sleeve and the latter is held vertically in the hand, thus the hand does not come in contact with the wire. The centre whorl of the thumb is placed against the sleeve and the other four fingers pull the sleeve to the thumb as shown in Photo No. 1; the thumb touches the sleeve well above the index finger to avoid interference between the two. When the sleeve is held in a vertical position the horizontal arm of the angle wire is free to swing in any direction or to rotate through a full circle.

Do not let others use your angle wire; lend your toothbrush if you must, but never your angle wire! Your wire gradually assumes some of your own magnetism and becomes a more reliable instrument as the time goes on; when others use it a foreign characteristic is introduced which results in confused movement that is difficult to interpret.

Experience has taught us that when the end of the wire is held vertically above clothing or parts of the body, the movement of the angle wire is unreliable; therefore, hold the wire sufficiently from the body and feet to avoid interference. We find the vertical wave train must have a direct and unobstructed route to the ground to yield significant results.

The angle wire reading is not dependable when the tester's clothes brush against furniture, walls, etc., so it is essential for him to work in a clear space with ample room. When locating your channel remove any tight clothing or headgear that puts stress on the bones of the body. Take off eyeglasses, watches, rings and jewelry; it is impossible to determine the correct direction of your channel with the pressure of glasses against the bridge of the nose and the sides of the head. The head must be level, eyes directed forward, body erect and spine straight when using the angle wire to find one's channel. When changing direction a few degrees, it is a common fault to twist the body without moving the feet through the same angle, which nullifies the accuracy of the wire. Therefore, avoid twisting from the waist and move the whole body in a ramrod position.

For both determining the direction of your channel and channeling, your mind must be relaxed. Do not have an audience since they cause wave interference and instead of a single definite circuit you become involved in a network of circuits.

Before testing or channeling always neutralize as a practised routine and be sure that the condition causing the static has been dissipated. Neutralizing is a complex subject that is discussed in a later chapter.

Accuracy is essential if a true story is to be told. Often, people casually remark prior to channeling, "I think this is just about my channel." Locating your correct channel is similar to turning a radio dial to tune in to a specific station; if you do not turn the dial to the exact point you do not receive the right station. We are beset with extra complications, for our wave channel being weaker than that of a radio set is more subject to deflections and the direction varies under the influence of other fields of energy, in a manner analogous to that of a deflected compass needle.

Deflections are caused by proximity to mountains, planes flying overhead, electric motors cutting in, electric equipment, fibreglass and metal roofs, people walking above you, branches of trees overhead, storms, spectators, certain types of carpeting, etc. Outside transformers very close to the house can cause serious deflection. By pulling the main switch in the house prior to channeling, interference from household electrical equipment can be eliminated.

The recommended environment calls for level ground, cement, blacktop, wood, or linoleum floors - area as open as possible and free from the previously mentioned deflectors.


The head can be regarded as the main wave impulse receiving and sending platform. A brief review of the wave vector readings of a normal skull might be an aid at this point. Refer to Figure 1 of the skull in a channelled pattern when faced directly to its Vivaxis. Note how all wave vectors on one hemisphere of the skull travel towards its Vivaxis in one aligned direction, while all wave vectors on the other hemisphere travel in the same alignment but in the opposite direction. If however, the head is turned a fraction to one side or the other, the direction of energy flow is changed and reverts into a weak wave pattern embracing a wide directional variation of wave vectors.

The level of the head is of great importance when aligning during channeling. The ears play a dominant role in the sense of static equilibrium. Inside the chambers of the inner ear are sensory hair cells on which crystals of calcium carbonate rest. Any changes in the position of the head relative to gravity displaces the crystals and this alters the pattern of push and pull that they exert on the hair cells. In turn, the pattern of impulses sent to the brain is altered. Two of the most common faults during channeling are either tilting the head too far forward or too far back. It is a prime requisite of beginners' classes to instruct students how to recognize when their head is held in a correct level position.

Methods Of Determining Your Channel. Part 2

Wave vector readings of the skull when a person's head is level and aligned correctly in a wave channel towards their "VIVAXIS".

The energies run side by side in opposite directions, obedient to a natural law. The magnetic arrangement is strong and organized. Note how the direction of the waves changes at the centre point of the skull.



Wave vector readings of skull when a person is not aligned. The wave vectors embrace a large variation of directions. The magnetic pattern is weak in comparison to "A".

FIGURE 1.

There will be a group with extensive X-rays, blocked sinus passages, and thumbs and forefingers with disrupted receptors that are not recording energies. These fingers will be identified by their lack of elasticity; when the centre whorl of the finger is pressed the flesh remains indented for a short period, instead of immediately springing back firmly. These are "soft" fingers and they are poor conductors of a person's energies. Generally, people in a seminar with soft fingers are unable to get any response with the chains or angle wires until we have located their channel for them and they have corrected the cause and condition.

Those who have had a few X-rays only and the flesh of their fingers springs firmly back when pressed indicating a normal magnetic wave flow, can generally find their own channels.

Although there are numerous ways of locating one's channel, perhaps the easiest method to use before X-rays have been erased is with a swivel chain, so this method will be described first. But before we do, we emphasize that a swivel chain and pendulum can be controlled by messages from the brain; therefore, scientifically they are not our preferred instruments. It is only a method used to help us over the original hurdle of wave interference from X-rays. Bear this in mind and keep your brain relaxed and neutral or a true story will not be told.

The type of swivel chain used in an older style hand basin is inexpensive and generally available at most hardware stores; a couple of these are suitable for determining your wave channel.

The direction of energy flow influences the chains. Therefore, they should be marked with nail polish or some other identification for the left and right hands. Only the designated hand should handle them with the same end always suspended. One person should use a set of chains only, unless the radiation is completely cancelled prior to the handling of them by another; this is often difficult to do, even by dropping them. The same principle is applicable to angle wires.

Normally we have a vertical energy flow travelling predominantly out of one hand; the hand being determined by one's elevation in relation to his Vivaxis - above or below. Use the hand, which normally registers no motion in the chain when faced out of your Vivaxis alignment. This makes it easier to detect the forward pull as you move into your channel, for now the direction of energy wave flow has changed into a horizontal plane causing the chain to swing back and forth with the wave impulses; the chain pulls strongly channelled in the direction of your Vivaxis. During this procedure, hold the free hand against the flesh of the bare leg; this helps to form a magnetic unit.

Method of holding chain: hold the swivel chain between forefinger and thumb with fingers pointed down; arm bent and held free of the body, with fingers positioned level with the centre of the collarbone. Avoid the temptation of tilting the head down while watching the chain. If the head is tilted, the body turned or slumped, the motion in the chain cuts.

It is essential that the whole body be held erect in a ramrod position while one turns to face various directions in seeking his Vivaxis channel. It is a very common error to stand and twist the body. No channel can ever be found with the body twisted; it should move as one erect ramrod.

A great many people may find their magnetic pattern weak at first, and it might be necessary as one turns around, to pause as long as ten seconds faced in a direction to test for reaction. For originally locating a channel, a compass bearing towards one's geographic place of birth will usually indicate the general direction, barring major deflections. However, the exact channel must

be determined by the observation of the energy flow in the chain. The reaction of one with a strong magnetic pattern is instant; as he faces directly into his channel he knows at once, by the animated way the chain immediately pulls back and forth in the channel and stops the instant he slumps or turns away from it. When he faces at ninety degrees to the direction of his Vivaxis the chain swings parallel to that direction and still in the wave channel to his Vivaxis.

When one is aligned directly in the channel to his Vivaxis, facing either frontwards or backwards, the polarized wave impulses introduced immediately into the chain, stimulate and influence it to align its atomic particles toward the source of radiation. It pulls back and forth in a definite wave channel towards the direction of the person's Vivaxis. If a chain is held in either hand both chains will swing back and forth in the Vivaxis channel, synchronized like a pair of briskly moving legs. The strength of the magnetic pull is in direct relation to the strength of the person's magnetic pattern. Generally, this gathers momentum after all X-rayed bones have been realigned. Grounding is important. Awareness of left and right quanta, both with electromagnetic waves travelling in opposite directions to form a circuit, will help to understand the necessity of two separate groundings. Legs and feet must be grounded well apart during all wave transmitting and channeling. To determine one's channel with the use of angle wires, first practise using a single angle wire. The description of the angle wire and sleeve, the method of holding the sleeve and the precautions to be observed, have been covered in the early part of the chapter. The correct stance is illustrated in Photo No. 2; note the position of the body with the head and back erect and the feet apart. To find one's channel with a single angle wire, hold it with its sleeve correctly in the right hand. The centre whorl of the thumb placed firmly against the sleeve and held well above the interference of the index finger. Hold the angle wire in an exact horizontal and vertical position and the horizontal arm level with the centre whorl of the left hand middle finger. Note in Photo No. 1 that the lower end of the wire extends below the hand; this is essential.

Methods Of Determining Your Channel. Part 3

Hold both arms slightly out from the body and the left hand vertically as illustrated in Photo No. 4 and follow a similar procedure of moving the body in different directions and testing for ten seconds, as described for the chains. Use a compass to estimate the general direction to one's Vivaxis and test.

When aligned correctly to one's Vivaxis the wire pulls and is attracted to the radiating energies of the middle finger of the left hand. A slight shift of the head or body and the wire pulls away from the finger returning sharply again as one realigns. When aligned faced in the opposite direction to one's Vivaxis, the wire also pulls in towards the middle finger.

Using two angle wires: Nice Jepson illustrates how the wires cross when she is aligned in her wave channel; they part the moment she moves out of it. (See Photo No. 3.) When sideways in her channel, both wires draw parallel to one another, each pulling in the opposite direction to the other.

Where the chest X-rays are causing wave interference the following technique can be tried. By introducing both energies directly into the wire, the effect of the chest X-rays is circumvented.

Our model, shown in Photo No. 1, is faced out of her channel concentrating on holding the wire level. The angle wire is held so the sleeve touches the centre portion of the whorl of the thumb, while the point of the wire rests on the centre point of the other thumb nail. With both quanta waves correctly introduced into the angle wire it becomes magnetically alive and turns spontaneously into her channel leading directly towards her Vivaxis. Since both energies are represented it will swing after a period of time to the opposite direction. However, if the model is faced directly towards her Vivaxis with head level, the excited energies cause the wire to swing continuously in alternate directions, to and from her Vivaxis.

Another method: the wire is held in one hand and grounded midway on the centre line of the palm of the other hand. With the head level and the wire held correctly the angle wire will turn in the direction of the person's Vivaxis. When a person is unable to determine his channel by the two methods just described a story is often told of neuron disturbance in the thumbs, or code receptor of the head associated with code receptors terminating in the thumbs. After these are traced and corrected the participant can generally determine the direction of his Vivaxis.

Check list for Determining Channel:

1. Neutralize.
2. No spectators.
3. Head and spine held erect, arms held slightly away from the body.

4. Eyes forward.
5. Legs placed well apart and clothing not touching any object.
6. Chain held between thumb and forefinger and suspended. Angle wires are held as illustrated in a horizontal and vertical plane.
7. Have separately identified instruments which are kept exclusively for the right and left hands and always held with the same end pointed down; each instrument tends to become magnetized with the person's radiation and each has opposite directions of energy flow. People should not use or touch another individual's instruments.
8. When turning to locate one's wave channel, the body should turn as a unit. Do not stand and twist from the waist.
9. About ninety per cent of the time one's channel can be located in a definite direction; however, during the other ten per cent, energies and radiations come from all directions. The angle wires then attract one another and cross in every direction a tester faces; chains swing back and forth whichever way one turns. Groups and seminar classes have noted that when this occurs every individual present has been affected and all registered the change in the same manner. Watch for this situation. It is temporary and seldom lasts for more than a few minutes. A person after locating his channel should turn out of it and test once again to be sure the wires pull apart when faced in other directions.
10. When planes are flying overhead avoid locating one's channel.
11. Always keep the mind relaxed when finding one's channel. Concentration of the mind diverts the circuit to the brain and the responses in the fingers change.
12. Do not try to locate one's channel for at least twenty minutes after eating as the energies then are directed to the stomach and consequently are weaker in the fingers.
13. Remove all tight clothing, glasses, jewelry and headgear.
14. Ground absolutely level - remove shoes.
15. Select an environment free from magnetic and electrical influences.
16. The thumbs must be correctly positioned with their centre whorls pressed against the sleeves of the angle wires.
17. The forefinger positioned on the copper sleeve below the knuckle of the thumb in order to avoid wave interference.
18. Check the angle wires often for correct right angles. A useful check - lay the wires along the corner edges of a rectangular table.
19. Keep the wire points free from rust.
20. Never attempt to locate the direction of your channel while looking into a mirror.

21. Those with X-ray interference should pause and wait about ten seconds after turning into a new position, since their reaction with the chain and angle wire will be much slower.

There are various methods of determining one's channel with angle wires but for the sake of brevity we have outlined only four; they are described in text and illustrations.

It is emphasized that the details of the "check list" must be observed and it is well to study Chapter VI (Neutralizing), "Neutralizing", before finding one's channel. So often in seminars I have observed students who initially find their angle wires unresponsive, but the wires come to life immediately they correct what appears an insignificant detail to them. Some of the more common corrections required are: pulling down the forefinger to well below the thumb on the copper sleeve; accuracy in placing the centre whorl of the thumb on the sleeve; stance, particularly straightening up the spine; clothes touching a chair or similar object. This is a science of wave mechanics, not a "psychic" experience or a casual guessing game.

It is reassuring to know that if the angle wires are held correctly in their copper sleeves, in truly horizontal and vertical planes, they will not cross by command of the brain. The tester thinks of a direction and only one wire turns in that direction, the other is not controlled by a message from his brain. When the tester is free from all wave interference one of his wires is always pointed to his Vivaxis, linked in a direct magnetic wave circuit.

Normally the wires only cross when one is correctly aligned facing either forwards or backwards in one's channel, with head level, spine erect, feet apart, etc. Naturally, the wires will often cross when tilted, but such a crossing has no meaning. Angle wires, held over a magnetic energy, such as electric wires, etc., will also cross and confuse the issue so it is desirable to choose an environment free from such influences.

Using The Brain To Determine Your Channel

We now propose a complete right about face by suggesting the brain becomes a means of determining one's wave channel. The brain works in a circuit to one's Vivaxis; it cuts strongly into the channel when one concentrates. A person can witness this for himself by actually diverting the energies to his brain through concentrating on a simple mathematical sequence, geared to the individual's ability to concentrate without mental strain; e.g., simple multiplication tables. This is done with one hand held down free from the body while the other hand holds the angle wire in the recommended posture. Regardless of the direction he is facing, the angle wire will swing towards his Vivaxis. A person with his Vivaxis located at an elevation below him can effectively use two angle wires while concentrating. Both wires will point in one direction in his channel without crossing. This is an interesting contrast compared to the crossing of the wires when he is aligned in his wave channel with his mind relaxed.

Since the methods of determining one's channel were first described in the previous books many have written from various parts of the world, stating they have been able to find their channels successfully. Indeed, some have located

the actual site of their individual Vivaxis within their ancestral home and written of the reactions of their wires while standing directly over it; the patterns have been remarkably consistent.

The president of our research society, Mr. Alan Pearse, recently returned to England and located his Vivaxis in the home where he was born and lived in as a youth. He described circling the house testing the direction of his channel from many positions. He found it a tremendous experience to feel the angle wires sharply swing in their copper sleeves and cross everytime he aligned to the house.

The original method of channeling described in the previous books has been replaced by a new and more successful procedure. Through extensive experimental work and observation we developed the new method, which is now used exclusively. Our experience with the hypothalamus and code receptors led to the new channeling routine, which is outlined in the next chapter.

Chapter V. The New Basic Channeling Method

We refer to the new procedure of channeling as the "four and four" method. Its name is derived from the fact that one repeats the channeling process, facing twice in each of four directions, first turning clockwise and then counterclockwise. Mark the direction of your channel on the ground and a line crossing at right angles. See Figure 2. Plastic tape is often used for the guidelines.

Method Of Basic Channeling

While channeling, ground the hands against the legs and do not have chains, angle wires or anything else in them. Stand over the intersection of the guidelines and place the feet about twelve inches apart. Face your whole body towards your Vivaxis, which is Direction 1 in the figure. The head is brought to the level position, close the eyes and breathe deeply through the nose: remain in this position for six to eight seconds. Open the eyes, turn ninety degrees clockwise and face into Direction 2 and place your feet accurately on the guideline. Again, keep your head level and eyes closed, breathe deeply and remain for six to eight seconds. Turn clockwise to face Direction 3 and repeat the breathing for six to eight seconds with the eyes closed. Turn clockwise to Direction 4 and repeat. Complete the full circle in the clockwise direction to number 5 and now, facing towards your Vivaxis again, repeat the six to eight second procedures. Now turn ninety degrees counterclockwise to Direction 6 and repeat the channeling routine. Complete the seventh and eighth directions, turning counterclockwise each time. When channeling has been completed in the eighth position, move away from your channel. During the half hour period of adjustment after channeling, remain isolated from people and other sources of magnetic influence.

CHANNELING THE 4 AND 4 METHOD




FIGURE 2

In summary: there are four directions of channeling, each position being occupied twice, Directions 1 to 5 clockwise, Directions 5 to 8 counterclockwise. It is important for the clockwise positions to precede the counterclockwise portion of the procedure. The body fluids will align only when first channeling in a clockwise direction. We have experimented solely in the northern hemisphere where the energies appear to be predominantly clockwise. Below the equator the energies, we believe, are reversed to counterclockwise. The routine we are using is applicable only to those channeling in the northern hemisphere and with their Vivaxes also in the same hemisphere. Remain in each position for six to eight seconds, keep head level, eyes shut and breathe deeply with mouth closed.

Specific Channeling

"Specific channeling" is the method used to correct an area of infection, a specific circuit or specific receptors. The direction of energy wave flow is directed towards the marked receptors by stimulating them immediately before basic channeling. We stimulate the disturbed receptors or infected areas with our head always tilted down or turned to one side and the body correctly aligned to the direction of our Vivaxis. The disturbed receptors are individually stimulated by lightly tapping them with a small rounded instrument, for example, the end of a ballpoint pen. In order for the channeling procedure to follow the stimulation of the receptors as rapidly as possible, we face our body to our Vivaxis while tapping the receptors; as long as the head is tilted or turned the body fluids do not align. The instant the stimulation of the specific receptors has been completed the hands are rapidly grounded against the legs, the head brought to a level position, eyes closed and the routine for basic channeling is followed, the "four and four" method. The elimination of X-ray interference is achieved in a similar manner, excepting the areas to be corrected are stressed and banged vigorously; the method is described in Chapter VIII (Technique Of Realignment X-Rayed Bones).

Post Channeling

Wave tests show the body fluids retain a strong alignment for approximately twenty minutes after channeling. Also, the specific receptors that were corrected retain a stimulated wave motion for about the same period, which is recorded by the angle wire as it alternates vigorously to and fro in their channel.

Immediately after completing the "four and four" method we move out of our channel and thoroughly exercise the limb or part of the body, which was specifically corrected. Exercising continues at intervals throughout the twenty-minute period but not at the risk of over exhaustion. Post channeling exercise has proved to be very beneficial as a follow-up to channeling. During the exercising we do not touch the specific receptors that were stimulated on the head.

We endeavour to have a logical reason for everything we recommend and the reasons are dictated by our experience and observation of wave behaviour in the human system. Nature created the laws, we can only observe and try to understand them. Those who make their own rules sometimes run into complications and, worse still, create complications in others by misguiding them. It must be remembered; when we channel our energies they become a potent force, a force that can work for or against us, depending upon our understanding and adherence to the rules of wave mechanics. Channeling creates strong powers of cohesion, which stimulate a stronger atomic alignment in the cells of the body. It is our own individual energies that we harness when we channel, but nevertheless, it creates a radiation and our system has a saturation point that should be recognized and respected in order to avoid over radiation.

We prefer to err on the conservative side, in order to avoid overstimulation and the possibility of exhausted adrenal glands. Therefore, we strongly recommend caution against the overuse of channeling. Nature does not like being rushed; it needs time to replenish its resources. "Keep the power in channeling", is an appropriate motto and when an emergency arises you have it as a strong ally, not an exhausted one.

The last paragraph helps guide us to answer the question, "How often should a person channel?"

The answer;

- I. Only when there is need for a definite correction.
- II. Preferably wait five days or more between channeling in order to dissipate radiation and give nature time to replenish its resources. Channeling works more effectively when there is a time lapse between sessions.
- III. In an emergency to combat stings, colds, viruses or bacteria more frequent channeling is both warranted and necessary. (Refer to Chapter X (So Little Can Do So Much))

Check List For Channeling

1. Neutralize prior to channeling, see following chapter.
2. Never channel when your energies are deflected to right angles through a static condition, detected in the middle brain receptors. (See following chapter.)
3. Have your channel accurately marked.
4. Ground must be level.
5. Remove shoes, headgear, glasses, watch, jewelry and all tight clothing.

6. Avoid channeling in the presence of other people; this definitely has a detrimental effect on them. Also, it is desirable to protect one's own energies and keep them free from conflicting fields of energy.
7. Lay the wires or chains down before channeling.
8. Pre-channeling stimulation must be consummated before the head is in a level position.
9. While channeling keep the hands grounded against the side of the legs.
10. Head held absolutely level and turned straight to the front.
11. Shut the eyes after the head is level. It is necessary to have the eyes open in order to correctly level the head; then close them to eliminate the influence of other waves.
12. Spine erect.
13. Feet about twelve inches apart.
14. Do not exceed eight seconds in each of the channeling positions.
15. Immediately after channeling is completed move out of your channel and exercise periodically for twenty minutes. Concentrate on exercising the areas of the body under correction but avoid touching the receptors of the head. Beginners are counselled to always read the "channeling check list" and rehearse the various instructions first so they become familiar with the routine when it is required. The direction used in the rehearsal should not be related in any respect to the direction of one's own Vivaxis. The rehearsal manoeuvre will not align the body fluids and, consequently, no corrections will be effected; its value stems from the confidence gained, the necessary confidence to have one's mind relaxed when actually channeling. It also helps to ensure the accuracy that is so essential.

Chapter VI. Neutralizing

Neutralizing is used to counteract an overcharged electric field, initiated by major earthquakes, electric storms, magnetic disturbances, electrical equipment, television, fluorescent lights, etc. Either singularly or in combination, these factors create an overcharged atmosphere, a static condition where our system becomes out of balance, our electric field becoming stronger than our magnetic.

The imbalance is detected by distress signals at four brain receptor points. They are situated:

- (1) and (2) In the centre points of the ears on each side of the head.
- (3) and (4) At the centre of the back of the head and face, on the same level as (1) and (2).

During the period of imbalance the direction of our channel is at right angles to that of our Vivaxis, and channeling should not be attempted. Our tests illustrate that the body fluids cannot be aligned in correct co-ordination while this static state exists. Only the fluids below the waist align, when faced in the direction towards our Vivaxis and only the fluids in the upper torso align, when turned at right angles to our Vivaxis. In other words, our body has two different channels and the grounding combination under these conditions is inadequate for channeling, and if used adverse effects can result.

For those who have erased their X-rays, a simple experiment will illustrate the effect of electric influences causing imbalance to your energies. At a time when the energies are balanced and your channel is in correct orientation to your Vivaxis, stand beneath an overhead light when the current is turned off. Hold an angle wire and with your head level it should swing into the direction of your Vivaxis, or in the reverse direction, depending on which hand holds the wire. During this test, the free arm should be grounded against the side of the leg. Switch on the overhead light and note that in a few seconds your angle wire swings at right angles. Also, the four brain receptors mentioned above will develop a circulating pattern even though you multiply. This phenomenon of the brain receptors is observed only during the period that your wire shows a rightangled field.




FIGURE 3

X - Brain receptors at these points record a static circulating motion when the person's channel is predominantly at right angles to the correct orientation. To terminate the experiment, turn off the light and note how your wire swings back into its correct orientation.

Formerly, we waited for the imbalanced condition to adjust with time which was an annoying limitation to the use of channeling. In varying degrees, we were aware of its interference to the efficiency of our mind and body, by

lessening our ability to concentrate, by the energy imbalance of our lymph glands, etc.

However, now we have developed a method of overcoming these imbalanced disturbances within ourselves, termed "neutralizing". Take a receptacle containing a solid block of ice (my preference is a two-quart insulated round container) and place it between the feet with ankles touching both sides. Sit out of your channel relaxed, with your hands grounded on the thighs and head tilted; it is essential that the arms ground through the legs without touching any furniture. Remain over the ice for ten minutes to effectively ground out excess static. Now check to see if your channel is in correct orientation. We recommend the use of the same neutralizing routine, night and morning, for at least four days after channeling, in order to keep the corrected circuit in a stable magnetic balance. In the case of major circuit adjustments such as Meniere's disease, multiple sclerosis, paralysis, etc., we have found that these people must neutralize morning and night for many months in order for them to retain their gains. Unchlorinated water should be used for making the ice.

The person neutralizing must take care that he is located on neutral ground during the procedure. We test the ground with the receiving foot held over the area and observe the reaction of the recording wire. If it circulates, it is an indication of a conflicting energy and could be due to a water Vivaxis, electric equipment, wiring or other energy source.

As an example, my husband on one occasion was testing the direction of his channel prior to channeling and noted it was deflected to right angles. He sat on a couch to neutralize, conscientiously sitting with the ice between his ankles; after ten minutes, he tested his channel direction again, to find it was still oriented to right angles. His middle brain receptor registered an even stronger static as the recording wire circulated widely. We discovered that where he had been sitting was directly above a deep freeze located in the room below. He relocated himself and this time neutralized successfully; his channel became correctly orientated and tests of his middle brain receptor indicated a steady state. (The testing of receptors is discussed in subsequent chapters.)

Neutralizing with the block of ice appears to have a therapeutic value and is used exclusively in cases where there is paralysis and the individual is unable to stand. However, it is a time-consuming procedure and not always convenient. One of our members devised a rapid method of neutralizing which we will describe as an alternative. A single strand galvanized wire hoop is made some three to four feet in diameter. The ends must be wound so that one end is turned towards the centre of the hoop and the other is wound to face out of the hoop. The ends must be free and not grounded onto the floor. (See Figure 4.) The neutralizing hoop is laid on the ground and the person using it steps into the circle with hands grounded to his legs, feet placed apart but not touching the wire. Neutralizing requires an interval of about 30 seconds before stepping out of the hoop. The method is both effective and quick.



FIGURE 4

Galvanized neutralizing hoop. Approx. 3 1/2 feet in diameter.

It is interesting to test the capability of the hoop to temporarily insulate the area enclosed by the wire and to insulate a column of equivalent area above the hoop. A tester standing outside and well away from the hoop with his left hand extended horizontally and his recording wire held in the right hand can illustrate this. If the tester now concentrates his mind upon various parts of the room the wire will swing in its sleeve and turn into those directions. However, if the tester concentrates on the area directly above the hoop, the recording angle wire will not turn into that direction; indeed it will swing away from it. The static condition of a person often remains long after the initial electric disturbance in the atmosphere, the causative agent, has disappeared; hence the advantage and necessity of neutralizing. However, as long as the

atmosphere remains overcharged the beneficial effects of neutralizing can disappear and a person's static condition soon returns. Therefore, the tester should make periodic checks to ensure that he avoids the hazards of channeling in an overcharged electric atmosphere. He has to be aware of two major considerations:

1. Is the atmosphere electrically overcharged?
2. Is his own system in an electrically static state? Sometimes it may be difficult to differentiate between the two but experience gained through observation is the best teacher.

We invariably take the precaution of neutralizing and then testing a short time later to ensure that a static state has not returned before we channel.

One of our first objectives in the use of channeling is to erase the wave confusions within our body caused by X-rays. In the next two chapters, we discuss X-ray interference and the methods used to erase it.

Chapter VII. What Price X-Rays?

It came as a tremendous shock to me when I first discovered that X-rays permanently change the atomic alignment and magnetic moment in the bones - in those bones that are directly subjected to the strongly polarizing, short electromagnetic waves of X-rays. This realization jolted me considerably, as it did many others like myself, who have long accepted X-ray as a diagnostic tool of our modern times. We have been lulled into a feeling of false security by the fact that most of our doctors sanction and use X-rays freely. "They must be harmless", we concluded.

We read articles entitled "The Wonderful World of X-rays", and consequently we are lulled further into a state of apathy with the attitude that X-rays have a special intrigue.

"Forgive them for they know not what they do." This well-known phrase is only partially applicable, for shortly after X-rays were first discovered in 1896, their hazards and damage to the living cells became publicized. Evidence and statistics ever since have repeatedly stressed the dangers, but some forgiveness can be justified on the following score. How can we realize what we are destroying or disrupting, if we are not even aware of its existence? The dedicated purpose of this book is to make every reader thoroughly aware - aware first that our magnetic pattern exists, and secondly that it is possibly the most vital part of our entire being. Finally anything that is a permanent threat to its continuity should be regarded with deep concern.

By observing the atomic disruption to a circuit, initiated by the movements of X-rayed bones, we have gained a great deal of valuable evidence, that corroborated the seriousness of tampering with this fundamental law of our biology. We will shortly use more sample cases and the reader himself can draw his own conclusions and do his own assessing.

I was rather stupidly slow in associating a great many of the deviations encountered in the early years of our research with X-rays. However, truth will out, and waves speak a very honest language of their own.

Ronnie Hymers, for years one of my reliable wave-transmitters, was hit by a car. The injury was negligible, but his back was X-rayed as a result. Afterwards the wires in his hands were lifeless and at first I did not associate this fact with the X-rays. Shortly after this, Wendy McAstocker, another faithful wave-transmitter, fell and broke her shoulder and I lost another wave-transmitter. Now the wires held in her hands had become lifeless, too. It wasn't surprising that at about this time I began to suspect X-rays. Was this also the reason that a majority group could not record waves with angle wires? I speculated further, could X-rays be causing a cancellation of waves in people?

My whole attention became focused on these possibilities and all other aspects of X-rays in the human body. In our research many major points

came to light. X-rayed bones lose their original quanta and become realigned with a new Vivaxis and circuit, a circuit connecting the energies in the bone to the point where the X-ray was executed. The radiations and energy circuits in X-rayed bones are stronger than those of normal bones. Time generally does little to erase these foreign radiations.

The foreign wave circuit is only detected when the X-rayed bone is flexed or the energies in it stimulated through pressure on the bone. During this time the deviations in wave impulses can be detected throughout the various parts of the body. As an example, suppose there is an X-ray in a bone of the right arm. The pattern of the wave impulses can be recorded directly from a neuron associated with that X-rayed right arm - a neuron located in the cortex of the head on the left hemisphere along the plane of precentral gyrus. When the X-rayed arm is moved the wire revolves for a short period and as the arm continues to move, the energies sort out and link up into two circuits, both with different wave channels and Vivaxes - one belonging to the quanta introduced into the bone at the site of the X-ray machine, and the other his own. This is indicated by tracing the direction of the waves' vectors. The energies co-exist but the efficiency of the circuit has been decreased and consequently the growth pattern of the cells is affected. We are suspicious that this is where time occasionally tells an ugly story of tumors and cancer growths.

By comparison, when a normal arm without any X-rays is in motion, it sends off electromagnetic wave impulses with a standard, well-defined pattern - a pattern alternating in opposite directions and in its own wave channel. The angle wire will continue to swing sharply back and forth until such time as the motion of the arm ceases, which is in sharp contrast to the circulating motion detected from flexed X-rayed bones.

The heart impulses are affected by X-rays. When wave impulses are picked up directly from the heart, the normal pattern is exactly the same as when a limb is in motion. The motion is continuous, alternating in one wave channel to the person's Vivaxis. If, however, another wave is introduced from a foreign circuit, the angle wire registers this in the characteristic manner by deviating from the alternating pattern to a circulating motion and then sorting. The foreign circuit can also be introduced by thought wave of another person or by physical contact with another circuit. These are adjustments in the daily routine of the heart, but what a heart should not have to tolerate is a multitude of foreign circuits introduced by a massive amount of conflicting fields of X-rays - teeth, chest, arms, legs, abdomen, neck and head, etc. Each X-rayed bone, when it is flexed, upsets the normal continuity of pattern and can be detected. However, when more than one X-ray is flexed at the same time, the pattern illustrates accelerated confusion and what eventually builds up to a state of undesirable static electricity. Scientists are now claiming many fatal heart attacks are a case of the heart electrocuting itself.

The wave interference from X-rayed bones was detected only when a bone was flexed. This characteristic eventually gave me the clue how to erase the effects of X-rays, but not before I had suffered through many months of mounting frustration. Frustration coupled with indignation, for the method we had been using to channel did not erase the foreign radiations in the bone, that we now realize were directly associated with X-rays.

I was indignant because I felt at the time that X-rays were a permanent disrupting force whose cumulative damage would be felt during our entire life span, always acting as a threat to the continuity of our magnetic circuit. I was personally indignant not only because of the restrictions my X-rayed foot put on my activities, but also because of the cumulative trouble my husband was encountering.

What Price X-Rays? Part 2

We are often our own best guinea pigs for ferreting out facts, and for this reason I will first relate my own X-ray story.

In our books, X-rays had become a very dirty word, although fortunately, I personally only had X-rays in the teeth and my left foot. It was the one in my foot that gave me a great deal of trouble. Ten years previously, a dislocated toe necessitated an X-ray. During the succeeding years, my foot would swell and ache at the slightest provocation. We had just moved to an island and we were breaking in new ground on steep terrain. By nightfall the stress on the X-rayed foot caused perpetual trouble. The doctor diagnosed it as arthritis or gout. The more I flexed it the more it would swell and ache. It was a continual cross to bear and I could ill afford the time necessary to rest it. On one occasion I had hiked five miles up a mountain road and on the way down was jogging on the balls of the feet, unaware still of the conflict of circuits caused by the X-rayed bones. Twice my leg went paralyzed to the point where I couldn't bend my knee or move my leg. By this time I had learned the strategy of channeling, otherwise I doubt if I could have made it down on my own.

My activities became restricted as a result of this X-ray infliction. Our Hammond organ was one of my greatest pleasures, but I was unable to work the pedal keyboard with my left foot. The stress on the bones soon made my whole leg seize up or swell.

The limitations imposed on myself were small as compared to the havoc I realized X-rays were creating in the system of Dick, my husband. This havoc was cumulative, many of the X-rays dating back over thirty years to the days when he played rugby. Injuries with resulting X-rays were all part of the rugged game, but what he hadn't anticipated was the gradual year by year accumulating complications brought about through circuit disruptions. One complication in particular we will give comprehensive coverage, as we have already intimated that tumors can often be by-products of X-rays.

My husband, a practicing forestry engineer, had arrived back from a strenuous summer's job of timber cruising and locating logging roads. It was active type of work and X-rays of his ankle, back, shoulders, neck, chest, teeth, and wrist were possibly all being flexed continually. One pictures the losing battle nature had, struggling against all those foreign circuits - circuits out of control and cell growths running wild, their normal magnetic blueprint shorted or destroyed.

It was a discouraged man who showed me the large growth at the joint on the head of the femur leg bone. The growth was approximately the size of a large egg and was increasing in size steadily. It pained him considerably, especially at night. There was pain felt in the groin and down the leg. Effects of X-rays had also been taking their toll for many years in miseries felt in his shoulder, back and neck, but like so many others, he had grown to accept and live with these discomforts. After all, backaches had become the order of the day. Common was the greeting, "How is your backache?" Equally common were

X-rays to the chest, which penetrated part of the spine. I well remember Dick's despairing comment, "I'm not going to be able to continue with my work in the woods. Channeling appears to relieve and help my leg temporarily, but as soon as I start any strenuous climbing, the whole leg commences to seize up."

My despair matched his, for I realized that X-rays were the underlying cause, and I honestly didn't think it within the realm of possibility that we could ever erase them.

I suspect I must have relaxed considerably before I awoke around four o'clock one morning. The answer was there like a clearly written message, tranquil and peaceful. It was so simple and reasonable! I later speculated that for a period, the frustrated state of my mind must have been caused by a mental block.

Prior to detailing the application of my inspiration, we will first give a little more of the background findings that ultimately led to the method of erasing X-ray interference and realignment to the person's own Vivaxis.

Bones are composed largely of hard mineral crystals and appear to have much in common magnetically with crystals. Referring to an article on crystals in the Scientific American, the July 1966 issue:

If the electrons are highly polarized and the solid has the right crystal structure, the local fields at each nuclear site will all be in the same direction. Therefore, the nuclei become polarized - as if they were in that same strong field.*

I feel we have ample justification for slanting our analysis on the permanent magnetic alignment and, in order to further substantiate it, we are going to detail shortly the method used when wrong magnetic messages in bones were corrected to right magnetic messages.

We all hear and read pros and cons with regard to X-rays. A recent article on the "pro" side was entitled, "Medical Expert Says X-rays Are Harmless". They use themselves as examples of having annual X-rays of chest, etc., and finalize by suggesting that they, themselves, are perfectly healthy and unharmed. It is largely relative, and we may ask, "Does 'perfectly healthy' include periodic backaches, sinus trouble, annual colds, perhaps a little twinge of arthritis, the odd headache, nervous tension, and increasing eye strain?" A great many people of middle age today would think they were very healthy if that was all they had wrong with them. These are generally regarded as only normal complaints, common to nearly everyone and are consequently accepted as such. A few years ago, I admit that I was no different from many, with my acceptance of aches and miscellaneous upsets which I, too, regarded at the time as normal. However, I now realize that we should not accept these as normal, and further, it is generally within our atomic power to adjust them all. These are adjustments that both my husband and I have largely achieved and we can now enjoy each day fully, without the use of medical drugs - unhampered by the threat of any nagging pains, nervous tension, or other discomforts.

* Shapiro, Gilbert. "Polarized Accelerator Targets", Scientific American, July 1966.

The eyes can often act as a useful example of what conflicting fields of X-ray do to the muscles.

Try this test on yourself: select the very smallest written print that is possible for you to read without your glasses. While you are reading this, flex some of your X-rayed bones, e.g., if you have teeth and chest X-rays, champ your teeth together and, while breathing deeply, also press on a bone of the chest. Ninety per cent of the participants will, after a short interval of about eight seconds, be unable to read further. The print becomes confused and jumbled under the influence of the conflicting wave circuits. When the same test is conducted, after they have realigned the X-rayed bones to co-ordinate with their own energies, no difficulty is generally encountered in deciphering the same print. Corrections of teeth X-rays alone, not only help to gradually strengthen eye muscles, but sinus and all related respiratory troubles usually dissipate rapidly. Further, they dissipate suddenly enough to leave no doubt of the direct connection and the fundamental underlying cause.

What Price X-Rays? Part 3

We recently witnessed a vivid and possibly rather extreme example with an attractive young nurse in her mid-twenties. I had not seen her for a number of years, but I could not help noticing her face was abnormally swollen. She visited me, eager for information as she related her story. In nursing, annual X-rays of the chest were in order and, besides these, she had a considerable amount of corrective dental work done, with a succession of teeth X-rays. At the precious stage of life for a young girl, when one should be full of fun and animated chatter, her jaw was seizing up.

"I talked as if I had marbles in my mouth. I found it most embarrassing." She continued, "My jaw would also have a tendency to make a cracking sound." Singing lessons were tried in an effort to improve the flexibility, but the underlying cause was only being further aggravated. Painful arthritis of the jaw was the next diagnosis, with further X-rays. I audibly groaned at this point of her story, for recently I have had several young people brought to me with serious atomic confusions aggravated also by successive X-rays.

However, young people around us are beginning to catch on, and it was her younger sister who correctly determined her alignment and she channelled under her sister's direction. Her eyes shone in proud recognition as she continued, "It was tremendous! All of a sudden my jaw started to flex in a co-ordinated way. I felt it happen so suddenly it astounded me." The swelling associated with the trouble disappeared within a few hours and she demonstrated how she could now manoeuvre her mouth and jaw with ease.

The atomic strategy behind these cases, which have been detailed, is to realign the atomic magnetic moments in the X-rayed bone to co-ordinate with those of the main body structure.

At this point we feel licensed to do a little speculation on teeth X-rays. One wonders if our teeth would not be subject to less decay if the circulation were improved and distribution of calcium and nutrients more efficient. Indications are that X-rays appear to interfere with both. To speculate further, it also appears within the realm of possibility that tooth decay bacteria could be destroyed and kept under control through concentrating the hot spray well on the teeth while using the P.H.S. method described in Chapter X (So Little Can Do So Much) (So Little Can Do So Much). Once a week should be sufficient. We have certainly proved that bacteria and viruses can be successfully destroyed through using this method. These are pleasant contemplations and with the added aid of proper diet, well within the realm of probability. Our own energies can be regarded as our strongest allies and best anti-bodies; the lymph glands of a healthy person are filled with them.

Statistics fortunately do have a way of eventually telling the truth and alerting the public. The late Senator E. L. Bartlett of Alaska, showed interest and concern over X-rays in his article, which appeared in Pageant magazine of August 1968, entitled "Is Your Next X-ray Worth the Risk?" One quotation that coincides with our findings is as follows:

Continuing exposure to small amounts of ionizing radiation from X-ray machines or radioactive materials may cause injuries that appear long after exposure has ended.

The price we pay for X-rays is sometimes unavoidable as in the case of X-rays for broken bones. However, an article by Ralph Nader entitled, "Wake Up, America. X - Unsafe - Rays", opens with the subtitle, "It's shocking but true: 90 per cent of all medical radiation is unnecessary. You'll want to show this report by a top safety expert to your own doctor and to your dentist."

A newspaper article quotes the opinion of Dr. Karl Z. Morgan, a radiation specialist. He is the director of the health physics division of the Atomic Energy Commission's Oak Ridge Laboratory, editor of the Journal of Health Physics, and a member of the national committee on radiation protection. In an address to students at Davidson College, North Carolina, reported by the Associated Press, January 28, 1971, he stated the most serious peacetime radiation threat is not nuclear power plants but ordinary medical and dental X-rays. The biggest offenders are dental X-rays and photofluorographic X-rays; the latter are frequently used by mobile units to give chest X-rays. He is quoted as saying; "There can be no threshold dose so low that the probability of serious damage is zero."

The Vancouver Sun, of March 20th, 1971 refers to an editorial written by Dr. Leonard Sagan, of the Palo Alto Medical Clinic, appearing in the Journal of the American Medical Association. Dr. Sagan recommends that doctors should drastically reduce their use of X-rays lest the government impose a limit upon them. Medical diagnostic radiation has nearly doubled in the last seven years - much of it unnecessarily.

Radiations can cause cancer and genetic damage; the editorial warns that doctors should therefore exercise concern and impose their own controls or "others will do so."

How simple and refreshing the presentation of this knowledge would be if we could work with a generation of fortunate individuals who have not been subjected to masses of X-rays. During my original findings, I worked mainly with young children who had not been near an X-ray machine. They were able to readily and accurately record their energies and their unobstructed magnetic arrangement made research results consistent.

The more X-rays a person has been exposed to, the harder it is to reinstate their original atomic arrangement. Reinstate it strong enough to withstand the testing of other waves without being affected by the foreign influences.

A dentist who attempts to brainwash patients with the words, "Our X-ray machine is harmless. You will receive no more radiation than you would if exposed to a few hours of sunshine on the beach", must surely have his tongue in his cheek. Our answer is, "We can detect the wave confliction caused by the X-ray in the bones of the body and head until the person dies or has the confliction erased. A few hours sunshine on the beach would have no effect on the bones. Is this comparison valid?"

To our knowledge, nothing in dental or medical textbooks teaches the most basic law of all life, "atomic alignment". Therefore, does their present

knowledge extend far enough for them to qualify as judges? Exploration into the magnetics of our bodies definitely reveals the continual wave confliction in bones caused by X-ray influences; confliction of a normal flow of life-giving magnetic waves. X-rays are a disrupting force causing damage, which accumulates with each succeeding year for the duration of a person's life.

Sunshine has no effect on the bone's alignment but X-rays do! Consequently we should challenge the validity of the comparison. We are reminded of Kipling's comment, "The truth is often twisted by knaves to make a trap for fools".

The present technique for realigning X-rayed bones helps substantially to erase wave interference but it must be regarded as a compromise only. It is virtually impossible to realign the bone structure with the strong alignment that it originally acquired at the time when the bone solidified. As we grow older our bones harden and lack the flexibility of those of the new born. The weaker arrangement in realigned bones can be disrupted easily; jet planes and other strong energy sources can upset the corrected alignment. The first time I flew to Hawaii the correction I had made in my left X-rayed foot became disorientated and I had to realign it once more, using the method we will describe in the following chapter.

Chapter VIII. Technique Of Realigning X-Rayed Bones

Originally, to determine a method of realigning X-rayed bones I made a mental comparison of these bones to bar magnets. Dropping or banging it, which weakens or destroys its magnetic properties, can disrupt the orderly magnetic arrangement in a permanent magnet. Using this principle, I found that in order to realign the magnetic moment in bones through channeling, the foreign atomic arrangement had to be first weakened and disrupted. Before the foreign arrangement had time to reorient itself, the person's own magnetic waves had to be instantly introduced through channeling.

We now use the four and four method of channeling which is described in Chapter V (The New Basic Channeling Method) (The New Basic Channeling Method); refer to the checklist in that chapter. Note that the position of the body for stressing X-rayed bones is carefully arranged so that channeling can immediately follow stressing. Always stress the X-rayed parts with the head down or to one side, never level. Immediately after stressing face correctly to your Vivaxis, ground the hands against your legs and bring your head to a level position; proceed with the four and four method of channeling.

The following methods of stressing the various parts of the body are used prior to channeling, with the head not in the level position:

Head X-rays: Firmly bang the entire skull area, including face and jaws.

Neck X-rays: There are many small bones in the neck so twist vigorously in all directions, up and down as well as sideways; at the same time forcibly hit the back area of the head.

Teeth X-rays: Firmly tap the jaws and cheekbones. Champ the teeth and bite on a pencil or other object to stress any teeth that might not otherwise make contact. All teeth must be well stressed prior to channeling.

Chest X-rays: The upper torso from the waist upwards is generally involved, including the hands, arms and often the neck; all these areas must be very firmly stressed. Exercise vigorously with a forward and backward thrust of the arms, breathing deeply so as to exert force on the whole diaphragm; continuous and strenuous exercise is necessary. Two-pound sand bags are useful for banging the chest and particularly useful for concentrating on the hands, elbows, arms, shoulders and spine. Special pressure should be focused on the hollow of the spine, an area that is often ignored.

It is extremely difficult for a person working alone to get all his bones sufficiently stimulated, so it is generally necessary to have the assistance of a helper for stressing the back and side areas.

X-rays of the Lower Torso and Pelvic Area: A knotted silk stocking filled with one pound of dried beans or peas is another useful instrument for banging the X-rayed bones. In addition, exercise by doing the twist strenuously.

Leg and Feet X-rays: Strike the affected bones forcibly with the bean or sand bag. Exercise by stamping and twisting the feet and legs vigorously.

The P.H.S. technique described in Chapter X (So Little Can Do So Much) will not erase X-rays by itself but is a beneficial post channeling follow up to the method outlined.

X-rays have a way of being very tenacious and it takes strenuous stimulation to erase their foreign influences. If a trace is left it may go unnoticed for a period, but often it gathers momentum as time elapses and it is, therefore, often necessary to recheck after a few weeks.

There are several methods of determining if the X-ray interference has been erased: i. With an angle wire in the right hand stand out of your channel in all of the four positions. Place the left index finger on the bones that have been realigned and press firmly. If the recording wire moves into your channel and remains steadily there, pointing either towards your Vivaxis or in the opposite direction, it generally indicates there is no interference. However, if the angle wire pulls sharply away as a result of the bones being pressed, then there is still interference.

2. Use a swivel chain suspended between the thumb and forefinger. Press firmly with the other hand on the area of bone that was realigned or stress the bones through motion; for chest X-rays stress the rib cage by breathing deeply. The chain will come to an abrupt stop if there is wave interference, because the foreign wavelength of the X-rays, introduced into the circuit by flexing the bones, causes wave cancellation. If there is no wave interference, the motion of the chain gathers momentum and swings vigorously due to the extra stimulus of one's own energies.

During the seminar we encourage the members to learn to detect and correct their own X-ray interferences. It is very detrimental to the health of the instructors to test and become subjected to other people's disturbances, especially the strong radiation effects of X-rays, strontium 90 and cobalt. With this consideration in mind one should use his own initiative both in detecting and erasing the X-ray interference.

One member of our Research Society demonstrated her initiative while erasing the persistent effects of deep therapy in her shoulder. She first made a mold of the shoulder with heavy aluminum foil. Then she formed an ice mold around the foil by alternately pouring and freezing water in small quantities. Gradually she built the ice mold and when it was complete placed it over her shoulder. She used the ice as an effective agent for stimulating deep into the shoulder, immediately prior to channeling.

A person subjected to a few X-rays has a good chance of effectively erasing all wave interference. In contrast, those who count their X-rays in astronomical figures, find it virtually impossible to cancel all interference. Further, even if they succeed, their realignment is weaker and they are poor material for conducting a wave pattern and testing others. In this day and age of "X-ray happy practices" these people are not alone. There are many in our Research Society without the ability to test receptors who effectively utilize channeling in a multitude of gainful ways. Often they are able to assist beginners to determine and locate their channels, too. Ironically, locating another's Vivaxis is one of the easiest feats, for the influences are very strong and readily recorded when a person aligns. The method of aiding a beginner

to determine the direction of his Vivaxis, and the variety of ways our members use channeling without the need of testing receptors, are covered in subsequent chapters.

A basic understanding of the causes and effects of electric disturbances that influence the balance of our energies is essential, if channeling is to be used with discretion and intelligence. It is a subject discussed in the next chapter.

Chapter IX. The Effects Of Major Earthquakes And Other Disturbances On The Human System

At the time of the Alaska earthquake, Good Friday of 1964, when quakes registered about 8.5 on the Richter scale, zoo keepers as far away as San Diego observed birds and animals became unnaturally agitated before and around the period of the disturbances; similar observations have been recorded in various parts of the world during other major earthquakes. The question must arise in the minds of many, what causes this unrest in the central nervous system of these creatures? Often, people claim they feel this disturbance too, yet the quakes originate thousands of miles away and they cannot possibly feel the ground shock.

Changes in the earth's rotational motion are related with major earthquakes and it has been shown that quakes of a high magnitude on the Richter scale are associated with variations in the earth's wobble. Over seventy years have passed since the wobble was first discovered. The world's north pole of rotation traces in a counterclockwise direction a roughly circular path, with a mean diameter of approximately forty feet; it requires fourteen months to complete the circle.

What force maintains the earth's wobble despite the powerful effect of natural restraining energies? In 1968, L. Mansinha and D. E. Smylie, of the University of Western Ontario, concluded that the force sustaining the wobble,* "appears to be large scale deformations produced by major earthquakes". In many cases they found the severe quakes were preceded by unexpected changes in the path of the pole and they suggested, "observations of the pole path, combined with a watch over active fault zones" could help to provide a means of forecasting earthquakes.

* Science and the Citizen, "What keeps the Earth Wobbling?" - Scientific American, November 1968.

In recent years it has been found that magnetic and electrical disturbances occur in the earth's field prior to severe earthquakes; anywhere between hours and days preceding every major earthquake. The earth can be regarded as a large magnet and we as individuals each have a specified portion of that magnetism, which is individually ours; an integral part of the magnetic whole. If the whole becomes unbalanced magnetically, it naturally follows we too become out of polarity with consequent reaction to our nervous system.

My first experience of wave vector disturbance caused by earthquakes was in 1964, on the day preceding Good Friday. We were visiting in the interior of British Columbia and I was attempting to demonstrate with angle wires that wave vectors taken from the centre points of a person would give the bearing to his place of birth. The direction of energy wave flow was fluctuating and the predominant trend was at right angles to the correct bearing. At the time, being inexperienced with this phenomenon, I had not associated the effect with the cause and naturally my confidence was somewhat shaken. The next

day the major tremor of the Alaska disturbance occurred and the radio was soon reporting the disaster. The inconsistent wave pattern associated with this movement of the earth's crust disrupted further research for a period.

These events further confirmed our opinion that the pattern within our own atoms and molecules is predominantly influenced and co-ordinated through the energy of the earth's rotation; coordinated to that particular point where, around the time of our birth, the bones of the body solidify and harden. This can well be compared to recent findings, which show that molten rock aligns its atomic particles to the particular field of energy at the time, and place it solidifies; the magnetic pattern in the rock remains. From the patterns in these rocks shifts in the earth's magnetic field can be traced through eons of time, by the science known as paleo-magnetism.

During the magnetic disturbance the nervous systems of the more sensitive feel the upset and confliction - a feeling of nervous unrest within themselves. The interval between fluctuations, when the pattern steadies, can generally be differentiated by a feeling of continuity. It is heartening to know there are still some human beings sufficiently in phase and sensitive enough to feel these changes, changes which other creatures of nature feel so strongly.

Many feel it indirectly, unaware of the cause; chronic weaknesses become more apparent and acute. Our findings show that maladies are always associated with lack of a normal pattern of magnetic waves and we have observed a rise in the incidence of influenza and other epidemics during these times. Also the lymph glands of one side of the body do not have their normal pattern of magnetic energies. The two opposing groups of quanta or energies characteristic of an individual can normally be detected in the corresponding lymph glands on the right and left side of a healthy body. They combine to act as defences against invading viruses and bacteria.

Throughout the duration of earthquake disturbances I often receive distress calls from people who rely on channeling as a crutch. They are alarmed; they have lost their power to channel directly into their Vivaxis and through channeling revitalize and relieve discrepancies aggravated originally by magnetic wave deficiency. We have found it futile to even attempt channeling during unsettled conditions and indeed we advise against its use during these times.

However, recently we have discovered that the overcharged electric potential that has built up in our system, remains after the original electric disturbance in the earth's field has dissipated. The fact that we can neutralize and draw it off has taught us this fact.

Providing the atmosphere has returned to a normal steady state, we have observed in tests that a person who has neutralized will generally remain neutral, until the next magnetic disturbance comes along. His channel will be in correct orientation to his Vivaxis and tests of the middle brain receptor will show a normal pattern as described in Chapter VI (Neutralizing) (Neutralizing). In contrast, tests of those that did not neutralize show their channels still deflected to right angles and their middle brain receptor creating a static circulating motion in the recording wire.

Does this static condition affect one's power of concentration?

Does it affect the nervous system? As a Research Society, we have observed with keen interest both conditions during the past year when earthquakes have been so frequent. Invariably the members have noticed that when brain receptors register a static state, their power of concentration is impaired in direct relation to the strength of the disturbance. Under these conditions a common remark is, "I feel my head doesn't belong to me today!" There is also a lack of normal co-ordinated thought and one is more inclined to be edgy and irrational. Often these characteristics are responsible for alerting us to the fact our systems are in an overcharged condition and then we test for atmospheric disturbances.

The electrical disturbances caused by severe hurricanes and other great climatic storms are recorded in a similar manner to earthquakes; severe hurricanes can disturb the electrical potential of the environment for many thousands of miles. Generally, the influence of local thunderstorms is only recorded by those in the limited area of the storm and those with their Vivaxis located in the area. The latter phenomenon presents yet another complication which must be taken into consideration; namely, changes in the energy potential at the location of our Vivaxis are transferred to us by wave link.

The Effects Of Major Earthquakes And Other Disturbances. Part 2

A typical incident exemplifying this fact occurred July 14 and 15, 1969, involving a group of several people. On July 14, I received a call from a

neighbour four miles distant. She was anxious to channel, but both her channel and that of her daughter's were at right angles to the correct orientation. I checked and found that mine, too, was coming in at right angles. Shortly afterwards I received another call from one living in a nearby community who was experiencing similar reactions to the correct orientation of her channel. At the time I noted thick dark thunderheads towering over the mountains a few miles away, which undoubtedly were causing the disturbance to all our channels.

Next morning I awoke earlier than usual with an awareness of a static potential throughout my system. Although the morning was bright with no visible clouds, my channel was still at right angles to its correct position. My neighbour phoned again to report the directions of her channel and that of her daughter's were now properly oriented, each to their respective Vivaxis in the state of Washington. We checked with another neighbour whose Vivaxis was in England and she found her channel direction was correct.

I tried mine repeatedly but each time it was deflected at right angles. I asked a fourth person, whose Vivaxis was close to mine in Vancouver, to check her channel; her experience was similar to mine, the direction was at right angles to the correct bearing. Remembering the cloud structures of the previous day we determined by phone the weather in Vancouver and found there were dark masses of thunder clouds over the mountains north and east of Vancouver as well as over the city. Apparently the energy potential in the atmosphere surrounding our two Vivaxes was electrically overcharged and was being transferred by wave to myself and those who had Vivaxes in the vicinity of the electric storm; consequently, the direction of our channels was incorrectly orientated. At the same time those whose Vivaxes were in areas unaffected by the storm found their wave pattern unchanged.

The events recorded during these two days give evidence of the interference of electric storms upon the wave pattern of one's Vivaxis; first when the storm was in the vicinity of the person and second, when the storm moved away to the vicinity of the Vivaxis.

The fact that energy changes in the environment surrounding our Vivaxis can interfere with normal wave patterns makes us wonder and in some instances gives us reason for concern. "Why?" some may ask. In answer, if we are to survive as healthy normal beings, we have to take into consideration this basic law of nature and realize that drastic change in the immediate environment of our Vivaxis can affect our whole nervous system.

As an extreme case we can visualize the effect of a television placed directly over our Vivaxis. We may shudder at this picture and are undoubtedly justified to have a feeling of horror. Perhaps in our imagination we should include the possibility of various types of electronic equipment being placed over our Vivaxis; more specifically the equipment used in maternity wards. What effect may some of the various apparatus have on our nervous system and our brain in particular? This reflection is not intended to alarm but rather to provide food for thought, especially in view of the alarming rise in mental and nervous disorders. Might not this aspect be an avenue to explore in the search for the cause of these disorders?

Most of us have no control over the site of our own Vivaxis and I, for one, choose to think affirmatively, trusting no adverse energy change will occur at my Vivaxis. To think otherwise would be worrying over something that might never happen and thereby court frustration, which is in itself a destructive force to the magnetic continuity of our entire system.

I have recounted one example but in the early research I conducted a great many experiments, all of which illustrated the effect of energy change transferred from the Vivaxis to the person and vice versa. I have detailed a few of the tests in the earlier manuscripts, but one that has not been included involves a test with a calcium tablet, a water Vivaxis and a leaf. As it is particularly appropriate to our present topic, I will use it to illustrate the transfer of energy by wave through space, from one point to another.

Method Of Procedure

I first tested a section of the basement floor to make certain it was neutral, i.e., free from the influence of a water Vivaxis or other local source of energy. I then selected an empty bottle of appropriate size and shape and placed it on the neutral area; it was secured in a manner that prevented the slightest movement. Next, an empty paper cup was placed centrally over the top of the bottle. A calcium tablet was placed in the exact centre of the cup with a pair of tweezers. A solution of ascorbic acid was prepared by dissolving vitamin C tablets in water; this solution was poured into the cup in sufficient quantity to completely immerse the tablet. The tablet was left in this solution for about a minute and then the paper cup was perforated at the bottom so the acid solution drained off. Throughout the various procedures care was taken that the calcium tablet was not moved. It remained in the centre of the cup which in turn was centred over the middle of the bottle. It was left in this position and allowed ample time to drain off, dry and solidify.

The acid has the ability to align its atomic particles to the magnetism of the earth in its immediate environment; it aligned as a magnetic whole, with the centre of its magnetic influence in the centre of the solution where the tablet was located. It introduced the quanta associated with the magnetic energies, into the calcium tablet: the place where the tablet occupied became the position of its Vivaxis.

After it had dried, the tablet was lifted in its cup and moved to various random locations where tests were recorded with the angle wire. During these tests, the recording wire invariably pointed to the top of the bottle, confirming that it was the location of the tablet's Vivaxis.

Underground streams of water appear to align their atomic particles to the earth's magnetism with waves travelling along a horizontal plane, but where the quanta waves meet, in the centre of a vortex, they travel from this point in a vertical plane. The vertical waves are received as radiating energies into our circuit and can be temporarily recorded in our communication system with a wave vector channelled back to the point from which the energy originated.

The Effects Of Major Earthquakes And Other Disturbances.

Part 3

A suitable water Vivaxis for our experiment was found, some six hundred feet away from the bottle. The calcium tablet was placed over this water Vivaxis where it remained linked by wave to its own Vivaxis on the top of the bottle. However, the calcium also received into its circuit the strong magnetic energies of the water Vivaxis.

I then selected from a rose bush several young leaves in perfect condition. To avoid touching them with my hands I used tongs throughout the entire experiment. After removing them from the bush the leaves were set aside for half a minute or more. This allowed sufficient time for them to lose their wave link with the bush. After a leaf has been severed from its parent tree or bush the organized magnetic arrangement within the leaf is soon destroyed.

I placed an empty paper cup, identical to the one which held the calcium tablet, over the top of the bottle, but this time upside down; the bottom of the cup formed a platform at the same position as that of the tablet's Vivaxis. With tongs, I selected one of the picked leaves and placed it on the cup platform. It was placed so the centre of the leaf occupied the exact position of the tablet when it was previously immersed, dried and solidified in the early part of the experiment. The axis of the leaf was pointed in the direction of the calcium tablet some 600 feet away where it was still located, directly over the water Vivaxis. The leaf and tablet were left in their respective positions for one half hour.

Because the leaf was on the tablet's Vivaxis and pointed towards the tablet, the two became linked by a wave circuit. Since the tablet was receiving into its circuit the much stronger energies of the water Vivaxis, the leaf assumed the magnetic characteristics of the more powerful energy waves into its structure. After an hour period the leaf's Vivaxis became located at the site of the water Vivaxis, although the leaf itself had never been closer than six hundred feet to that point.

The leaf was now moved to random locations and wave tested. Invariably the recording angle wire swung in the direction of the water Vivaxis. Even when the leaf was taken miles away it remained in a wave link to that geographical point. The calcium tablet was removed from the water Vivaxis, dissolved and poured down the drain, but it in no way affected the leaf and the leaf's Vivaxis.

When the leaf was laid with its axis pointed accurately in the direction of its newly acquired Vivaxis, all wave vectors taken from one side of the leaf were channelled directly towards its Vivaxis. All waves on the opposite side travelled in the opposite direction. In sharp contrast, when the longitudinal axis of the leaf was not directed towards its Vivaxis, the wave vectors had a large variation of directions; only the centre and one tip of the leaf had wave vectors channeling to its Vivaxis.

Summarizing in a few words; this experiment demonstrated the leaf's ability to acquire at a remote distance the magnetic characteristics of a geographic

point, by utilizing the calcium tablet's wave link from the geographic point to the tablet's own Vivaxis in the basement. When the tablet was destroyed the connection between the leaf and the leaf's new Vivaxis was in no way affected.

When two recording angle wires were held over the leaf they always crossed which illustrated the magnetic alignment within the leaf. Throughout the years that it was kept it remained a dark green colour and retained a firm texture and elasticity when it was flexed or bent. In time light dissipates the magnetism and for this reason experimental leaves are stored in boxes.

The other leaves, picked at the same time, were also kept in boxes. They were not magnetically aligned and soon turned brown, crumbled and disintegrated when touched.

During the experiment with the leaf, to demonstrate that energies may be transferred from one point to another by wave motion, we found that radiation from a water Vivaxis can be absorbed by calcium. Similarly these waves can be absorbed by animals and human beings, which may prove a hazard to both if overexposed from any one source. For example, there are cases cited where chickens cooped over a water Vivaxis become paralyzed on one side. Cows will deliberately avoid lying directly over a water Vivaxis.

An underground water table with its centre vortex sending waves vertically upwards under a person's bed can also be a definite source of danger to the individual's health. A typical example was Judy, the eleven-year-old daughter of a Society member.

For many years, Judy suffered great discomfort from allergies caused by various plant pollens and foods. She lacked a resistance to the fine pollens of flowering plants and to the wind-borne pollinators of spring and summer, characteristic of alder trees and many similar types of vegetation. The dust and fine particles of grass seed and hay were also a problem to her. She reacted violently with streaming eyes and nose; the latter swollen and painful. At the time we were requested to research into the allergies in relation to the magnetics of her body, her doctor had prescribed a course of allergy injections to be administered throughout the next seven years. It was her parent's decision to abandon the medication in order to first observe the improvements, which might be achieved by the use of channeling. At first Judy was unable to locate her channel, which was not surprising since wave tests registered wave confliction throughout her entire body. After the X-rays were erased, a chaotic state persisted in the areas of her sinuses, thyroid gland, lymph glands and thymus gland. (The thymus gland is now recognized for its immunization importance.) The energy patterns of the disturbed glands and sinuses were corrected in turn by specific channeling.

Immediately Judy started to make improvements: sinus cavities cleared and allergies began to disappear. The initial severe test came in the following month from the pollen of alder trees and other early spring growth. Judy suffered no unfavourable reaction whatsoever. Needless to say Judy and her family felt very encouraged. Later in the spring she wrote to say, she was able to enjoy the scent of the various flowers without any adverse effects. Now this young enthusiast could readily locate her own channel. The same orderly

arrangement of her atomic particles that enabled her to determine her channel also granted her a normal immunity to foreign agents.

However, after about two months of enjoying the freedom from the misery of allergies and blocked sinuses, the symptoms started to reappear. Wave tests taken from any part of her body again registered a wild circulating wave motion. At this time, I began to speculate on the possibility that the cause stemmed from the foreign waves of energy originating from a water Vivaxis. Her grandmother and others, familiar with locating these vertically travelling waves discovered a water Vivaxis whose energy ascended directly through the floor, under Judy's bed. Her bed was moved which apparently eliminated the cause of the wave confliction.

Judy again channelled her sinus areas and glands to reinstate their correct pattern of alignment. Her allergies have not returned and she now enjoys normal immunity without the need of drugs or medication. Indeed, during the summer she participated in the haying and all the varied activities of fun loving youth without a sign of adverse reaction.

Nature gives us a built-in immunity in the form of a specific magnetic arrangement, with a pattern imprinted upon its wave that is able to recognize self and reject foreign waves. This safeguards us against normal wave bombardment but we as individuals have to be alert to avoid excessive bombardment. So far we have only discussed the natural causes of wave confliction, but those made by man are probably an even greater threat and more responsible for nervous, mental and physical disorders than the natural causes of disruption to our magnetic balance. For example, a disease of our modern times is known as "electronic poisoning."

Today, through electronics, the knowledge of wave mechanics has reached an unprecedented high; in fact, as high as the moon. Instruments planted there, which are controlled from earth, dig and test samples from the moon's surface and relay the information to earth by means of electromagnetic waves.

These are tremendous scientific and electronic feats but unfortunately the electronic equipment is often strongly magnetic and its atomic influence is felt in the weaker magnetic systems of the human beings coming in contact with it. As a result their own electronic equipment within themselves becomes weakened; the magnetic pattern that nature has implanted to work and control all life.

The researchers of today are in the vulnerable position where they are, as individuals, more liable to experience wave interference than the average layman, through constant contact with atomic radiations and strong chemicals.

The law of magnetics so vital to the atomic arrangement in the human system is very intolerant to disturbances caused by tampering and consequently this secret of nature has not been readily revealed in the artificial environment of a laboratory, using artificial stimulants.

The retarded thinking of witchcraft and miracles, plus the wave interference of outside radiation and chemicals, have all played their part towards obscuring

the fact that life's communication to the reflexes is fundamentally controlled by a wave link to a Vivaxis or place of birth.

Members of our Research Society are currently observing the effects on our magnetic system of fluorescent lighting, coloured television, electric blankets, infrared lamps, etc. All of us enjoy our electronic world of today and are not anxious to condemn any part of it without just cause but undoubtedly there are many who are exchanging health for these things. In conclusion, I say, these energies are yours; learn to know them and observe their reactions to outside influences.

Chapter X. So Little Can Do So Much

In an earlier chapter we mentioned that channeling can be used effectively to control a variety of symptoms directly associated with energy imbalance and lack of normal magnetic flow. When there is illness and pain, either singly or in combination, an unbalanced energy wave pattern is always found. There may be one, or there may be many circuits showing distress signals. When the balance of energy is restored to these circuits and they are once again in phase with the body's energies, there is general improvement and in many cases elimination of both pain and illness. With the exception of the removal of X-ray interference, channeling does not in itself take away the underlying cause of the body ailments, for if the cause is not removed the circuits usually revert and once more become unbalanced. The causative agency which originated the body's illness may be one of many: X-ray effects, mental frustration, inadequate or faulty diet, exposure to noxious chemicals, various pathogens, and other causes are all capable of creating the condition. So when the energy pattern has been corrected, concentrate on removing the cause of the trouble to prevent the circuits from being disrupted again.

Some 2,400 years ago, Hippocrates, "Father of Medicine", imprinted upon the minds of his students a most precise aphorism, "Thy food shall be thy remedy", a maxim, which is as correct today as it was, when it was uttered. But in the time of Hippocrates they did not have to contend with processed foods filled with additives; foreign elements that can destroy the balance of our energies. Nevertheless there is still no better advice for maintenance of health than to recommend plenty of exercise, fresh air and the eating of natural unsprayed foods grown on organic farms.

Our observations are limited to situations that we have experienced as a research group and are not intended as medical advice to others. Our work is the study of magnetics in the human system and in the course of our investigations nature has revealed that a specific atomic alignment is her design to protect our bodies against disease.

Without the necessity of testing receptors, members of the Society have achieved results, which seemed sensational and this chapter devotes itself exclusively to relating some of the simple methods used.

Eliminating the wave confliction of X-rays is in itself "A Giant Step" and a necessary one. On occasions during lectures I have directed this question to the audience, "How many of you have had X-rays of the skull?" A percentage of hands will rise. I then ask, "How many in this group find it difficult to concentrate?" Invariably the same number of hands shows.

After a person has completely removed his head X-rays, the most common remark is, "I feel that a lot of wires have been uncrossed; my head feels a lot lighter." Immediately he notices his power of concentration starts to improve. He becomes more relaxed and sleeps better. Merely erasing all the X-ray interference eliminates many chronic aches and pains, since one's whole system has a better chance to work in proper co-ordination. This is especially

true in cases that follow up channeling by using the P.H.S. method, described at the end of this chapter.

One can't help speculating that X-rays might be a contributing cause, why so many young people of today are mentally mixed up, confused and suffering from hypertension. Our son Brian, while attending university, made this observation, "If only some of these crazy mixed up kids understood what you have learned, Mum, I don't think they would feel the need for all these drugs."

The cause may be multiple, but what are we doing to our young people when we subject their heads to masses of conflicting wavelengths through X-rays? Is it their fault they are confused and mixed up?

Is this the price our children are paying for man's tampering - man's ignorance? How often do the gains from the X-rays justify the wave confusions introduced permanently into the nervous system?

Our instructors continually mention how pupils in their classes, are visibly shaken, when through their own testing it is graphically revealed to them how X-rays conflict with and actually cancel normal wave motion in their circuit.

It is our body our mind and those of our children that are at stake. Isn't this reason enough that we should explore? The dedication of my work has been projected towards developing a simple means by which the average man can make his own investigations.

Heart

A member recently wrote the Research Society to relate in some detail the results of his channeling; his blood pressure, which had stayed persistently at a high level for some years, decreased to a normal range soon after he started channeling. He concluded his letter with the question, "What did I do to bring my pressure down so low? In any event I am very pleased and would like more information along this line."

Research undertaken at St. Mary's Hospital, London, England, has shown that blood pressure is apparently affected by magnetism. They also found that magnetism appears to influence the level of blood cholesterol and the clotting time of the blood.

The hypothalamus is the part of the brain controlling the visceral functions of the body; it is a switchboard and message centre coordinating the vital functions of the nervous system. Among its many functions are the control of the pacemaker of the heart and blood pressure. The hypothalamus is located in the middle part of the head and we find it is the centre of magnetic influence in the head. What controls our magnetic energies? "Our Vivaxis."

These answers possibly explain why so many people have claimed that channeling has helped their ailing hearts.

Colds

The so-called common cold need not be the "common cold". This statement is directed to those people who are careful of their diet but still play unwilling hosts to one or more colds a year; it does not refer to those whose daily menu

includes pop, candy, cakes and excessive starches. I speak from experience for I was periodically a victim of the most miserable type of head colds. Characteristically, they included swollen eyes, running nose and throat, accompanied by a day or two of violent vomiting. Now I can cheerfully think of these bouts of misery as a period of the dim past, belonging to the era before I learned to use the power of channeling to fight viruses and bacteria. I will digress at this point and relate how I first discovered that energies could be harnessed to combat a cold virus. This is a question I am often asked and now is an appropriate time to include the story; for it was the challenge to combat a cold virus that first illustrated to me that our magnetic energies could be usefully harnessed.

So Little Can Do So Much. Part 2

I had been surveying the importance of our permanent magnetic wave link to the energies of the magnetic field into which we were born, i.e., our magnetic wave link to our Vivaxis. Carbon circuits, which were discussed in one of my earlier manuscripts, provided a simple means of observing wave behaviour. All that was needed for equipment was plain white paper, a straight edge and a soft carbon pencil. To read the various wave characteristics, I used a short light steel knitting needle in my left hand with which to pick up the various waves and an angle wire in my right hand to interpret their meaning.

For years I worked and experimented with carbon circuits and in this manner learned more of the fundamentals of wave mechanics and their characteristics than could ever be learned from a text. I soon discovered that the waves with which I was dealing travel only in horizontal and vertical planes; that the paper on which the line was drawn must lie on an absolutely level and smooth surface. I also learned that the paper must be secured to the surface so that it would not move as the line was made.

As the line was drawn on the horizontal surface, the carbon pencil was cutting the lines of force characteristic of the geographical area, included within the length and thickness of the carbon line. Magnetic energies were introduced into the line in their proper co-ordinated arrangement consistent to the geographic area. In other words, the magnetic energy peculiar to each integral part of the line was recorded by the carbon mark in correct sequence, as the pencil moved along the line, analagous in many respects to the recording of a tape recorder. The integration of the influences of the parts produced quanta of energy characteristic of the line. In essence I was introducing related energies in their proper magnetic sequence and they recognized each other as immediate neighbours.

At the same time, I automatically introduced my own magnetic energies into the circuit as the line was drawn, by pressing with my right index finger upon the pencil. Carbon is a good conductor and because of this fact, quanta from one side of my body was introduced into the circuit. Thus a wave link was initiated from the carbon circuit to myself. If the line was moved from its original position and wave tested, I found a wave link to the place where the line was drawn and a wave link to my Vivaxis and myself.

I channelled facing my Vivaxis for six seconds, turned clockwise till I faced in the opposite direction and channelled again for six seconds. I then wave tested the arrangement of energies in the carbon line. The results were invariably the same; the waves related to myself and my Vivaxis were recorded but all other waves were cancelled out of the circuit.

I drew a second line and this time another person's energies were introduced into the same circuit. Tests showed wave links to each of us and to the place where the line was drawn. When I channelled, my waves became predominant and the other waves were cancelled; if the other person had channelled then her waves prevailed and the others were erased.

This eventually led me to considerable speculation, which I voiced to my husband, "If foreign energies can be cancelled out of a carbon circuit when you channel, isn't it possible the same thing could happen to the foreign energies in bacteria and viruses in your system?"

I well remember his reaction, "For gosh sakes, don't let anyone hear you talk like that. They will think you're absolutely nuts." He continued in his berating, "It is about the nuttiest idea I've ever heard!"

Not long after this conversation I tried out the "nutty" idea. To my surprise it not only worked but achieved a miraculous job of completely drying up a very running nose within about five minutes time. In fact my nose was clearer than ever before. It has been said there is no pain as painful to society in general as that of a new idea; however, my husband soon recovered from his initial agony and since then has never ceased to applaud the power of channeling.

At the last Society meeting, with close to a hundred in attendance, I asked the question, "How many here have successfully cured a cold by channeling?" Nearly every hand was raised. "Nuts?" No, these people have merely learned to harness their God-given energies.

Before Columbus discovered the world was round he was ridiculed, "For every learned man knew it was flat!"

Now that we know channeling will control colds it is wise to cross our fingers in case we unfortunately fall prey to a virus at a time when the magnetic field is disturbed and channeling cannot be used; a period when our magnetic defences are down. It is a situation beyond our control but under normal circumstances colds can be simply annihilated provided they are attacked at the time of their first symptoms; before the foreign virus has taken control within the cells of the body to create more of their own and destroy masses of body cells. Channeling does not restore dead cells; it only helps the healthy cells to overcome attack by the virus. Channeling when the cold virus has already done the damage is a lost cause; it is a case of calling out the troops to save the city after it has been demolished.

A chemist recently makes the comment to me, "The first person who discovers a cure for colds will become a multi-millionaire." I was silent, but thought how ignorant and pathetic the human race has become to accept as a part of life the miseries of colds and the complications that result, always hopeful of a day the cure will be found in a prescription bottle.

On several occasions we have mentioned the lymph glands losing their normal pattern of magnetic energies during illness. By observation we have found the magnetic pattern of the lymph glands on one side of the body is vague and wandering when the cold is gathering momentum. When the glands are reinstated with their normal pattern of energies, the body is able to combat the illness, which diminishes rapidly in severity and soon disappears. There is a definite correlation between the correct magnetic pattern of the lymph glands and the recession of the cold. With a virulent cold the reinstated glands often lose their correct pattern again. In such cases it is necessary to channel once again about three hours after the initial treatment. However, if

the cold is caught at its inception, the pattern will generally remain correct and further channeling is not required. Usually one of the two lymph glands situated on either side of the thyroid group is among the glands affected by the virus.

To combat the cold virus we concentrate the direction of energy wave flow to the respiratory canals and the throat by specific channeling. We never specifically stimulate the lymph glands.

So Little Can Do So Much. Part 3

Method

1. In bare feet stimulate the sinus receptors at the end of the toes, by pressing and shuffling the toes on the floor.
2. Stimulate the sinus receptors at the ends of the fingers by holding an ice cube in the fingertips of each hand. Wrap each ice cube in a thin plastic (e.g. Saran Wrap) to avoid scattering water on the floor. Make certain the head is not level while stimulating with the ice.
3. With the fingertips of each hand holding an ice cube, move the ice slowly over all the sinus cavities and around the ears; especially behind the ears. Then move them around the outside of each eye for a couple of seconds. Drop the ice and place the hands against the side of the legs in preparation for channeling. The head is now brought to a level position.
4. Channel by the four and four method. The effect of the stimulation to the receptors lasts about fifteen seconds so be sure to commence channeling before that time elapses.

Repeat the following routine in each of the eight channeling positions. Take a couple of deep breaths through the nostrils stretching and depressing the lungs to their limit; swallow one's saliva twice to flex the muscles of the throat and direct the magnetic wave flow to the throat glands. It will require about eight seconds in each position to complete the procedure; however, it is more important to keep the body rigid and the mind relaxed while channeling than to worry about the exact second.

Post Channeling

Exercise lightly in isolation for at least twenty minutes after channeling. During this period one's atoms are aligning themselves into a strong pattern and for maximum results it is essential to avoid interference from other people. A quiet walk alone in the fresh air is ideal, breathing deeply and occasionally swallowing saliva. Avoid covering one's head for this twenty-minute period.

Alternate Method

The P.H.S. method is described at the end of this chapter. An effective procedure for combating colds is a modified version of the P.H.S. technique, which eliminates wetting the hair. However, the face, inside the mouth, neck and terminal points of the arms and legs are all sprayed thoroughly with hot water.

A large number of people now report they control colds successfully by these methods; they are to be congratulated and we hope they will communicate

their knowledge to others. Many, who are presently unaware of the power available to them, will learn through education and when that day dawns the colds that are now so common will gradually vanish.

Too much brain concentration appears to rob the body of its defences. The energies of left and right quanta, normally detected in the lymph glands, become deficient on one side of the body; a situation that leaves the body vulnerable to the attacks of viruses and bacteria. I have conducted several tests to substantiate this theory; I used my husband as the first guinea pig. He had conveniently contracted a cold which had developed to the primary running stage. He channelled using the specific methods for colds and within the usual five minute period his nose became clear and ceased to run. Wave vectors taken from lymph glands on either side of the neck illustrated they had now regained their normal quanta. After allowing him to enjoy a "cold free" one half hour, I asked him to solve some problems in mathematics. Within five minutes the cold virus had taken over as his lymph gland defences were depleted by the fact of his concentration. Once more he channelled and the normal energies were reinstated into his lymph glands and again the cold symptoms disappeared. Others and myself tried similar tests on different occasions with the same results.

It is no coincidence that students and business executives who direct their energies continually into their brain fall prey to cold viruses that are hard to shake. Yet during a weekend of golf all symptoms disappear.

The Pineal Gland

The pineal gland is about the size of a pea and is sandwiched between the two largest lobes of the brain, the cerebral hemispheres. Little is really known about this gland but recently it has been suggested that the pineal has a role to play in immunization. A medical doctor, who attended one of the Research Society's seminars last year, suggested that both the pineal and thymus glands should be studied in their relation to infection and immunization.

It was an appropriate period of the winter for observation, since colds were widespread at that time. We found it was impossible to definitely determine if we were receiving distress signals from receptors of the pineal gland, but at the conception of head colds and during the period of infection, we found distress signals at three points on the front of the head and three points at corresponding positions at the back of the head. When in a normal pattern, the waves from the six receptors had characteristics associated with a gland, but we were unable to determine which one, so we named them "P. gland" receptors.

We found the "P. gland" receptors have a definite role to play in stimulating the energy pattern in certain lymph glands, including those located just below each ear. When the six receptors showed an upset pattern so did the lymph glands. If the six receptors were stimulated immediately prior to channeling, their pattern of energies became normal and so did those of their associated lymph glands, even though the lymph glands themselves were not stimulated. As long as the "P. gland" receptors remained in correct energy balance the respiratory infection subsided, only to reappear again if the "P." receptors lost

their normal atomic arrangement. There was a definite correlation that illustrated their part in the immunity of the body from disease. Are these receptors associated with the pineal gland? At present we have no certain way of telling, so we can only conclude by saying, "Maybe".




FIGURE 5. Location of the Thymus.

The Thymus Gland

The thymus is located in the upper part of the chest immediately behind the breastbone. The gland is quite large in a child younger than the age of twelve, but decreasing in size to rather small proportions as one becomes an adult. However, it is an important factor in the immunization of the individual throughout one's entire life.

The capability of the body to fight off disease rests with the antibody. When there is invasion by viruses, bacteria, foreign cell tissue or other types of antigens, the plasma cells respond and produce antibodies. The antibody seeks out the antigen which it then proceeds to destroy or inactivate. The very specialized plasma cells that create the antibodies are themselves developed from lymphocytes. Lymphocytes generally occur in the thymus, spleen, lymph nodes, liver, etc.

So Little Can Do So Much. Part 4

Lymphocytes are found in the embryonic thymus; they appear in this organ before they do in any other part of the prenatal being. In the initial development lymphocytes spread from the thymus to the lymph nodes, spleen and other lymphoid areas; there they settle and make these sites capable of producing plasma cells and antibodies. The thymus also releases hormones that influence the growth and differentiation of the incipient plasma cells which produce the antibodies.




FIGURE 6

* Receptors on the head at these points, have distress signals usually when there is a head **cold** or respiratory infection.

* Receptors at these points have distress signals when the pancreas is not functioning normally.

X Receptors at these points have distress signals when the thymus is disturbed. Noticed commonly in conjunction with a chest cold, sore throat and allergies.

Our observations of the thymus gland show that it plays a vital role in the immunity of the body. Figure 6 illustrates the main receptors for the thymus.

During a chest infection all these receptors have a disturbed circulating pattern; the lymph glands associated with the thymus, including those under the arms, also register a disturbed energy field.

During a Research Society meeting, February 1971, when our special project was the investigation of allergies, thirteen of the eighty members present had chronic allergies, a number of them with asthma. The thirteen were wave tested by myself and four other instructors. In every case the receptors of their thymus glands and the lymph glands located under their arms had disturbed energy patterns. In addition, twelve of the thirteen had disturbed energy patterns in the "P. gland" receptors. Each one of the group was shown the positions of the disturbed receptors and advised of the correct procedure for stimulating prior to realigning them. Results indicated the lymph glands only had immunization value when their magnetic energy pattern was in correct character.

In the last chapter we related Judy's experience when she corrected thymus and "P. gland" receptors and how she successfully corrected allergies from which she had been suffering since infancy. Many others have successfully overcome their chronic allergies in a similar manner.

At birth nature provided us with a built in system of immunities that basically involves our own magnetic pattern of energies. A pattern with a specific wavelength that recognizes self and rejects non-self. We have learned that if the pattern becomes disrupted through tampering or disease we generally have the power to reinstate it and the evidence of the results speaks a very encouraging language.

X-rays and chemicals are both agents that can destroy natural antibodies in the system. In fact, recipients of transplanted organs are deliberately subjected to strong doses of X-rays and chemicals in order to weaken their own immunities and, consequently, their power of rejection.

Could radiation from X-rays and toxic chemicals be responsible for the malfunctioning thymus glands noted in those thirteen people with allergies? Are these agents responsible for causing so many allergies in our civilized society?

It does appear it might be a plausible explanation. Once the balance of energies in the thymus is restored the lymph glands automatically register a normal energy pattern and the allergies are generally held under control as long as the glands remain in a normal balance.

The Montreal Heart Institute's immunology laboratory stated that each of the institute's nine heart transplant recipients had their thymus gland removed during the operation, in the hope its absence would help to prevent rejection of the new heart.

Food Allergies Relating To A Malfunctioning Pancreas

In nearly every case where we have tested people with food allergies, we find both the thymus and the pancreas glands with a disturbed energy balance. On the same team is the thyroid gland and often when there are food allergies we find this gland, too, has an unbalanced pattern of energy. "Lymphocytes need exposure to iodine of the thyroid in order to iodize their amino acids."*

Figure 6 illustrates the location of pancreatic receptors on the head; there are other receptors located on the hands, feet and at the site of the pancreas itself. In the latter case a distinct hollow on the body is generally very noticeable, which usually fills out within a day after specifically channeling the circuit of the pancreas. We now correct the disturbed receptors by using the P.H.S. method described at the end of this chapter.

Specific channeling of the pancreas generally brings quick and dramatic reversal of symptoms. Almost immediately participants have noticed an increased flow of saliva. In turn, this has increased their ability to assimilate sugar and starches: gains in weight soon follow. All seminars have been marked by gratifying results with the pancreas gland. Namely, the gland can be activated by balancing its energies so that it once again becomes a proper functioning organ carrying out its important job of producing essential enzymes.

* Bieler, Dr. Henry, M.D., "Food is Your Best Medicine", Neville Spearman, London.

Boils

In many places the bacteria responsible for the formation of boils have become extremely difficult to control. On several occasions we have seen people channel specifically to counteract this persistent type of infection and the results have been quite remarkable. The pain in existing boils diminished quickly and the abscesses soon showed signs of drying up. Boils that were in the formative stage just disappeared without coming to a head. Channeling appears to create energy antibodies capable of annihilating the foreign bacteria of boils and other infections.

The method of procedure is simple. The individual stimulates the infected areas with heat by means of a hot compress immediately prior to channeling. He then channels in the usual four and four method.

Diarrhea

Many have channelled for this uncomfortable symptom with great success. Channel in the usual manner and use the P.H.S. method of stimulating.

Sting

The sting is quickly removed. The area of the sting is stimulated by firmly tapping with a wooden object and then channeling immediately, using the four and four method. If the pain and swelling return, repeat the stimulating procedure and channel again. Often within a period of twenty to thirty minutes the alignment of the body fluids dissipates and requires further reinforcement. However, do not channel more than three times altogether.

Many television viewers will recall the incident of Bob Fortune being stung by a wasp during an interview. It occurred in late September of 1969. Bob Fortune, a well-known television commentator with the Canadian Broadcasting Company, "Hourglass" programme, was interviewing me in front of our seaside home. The cameras were grinding away during the interview when "oops" Bob leaped into the air. A wasp had stung him on the leg! He was seriously allergic to stings and was particularly alarmed as he had come without his anti-toxic pills, which he usually carried.

His leg swelled rapidly and his heart pounded furiously. I persuaded him to

channel and harness his own energies to overcome the poison. I located his channel correctly for him and with a wooden spoon tapped around the area of the sting. He then channelled and remained in isolation for the required period.

Bob found it quite incredible that his heart immediately quietened; he was equally amazed that the swelling and pain subsided so rapidly. Within half an hour we continued the interview where he described the incident and then concluded by asking the question, "Can you tell me, Mrs. Nixon, why my channeling manoeuvre had the power to overcome with such rapidity the reaction of the wasp sting?"

"Bob, you have just witnessed the harnessing of your own energies to inactivate and reject an energy introduced by a foreign agent", was my reply. He shook his head as he laughingly accused, "I think you must have had a trained wasp."

It really was not deliberately planned, but we have both the wasp and Bob to thank for their contribution. As a result the programme stimulated a tremendous amount of interest.

Sinuses

It is tragic to see so many people suffer unnecessarily from the distressing effects of sinus disorders, that in many cases have existed over a period of years. Practically all the chronic cases that I have encountered will clear substantially by one half hour after specifically channeling the sinus cavities. If the trouble reoccurs after a few days, further treatment by specific channeling is generally all that is required for permanent and complete relief.

The receptor cells of the sinuses terminate in the finger tips and the feet; in the latter they are situated at the centre of the bottom of each toe and the centre part of each heel. We stimulate the sinus cavities with ice cubes making sure to include the areas behind the ears. The receptors of the hands and feet are stimulated, as described earlier in this chapter for the treatment of colds. Since one channels standing with feet on the ground, the heels are automatically stimulated by supporting the weight of the body.

Immediately after stimulating the receptors, we channel by the four and four method. We make sure to ground the hands against the sides of the legs while channeling; it is an important part of the procedure but sometimes forgotten.

If this method is not effective, try the post-channeling P.H.S. technique, concentrating the hot spray on the sinus areas and in the mouth.

Eyes

Improvement to one's vision by specific channeling of the eyes is one of the most noticeable and rewarding achievements of this work. I can speak with feeling for at one time my eyes were a continual cross to bear and I was advised by an eye specialist that I was practically blind in the right eye. Since I learned to channel they have improved steadily and now without glasses I am able to read extremely small print, far smaller than that used in a telephone directory.

The method we use is simple. We stimulate the toes in a manner similar to that for sinuses and colds and stimulate the finger tips with ice cubes enclosed in Saran Wrap. Hold the two ice cubes for one or two seconds over

each closed eye; we take care not to leave the ice on the eyes for too long a period. Make certain that the head is tilted down while stimulating. The ice cubes are dropped and then with the hands grounded against the legs we channel by the four and four method. It is particularly important to follow the normal routine of closing the eyes after our head is level while we are channeling. We must always remember to move out of our channel as soon as the channeling procedure is completed.

During the interval of post-channeling we concentrate our attention on simple eye exercises; move the eyes back and forth, from one side to the other, up and down, allowing intervals of rest. As a reminder, post-channeling is a twenty-minute period after we have finished channeling to our [Vivaxis](#) and have moved out of our channel. During this period our body fluids are strongly aligned and we focus our energies on the troubled area by exercising it. Some members prefer using the P.H.S. method, rather than the ice for stimulating.

Summary

A large majority of our research members have used the techniques described in this chapter to overcome colds and other ailments successfully. The testing of receptors is not required for any of these methods. Therefore, even the members who are unable to test have access to a relatively wide field in which to benefit themselves.

New Horizons Through The Application Of Heat

As a research society we are continually looking for improved methods, especially those which the average member can handle effectively without the necessity of testing receptors. Recently we arrived at a technique that is proving to be remarkably simple and efficacious for reinstating correct energy patterns into the code receptors. It can be used by the average person and does not require any receptor testing.

In order to arrive at the technique, various established facts were weighed and then combined in proper relationship.

1. Heat stimulates wave motion.
2. Oxygen is necessary for an acid balance within the body cells and an acid balance is necessary for atomic alignment.
3. Stimulation of the disturbed code receptor cells assists the supply of blood and oxygen.
4. Channeling by the four and four method promotes a strong atomic alignment of the body's fluids and the tissues become saturated with the participant's own radiation energies, for a period of about twenty minutes.
5. The participant's own radiation can be introduced into the disturbed code receptor cells, through stimulation during the post-channeling period, a time when the body fluids are strongly saturated with his energies.
6. A spray of hot water is valuable as a stimulator and further, it is reputed to give off free flowing electrons that are apparently beneficial.
7. The head is the energy wave receiving platform, but the energies must travel down the legs and arms to the terminal points to complete a circuit.

Post Channeling. Hot Spray Method

The name is abbreviated to "P.H.S." method.

1. One should neutralize first and then double check to be sure there is a steady field.
2. Channel, using the four and four method. Wearing nothing more than a light robe.
3. Three or four minutes after channeling, start stimulating the code receptors with a jet of hot water, using a hand shower if available.
4. The temperature of the water should be as hot as one can comfortably tolerate. Stand in the bath or shower with feet well apart. Have the drain open so that the feet are not standing in water. Head must be bare, so do not wear a bathing cap. Do not touch head.
5. With the hand shower, direct a strong spray of hot water over every section of the head, including the back, top and around the ears. Concentrate on the face, carefully and thoroughly spraying around both eyes.

6. Next, spray inside the mouth. Let the jet from the hand shower spray over and under the tongue and then thoroughly over the roof of the mouth covering both the hard and soft palates. Since the mouth is full of code receptors, make a thorough job of it.

7. Concentrate on all parts of the neck, especially at the back and base of the neck.

8. Spray the left arm starting at the elbows and working to the finger tips, twisting the arm and hand to include every part. Concentrate particularly on the hands, especially the middle of the palm and the centre whorls of the fingers. When the left arm is completed, then spray the right arm in the same manner.

9. Starting at the left knee, work around the leg and foot, giving particular attention to the underside of the instep and toes. Finally, do the same with the right leg.

10. After spraying your head, do not touch it for at least ten minutes. The atomic pattern should be allowed to set, so on no account rub your head or put it under a drier. I would not suggest using this method unless you are prepared to leave your head and face alone for the ten minute period after spraying it. Allow them to drip dry, with a towel over your shoulders.

We never specifically stimulate the lymph glands. Once the code receptors have their proper energies, the lymph glands automatically balance their energies, too. Nature designs the lymph glands to trap toxic wastes and release them gradually into the blood stream. Therefore, they should not be specifically stimulated at any time, in order to avoid the danger of releasing toxics too quickly into the blood and heart.

If there is a specific trouble area of the spine or chest that needs attention, it should be jet sprayed after the head and terminal points are finished. It is wise to stimulate the main circuits first and ensure the energies are passing through the whole length of the body before concentrating on the individual areas.

The P.H.S. system will not erase X-rays. Therefore, X-ray interference should be corrected by the methods outlined in Chapter VIII (Technique Of Realignment X-Rayed Bones) (Technique Of Realignment X-Rayed Bones). The P.H.S. system of stimulating is relatively new, but the method is simple, natural and effective. Tests show the disturbed code receptors automatically correct themselves into an organized magnetic arrangement without the necessity of wave testing. Members who are using this method report excellent results.

The contents of the book are the result of research and not intended as medical advice. Anyone deciding to harness their own energies through channeling, should do so only if they are prepared to take full responsibility.

Chapter XI. Overstimulation Can Be Dangerous

Channeling is undeniably a stimulant and should not be used in conjunction with stimulating drugs; it is possibly safer not to use it at all, if any type of drug is being taken, as the reactions could cause unknown results.

We have all heard of side effects caused by some of the "miracle drugs" which are generally artificial stimulants to the pituitary and associated endocrine glands, including the adrenals. The pituitary gland is small and lies just below the brain. It has been called the orchestra leader of the endocrine glands because of its important role in regulating the ductless glands. In a well-known book written by a medical doctor, a case is cited of a woman becoming totally and permanently blind as a result of overstimulation to the pituitary, causing the gland to increase in size and press against the delicate optic nerves. Two penicillin injections administered for a cold and headache were apparently responsible for the overstimulation.

In order to avoid overstimulation and exhaustion of the adrenals, we strongly recommend against the overuse of channeling. Nature does not like being rushed; it needs time to replenish its resources. "Keep the power in channeling" is an appropriate motto and when an emergency arises, you have it as a strong ally, not an exhausted one.

Channeling is an aid when definite correction is necessary. Hundreds of people have consistently proved their ability to correct the imbalances that underlie serious malfunctions by channeling. Unless there is specific need we recommend that it should not be used, for we all have a radiation tolerance and we can reach a saturation point by channeling too frequently. As we channel we should not stand in any of the eight positions for an interval of time exceeding ten seconds and in most instances six or eight seconds is all that is required.

Channeling has tremendous powers of destroying foreign bacteria. The question arises, "Does it also destroy the bacteria beneficial to the workings of the body; bacteria that manufacture essential B vitamins in our system?" Perhaps they do and I personally include yogurt in my diet to help replace the possible loss of valuable bacteria.

We entitled this chapter, "Overstimulation can be Dangerous", and while the red signal is still up I will discuss "electronic poisoning," developed through contact with strongly polarized waves other than one's own. We are in the strictest sense of the word "electronic" and during the process of channeling we emit strong polarized waves which are definitely detrimental to others who are subjected to them.

I say this with considerable feeling for on occasions I have paid a heavy price for the research that has necessitated overexposure. Perhaps I also pay for my compassion as have some of my dedicated assistants. When help is asked, refusal is difficult.

However, I do have my own personal method of partial protection or I would not have endured as much as I have. In lectures, I demonstrate with angle wires only when faced out of my channel. To do otherwise would be irresponsible and without regard to others.

We have had many examples of adverse effects caused to people, who carelessly watch some thoughtless individual channel. The spectators link into the circuit through their eyes. Their own polarity becomes unbalanced and often they report the accumulated effects are felt some six to twelve hours later. In some instances, they have experienced symptoms similar to those described as "electronic poisoning". "You warned me, but I found it hard to believe", is a frequent apology made by those who have ignored the precaution.

Channeling is unsuitable for those who have received shock treatments. Shock treatments introduce a foreign wave length which realigns part of the brain into a new field of energy. On occasions the shock treatment affects the nervous system, which in turn may adversely influence the normal reflexes of the limbs. We usually find people, having undergone a shock treatment, have parts of their brain aligned to the point where they received the treatment, while the rest of the brain is still correctly channelled to their Vivaxis. In cases where there have been several treatments at different centres, they will have several Vivaxes in directions spread around the points of the compass. It is uncertain which Vivaxis is their correct one and which are introduced. If they channel to their proper Vivaxis then there will be confliction in the various parts of the brain aligned to the other points, which may result in severe nervous tensions.

Channeling is not applicable at this stage of mutilation when nature's original magnetic arrangement has been destroyed, for it is analogous to shuffling the parts of a jig-saw puzzle, throwing away some of the key pieces and then saying, "Please reassemble the puzzle."

One important role of the lymph glands is to trap toxic materials. Nature releases them gradually and the blood supply to the heart is protected. Will our heart in some instances be affected by releasing too large a volume of toxic waste into the blood, if we overstimulate our lymph glands? This is a question that arises and one that must be taken into consideration during our research. Our policy is one of caution and not one to rush headlong into the half light of the unknown. Conditions that may be right for one person, may be wrong for the next.

Channeling appears to increase blood circulation. In most cases this is a desirable reaction but inappropriate when a person has had a bleeding ulcer, a recent operation or some other weakness that might hemorrhage. All these factors should be cautiously weighed by the individual.

We do not recommend that an expectant mother channels, merely as a precaution against the unknown and personally I am not prepared to volunteer to be a guinea pig for such an experiment.

We have many answers yet to learn about the body's magnetism but we are

acquiring knowledge and taking definite steps to overcome our ignorance. In the meantime the rational way to conduct a science that is still in its inception is to adopt a sound middle course by never channeling too long or too often until we are well aware of all the reactions to our system.

Caution should be taken to move out of our channel after channeling in position eight. To continue on would take us back into our channel from a counterclockwise direction. There are indications from the test mentioned in Chapter XVII (Our Communication System) that this could have an adverse effect.




PHOTO No. 1

One method used for locating the direction of her channel. Note how the right thumb is correctly held well above the forefinger and is centered on the copper sleeve of the galvanized angle wire.



PHOTO No. 2

The wires cross as Nice Jepson, an instructor, aligns faced towards her channel to her VIVAXIS.



PHOTO No. 3

The wires cross towards Nice as she aligns in the opposite direction with her back towards her channel to her VIVAXIS. Note how the arms are held well out from the body.



PHOTO No. 4

When Nice is faced correctly into her channel to her VIVAXIS, the wire is attracted towards the energies in her middle finger. The wire pulls away when she moves into another direction.

This particular method has advantages over the two wires. If your field is

static they will not normally attract in any direction one faces.
Note how the tip of the middle finger is held on the same level as the
horizontal arm of the wire.




PHOTO No. 5




PHOTO No. 6




PHOTO No. 7




PHOTO No. 8 - Right

Symbols On Apollo's Head

- - Code receptors
- * - Heart receptors




PHOTO No. 9 - Left

The groups of code receptors with a heart receptor are communication centres. Each communication centre has a brain and eye receptor included in their group. The heavy black lines are communication pathways that become wave stimulated when a person projects their thoughts into objects or others in their outside environment.

These are not the pathways connecting wave messages from brain to limb. Note how the communication Pathways on the left side are strongly concentrated around the temple and ear and also lead over to the left side of the lip.



PHOTO No. 10

Our grandson, Richard is the youngest known child to channel successfully. He was channelled at the age of 3 years to erase head X-rays.

During the following twenty minutes after channeling, Richard became very aware of the transition taking place in his head, remarking; "My head feels funny like mosquitoes are biting it."

The young boy became noticeably more relaxed after the erasing of the head X-rays. Prior to this his mother had been concerned that he was suffering increasingly from hypertension.




PHOTO No. 11 Brian Cole, an instructor in Vancouver, B.C.



PHOTO No. 12 Peg Devins, an instructor in Victoria, B.C.



PHOTO No. 13 Eileen Noble, an instructor in England.



PHOTO No. 14
Brian Nixon, who assisted in experiments in the early stages of the research.



PHOTO No. 15 "Mike" - his story is told in Chapter 16.

Chapter XII. The Advantages Of Correct Receptor Testing

We have discussed the many ways channeling can be utilized without the necessity of testing receptors. The main requirements are to determine our channel accurately and then follow the directions that are outlined.

For the more fortunate who have never been subjected to X-rays and other forms of radiation, determining one's own channel is relatively simple, barring of course, those with injuries to the nerves of the fingers. This magnetically responsive group has included a surprising number of elderly people who had the good sense to retain their general health through natural means. It illustrates that age need be no barrier to the successful use of channeling. But the majority who have been subjected to X-rays and other radiations find it more of a challenge; one that often requires a considerable degree of perseverance during the initial stages of locating their own channels.

For those who wish to probe further into the complexities of the body's magnetics, the technique of testing receptors and deciphering their meaning is a must. The ability to test, brings rich rewards because through these waves nature reveals her design for all life.

The waves can be received at receptor sites as wave signals. First of all, what is the nature of a receptor? A receptor is the terminal of a neuron or nerve cells, and when it is stimulated the neuron is activated to send the appropriate message. Neurons are in vast numbers and of many specialized types and in general their receptors only respond to the stimuli for which they are specialized.

The last mentioned characteristic, makes it possible to locate many of the various receptors by observing which one is stimulated with a sudden wave motion when a particular toe or other part is flexed. It enables us to pull back a veil of mystery and by so doing bring nature's underlying design into sharp focus. Witnessing the depth and intricate organization of the design, fills us with a deep reverence and humility and makes us realize, that all the achievements of man are dwarfed by the creation of even a single flower. Many of the intricacies of testing receptors are outlined in subsequent chapters and it should become increasingly apparent that this is not a subject to be mastered in three easy lessons or practised by amateurs. After all, it took me nine years of research and observation to reach this stage! During that time I developed my own guide lines and then pursued my objective by deliberately eliminating from my thoughts and actions everything that subtracted from that goal. My objective was to explore the importance of a specific atomic alignment in all life. Having discovered this basic fact, I next set out to prove its importance by its application to the human system.

To gain a doctor's degree, you must learn all that is written into the medical text books and then, if you can spell out the contents and apply it correctly, you will probably earn a degree. I have not had the advantage of a doctor's degree and what I have learned has never been written in any text. It was

probably never written because this natural law is not readily revealed in the artificial environment of a research laboratory.

Nature has been my teacher and as her pupil I merely tuned into the story she was telling. Because these magnetic waves are a part of me and form my link to the universe, I was enabled to understand some of her secrets. Because it is not written into the present medical texts does not change this basic fact of our biology, but perhaps it does explain why so often we read in their literature that certain phenomena are observed but not understood.

Does present medical knowledge explain why a person has the ability to move an arm in a designated direction? Does their present knowledge enable them to reinstate a disrupted communication wave circuit; for example, a circuit where wave messages to move a limb are not being received? From enquiries of those within the medical profession, we understand they lack this knowledge today. Consequently they are not qualified authorities on the magnetics of the body, anymore than my nine years of magnetic research makes me an authority on medicine.

However, I feel confident the gap will be bridged shortly for the two belong together as a well-knit unit, each depending one upon the other. I further predict the strong support and influence of the Northwest Magnetism Research Society, will help bridge that gap, for one of the prime purposes of the Society is to educate through seminars - educate how vital the natural law is to the mental and physical well being of every individual.

Seminars are attended only by members of the Society, which includes a few but increasing number from the medical profession, all of whom are earnestly seeking a wider understanding. As a group we probe deeper through exploration, observing and improving our techniques as we learn. A perceptive mind and freedom from X-ray interference are better qualifications in the field of exploration than a medical degree, but in the field of application both a knowledge of magnetism and a medical degree are obviously desirable.

As we are concerned with the energies responsible for wave communications to the reflexes, we select for illustrative purposes, a member who lacks the ability to send wave messages to various parts of the body. During the seminar we demonstrate to the group how specific code receptors can be reinstated and the formerly dormant reflexes respond to the wave messages. Without further preamble I will relate the story of Len to exemplify what can be accomplished through receptor testing.

In September of 1970, the Society held a seminar at the Island Hall, a well-known resort on Vancouver Island. There were about fifty members in attendance including Len, a young man of twenty-three years. Len had been in a serious car accident four years previously. After the accident he remained in critical condition, lying in a coma for three months. As life gradually returned to some parts of his body, Len was helped along the way by many. Among the various treatments he received was a patterning programme, but as he expressed it, progress was "damn slow". His mind was able to function, but he had lost the ability to speak. Communication was achieved mainly on an electric typewriter or with his fingers, using his right hand for both. Paralysis remained on the left side, including his arm and leg, which restricted him to a

wheel chair. The tongue reflexes were also paralysed; a major cross for Len to bear. The tongue was swollen and liquids had to be dribbled down his throat from a special cup. Prior to the meeting, Len's mother had written a pleading letter, concluding with the words, "... the medical profession can offer no further help."

The Advantages Of Correct Receptor Testing. Continued

The young man was wheeled into the seminar and introduced to the group. I explained that we had already removed his head X-rays and now we would attempt to get his tongue reflexes stimulated and working. Looking around the room at the fifty pairs of eyes focused upon us, I commented in all humbleness, "I will not feel ashamed if we don't succeed, but I will feel ashamed if we don't try."

Len was requested to stick out his tongue, but it could not respond to the wave messages and consequently his efforts resulted in complete failure. This was my first experience with paralysis of the tongue and it was explained to the group that receptors, responsible for stimulating the reflexes of the tongue, must first be located. I started testing Len in the nose area and discovered disturbed receptors with circulating patterns along the right side of the nose from the bridge to the mouth. This type of testing is carefully described in subsequent chapters.

Next, I demonstrated by testing my own receptors on the right side of the nose, in the specific area corresponding to that on Len. As I moved my tongue in and out, I picked up a wave motion from my receptors which showed a normal and very different pattern from Len's; the recording wire alternated back and forth in a definite channel directed to my Vivaxis. However, if I moved any part, other than the tongue, these receptors supplied no responsive action in the recording wire and it remained motionless; a confirmation that the receptors we had marked on Len were indeed responsible for wave messages to the tongue. Also, I tested receptors on the left side of my nose as I moved my tongue but again the wire remained motionless.

When we were sure the tongue receptors of the face were correctly identified we began our search for other parts of the tongue circuit. Receptors were found on the back of the head, slightly off centre and on the left side only, at levels corresponding to those on the right side of the nose. Terminal receptors were also located on the hands and feet; all of these had disturbed patterns. However, Len had many circuits with similar disturbed receptors and it was imperative to make certain that we located and marked those connected with the tongue circuit. In order to test them, we exerted a slight pressure on these receptors individually, while wave testing a disturbed tongue receptor located on the nose. If the pressed terminal receptor belonged to the tongue circuit, then the recording wire ceased its circulating motion. When the pressure was released then the circulating motion began again. In this way each of the disturbed receptors of the tongue circuit was carefully identified and marked.

The seminar group vacated the room before we channelled Len. We first had to sit him in a swivel chair. It was quite an ordeal to help him into the correct posture but we succeeded with the aid of his mother and several others. We next stimulated the many marked receptors and then Len's mother and I assisted him while he channelled. As soon as Len was finished, his mother

wheeled him to another room where, during the important post-channeling period, he concentrated all his efforts on moving the tongue.

We proceeded with the seminar and soon Len's mother sent word that his tongue felt very different and was now tingling all over. An hour later Len was brought back into the convention room. This time, when Len was asked to stick his tongue out, the tongue came out. His control improved as he repeated the movement. His mother voiced her incredibility, "It is four years since he has been able to do that." That day at lunch he was able to drink through a straw for the first time in four years, too.

A few days later we located and helped Len to reinstate the circuits to his paralysed left fingers and toes. Prior to this time, his left hand was rigidly clasped to his chest and was subjected to periodic spasms. We tried to get him to move his left fingers and toes, but the circuits and code receptors were disrupted and the messages were never received; neither the fingers nor the toes responded. On the head and at the terminal points of the hands and feet, we meticulously located and marked the many disrupted receptors which controlled the reflexes of the left fingers and toes. The individual receptors were simultaneously stimulated and then Len immediately channelled.

Two hours later we brought him back to the seminar group to demonstrate how wave messages were now being received. "Len, would you please move your left thumb?" The thumb moved! In fact, each finger of the left hand lifted in turn as he commanded; the code receptors were reinstated and the messages were now reaching their proper destination. The left toes also moved in response to his brain's command.

Next Len was asked to lift his left leg, which he was now able to do. He communicated to his mother with rapid movement of his right hand fingers: they both laughed. We laughed too, when his comment was relayed, "Where is the hydrant?"

Len had not been able to activate or control the left fingers or toes since the accident. But now he moves them at will, separately or together; ever since the day at the Island Hall, when he reinstated the necessary code receptors. However, the left elbow and hand are still quite rigid although they are improving slowly.

Len's story is not yet complete, Brian Cole, our instructor in that area, is doing an excellent job helping Len to reinstate other code receptors and leading him to higher plateaus.

When a person channels in a standing position the energies are grounded separately by each foot. If one of his heart receptors is tested at this time, the recording wire will move in a strong alternating motion which is a normal and salutary pattern. In contrast, the corresponding test of a person channeling while seated in a chair shows a vigorous but circulating pattern in the heart receptors, which is undesirable. Therefore, channeling in a wheel chair is only used when it is necessary to give a person an initial start. Len's father has built a turn table on which Len is now able to stand while he channels.

The reader is cautioned not to test another person while he is channeling as it is upsetting to both and contrary to every rule in the book. However, the foregoing tests were initially made to investigate the effects on a person channeling, while seated in a chair.

Len's balance is greatly improved and daily he works hard on his exercising bicycle. Reinstating wave messages is rapid and instant, but building new muscle is slow and only possible if the wave messages can stimulate the correct reflexes.

To reinstate the circuits, Len has used his own energies entirely and it would not be possible unless he was aligned correctly towards his own Vivaxis while he channelled. We have repeatedly observed the fact that nothing is accomplished when a person fails to channel in the right direction, even if the variance is limited to a few degrees. But if the procedure is repeated in the correct Vivaxis alignment, gains are instantly apparent.

An incident to illustrate this fact occurred one day when some work was being done on our house. The contractor arrived one morning complaining of a severe toothache. The nerve was exposed and he had been unable to sleep all night. The pain-stricken man had an appointment with a dentist for the next day but the pain was increasing and he felt that working under these conditions was impossible. For several years he had been a strong advocate of the powers of channeling, so he marked what he thought was his channel with a long carpenter's rule. He stimulated two disturbed receptors associated with the aching tooth and then channelled. The toothache persisted in its severity even though the man believed he had channelled in the correct direction.

I suggested checking the direction while he stood over the marking rule with his head level. Wave tests showed immediately that his body fluids were not aligned. He turned only a few degrees into another position and wave tests then indicated a sudden strong alignment of his body fluids. He moved his marker into the correct position and specifically channelled again. This time the toothache quickly vanished for a period of about three hours. He had to rechannel several times at about three-hour intervals and was thus able to work efficiently, completing his regular day without being hampered by the ailing tooth. The moral of the story is that your own energies have to be correctly harnessed and the mental illusion that you have aligned in the correct direction is completely ineffectual.

How are the wave patterns of a receptor recorded in the angle wire? Through a method we term "wave transmitting" which is detailed in the following chapter.

Chapter XIII. Wave Transmitting

People are used as wave receivers and transmitters. A specific wave pattern can be imprinted upon receptors located at the centre whorl of the left index finger, or more generally upon the centre tip of the left index finger nail. These two centre places are both reliable points for receiving a wave pattern, which then becomes transferred into the atomic structure of the angle wire held correctly in the right hand. The left index finger has a direct connection to a communication centre located in the head, near the left temple. If this communication centre records a disturbance, so will these key receptors on the left index finger.

When all the factors are correct, a person can become the most sensitive and reliable electronic instrument yet developed for recording specific waves of magnetic influence. Magnets and all life appear to be in the same band of wave lengths, although each possesses an individuality, identifying it with the magnetic characteristics of the geographic point where the magnetism was introduced. Implicit truth is a creation of the universal mind whose main ingredient of organization is magnetism where all waves are sorted, balanced and co-ordinated according to their true relation and identity. In our science of wave mechanics I have observed that an uninterrupted and true wave pattern does not lie, nor can it be changed or controlled by thought wave manipulation. This is very reassuring to genuine wave transmitters and has helped establish the scientific acceptance of our methods. The energies of the universal mind in the final analysis are dominant.

In seminars, I show the class that an uninterrupted and meaningful wave pattern introduced into the atomic structure of the recording wire, is too definite and strong to be changed by the human mind. I receive a wave pattern from a receptor using my left index finger and transfer it into the recording wire held in my right hand. Correctly transferred in this manner, my brain cannot alter or introduce another wave into the atomic structure of the recording wire. The lack of any interference from foreign radiation in my bone structure is one of the important factors that makes this possible.

The reader is reminded that in my case I was in the rare and fortunate position of not having had any X-rays with the exception of those taken of my teeth and left foot. These had been successfully erased long before I reached the stage in my research of attempting to test receptors. Therefore, circumstances made it possible for me to discover the strength of a wave pattern transmitted by a receptor, without ever experiencing the problem of interference.

In my initial attempts to train instructors I soon surmised that several controlled the wires unwittingly by messages initiated in their brain. Unable to do this myself when my left index finger was placed on a receptor, other than a brain receptor, I decided to find the explanation. Being aware that there is a terminal for a brain receptor located at the centre of the right thumb, I suspected that if no other wave pattern was transferred into the atomic

structure of the wire, then the brain alone could control the wire. Control it by thinking of a direction or a circulating motion.

To check out this theory, I deliberately introduced an interference by placing a piece of animal bone against my left arm, tucked under the sleeve of my sweater. Result - this interference definitely prevented me from receiving any wave pattern whatsoever from the left index finger. My communication center was now free to be controlled by wave messages from the brain. Obediently the recording wire turned to whatever direction suggested by my brain. If the bone was inserted against certain strategic areas of the right arm, then wave interference was introduced into the brain circuit itself and the wire lost all response and remained lifeless until the bone was removed. Since then these same tests have been repeatedly conducted by all the Society's qualified instructors, with the same confirming results.

The ability to receive and record a meaningful wave pattern, that cannot be manipulated by the brain is the basis of our whole research, for only then can a true story be told.

I now demonstrate these tests just mentioned in all seminars, in order to show the class the absolute necessity of removing all interference introduced by X-rays and other radiation, for only then can they hope to achieve reliability in testing receptors. To safeguard myself I always take the precaution to make these tests brief and immediately after removing the bone I ground out the foreign wave interference by pressing my hands down on a table for a few seconds.

It cannot be stressed too strongly that in order to transfer a meaningful wave pattern from the left index finger to the angle wire held in the right hand, the wave transmitter himself must be free of interference from all foreign radiation. The first hurdle for him to overcome is the elimination of every vestige of X-ray interference throughout the entire bone structure of his body. In addition, if some of his own brain or code receptors are disturbed, his efficiency as a wave recorder is also impaired. He is comparable to a computer giving the wrong answers because it is in need of repair.

For many, the elimination of all interference has been virtually impossible to realize, as the case of people subjected to cobalt treatments or individuals exposed to strontium 90, plus those with nerve injuries to their fingers and other causes. Teaching people in these categories to become reliable wave testers is generally impossible and ends in frustration for all; often developing into a senseless game of futile wire twirling. But usually this group can learn to get their own channel correctly as well as those of other people because the influences while channeling are strong enough to temporarily overcome the interference of areas of foreign radiation.

Seminar members are taught the methods used for checking their own radiation interference and by the end of the course about one-quarter of those attending have detected and erased their various interferences sufficiently to test their own receptors. Members who cannot eliminate interference in themselves should be content to use channeling within the bounds of their ability as we discussed in former chapters. They should definitely not try to test other people's receptors.

Testing waves other than your own, especially waves from other people's X-rays and radiations, has a very detrimental effect on the tester. At seminars special research projects are selected for illustrative purposes and the advancement of our knowledge, which usually necessitate the instructors having to wave test others. We endeavour, however, to keep it to a minimum and are careful not to expose ourselves more than we can help. We plead that Society members show regard and consideration for the instructors by not subjecting them unnecessarily to the members' disturbances.

Wave Transmitting. Continued

One of the greatest detriments to our research are those who have radiation interference themselves and are ineffectually attempting to wave test others. Unwittingly they inject their interference into the receptor circuits of those they are trying to test. As an example, I had a long distance phone call from one who has a great deal of interference from a multitude of X-rays and other disturbances. This person was ambitious to wave test and was practising on a young relative. The girl started to faint as the alarmed individual was testing a brain receptor located at the centre of the child's forehead. The tester's own energies and interferences were evidently being introduced into the girl's brain receptor with the resulting adverse reaction. This is an example of people testing others when they have insufficient experience plus lack knowledge of the interferences within their own system and the inability to recognize when their field changes to right angles while testing. Hence, the necessity of selecting instructors who are free of interference themselves and well trained to observe the safety rules of testing.

When there is too much testing of others a static condition can build up within the tester's own system, especially in the environment of fluorescent lighting, electric motors and other electrical equipment, resulting in the tester's centre brain receptor developing a circulating pattern, characteristic of a static state. This static state also causes his channel to switch to right angles. Under these conditions he is unable to receive and transfer a wave pattern from the left index finger and therefore, becomes an unreliable wave transmitter; in fact, he introduces his static energies into the circuit of the person being tested. A qualified wave transmitter immediately recognizes this change and ceases testing again until he has neutralized.

One of the prime requisites for wave transmitting is to be above our Vivaxis which applies when we are testing our own receptors or those of another person. Our Vivaxis must be located at an elevation below us in order to record the vertical wave motion received from most receptors, since the vast majority of our receptors have code carrier waves which travel in a vertical plane in a wave link to our Vivaxis.

With our Vivaxis below us the magnetic energies normally flow up the left hand and foot, and flow out of the right hand and foot, a condition which prevails when there is no static or other interference. Thus the left hand is receiving the incoming wave and the right hand is transmitting the wave motion. This characteristic sequence is essential for wave transmitting because of the design of our communication system.

When our Vivaxis is at an elevation above us, the direction of wave motion is reversed and consequently the hands are limited in their capacity as recording instruments, a factor which formerly narrowed the scope of many who otherwise had excellent potential. I found these people had only to move to ground higher than their Vivaxis and the direction of energy wave flow reversed. With their Vivaxis below them they had the ability to receive and record efficiently.

A simple method for reversing the direction of wave motion in the hands was recently devised for those who must test below the elevation of their Vivaxis. The procedure enables these people to create a temporary Vivaxis below themselves for the specific purpose of testing receptors.

The individual places a container of ice or acid, such as vitamin C solution or vinegar, between his ankles. The ankles must touch either side of the container in order for the person's energies to be introduced into the solution. Both an acid solution and ice have the ability to align their atomic structures under the influence of the magnetic wave characteristics of the individual. A period of approximately forty seconds is required for the magnetic energies to reverse the direction of their wave flow and then he is able to test as if his Vivaxis was below him. As he moves his position during the test he has the slight inconvenience of readjusting the acid container between his ankles and each time must wait a short interval for the solution to realign. But other factors being equal, a person using the acid solution, tests almost as efficiently as the individual with his Vivaxis located below him.

We summarize the necessary conditions for wave testing under seven main headings:

1. Strict adherence to the proper method of holding the angle wire and the correct positioning of the body while channeling, as discussed in Chapter IV (Methods Of Determining Your Channel).
2. The wave transmitter must be free from all foreign fields of radiation.
3. Do not test another person's receptors or your own, when either of your respective channels are at right angles to the correct directions of your Vivaxes. Check by testing the middle brain receptors, Figure 3, on page 44, for a circulating pattern characteristic of a static condition. Another method of checking is to press with the left index finger on the bones at the centre of the chest. Normally, the recording wire swings into your correct channel but when your brain receptors are static the wire swings at right angles to the direction of your Vivaxis.
4. The ground on which you are testing must be neutral. See Chapter VI (Neutralizing) (Neutralizing).
5. Count while you test to eliminate interferences in your brain receptors from other waves that might be introduced by outside influences.
6. Your Vivaxis must be below you while you test your own or another individual's receptors. Create a temporary Vivaxis below you when it is necessary by using the acid solution method, previously described.
7. The left index finger is used to receive a pattern and the angle wire held in the right hand to record the wave. The centre tip of the left index finger is placed lightly on the receptor being tested; in fact, I prefer to hold my finger very close, but not actually touching the receptor. Any pressure exerted at the site of the receptor can change and influence its energy content.

In addition to the favourable factor of having few X-rays, I originally experimented on a level that was only a few feet higher in elevation than my own Vivaxis. The ground was approximately nineteen feet above sea level

where most of my work was done: my Vivaxis elevation is some three feet lower. This situation was particularly favourable and as an instrument I was able to explore and discover, but those below their Vivaxis and restricted by the interference of chest, arm and hand X-rays could not.

We are born to be magnetic, born to communicate and operate by wave messages. It is a tragedy that man in his ignorance has not recognized the electronic plan of nature's communication system. In his ignorance man has designed more and more instruments and chemicals to destroy the very fundamentals that nature has implanted in our bodies to work so beautifully and efficiently for us.

In order for the wave patterns to convey a meaning, the wave transmitter must know how to identify the various receptors by their characteristic wave motion and responses. Guides to identifying wave behaviour are discussed in the following chapter.

Chapter XIV. How To Identify Receptors By Their Wave Behaviour

Testing receptors is the prerogative of only those who are completely free of foreign radiation as discussed in the previous chapter.

Position While Testing

The tester must stand on level ground with feet apart, spine held erect and his body positioned so it is not aligned to the direction of his Vivaxis, in any of the four channeling positions. His clothing must not touch or ground against any furniture or other objects. He must remember, too, that if his Vivaxis is at a level above him he will keep a container of ice or acid (such as vinegar) between his feet in order to use his left index finger as the receiving finger. It is reasonable to assume that each receptor has imprinted upon its wave pattern, characteristics that identify it with the particular magnetic position it occupies in the head or body with relation to the centre of magnetic influence. Further, as each receptor represents either a gland, organ, limb, etc., the chemistry associated with an individual part of the body produces an intricate characteristic, which is also inherent in the wave pattern of its receptor. An example, analogous in many respects, was observed while attending a demonstration of atomic absorption. A sample of fluid was put into a complex electronic machine and each element in the fluid, magnesium, copper, calcium, etc., had an identifying characteristic wave. Through wave interpretation the machine's computer recorded each element within the sample.

As we have previously mentioned in the testing of receptors, the tip of the left index fingernail is placed directly over the receptor to be tested while taking care not to exert any pressure on the receptor itself. The recording instrument, the angle wire, is held correctly (see Photo) in the right hand to record the wave pattern transferred from the receptor into the atomic structure of the wire. This instrument, under the influence of the wave pattern, responds by moving in a horizontal plane to a definite channel. The direction of the channel is determined by several factors:

1. The position of the receptor on the head in relation to the centre of magnetic influence,
2. The direction the tester is standing in relation to his own Vivaxis,
3. The energy stimulation due to motion, voluntary or involuntary, e.g., moving a limb or the beating of the heart.

Brain Receptor

There are numerous brain receptors strategically located throughout different parts of the head. It is the only type of receptor that is stimulated by using the mind to solve mathematical exercises, such as a simple problem in multiplication; therefore, we use this characteristic to help identify it. For example, the tester holds his left index finger to the site of a receptor on the head which may or may not be a brain receptor. In order to determine if it is, he creates an energy wave by silently concentrating his mind upon a

multiplication table; immediately all brain receptors are stimulated. If his finger is over a brain receptor the recording wire alternates back and forth in the horizontal plane, orientated in the direction of his Vivaxis. The instant he stops multiplying the brain receptor ceases to be stimulated and consequently the wire terminates its motion.

If there is no well-defined alternating motion of the recording wire while he multiplies, then it is not a brain receptor. It is essential the tester concentrates in silence and without moving to prevent receptors associated with the ears and limbs from becoming stimulated which may lead to wrong identification. Brain receptors relaying a wave message to a movable segment of the body. Each movable part of the body is controlled by specific brain receptors. In contrast to the situation of the mathematical problem, not all brain receptors are simultaneously stimulated when a message is sent to move a particular limb, but only the brain receptors specifically associated with that limb. When a wave message to move a part of the body is relayed, the brain receptors responsible for the movement show their stimulation by the same alternating motion of the recording wire. A wave train can be followed along a definite path leading away from the site of the brain receptor to a receptor on the head representing the limb to which the message is being relayed. If the receiving finger moves beyond the limb receptor, the recording wire ceases to show activated response. It is a useful method for locating receptors on the head associated with the different limbs.

We have demonstrated in seminars that a limb has associated receptors in the four quadrants of the head, with their own allocated brain receptors operating them. For example, one brain and knee receptor will be responsible for the forward motion of the knee, another brain and knee receptor for the backward motion, a third pair for the upward motion and a fourth pair for the downward motion. (See Figure 7.) The brain receptors responsible for the various motions change their role as the tester faces different directions relative to his channel. A slow motion of the knee is necessary while testing in order to be able to differentiate and note the variations. It has been observed, that the magnetic moment of each brain receptor is changed as the tester moves position and consequently the receptor's control function is changed also. A particular case of multiple sclerosis helped to illustrate this: her discrepancies varied according to the position in which she faced. It was a common complaint, "Sometimes I cannot move my leg forward". By way of experiment, I requested she turn and face in a different direction. To her surprise she could now move the leg forward but could not move it back.




FIGURE 7

- Brain receptor X Knee receptor

Pathway of wave message sent from a brain receptor to a knee receptor. The explanation for this phenomenon was a disturbed brain receptor which was out of commission. With the person faced in another position, a different and normal brain receptor became responsible for the forward movement and the leg received the message to come forward. However, now the role of the disrupted brain receptor was to control the backward motion but it was unable to deliver the necessary message. We found when the pattern of energies in the circuit of the faulty brain receptor was corrected, the leg then responded to wave messages and she then had the ability to move the leg forward and backward in a normal manner.

Brain receptors are strategically located where their magnetic influences are predominant in the control of wave motion. Significantly, a brain receptor is always sandwiched in between two code receptors; one code receptor with a clockwise motion, the other with a counterclockwise motion. In summary, the magnetic moments in the various brain receptors vary as the direction of the head and body are shifted and, in turn, their responsibilities are changed. The complex arrangement is best understood by demonstration as we endeavor to show with actual cases in seminars.

How To Identify Receptors By Their Wave Behaviour. Continued

A wave message to move a limb can be traced to the limb receptor for a short period without the limb being actually moved; but a static overcharged condition soon builds up in the circuit of the tester's middle brain receptor if the energy is not dissipated through movement of the limb. Consequently, at intervals it is necessary to move the limb to which the energy wave is being directed.

A wave link always connected to our Vivaxis, appears to be the underlying influence that gives the brain receptor the versatile ability to control direction of movement of the various parts of the body.

Heart Receptor

When receiving an energy wave pattern from a heart receptor, the recording wire alternates continuously to the rhythm of the heart beat, regardless of the position of the head. To avoid confusion with a respiratory receptor, tilt the head down slightly while testing and if the alternating motion continues, one is confident that it is a heart receptor. The heart is directly involved in the communication system and it records wave interference readily. Therefore, count while you are testing to exclude other circuits from linking into your own.

Respiratory Receptor

When the head is level the respiratory receptor records a continuously alternating wave motion similar to the heart receptor. But if the head is tilted slightly the alternating motion ceases which is unlike the heart receptor. Then, how can we be sure it is a respiratory receptor? Breathe deeply with the head remaining tilted and a respiratory receptor will signal its response to the stimulation by an alternating motion of the recording wire.

Eye Receptor

Shut your eyes as you test and move them back and forth. If it is an eye receptor the recording wire will alternate, but the moment you stop moving the eyes the motion of the wire will cease. Usually, eye and brain receptors have close proximity, so check to determine the possibility of it being a brain receptor. Whenever the brain sends a message to the eyes or another part of the body, commanding them to move, the brain receptors designated to control that particular section are stimulated too, so it is possible a brain receptor controlling the eye movement has been located. Continue testing the same receptor, keep the eyes closed but do not move them; activate the brain by multiplying. An eye receptor will not become stimulated through multiplying but the brain receptor will; so check to differentiate.

Ear Receptor

While testing for the ear receptors listen to a ringing bell or similar source of strong sound vibration. If the recording wire alternates back and forth the receptor is either an ear or brain receptor because both will be stimulated by the sound. Continue the test but cease the ringing of the bell and activate the brain by multiplying; if the wire alternates back and forth it is a brain receptor but if it now remains stationary it is an ear receptor, determined by a process of elimination.

While testing the receptors of the eyes and the ears keep the head slightly tilted. This precaution does two things: it automatically prevents the introduction of your Vivaxis influences by assuring you are not aligned to your channel and it avoids confusion with the respiratory receptors.

The same general rules apply for locating all specialized receptors and with experience one soon learns to find their own.

I have compared many charts of the head which supposedly show areas associated with the various parts of the body. There are significant variations within these charts for the same body areas which indicates the "guess and by God" methods often employed to develop them. In general, we find the charts are of little value for pinpointing specific receptors, a requirement for specific channeling. The head is an entire network of receptors and we must precisely locate those that are disturbed in order to correct a circuit. To use a chart and stimulate a general area of the head prior to channeling can produce undesirable complications by overstimulating and unbalancing a variety of unconnected circuits. It is comparable to haphazardly crossing wires while attempting the repair of an intricate piece of electronic equipment.

Disturbed Receptors

What is a disturbed receptor? It is a receptor with a static electrical potential and lacking an organized arrangement necessary for any wave motion.

Apparently, oxygen in our cells is necessary for a proper acid balance and an acid balance is essential for an organized alignment. This is illustrated when one holds their breath, for then all receptors temporarily have a disturbed circulating pattern. Many disturbed brain and code receptors probably originate from lack of oxygen; in some instances at birth when partial asphyxia caused the initial damage. We are successfully establishing an organized arrangement in the disturbed receptors; first, by directing the blood supply to the specific areas through stimulation, and then by introducing a strong magnetic wave flow through channeling. The new P.H.S. method automatically corrects most receptors and is being used almost exclusively.

Disturbed receptors are easily recognized: the recording wire does not move back and forth in a definite channel but circulates continuously. Generally, the circulating motion indicates a confliction in the receptor with a resulting static state. If the left index finger is transferring a true pattern, the static energy motivating the recording wire will keep it circulating, even if the wire is tilted fifteen or twenty degrees from the horizontal plane. The wire will cease to circulate instantly when it is tilted from the horizontal, if the tester is not

relaying a genuinely disturbed pattern from the left receiving finger but merely transmitting a wave message initiated by his brain.

The tester may use another check by deliberately sending a message from the brain commanding the wire to stop circulating. If it ceases instantly, then the brain alone is controlling the wire and the test is invalid and without meaning, unless, of course, it is a healthy brain receptor that is being tested. To determine the possibility of the receptor being a brain receptor, multiply and observe the reaction before reaching a conclusion.

There are other circumstances that might cause a circulating pattern which should be verified before marking a disturbed receptor for correction. I always advise a recheck by counting and briefly closing the eyes. The first, to eliminate the possibility of another person linking their circuit into your brain receptor; the second, to avoid recording a healthy eye receptor. When the eyes are open an eye receptor has a circulating pattern, because the eyes are absorbing many waves from their surroundings. The circulating motion from the eye receptor ceases when the eyes are closed unless the receptor has a disturbance.

In conclusion, when testing your receptor, it is necessary to ask yourself the following question: Is the circulating motion indicating energy imbalance, disturbance or temporary wave interference? A temporary wave interference that can be eliminated by counting, multiplying or shutting the eyes?

Chapter XV. Code Receptors

Previously we discussed various specialized receptors but code receptors deserve a separate chapter for themselves. Code receptors are the key to the science of the "Magnetics of the body". They are the key to life itself and without them life could not exist as we know it today.

The illustrations of Apollo show the code receptors of the head and neck. Undoubtedly more will be found but the code receptors that are known give us a good working foundation. I instruct my groups to aim first at making certain all code receptors are functioning and free from static disturbances.

First, What Is A Code Receptor?

I discovered these all-important receptors in June 1970. They were originally mentioned in the booklet, *New and Improved Technique of Channeling*, and at that time were called hypothalamus receptors. But since then we have coined the name "code receptors" in order to identify them more accurately.

Originally, I found the main code receptors which traverse the hypothalamus, but more recently we have located a tremendous network of them strategically located over the head, neck and entire body. Since the original discoveries we have witnessed the dominant role code receptors appear to play as wave carriers for the specialized receptors.

First, the character of the receptors' waves have to be studied in order to determine the part they play. All code receptors are of magnetic influence and each receptor has a definite code pattern imprinted upon its wave, a pattern that identifies and links it with the individual's Vivaxis energies. Code receptors have waves that are travelling vertically up and down the body. The waves from half the code receptors have a clockwise motion and the other half a counterclockwise motion; the ultimate destination of the waves is to the individual's Vivaxis and return. The code receptors themselves have wave vectors that are channelled in a direction to the individual's Vivaxis. Some of the code receptors that are located in our communication centres, have the ability to temporarily realign under the influence of another wave introduced into the communication centre. (See Chapter XVII (Our Communication System).) In contrast the code receptors that are not located in a communication centre, do not normally realign. Their pattern is remarkably consistent and always linked by wave to our Vivaxis, even when our field is static and at right angles to the normal direction.

These magnetic code receptors act like transformers throughout the head and body. Each plays an individual part and also a part collectively working as a magnetic unit. The centre of magnetic influence in the head appears to be in the area of the thalamus and hypothalamus, where the magnetic waves from the code receptors act as carrier waves transporting wave messages. If code receptors are not functioning normally, wave messages to limbs and reflexes are also disrupted.

In cases of paralysis and partial paralysis, doctors are aware that wave messages are not being relayed, but presently, their lack of knowledge of this

basic law of magnetics has prevented them from reinstating the wave messages.

We relate many stories within this book illustrating that wave messages can be reinstated. We are doing it continually by specific channeling and reinstating code receptors. Mike's story is told in the next chapter and illustrates our procedure of first testing and reinstating all the main code receptors on the head, as well as their associated terminal receptors in the hands, feet and mouth. If the head and terminal code receptors are corrected, then the others in the same circuit located throughout the body generally correct themselves automatically. In seminars we teach the more advanced students how to trace and identify their own code receptors, observing all the rules of wave transmitting detailed in Chapter XIII (Wave Transmitting) (Wave Transmitting).

Method Of Locating Your Own Code Receptors

Tilt your head just off the level position while testing. The centre of the nail tip of the left index finger is moved very slowly and gently over the head. When your receiving finger is directly over a code receptor, the recording wire becomes magnetically stimulated and turns quite sharply seeking the channel to your Vivaxis. It comes to a stop with a small jerk as it locates and literally latches on to the wave channel. With your index finger still on the code receptor, turn your whole body in a clockwise direction. If the recording wire holds its position and continues to point to your Vivaxis throughout the whole cycle of the rotation, then the code receptor belongs to the "clockwise" group. However, if the recording wire shows a circulating pattern as you rotate, then the receptor belongs to the "counterclockwise" group. Still touching this receptor with the left index finger, turn your body counterclockwise and the wire will hold the direction of your Vivaxis throughout the full circle. The two groups of code receptors are equally divided: half clockwise and half counterclockwise. Each group retains its characteristic direction of motion until you move from a level above the elevation of your Vivaxis to a level below; then the direction of motion reverses, i.e., clockwise becomes counterclockwise and vice versa. A similar reversal occurs when one moves from below your Vivaxis to a level above. It requires a time interval of about forty seconds to effect the change in direction.

Before tracing the next code receptor, the hands are grounded on a table or some convenient solid object and the pattern is knocked out of the wire to eliminate a carry-over from the last receptor.

The two most vital code receptors are situated three-quarters of an inch on either side of the centre point on top of the head, as shown on Apollo, Photo No. 7. They are situated on either side of a respiratory receptor located at the top centre of the head. The code receptor on the left side has a heart receptor situated directly in front of it, while the code receptor on the right has an eye receptor directly in front of it. There is a brain receptor situated at the front and another at the back of the respiratory. This group forms a most important communication centre.

These particular code receptors have counterparts located in the soft palate area on the roof of the mouth. The part played in the magnetics of the body by the four code receptors is of the utmost importance, for their position places them at the centre of magnetic influence in a direct line with the hypothalamus, our centre control system. When both of the top code receptors simultaneously show a disturbed circulating pattern, the person is generally in serious trouble. However, the one on the left side fluctuates like a barometer particularly when the person is in a static state; it is also easily affected by other magnetic influences.

The terminal points of the many code receptors located on the head are found in the "fingerprint areas" of the fingers and toes.

Code Receptors. Continued

If the flesh on this part of the fingers or toes lacks the ability to spring back immediately when pressed, it almost certainly indicates that code receptors are not functioning normally. Also, the fingers themselves are observed to be abnormally weak, collapsing easily when pressure is exerted on them; in extreme cases, literally like those of a rag doll. An experienced instructor uses the fingers and toes to determine which group of code receptors on the head are likely to be lacking their normal atomic arrangement.

In a recent Research Society meeting, the special research project was the study of code receptors responsible for the function of the ears. Those present, who suffered particularly with buzzing in the ears, had abnormal weaknesses in their little fingers and also disturbed code receptors in those fingers. They all had disturbed code receptors in the hollow below the ears (at the hinge of the lower jaw) and on the head directly above the ears. Both these groups of code receptors were associated with the disturbed receptors in the fingers.

In other instances, people with a disturbance in the thyroid gland have had both little fingers and the third (ring) fingers in a weak and collapsing condition. Numerous code receptors of different circuits are represented in the lines of the finger and toe whorls. Therefore, the weakness in the finger is in direct relation to the number of code receptors that have lost their magnetic arrangement. About one-half hour after the magnetic energies are reinstated in the code receptors, there is a tremendous visual example of the transition. The fingers now have strength and elasticity in contrast to their former weakness. After observing this a man recently commented, "This would be described as a miracle, except for the fact your knowledge of code receptors and their wave mechanics enabled you to show how to reinstate their normal magnetic wave flow."

Code receptors' magnetic waves both seek and recognize the same elevation corresponding to the elevation of their Vivaxis. Testing our code receptors while on the same elevation as our Vivaxis is a truly revealing experience. The testing ground has to be absolutely level. The change in wave motion of the code receptors is strong and definite, as one stands and tests on their Vivaxis elevation. The recording wire indicates a change from a vertical plane to a horizontal plane as it alternates back and forth. In contrast, if one moves to ground an inch or more higher or lower, the recording wire holds only one direction; the correct orientation to our individual Vivaxis. Another interesting observation while testing code receptors on our Vivaxis elevation, was the recognition of a middle dividing line on the head. (See Figure 8.) All code receptors on or below the middle divide record an alternating wave motion orientated to our Vivaxis and in the opposite direction. All code receptors above the divide have an alternating wave motion at right angles to that field. It is hoped that those who are in a suitable geographical position will make this test for it gives one a very graphic illustration of our energies' wave behaviour.

Code Receptors Have Defined Lines Of Force

Code receptors have lines of force and testers without interference can record the energy of these receptors with an angle wire. For this particular test, the right angle of the angle wire is altered to correspond to the angle of momentum spin of a specific code receptor. The arm which is normally horizontal is moved in relation to the vertical arm. The energy is received with the left index finger at the site of a code receptor and the angle contained between the arms of the angle wire is adjusted until a spinning pattern of energy is recorded in the wire held in its copper sleeve. One code receptor will record a clockwise rotation and its immediate neighbor will have a counterclockwise rotation.




FIGURE 8

- - - - dotted line indicates dividing line of direction of wave motion of code receptors, while standing on the same elevation as your Vivaxis.

When not aligned in one's channel the various code receptors will have differences in the angles at which the spin can be recorded; although related groups have the same angle of momentum spin. As an example all those connected to or associated with my pancreas circuit, will have angles between 58 - 50 degrees. All the angles within that 8 degree arc will register the angle of momentum spin of all code receptors associated with the pancreas. To record the spinning pattern on another person the angle would probably have to be changed e.g. 55 - 48 degrees or some other variation. Code receptors on my brow again had a different arc, between 40 -50 degrees, therefore the angle had to be readjusted before the spinning of energies in these code receptors could be recorded.

The code receptors on the center top of my head had an angle of momentum spin between an arc of 50 - 70 degrees. After channeling the 4 & 4 method - ALL CODE RECEPTORS ACQUIRED AND RETAINED THE SAME ANGLE OF SPIN 50 - 70 degrees arc, the same as my centre of magnetic influence. They retained this for almost one-half hour during the post channeling period. This latter is extremely significant and leads into a field that will require another book to cover adequately.

I have found that even the interfering fields of X-rays are temporarily counteracted once a person is on the same elevation as their Vivaxis. This fact indicates that the wave conflictions of X-rays are partly cause by the difference in elevation of Vivaxes.

Now we can readily understand the important role code waves play with their magnetic link. Note the organized arrangement of the code receptors on Apollo's head. The public is increasingly aware of pollutants upsetting the ecology of our environment; pollutants that include toxic fumes, chemicals and insecticides. These are all agents that upset the magnetic balance of our environment; the same agents that upset our own ecology and our own magnetic balance. As a result, many of our code receptors lose their magnetic arrangement and can no longer transmit the necessary carrier waves to the specialized receptor cells; malfunction of organs and limbs is a direct result. Each individual is in reality a solar system within a solar system. A wave link to our Vivaxis is our umbilical cord to the universal energies.

The subject of code receptors is not complete without mentioning the various methods of determining the elevation of our Vivaxis. In a few cases, the elevation of an individual's Vivaxis appears to be lower than where he was situated when he became permanently aligned. A water Vivaxis or some strong group of energy quanta situated directly below the horizontal field into which they became aligned can create this phenomenon.

When a person is testing for the elevation of his Vivaxis he should be free from static and X-ray interference, and standing on level ground with his spine straight and feet apart. The dip wire is placed over the centre whorl of the index finger where it can pulsate freely. When one's Vivaxis elevation is below them, the direction of energy wave flow is generally from the right index finger. Under these circumstances, the dip wire should rest on this finger. However, if

one's Vivaxis is above them, the opposite index finger is generally the one to use for the dip wire. The free index finger is pressed against the centre of the breastbone. For a period, the dip wire will pulsate up and down in a vertical motion until it reaches the elevation of one's Vivaxis; at this point the dip wire motion changes to the horizontal plane with a back and forth motion. The pulsations are counted and each one has a measurement of approximately eleven and one-half inches; deduct the height from the dividing line at one's eye level to the ground.




FIGURE 9

Dip wire made of galvanized wire. The bottom hook angled at 35 degrees.

N.B. The angle of the dip might have to be altered according to the declination of dip in the testing area.

One should always be sure there is no water Vivaxis or any other energy under the testing site: the ground must be neutral for the test to have meaning. In this manner one can determine with surprising accuracy the number of feet you are above or below your Vivaxis.

Another method of determining one's Vivaxis elevation is accomplished with two swivel chains held in either hand. Again we have to be free from wave interference. As one walks at an elevation above their Vivaxis, only one chain will circulate since the energies flow out of the recording hand. However, when one reaches the same elevation as their Vivaxis, both chains circulate; one clockwise, the other counterclockwise. As one moves a few inches below their Vivaxis elevation, the opposite chain circulates and the one that formerly circulated becomes stationary.

Our code receptors are all important in our communication system and the next chapter tells a heart-rending story of the tragedy created when these code receptors have lost their magnetic arrangement and are no longer transmitting the necessary carrier waves. The story also brings home very forcibly, how important it is that this basic magnetic law is recognized and corrected at the inception of the paralysis, in order to prevent complete atrophy of the muscles. We have learned how to harness our energies and reinstate wave messages but it is a difficult battle when there has been a long lapse of time, and muscles have been allowed to atrophy from lack of magnetic wave flow and use. With a fundamental knowledge of the natural law these inconsistencies should seldom exist. People talk to me of "Your theory" - the irony of the remark! It is more than theory when we can continually and consistently demonstrate that wave messages can be reinstated; wave messages that for years were not being received. To reinstate these disrupted circuits almost instantly would be impossible if this fundamental law did not exist.

The real tragedy lies in the fact that man, through lack of understanding, unwittingly allows his most precious heritage to be mutilated and destroyed through harmful chemicals, X-rays and similar hazards. However, the tide is turning and soon ecology of the body will be as much on everyone's conscience as the ecology of the environment. Modern man's intelligence and his search for a healthier body, mind and future will not let it be otherwise.

Chapter XVI. Mike's Story

When Mike's mother originally phoned from her home in the United States and told the tragic story of her young son's accident, I genuinely felt that channeling could offer no help. I replied by saying, "He has been paralyzed for nine years! Even if wave messages could be reinstated to his legs, complete atrophy of the muscles would foil us." I concluded by saying, "In my opinion it would be a waste of time to make the long trip." Her reply was to come anyway, for there was no hope offered from the medical circles.

I can now say in all humbleness; I was guilty at the time of jumping to what appeared to be a natural conclusion and in so doing nearly denied a young lad the chance to walk again.

When Mike arrived and I saw his eager boyish face lit up by a big warm smile, the desire to help became an overwhelming obsession. Mike charmed and won the hearts of all that met him. He had a head of red curly hair and bright blue eyes set in a round freckled face. His personality bubbled with good humour and interest in all that was new around him. He was filled with enthusiasm for living but was denied the ability to fully participate.

Mike was born in Alaska and was living there at the time of the shooting accident. He was only five years old at the time when a bullet from a .38 calibre pistol, held in the hands of a six-year-old boy pierced through his upper torso and through his upheld left hand. For many gruelling months the small boy balanced between life and death but as time went on life began to return to his paralysed arms. However, from the waist down Mike remained paralysed and at the age of fourteen years, when he was brought to me, he had neither movement nor feeling in either leg. An even worse fate threatened him, for the doctors said his spine was collapsed and repeatedly they had been pressuring his mother to grant her permission to have it fused with animal bone. This would rob Mike of the ability to bend his spine for the remainder of his life. How grateful Mike is now to his mother for sparing him this fate. How grateful he is that she had the wisdom to utilize a natural law in order to restore normal wave communication to his reflexes.

Today Mike's back is strong, for it now has the necessary magnetic alignment that holds the cells together and enables him to sit up straight and without support. Mike already has the ability to do much more than just sit up straight and for his story we will first relate incidents that preceded his visit to us.

Mike, true to the traditions of curly red hair, was full of the daredevil spirit despite his handicap. It was this spirit that accounted for the ghastly burn I saw on the calf of his left leg when he first came. A huge burn that extended about six inches down his left leg, angry and red with little sign of healing although it had happened a month before. But Mike expressed little concern for he had no feeling in his legs and consequently there was no pain. His merry eyes twinkled as he related the story of how it happened.

"My cousin had me strapped behind him on his motorcycle. It was real keen! We were playing chicken with this other guy, in a field near the river. We came charging at this guy and he swerved his bike and jumped just before it

hit a tree. My cousin's bike skidded and he yelled, 'Jump!' But I couldn't: I was strapped on. The bike fell against my leg and the exhaust pipe started my pant leg burning. My cousin cut me free from the bike and carried me to the edge of the river. It was real weird how my leg all steamed as he held it in the water."

His right leg had taken even greater punishment for on three occasions he had broken it. His knee was badly smashed from an accident while riding on a motorbike behind his brother. It was a compound fracture and had never been set properly. The knee remained twisted over to one side of the shinbone. As it was expected he would never walk again, I imagine the doctors had not attached too much importance to the correct alignment of the leg. However, it is now of great concern because feeling has returned to his leg and he is regaining the ability to walk.

On another occasion he broke the leg bone above the knee. At the time he was participating with a group of children in a yogic exercise. Mike was sitting on the floor and with his hands was attempting to pull the lifeless leg towards the opposite shoulder. He described the result, "Suddenly there was a loud crack - like a firecracker. It startled the kids and they asked, 'What was that?' I replied, 'I think I broke my leg', and sure enough I had."

I asked Mike if he felt any pain at the time. "No", was his reply, "I didn't feel nothing." I pinched Mike several times on the leg and he did not feel that either.

A preliminary survey showed a group of key code receptors located on Mike's head emitting distress signals. These were marked as well as their terminal receptors on Mike's hands and feet. Next, they were stimulated prior to channeling. Mike was channelled while sitting in a swivel chair where he had difficulty keeping erect, even with the back support of the chair. However, with a little aid and lots of encouragement, he completed the necessary manoeuvres.

Although I have worked for many years with partial paralysis, I am still awed and humbled by nature's rapid ability to correct and repair, once the magnetic code receptors are reinstated and able to act as wave carriers from brain to limbs. After allowing an interval of about five minutes following the completion of channeling, I started to test Mike's responses.

"Mike," I requested, "Will you hold on to the seat of your chair and concentrate your very hardest on lifting your right leg?" The wave message was received and his leg lifted about two inches.

"Ouch! My stomach muscles!" he complained. He was perplexed as he added, "It must be just nerves."

Ignoring his misgivings, I asked him to send a message to move his left leg; there was no immediate response. "Concentrate again on lifting your right leg", I encouraged. Almost instantly it responded by lifting about three inches; once more he complained of the pull and hurt to his stomach muscles.

Mike's Story. Continued

After a few minutes I persuaded him to concentrate on lifting his left leg. This time the leg responded and he was able to lift it up a few inches but not without the pull to his stomach muscles. After alternating between resting and exercising for a period of twenty minutes, we called in his mother and friend. As they watched Mike's legs respond to his wave messages, tears of emotion welled in the eyes of both women. "I can't believe it! This is the first time since the accident he has been able to lift and control his legs." His mother's excited voice continued, "It's like a miracle!"

Mike returned home with instructions to practice lifting his legs for a period each day. Also, he was instructed to neutralize morning and night using a round container of solid ice, in order to keep his newly reinstated circuits in a steady magnetic state. A static condition would disrupt a weak circuit and his gains would be lost.

Mike and his mother worked conscientiously and returned in two weeks. The boy had retained his gains and the stomach muscles no longer hurt when he lifted his legs. We worked for several days together and reached one platform after another, each one bringing further improvement. As an example one set of receptors was responsible for moving his feet sideways and had to be specifically reinstated before he could accomplish this particular movement. Now that Mike could manipulate better we devoted our efforts to eradicate his X-ray interference. This further strengthened his spine and enabled him to sit up alone. Next, he commenced to crawl supporting himself on his knees and moving them at will back and forth. Each day his ability improved and now when I pinched his leg it was accompanied by a loud "Ouch!" Life and feeling were flowing more and more through the young boy's legs, but unfortunately with the feeling came pain in the right knee. The knee that had been so badly broken and never set properly.

At each session groups of disturbed code receptors were reinstated with their correct energies and each correction brought more magnetic flow into his limbs; but time and extra nutrients also had a place in building necessary muscles. After a short time he started to take a few steps assisted by a person on each side. We were amused one day as he commented, "I don't know if I want to learn to walk."

"Mike! Why do you say that?" I remonstrated.

"Because grown-ups get so many corns", he replied with a laugh.

However, Mike really did want to walk and my suggestion was overruled that he should first concentrate on crawling and forget the walking until his leg bones had plenty of time to strengthen. To walk became an obsession and after Mike returned home, he started on his own using crutches without the leg braces. At last report he was walking quite a distance in this manner but at times his right knee buckled unexpectedly and it was becoming increasingly

painful. He is scheduled shortly for an operation on the knee which will involve taking out the pins, rebreaking and resetting. We hope this will provide the correct answer, for he could not expect to use the knee in the manner it had been set originally, twisted and out of alignment to his leg.

Speculating upon the reason why Mike had the complete use of both arms but was paralysed in the legs led me to another significant discovery. The bullet perforated Mike's left hand, but his mother felt it was of little consequence compared to his other wounds since it merely pierced the flesh between the left thumb and forefinger and he had soon regained its full use. Up to this point I had ignored the part of the hand between the thumb and forefinger but on a hunch I tested the area on my husband's left hand. I found that as he sent a message to move his leg the communication was received by receptors located in this section; receptors that became stimulated and registered an alternating motion in the recording wire. The stimulation ceased when the message terminated. Further testing revealed that nearly all wave messages were recorded in the various parts of this left hand area but similar messages were not picked up in the same area of the right hand. Testing showed the corresponding section between the big (first) and second toes of the left foot was also a vital communication centre.

This was an avenue that had not been explored with Mike, so it was arranged as a research project that he attend the seminar in Nanaimo, B.C., held November 1970. We tested his receptors between the thumb and forefinger of the left hand and between the first and second toe of the left foot and found these communication areas and associated receptors on the head with distress signals. About six hours after the correction of the code receptors the improvements became apparent and Mike now had much greater ability to lift his knees.

This delay after correction might appear inconsistent with our earlier results but when code receptors alone have their necessary energy pattern reinstated, a time element is often noticed as they gradually gather momentum before their influences are felt by the specialized receptors. Generally, the correction of code receptors automatically reinstates the function of the specialized receptors dependent upon them.

Another discrepancy that plagued Mike for nine years was lack of bladder control. Normal signals were not received advising that his bladder needed emptying. As a consequence, he had to suffer the indignity and inconvenience of always having to wear a leg bag. Since that day at Nanaimo there has been no further need even during the long hours spent in school. There has been no need for wave signals are now received and the bladder reflexes have developed normal control.

I reflected upon this sudden transition and it was a sudden transition. For nine years no signals were received and presto, normal responses were reinstated. There is always a story to be told and another piece of the puzzle to be fitted. What activated the signals so suddenly?

The change had taken place immediately after the communication area between the left index finger and thumb had been stimulated and specifically channeled. I have tested various people in this area of communication and discovered that shortly before their bladder needed emptying a receptor in this section continuously emitted wave signals; detected in the recording wire by a continuous alternating motion. The same receptor gave off no wave signals after the bladder was emptied, (see Figure 10). This area of communication will be discussed further in the following chapter.



FIGURE 10 - - Left hand X - Marks site of signal from bladder. Shaded area represents - the communication area

Chapter XVII. Our Communication System

As stated in previous chapters the left index finger is the only finger that can be used to reliably receive and transfer a meaningful wave pattern. A pattern that cannot be manipulated or changed by the brain. For a long time the reason remained a mystery that was solved only recently. The revelation originally came through tracing the connection between a disturbed code receptor in the centre whorl of the left index finger and an associated receptor that was similarly disturbed, in the left temple communication centre. The story was retold in many similar cases. Againm deviations helped fit another piece to the puzzle. By the same token, a soft left index finger that lacks elasticity and strength is indicative of disturbed code receptors in the communication centre.

What comprises a communication centre? Each communication centre has a brain receptor, an eye receptor, a heart receptor and a group of code receptors (see photos). Normally, the code receptors in the communication centre are aligned to a person's Vivaxis, but if another wave is introduced, a few of them have the ability to realign under the influence of the new wave. These specialized communication code receptors have a wide angular range of momentum spin, 35 to 65 degrees which appears to be common to most people. Code receptors located in the left index finger also have the same angular variation of spin. This apparently is the key to the ability to communicate and receive wave patterns from other magnetic influences.

The left index finger is intimately connected to the communication centre located near the left temple. Therefore, I use this particular centre for many tests to record the reception of waves.

We have mentioned the communication centre on the left hand between the thumb and forefinger. There is a network of code receptors in this particular location and about half of them have the ability to temporarily realign to a wave introduced through the left index finger, while the remainder stay aligned to one's Vivaxis. A wave vector taken from a centre point of this area can reveal many things and is a fascinating illustration of the workings of our inner communication system. The right hand has no similar communication centre in the corresponding area.

We have used this part of the left hand as a lie detector in many conclusive tests. We ask the participant being tested to spell a simple word silently to himself. The angle wire receives the stimulation from a brain receptor in this communication centre and it alternates back and forth if he spells the word correctly. However, if he deliberately spells it wrong, a disturbed circulating energy pattern is recorded.

Another interesting test is to have the participant concentrate on her spine and mentally follow down each section very slowly. The tester reads from the centre point of the participant's left-hand communication centre and forms a circuit link between the two. There is a normal reversal of energies as her

mental traverse reaches the waistline, which is indicated by the recording wire making a single turn.

If, in her mental tracing of the spine, she traverses a malfunctioning area, it is immediately recorded by the angle wire with a typically disturbed circulating motion. Temporarily, the wave tester has the disturbance recorded in the circuit of his own corresponding area, and by immediately testing his own spine he can determine where the disturbance is located. The question then arises; is the disturbance in his circuit or the participant's? The tester first grounds out the other person's wave by pressing his hands on a solid surface and then rechecks the area in question on his own spine. If the disturbance really belongs to the tester, the wire will again show a disturbed circulating pattern; he should take the precaution to test himself while counting with his eyes closed. If the wire shows no disturbance then the trouble is in the participant's spine. The tester can now test the same area of the spine on the other person and confirm.

This is a roundabout way to locate energy disturbances and it would have been much quicker to ask the participant what vertebra she had reached mentally, when the recording wire showed the disturbed pattern. But the method has illustrative value and is a good example of the linking of circuits.

An X-rayed bone will show up as a wave confliction and we have used the method just described for detecting small X-ray areas that have not been erased, especially in the dorsal portion of the spine.

Underlying Causes Of The Communication Circuit Disturbances

Distressed brain and code receptors in the communication systems are sometimes the cause of an individual's energy circuit disturbance. In addition to foreign radiation, they become a further hurdle preventing him from being able to test his own receptors.

Mental frustration can trigger a disruption to the code and brain receptors. When the frustration is slight, the disturbance to the receptors is temporary, but a prolonged condition usually results in the chronic disruption of one or more of the code and brain receptors.

Treatment with strong magnets generally produces a foreign alignment in a number of the brain receptors, resulting in a wave confliction in the main communication circuit. A critical illness accompanied by excessively high fevers is another cause of disturbances within communication circuits. Contact or magnetic healing may save a life, but a new and foreign alignment is sometimes introduced into one or more communication centres; in the latter case the person will have two Vivaxes instead of one. Virus infections, accidents, anaesthetics, overexposure to the harmful effects of strong electronic equipment are other elements that cause code and brain receptors to become out of phase in the communication centres.

We employ a "test yourself" exercise in seminars, so the student may detect his own brain receptors that are out of phase; possibly, it would be more accurate to say, if the code receptors immediately adjacent to a brain receptor

are out of phase. For in this test the brain receptor is dependent upon the pattern of magnetic energies in its associated code receptors: the three work as a unit. When a person thinks of a direction, each brain receptor in the communication centre has a wave vector travelling in that direction. Also, one of the code receptors associated with the brain receptor realigns to the same direction, but the other code receptor remains aligned to his Vivaxis.

A person with X-rays in the right arm or hand many find interference, depending on the location of the X-rays, relative to the brain receptors located down the arm and thumb. As the brain is the instrument in this particular test, those with X-rays in other parts of the body can often do this exercise effectively without noticeable interference.

The student stands out of his channel with feet apart and spine erect. His left arm is bent slightly at the elbow with the hand extended in a horizontal position and the recording wire is held correctly in his right hand. The student may turn his head in any direction throughout the test. One of the objectives of the test is to show the participant his brain alone can control the recording wire when no other wave is introduced into the atomic structure of the wire. He thinks of a direction and the angle wire in its copper sleeve turns into that direction. We usually select eight points, scattered around the full circle of the room, two in each quadrant. In order to avoid magnetizing the wire during tests, we request the student to direct his wire to points chosen at random and not to continuously pursue one direction of rotation. We also suggest that he concentrates on the direction for a period of about six seconds before proceeding to the next point, in order to be sure of his brain control.

Our Communication System. Continued

If the recording wire is completely dead and will not move, one should look for two causes. First, possible X-ray interference in areas of the right hand, elbow or shoulder. After these are erased the recording wire will probably respond to wave messages from the brain. If not, then look for the second cause, which probably will be a brain receptor out of phase, located at the centre point on the top of the skull in the communication centre. (See Photo No. 7).

If the recording wire moves in some directions but not in others, look for one or more brain receptors, that are magnetically out of phase, in communication centres, located on the side of the head.

Usually these can be pinpointed readily by a qualified instructor. The post-channeling hot shower stimulating method will usually make the necessary corrections.

If one's centre brain receptors are static while trying these tests, the recording wire will not turn towards the point on which one is concentrating, but will move to a direction at right angles to the true bearing.

Magnetic energies from the brain can produce strong influences in the atomic structure of the angle wire.

The following test is an excellent one to determine whether the brain receptors are all operating on the same wavelength, with a common Vivaxis. (See Figure 11.)

We stand and face about thirty degrees to the left of our channel direction. The left hand is held out in a horizontal position as in the previous test. Throughout the test we remain with our body facing into this direction but our head may turn to follow the wire. We concentrate on points spread around the full sweep of the compass, the recording wire swinging successively to each direction. Starting about thirty degrees to the left of our Vivaxis bearing, we focus our attention on each point for a period of about eight seconds. The next point is some thirty degrees to the right and we continue in a clockwise rotation, at thirty degree intervals, till we complete the full circle and return to our starting point. We concentrate our mind on the next point which takes us into our Vivaxis bearing. We find the recording wire turns as far as our channel and latches on tenaciously to that direction; no amount of persuasion from the brain can budge it beyond this point.

However, the wire will return in a counterclockwise direction at the brain's command, but it stubbornly refuses to turn into the Vivaxis bearing via the counterclockwise rotation. Indeed, the wire is repelled and to attempt to force it into the channel direction produces a detrimental effect upon one. I have received a "short", like an electric shock, accompanied by a burning sensation in my heart, from ineffectually trying. Therefore, in order to keep the test constructive, do not force the brain into conflict with the universal energies.




FIGURE 11

Using the brain to introduce channels of energy into the atomic structure of the recording wire. When introduced in their proper sequence the wire becomes strongly attracted to the channel leading to the person's VIVAXIS. The fact the wire repelled when it approached the Vivaxis bearing from the counterclockwise direction demonstrates why we adopted the present "four and four" method of channeling which has proved so successful. It should also teach us to distinguish "position eight" with an identifying mark, to remind us to be sure of moving out of this position after channeling. Nature has her design of energies and if we try to force her energies into new ways, we are in trouble. To achieve our research objectives we endeavor to understand nature's magnetic laws and work towards preserving and strengthening that design.

Also, the test is valuable since it shows us that related energies introduced in

their proper magnetic sequence possess a strong power of magnetic co-ordination. In the test, the brain is the instrument. Each brain receptor and one of its adjoining code receptors will temporarily realign and link circuits to each new energy associated with a defined direction. The other code receptors flanking the brain receptors all stay linked by wave to the person's Vivaxis. If the pattern of energies has been changed in both of these code-brain receptor combinations, the wavelength of the brain receptor will also be changed. In the final analysis, the trio works as a unit; a brain receptor sandwiched between two code receptors. One code receptor with a clockwise motion and the other counterclockwise.

We have found that unpredictable behaviour is often directly associated with brain code receptors having several different wave lengths and one or more Vivaxes. In fact, on several occasions we have detected and then corrected this situation and the resulting improvements have been very apparent. If an individual's pattern of energies are intact in his code receptors, he can normally resist outside wave bombardment. But if the atomic energy arrangement is disrupted through an accident, viruses, bacteria or some other disturbing agent, he is then vulnerable to realignment to another source of energy introduced through the brain circuit.

One particular incident, that illustrates unpredictable behaviour associated with realignment of code brain receptors to another Vivaxis, involved a young boy. The lad had been in a serious car accident and as a result lay in a coma for many months.

Actually, it was a friend of mine who related how she sat by his bed and prayed with a deep feeling of compassion as she held his near lifeless hand. Quite suddenly he came out of his deep coma, opened his eyes and showed response for the first time. This wonderful person gave a lot of herself and literally gave new life to the boy.

As time went by he recovered enough to walk and his mind was active, but his behaviour was very unpredictable. Wave tests showed a Vivaxis wave link to his place of birth in Europe. However, wave vectors of some brain receptors indicated another alignment, to a Vivaxis in the hospital where he recovered. The first step of eliminating X-rays in the skull erased a great deal of the wave confliction that plagued his brain and it also improved his body control. Later, specific channeling to his brain receptors helped to reinstate them into one wavelength. His mother noticed the difference in behaviour immediately and shortly after quoted her boy as saying, "Mum, have you noticed I'm easier to get along with now?"

Nature safeguards us from wave bombardments by designing us with a selected circuit. If we do not have this protection we function like an untuned radio receiver.

Continual mental channeling into other people is a highly dangerous practice. People, whose intentions stem originally from the goodness and compassion in their hearts, often find the end results can be quite disastrous to their own

circuits; through the introduction of too many foreign waves and radiations. These foreign energies are introduced through their communication system into the central control system of the hypothalamus. The link between the hypothalamus, the pituitary and the endocrine system is discussed in the following chapter. The normal reflexes of these organs are very dependent upon our code receptors and their wave pattern can be destroyed with continual foreign wave and radiation bombardment.

We channel into each other by joining circuits every time we communicate with another person. This is normal. The other individual's radiation is temporarily introduced and then automatically cancelled out of our own system, through the predominance of our own waves with their specific wavelength.

On Apollo's head (See Photos) the marked lines are wave communication pathways, leading from one communication centre to another. These pathways become wave stimulated when we concentrate our attention on objects in our environment, including people, animals, inanimate things, places, etc. In summary, when we concentrate on the things around us, we absorb a degree of their radiation by temporarily linking wave circuits through our communication system. This is normal, this is healthy. One foreign wave tends to cancel out another and consequently the sum total of foreign radiation is negligible and quickly dissipated.

On the other hand, when we continually tune our brain strongly into other people for a prolonged period, it appears that we absorb an increasing amount of their foreign radiations. These radiations build up within us and our own magnetic system becomes too weak to reject them. A state of atomic chaos then exists and generally one or more of the communication centres show an energy disturbance.

The thought arises automatically in our minds that husband and wife in their intimate relationship must absorb a tremendous amount of each other's radiation. In speculating, one concludes that this is healthy and even stimulating as the opposite sex has some opposite energy potentials that attract and balance. Further, possible adjustment to the mate's particular pattern of energy, makes their combined energy waves increasingly compatible.

There is a concentration of brain receptors in a communication centre, located between the thyroid and thymus glands; signals can be received from that area both in the front and in the same position in the spine area. A disturbance in this communication area will generally be accompanied by a pain in the spine at this point. The source of the trouble can be one or more disturbed brain receptors stemming originally from frustration.

On one occasion we traced a disturbed circulating motion in the communication centre near the left temple. This disturbance could be traced by distress signals leading in a defined pathway to the communication area between the thyroid and thymus glands and eventually terminating under the

left arm. At this point was a growth that had been steadily increasing in size. This person, prior to the trouble, had been very concerned and worried over a relative who was seriously ill.

This case is mentioned for there is such a direct connection between the left communication centre, the thymus and lymph glands. In tests we find the lymph glands under the left arm, will align to the foreign waves of another person introduced by thought. The lymph glands under the right arm remain aligned to the person's own Vivaxis, except when the middle brain is static and then the wave vector from this gland is at right angles to their Vivaxis. In summary, through our communication system, radiations from other people become introduced into our lymph system. Too much and too often can interact with our own normal balance of energies.

I have discussed this subject of mentally channeling strongly into others in lectures and often strangers approach me afterwards to confess that my remarks hit home; they felt I had described the cause of their trouble. Invariably their main code receptors associated with their thyroid, thymus and lymph glands showed energy disturbances. As a consequence, these people suffered complications of the endocrine system from lack of normal reflexes. Our research shows the code receptors are undoubtedly responsible for normal reflexes. It is explained to these people that they have the power to correct their energy malfunction, but the continual practice of mental channeling into others is a violation of the laws of nature.

On this note we rather cringe at the title of Chapter (Wave Testing Receptors Of Other People). But each time a wave pattern is received and recorded, the wave transmitter stops and grounds the foreign wave out of his system by pressing his hands on a table. Despite this precaution we avoid wave testing others unless it is really warranted by the circumstances.

Every thought and attitude affects the code and brain receptors in our communication system. A tranquil mind strengthens us magnetically. A negative mind conflicts with the continuity of magnetic wave flow and apparently if it is prolonged, can cause serious damage to the cells of the code receptors in the communication circuit. When this is actually observed and understood, it becomes much easier to bend our attitudes to achieve a tranquil mind.

If we keep our sense of humour, we realize it generally takes the combined efforts of two people to injure our feelings: an enemy to slander us and a friend to relay the message. Are the utterances of those around us so important, that it gives them the power to short out our code receptors and all that these receptors magnetically control?

Chapter XVIII. Our Switchboard And Messenger Centre

As a working hypothesis, I suggest that all **code receptor** waves are carrier waves which traverse the hypothalamus and thalamus. Therefore, code receptors are probably part and parcel to the communication system of these two related organs. Code receptors are certainly all receptors of magnetic influence with a specific pattern of magnetic energies imprinted upon their waves. This in turn links them to the energies at our Vivaxis. The lower central portion of the brain is also the centre of our magnetic influence and here is where the hypothalamus lies, with its partner the thalamus, as an immediate neighbour.

Researchers have shown the hypothalamus to be the part of the brain controlling the visceral functions of the body. They refer to it as a switchboard and messenger centre coordinating vital functions of the nervous system. The vital functions that it controls include, body temperature, pain, water balance, appetite, fear, anger, sex urges, blood pressure and a host of others. Receptors representing many of these senses can be located on the tongue when they become stimulated. This is a very revealing experiment and is detailed further in this chapter.

Experiments with rats have demonstrated there are several centres in the hypothalamus that control eating. One point, sometimes termed "appestat", when stimulated creates the desire to eat, even in the case of an overfed animal; if this point becomes injured there is a significant loss of appetite. As another example, suppose a creature is confronted by one of the opposite sex. The sense organs transmit a message to the hypothalamus which, by way of its blood connection to the anterior pituitary, stimulates the latter to excite the gonads. Thereupon the gonads secrete more sex hormones and enable the animal to respond appropriately to the situation.




FIGURE 12

The hypothalamus, one of the most vital organs of the body, is located in the lower central portion of the brain where its position provides maximum protection from physical injury. It has one of the richest blood supplies of any part of the body. It is quite small despite its importance; in man it is approximately the size of a small prune.

The hypothalamus is just above the pituitary and in addition to the proximity of the two organs they are intimately associated in other respects. The blood supplies to the hypothalamus and the anterior pituitary have an unusual link by which the veins leaving the hypothalamus feed capillaries in the latter. The hypothalamus and the posterior pituitary are joined by a stalk-like connection through which pass nerves from the former to the pituitary. Thus, the hypothalamus and the pituitary (orchestra leader of the endocrine glands) form a link between the two principal control systems of the body, nervous and endocrine systems.

Hypothalamus disturbances in many instances appear to stem from prolonged mental frustration and worry. Consequently, correction through channeling is only part of the adjustment required if the energies are to remain in correct balance; the underlying cause of the mental stress must also be corrected. Medicine has become increasingly aware that so often the mind must first be cured before the body can be healed.

Thumbing through notes made many years ago, my attention became focused on a multiple sclerosis case. She described that slightly prior to an attack, involving loss of equilibrium and reflexes, etc., she would notice points on her temples with pain and burning sensation. For years this person had been under considerable mental strain which apparently affected the communication circuits leading through the hypothalamus and thereby caused a chain reaction throughout her entire system.

During a recent study group, we had the opportunity to witness the close relationship between disturbed hypothalamus code receptors and the endocrine organs. One of the members present was a woman in her early forties who, after a cancer diagnosis some years previously, had suffered the removal of her uterus. The doctors at the time suggested removing her breasts as a precautionary measure, warning her these organs are so closely allied that cancer of the womb often manifests itself in the breasts. She refused the breast operation and decided to take that risk. In our meeting, she brought to our attention a matter causing her great concern; a sore lump on her right breast about the size of a pigeon egg, with smaller ones branching from it. The growth was wave tested by four members of the group who all confirmed it had a chaotic circulating pattern. Normally the remedial procedure for her to follow would be the specific stimulation of the affected area and associated receptors before channeling.

However, at the time we were a research group bent on exploring the influence of the hypothalamus in relation to the endocrine system. Both the hypothalamus and the pituitary gland of this member had disturbed signals from the sites of their respective receptors. Further, she had for some time been under considerable stress, a condition which generally precedes a disturbed hypothalamus. As a consequence, the group decided she should work only on her hypothalamus; a decision to which she agreed. She stimulated the hypothalamus code receptors of her head as well as the terminal receptors located in the fingers and toes and then channelled. Within half an hour no disturbance could be detected in those code receptors, nor in those of the pituitary. Within twenty-four hours the lump had completely disappeared.

This was another illustration of the chain reaction to the endocrine glands brought about by the specific channeling of the code receptors leading to the hypothalamus. It emphasized the close relationship of the nervous and endocrine systems and the fact that due to this relationship prolonged emotional stress will upset the balance of energies in the endocrine system. Cancer of the sex organs, ulcers of the stomach and many other diseases of

the vital parts of our body can probably develop as a result.

A short time ago, I conducted an experiment to test the stress on the hypothalamus and pituitary. My husband's hypothalamus communication code receptors were in a normal quiet state but I asked him to concentrate on a particularly disturbing incident that he had experienced.

After an interval I tested and found his hypothalamus code receptor on the left temple and also pituitary receptors were producing distress signals. An hour later they were still unaligned but even though I knew their balance could be reinstated by channeling, it was my desire to try another method. Like most men my husband is very responsive to tender feminine caressing and I wished to see if the readjustment could be achieved in this way. He obviously enjoyed the pleasant technique of soothing his nervous system.

After an interval I wave tested again but the communication code receptors of the hypothalamus were still disturbed. It is an understatement when I comment, the lack of response was more than shattering. Thereupon my husband suggested a drink of ale might be beneficial. I argued it would probably aggravate the chaotic state but to no avail. Shortly after he had consumed his drink the receptors were in a quiet steady state.

Our Switchboard And Messenger Centre. Continued

It is true most races throughout recorded history have developed their own peculiar varieties of alcoholic drink, which used in moderation, becomes a soothing antidote to nervous strain. Of course it is a debatable point requiring further experimentation; however, it appears that alcohol in moderate quantities tranquilizes the stress symptoms, but when it is taken in excess produces undesirable side effects that are detected in the disturbed energy pattern of the hypothalamus.

The ideal solution is the creation of a way of life that induces emotional tranquility, for only then can the magnetic energies traversing the hypothalamus be working in correct co-ordination with the endocrine glands. Further experimenting has taught us two things:

1. A temporary upset to the left side of the hypothalamus **code receptors** caused by emotional disturbances can generally be corrected by sufficient love and tenderness from a mate or mother. The previously mentioned test with my husband failed because the period of the experiment was too brief. Since then we have shown conclusively the strong power of love will readjust temporary disturbances caused to the hypothalamus.
2. The effects of temporary stresses can be corrected easily but prolonged frustrations become a damaging disease of a more serious nature, possibly affecting the hypothalamus cells themselves and its complications are not so readily corrected. In these instances it has been necessary to correct a large number of code receptors by specific channeling.

"The mind must be cured before the body can be healed", a maxim which provides us with food for thought. But it has a special meaning for those who see how destructive frustrations of the mind and negative thoughts can become to the energy circuits. Frustrations and thoughts that have the ability to disrupt the continuity of magnetic wave flow within a circuit; conflicting and destroying the magnetic arrangement within vital code receptors. In summary, it appears from our research that through unbalanced energies in the brain's code receptors the hypothalamus is affected, which in turn acts on the reflexes of the pituitary gland, triggering a chain reaction to the endocrine system.

Tongue

It was a great surprise to discover that every part of the body appears to be represented by receptors on the tongue or some area of the mouth. The two vital code receptors, located on either side of the centre top of the head, have two associated code receptors, positioned far back at the roof of the mouth in the soft palate. These code receptors are in a direct line with the

central portion of the hypothalamus. Originally, members with multiple sclerosis and Menieres disease, etc., who corrected their disturbed receptors only stimulated those on the centre top of the head and the associated terminal points on the hands and feet. The circuits never remained corrected for very long and this made me realize the counterparts for the code receptors at the top of the head had yet to be found.

A member with this central circuit disruption was asked to press towards the back of his mouth, while I recorded the disturbance to code receptors on the top of the head. As he pressed on the area at the roof of his mouth, a temporary circuit was noted in the code receptors that I was testing. This discovery of the association between the two groups of receptors makes it possible to reinstate the central circuit in a more stable atomic arrangement. It was not surprising this revelation led to further search and we found receptors all over the tongue and mouth.

In some instances, the disturbed receptors of the mouth appear to be associated with pain and my first realization of this came from observation of a crippled arthritic. Previous efforts, made before the importance of the tongue was discovered, failed to rid him of a chronic and agonizing backache that had troubled him for years. But this time we knew the receptors associated with the tail end of the spine were situated at the very tip of the tongue. Therefore, the young man stimulated the tip of his tongue while the other disturbed spine receptors were stimulated prior to channeling. By the time the post-channeling period was over the chronic pain in his back had disappeared.

These discrepancies and their corrections teach us many important lessons and they show why the study and understanding of our own energies is of the utmost importance to us.

It is well to remember that in order to do the following exploration, the correct rules of wave transmitting have to be followed. For all testers free from interference, there is one set of rules, with the exception of those whose Vivaxis is at an elevation above them. This last group will have to use vinegar or ice between their ankles. No chart is required, for if one is testing with proper meaning then it is easy to locate the specialized receptors.

One's own tongue is one of the most fascinating areas of all on which to test receptors and discover that your thoughts can stimulate the receptors. Think of strawberry shortcake or food that will stimulate your appetite; at the same time move the centre tip of your left index fingernail down the centre of your tongue. As your fingernail traces along the top of the tongue, you will find at one point the recording wire will become very stimulated with an alternating motion for the period only that you are thinking of food; this is a specialized "appestat" receptor that is stimulated. When you reverse your thoughts and think you are not hungry, in fact, food repulses you, then the stimulation to the specialized receptor, on the underside of the tongue directly below the "appestat", becomes stimulated. Once again, let your thoughts return to a desire for food. The specialized receptor on the underside of the tongue is no

longer stimulated, but the "appestat" receptor on the top side of the tongue becomes restimulated.

Reflect on thoughts pertaining to sex and another specialized receptor on the tongue becomes stimulated. Think of the end of your spine and the receptor on the tip of your tongue becomes active. Direct your thoughts to the various toes and the corresponding specialized toe receptors become stimulated. Having discovered a network of various specialized receptors on the tongue, my next question was, "How were these waves being transported?" For in all my findings, magnetic code receptors are strategically located and apparently necessary as wave carriers. If my hypothesis was correct I should find an organized arrangement of code receptors on the tongue. Yes, these were found! Two solid lines of code receptors were located, one on each side of the tongue. All the receptors on one side had a clockwise motion and those on the other had a counterclockwise motion. Stimulating the tongue receptors is now routine in any circuit corrections. It is done either by locating and stimulating the specific disturbed receptors or by using hot water spray as a wave stimulant immediately after channeling.




FIGURE 13 • Code receptors down the tongue - half have a clockwise motion and the other half have a counterclockwise motion.

Chapter XIX. Instructors

I write this chapter with deep feeling and emotion for I know the future of this knowledge is dependent upon competent instructors. Instructors who will nourish and develop this science further. On the other hand, unqualified instructors would threaten its future and reputation by turning it into a meaningless wire twirling hoax. This is also a science that is very vulnerable to pretenders who could use it to victimize the public. Therefore, for the protection of its future and the public, the Northwest Magnetic Research Society has taken a firm stand, that no member of the Society shall act in the capacity of an instructor unless chosen and appointed by the Society. And then only after the chief instructor has passed them as fully trained and qualified. By necessity the standards have to be rigid in order to offer adequate instruction and protection to all members of the Society. In our first year of organization our membership has grown faster than we can train instructors, but we are working towards bridging this gap. But not at the expense of lowering the instruction standards or putting the reputation of the science in jeopardy.

Our first four appointed instructors were Brian Cole, Nice Jepson, Peg Devins and myself. As their teacher, I can say they have more than proved their qualifications. They have all set a high standard of excellence that is a credit to our Society. Each instructor is required to have one or more assistants training under them.

The instructors hold beginners' classes for members of the Society, which include instructing how to determine one's channel, the technique of eliminating X-rays and methods of determining when they are erased. If a person is unable to determine his own channel, the instructor must be able to know where to look for the cause of the interference. This is a challenge and takes a considerable amount of knowledge, but it is very seldom they are unable to find the cause and instruct their student how to overcome the discrepancy.

We cannot stress too firmly that we are not a treatment centre. We are a research society intent on discovering how this natural law applies to us. These energies are an important part of everyone and it is therefore the prerogative of each individual to study and learn of these influences to himself and in so doing observe their power of correction.

The instructors are encouraged to gain experience by working with members in special research projects only. Nice Jepson has had as one special research project a young twenty-six year old member of the Society bent almost double with painful arthritis; a condition which had plagued him for nine years. He could walk only by pushing himself forward with his ankles in a jerky leaping motion. The severe pain had necessitated heavy doses of cortisone plus over twenty aspirins a day. Brian Cole originally assisted him with channeling during a seminar. The young man could only manage to channel by bending his knees; however, it gave him an initial start.

Since that time Nice has helped him to reach one plateau after another by assisting him to reinstate his own disrupted circuits. She has instructed and given him expert guidance by being able to correctly pinpoint his disturbed receptors, but the final results were accomplished through himself, by harnessing his own energies during specific channeling. He is now able to walk better, stand straighter and is in far less pain, even though he has substantially reduced the drugs he was taking.

It is hard for most of us to realize the hell a young chap of twenty-six years must suffer realizing that life is passing him by. To even drink a glass of milk it was necessary for him to bend back from the knees, for he was unable to tilt his head sufficiently. The first time he was able to cross his legs he exclaimed in delight, "Oh, cool!" This one accomplishment alone did a lot for the young man's morale. Recently, he is able to resume painting again and in his words, "I'm over the hump now." A big bouquet to his able instructor! The help is given through dedication to researching a natural law and is always done without charge.

Brian Cole is in the Vauouver area and is a graduate in mechanical engineering from the University of British Columbia. He has a keen interest in the research and his mind correlates all the aspects of wave mechanics remarkably well. He is a tremendous asset and very much appreciated by all that work with him. His beginner's classes are always filled to capacity and he is also qualified to hold more advanced seminars. Wendy Cole, Brian's wife, is an assistant to him; Wendy having the advantage of a nursing background rounds out a well-knit team.

Peg Devins is in Victoria. She has been extremely busy with beginner's classes, sparking enthusiasm in all those who are fortunate enough to work with her. One of her special research assignments is a young nine-year-old, a Society member's son in her district. Gary suffered from lack of balance and body control and severe eczema.

We originally researched with Gary in front of a seminar class in Victoria. All his central code receptors were disrupted, which is a condition we find always associated with multiple sclerosis, Meniere's disease and lack of body control. In addition, Gary's toes curled under and I remarked to his parents that he lacked the ability to send them wave messages. "Yes, that is exactly how our doctor expressed it, 'He lacks the ability to send wave messages to his toes.' "

Our initial step was to reinstate the main code receptors. At a later session we located the disturbed receptors operating his toes and he specifically channelled to make this circuit correction; forty-five minutes later Gary showed the group how he could now control and straighten out his toes.

Peg has continued to help him gradually overcome his other problems including the eczema; she reports there is now healthy pink flesh replacing much of the scarred skin.

This is not contact healing. It is not using magnets or any other foreign fields. What we are doing is merely recognizing a natural law and using it to permit the electric currents to work correctly. We use our own God-given energies entirely and for these there is no charge or adequate substitute and certainly

no law that could condemn our right to harness our own individual energies. Whether we harness them rightly or wrongly is what we are searching for.

Stimulating the code receptors through the use of hot water after channeling eliminates in some instances the necessity of testing receptors. This is a help for the average person, but in research the ability to test receptors has enabled us to explore the underlying circuits and understand the parts they play.

It is a tragedy that in a thousand or more years of medical research they have accomplished most fantastic feats but still have overlooked an obvious fundamental. Using their present methods of dissecting, mutilating and tormenting animals, another thousand years could go by and the natural law could go undetected; for the shock to the animal's system destroys the pattern of atomic alignment that we have discovered only exists in healthy tissue.

About a year ago I found myself facing about forty doctors, students and scientists on a lecturing platform at Stanford University. A percentage had not read my books and were rather challenging. Among the challengers was a medical student. "What animals have you used to accomplish your research?" he queried. Thank God our findings have not had to be accomplished at the expense of any poor defenceless animals. Animals that only ask a chance to share our world and live in peace and health.

Rainer Scheidl, with his background of electronics, has lectured in many seminars and is currently being trained as an instructor. He was formerly with R.C.A. Victor and then for some time in charge of signals for the United Nations while stationed in Egypt. He has a background that enables him to correlate the principles of modern electronics to the same principles of magnetism that we are observing in our system.

We have requests all over Canada, the United States and England for instructors. There just are not sufficient adequately trained personnel at this time to meet the demand.

Eileen Noble is the most recent acquisition to our instructor team. She and her husband, Bill, were among the first of my students to attend a beginner's seminar and since then they have continued their studies at several other more advanced classes. Eileen has just completed a probation period assisting under an instructor. This popular couple is moving to England and should be very welcome among the many in that country who have joined the Society and are requesting instruction in the fundamentals.

The essential requirements for eligibility as qualified instructors are as follows:

1. Complete freedom from all wave interference.
2. Free from physical ailments and in good health.
3. A quiet relaxed personality. A person with an excitable temperament is inclined to blow his communication circuits as detailed in the chapter concerning hypothalamus.
4. An alert mind able to correlate his thinking.
5. Able to recognize and identify various receptors.

6. Able to determine immediately when his field or another person's field is static and at right angles.
7. Able to test accurately their own and other people's receptors and interpret their meaning.
8. Able to accurately determine the direction of other people's channels.
9. An adequate training period of working under a qualified instructor to gain experience.
10. Ability of presentation to students.

The previous chapters concerning testing receptors should make the reasons for all these requirements self-explanatory. During the seminars, we are on the alert to spot those who have the right potential.

We are approached by many extremely likeable people desirous of becoming instructors, but they are often unaware of the many complications of wave mechanics. Feelings should not be hurt when not accepted, for sometimes the nicest people are not necessarily efficient wave transmitters and generally for reasons beyond our and their control. Out of the first group of seven that were originally selected and tried, only three were able to meet all the necessary requirements of efficiency.

The future for instructors looks bright for there are many promising candidates currently in training.

Hundreds of members of the Society have actively aided in the research in various capacities and have contributed towards extending the boundaries of our knowledge. In the course of their research most have found a new way to better health and as eager ambassadors shared their knowledge with those around them.

These are instructors in an unofficial capacity and a valuable asset in helping to plug the holes of ignorance, for all agree there is no room for skepticism once one has learned to get their channel and applied some of the knowledge.

The instructors' main objective is to teach the members how to understand and handle their own individual energies. If the latter are unable to test receptors, then they should be content to utilize channeling within the bounds of their own ability. All members are well aware that it is highly detrimental to an instructor to be subjected to a great number of other people's disturbed receptors. Society members must, therefore, have regard for the welfare of the instructors. Unfortunately, there are a small few who are inclined to treat others as they would an orange; squeeze out the juice and then throw away the rind.

In conclusion, my advice to instructors is - take this science seriously and give it the place of respect it deserves, but never take yourself too seriously. For this science is far bigger than any of us. It is the energies of the universe embracing every living thing. There is no room for petty grievances, personal slights, personal ambitions or any of the other weaknesses that might make one less qualified to expand this knowledge. In essence, it is bigger than you,

it is bigger than me; for we are as one small grain of sand on all the deserts and beaches of the universe.

Mark Twain, in his delightful subtle humour, is quoted, 'Always do right; this will gratify some people and astonish the rest.' The right thing undoubtedly is to use discretion and protect your God-given energies and talents, remembering that you can contribute far more as a good instructor than a discarded orange peel.

Chapter XX. Wave Testing Receptors Of Other People

The same basic rules, relevant to the testing of your own receptors, apply to the receiving and recording of wave patterns from another person. However, there are important additional requirements that are necessary and must be respected; also they should be thoroughly understood before assuming the responsibility of wave testing other people's receptors.

I shudder when I hear the comment, "I can test other people's receptors, but not my own." Victims beware! No individual is qualified to test the receptors of another person when they are unable to test and identify their own receptors accurately. This inability is an indication of foreign radiation or some other interference causing wave confliction to the central controls of the would-be tester. Under these circumstances, the tester would probably inject his disturbance through his left index finger into the person being tested, rather than receive a wave pattern from the latter. The would-be tester's brain is initiating and activating the wave motion in the recording wire. Irresponsibility of this type is not only detrimental to the person being tested, but also jeopardizes the reputation of the science.

The person testing is incapable of receiving a wave pattern during the time his middle brain section is in a static state; in fact, he will introduce the static condition into the individual being tested. Therefore, a trained wave transmitter first tests himself to assure he is neutral and as he proceeds with his testing will recheck continually to detect a possible static condition building up in his system. The wave transmitter also makes sure that the person he is testing is neutral.

Method of testing: In the following description we refer to the person being tested as "Z", and the wave transmiuer, the individual who is conducting the test, as "W.T.".

Requirements

Reasons

1. The testing ground must be neutral and not directly under electric light.

To avoid a static condition in the participants and resulting wave interference.

2. Both participants must be neutral.

A static condition in the brain receptors causes interference and a meaningful wave pattern cannot be received.

3. Z is seated in a direction not related to his Vivaxis with his head slightly tilted. W.T. also keeps his head slightly tilted while testing.

Tilting their heads is an extra precaution taken to avoid either one of them from aligning to his own Vivaxis.

4. Z sits with feet apart and not touching the legs of the chair. Hands are kept separate and placed on the legs.

It is necessary during testing to have the two groups of quanta separated.

5. Z must keep his eyes shut while being tested.

To avoid another wave being introduced into his circuit through his eyes.

6. Z must count or multiply during the time he is being tested.

This enables Z to shut out wave interference from W.T. and others in his surroundings. If he stops counting, a circulating pattern is registered by the recording wire. This ability of Z's to cut others out of his circuit by diverting his energies to his brain, is the only thing that makes possible the wave testing of others.

7. If W.T. receives a disturbed circulating motion in the recording wire, he should double check at least five possibilities before he can be sure the circulating motion indicates Z has a disturbed receptor.

- (a) Were Z's hands and feet together?
- (b) Did Z have his eyes open?
- (c) Was Z counting?
- (d) Was there a temporary disturbance in the atmosphere; e.g., a plane overhead, etc.?
- (e) Was the cause due to W.T.'s own receptor, corresponding to that of Z's, registering the disturbance?

There is a wave linkage of the two corresponding circuits between W.T. and Z and the disturbance recorded might belong to either one.

Therefore the wave transmitter must test his own receptor corresponding to the one tested on Z. (Discussed in detail, later in the chapter.)

8. No other person should test a receptor on Z before Z grounds his hands firmly on a table.

If W.T. has interference he might have transferred his interference into Z.

- | | |
|---|---|
| 9. W.T. must ground his hands firmly on a table each time after he tests Z's receptors. | To immediately cancel Z's wave out of W.T.'s circuit before he proceeds. This protects W.T. from retaining too much of Z's radiation. |
| 10. W.T. must not test any receptors on Z which are higher in elevation than W.T.'s chin. | The direction of energy flow reverses in W.T.'s receiving arm when lifted above the level of his own chin. |

The wave linkage between similar circuits of the wave transmitter and the person being tested, noted in 7E of the foregoing table, is of great significance. When W.T. tests a specialized receptor of Z's head, the wave transmitter's corresponding circuit must be free from disturbance to obtain a meaningful test. For example, if the wave transmitter had a disturbed thymus gland himself, then all the thymus gland receptors he tested on Z would show a disturbance, even though Z's thymus is perfectly normal and healthy. Further, W.T. would introduce a very temporary disturbance into the healthy receptors of Z. A disturbance of which Z should be made aware and immediately ground out, as noted in 8. Similarly, if Z has a disturbed receptor that is received into W.T.'s circuit then the disturbance is introduced into the corresponding receptor of the wave transmitter. The wave transmitter is trained to test himself immediately as noted in 7E, and ground out as noted in 9.

A trained and qualified instructor, testing another person's receptors can detect instantly if the disturbance he is recording is Z's or his own. A disturbed receptor picked up and transferred through the tester's left index finger has a static electric potential which causes the wire to circulate. The wire will continue to circulate even when tilted considerably off the level plane, for it is registering a static potential and not a wave motion. If it was a wave motion then the gyrations of the wire would cease when it was tilted, for the recording wire must be level to record wave motion. A message sent by the brain for the wire to circulate is a wave motion, not a static disturbance, and therefore, if the wire is tilted slightly the gyration ceases as these waves travel only in horizontal and vertical planes.

When a wave transmitter records a disturbance, his first question, "Is it in my circuit or Z's?" If the disturbance is in Z's receptor, the tester will be unable to stop the circulating wire by a command from his own brain. Also, the wire will continue to circulate if tilted slightly off the level position.

In contrast, if W.T. receives a healthy wave pattern from a receptor associated with one of Z's circuits, say his ear, and W.T. has a static condition in his corresponding ear circuit, then he is unable to properly record and transfer Z's wave while testing that particular circuit. W.T. will pick up a wave in the left

index finger but the static in his own ear circuit will interfere and the recording wire will only register a circulating action. Since this is largely a disturbed wave motion the wire will cease gyrating at the command of W.T.'s brain and it will also cease to circulate when tilted. A third test for W.T. is to ground by pressing his hands firmly on a table and then testing his own receptor. This time the static is received through W.T.'s left index finger and the wire will continue to rotate when it is tilted slightly from the horizontal and in defiance of the brain.

Also, W.T. must be alert to the fact the circulating wire may indicate another wave introduced into the circuit, due to Z not counting, Z had his eyes open, or there was a temporary outside interference. Under these circumstances W.T. will first try to stop the wire with his brain but without success. Secondly, he will tilt the wire and it will cease rotating, because he is receiving wave motions, in this case more than one.

Thus, the wave tester must be able to interpret the cause of the circulating motion of the recording wire when testing receptors of other people, which is summarized below.

1. If Z has a disturbed receptor:

(a) The wire will continue circulating if W.T. attempts to stop the motion with his brain.

(b) The wire will continue to circulate when tilted slightly off the level plane.

2. If W.T. has a disturbed receptor corresponding to the one he is testing on Z:

(a) The wire's circulating motion can be stopped by a command from W.T.'s brain.

(b) The wire will cease circulating when tilted off the level plane.

3. If another wave pattern is introduced into the circuit:

(a) The wire will continue to circulate when W.T. attempts to stop the motion with his brain.

(b) The wire stops circulating when slightly tilted because it is a wave motion.

If the wave transmitter is properly qualified, with sufficient experience and training, he should not introduce any disturbance into the circuits or receptors of Z. First, he will be sure all his own receptors are free from disturbances.

Second, he will make certain he is not static and the person being tested is also neutral.

Third, if his Vivaxis is at an elevation above him, he will be sure to reverse his energies while testing, by using a container of vinegar placed between his ankles as a temporary Vivaxis below him. This is necessary in order for him to receive a wave pattern with his left index finger.

If a person with X-ray or other energy conflictions attempts to test the receptors of other people, his disturbance can be detected in Z's receptors for

a short period afterwards. Further he is definitely unable to receive or record a meaningful wave pattern.

The wave testing of other people requires extensive training and knowledge and is not a game to be indulged in by amateurs. We are continually striving to find methods for correcting disturbed code receptors without the necessity of receptor testing. The P.H.S. technique is the most effective substitute found yet to correct disturbed code receptors. In fact, it is a procedure that is proving superior to the tedious old methods of laboriously marking disturbed receptors. However, the ability to accurately test receptors is necessary for research. For only by testing disturbed receptors before and after channeling and observing their wave behaviour, were we able to arrive intelligently at methods which could be utilized by the average person.

How To Determine Another Person's Channel

Many people can successfully determine when an individual is aligned in his correct channel, although they are unable to accurately test other people's receptors. This is only possible because when a person is aligned the influences of his energies become predominantly strong.

Numerous methods are used but I have selected one that has the least adverse effect on the tester's circuit and does not require transferring a pattern from the left index finger.

Method

1. Before attempting to find the channel be sure the field is steady and both parties have neutralized. The tester grounds his left hand against his leg remembering to have a container of vinegar or ice between his ankles if the elevation of his Vivaxis is above him. Z, the person whose channel is being located, should first remove his heavy clothing.
2. The tester's angle wire is held in the right hand and he must keep his head tilted so he will not become aligned himself. His spine, however, has to be held erect.
3. Z is seated in a swivel chair, positioned as outlined earlier. His spine is erect, feet apart and not touching the chair; his eyes are shut and he must count while the test is proceeding. For this particular test a channel can only be determined when Z's head is absolutely level.
4. The vertical arm of the recording wire is used to pick up the wave pattern and it is grounded on Z's shoulder.
5. Z slowly swivels himself into different positions and stops while the tester grounds the end of the recording wire on different parts of Z's shoulder. When Z is not aligned, the recording wire swings in various directions when placed on different parts of the shoulder and the motion of the wire is weak. If there are X-rays in the shoulder the wire may circulate until Z is aligned in his channel.

Results when Z is correctly aligned:

When Z moves into the position where he is properly aligned, the recording wire moves with a vigorous motion. The different parts of each shoulder have strong wave vectors channelled in one direction. One shoulder has wave vectors to Z's channel and the other shoulder away from it. At intervals of about sixteen seconds, the direction of the recording wire reverses; consistent with the changing of direction of the energy waves on Z's shoulder.

Cautions

1. Never allow Z, while he is facing into his channel, to hold his head level for any length of time. Ask him to tilt his head. While Z faces into his channel and holds his head at an angle, note the recording wire's change of directions compared to the organized arrangement when his head was level.

2. Avoid crossing in front, or behind, to the opposite side of Z without having him tilt his head first.

3. Never let Z turn clockwise and sit faced in the opposite direction to his channel. If Z receives his radiation from both directions, his body fluids will stay aligned for twenty minutes or longer. When he is faced in one channel direction only, his body fluids lose their alignment immediately his head is tilted or when he moves in another direction.

Check the general direction of Z's channel with a compass. In areas surrounded by mountains, the magnetic fields of the surrounding rock masses cause deflections to the true bearings. Nearby high voltage power lines and transformers create similar deflections.

The following story illustrates two fundamentals. First, the strength of our energies when we are aligned; and second, how extremely damaging the results can be if the mind deliberately and negatively tries to reject them.

A young lady member in the Seattle area offered a challenging skeptic assistance in locating his channel. He voiced his intention of trying an experiment. She carefully wave tested until she found all the body fluids aligned with wave vectors travelling in one definite channel. Suddenly the unsuspecting lady received a violent shock and a painful burning sensation up her arm. It left a red angry looking streak right up the arm, "similar to one associated with severe blood poisoning". The man confessed that when she found his channel, he had deliberately attempted with his brain to negatively reject the energies in that channel.

Her fellow Society members who saw the damage inflicted were extremely indignant. We can all learn from this experience! We can learn how our energies should be encouraged to flow without being rejected through the evil force of negative thoughts.

Simple counting and breathing deeply are both conducive to the body's conductivity while channeling.

Chapter XXI. Seek And Ye Shall Find

The thousands of warm letters applauding our research and confirming our findings have been extremely encouraging. "They have sought and they have found." The letters have come from many distant parts of the world. On the other hand, the murmur of ridicule and prejudice has been extremely faint, for the world is apparently ready for this knowledge.

"Man's need for health is such that he will seek for it wherever it may be found." This is the caption on a brochure of "The Key's Trust", a society in England. One of their objectives is to hold conferences and seminars where new methods and discoveries may be discussed.

In our work, time is too valuable to waste on negative prejudice for there is so much constructive good evolving from our research. Therefore, prejudice is something I choose to ignore rather than argue.

One well-known doctor of physics at Stanford University recently indicated his interest in my research findings. In the course of our discussion he made this comment, "You will have to convince the doctors and scientists." My reply was, "I do not intend to place myself in the undignified position of attempting to defend a law of nature. However, I will gladly teach them to find it out through themselves, and because it is part of us all, here is where they will discover it."

Since that time men and women in various branches of the medical profession have attended my seminars, including a young radiologist. They have all discovered the importance of this natural law in themselves in a manner that erased any scepticism that might have been harboured.

Man is notorious for overlooking the obvious and the medical profession is no exception. It was only a few hundred years ago that a prominent physician, Dr. William Harvey, was threatened with the loss of his license, because he claimed the blood circulated through the body. This historical record parallels the present lack of knowledge of the all-important fundamental design of our atomic energies. It is a tragedy that through this lack of recognition, our most precious heritage is unwittingly endangered and weakened.

Human suffering should be very much on man's conscience if it is the direct result of ignoring a fundamental law governing all life. Should such ignorance be harboured further, simply because the law does not appear to fit the present scheme of things or should it be explored?

A new yardstick is needed that excludes ancient prejudices that only accept for truth what can be seen; for the "invisible", in the form of waves is nature's design of controlling the "visible".

Chapter XXII. Last But Not Least

Channeling is unnecessary when our body energies are in phase. However, in order to keep them in phase, we should intelligently understand and study the nature of our energies. Also, it is wisdom to realize the important part our chemistry plays in relation to our energies.

Vitamin C supplies electrons, Vitamin E helps retain oxygen in the cells. Oxygen is necessary for an acid balance. An acid balance is necessary for atomic alignment in the cells of the receptors and so the chain reaction continues with all vitamins in their proper relationship, essential to retaining the energy balance once it has been corrected. Vitamin E apparently is one of the most commonly deficient vitamins in our modern processed foods. Supplementing vitamin E to one's diet has accomplished remarkable results in the field of nutrition. A paperback book on this subject is sold in many of the health stores, entitled, *Vitamin E, Your Key to a Healthy Heart*, by Herbert Bailey, Arc Books Inc., New York.

Channeling has made sensational and immediate improvements to many Society members suffering from heart ailments. Perhaps, vitamin E could aid in retaining these gains?

Magnesium is an important element that is commonly deficient in the body. It plays a major functional role in the electrochemical processes of the heart; aiding in the absorption of calcium. Calcium is fundamentally necessary for the proper action of the heart but it requires sufficient magnesium to efficiently regulate the calcium level.

Calcium and vitamin C are often called "the glue that holds the cells together." Nerve cells transmit minute electric currents from one to another where the cells adjoin. The calcium acts as a conductor and the magnesium aids calcium in the intercellular communication.

I have personally witnessed the necessity of magnesium in a multiple sclerosis case. The person had used channeling with beneficial results but on one occasion had become alarmingly dizzy; it occurred a day after she had channelled. Having read the part played by magnesium she took a half teaspoon of Epsom Salts, (a form of magnesium); the symptoms rapidly disappeared. She is now careful to always include sufficient magnesium with her daily portion of calcium.

It is very apparent that channeling can only accomplish desired and lasting gains if the body's chemistry has the necessary elements to achieve atomic alignment and conduct the electric currents. In the final analysis an orderly atomic arrangement and the correct chemistry are essentially dependent one upon the other.

An Aid To Determine Compatible Foods

Why are some foods compatible to a person while others are not? In my opinion foods are divided into two main categories;

1. Foods that induce an atomic alignment due to their energy content.
2. Foods whose atomic vibrations conflict with our own magnetic field. These foods tend to weaken and inhibit the normal ability of the tissues and cells to align their atomic particles to our magnetic energies.

Method of Testing Foods

Individuals free from wave interference can reliably test the foods. The same wave testing techniques apply as described in the earlier chapters, which include standing erect and faced out of your channel direction. The test is invalid when the field is static, since a static state causes wave interference.

All foods tested must be moist or liquid enough for atomic absorption into the finger. Place a sample of food on the left index finger and hold it up so that the sample is on the same level as the horizontal arm of the recording wire. Remember to keep the vertical arm so it points down well away from the feet.

The recording wire will first pull towards the food and literally sample its wave vibrations. If the food is compatible the recording wire will swing back and forth, alternating towards the tester and then towards the sample.

If the food is toxic with incompatible wave vibrations, the recording wire first swings towards the sample and then rejects it. This is indicated by the wire pulling away from the sample and the person.

Between each test wash the finger in order to erase the food sample's wave. As a suggestion try white versus brown sugar; test also foods with preservatives and artificial colourings, etc.

The test is only valid if one is able to transfer a true and unobstructed wave pattern into the recording wire; a wave pattern that cannot be changed or influenced by deliberate mind manipulation.

In tests that I have conducted, I found that in order to introduce an atomic alignment into a calcium tablet the three main requirements were:

1. An acid, in the form of vitamin G solution.
2. The solution required a supply of oxygen.
3. Calcium a metallic element, capable of acting as a conductor.

In conclusion, we suggest that before channeling, all these elements should be in good supply. Attempting to build health without a strong magnetic alignment is like attempting to build a house on shifting sands.

The Northwest Magnetic Research Society is a non-profit organization. Its role is one of research into the magnetics of the human system and relaying its findings to Society members through seminars. It is not a treatment centre.

Conclusion of Volume 1

This book goes to the printers tomorrow, it is therefore appropriate to conclude with an up to date report which serves to illustrate that both, the old and new methods of stimulating receptors have an important role in the future application of this science of "Channeling".

In order to further test the practical application of the new P.H.S. technique, Nice Jepson our local instructor, was asked to observe the results when used by members in her classes and keep me informed. She has been reporting that results in all instances are excellent.

Yesterday, May 8th, I received a call from Nice, her voice rang with enthusiasm, "Oh! Fran, we are so grateful for your discoveries." She continued, "Joan, one of my new pupils arrived here today and was assisted by her husband for she was in terrible pain and barely able to walk. A disc had slipped while she was reaching to hang up a picture of the Queen on her classroom wall. The severity of her back injury made it impossible to even attempt stepping into a bath and shower. In fact, the pain was so acute that her chiropractor had little success attempting to work with her." Nice commented that she decided to first test Joan's spine receptors and the associated receptors; mark them and specifically stimulate the disturbed ones immediately prior to channeling. She made this decision in hopes that this technique might give some instant relief. The strong powers of cohesion that channeling creates produced the desired results and now Joan was able to step into a bath and follow up with the P.H.S. method.

Nice eulogized for some time on the incredible powers of channeling as she described the tremendous and immediate improvement.

I phoned Joan personally and she reported that she had channelled again today as a follow up and is now walking and bending normally, although her back is slightly sore to touch.

"Slipped disc", appears to be a term used quite loosely for a variety of back troubles. However, many times I've witnessed people making similar corrections.

A phone call has just come through from Victoria, reporting another teacher with severe back injury. She has also dramatically used channeling to relieve much of her agony. This was a new pupil of Peg Devin's.

I conclude by saying that I am grateful to pass on my findings to instructors who are teaching its application so effectively.

My role in the future will be mainly one of training instructors and lecturing on a topic that is very dear to my heart, for it is right, it is good and it holds hope for a healthier and happier world.

Glossary

Angle of momentum spin - The angle of the axis at which a spinning atom or object produces an electromagnetic force.

Atomic Nucleus - The nucleus of an atom consists of two types of sub-atomic particles - protons and neutrons. The proton carries a positive charge, while the neutron is electrically neutral. Together these form the main centre of the atom, around which electrons revolve. In many atoms this centre is referred to as the "atomic nuclei".

Channeling - Head and body faced directly in the determined wave channel in line to their Vivaxis.

Code Receptor - See Chapter XV (Code Receptors) (Code Receptors).

Energies of the Local Field - We move in an atmosphere of energy waves at all times. The energies of the local field are those waves immediately surrounding us. They form a network of vertical and horizontal waves travelling predominantly in a north and south direction.

Magnetic Moment - A spinning charged particle - for example, an electron or proton will have electromagnetic properties much like a very small bar magnet. The strength of these tiny electromagnets is called the magnetic moment.

Neuron - Single nerve cell. A motor neuron is joined at one end to a simple voluntary muscle fibre. The neuron and muscle-fibre together form a single unit; if the neuron is damaged, the muscle fibre will shrink. Electrical and magnetic wave impulses are transported along the neurons. Each neuron has a section which receives impulses and another section that transmits impulses.

Quanta - Electromagnetic radiation forming a stream of energy-bundles into which are packed the energy associated with the radiation. These energy-bundles are known as "quanta".

Receptor - A receptor is the terminal of a neuron or nerve cells and when it is stimulated the neuron is activated to send the appropriate message. Neurons are in vast numbers and of many specialized types and in general their receptors only respond to the stimuli for which they are specialized.

Related Energies - Related energies are in reality magnetic energies. The world as a whole appears to behave as one magnetic unit. Energies polarized into an object in proper sequence are all related. These magnetic energies follow in consecutive order in relation to their geographical, vertical, and horizontal position. They are spin-co-ordinated and work as a magnetic unit.

Unrelated Energies - Energies from several different magnetic fields which will not work as a unit.

Wave Channel - There is normally a wave flow of energy linking a person to his Vivaxis. These energy waves travel in a defined channel, horizontally and vertically towards the direction of the person's Vivaxis.

Wave Reading - The pattern of wave impulses picked up from a polarized object or person and transferred into the atomic structure of an angle wire. The wave reading is the course and direction of the energy wave flow as recorded by the angle wire.

Wave Vector - The direction of energy wave flow.

References

- Keeton, William T., Biological Science. W. W. Morton & Co., New York, 1967.
- Fisher, Alan E., Chemical Stimulation of the Brain. Scientific American, June 1964.
- Moody, Harry, The Human Machine. Pyramid Publications, 444 Madison Avenue, New York, N.Y. 10022, U.S.A.

Volume 2

1. How To Do Your Own Evaluating

The contents of this chapter are the result of concentrated exploration in search of methods that can be used reliably and meaningfully by the average individual. In these tests one is in reality testing within the confines of one's own force field, or aura, that surrounds every individual. Tests are geared to check the accuracy of the following:

- (1) Determining if the channel one locates has a wave train leading to one's Vivaxis corresponding to the wave length of one's brain.
- (2) If one's force field is in correct balance necessary to utilize channeling.
- (3) Checks to determine if one has neutralized effectively.
- (4) Checking after one has channelled to determine if one has effectively aligned his body fluids and that they have become saturated with his Vivaxis energies.
- (5) How a person who at any time has been hypnotized by another individual can observe the effects of the hypnosis through his own testing.

The check tests which follow have tremendous meaning if conducted with adherence to all the rules necessary for efficient wave recording. They are tests that cannot be changed or manipulated by one's brain. Notice that when the field is static your brain cannot persuade the wire to swing towards the direction in which you are thinking. Again, when you are correctly aligned in your own channel the brain cannot persuade the wire to pull away towards another direction.

The ability to test one's force field in this manner has earned a place of respect for our findings among those who have explored through themselves. This group includes an ever-increasing number of men in the medical and scientific professions. However, the requirements for exploration in this field do not require a doctor's degree or complicated instrumentation. Our force field is very sensitive to the stronger fields of instruments and a flooding or wave cancellation would most likely destroy the very thing we are seeking. This is a field of exploration where the individual can be his own discoverer.

Neutralizing

In our thinking and writing a positive approach is preferable to a negative one, for the negative has the power to crowd out constructive progress. However, as I write in January 1972, it is impossible to record our observations without considerable alarm and increasing concern.

Science has given us the H-bomb; nature has given us vital and therapeutic Vivaxis energies. The two are incompatible. If allowed to flow in their proper magnetic continuity, Vivaxis energies provide an energy balance that is harmonious and conducive to mental and physical well-being. These are energies to which life has adjusted throughout millions of years. Those who have observed and worked with these energies realize the primary role they play in organizing and arranging the molecular machinery of the cells. In

contrast, the insidious results of atomic testing have far reaching effects that upset the balance of Vivaxis energies in our environment and the balance of energies of all life influenced by the geomagnetic field. The insidiousness is well expressed by the following quotation:

The normal flow of life processes depends upon the presence, in the proper place and at the proper time, of certain chemical molecules. This is especially true of the process of heredity. A change in a single gene-molecule in the sperm or in the egg cell may make the difference between a normal child and a pitiful invalid. High energy, or ionising, radiations disrupt the physical structure of atoms and initiate novel chemical reactions. The addition of a hydrogen atom here, its loss there; the ionisation of a formerly uncharged atom; the production of hydrogen peroxide; the physical disruption of long, chain-like molecules - these and a dozen other effects or immediate after-effects of radiation may raise havoc with the cell's basic organization. In many instances, of course, the damage is done to an expendable substance and is repaired by the cell's built-in defence mechanisms. In many other instances, however, damage is done to a unique substance not easily replaced or repaired. Here the effects of radiation are serious.¹

On the morning of November 6, 1971, there was tremendous suspense as the world awaited the last hour decision of the U.S. Supreme Court action. Would President Richard Nixon, in the face of much opposition, proceed with the giant atomic underground explosion in the Aleutians? I chose to think that in his wisdom he would forbid the blast. I am convinced he would have cancelled it, had his wisdom encompassed the knowledge that all life is vitally influenced by the geomagnetic field through its Vivaxis link.

Unfortunately the giant bomb was exploded with devastating force. This in turn provided the incentive for other countries around the world to display their might and folly through thermonuclear testing. How can man be expected to adjust to such a large increase in the level of radiation during this short time span? How does it affect our force field as we are capable of observing it?

We were in Palm Springs at the time of the blast and my mind had completely dismissed the possibility of the bomb test being permitted. Sometime prior to the explosion I noticed my vision had become very blurred. I picked up my recording wires and both wires spun chaotically. This is a characteristic reaction noticed an hour or more before a thermonuclear test; it is a period when the atoms are being squeezed under tremendous pressure. I did not have to turn on the TV to be told the explosion would take place. The wild chaotic motion of the wires continued until about one-half hour after the blast. My force field thousands of miles from the Aleutians was adversely affected; my energy waves recorded it. Many other members of the Research Society recorded similar reactions. This was a measure of the high degree of disorder introduced into our circuits.

In order for this test to have meaning I deliberately tried without effect to stop the wires by command of my brain. This eliminated the possibility of the recording wire merely registering a disturbed thought pattern. However, it is doubtful that any thought pattern could duplicate the wild disorder recorded by the wires previous to the blast. Frankenstein would have envied the power of

today's scientists to lash out at their fellow men. I once expressed my surprise to a nuclear scientist that this chaotic disturbance was recorded so violently, long before the bomb exploded. "This is when you would record it," he replied and continued to briefly outline the reasons. Adding, "It is no longer any secret." Some physicists have speculated on the strong possibility of damaging infrasonic waves being created as a result of the testing. Infrasonic waves may well have been responsible for affecting our circuits in the hours prior to the actual blast.

During the early years of our exploration an unbalanced field was rather exceptional; today it is fast becoming the rule. We have noticed a sharp rise of disturbances with each succeeding year.

Climatic storms, earthquakes and man-made equipment, that cause damaging infrasonic waves, all add their toll to our energy imbalance and disorder. An article, by David McCrindell, recently appeared in the National Enquirer of November 7, 1971, under the title, " 'Silent Sound' can make you nervous, exhausted and physically ill." An excerpt from it reads:

Scientists have discovered that the Earth is bathed in throbbing waves of "silent sound" that make you feel crabby, nervous, exhausted and even cause physical illness.

Laboratory tests and field surveys have turned up evidence that these unheard sounds:

Cause abnormal jumps in the incidence of auto accidents and school absenteeism.

Turn normally happy and productive workers into bickering do-nothings without anyone realizing what the trouble is.

In severe cases cause headaches, choking, coughing, blurred vision and extreme fatigue.

Scientists call the silent sounds "infrasound." They are inaudible because their frequency, or rate of vibration, is less than 20 times a second, a pitch too low to be detected by the human ear.

"Far more than any other kind of noise, infrasound is responsible for nervous disorders in industrial towns," the scientists concluded.

Dr. Vernon H. Goerke, director of the U.S. government's Wave Propagation Laboratory in Boulder, Colo., said infrasound can be produced by such things as missile launchings, construction machinery, explosions, defective electric motors, aircraft, weather disturbances and earthquakes.

Intense infrasonic waves produced by thunderstorms and such cataclysms as the Alaska earthquake possess the ability to lash out at human beings from afar, according to a study concluded at the University of Illinois.

Dr. Floyd Dunn, a professor of electrical engineering at the university, and John Green, a Bell Telephone Laboratories engineer, found that auto accidents and school absenteeism in Chicago jumped to abnormal highs on days when silent sound activity was heavy.

Green told the Enquirer that he is convinced silent sound can throw people off balance, both mentally and physically.

"It may well be that on those days when everything goes wrong - when you get shortchanged at a checkout counter, everyone's crabby and you dent the carfender - that the trouble is all due to infrasonics coming from a storm somewhere else," he said.

Not only storms, but defective machinery can emit mind-shattering silent sound, according to Green.-

To many of us the article sounds like "Little Sir Echo." Testing with specialized instruments scientists now record the same elements causing the same disturbances to the nervous system that we have been recording with our angle wires for seven years. My three books present data that read almost identically except for the explanation of infrasonic waves. The latter helps to explain why we are affected when we are often so far removed from the actual source of the disturbance.

Currently the excessive amount of disturbances is very discouraging as it plays havoc with our nervous systems and unfortunately imposes increasing restriction on the days we can channel. However, we can use neutralizing to ground out the disorder, providing, of course, the cause of the disturbance has dissipated. My recent explorations have been projected toward methods of neutralizing that would dispense with the wire hoop, vinegar and ice. Often the simplest method turns out to be the most effective and this is particularly true when using our own Vivaxis energies. Further, the research has again illustrated there is no substitute better than one's own energies. My research was conducted at a time of excessive disturbance when I felt all our resources should be marshalled to combat interference introduced into our circuits; interference created by the insidious effects of atomic testing plus the bombardment of infrasonic waves.

The following is an effective way to neutralize. Stand with back erect and legs together so that the ankles and sides of the feet are touching. It is important to have the entire sides of both feet in complete contact. Keep the head tilted slightly to ensure it is not level. Face your hands together and place the tips of the fingers and thumbs against each other, so that the whorls of the opposite fingers are in contact. In this position the palms of your hands will be apart but facing each other. Press your fingers rhythmically in and out like an accordion and at the same time breathe very deeply. Continue to press the fingers firmly while slowly moving them in and out. The number of times this exercise is necessary to effectively neutralize oneself will depend on the degree of disorder in one's energy circuit. Usually compressing the fingers about six complete cycles is all that is required, but this will vary with the individual. Test before and after the foregoing procedure using the standard methods of testing for a static condition.

Always check immediately before channeling to determine if your force field is in correct balance. Check with both the right and then the left recording wire, for we have recently discovered that if a person is linked into a radionic machine the wave motion is changed in the system and a disturbed static condition shows up in the left recording wire but not in the right. One should

be able to get wave vectors in correct orientation while testing with both the right and then the left recording wire.

An accumulation of static disorder may linger in your system, sometimes hours or more after the disturbance that created the condition has dissipated. This we refer to as "lingering static" and the "lingering" is generally in direct proportion to the intensity of the disturbance. Those working in offices under pressure and fluorescent lights record a lingering static, in contrast to workers in a more compatible environment whose energies remain in balance. Neutralizing has the ability to drain off this static and the method described above is extremely easy and useful for office staff to help achieve a correct balance of energies after the day's work.

We stress that before you channel remember to test for a static state. If the test indicates you are static, then neutralize. Test a second time to make sure you successfully neutralized. Wait five minutes and test again to ensure you remain neutral, since the disturbance that caused the static condition may still exist and, if so, it sometimes takes a few minutes to rebuild in your system. If the third test reveals you are again static, then do not channel.

How To Do Your Own Evaluating. Continued

Adequate Grounding

Grounding is an important part of neutralizing. In fact, it is a very important part of the efficiency of our whole circuit. Our circuits would be much stronger at all times if we paid more attention to adequate grounding. Animal life is naturally grounded when they have all fours on the ground. To test this, try crawling when your force field registers a lingering static state. A similar test is to lie on neutrally tested ground as opposed to lying on a bed. Lying on the ground will dissipate lingering static, but lying on a bed will not. Some animal life is grounded to the earth through the water. By taking a short swim in the sea you can dissipate lingering static; you will feel more alert, mentally and physically, than your friends on shore relaxing and still remaining in a static condition.

A book that was first released in June 1971 entitled *Poisoned Power*, by John W. Gofman and Arthur R. Tamplin, stresses the dangers of radiation build-up in our bodies. From it I quote:

It also makes no difference, biologically, whether the tissue receives a specific amount of radiation, in a given time period, from a radioactive particle of long half-life (like thousands of years) or from one of short half-life (like a few days).

Knowing these basic facts, we can see that the only real issue that concerns us, about any radioactive material, is how much radiation is absorbed by a single portion of tissue plus the length of time in which this absorption occurs. In order to systemize all radiation measures, radiant energy absorption is measured by the RAD unit. A substance is said to receive 1 RAD of radiation when it absorbs a given amount of energy per gram of that substance.

One rad delivered to a piece of muscle will have essentially the same effect whether it comes from a dental X-ray machine, from radioactive atmosphere irradiating the muscle from the outside, from gamma rays from radioactive substances in the earth, or from radioactive substances taken into the body with food or water. And it matters not at all, whether the source of radiation is a nuclear power reactor or any other source. One rad is one rad for nearly all types of radiation, from any source for all practical purposes.¹

Before leaving the topic of disturbances to our environment and to ourselves; a short verse inspired by Alison Eaton, age 12, is illustrative.

My Heritage

A morning wrapped in dirty smog
And tied with thick pollution
Of gray was left
for me at dawn, 'Twas labelled "execution".

Probably many readers will recall Alison's story and pictures in *Vivaxis*, the *Spiral of Life*. The following is an excerpt:

"Alison Eaton, an appealing child with dimples in her cheeks, was eight years old when her mother hopefully requested help. At the age of four years she had been subjected to X-rays in the vertebrae of her neck. In later years she had been getting periodic pain in her head which was increasing in frequency. She also found it difficult to sit up erect. Her mother became quite alarmed when a school advisor suggested she take Alison to a physician, for her teacher had reported Alison's inability, on occasions, to read coherently, which suggested a temporary, jumbled, confused state of mind."

Ever since that time four years ago, when Alison first used her Vivaxis energies to adjust her disturbances, she has proved herself to be an outstanding and excellent student.

Static Affects The Direction Of Your Energy Flow

The following is an excellent test to determine the continuity of the field. Normally our energy flow should have two vertical directions, one up and one down, represented by clockwise and counterclockwise motions as observed in our code receptors. When you are ideally balanced and free from static disturbance, you should be able to conduct this test. Stand in the manner described in the directional test on page 137 of *Born to be Magnetic*, Volume 1, test first with the right recording wire and then with the left. Your brain should be able to send wave messages to your wire to circulate clockwise and then reverse to circulate counterclockwise. The brain should also control the left wire in the same manner. Under these circumstances conditions are correct for channeling.

In contrast, when your energies are out of phase the brain may fully control one wire but the other can only be made to circulate in one direction.

At the time of writing there are periodic disturbances occurring, possibly caused by infrasonic waves from a recent earthquake, and I am unable to drain off these disturbances for any length of time. Due to the static that is currently affecting my brain I am unable to control my right recording wire to make it rotate clockwise. The wire becomes lifeless and without response (another graphic illustration that you cannot make the recording wire lie). However, I find my brain can control the same wire to circulate counterclockwise. Currently the brain can control the left recording wire and make it rotate both clockwise and counterclockwise. With a different set of circumstances this discrepancy would probably make itself manifest with another variance. After I had neutralized, my brain was able to control both wires for a short period only and make them revolve in either direction.

These serve as good illustrations to help us understand how foreign radiations, infrasonics and other disturbing energies have the power to introduce confusion into our brain and impair our judgment and ability to think coherently. It is time to pause and weigh these factors. Think of poor wee Johnny sitting at a desk directly beneath a static producing radiating fluorescent light. Johnny does not concentrate to the best of his ability; his thinking is jumbled and confused and his [eyes](#) are not co-ordinating.

Why? Move Johnny to another position in the room away from the fluorescent light, also remove his X-ray interference and the chances are good that both

Johnny's brain and eyes will gain better co-ordination. Nutritionists have found that fluorescent lights destroy vitamin A in the system; a very vital vitamin necessary for the health of the eyes.

Perhaps it will be your children that suffer the harmful radiation of fluorescent lights injected into their systems. Through these tests do your own exploring and perhaps your views, plus those of many other parents, will become strong enough to correct this folly of lighting mutilation both in the schools and offices. Test while standing directly under a fluorescent or electric light. Both produce static, but the fluorescent have a more lingering effect, especially if we have been under them most of the day.

It is advisable before doing any of these tests to first check the requirements for recording waves and holding the wire, detailed in Born to be Magnetic, Volume 1, Chapter 4.

Method For Testing Correct Directions

Stand so that you are not facing toward any of your "channel directions". With feet apart, spine erect and head level, hold your recording wire in one hand. Bend the free arm at the elbow, with the elbow held slightly from the side of the body; extend the forearm and hand horizontally in front of you with the palm facing down.

If your force field is free from static, as you concentrate on a direction the wire should swing into that direction. However, if your force field is static, your brain is also out of orientation and the wire will not move into the direction of which you are thinking, but more generally to one at right angles. To avoid deflections do not think of directions in the room where there are people or where electrical equipment is located.

In all wave testing it is wise to tap the wire firmly against your leg between tests, to remove a carry-over of wave motion into the next test. Other aspects of direction testing are covered in Volume 1. Refer to page 138 and avoid magnetizing the wire to your Vivaxis. Our surrounding aura has an energy field that has the ability to do this.

Common Wave Arrangement

Our experience has taught us that in this hemisphere there is a normal wave arrangement common to all those testing at a height below their Vivaxis elevation. Similarly, there is a common wave arrangement for all those testing above their Vivaxis elevation, but there is a slight variation between the two groups. The common wave arrangement is only apparent if the induced influences from other fields have been entirely eliminated. Therefore, when we use the phrase "you should be able to" in this book, it implies that your energy circuit has been cleared of foreign induced fields.

Inability to do the exercise is often due to the residual influences of stubborn alien fields still harboured in your circuit. These can be the result of X-rays, cobalt treatment, strontium 90 radiations, radionic machines, other types of wave machines, and influences left from treatment with magnets. These are a

mere few of the causes which are capable of changing the organization and arrangement of your energies.

However, experience has also taught us that when the foreign influences are truly erased, these same people have the same reactions when wave testing as we describe. But if one does not record these reactions, then it is a possible measure of the degree of interference currently in one's circuit.

Your Aura

In the tests we describe you are working within your aura, the invisible force field surrounding your body. If your hands reach out beyond the limit of your aura, there will be no response in the wires whatsoever. The latter lose all wave motion and feel absolutely lifeless. Bring the wires back within your aura and immediately you will feel life and response in them.

Conduct the following test at a time when your force field is balanced and your wire responds by swinging correctly into the direction of which your brain is thinking, e.g., the door, the window, etc.; or in a circulating motion in clockwise or counterclockwise directions in correct response to the dictation of your brain. Either preliminary test indicates a balanced co-ordination between your brain and the force field surrounding you. Now place a horseshoe magnet on the floor, positioned either slightly toward the front, side or back of you, with the poles of the magnet facing towards you. If it is within the circumference of your aura the magnet will have an adverse disorganizing effect on your aura and force field, which will become evident when you again try the directional test.

Your energy aura expands in time of well-being and shrinks during periods of illness or if the environment of the field is severely disturbed in any way.

The following is a good test to illustrate how deep breathing and exercise expand your aura. Mark the extreme limit of your aura and place the magnet just outside, so that it has no influence on your force field while testing; next, breathe deeply and exercise. Both actions will expand your aura considerably and you will have to move the magnet much further away from you to reach beyond the circumference of your temporarily expanded aura.

Magnets have an energy force that is foreign to your vibrations and wavelengths, so be sure to make all tests brief.

Yoga Exercises Aid In Erasing X-Rays

Recently, while in England and Scotland, I worked with a group of people who astounded me by recording very little sign of wave conflictions from X-rays. The normal conflictions were not recorded either through their testing or through mine, even though they had been subjected to the average amount of X-rays. However, all of them had one thing in common; they had been conscientiously doing yoga exercises for some time.

Later, when I had taken classes in yoga and bought a yoga record to follow, the reason for these exercisers' ability to erase most of their X-ray interference became more apparent. Yoga exercises advocate very slow movements that require deliberate concentration on each separate part of the

body that is being exercised. The brain is required to send concentrated wave messages that project the Vivaxis energies strongly to the particular limb, whose bone is being slowly and firmly stressed. This combination of mind and exercise, plus very deep slow breathing, apparently has the ability, over a period of time, to erase most radiation interference introduced through X-rays. The bones that yoga exercises do not normally stress still retained the X-ray influences; these included the vertebrae in the centre hollow of the back.

Nutrition

Nutrition and exercise go hand in hand, so at this point it is appropriate to say a few words about nutrition. For it plays a vital role in producing the right chemicals, so the body fluids have the ability to act as efficient conductors of Vivaxis energies. This thought serves as a reminder that if you correct the balance of your energies, the right food chemistry is an essential part of retaining those gains. Refer to Chapter 22 of Born to be Magnetic, Volume 1.

The Brain's Properties Of Conductivity

We have mentioned that food chemistry plays a vital role in making the body either an efficient conductor or a poor conductor of our Vivaxis energies. In the same manner man's brain can also act as an excellent or poor conductor, depending on his thought patterns. When it is at peace and tranquil, it is then compatible to the harmonious and balanced flow of Vivaxis energies. In contrast, when the brain becomes disrupted with attitudes of hate and fear, it becomes an extremely poor conductor. The following is a test that graphically exemplifies this fact. We have illustrated that if you are correctly aligned in your channel the wires will not pull away by command of the brain. However, if one's brain is made incompatible through disturbed thought patterns, the wires will automatically pull away in rejection.

You literally cease to be one with the flowing Universal energies and without them your whole being begins to disintegrate. This message serves to remind us that the mind must be tranquil and relaxed when we channel, in order to admit the flow of our own Vivaxis energies.

Method Of Double Checking The Direction Of Your Channel

If the channel you have located is the channel leading to your Vivaxis, then there will be a flow of energy travelling from that direction with a wavelength corresponding to the wavelength of your brain; your wires will cross.

Method Of Checking

(a) Multiply while testing and your wires will uncross and swing firmly into the direction directly in front of you.

(b) In another test request one of your wires to swing into another direction. If you are precisely in your channel, then it will not pull away.

If the wire does pull into another direction the following possibilities should be explored:

- (1) You slumped your spine or tilted your head off level when you tested.
- (2) The field is static and electrically unbalanced.

(3) You are close to your channel direction but still a degree or two off.

(4) An induced field is being recorded from that direction.

The induced field might be due to electric motors, airplanes overhead, a person concentrating on you, to name a few of the causes; any of these influences coming into you can actually make your wires cross in the direction of the induced field. For example, a person may be hundreds of miles away, yet you can still pick up a channel coming in from his direction if he is concentrating upon you. But if the wavelengths of these induced fields do not correspond with the wavelength of your brain, then your brain can order your wires to move away from them and the wires will obey. In other words, your brain has the ability to shut out other fields that are coming in.

In contrast, if it is your own channel and the wires are correctly orientated, they will not pull away despite your brain's command; since the wave train that links your code receptors directly to your Vivaxis comes in a definite channel direction. The atoms of your code receptors and brain all tilt their nuclei towards that channel. Each brain receptor has a code receptor located at either side of it with the same wavelength as your brain and Vivaxis energies. When you face into your channel you are similar to a radio set that is tuned into a specific channel - your channel.

Another interesting test is to place both ankles, plus the entire sides of both feet in firm contact; at the same time hold a recording wire in either hand. Regardless of where you face in respect to your Vivaxis channel, the wires will swing towards it. They do not cross but separately hold the direction of your channel and they will not pull away at your brain's command, unless there is an energy disturbance in the environment at the time of the test. This is a good way to find your channel and for location purposes has tremendous value. However, be sure to place your feet well apart before you actually channel.

Extra Tips For Beginners

Neutralize a new set of wires in order to erase the field introduced into them during their manufacture. Run tap water thoroughly over them and then immerse the wires completely; dry well and take care no other person holds them. Before channeling do the accordion exercise with your fingers, slowly and firmly, for about thirty seconds; then exercise strenuously for a few seconds. To introduce your energies strongly into the wires before starting to test, whirl them vigorously in your hands. Now try locating your channel and test the accuracy with the methods described.

Those who have been subjected to wave machines or treatment with magnets will have difficulty locating their correct channel. Several members of our Society, from the state of New Mexico, have kindly passed along their method of negating foreign radiation and increasing their own force field.

Method

Dissolve one pound of baking soda and one pound of sea salt crystals (obtained in most health stores) in a bath tub of warm water. One soaks the entire body for approximately ten minutes and at short intervals immerses

one's head. The results of using these simple and natural elements have proved remarkably effective.

Reducing The Time Of The Post-Channeling Period

Recent research has indicated the advantages of reducing the time of energy absorption. The cells of our bodies are adjusted to a certain degree of our own energies, flowing in and out of our bodies at all times. Our systems are put into a higher energy state when we channel and we absorb an increased level through the code receptors for a period of approximately twenty minutes after channeling. There are occasions when our systems appear deficient in these energies and the full twenty minutes of accelerated absorption has tremendous therapeutic value.

Experience is demonstrating the advantages of reducing the absorption time to eight minutes after channeling. There are indications the reduced amount of absorption has the desired effect and yet helps avoid too great a buildup at one time. The shorter period makes it possible to use channeling more often if specifically required, especially for chronic injuries where the cell growth of code receptors has suffered over a long period. These code receptors are difficult to keep in a steady state and lack the normal ability of retaining the individual's energies. More frequent channeling over a period of a few weeks appears to assist the receptors to maintain their steady state, but this procedure is only advisable if the time of absorption is substantially reduced during each post-channeling period. In fact, in these cases the individuals generally reduce their absorption interval with each subsequent channeling, until the period is only three or four minutes duration.

A few members of the Society, suffering from chronic injuries, successfully experimented with specific channeling for three consecutive days, waited one day and then channelled again on the fifth day if necessary. They found they could gradually extend the intervals between channeling as their receptors gained in retentive strength and were able to maintain their normal pattern for increasing periods of time. This was only possible because they reduced the time of absorption and the field remained in a steady state and free from static.

How To Determine If You Have Channelled Effectively

It is wise to check a few minutes after channeling to determine if you have channelled effectively. If you have succeeded, your body fluids are saturated with your own pattern of energy and a test will show that you are now a temporarily closed circuit. This is illustrated by the manner in which one wire points in towards you and the other literally latches on to a wavetrain travelling in a channel to your Vivaxis. The two-way closed circuit link usually persists for about twenty minutes after channeling and during that time the brain cannot persuade the wires to pull into other directions. This is a foolproof method for determining the effectiveness of your channeling.

If the test shows you have successfully channelled and you feel it advisable to reduce the strong flow of radiating energies to a normal level, then neutralize by the accordion method. Generally four to six seconds is all that is required. About thirty seconds later use the directional test to determine if your system

is back to normal and if it is, your brain should have the ability to command the wire to swing into the various directions of its choice.

There are times and circumstances when it is necessary to let the post-channeling cycle run its full course in order to achieve the desired corrections. Each individual, calling on his own experience and judgment, has to make these decisions for himself; learning to do one's own evaluating will help in reaching the right decision.

It is wise to remember that more is accomplished if you channel in the morning and get lots of exercise throughout the day. We try to avoid channeling just before going to bed.

Left Hand Ring Finger

The third finger of the left hand, often termed the "ring" finger, can be used for testing receptors, but only by those who are testing it at a site below the elevation of their Vivaxis. Before testing, all rings should be removed. This method eliminates the necessity of using ice or vinegar for wave transmitting, as described on page 108 of Born to be Magnetic, Volume 1.

If the person testing moves to a higher level where his Vivaxis elevation is below him, he can no longer receive a wave pattern with the ring finger. However, he will now obtain a wave pattern with his left index finger. Here we are given a clear picture of Vivaxis magnetic energies flowing in one finger and out the other in an organized vertical plane. These energies travel to the elevation of one's Vivaxis and then travel in a horizontal plane to complete the circuit. Within the picture, we also see an organized pattern of magnetic energies that are capable of acting as a wave carrier to another wave imprinted upon them.

Where there is a magnetic field there is also an electric field

The following test is excellent for showing the magnetic and electric fields in sharp focus. Stand out of your channeling directions with your spine erect and feet apart and press the left index finger firmly against your leg. Under the correct circumstances the recording wire should swing sharply into your channel and your brain should not be able to make it pull away. Now remove the index finger and press the left ring finger against your leg. Again, the wire should go into your Vivaxis channel and your brain should be unable to change its direction.

Repeat the procedure with the corresponding fingers of the right hand and record with the left recording wire. Press the fingers in turn and each time the recording wire should swing at right angles to your Vivaxis channel, as you test one and then the other. Now turn facing into your Vivaxis direction and observe that when you separately press the same fingers of your right hand against your leg, the wire becomes fixed in the direction of your channel and not at right angles. Your brain cannot move the wire towards another direction when you are pressing either of the two fingers. It appears from this test your magnetic and electric field are now strongly synchronized and in resonance with the waves travelling predominantly in a horizontal plane.

In the test just mentioned, we are only recording the wave vector of the vortex of the energy wave. Around this vortex a spinning energy can be recorded when the horizontal arm is bent to the correct angles necessary to record the spin. The changes in direction of the spin and the angle of spin are both relative to and influenced by:

(1) The elevation of the individual's Vivaxis.

(2) The position one is standing in relation to the direction of one's Vivaxis channel.

The foregoing tests are valid only if one is not static; they cannot be changed or controlled by the brain and, therefore, have an important story to tell. These particular tests are probably an excellent measure of the organization of your magnetic and electric field. We have taken special note of the fact that people with an organized magnetic and electric field generally prove efficient wave transmitters; in fact, it is probably an essential quality for wave transmitting. One's objective should be to rid oneself of disorder so one is able to conduct this test with full meaning.

Viruses And Bacteria

For many years now we have realized that our bodies play host to viruses and bacteria only if our magnetic and electrical field is weak and out of phase. Further, we discovered that if our force field with its specific frequency of wave oscillations is stepped up to a high energy state through channeling, it is evidently incompatible to the vibrations characteristic of the various viruses and bacteria. Long ago it occurred to us that when the higher energy vibrations of magnets and other foreign radiations are introduced into one's system, they have the power to destroy bacteria and viruses, due to the incompatibility of their vibrations with the latter. But we also observed these same vibrations are also incompatible to the individual and do not correspond to the characteristic wavelength of his own energies. Indeed, we have observed that magnets and other foreign radiations often upset the wave pattern in some of the code receptors and the damaging side effects become accumulative with time. The test previously described, where the horseshoe magnet is placed within the circumference of one's force field (aura), presents a graphic illustration of the disorder a magnet can introduce into one's circuit. It is impossible in the face of the observed results to justify the use of magnets when your own energies are available to you; your own energies are thoroughly compatible to you.

The following quotation is from *New Light on Therapeutic Energies** an outstanding volume by Mark L. Gallert:

“Once it was proven, by the use of the Rife microscopes, that each type of micro-organism has its own particular life frequency or rate of vibration in the light band, it became a logical corollary that for each type of micro-organism there is also some frequency radiation or rate of oscillation that will be destructive to the organism.”

Reducing The Time Of The Post-Channeling Period. Continued

Hypnotism

Hypnotism, more than any other single factor, is graphically bringing to the attention of the medical profession the fact that vibrating carrier waves of our Vivaxis energies are responsible for relaying messages from the brain. While in England and Scotland, I met a small group of medical doctors who are earnestly seeking answers to many unexplained phenomena which cannot be interpreted through chemistry alone. As it becomes true scientists, they were searching for answers which they suspected were to be found beyond the spectrum of their present understanding. Due to this desire to expand their knowledge they invited me to speak to their group at the Medical Society in London.

In England, when an X-ray radiograph is made of the chest, the hands are usually held out free from the body. This particular factor helped my presentation, since those whose hands have not been subjected to X-rays, find the angle wires alive and responsive when they hold them within the circumference of their aura. They were taught the method of using their brain to stimulate a wave message in the recording wire and were quite amazed to see it swing towards the direction on which they were concentrating. Most of the group illustrated their control of the wire and were able to direct it into any direction desired by their brain.

However, to their bewilderment, several got no response when they thought of the direction directly in front of them, yet the wire moved in correct response towards all other directions. Experience had taught me this is a characteristic deviation usually associated with hypnotism. Hypnotism changes the wavelength of a pair of code receptors located in the centre of the forehead and generally the corresponding pair on the back of the head. Between each of these pairs of code receptors is a brain receptor. I requested permission to wave test the pattern of these code receptors. The recording wire circulated but stopped when I tilted it off level; this indicated a wavelength other than the individual's own. Then he was requested to multiply but the recording wire continued to circulate. I swivelled him around in his chair, pausing and testing in the different directions. When the channel where the wave train leading to the source of the hypnotism was located, the recording wire ceased circulating and swung into that direction. Tests showed this channel did not correspond to the direction of his Vivaxis channel; the latter was located from his other code receptors. The revealing wave symptoms told the correct story in every case; a few of the doctors had been hypnotized in the past and the effects had remained with them throughout the years.

Hypnotism usually has other characteristics; the brains of those who have been hypnotized are often very active and alive, but their thought patterns are inclined to switch suddenly -- similar to tuning into another radio station. Soft thumbs are another characteristic generally noted.

Each one expressed the desire to reinstate the affected code receptors to their own original wavelength. A person who has been hypnotized has difficulty in correctly determining his own channel, so this I had to find for each one. After making certain his channel was correct he was instructed to stand in readiness to channel. With his head tilted down he first stimulated the terminal receptors in the toes by shuffling and pressing them firmly against the floor; at the same time he stimulated his thumbs and fingers by pressing them together. Then he placed well directed blows to the centre of his forehead and on the corresponding place at the back of the head; he used the lower part of his hands near the wrist to disrupt the induced arrangement. He channelled immediately after he ceased the stimulations. During the post-channeling period he was instructed to apply hot compresses to the areas under correction and then multiply at intervals to direct the flow of his own energies strongly to those centre brain code receptors. About forty-five minutes after channeling he tested and was impressed how readily the recording wire now responded to his centre brain receptor - the receptor responsible for messages linking into directions directly in front of him. It was an easy test but one that told a definite story, especially after they had harnessed their Vivaxis energies to make the corrections.

Anyone doing a test to detect the effects of hypnotism should face a variety of directions while trying to channel into the point directly in front. Reason - one channel might be leading towards the person or place to which the brain receptor is hypnotized. This might stimulate a wave response towards that direction - it is a possibility but one not thoroughly explored.

Does the foregoing illustrate, that once the wavelength of a brain receptor is changed from your own characteristic wavelength it will not respond to commands of your brain, but that others have control? This is mere speculation stimulated by observation.

Observations indicate the quadrants of the cortex have their designated brain receptors that are responsible for each direction. If a direction on one side of the head cannot be channelled into as shown by failure of the brain to create a response in the wire, then it generally means there is either a disturbance to the brain receptor or the wavelength of the brain receptor has been changed.

Determining the correct channel of those who have been hypnotized and those who have been treated with magnets requires a great deal of finesse and know-how, for all the normal rules of wave motion have been changed. It takes the type of know-how I would rather be without, for it requires too much detrimental involvement on the part of those assisting. The alternative for the person is to use a compass plus a little trial and error to determine his own channel; testing after each channeling to determine if he succeeded in making the correction. Perseverance, plus the attitude, "If I don't succeed this time, I will try another channel," eventually should achieve success.

1 Bruce Wallace, Theodore Dobzhansky, Radiation, Genes and Man, London, Methuen & Co. Ltd.

2 McCrindell, David, "Silent Sound can make you Nervous, Exhausted and Physically Ill," Copyright: National Enquirer, Lan-tana, Florida, Nov. 7, 1971.

3 John W. Gofman and Arthur R. Tamplin, *Poisoned Power*, Emmaus, Pa., Rodale Press Inc., 1971.

4 Gallert, Mark L., *New Light on Therapeutic Energies*, James Clarke & Co. Ltd., London, England.

2. New Light On Vivaxis Energies

Often I am asked, "How do you manage to discover these various facts of our energy circuit design?" One does not just "discover"; nature unfolds her secrets gradually. Each phase has to be thoroughly understood in order to recognize and comprehend fully the meaning of the next phase. Each revelation is a stepping stone to the next goal. My discoveries have not been psychic in origin; although sometimes I sense a little guidance, in the same manner that we nearly all experience when we are earnestly and humbly seeking answers.

If reliably recorded, a true wave pattern "does not lie"; this fact has been the basis of my exploration. A fact that only became possible after I devised a reliable technique for recording the wave patterns - patterns that are not initiated or changed by mind manipulation. This technique is detailed within the text of Volume 1.

The deeper I probed the more apparent it became that the recordings were associated with fundamental forces controlling life and a Vivaxis link was essential to the organized design of an energy exchange. Further, the Vivaxis was a means of supplying concentrated groups of energies into the system. The energy patterns that were being recorded in our code receptors were magnetic, in the true sense that they were linked magnetically by a wave train to a Vivaxis and there was an energy field associated with them.

These energies that we are observing have many characteristics of electromagnetic waves, but in certain respects they differ. Therefore, on the good advice of my friend and physicist, Dr. Wm. Tiller, I will refrain from loosely referring to them as electromagnetic and in the meantime will call them Vivaxis energies or waves. I never really think seriously of myself as a scientist, but perhaps the following definition of a scientist could qualify me. "The ability to foretell what is going to happen and the ability to explain after why it did not."

Many recent books have been written detailing the work of other researchers and their observations of energy systems. It appears we are all recording the same energies, although my approach has led me into previously uncharted channels. Records from all parts of the world have repeatedly demonstrated the ability of these energies to heal. What are they and whence do they come? The answer to this question is one of the most sought after solutions of today.

My recent observations could play an important role in solving this question and the following presents the manner and sequence of my exploration. Towards the latter part of February 1972, I was lecturing and training instructors in Southern California and among those attending was Dr. Hazel Parcells of the School of Scientific Nutrition, Inc., Albuquerque, New Mexico.

Dr. Parcells had been researching ways to combat radioactive fallout. Immediately I observed that both she and her colleague had strong energy circuits with well polarized patterns; their flow of energy did not reveal any

disrupting wave motions that are usually detected from X-ray interference. Further, they were able to record their energy link flowing to their Vivaxis, far stronger than other pupils in the class. This was inconsistent with our previous experiences, especially in view of the extensive number of X-rays to which they had been subjected. God bless them! After studying Born to be Magnetic, they had travelled all the way, not only to gain knowledge but also to contribute knowledge. Their contribution has proved invaluable!

In order to counteract fallout they had experimented with a mixture of one pound of sea salt (crystals or granules) and one pound of baking soda dissolved in a bath of water. The body is immersed in this solution. (See details page 57). Further experimenting by members of our research society, revealed these baths have the ability to erase X-ray interference and remove many other foreign waves; extraneous energies that were formerly detected as leaving a foreign wave motion that appeared to be perpetually superimposed on one's own wave pattern.

This turn of events stymied me at the time but also it was a challenge. What new and important story was this telling? After returning home I started to explore.

Method Of Creating An Experimental Vivaxis

Many of my early studies and observations of wave behaviour were done with both carbon and ink circuits. For those unfamiliar with this simple yet effective method of studying energy fields, I will briefly outline the principle and then describe my recent observations which were substantially aided by the technique.

Ink is the better medium to use for the following tests, because we want to avoid recording our own wave pattern into the lines. When the circuit is made correctly, the ink has the ability to introduce into a line the energies of the local field. These energies, or quanta, are in a related sequence and have a centre vortex of energy. An experimental Vivaxis can be created by rapidly drawing two lines of equal length towards a common central point. The two lines are drawn from opposite directions meeting in the centre to form a single straight line. The lines must be drawn quickly to prevent a time lag and care must be taken not to overrun the central point.

The participant and the local field must be free of static to carry out these tests. A pad of plain unlined paper is used for the test and placed on a level surface which has been checked to assure it is neutral. Avoid finger contacts with the area of the pad where the line is to be drawn and secure the side of the pad with tape to prevent the slightest movement. Hold a ruler firmly on the paper and rapidly draw a one inch line with a ball point pen; without delay draw another one inch line from the opposite direction so that both lines meet at a common point to form a straight two inch line. The common point will be the centre of the finished line.

Wait about thirty seconds for the energies to organize themselves into a "vortex of energies" in the newly created Vivaxis. Record the energies with an angle wire. Bend the arm which is usually horizontal so that it no longer forms a right angle with the vertical arm, but is set at any angle to the vertical within

the range 45 to 85 degrees or 95 to 135 degrees. Test by holding one's receiving finger about one-half inch above the centre of the line. (Avoid touching the line at any time.) Hold the vertical arm in a truly vertical position and when all recording factors are efficient as described in Volume 1, Chapter XIII (Wave Transmitting), the angle wire will revolve about its vertical axis. This spinning motion will not cease at the command of one's brain because there is now a vortex of energy being recorded from the central point of the line; a Vivaxis has been created at this particular location in space.

New Light On Vivaxis Energies. Part 2

Remove the entity, in this case the line, from the location of its Vivaxis. A wave link between the entity and its Vivaxis can be recorded directionally with the use of a 90-degree angle wire. Always place the line on a level surface and record with the receiving finger held above the centre point of the line. The wave vector channeled towards the direction of the entity's Vivaxis will be recorded in such a definite manner that the angle wire will remain stationary despite commands from the brain to move; illustrating the energy flow from the line to its Vivaxis.

Similarly, if a wave test is made at the line's Vivaxis with a 90-degree angle wire, a wave vector is recorded which is channeled in the direction of the line, indicating that there is a flow of energies from the Vivaxis to the line. If a 45-degree angle wire is used, a spinning pattern will be recorded both at the centre of the line and at the line's Vivaxis. To picture a Vivaxis one visualizes a spherical ball of spinning energies; in this case the diameter of the sphere is two inches, determined by the length of the line.

These details describe an entity and a Vivaxis with a balanced and organized energy field that are in correct resonance.

Determining the effects of sea salt and soda on an energy circuit

I did the following tests during March 1972 to determine the effects of sea salt and [baking soda](#) on an energy circuit. In this and all subsequent tests, the salt had to be sea salt; ordinary table salt did not have any reaction.

Method Of Testing

As previously described, two one inch lines were drawn from opposite directions to meet at a common point and form a single straight line. But this time the drawing of the second line was deliberately delayed by ten seconds or more. Before the line was moved from its Vivaxis and again after separating the two, wave tests were made with both the ninety degree and forty-five degree angle wires.

Result

Every test showed an energy imbalance recorded both at the Vivaxis and at the centre of the line. The imbalance had the same characteristics that are recorded by disturbed and imbalanced [code receptors](#). (See Born to be Magnetic, Volume 1.)

Conclusion

The only difference in the second experiment from the first, was the delay in completing the second portion of the line. In the first case the energies were


balanced and in resonance; in the second case there was disorganization due to the time lag.

Method Of Correction

To correct the unbalanced energies discovered by the last experiment, the line was moved away from its Vivaxis; in this case to another room, where it was deliberately placed so the axis of the line was not channelled towards its Vivaxis. A small plastic bag, filled with a mixture of baking soda and sea salt in equal proportions, was placed over the line. The mixture was removed after a few seconds. Tests were then made with both the 90 degree and the 45 degree angle wires.

Result

The mixture of sea salt and baking soda had corrected the energy balance in the line. In fact, tests along the length of the line gave wave vectors which all channelled towards the line's Vivaxis. Also, tests showed the transfer of energy waves had balanced the centre vortex of the Vivaxis. The highly significant message was that the entire energies took on a strong alignment due to the chemical mixture; the alignment lasted from ten to fifteen minutes. (See diagram no. i.) The former disturbances and energy imbalance were corrected.



A follow-up test to determine if the same compounds would align a person's body fluids to one's Vivaxis

Experimenting further with a similar mixture of sea salt and soda, I passed the bag containing the salts over the entire top of my head and over each hand and foot. It was found unnecessary to touch the various parts with the bag; merely passing it over them was sufficient. Testing showed that my body fluids aligned towards my Vivaxis for a period of some ten to fifteen minutes with exactly the same pattern as if I had channelled. Various members of the research society tried the same experiment and corroborated my findings.

Conclusion

The fact that fluids only aligned for about one half the time compared to channeling, indicated the effect of the compounds was not as strong. This

was very revealing and pointed the way for other tests. Also it cautioned us to remain in isolation in order to avoid the error of being in contact with others when one's body fluids were aligned.

Sea salt and baking soda have an exchange of energies

A quantity of dry granular sea salt, of one quarter cup volume, was placed in a plastic box and a similar portion of baking soda was put in another plastic box. The containers were set two inches apart on a table. With my recording finger over the centre point between the two boxes and a 90 degree angle wire in my right hand, I recorded a definite exchange of energies between the two compounds. Similar to the wave motion of the heartbeat, the wire alternated back and forth.

When I used the 45-degree angle wire and tested above and below the centre point, a spinning pattern was recorded indicating a wave motion travelling in a vertical plane from the point. (See diagram no. 2.) When my recording finger was above the centre point the spin motion was counterclockwise; when the finger was below the point the spin changed to a clockwise direction.

Energy Waves That Penetrate Lead

A rectangular lead block, 3x3x7 inches in size, was placed so it completely overlaid the two compound containers of the last test. The energies instantly penetrated the lead and were recorded as strongly as before above the block. The ability to penetrate lead is consistent with my earlier findings and also with the experiences of others in their studies of these life flowing energies. Are these the energies that flow through life? The elements and compounds we used are common to the earth and to our bodies. Are these the materials and energies on which our systems imprint our individual wave patterns - our individual Vivaxis and genetic codes?

One Code Receptor Stimulated By Sea Salt And Its Mate By Baking Soda

For this test, I selected a knee receptor located on the forehead, flanked by its pair of code receptors. Normally these code receptors have a small arc of spin, possibly about five degrees, but the arc is increased considerably when the energy content of the circuit is stimulated. The method of finding the arc of spin is explained in Volume 1, page 123. I bent one arm of the angle wire to an angle that was a few degrees beyond the arc of spin. One of the code receptors was touched with the edge of a small plastic bag containing baking soda. I tested and the wire began to spin vigorously indicating there was now stimulation of the code receptor. Without moving my position, I tried the soda on the other code receptor of the pair; the wire became quite dead. While still facing in the same direction I used sea salt on this second receptor; the angle wire rotated vigorously, showing the receptor was now stimulated.

I then turned into a different quadrant so that the same code receptors with which I was experimenting were now on the other side of the direction to my Vivaxis. Now the code receptors reversed roles and the one that was formerly

stimulated by soda was now stimulated by sea salt; the other was stimulated by soda. Similarly, the direction of their spin patterns reversed. The one that had formerly rotated clockwise now spun in a counterclockwise direction and the other which was counterclockwise became clockwise.




DIAGRAM 2. Energy exchange between sea salt and soda. The energy waves penetrate lead.

New Light On Vivaxis Energies. Part 3

Conclusion

These tests with sea salt and soda were repeated numerous times and always with the same results. They showed that when one of a pair of code receptors is stimulated with sea salt, the other is stimulated with baking soda. When the tester turns into a new direction placing the same code receptors on the opposite side of his Vivaxis direction the following becomes apparent:

- (1) The response of the code receptors to the compounds is reversed.
- (2) The spin patterns of the code receptors are also reversed.

A Major Breakthrough

At this point of my exploration I really felt I was homing in on the discovery of the sources and characteristics of our energy waves; the type of energies flowing through our code receptors and linking us to our Vivaxis. Our Vivaxis, an energy duplicate of ourselves recording all the energy changes that take place in our systems, both physical and emotional; acting as an energy exchange and balancing agent - acting also as a collecting and receiving station for energies pulsating from the elements deep within the earth, as well as from influences above the earth.

As the facts began to make themselves manifest I observed the body is capable of absorbing and utilizing these energies in a higher concentration, imprinting the individual's coded messages on the waves as they are received. This accounts for the fact that the body fluids align horizontally towards the participant's Vivaxis; align in the same manner as they do after the channeling routine. Further, the code receptors are also stimulated, as illustrated by their wider arc of spin and accelerated spinning motion.

This is a fascinating reversal. Instead of utilizing a direct channel link to one's Vivaxis to absorb more radiating energies, a concentration of unpolarized energies can also be received directly and converted into one's own individual energy waves. The potentials are challenging.

Further exploration was done with a dry mixture of granulated sea salt and baking soda combined in equal parts and contained in a plastic bag.

Results

Two significant observations were noted:

- (1) Disturbed receptors can be corrected by merely passing the mixture over them. The fundamental principles of correction are similar to those of channeling; all centre points are corrected first. The disturbed head receptors and their associated terminal receptors in the hands and feet have a mixture passed over them. The disturbed receptors apparently absorb the necessary potential as they become momentarily exposed to the influence of the mixed sea salt and baking soda. The dry mixture in the plastic bag can be either

gently wiped over the various areas, or merely passed over them without making actual contact; both methods have proved equally effective.

(2) The mixture itself becomes contaminated as it is being used and records a disturbed wave motion. For this reason it is necessary to have an ample supply of the fresh mixture on hand so that replacements are available as required. Further, best results are obtained by finally going over the whole body with an entirely fresh mixture. When the job is an efficient one, the final mixture that was used will not record an energy disturbance. Discard the final mixture also to avoid the risks of the various influences it might have absorbed.

Required Materials

In order to do a complete and efficient job, two pounds each of sea salt and baking soda are generally required. The two compounds are mixed thoroughly in the dry condition and then divided into four strong plastic bags, each containing one pound of the mixture. The bags have long strings attached. Two bags are used for the first complete application and two bags for the second or final application. All are discarded after being used.

Caution In Handling Sea Salt And Soda

Once these compounds are combined the mixture readily absorbs the atomic vibrations of the specific Vivaxis energy field that it first encounters and the atomic particles of the mixture will vibrate in resonance to that field. This combination of chemicals is therefore a versatile medium and can be readily converted to synchronize with an individual's Vivaxis energy, provided the mixture has not already been made to vibrate in response to another field of energy. Ideally, the person who will use the mixture should handle the materials exclusively, which includes the mixing.

We experimented with the combined mixture of sea-salt and soda for correcting receptors but have now discarded this technique in favour of more advanced techniques detailed throughout this book.

The concern of combining the mixtures is carelessness in handling and other fields of energy being absorbed into the combined mixture.

Several members of the Research Society have used it with good results with animals by using the mixture in smaller quantities decided upon by the size of the animal. The timing of usage is probably important and it would seem a wise precaution to avoid the time around the full moon and [major](#) and minor periods if possible. We still have a great deal to learn about energies and it is wise to feel our way cautiously.

Are Wave Machines A Current Threat?

A real tragedy is inherent in man's pathetic ignorance of the design of nature's underlying forces; an ignorance that in many cases is actually responsible for destroying the organized design that nature has implanted. A design so beautiful and so efficient that one bows in deep reverence and yet, on the other hand, one shudders in deep concern - shudders when one observes some of the side effects caused by many devices of modern man, devised in

his search for methods of correction. I refer to the various wave machines. Their possible side effects may not be apparent immediately, but their tell-tale conffiction of wave motion can be observed instantly. It is analogous to the enlisting of a foreign army to fight one's battles. The enemy is vanquished, but the foreign army remains to create disharmony from within.

In most cases the induced field created by these various wave machines produces an atomic alignment, but not aligned to one's own Vivaxis. At first this foreign alignment could have certain superficial corrective powers which temporarily mask the adverse effects that will develop later. Wave conffictions that can be detected for the duration of one's life, unless some definitive steps have been taken to cancel them out of the body. We have often found their removal extremely difficult to accomplish.

New Light On Vivaxis Energies. Part 4

One should be aware of the fact that all strongly polarized waves produced from a machine create an energy vortex, a Vivaxis. The Vivaxis is located at the point where the wave was produced and a link is immediately established from the person to the newly acquired Vivaxis. Energy waves from a foreign field with different frequency and wave length to one's own, continually being fed into various parts of the body, day after day, year after year create effects that are accumulative and noted especially in the nervous system.

We challenge those whose circuits are clear and who are able to record their energies in a well-defined organized manner. Try the same wave recordings after treatment with a wave machine. The wires' response will become weak or lifeless and tell their story of wave cancellation and disorder in one's system - the body's normal rejection mechanism is also weakened.

It is my opinion that any man who has not explored and witnessed nature's fundamental energy design is not qualified to devise machines that might, and generally do, change that design.

I quote from a letter recently received from a reader of Born to be Magnetic: "The one feature of the technique which bothers me is the use of a high speed pulsed magnetic field. The developer claims he cannot complete the course of treatment without this tool. We have come to an impasse! He doesn't understand what the Vivaxis phenomenon can possibly be!"

This is a prime example of devising machines without sufficient knowledge of our energy circuits. Further, anyone who understands our Vivaxis energies would realize that these machines are unnecessary. When nature is understood and harnessed to work for us, a much better job results without the danger of side effects.

I am well aware the facts we are presenting will not win a popularity contest with the developers of wave machines. But it has and will continue to win increasing popularity with those who have explored and utilized their own energies. Further, the new light on Vivaxis energies opens the door for many more groups of people.

In the same letter was the comment, "I hope someday I will be able to work with you in this fascinating field. What kind of doctor would I be not to offer my patients this means of keeping themselves in good health?"

I had the privilege of presenting my knowledge to an outstanding medical doctor in England. He made time available so I could present my work in considerable depth. By the time I left he could accurately test receptors and was well qualified to judge. His parting comment was, "What I like about your discovery is that it provides a means for people to help themselves".

Such comments are the "measure of the man" and I am having the good

fortune to meet a surprising number like him.

Sea salt and baking soda bath to help erase X-ray and other foreign radiations

Method

Dissolve one pound of sea salt granules (obtained in most health stores) and one pound of baking soda in a bathtub of hot water. Soak the entire body for approximately ten minutes and immerse one's head for short intervals. The mouth is also rinsed out with a similar solution.

"How often is it necessary to take such a bath?"

I can only guess at the answer to this question and reply, "Only when conditions warrant it". Conditions warrant it when one's body has been subjected to X-rays or radiations from various wave machines. Generally, one or two baths are all that are required to erase most of the interference. It is surprising how effective the bath can be in clearing the interference from one's circuit, but it is necessary to soak all parts of the body including the shoulder areas. Sometimes the residual effects of strong X-rays stubbornly resist the "S and S" bath, in which event use the alternative method described in *Born to be Magnetic*, Volume i, Chapter 8.

Fallout is bound to contribute towards disorganization of our body's energy circuits. The sea salt and soda bath is only part of the treatment used by Dr. Parcells as a means of counteracting the effects of fallout. It is wise to maintain an ample supply of calcium in the system in event that strontium 90 is present among the radioactive elements. Strontium is chemically similar to calcium and the two associates in the body; if there is a deficiency of the latter then strontium will take its place in the bones of the body.

The sea salt and baking soda bath appears to nullify some of the effects of the X-rays which in turn aids the beginner in his initial attempts of wave recording and provides him with a starting point. In most cases further erasing of the X-rays is often necessary and can be accomplished by using the method described in *Born to be Magnetic*, Volume 1.




DIAGRAM 3. Vivaxis energies linked into calcium tablet.

The recommended temperature range for the sea salt and baking soda bath is 90 to 98 degrees.

Further Exploring Of Vivaxis Energies

For those who wish to gain a greater degree of understanding about the role of a Vivaxis, I suggest they try the tests described in this chapter. However, it is a wise precaution to make the tests brief, ground out and neutralize at intervals, for these tests will temporarily affect one's own circuit adversely. The following tests possibly illustrate why some people have stronger Vivaxis energies continually channeled into their energy circuits than others. This fact may also account for the very strong energies that flow from the hands of "magnetic healers". The object of the tests are to determine :

- (1) To what degree will strengthening the concentration of energies located under a Vivaxis affect the energies in its associated entity?
- (2) To show that an entity can be destroyed, but its Vivaxis remains.

Step 1 - Polarizing a calcium tablet

Two containers, one with sea salt and the other with baking soda, were placed one half inch apart. The gap between the two containers was bridged with a paper cup containing a dry calcium tablet. The tablet was centered over the energy wave that was recorded between the two compounds ascending vertically. The paper cup was then shifted back and forth several times in order to introduce a reversing current into the tablet. In this manner, a Vivaxis was created and the calcium tablet became polarized to it.

Step 2

The calcium was moved to a table at a slightly higher elevation than its Vivaxis (See diagram no. 3.) With the receiving finger held slightly above the centre of the tablet, the transmitter recorded:

- (1) A strong energy spin motion with a 45-degree angle wire.
- (2) A wave vector back to its Vivaxis with a 90-degree angle wire.

New Light On Vivaxis Energies. Part 5

Step 3

A co-worker removed the two compounds. The Vivaxis of the calcium tablet remained, but the transfer of energy between the tablet and its Vivaxis showed a considerable decrease. This was observed by the transmitter testing the calcium entity with a 45-degree angle wire - the spin motion was very much weaker than in the previous part of the experiment.

The compounds were replaced to their former positions in relation to the Vivaxis. Tests of the calcium tablet now showed a vigorous spinning motion indicating the transfer of energies was greatly stimulated.

Step 4

The compounds were removed and a bottle of ammonia solution was placed over the Vivaxis. The transmitter still testing the calcium found the 45-degree angle wire ceased spinning within a few seconds.

Step 5

When the ammonia was removed the entity regained its connection with the Vivaxis and the angle wire gradually regained a normal spin motion.

Step 6

While the transmitter held the receiving finger over the Vivaxis, the calcium tablet was immersed in an ammonia solution. The 45-degree angle wire at first, (for about one second), slowed its spinning action and then regained its former speed.

The angle wire continued to spin after the tablet was destroyed, showing that energies existed at the Vivaxis despite the entity being dissolved and thrown away.

Observations

The experiment demonstrated how a Vivaxis can be created. It also showed that the wave link between an entity and its Vivaxis can be stimulated by concentrating energies beneath the Vivaxis. When certain compounds like ammonia are placed over the Vivaxis the energy link appears to be severed, but as soon as the ammonia is removed the wave link is restored. However, when the ammonia is applied to the entity the energies at the Vivaxis are only momentarily affected; when the entity is destroyed the energies still remain at the Vivaxis.

It is an intriguing fact that an entity can be destroyed but a Vivaxis appears to be indestructible and remains as a vortex of energy, maintaining both its original position and energy content. Before my knuckles are rapped I will qualify the statement by saying, "I have not yet found a means of destroying a

Vivaxis". This phenomenon creates some interesting thoughts and speculations - material for further investigation.

Recording code receptor energies with instruments

Dr. Wm. Tiller and George Anderson, both members of the Academy of Parapsychology and Medicine, met with Nice Jepson, Brian Cole and myself. The meetings were held in February 1972, at Menlo Park, California.

A group of eminent scientists under the leadership of Dr. Tiller and George Anderson are working to correlate energy systems and develop prototype devices for detecting code receptors. They tried out two types of detection equipment at the meetings.

I pinpointed various code receptors using my method of recording the energy spin motion. Dr. Tiller then placed the sensor connected to his instrument on each point that I located. One of these instruments had a needle that immediately flicked up the dial in response to the energy detected. The other recorded the energy by flashing on a red light. It was a fascinating experience and my detection matched his recording on a one to one ratio; meaning there were no misses. Each recording of mine was confirmed by his equipment. Equally important, the places I recorded no code receptors his sensor also recorded no energy.

At the first session the current in the instrument was too strong and some of my main code receptors were "shorted out" and with them my ability to wave test; my wires lost all response and became lifeless. There was considerable consternation among the group until I managed to restore my receptors to their proper condition.

Dr. Tiller had a similar experience as a result of testing with his instruments. He had to balance the energy pattern in his code receptors associated with a brain receptor on the left side; he corrected these by channeling. However, before the correction he had first-hand experience of the restrictions caused by the unbalanced code receptors. His ability to record certain directions with the angle wires was restricted, a limitation that was removed by the correction of the code receptors.

Next evening the two scientists produced an instrument with a weaker current capable of recording effectively but without disrupting the code receptors.

It is Dr. Tiller's opinion that our code receptors are the same energy points as used in acupuncture. It is highly probable that code receptors and acupuncture points are identical. Throughout the years I have tested the receptors of many individuals and my discovery of these points was made by recording the strong wave vectors from them to their respective Vivaxes.

I am leaving the probing of the physics underlying my observations to men like Dr. Tiller. "Much of what I have discussed concerns 'tomorrow's physics' - pointed to by discoveries today". This was one of the concluding remarks by Dr. Tiller in his excellent paper, "Radionics, Radio-thesia and Physics", presented to the Academy of Parapsychology and Medicine symposium of October 30, 1971. I quote further from the same paper where he made some noteworthy speculations:

It seems that we have here an explanation of the homing instinct of the salmon. They are hatched in an inland fresh water stream or pond in the spring. They go to the open sea by autumn, travel thousands of miles, and five years later return to their place of birth to arrive in time for optimal egg hatching conditions. They find mates, lay eggs, fertilize them and then die within four to seven days. I would propose that it is the vivaxis beam that acts as the homing beacon and a biological time clock indicates when (perhaps triggered by the information on the radionic wave field of the salmon).

There is a probable connection between vivaxis and astrology. We must expect that there will be a vivaxis for a human, an animal and a plant and also for planetary bodies like the earth, sun, moon, etc. If the idea is correct, then the vivaxis for the earth is on the sun, that for the moon is on the earth, and so on for the other planets. These energy field configurations at the etheric level may be strongly affected by certain planetary configurations at the physical level.

3. Exploring The Energies Within Your Aura. An Introductory Course To Vivaxis Part 1

It has become increasingly apparent, that it is not enough for a new student of Vivaxis to merely observe without understanding when his recording wire moves, or fails to move in a designated direction. In order for the introductory exercise to have full meaning he should first have a basic picture of energy behaviour within the framework of his aura and the part played by his Vivaxis energies surrounding his aura. Further, in order for him to evaluate and retain the knowledge he must also be thoroughly aware of the reasons for every requirement necessary for recording. The purpose of this text is to provide basic fundamentals and a reference for the students of Vivaxis.

This introductory course is the first and most important course taught to students of Vivaxis. One is not qualified to utilize channeling until he can determine reliably a steady field from a disturbed one and the primary purpose of the course is to teach the pupil how to differentiate one from the other. One instructor aptly refers to the introductory course as "the two-way stretch," since it provides opportunity for the student to determine whether he is capable of recording effectively and also permits the instructor to assess the student's ability and determine if he is a suitable candidate for more advanced instruction.

The course is in two main parts and it is suggested that an adequate interval of time be allowed between the two, so that a student can absorb the contents of the first part and prepare himself adequately for the second stage.

For a beginner the simplest technique of differentiating between a stable and unstable field is to test the force field surrounding his body, commonly known as his aura. Prior to detailing the test a few well known facts concerning auras will be discussed, as well as facts not so generally known.

Many people have the ability to actually see this energy field complete in all its variations of colour. Pictures have been taken of auras with the use of high frequency photography and illustrations of these were shown in *Psychic Discoveries Behind the Iron Curtain*, which undoubtedly many of you have seen. I questioned Dr. Tiller regarding this type of high frequency photography of auras and this was his reply, "You should be made aware of the fact that the pictures Dennis has taken and likewise the pictures of the Russian work are not really pictures of the aura as you are thinking of it. They are in fact photographs taken as a consequence of electrons leaving the substance of the leaf, or skin, or compass needle, under the stimulus of a high frequency electric field. As these electrons accelerate in the field outside the body they pick up energy and when they collide with molecules in the atmosphere this energy is given off in the form of light and that light is what exposes the photographic film. Now as I understand it, the aura that you determine with your instrumentation is something of quite a different order or at least I expect that it is." That was Dr. Tiller's definition of the high frequency photography of auras that I was shown in October 1971, at a lecture at Oxford University and also of those illustrated in *Psychic Discoveries Behind the Iron Curtain*.

There is always the possibility of damaging living cells through the use of high frequencies and therefore this type of photography is restricted in its use. Pictures I viewed in October 1972, at a lecture at Stanford University suggested that newer methods are now being used which are less detrimental to the subject and more effective photographically. Pictures of the auras of a healer's hands were shown which were taken before and after "the laying on" of hands. The photos showed the auras surrounding the healer's hands were very much smaller after the healing. In contrast, the auras surrounding the patient's hands showed a significant increase after "the laying on" of hands, illustrating that energy had been transferred from the healer to the patient.

Under normal circumstances the aura extends about two feet or more from a healthy person. Two insulating sheaths of Vivaxis energies about two inches apart, encompass the outer rim of one's aura; I suggest these Vivaxis energy belts act as a protecting shield against foreign wave bombardment.

There are escape routes in the shield at the top of the head and down through the feet where the energies appear to be flowing both in and out. One sees a definite analogy here to the world which is also surrounded by two protective insulating belts of radiation, known as the Van Allen belts: these also have two escape routes. The world's escape routes are located at the north and south polar regions and only because of these has it been possible for man to travel into space. The world is possibly linked magnetically to the sun and the moon to the earth, in the same manner that each individual is linked magnetically to his own Vivaxis. The same fundamental design appears to be re-enacted all through life both on earth and throughout the entire universe but at this point I would like each student to focus his mind strongly on the fact that as an individual he has his own two characteristic insulating radiation belts. These two belts will become manifest during the process of testing his own aura and play a predominant role:

- (a) In the wave behaviour relative to the position he stands during testing.
- (b) To the distance that he holds the vertical arm of the recording wire relative to the body.

I predict that in the near future nearly all medical analyses will be done by some method of viewing the energy pattern of a person's aura. People who are in poor health generally have small shrunken auras which gradually expand as their health improves, or expand rapidly after correcting their circuits through channeling. In our research experience all malfunctions, both mental and physical, make themselves manifest in the energy field surrounding the body, very often prior to the actual physical symptoms of the malfunction: illustrating the primary part this energy field plays and the dependence of the physical body upon it. The significance of this last phrase is one we should thoroughly grasp, for our experience continually emphasizes the great dependence of the physical body upon the primary energies recorded in the aura.

We recently held a seminar near San Diego, California. At this particular seminar people came from many distant points throughout the U.S.A. Among these was a very talented and attractive young woman who was born with the ability to see energy fields and auras; coupled with this ability she was

endowed with a keen mind and sensitive powers of perception. Throughout the years she had developed the ability to recognize the energy patterns characteristic of every organ of the body; these energy patterns she could see within the framework of the person's aura. We persuaded her to attend classes with the different groups in the seminar. It was fascinating to watch her stand quietly on the sidelines, some ten feet or more away from the participants and when questioned, reporting not only what organs had energy malfunctions but also what organs had been removed. The subjects were all fully clothed and strangers to her as they were to us. On every score she was 100 per cent correct.

Exploring The Energies Within Your Aura. Part 2

This young lady's remarkable vision made it possible for her to actually see when a person aligned towards his Vivaxis, by visually observing the change in his energy field. On one occasion during a special research project her excitement rose to a high as I channelled. She described in colour and contour the strong vortices of energy that she saw forming and gathering momentum as I completed the first four channeling positions.

Undoubtedly some of you are marvelling at these unusual abilities but I expect many will be equally amazed to discover your own abilities for recording; recording your own energy field, its changes and the influence of various fields upon it, especially the strong influences of your own Vivaxis.

The first step in preparation for testing one's aura is to increase its size and strength. In order to do this it is necessary to negate as much wave interference as possible, especially out of the hands and arms. The more wave treatments and X-rays one has sustained the more perseverance is required to accomplish the job. Waves out of resonance tend to cancel one another, which in turn weakens the strength of your own field. A weak aura is often an open invitation to all viruses "to come on in and have yourself a feast."

The following are a few common causes that are responsible for a small aura:

- (1) Foreign wave vibrations introduced into the atomic particles of the bone structure that cause conflicting spin patterns, out of resonance with one's own Vivaxis energies. These foreign wave vibrations are commonly introduced through X-rays and treatment with other wave machines and might cause wave confliction during one's entire life span if not negated.
- (2) (a) Adrenals that have a chronic energy leakage due to an imbalance, generally detected in the energy meridian controlling these glands. This condition results in exhausted adrenals and is commonly found among people who are fasting indiscriminately and lack the essential nutrients. In such cases we have observed auras so shrunken that it is impossible for the participants to record the energy flow within the small framework of their auras.
(b) We have found that a static state will temporarily cause leaking adrenals. This alone is reason enough to correct a static state.
- (3) Lack of oxygen through thyroid imbalance.
- (4) Infrasonics. For example, climatic storms either in one's immediate environment or at the site of one's Vivaxis.
- (5) Sickness, either temporary or chronic.
- (6) The continual practice of deliberately channeling one's energies into others. We have observed that over a prolonged period this type of healing often becomes destructive to the healer's own circuit balance.

(7) Wearing another person's clothing can shrink one's aura but this has variances and is not applicable in all cases.

(8) Insecticides, detergents, etc. Hands that are continually subjected to detergents without the protection of rubber gloves make poor recording instruments.

(g) Antibiotics.

In order to test by the method that will be subsequently detailed, the aura must extend sufficiently far from the body for the vertical arm of the recording wire to be within the area between the body and the first Vivaxis insulating belt. For a normal healthy person this distance usually extends out about an arm's length from the body. Under these circumstances it is easy to keep the recording instrument within the confines of the aura while testing. When the aura is too small recording is virtually impossible.

If the vertical arm is held directly in the Vivaxis insulating belts the horizontal arm will only swing towards the direction of one's Vivaxis and will not record other directions. When the vertical arm is held outside the two Vivaxis energy belts it loses all life and movement.

Methods of increasing the size of your aura

Prior to taking this course one should negate some of the X-ray interference by taking a warm sea salt and soda bath, page 57. The water temperature appears to be a factor and the most effective temperature is between 70 and 78 degrees Fahrenheit, rather than having the water too hot. Experience has taught us that the individual who is having the bath should exclusively handle the mixing and stirring of the compounds - this is directed particularly to over solicitous wives. It is recommended that this bath be taken with the approval of your doctor.

Neutralizing to help negate wave interference in the hands and arms

In order to help beginners get off the ground the accordion method for neutralizing is quite effective but it should be done slowly for about thirty times. Normally six to eight times is all that is required so only regard the thirty times as an initial start for beginners.

Method in further detail.

Remove your shoes and place the feet firmly in contact with one another to form a closed circuit, with the ankles together and the joints of the big toes touching. Tilt the head slightly off level so you do not have to be concerned about the direction you are facing relative to your channel. Face your hands together and place the tips of the fingers and thumbs against each other so that the whorls of the opposite fingers are in contact. In this position the palms of the hands will be apart but facing each other. Now press your fingers and the palms of your hands rhythmically in and out like an accordion and at the same time breathe very deeply. Continue to press your fingers and your hands very firmly while slowly moving them in and out. In order to be effective you really have to put energy into the exercise, pressing very hard. It might be difficult to do this without running out of oxygen so breathe deeply and slowly,

taking ample time. For the initial time only, carry out the exercise about thirty times.

A noticeable ionization builds up in a room if many-people are neutralizing, therefore we recommend that one neutralizes either outdoors or in a room away from other people.

It is hoped the salt and soda bath and the accordion method of neutralizing, will help to clear the individual's circuits sufficiently to enable him to be an instrument capable of testing his own aura. However, it is highly probable some residual effects of X-rays will remain and will require negating at a later date, by the method outlined in *Born to be Magnetic*, Volume i, pages 58 to 61.

Exploring The Energies Within Your Aura. Part 3

Instruments For Recording

It is very tragic that anyone needs instruments other than his senses to record. I need no recording wires to determine my correct channel nor do I need wires to determine when my field is unstable or when it is in correct orientation.

While teaching a group in England recently, a young girl of twenty-three asked, "How do I find my channel?"

I questioned her, "What X-rays have you had?"

"None," was the refreshing reply.

"Vicki, determine it through the pull in your hands," I responded while demonstrating how this was done. Vicki standing on the soil of England, with her head level and eyes shut, gradually turned and faced towards Detroit, Michigan. At this point her atoms aligned and tilted their nuclei towards her Vivaxis in Detroit. Her whole body spontaneously tilted forward as she faced into her channel. When Vicki's back was aligned towards her Vivaxis the same strong magnetic pull then caused her whole body to tilt noticeably backwards. She was radiant with excitement as she commented, "I've often felt and sensed this pull and wondered what it was."

What a simple task the presentation of this knowledge would be if man had not devised so many schemes to disorganize the original atomic arrangement and vibration - the heritage of everyone. In our sophisticated civilization there are few indeed who have escaped the conflicting vibrations of X-rays, so we must start by assuming that nearly all will require recording wires; the specifications are detailed in the book *Born to be Magnetic*, Volume i, page 26. Refer also to page 208 in this book.

Most beginners find it difficult to hold two wires absolutely level and consequently work more efficiently with only one wire; therefore for all practical purposes one wire is sufficient, certainly to start with.

The thumbs play an important role in transferring the energy pattern into the atomic structure of the wire. Even a cut on the thumb can temporarily impair recording ability. Thumbs that are firm when pressed and whose flesh springs back immediately are generally good conductors of energy waves from the brain to the recording wire. In contrast, thumbs that are soft when pressed illustrate a lack of normal energy wave flow and are poor conductors: further, their condition is generally associated with circuit disruptions. The centre whorls of the thumbs have energy meridians linked directly to the various brain receptors. Through this linkage one has the ability to test the force field within one's aura.

There are various brain receptors strategically located in the four quadrants of the head. If the field is in correct orientation and all the brain receptors are functioning normally, the individual testing his force field should be able to

think of a direction and the receiving wire will swing instantly into that direction. Various degrees of X-ray interference are generally responsible for a sluggish wave response noted in many beginners' recording wires and they should not be discouraged if their wires do not move with the same alacrity as those whose circuits have been cleared. However, if the individual's force field is unbalanced his brain is also out of orientation and the wire will not swing into the direction of which he is thinking, but usually to one at right angles. Nature is now telling a story of energy imbalance and it is a wise man who heeds her message. It is merely foolish folly to attempt to force or tilt the wire, for no true story is told by either manoeuvre.

The results of current research indicate there is the possibility that a right-angle field is associated with either an excess of positive or negative ions; therefore, when our aura testing reveals an imbalance we must evaluate the cause.

Is the cause merely superficial through recent exposure to electronic equipment, fluorescent lights, TV, etc.? If this alone is the fundamental cause, then neutralizing will generally drain off the excess static.

Test again after an interval of five minutes to determine if one's field has reverted to right angles: if it has reverted suspect one or both of two causes:

- (1) A magnetic and electrical imbalance in one's immediate environment.
- (2) A similar imbalance in the environment of one's Vivaxis.

In either circumstance one should not attempt channeling for no benefit will result and there is the possibility of further aggravating the imbalances.

Method of testing the energy balance of one's force field

(1) Remove one's shoes, glasses, watch, jewellery and tight clothing. Roll up one's pant legs (or dress) if touching the floor, reason: If the energies ground through clothing they will not be recorded since they must ground through the feet. Similarly the grounding will be affected by one's clothing touching furniture, or even a tall blade of grass or other vegetation touching one's leg.

(2) Position oneself so that one's entire aura is free from the influence of other fields; for example, free from furniture, people, electrical equipment, lights directly over one's head and avoid close proximity to a TV set.

(3) Correct method of holding the recording wires. Turn to the illustrations in the middle section of Volume 1, page 96. Note how the thumb is centred over the copper sleeve of the recording wire and held well above the forefinger - both factors are critically essential for recording. Never press the thumb too hard against the sleeve of the recording instrument, a light contact is all that is necessary.

(4) Position of arms. In photo No. 3 note how the elbows are held slightly away from the body, reason: So the energies in the arms are not grounding against the body; full sleeves can present a problem in this regard.

(5) Position of head. The head must be held level for this test; experience will soon advise one of the correct level position.

(6) The ninety-degree recording wire must be held absolutely horizontal and vertical, reason: Waves within one's aura normally travel in horizontal and vertical planes and in order to record the wave vector, i.e. direction of energy wave flow, it is essential to hold the ninety degree angle wire so the horizontal arm is level and the other arm is vertical.

(7) Position of spine. The spine must be held erect in order for a person to record the energies within his aura.

(8) Position of feet. For this test the feet are required to be well apart, reason: there are two predominant energies normally grounding through one's feet.

(9) Direction faced while testing. One is required to stand facing a direction that is not directly aligned to one's channel either front, sideways or backwards, reason: if one is faced in one of these four directions the recording wire swings towards one's channel and will resist wave messages initiated by the brain.

(10) Position of free hand. With the elbow bent, hold the forearm and hand in a horizontal position, slightly in front of the chest but not touching the body. Keep the thumb and fingers extended and touching one another, with the palm of the hand face down. It is important that the fingers and arm do not ground against the body.

Exploring The Energies Within Your Aura. Part 4

(11) Vertical arm. The vertical arm of the recording wire must not be held directly above one's foot, reason: The foot has a strong field and appears to draw the energy from the recording wire down through it.

(12) Eyes. The eyes must be kept open for direction testing as light is apparently acting as a carrier wave. In contrast, one can have their eyes shut and still locate their Vivaxis channel.

For testing directions correctly refer to page 24. This exercise has a dual purpose:

- (1) It records when the field is in correct orientation or at right angles.
- (2) It often reveals when specific brain receptors are not coordinating and responding to one's central control. These are detected by the inability of specified brain receptors to direct the wire into the directions for which they are specifically responsible, for the energy meridians controlling these particular brain receptors are out of resonance. Visualize the energy meridians as shown on acupuncture charts and the student should have a clearer picture.

An **instructor** or assistant should indicate the different directions the participant is to concentrate on. A suggested sequence is drawn in Figure 1; it is designed to give a good cross section for testing the main areas of brain receptors and also to avoid magnetizing the wire to one's Vivaxis, (reference, Volume 1, page 138). The assistant should avoid running interference by keeping a good distance away from the participant and also refrain from being in the direct pathway on which the tester is concentrating. Remember electrical equipment will deflect, so avoid having the student concentrate on any electrical equipment.




FIGURE NO. I.

Suggested sequence for direction testing - involving various different areas of brain receptors. To be used with the recording wire held **first** in the right hand and then next in the left hand.

No. 1 represents a brain receptor in the centre of the forehead. When the head is held level the other points are all on the same horizontal plane. For example No. 9 and 10 are located slightly above the top of each ear. Refer to Born to be Magnetic, Volume 1, page 29.

"A" Diagram of wave vector readings of the skull when a person's head is level and aligned in a wave channel towards their "VIVAXIS."

"B" Wave vectors of skull when a person is not aligned.

A workable technique is for the instructor to use a pointer to indicate on the student's head, which area he wants tested and to suggest that the student think of energy flowing directly out from that area. In a class it is wise to test each pupil alone and avoid the interference of other people's fields.

After the horizontal arm of the recorder has picked up the correct direction, the student should be required to confirm his control by continuing to concentrate on the direction for about eight seconds and the horizontal recording arm should remain fixed in that direction for the eight second period. Reason for this manoeuvre is to test the accurate control of the student and to avoid the element of "hit and miss." If the student can carry out these exercises accurately with the right and then the left hand, he passes with flying colours.

Question. If the horizontal arm consistently points at right angles to the direction concentrated upon by the student, should the pupil be passed?

Answer. Definitely "yes"; for the student is apparently recording a "static state" which is one of the purposes of the test. This advises him that his field is unstable. It cannot be utilized for channeling until he determines the field is stable and in correct orientation, when checked with both his right and left hands.

Question. Should a person be passed if he can get most directions correctly, but when concentrating on one or more specific directions the wire becomes dead, with no response whatsoever?

Answer: Not at this time, for it indicates an energy blockage in a circuit involving a brain receptor. The reason for the blockage should be explored and corrected before learning to utilize channeling. The reasons for the blockage generally fall into two main categories:

- (1) Disturbed brain receptors that are not receiving wave messages.
- (2) Foreign induced fields that have altered the wavelength of specific brain receptors.

X-rays are not the culprit in these instances for as a rule X-rays do not alter the wavelengths of brain receptors, but our observations indicate that hypnotism, strong magnets, and certain wave machines often do change their wavelengths. We are not in a position to question the expediency of these treatments but we observe the inability of many so treated to differentiate between their correct channel and the induced foreign fields. Nevertheless, people in this category can gainfully utilize the knowledge of testing for a static state and are able to neutralize when indicated; but they are not considered suitable material for research in channeling, unless through their own initiative they have erased the foreign fields. A trial and error method is suggested for erasing the induced field of hypnotism on page 39.

Imbalance Of Energies In Brain Receptors

Generally, the imbalance of energies is comparatively easy to correct and in many instances, it is only a temporary condition. It is often found in a brain receptor connected to the communication centre, possibly due to temporary worry and frustration.

The following are a few illustrations noted in recent introductory classes. One student, a young man in his mid-twenties, was successfully testing his aura with the wire responding well to all the designated directions except one; No. 12 on the diagram, a direction near the left temple dependent upon a brain receptor located in that area. As his instructor, I requested he move and while facing another direction try again. During each succeeding test he illustrated the inability of that particular brain receptor to respond to a wave message. He was requested to face into other directions while testing, to eliminate the possibility that the lack of response in the original test was caused by outside influences. Due to the location of the blockage I suggested it was probably a brain receptor in his communication circuit; the malfunction possibly a result of excessive worry and frustration.

The young man experimented on his own with the new sea salt and soda method for correcting disturbed receptors, as described on page 52. An hour later he tested again; this time his interest became keenly sparked for his recording wire now moved with animation as he concentrated on direction 12, Figure 1.

"What a difference!" he commented. "Before, no matter how hard I concentrated on that direction the wire felt dead and refused to move. Feeling and seeing is believing!" he concluded.

His former cynical attitude now melted into one of eager enthusiasm as he gained entry into the Research Society with intent to pursue his explorations in greater depth. Subsequently it was revealed that for some time he had been greatly disturbed over an impending divorce in his family. Similar stories are enacted over and over again during the introductory courses; only the actors and the areas of brain disturbance vary.

In another instance a woman recorded all directions correctly except one; the recording wire became lifeless when she concentrated on the direction of the left side of her head, towards the back (direction No. 6, Figure i). I placed my left hand in her aura, in the area indicated by her testing and exclaimed, "My hand got quite a shock!"

Her discouraged and weary reply was, "I've had a pain in that part of my head for thirty odd years." She no longer has an area of energy blockage; she no longer has to live with a nagging pain in her head.

The last illustrative example to be described is possibly the most illuminating of all. It involves a man in a profession that automatically breeds deep skepticism. Frankly, I tried to side-step the suggestion that he take an introductory course, fearing his attitude would be unreceptive, but after

meeting and talking with the man it became apparent that he was earnestly searching. "Man's adversity is often God's opportunity."

He had been advised to wind up his business affairs for he was afflicted by a type of motor neuron disease for which there is no known cure. Its progress was rapidly causing crippling paralysis. His right hand and arm were already showing alarming symptoms of impaired ability, in fact it was hard to hold the recording wire in that hand. With difficulty he managed to aura test and through his own aura testing he revealed areas of blockage on the right side of the head. Again the blockage was revealed through the brain receptors, by observing their inability in that area to direct the horizontal arm of his recording instrument into the designated directions.

Directly after he had reinstated meridians on the right side he noticed a decided improvement in the control and strength of his right arm and hand. Now through his own aura testing he was able to record the energy wave flow from that area. The ability to clear his circuit made him a candidate to join the Society and research further.

Testing the wave vectors to his Vivaxis in the insulation belts surrounding his aura, was of great interest to him. Due to the weakness in his right arm he used his left only.

Method

Standing out of his four channeling directions, he concentrated on a direction unrelated to his channel. As he moved his recording instrument slowly away from his body, the horizontal arm remained fixed, pointing towards the direction on which he concentrated. When the vertical arm of his instrument reached his first Vivaxis insulating belt, the horizontal arm swung sharply towards his Vivaxis and away from the direction he was concentrating on. He turned, faced into the direction indicated by the wire and tested again, keeping his head level, feet apart and eyes straight in front. In contrast, he could now record only one wave vector within the entire framework of his aura; a wave vector directly towards his Vivaxis. He was instructed to make the test brief and avoid staying thus aligned more than approximately eight seconds; after that period to tilt his head and move out of his channel.

This man, whose Vivaxis energy meridians were suffering serious imbalance, had learned within a few days of aura testing to:

- (1) Recognize a steady field from a right-angled field.
- (2) Determine an area of blockage.
- (3) Realign the whole meridian responsible for each disturbed area.
- (4) Observe the difference when the blockage was corrected.
- (5) Record the Vivaxis energy belt surrounding his aura and use it to find the direction of his Vivaxis.
- (6) Accurately determine when he was aligned to his Vivaxis through his aura testing.

In essence this man had used his own initiative to become completely self-sufficient in balancing his own energy circuits and reinforcing his gains when indicated.

Imbalance Of Energies In Brain Receptors. Continued

Results

The first results of a balanced energy field were reflected in the gentleman's nervous system. His wife recalled, that as far back as she could remember, he had been an extremely restless and nervous sleeper. She marvelled that overnight he had become transformed into a sound and peaceful sleeper. Other results were reflected by his improved control; within a day or so he was holding a coffee cup in his right hand, a feat he had been unable to do for some time. At last report he was planning a hunting trip. Being an animal lover I stop applauding at this point and conclude by mentioning that I heard his doctors were very amazed at his unexpected improvement.

Amazed, probably in the same manner as I recently observed the dumbfounded reaction of a group of medical doctors at an acupuncture demonstration. "It can't be!" yet they watched it happen with their own eyes while shaking their heads in sheer disbelief. These men of medicine were having their eyes and minds opened. Opened enough to realize there are energies controlling the body that cannot be explained by chemistry alone. Acupuncture treatment may not be the ultimate answer but at least it is bringing awareness.

The energy meridians used in acupuncture correspond in position to Vivaxis points and all have a wave vector to one's Vivaxis. At the time of writing, December 1972, this fact of acupuncture is not generally known but I am confident the information will soon be presented to the scientific world. For the world in its current search for unexplained phenomena is rapidly "homing in" on the part Vivaxis plays. Vivaxis is now being recorded and its energies used by many thousands in all professions. We are also confirming with electronic instruments many of the same influences that are recorded by Vivaxis students testing within the framework of their aura. Zone therapy, acupuncture, the ability of birds to migrate back to their Vivaxis, are the same energies and all linked to their respective Vivaxes; only the methods of application are different.

When is the Vivaxis created? "Shortly prior to birth," is the terminology I have used throughout my writings, for one's Vivaxis is most commonly found in the house where one's mother lived during pregnancy. I recall only one case where the Vivaxis was traced to the hospital. This man's mother lived on a small isolated island and as a consequence moved to a distant hospital on Vancouver Island, weeks before the actual birth. There are indications that the Vivaxis is created as a result of some sudden energy reversal prior to actual birth.

Questions And Answers

Question: Are there circumstances that occasionally change the normally rigid requirements for recording directions?

Answer: Yes, there are periodic influences of short duration that make the requirements more elastic. For example, one can test with the head level or tilted, spine erect or slumped, feet separated or placed together. The short-lived influences causing these phenomena are currently under study and facts are being revealed which should prove of special interest to students of astrology.

Question: Does a major earthquake always create a right angled field?

Answer: There are isolated conditions when the field's energies are extremely strong and appear to offset the adverse static effects normally associated with earthquakes. There was a classic example at the time of writing, December 23, 1972. An earthquake, of about seven magnitude on the Richter scale, practically demolished the city of Managua, yet my own field and those of others remained strong and correctly orientated.

On this date and coinciding with the strong field was a period of extremely high tides, as well as a near full moon. We also speculate on the thought that the vibrations of love and goodwill among men at this particular time, two days before Christmas, might add extra strength and continuity to the energy field; we choose to think so.

Question: Can one accurately test directions when standing over ground influenced by a Vivaxis or some other foreign field?

Answer: No. This could be the reason for a student having difficulty in testing his field. The instructor should explore this possibility by having the student move to another site, neutralize, wait one minute, and retest.

Question: Can a plane in the vicinity of the testing deflect the direction of the angle wire?

Answer: Yes, temporarily; jet aircraft will especially influence the angle wire.

Question: If the horizontal and vertical arms do not form an accurate ninety-degree angle, will the ability to test directions be affected?

Answer: Yes, this is a common cause for lack of response by the instrument. One can check the arms by laying them along the rectangular sides of a book, table, or carpenter's square.

Question: If the student's angle wire remains fixed in one direction, what are the first two possibilities an instructor should check?

Answer: (1) Is the student holding the vertical arm of his recording instrument in his Vivaxis insulation belt? (2) Is the student aligned to his Vivaxis in any of the four channeling positions?

Question: Is one's aura sometimes too large to record the insulating belt, with the recording instrument held out at arm's length?

Answer: Yes, there have been instances when I have had to deliberately shrink my aura in order to demonstrate the Vivaxis belt. Shrinking it temporarily by introducing a small degree of energy disorder into my circuit. Standing under an electric light for a short interval is one effective method.

Question: After a meridian's energy circuit has been reinstated and balanced, will it remain corrected?

Answer: It may be necessary to reinstate the circuit from time to time as indicated through one's testing. It will depend mainly upon two factors:

- (a) The extent of the damage to the areas dependent on the circuit, for scar tissue is a poor conductor of these energies.
- (b) The length of time the field remains strong and stable after the meridian has been reinstated. A time element is involved, since it requires a steady stable field for a sufficient period of time to effect repairs. A weak circuit is far more vulnerable to disruption through a static condition, than a normal circuit.

Question: Can a right angled galvanized wire, or welding rod, be used without the copper sleeve?

Answer: Yes, originally this was all that was used for testing. A plain wire is more reliable than using a narrow copper sleeve whose small diameter interferes with the angle wire's movement. Experience has shown that in some cases this is the reason for a student not being able to record a wave response.

Question: What are the main lessons learned through directional testing within one's aura?

Answer: (a) to determine a stable field from a static one.

- (b) To become familiar with the correct level position of one's head; a necessary requirement for those who will eventually utilize channeling effectively.
- (c) To determine the meridians controlling specific brain receptors that are out of resonance and learn how to correct them. The results of the corrections can be widespread. To list only a few: improve the ability of the brain to record and memorize, improve the power of concentration, improve the eyesight, overcome nervous tensions and insomnia.
- (d) Learning to evaluate the influences that will adversely affect one's force field.

Any prudent person, with the ability to test his force field, should take a dim view of a gadget or treatment that impairs either his ability to test, or changes the organized design within his force field. There are many of these products on the market. Perhaps the well-meaning manufacturer, who heralds his product as a "scientifically proven cure all," sincerely believes it to be so. But is he aware of the possible accumulative side effects to the person's own individual vibrations? Through your testing, you are better qualified to judge the reaction of your own force field than anyone; its reaction to a magnetic sleep pillow, polarity pillow or other products too numerous to mention. Test by holding your hand briefly over such products and then immediately test your own force field. The before and after reactions should help you gauge its advisability.

We are in an era when great numbers of people are going through a learning stage and in the process many are learning what not to do, rather than learning how to preserve and correct the energy design that nature has given us through a specific Vivaxis.

In Conclusion

The successful students are those who stick strictly to fortifying and balancing their own Vivaxis energies; not those who are continually experimenting with devious methods to introduce other vibrations into their circuits.

I quote from a letter just received, "I can't help but wonder how many of the original members write to say, 'Thank you for persevering and pursuing the greatest discovery of any era about man himself and his relationship to the "All".' In spite of, or maybe even because of slight detours, via reflexology and radionics, I think you will find we come back to Vivaxis like a homing pigeon."

4. Vivaxis

The word Vivaxis was coined from the Latin, viva meaning life, and axis meaning a central line about which a rotating body turns. At a Vivaxis a person's life forces rotate about a central point.

My eleven years of observation and research commenced in 1962. In that year I first discovered that all life is linked by wave to a sphere of revolving energies, created just prior to birth. Further, the sphere of energy, that we later called a Vivaxis, remained fixed in its position relative to the earth at the point where it was created. A sphere is formed in which all its forces appear to move relative to one another and relative to the centre core. The forces in this centre core are literally magnetized to that particular geographic point on earth.

Question - What are these forces?

Answer - A good question and one that I wish we could answer with complete confidence; but through observation we are at least coming gradually closer to the explanation of the forces involved. We know they have some characteristics similar to electromagnetism, but physicists insist they are not actually electromagnetic. We know for sure that they have a component of magnetism for a magnet is always linked to a Vivaxis. I think we can speculate that gravity is an important component, as well as ambient terrestrial and celestial forces.

One is naturally inclined to speculate in the realm of known forces but in the field of magnetism and gravitation very little is known. At the risk of being a target and inviting a barrage of controversy I hazard a guess that magnetic and gravitational forces are among the primary forces in a Vivaxis. Further, I suggest that a vertical component of magnetism is largely responsible for identity with the geographical point of the Vivaxis and the horizontal field involves the same gravitational forces that move the tides of the sea; forces that are compatible to all and with an affinity for [sea salt](#). It is quite obvious we have a lot more to learn about the energies in a Vivaxis and in Dr. Tiller's words, "Today's observations point the way to tomorrow's physics."

Question - What creates this sphere of energy streams, this Vivaxis?

Answer - Each creation of a Vivaxis is associated with a sudden fusion of energies.

Question - What causes the energy fusion?

Answer - This question has many answers, some are known but others are probabilities. Therefore, I will first discuss the known causes of energy fusion.

A. Creating permanent magnetism in a steel bar by placing it in a coil of wire carrying an electric current. Not only does the magnetic field of the electric current induce magnetization within the atomic structure of the piece of steel, but also a Vivaxis is created as forces merge into a common centre. The diameter of the newly created Vivaxis is determined by the length of the steel

bar. The new magnet and its Vivaxis vibrate in resonance to each other and also in resonance to the geomagnetic forces associated with the specific place and specific time of the Vivaxis creation. During the life of the magnet there is a flow of energy waves from the magnet to its Vivaxis which can be traced by wave vectors taken from the centre point of the magnet.

B. Creating magnetism in a bar of steel by stroking it with a permanent magnet. As the lines of force are cut the energies are drawn into a centre point to form a Vivaxis. Energies associated with the first magnet's Vivaxis are introduced into the atomic structure of the steel and the newly created magnet becomes linked to two different Vivaxes.

C. A Vivaxis Caused by a Lightning Strike. Where a bolt of lightning strikes the earth a very strong Vivaxis is created. The radius of the Vivaxis sphere is proportional to the length of the strike. For example, if a tree was struck by lightning and the energy travelled twenty-five feet down its side before grounding, the newly created Vivaxis would be a sphere with a radius of twenty-five feet and a centre core of approximately three feet radius. Refer to page 98.

D. Seeds. Seeds planted in a sprouting tray usually record a fixed wave vector to a Vivaxis about the second day of watering. Plants generally retain their alignment to their original Vivaxis even after they have been transplanted.

E. The Human Fetus. It is not known for sure when the Vivaxis is created, but statistics of Vivaxes' locations recorded by Research Society members indicate the event occurs about the time of the first labour pain. This speculation is based on the fact that many Vivaxes are located in the homes where the mothers resided prior to the actual births.

Question - How large is the human Vivaxis?

Answer - A sphere approximately the size of the fetus within the womb just prior to birth.

Question - Does a Vivaxis ever increase in size?

Answer - Observations indicate that if the entity's force field is increased by absorption of another energy in its environment, then the entity's Vivaxis will temporarily increase in size, proportional to the energy transferred. (Reference: page 102, "Lightning Vivaxis.")

Question - How long does a Vivaxis remain in its original position?

Answer - Barring shifts in the geomagnetic field the Vivaxis appears to retain its relative position long after the entity or person ceases to exist. How long we have no way of knowing, but it is safe to say that our Vivaxis is the most enduring thing about us and remains a very long time after we have departed.

Standing Directly In My Own Vivaxis

My Vivaxis is located in Vancouver, B.C., Canada, at an elevation of about twelve feet above high water mark. Fortunately it is located in an outdoor area that made testing on it possible.

Locating one's own Vivaxis is one of the easiest and most exciting experiences of our research work. I did it through the directional pull of my hands. Many others use angle wires, either one or two. Two wires cross and stay fixed each time one faces directly towards his Vivaxis. As one draws closer to it the force becomes stronger, erasing any element of doubt as one homes in from every direction. The force pointing towards the Vivaxis is so strong one fails to comprehend how man could have been so half smart by overlooking this biological fact for thousands of years.

It was Sunday, October 29, 1972, clear and sunny, the field was strong and constant; in all respects an excellent day for the experience of standing directly in my Vivaxis. I found that my Vivaxis is spherical and about ten inches in diameter, and it is some four and one half feet above the level of the ground. Its centre came to the height of my chest. When I stood in my Vivaxis the ninety degree angle wires crossed and pointed in towards me; they remained fixed even though I tried to uncross them with my brain. No matter in what direction I faced the wires crossed, excepting when I turned into either a north or south direction and then the wires parted.

I laid down the recording instrument from my left hand and moved to one side out of my Vivaxis. When my left hand was held over the centre top of my Vivaxis the recording wire in my right hand swung sharply in towards me and remained fixed. Even though I tried with my brain to change the direction in which the wire pointed it would not budge. The instrument in my right hand recorded an energy stream flowing in towards me until my left receiving hand reached above the level of my hypothalamus (located in the centre of the head). When my left hand was above this point the recording wire pulled away towards the direction of my concentration. This test was repeated many times and invariably with the same results.

When similar tests are carried out, on a Vivaxis that is not one's own, significantly different results are observed. For example, if you test with two ninety degree angle wires, while standing on another person's Vivaxis, the wires will cross but point away from you. They will remain crossed despite the fact you might try to separate them with your brain. They stay crossed as you face in various directions excepting when you turn to the north or south and then they pull strongly apart.

A test to record the energy stream flowing vertically from another person's Vivaxis would show a fixed wave vector towards that person only. The energy stream would flow either vertically up or down until it reaches the same elevation above sea level as that of the person and then it changes to a horizontal plane.

When testing a Vivaxis belonging to a deceased person or animal one is unable to detect a vertical energy stream leading off from either above or below the Vivaxis indicating it is no longer wave linked to an entity.

Light Wave Behaviour Is Changed In A Vivaxis

If you are in a Vivaxis, with your eyes open and facing either north or south, your wires will pull strongly apart. In contrast, if you are on neutral ground (i.e. not on a Vivaxis), with your eyes open, the wires will cross when you are facing either north or south depending upon the current wave vector of light (north or south wave vector, see glossary). The wires cross but not in a fixed pattern since they will move apart by command of the brain and therefore should not be confused with your Vivaxis channel.

When you put only your Vivaxis grounding leg in another person's Vivaxis, you disorientate your circuit if light at that time has a south wave vector. Needless to say you can place either leg singularly in your own Vivaxis and it is quite compatible regardless of the wave vector of light.

Other Observations When In My Vivaxis

When I stood in my Vivaxis, the ninety-degree recording wire held in my left hand rotated clockwise, as I held my right hand against my right leg. Conversely, with the angle wire in my right hand and my left on my left leg, the wire rotated in a counterclockwise direction.

I experimented by placing my head directly in my Vivaxis sphere with my eyes closed and stationary. Result: Immediately after testing, my husband and I went to a nearby hotel for breakfast. Looking in the washroom mirror I was startled by the youthful sparkle in my eyes and especially by the clarity of their whites. As we sat down to breakfast my husband remarked on my sparkling eyes. We were both rather fascinated and I could not resist the temptation to give my eyes another Vivaxis "treatment". Vanity precedes a fall! This time I made the error of keeping my eyes open and exercising, while centred in my Vivaxis. Result: About fifteen minutes later I asked my husband how my eyes looked. "Good gracious!" he exclaimed. "They are closing up, especially the right one." The mirror also confirmed that I had goofed by exercising and circulating my eyes when they were within the sphere of my Vivaxis. Possibly I moved them against the direction of the energy flow.

Emotional Disturbances Recorded At A Vivaxis

The following test has been enacted several times where the disturbed emotions of a small child are recorded; twice while visiting in Scotland and the last time while staying with my brother in San Francisco.

I had previously located the Vivaxis of my ten-month-old niece in the kitchen. Testing with my left receiving hand held in her Vivaxis I recorded a fixed wave vector with the angle wire in my right hand. The fixed wave vector homed into the room where the baby lay in her crib. Suddenly the recording wire started to vibrate and circulate in a disturbed pattern; within seconds my young niece gave vent to her emotional stress with loud wails. Yet another illustration to show that both energy and information are continually being relayed from the entity to its Vivaxis and vice versa.

I have been literally champing at the bit to tell my readers about the Vivaxis created by a lightning strike. It is tremendous and warrants a chapter to itself.

5. A Vivaxis Created By A Lightning Strike

The strike we located in December 1972 had actually been earmarked fifteen years ago by my husband, while he was running a survey line between two properties. The fir tree was still standing and down one side ran a telltale twenty-five foot long scar. The force of the lightning bolt had sheared off the tree's limbs on the north side; but Nature through the years had attempted to heal the huge wound with a thick protective coat of pitch. The fact that it was still alive and standing was very remarkable and also was in our favour. Consistent with what we had learned to expect, the strike had created a **Vivaxis**. A Vivaxis that had retained its own force field for a known fifteen years. Its flow of energies and influences were recorded with our instrumentation. The flow extends for a radius of approximately twenty-five feet in all directions from the lightning strike at the base of the tree. Since all the Vivaxes we have measured have proved to be spheres we assume this lightning strike Vivaxis is a sphere too, with a diameter of fifty feet and a centre at the ground level of the lightning scar. The centre core of the Vivaxis has a diameter of about seven feet, and can be compared to the eye of a hurricane for the forces appear quiet and the energies balanced. When testing in the core by holding two chains, the circulating motion stops and the chains quiver as though being held to that point by a force.




DIAGRAM 4. Vivaxis Created by a Lightning Strike.




DIAGRAM 5. Vivaxis Created by a Lightning Strike - Viewed from Directly Overhead.

The energy fields surrounding the core appear to move relative to the centre and relative to each other. Our own force field is influenced by the opposing forces within this Vivaxis, so we have to assume what we record is the effect of the Vivaxis on our own force field. Two angle wires cross very strongly in a fixed pattern, that is released the moment one steps out of the fifty-foot diameter sphere. If one hand is held down towards the ground the ninety-degree recording wire in the other hand spins continuously while in the outer energy field of the Vivaxis, possibly indicating that the nuclei of the atomic particles are tilted toward the centre core. Within the inner sphere the motion is no longer recorded with a ninety-degree angle wire but only with the horizontal arm bent to an angle above or below the horizontal. One pictures vertically and horizontally orientated energies in the core. Refer to diagrams 4 and 5.

At this point I remind those who wish to do similar experiments that they must respect several requisites in their testing for the results to have meaning. It is necessary to clear and level each testing site, for any twig or vegetation touching your clothing, grounds the energy and prevents you recording it. The energies have to ground through both feet in order for you to record reliably and further your feet have to be separated and placed on level ground. I groan to think what it would be like to have such a Vivaxis located in your home. One would expect it to have a devastating effect on your own circuit and nervous system. We make our exposure to other Vivaxes brief, and even then it has a disorientating effect if adequate steps are not taken to completely erase the effects. It is a fascinating experience though for all those who have tested this lightning created Vivaxis. The energies are very definite and strong as one moves in and out of the fifty-foot sphere. It makes a profound impression and provides a great deal of food for thought. If the tree was removed the Vivaxis would still remain as a strong energy sphere. The thought again occurs to one, supposing there was a house built on such a site. It would be interesting to know what effect such a strong energy field would have on those residing in the environment, especially to a child who might have his Vivaxis incorporated into it. Such phenomena could account for some of the super magnetic powers that some people are endowed with. The following experiment is a good example of the strength of the forces involved. This experiment parallels the leaf and calcium energy exchange, narrated in Volume 1, pages 67 to 70. The same technique and procedures were followed in this experiment with the exception that the calcium tablet had a Vivaxis created outside our house. This magnetically aligned tablet was taken three and one-half miles from its Vivaxis and placed in the centre core of the lightning Vivaxis. An arbutus leaf was next placed centred on the tablet's Vivaxis and left for a period of five minutes. Subsequent tests showed that the leaf had acquired a strong atomic alignment to the energies of the lightning Vivaxis. The calcium's Vivaxis was originally very small, only the size of the tablet itself. After the tablet was placed within the core of the lightning strike the force field surrounding the tablet's own Vivaxis increased in diameter to approximately seven feet, the same size as the core of the lightning Vivaxis. It was as though a duplicate of the force field was transferred the three and one-half miles distance. Refer to diagram 6. However, there is a subtle difference and a knowledgeable wave transmitter would recognize it as a visiting wave field, for the wave vibrations have telltale wave vectors back to their place of origin. Further, the vibrations are not magnetized to the geophysical area they are visiting; a visit made possible only by their linkage with the calcium tablet's Vivaxis. Remove the calcium tablet from the lightning Vivaxis - presto, the wave field disappears! The link has been broken. Before the days of T.V. and radio such a phenomenon would seem incomprehensible. Men of today should be able to orientate their thinking and recognize this as normal wave behaviour, consistent with natural laws.

Subsequent tests were done when my husband remained at the lightning strike while records were taken simultaneously at the tablet's Vivaxis. Two significant facts were noted. (1) Information of his presence in the core of the Vivaxis, prior to moving the tablet, was transferred and corresponded with the

movements of my husband. (2) The split second that my husband removed the tablet from the core, the seven-foot force field, located three and one-half miles away, dissipated. When the tablet was replaced it was instantly recorded again - very definitely and very strongly. It is impossible to do justice in the mere telling of such reactions to this natural force. One really has to experience it to realize the full ramifications. It is absolutely awe inspiring and one wants to share the experience and shout it from the rooftops - it's beautiful, it's tremendous, it's so real, so factual.

It is the prerogative of all those whose circuits have been adequately cleared to record these influences. My husband confirmed my findings and shared my experiences on the lightning Vivaxis. Later we invited Nice Jep-son to share in the experience. Nice is an **instructor**, whose picture appears in Volume 1. It would be hard to overestimate the profound reaction it made on her. One observation that she brought to my attention was when facing north and south in the centre line of the lightning Vivaxis, the chain held in one hand felt heavy, while the chain held in the other felt much lighter. I noticed this phenomenon too.




DIAGRAM 6. Looking Down on the Calcium Tablet Vivaxis.

If scientists require proof they have all they want by observing the effects on the molecular structure of the leaf. It has a wave vector directly to the lightning strike. Its force field surrounding it at all times is approximately seven feet with no recognizable attachment to the Vivaxis of the tablet. The tablet can be removed or even destroyed and the tablet's own Vivaxis shrinks to a fraction of an inch, but the leaf retains a strong seven-foot diameter force field surrounding it. Texture of the Leaf - This leaf had an alignment introduced into its atomic structure March 2, 1972. Its colour is still a dark green and its

texture is elastic and ever flexible. The cells have strong powers of cohesion which hold together as one flexes and bends the leaf. A leaf from the same tree picked on the same day has already lost most of its colour and is brittle and breaks when flexed.

This leaf has been aligned to a much stronger energy than any similarly treated leaves, but experience has shown us that these leaves retain their flexibility for as long as ten years; providing they are stored away from direct light. These leaves have a mummified appearance.

Over eight hundred fellow members of the Northwest Magnetism Research Society have explored my findings and have discovered biological forces that advise them when they are aligned towards their Vivaxes. Wires in all instances were originally used but those whose circuits are adequately cleared from entropy (energy disorder), should not require wires. These people should be advised by their recognition of the patterns of energy flow through their hands. The same forces that guide the birds, the animals, that move the tides. The same forces are inherent in us all and to feel their influences and learn their meaning is science in its purest form.


As mentioned in a previous paragraph with our method of instrumentation and recording we always notice that the wave behaviour of light is changed within the spheres-of Vivaxes; this was true also of this lightning Vivaxis.

6. A Vivaxis Created By Sea Salt And Baking Soda

The fact that a strong Vivaxis can be created by strategically placing sea salt and baking soda as shown in diagram number 7 has in itself many ramifications. The question invariably arises, does one go by magnetic or true bearings? There are continual variations and fluctuations affecting light which is the carrier wave and it would be impossible to pin them down to either one or the other. It would suggest that both magnetic and centrifugal forces are among the influences affecting the direction of flow; therefore, when reference is made to north or south wave vector it should be regarded as a northerly or southerly direction that will have slight variations from time to time. The placing of the four jars of sea salt and baking soda can be approximate to the cardinal directions although it is important to have them placed in their correct relative positions to each other. The diagram shows the correct positions when there is a south wave vector and the energy is travelling towards the ground. Subsequent chapters will discuss methods of determining this phenomenon.

During tests the leaf was positioned several hundred feet from its Vivaxis. During one test the Vivaxis was annihilated by reversing the position of the east and west jars of elements. The leaf now tested had lost all alignment and former energy field. In a matter of weeks it crumbled in the same manner that untreated leaves do.

DIAGRAM 7. Looking Down on a Vivaxis Being Created North.



The outer sphere extends completely around the Vivaxis out to an eight-foot diameter. Space does not allow this to be shown to scale.

All leaves that are aligned have energy fields that have an adverse effect on one's force field; consequently they are stored away from the influences of each other and of course away from fields of all those who could be affected. They are also stored away from direct light or heat in order to preserve their energy field.

7. Auras As Seen Through The Eyes And Senses Of Others

Albert Mevi, a Northwest Magnetism Research Society member from the New York area, writes as follows:

February 4th, 1973.

Since you are involved in the observation and recording of the human aura I take the liberty of noting down a few tips which have come out of my own preoccupation with this phenomenon.

- (1) The best way to make it visible to practically everybody is against an opaque X-ray viewer screen which is inside a dimly lit room.
- (2) Use either dark blue (cobalt) sun glasses, one pair or two superimposed, or better yet have a black light projector about 10" long and throw its light on your hand or limb, held against the above screen (1). With or without blue glasses the aura stands out very clearly all three layers.
- (3) Try to compare your aura before and after channeling. You will be surprised by the difference.
- (4) An acupuncture needle inserted in point 7 of the heart meridian, just a little above the outside wrist knuckle of the left hand, for about 10-15 minutes, has the same effect of increased aura vibration.

I recently wrote to Carol Learos of the "Human Dimensions Institute" at Rosary Hill College, Buffalo, New York. In my letter I expressed interest in her work with "the blind seeing auras." The following is her reply dated April 2, 1973:

Let me give you some sketchy, brief background. My work as a psychic-sensitive began 6 years ago, and has been carried on through the Human Dimensions Institute. For the past 3 1/2 years I have been teaching classes at the institute and have used a very simple technique in the classes to help people both see and feel the aura. Within a very short time I have discovered people can pick out the "trouble spots" (present physical problems, simple headaches, thyroid conditions, back problems, scars from operations, arthritis, etc., etc.). Once they are able to see the beginning glow or haze of the aura (some do see colors immediately, most people do not), then I have a member of the group with a physical problem stand in front of our white screen and tell people to look and see the aura and then look for where the aura "looks different" (it may appear as a dark patch, grey patch, break in the aura, or somehow "different"). People in classes can usually do this in a very short session.

Using a variation on the technique in our pilot study with the blind, we quickly discovered that they were extremely sensitive to "feeling" the aura with the hand held about 5-6" from the body, starting at the top of the head and working down over each part of the body, down each arm, down each leg, onto the toes, and then going across the back the same way. When they arrived at a "trouble spot," they verbalize it as feeling "magnetic" or as too

much "energy" flowing out. . . and they were accurate! . . . The blind people report seeing the aura out of the centre of their forehead. Although one of the men reports a "side of the head" vision both for auras and objects, etc., which he can only do when his eyes are closed.

It is well recognized by knowledgeable and intelligent people of this generation, that our surrounding force field is a very vital part of us. It can be both seen and its energy felt. However, in one's headlong plunge into this field one should never lose proper perspective; remembering at all times that we link circuits when we test another person's aura or receptors. Due to this linkage, a disturbed energy meridian within the tester records a disturbance as he tests another person's aura, even though the disturbance originates with the one testing and not with the other person. Refer to Born to be Magnetic, Volume 1, page 162.

During one of my seminars a pupil, a doctor by profession, demonstrated how she tested areas of disturbance in her patients, without the use of wires. When detecting an energy leakage with her hand, it gyrated wildly. The doctor had extremely sensitive hands and was able to record areas of genuine disturbance in her patients as well as energy disturbance of her own. As a result of a car accident she had received injuries to several of her toes and consequently walked with a pronounced limp. I asked her permission to let me test the receptors located on her head that were associated with the toe meridians. As one would expect, their leaking energy circuit caused my recording wire to rotate vigorously. Next the doctor was requested to test the same areas on several pupils in the seminar. As she did so, she made this observation, "This is an area that I always find disturbed receptors on my patients." When I explained that she was in reality recording her own disturbances in that particular area, she was appalled. She tested a third person in the same area, but now as her hand spontaneously described wild gyrations, she laughed, "There are my toes on Brian's head." We all laughed with her, as she good naturedly realized the folly of some of her testing of other people's receptors. Our present motto is "Do not attempt to test other people's receptors, for our updated techniques enable nearly everyone to reinstate their own meridians without the necessity of testing receptors."

8. Sea Salt

The deeper I probe into the mystery of life's forces or energies, the more apparent it becomes that sea salt plays a prominent role. "Our blood, our bones, and even our tears indicate that we are descended from animals that once lived in the sea. Our bones are made of lime, a reminder of the days when our ancestors swam in a sea rich in calcium. The salt content of our bodies is as high as that of the early oceans."¹

"Biologists and chemists have long been fascinated by the way evolution has selected certain elements as the building blocks of living organisms and has ignored others. The composition of the earth and its atmosphere obviously sets a limit on what elements are available . . . Eleven (elements) account for more than 99.9 per cent of the atoms in the human body. Not surprisingly nine of the eleven are also the nine most abundant elements in sea water. ... It seems likely that the distribution of ions in the plasma of higher animals reflects the oceanic origin of their evolutionary antecedents."²

It is difficult to buy real sea salt with all the natural minerals of the ocean left in. We have the advantage of living on a small island and we obtain our own sea salt by evaporation of the salt water in the sun. Thus the minerals are all retained and the sun has a purifying action. The flavour of the salt is superb.

Common table salt, bought in cartons, has been supplemented with additives to facilitate pouring and is strongly rejected by my method of food testing, described in Volume i, page 171. Further it is completely ineffectual to use as a sea salt substitute, for the various experiments detailed in this volume. Sea salt bought at health stores can vary but in my experience has proved successful.

"The Truth About Salt," by Frank Wertz, which appeared in Let's Live magazine, June 1972, contains very pertinent information.

Many people do not know what to believe about salt. They hear all sorts of conflicting statements such as: "All salt is dangerous; salt causes many physical ailments," or "Some salt is healthful; everyone should eat salt." The result is such a muddle that the average person does not know what to believe, or worse yet, what to do about it. As a salt researcher for many years, I believe I can clear up this confusion so that you can make an intelligent decision about whether or not to use salt, and if so, which salt to use.

Here are the questions most people ask:

Is Salt Dangerous?

Some doctors state that the use of salt causes many physical disturbances. These disturbances include hypertension (high blood pressure), edema (storage of fluid in the body), kidney disturbance and many other ailments. Fluid retention in the body can, in turn, cause heart problems, over-weight, even one type of deafness. Because of this, doctors, when they are faced with these abnormalities, usually prescribe a salt-free diet. These anti-salt doctors are sincere in their belief that salt (particularly too much of it) can cause such

ailments and many laboratory studies confirm their beliefs. But this is not the whole story, as you will soon see.

Nutritionists and biochemists take an opposite view. They believe that salt is essential for all red-blooded animals (and humans) and is needed for health and vigor. Some investigators have noted that when people are long deprived of salt, they gradually become weaker, perhaps ill, and often age prematurely.

This pro-salt group is quick to point out that the body needs salt in order to manufacture hydrochloric acid for normal digestion.

Also, as proof of the good effects of salt, one nutritional physician, instead of restricting his heart patients from using salt, recommends that they sip a solution of salt and water when they experience disturbing heart symptoms. Another researcher found that whereas high blood pressure was supposed to result from the use of salt, that instead, salt actually lowered high blood pressure.

Who is right - the anti-salt people or the pro-salt people? The answer is that both are right; that it is not salt itself which is the determining factor, but the type of salt which is used. There is a vast difference between salt although it may or may not look alike, but certainly tastes alike. So it is not a question of should you eat salt, but rather, what kind of salt should you eat?

What Are The Different Kinds Of Salt?

Whole salt differs from partial salt. Whole salt contains many factors, many minerals, major and trace. Partial salt contains only a few minerals, in most cases actually only one: Sodium chloride. Whole salt contains sodium chloride, which is one factor, as well as all of the other minerals, some in small traces only (thus called trace minerals). The trace minerals are extremely valuable for health. One source of whole salt is sea water. Nearly all the salt produced in California is made from sea water, but this does not mean that this salt is a whole salt by the time it reaches the consumer. In order to make salt from sea water, ocean water is run into crystalizing ponds, where, as the water evaporates, the salt forms first on the surface of the water, then sinks to the bottom. Finally the residue of the water which contains the trace minerals is drained off, taking the minerals with it, and the salt which has settled at the bottom is dried. This dried salt is now not a whole salt, but a partial salt, containing only sodium chloride, which has precipitated out or away from the whole salt. This is sold to distributors, who sell it to the public as table salt.

Dr. Royal Lee stated in Let's Live as early as 1961: "When a sea salt dried up, the sodium chloride is the first to separate by crystallization. Rainfall aids in washing and draining away the other factors, leaving only sodium chloride. Sodium chloride is commonly used as a table salt. Man-made salt from sea water is usually similarly made by the same process, so it is erroneous to consider the resulting product as 'whole sea salt.' It is not."

It is this type of salt, or sodium chloride, which apparently produces the physical ailments which concern doctors. It makes honest men of them when they say "salt is bad for you." The laboratory tests which confirm these

ailments use sodium chloride, or a partial salt, not the whole salt which contains all of the minerals. Just because salt was originally taken from sea water, some firms even label their salt as "sea salt." It does indeed come from the sea, but is now only a partial, not a whole sea salt.

Whole sea salt is produced quite differently. Only a few small foreign firms allow the ocean water to sun-dry in such a manner that all the minerals are preserved in the salt. Instead of being washed away, leaving only sodium chloride, whole sea salt contains all the minerals found in the original sea water. And to show you how important whole sea water is, chemical analysis shows that it is a close equivalent to human blood. In fact, it has been used for blood transfusions when blood was unavailable, with excellent results. This whole sea salt is the type that is used by the physician to improve his heart patients, and by others to lower high blood pressure.³

Contamination of our seas should be regarded with the greatest concern.

"Resemble not the slimy snails, That with their filth, record their trails; Let it be said where you have been, You leave the face of Nature clean".

author unknown

In our location by the sea we are usually fortunate in being able to enjoy the pleasures afforded by clean and sparkling water. However, on various occasions we are confronted with a sea of slimy filth from a pulp mill eighteen miles away; an aftermath of cleaning equipment in their plant. With complete abandon they leave their slimy trail, of disgusting slimy, brown, insoluble guck. Guck that floats on the tide for undetermined distances and takes weeks to disappear. This type of irresponsibility on the part of industry is being enacted throughout the world and if stronger measures are not taken to prevent it, man will destroy the very source of life from whence his life forces spring.

"Sea water that our life forces are dependent upon" - a broad statement that is not mere metaphoric phraseology but one that can be well illustrated.

In the next chapter I (It's As Plain As The Nose On Your Face) will present facts of my recent findings, with the sincere hope that many readers will do their own exploring and gain a reverence for the sea with its life-giving forces. Forces that are responsible for our etheric energies, including Vivaxis energies and harmonious "arealoha" energies.

What are "arealoha" energies? In the next chapter the reader will be introduced to these harmonious energies and his life could become a great deal richer by understanding and utilizing them.

1 Gregor, Arthur S., A Short History of the Universe, New York: The MacMillan Co., 1964.

2 Frieden, Earl, The Chemical Elements of Life, Scientific American, July 1972, page 52.

3 Wertz, Frank, The Truth About Salt, Lets Live, June 1972, page 50.

9. The Discovery Of Arealoha Forces

One of the most puzzling phenomenon observed during my years of research, had myself and those around me baffled for the past six months. It resembled a tantalizing suspense mystery that originally appeared to be an assortment of completely unrelated observations, but eventually turned out to be different expressions of the same influences. A phenomenon caused by the wave behaviour of light in conjunction with the same gravitational forces that control the movements of tides. These discoveries, that were finally concluded during February 1973, are important milestones in my research findings. Important because they have a valuable application in correcting the balance of energies in our circuits. Further, they are forces that can be harmoniously incorporated into our circuits and by their compatible nature are able to combat most unstable conditions that formerly would have been hard to counteract. They are energies that actually stimulate as well as correct; this is particularly noticeable in the stimulation of the adrenal glands. The potentials of these discoveries are tremendous and are well within the reach of all those who are able to reliably evaluate and determine when light has a north or south wave vector; it is to these people that I take pleasure in presenting the following findings. What delights me particularly, is the fact that this phase of evaluating can be done with or without recording wires, or any other instrument (see page 163). Our own hands can respond accurately to the changes in wave motion and through them we can determine if the sea salt should be on the east or west side of the baking soda in order for the energies to be compatible. If my guess is right many of you at this point will be groaning, dumbfounded or confused. Take heart for that was the first reaction we all had during my original presentation of this phenomenon.

July 1972 Experiment


Materials - Two pint jars; one jar half filled with baking soda, the other jar half filled with sea salt. Cover both with lids. Place them on a table or counter that has been tested and found neutral.

Positioning Of Jars - Place the sea salt west of the jar of baking soda with an eight inch gap between the two jars. See diagram 8.

Comments - During the early stages of researching this particular phenomenon, in the summer of 1972, the compounds placed in the above relationship were predominantly the more compatible arrangement. Compatible to me, when I placed the centre of the palm of each hand for six seconds, over the energy stream travelling vertically upwards at the centre of the gap between the two jars. See diagram 8.


After correcting a static state many, many times, with this particular east and west arrangement, a sudden reversal was noticed; the energies now had an adverse effect on my circuit. The sea salt was now changed so that it was positioned on the east side of the baking soda jar. I tested again by absorbing the vertical energy stream into the centre of the palms of my hands. The energies that were introduced rectified my disrupted field so that once again I was able to aura test directions correctly.

A. DIAGRAM 8. Absorbing Arealoha Energy Waves in the Centre Palm of the Hand.



One force field is flowing down in an angled line from the west and another one from the south. These fluctuate and change under various influences, relative to time and place. At times only one of these fields is detectable, not both.

B. DIAGRAM 9. Absorbing Arealoha Energy Waves in the Centre Palm of the Hand.



One force field is flowing up in an angled line from the east and another from the north. Next, I reversed the two compounds to their original positions, with the sea salt on the west side of the baking soda, and again exposed each hand to the vertical energies. As a result of the experiment I once more became static. The vertical flow of the energies was evidently reversed because tests revealed that when the energies flowing up were not

compatible, then the energies flowing down were compatible, and vice versa. (See diagram 9.)

Another interesting observation was that the compatible energies felt with the fingers had a soft cool texture while the incompatible had an unpleasant sticky texture. The two physicists, with whom I consulted, noted the same facts but could offer no explanation. One of the two was sensitive to energies and he could see auras, locate his channel, and test receptors. After exposing his hands to the wrong combination, he described a sensation almost of nausea and a feeling of energy draining from the top half of his head. A reaction to the exposure of the wrong east/west arrangement is not usually noticed as severely as this. Generally, the effect is nothing more than a feeling of static disruption, commonly associated with infrasonics and produced by earthquakes, etc. The character of the energies was discussed with the physicists, but they could not identify them from the characteristics of the conventional energies currently known to them. Ionization was ruled out for moisture was not present, since the receptacles in which they were contained were covered with lids.

For identification of these particular energies or forces I have been advised to coin a terminology. The word arealoha has been coined for the harmonious forces; non-aloha for the incompatible forces. The word is derived from the Hawaiian friendly greeting "aloha," with the word "are" put before it; arealoha, meaning "are friendly," harmonious forces.

A team of Society research members kept charts for a short period. The only observations that appear to have any significance were the recordings that a three-day period around the time of the full moon generally required the sea salt to be on the east and the baking soda on the west. I have since coordinated many of their recorded fluctuations with the changes in the ambient natural forces at the time of major and minor periods as scheduled by the solunar tables. Fluctuations occur far more often when the field is unstable and there are storm conditions. My search led me eventually to explore the effects of light. Without light there was no energy exchange or any force field coming in between the containers of the two compounds. Further, I observed that when light had a north wave vector the sea salt had to be on the east and the baking soda on the west. When light had a south wave vector the positions of the chemicals had to be reversed. This revelation made it possible to predetermine how to place the containers in relation to each other; place them so that the compatible arealoha forces were in an energy stream flowing up.

The following chart serves as a guide to predetermine if the sea salt should be on the east or west of the baking soda.

	Sea Salt East and Baking Soda West	Baking Soda East and Sea Salt West
A	When light has a North or East wave vector.	When light has a South or West wave vector.
B	When one can tilt his head or slump while aura directional testing and get efficient responses.	One's head has to be level and spine erect to obtain responses while directional testing.
C	Testing with one hand held against a leg and the recording wire will not record a rigid wave vector.	Testing with one hand held against a leg, the recording wire will have a fixed wave vector towards one's Vivaxis .
D	Thyroid has a rigid North wave vector.	Thyroid has a rigid South wave vector.
E	Holding two recording wires, one in each hand. The arms of one subtending an angle of about 100 degrees and the arms of the other about 80 degrees. When testing within my aura and faced out of my channeling directions both wires have a spinning motion.	If the same testing procedure is followed as described in E and only the 80-degree wire spins while the 100 degree wire shows no action.
F	When one's recording finger detects an energy flow from a North direction flowing away from the ground at an acute angle.	When one's recording finger detects an energy flow from a South direction flowing down towards the ground at an acute angle.

All the tests were conducted in the vicinity of 49°00' North Latitude 123°40' West Longitude.

I have given six methods of predetermining the position of the jars of compounds. For all practical purposes B is the simplest method to use and one that can be utilized by anyone who is capable of directional testing. Further, it can be used by testing with one's hands alone without wires. A person can be instantly advised which position to place the sea salt in relation to the baking soda. I test immediately before exposing my hands to the arealoha energies and even though the field is sometimes fluctuating the wave motion in my hands has always advised me correctly. An error would show up in two ways: (1) The texture of the energies absorbed in the fingers would feel sticky and unpleasant. (2) Aura testing would be adversely affected for a period. If the correct arealoha forces are absorbed into the system one's aura expands and directional testing will have a strong wave motion in correct orientation.

At this stage of exploring my mind struggled to explain what was creating these arealoha forces and where did they originate? At first it was difficult to explain for both jars had screw lids and the compounds remained intact, thus eliminating chemical change and ionization. The fact the jars had to be placed east and west suggested the possibility that energies from north or south were being drawn in on a horizontal plane. Being attracted by the influence of the properties contained in the two basic compounds, with light acting as a carrier wave. These speculations proved to be fundamentally what was happening. Another significant observation: the energy stream being pulled into a centre point from either north or south was incompatible to our systems.

Incompatible until they had been processed according to their wave length and vibration. Processed through selection at the centre meeting junction between the jars of the two basic compounds. See diagrams 8 and g. The illustration of the acceptance of energies, with frequencies corresponding to those of elements in the sea salt and soda and the rejection of the other incompatible frequencies, was a great revelation. One immediately recognized the re-enactment of the same energy cycles taking place in our own bodies. At this point a quote from Edgar Cayce's records is appropriate:

"For remember, while we give many combinations (for treatments), there are only four elements in your body, water, salt, soda and iodine. These are the basic elements; they make all the rest! Each vitamin as a component part of an element is simply a combination of these other influences."

Each revelation is a stepping stone to the next - nature has given a strong clue that these forces are the same as those moving the tides of the seas pulling them back and forth with periods of slack water. Checking at half hour intervals a slow movement of energies travelling either north or south, in and out towards the centre point (see diagram 11) confirmed the rhythmic reenactment of these tidal forces complete with slack periods that corresponded with the local solunar tables. (Refer to glossary). The same wonderful rhythmic forces of the universe that control the flow of the tides also control and influence our movements. The rhythmic movements of the sea anemone, the oyster and even the humble barnacles, all moving in harmony with the flow of the same forces. Our common heritage of the sea gives us the power to absorb these same forces.

Logically this should give us two biological time clocks that are synchronized, and basically control our co-ordination. The movement of the forces at our Vivaxis and in our immediate environment will be governed by a set of two varying influences within the same space time. Analogous to the variation of the forces controlling tidal slack water and the solunar major and minor periods in different areas all within the same space-time. Does this also explain the different wave influences that govern left and right? It must be expected that these natural forces are influenced by geophysical time clocks controlled by:

- (a) the relative position of sun and earth as the latter turns on its axis;
- (b) the relative position of the earth and moon throughout the lunar day;

(c) the relative position of the stars as the earth turns on its axis.
The earth is part of the solar system; the solar system part of our galaxy; the galaxy part of our universe. All are governed by the same fundamental forces. Our earth is as one small grain of sand - how arrogant it is of man when he ignores these forces and tries to bend Nature's laws into new ways. We conclude with our theme song "Understand in order to preserve what nature has implanted to work so beautifully for us."

1 Edgar Gayce Records 2533-L-4, 10/31/42.

10. Recommended Method Of Absorbing Arealoha Energies

It is a most exciting revelation to discover that through the use of salt and baking soda the ambient forces in our environment can be drawn in and actually sorted according to their compatible or incompatible frequencies. We can regard arealoha energies as the compatible extracted energy concentrates and nonaloha energies as the discards.

In a previous chapter the properties of sea salt were discussed. Real sea salt with its full complement of natural minerals will of course gain the best results and it is well worth the time and effort to obtain the genuine product. When the compounds are used in two separate jars they do not take on a person's vibrations and therefore can be used repeatedly.

The next consideration is what volume to use? At the time of writing our experience is still limited and perhaps we will eventually find that quantities should be gauged by the size of the person. It is logical to suppose that a young child would require a smaller concentration of energies than a grown-up. For an average sized adult one cup of sea salt and one cup of baking soda has worked very effectively. The compounds are poured into separate pint-sized jars, with the sea salt in one and the baking soda in the other - they are not mixed together.

At this early stage of research I am still exploring how to utilize arealoha waves most effectively and the pitfalls to avoid. To date the six main circumstances to avoid are as follows:

- (1) Avoid absorbing nonaloha forces.
- (2) Avoid absorbing the unsorted ambient forces.
- (3) Do not hold the hand too far down between the compounds.
- (4) Avoid trying to absorb arealoha forces during major and minor periods.
- (5) Avoid using more than two jars of compounds at any one time, in any other combination than east and west.
- (6) Do not absorb arealoha energies in one hand only.

Methods Of Protection

- (1) Place the jars of compounds in the correct east and west positions relative to each other. See diagram 8.
- (2) Method of protection against the unsorted ambient forces. To guard against their absorption I have learned to recognize and respect the fact that the inside of my hands and fingers are the conductors; more especially the centre of each palm, the swirls and tip of each finger and thumb. The backs of my hands do not appear to readily absorb the energies. This is the reason for always holding the receiving hand parallel to the table surface, with the palm of the hand facing the table top and the fingers pointed in a southerly direction. During six months of observing I have found that invariably when

the force field is moving in, or away, on a line from the south, forces are simultaneously travelling down at varying angles. See diagram 11. Conversely, when the field is moving in, or away from the centre on a north line, the forces simultaneously travel up at varying angles. If a person wrongly placed his hand with his fingers over the north line of force he would immediately absorb the unprocessed energies flowing up from that line.

Therefore, by always placing the fingers so that they point south he avoids absorbing the unprocessed forces. Consequently, the lesson we learn is to place the hand with fingers always pointing towards the south direction. Our objective is to manoeuvre the hand and fingers so we get the most beneficial results from the arealoha waves without absorbing the unprocessed forces.

When the energies are flowing down they are from the south or the west, and during that time we do not have to be concerned about any ascending energies. It is only when the field is moving from the north or the east that the energies are flowing up at an angle.

(3) If the hand is held adequately above the jars it will avoid absorbing the descending nonaloha waves travelling away from the centre point between the jars.

(4) During the major and minor periods the energies are switching and changing direction too often to be reliably used.

(5) Four jars placed in correct relation to each other and to the direction of the flow of the forces at the time can create a Vivaxis. See diagram 7. This is not desirable and should be avoided. Two jars placed just east and west of each other do not create another Vivaxis and no lasting side effects have been recorded by absorbing nonaloha waves in the hands. The system soon discards them automatically and neutralizing discards them instantly.

(6) It is necessary to balance the energies on each side of one's body by absorbing it equally with the right and then the left hand, each in turn.

Directional testing in one's aura before and after exposure to the various forces is a simple and effective method of gauging whether the influences are favourable or not. If one's testing indicates an unfavourable reaction to one's surrounding force field (aura), he can immediately cancel the influences by neutralizing with the accordion method. A total of six times is generally all that is necessary.

Sampling and evaluating the various influences on one's own circuit is a healthy process of learning, providing of course one stays within the bounds of safety and common sense. I gained my experience gradually through a background of observation and study for a period of over eleven years. During that time I learned to understand and respect the energies and forces involved. Experimenting without sufficient background knowledge and ability to reliably evaluate is both foolhardy and irresponsible. The latter comment is added as a special caution with number five in mind. To use more than two jars of compound when absorbing energies would be foolhardy and irresponsible.

Arealoha energies when correctly absorbed have incredible natural powers of balancing plus the ability to blend harmoniously with one's own force field. Their ability to counteract incompatible frequencies including nonaloha forces makes them particularly valuable when used in conjunction with channeling. Arealoha energies are harmonious with the energies of the universe and the energies of life. After absorbing them like a soothing balm their magic flows through the body, balancing and fortifying one's energy meridians. Their ability to balance and fortify a circuit can be readily observed when a person is static, with their force field out of orientation; observed through directional testing before and after. It would be difficult to stress too strongly the undesirability of a static condition within one's circuit. As a reminder, the effects that accompany a static state are as follows:

- (1) Blurred vision.
- (2) Irritability.
- (3) Impaired ability to concentrate.
- (4) Imperfect co-ordination.
- (5) Adrenal meridians leaking energy and resulting in exhaustion.
- (6) Chronic aches and pains flare up, since weak energy meridians are the first to suffer.
- (7) The body's normal defences and antibodies are weakened.

There are numerous other effects that could be added to the list, but those mentioned should be sufficient to illustrate the desirability of fortifying one's energy circuit, so that it is strong enough to maintain a balance despite adverse conditions that are capable of creating a static state. Absorbing arealoha energies has proved to be the most effective and lasting method of clearing one's circuit, with neutralizing as a close second. Neutralizing has the ability to help erase foreign vibrations from one's circuit, but arealoha energies have additional capabilities. They possess the power to erase foreign influences, as well as the power to increase one's resistance, by fortifying and strengthening one's energy circuit. In an experiment during the past four months I deliberately absorbed them almost daily in order to observe their reactions to my circuit. My force field seldom became static even during periods when those around me reported their circuits were in a static state. The quantities that I used for this test were only one half the usual amount.

The above was only done to test my tolerance to these energies and not as a recommendation to use them daily. I now utilize them only when conditions warrant and always with favourable results. They are used successfully to correct receptors by the method described in the next chapter. This may be followed by channeling if circumstances call for a strong alignment, such as back, leg injury, etc., and also to combat a virus or bacteria. All the methods of correcting the balance of energies in our energy meridians, described in Volume 1 and 2, are valid but the introduction of arealoha energies has taken us a giant step further. A step towards understanding the forces that influence our immediate environment and how their rhythm can be synchronized with the energies at our Vivaxis.

11. A Good Conductor Of Arealoha Forces

Nature designs us to be natural conductors of life's forces. The only hope of preserving our ability of remaining efficient conductors is by recognizing the forces that are involved and their influences upon ourselves.

Exploring first what is a normal wave behaviour and evaluating the chemicals and other influences of civilization that might have a disrupting effect on a harmonious pattern. Remembering at all times that man can only operate in top efficiency when his etheric, or primary, energy circuit is in phase with the universal energies. Negative thoughts, toxic chemicals, X-rays and other influences that create wrong vibratory frequencies in one's system also retard the ability to absorb arealoha forces. The first step again is to clear one's circuit of the wrong vibrations. For arealoha forces will be more readily attracted to those whose energies are in correct resonance with nature's rhythm.

A miniature illustration is portrayed by using the medium of sea salt and soda, with its basically correct vibratory frequencies. Each element contained in the baking soda and sea salt has its own vibrating frequency; elements that correspond closely to those found in the blood and lymph glands. Like wave seeks and is attracted to like wave and it is not surprising that the combination of sea salt and soda has the ability to attract and select the correct forces. The same vibratory forces that are correct for us. Much can be learned by observing the teamwork of these two compounds and their ability to attract the energies, selecting those that are harmonious and rejecting those with incompatible frequencies.

In one test I wrapped a lump of white sugar in cellophane and added it to the sea salt. Results: No detectable signal was recorded and efforts to correct a static field with a flow of arealoha energies were ineffectual. It was a good example of how toxic chemicals present in the treated white sugar had impaired the power of conductivity in the basic compounds.

Foods with compatible vibrations when included with the sea salt did not reduce the conductive power of the compounds. They were foods that did not include additives and had not been treated with chemicals.

Such tests give one a great deal to think about. It is a very regrettable truth that many get their circuits so cluttered, they openly admit they can no longer think or concentrate. Generally, the same people claim that at one time they had good powers of concentration and this I can well believe. Also, they mourn the fact that they cannot retain what they read long enough to follow directions; they have become poor conductors. Consequently, we get a large number of people crying for help but in their confused state they are incapable of helping themselves. I dearly wish that this statement was exaggerated and we were talking of only a few isolated cases. Unfortunately, my experience and that of our instructors, tells us it is shocking but true and in most cases they are only victims of ignorance of natural laws. Because of their ignorance

they have become riddled with X-rays, treatments with wave machines, toxic chemicals and drugs. It is difficult to know where to begin; perhaps we should start by asking ourselves a few honest questions. Should we learn to preserve what we have? Or should we use diagnostic tools to destroy and conflict with the vibratory rate of our natural arealoha and Vivaxis forces? Should we use the knowledge of natural forces to correct and reinstate the reflexes of glands and organs so that they can produce their own enzymes, their own hormones, their own cortisone, their own insulin? The next question to ask yourself, "Am I prepared to earnestly study and put an effort into learning about the forces that control my physical being? Or will I pay someone else to treat me; to do my studying for me?" If your choice is the latter don't expect any lasting benefits from Vivaxis or arealoha forces. Only expect benefits if you are prepared to evaluate, understand and handle your own energies. Once you do this the reward will be rich and you will be able to appreciate and understand the meaning of friendly, harmonious arealoha forces. They are beautiful in their concepts and can be encouraged to work beautifully for you.

Arealoha forces can be utilized separately or in conjunction with channeling. Their discovery is new and as a consequence their potentials have not been fully explored. Only sufficiently, to realize that they have great therapeutic properties that are extremely harmonious to life.

Testing the powers of Arealoha forces to balance and increase one's force field

A member of our Research Society and a teacher by profession, confided that for some time she had felt exhausted and found concentrating extremely hard. In her words, "My head feels heavy and it is difficult to think. The only reason I am able to struggle through the class is that I am so familiar with the material, that was drilled into me years ago." She continued, "If I was given new material I doubt if I could absorb it." It was a familiar story and a condition that has often been corrected by erasing conflicting vibrations of X-rays particularly in the head, and then realignment through channeling. Several years earlier she erased X-ray interference while making a successful correction of a spine injury; she contributed her present predicament to a long period of severe mental strain. Her attempts at aura testing were completely ineffectual. The teacher's force field was so shrunk that she was unable to record any response. Neutralizing was tried but the wires remained lifeless.

It was agreed that she try to increase her depleted force field by absorbing a concentration of arealoha energies.

My experience had taught me that receptors and their meridians could be reinstated by utilizing a concentration of arealoha energies.

Routine In Summary

(1) Have sea salt and baking soda containers both placed in their correct east/west position.

(2) A blood supply is brought to all receptors of the head by holding it down for eight seconds. (Do not expose the head to the arealoha energies.)

- (3) Lift the head and immediately hold the centre of the right hand for six seconds over the arealoha energy stream (see diagram 8). Repeat with the left hand for six seconds.
- (4) Right hand, hold each finger in turn down into the energy stream, so that all the fingers and thumb have a chance to absorb the energies.
- (5) Repeat the same routine with the left hand. Balancing the energies by giving them the same exposure time with the right and then the left hand, is of the utmost importance.
- (6) Jog around the room for about a minute. This will stimulate the feet receptors and introduce the forces into them.
- (7) Next neutralize - breathing deeply while using the accordion method for six cycles. This exercise tends to distribute the energies besides imprinting one's specific energy pattern on the arealoha forces that have been absorbed. The above routine is designed to bring the arealoha energies to the receptors in the head, hands and feet, but only the hands are directly subjected to the stream of arealoha energies. Tests prove further that it does an excellent job of correcting and stimulating sluggish and disturbed receptors and their entire meridians.

The teacher followed this routine. Her force field was so depleted that she had to repeat the routine five times. Testing her aura after each session, she was able to see how the energies gradually gathered momentum. After the fifth session, her recording wire moved with a strong response. Her fingers that had been going numb periodically and were always cold, now were warm and vibrant, an illustration of the improved circulation. Her eyes sparkled with new life and her head felt wonderful. In her words, "As though it belongs to me now." This was another beautiful illustration of the ability to tap universal energies (life's forces), and absorb them into a depleted system.

In the next chapter, we will discuss the usage of these energies for slow learners.

12. Slow Learners

It has long been my firm belief that **Vivaxis** should be taught at an early age in the schools. When that day dawns we will see a tremendous upsurge of aptitudes and efficiency among students. It is also reasonable to predict that the emotional need for drugs will be largely eliminated.

It is a pathetic disgrace to our civilization, education and progress, to hear children ridicule the most vital natural laws pertaining to all life, because they have not been taught and therefore do not understand. The following is a story, rather on the humorous side, illustrating this very point. Last Hallowe'en, as the rural school bus passed a Vivaxis **instructor's** house, one lad remarked to his pal, "I guess Mrs. J. B. will be out tonight." His pal quipped, "Yes, she should be, for her broom licence will be valid tonight." On October 30, 1971, we attended a lecture given by Dr. Jack Holland, "Parapsychology and Medicine in Perspective."


Dr. Hugh Shearman, a very well-known British philosopher and physicist, in the Blavatsky Lecture titled "Purpose Beyond Reason," stated the following: "Again and again, the rational mind receives intimations that, underlying the world which it can examine and describe, there is something deeper, something which is beyond its power to comprehend, and yet, which alone gives purpose to the whole life process which the mind surveys. Perhaps an awareness of purpose may come to us as intimation, but it does not come as an explanation. Sometimes, perhaps, an intimation comes to us, riding, as it were, upon the back of an explanation; but it does not come caged inside the rational meaning of the explanation." Parapsychology **seeks** to truly understand that intimation, of which Dr. Shearman speaks, and the explanation behind it.

Much of the work of the parapsychologist of the past is now very much a part of medical, biological, biochemical, psychological and electromagnetic work being done today. Essentially, the parapsychologist dismisses nothing concerning man and his experiences as being essentially untrue, unsound or stupid without applying the principles of sound study and unbiased investigation.

I know, in thinking about talking to you today, I was caught up in a statement I read from Robert Louis Stevenson a long time ago which I rather like. He certainly was a parapsychologist and he wrote of his wonder of "things unseen"; "ff I, looking with purblind eyes upon a least part of a fraction of the Universe, yet perceive in my own destiny some broken evidence of a plan, and some signals of an overruling goodness; shall I then be so mad as to complain that all cannot be deciphered? Shall I not rather wonder, with infinite and grateful surprise, that in so vast a scheme I seem to have been able to read however little, and that little was encouraging to faith." Einstein too put it so beautifully when he stated: "The greatest sower of true scientific investigation and the expansion of human awareness is a sense of the mystical," and he went on to say, "anyone who studies physics deeply enough

is inevitably led to metaphysics." The parapsychologist is vitally interested in all manifestations that are not of the so-called norm - not that in his own consciousness he expects to accept all phenomena as being the "truth," but he does open his mind as far as possible to looking for the "truth." He is not anti-intellectual as so many seem to think - actually, he is being the most intellectual because he realizes one only learns - really knows - by seeking more and more answers, by delving ever deeper into the magic and mystery of that which is now unknown. He approaches all aspects of the human consciousness with as intelligent and sincere a manner as possible. Bias, prejudice, "know-it-allness," are the most anti-intellectual endeavours an individual can engage in and this is the sort of thing that the parapsychologist attempts to avoid at all times.¹

One experience that made a tremendous impact occurred in October 1972, while in southern California. A probation officer had become immensely interested in the possibilities of correcting with Vivaxis, the energy flow in areas of brain disturbances in problem children. He arranged an interview with a mother and her young boy who had a serious behaviour problem. In the boy's words, "If some guy makes me mad I just can't control myself. I go berserk." I demonstrated to his mother how aura testing will often reveal areas of brain blockage. Jimmy begged that he be allowed to try. He was first shown how to neutralize and given instructions on aura testing. His eyes beamed with enthusiasm as the wire moved in response to the direction in which he concentrated. However, when he directionally tested the brain receptors in the areas of five and seven on the diagrams, there was no response and his recording wire became lifeless. His mother confided that he had experienced a most difficult birth and the doctor had even contemplated breaking one arm. A large bump on the right side of the head remained for a year after birth. The energy disturbance was located in the same part of the head where the bump had been. As one held one's hand near the area it felt hot; further, there was a slight depression in the skull there. The area, several inches in diameter, had a very disturbed chaotic wave motion, refer to diagram 10, area seven. The significant fact was that the young boy revealed the site of the energy blockage through his own aura testing. This fact made a great impact on him and he desperately wanted a chance to learn and use these natural forces. He phoned me the next day and indeed for four consecutive days. "Dad says, 'It's all blarney,' but I know it's not and I am sure it will help me." He continued, "They won't believe me, Mrs. Nixon. Please help me," he pleaded. The lump in my throat grew steadily larger as my mind struggled for an appropriate answer. I did my best to explain that my hands were tied without the co-operation of his parents. The next day he phoned again, this time from the correctional farm. "Mrs. Nixon, there is a nineteen-year-old boy on the farm here, would you teach him so that he could help me? Please," he continued, "if I saved my money, could I buy one of those recording wires?" He was a child pleading desperately for a chance and all I was able to do was push him under.



When Jimmy first felt the recording wire respond to the dictates of his various brain receptors, it fired his interest tremendously. The fact his brain receptors in the damaged area would not respond, opened still another window that he knew held hope; how bitter he must have felt towards those in authority who denied him a chance, because the windows of their minds were completely closed.

Slow Learners. Continued

So often the accusation of rubbish and quackery is uttered by one who has not explored and consequently in his ignorance is incapable of judging fairly. In the final analysis, the parents have to learn for themselves in order to help and guide their child. Guide him to overcome his handicap through the balancing of his own meridians.

Recently the knowledge of Vivaxis has been used very constructively to help slow learners. Experience has shown that an imbalance in the flow of energies results in lack of co-ordination, both mentally and physically. After a sea-salt and soda bath it is amazing how meaningful a child can aura test and through his own aura testing reveal various areas of blockage. Consistently the number of blockages are in direct relation to the mental and balancing problems of the child. One girl, about twelve years old, had many receptors out including the centre brain receptors. Her balance was extremely poor and up to this time she had been unable to even get up on a balancing board without holding on to a table; one eye was unable to track a pencil from left to right. After correcting her meridians, she demonstrated that she could now get all directions with the exception of numbers one and two. Furthermore, she was now able to get on the balancing board without the support of the table and could track with both eyes. It was an impressive demonstration of the vital role played by [code receptors](#).

The children are very eager and respond favourably for they can feel these energies and are learning to interpret their fundamental behaviour. One little red-headed boy had a continual tic in his eye with the result that the eye never stopped blinking. There is no longer any eye twitch. Another lad was only able to balance on one foot for a count of five; after correcting receptors and channeling he balanced on one foot for a count of seventy-five, and more recently reached the stage of balancing for as long as one hundred and twenty-five.

Another pupil aged sixteen years had been subjected to a multitude of X-rays due to a head injury at an early age. This boy expressed his enthusiasm by confiding that since utilizing the knowledge to correct areas of disturbance he is now finding maths considerably easier.

Areas deprived of a normal energy wave flow for any length of time, require continual reinstatement of the weak circuits until such time the cells and tissues can retain their energy wave flow. A routine of daily neutralizing with the accordion exercise assists through dispelling static. It is comparatively easy to reinstate a weak circuit but in order to retain the normal flow of energies persistence plus the co-operation of the child is required.



"Claims he's analyzed everything with his chemistry set and only the pie and ice cream have a safe mercury content level!"

Correct aura testing could teach children at an early age to evaluate foods that have compatible frequencies - let us hope more reliably than this boy's chemistry set.

It should be the prerogative of each child to evaluate for himself, observing the elements that strengthen his force field, his brain, his co-ordination, and those that weaken and disrupt. Armed with this knowledge he will be far better equipped to protect himself and preserve the natural energy flow bestowed on him by Nature. As he matures, he can reason and become cognizant of the many modern devices that are a threat to the continuity of his energy design. In his wisdom it is hoped that he will avoid the host of pitfalls and snares planted by people who might otherwise brainwash him.

We listened to a programme recently where a doctor was eulogizing the merits of hypnotism, stating that it had now become an acceptable medical practice. Among other things he discussed the use of hypnotism to cure warts. In his words, "Nobody knows why it works, but it does." I challenge this statement, for experience has taught us that hypnotism creates another

Vivaxis to which the centre brain receptors become aligned. Warts, as the doctor stated, are caused by a virus. A wart virus, like most viruses, can be destroyed by aligning the body fluids to a Vivaxis. I have had many reports of warts disappearing through channeling, by people using their own Vivaxes and with no side effects. An induced Vivaxis and alignment to that Vivaxis during the process of hypnotism can also destroy a virus; but what the doctor fails to tell or realize, is the long range side effects caused by an induced or second Vivaxis. The side effects vary with the individual, but many people who have been hypnotized, claim that since the date of the hypnosis their powers of concentration have deteriorated and their thoughts tend to jump uncontrolled from one subject to another. Others claim nervous reactions and in some instances serious personality changes have been noted by their families.

Who is going to protect us? Can anyone be qualified to judge what is right or wrong unless they have an honest yardstick for evaluating? Correct aura testing offers an honest yardstick equal or better than any system yet devised. Indeed, all medical research could be improved if this etheric double was recognized and steps taken to observe its workings. Under such conditions it might be found possible to dispense with much of vivisectional research, which is often misleading, as certain tragic happenings in connection with the manufacture of drugs have made us aware. Also, freedom from dependence upon questionable experiments would be a moral blessing to those medical men who consider that they must use such research in the best interests of their patients, but who feel nevertheless that the methods of research are morally evil.²

I mentioned earlier in the chapter, that in order to maintain the energy flow reinstated in a circuit the child must have the support of his parents, for a weak circuit is very vulnerable to such radiations as those given off by TV, etc. A child can be taught to reinstate a circuit but it can be readily disrupted again in front of the TV.

You have heard of the condition called "tired children." Time magazine publicized it in an article after two Air Force physicians discovered that there were no other explanations of symptoms of thirty children who were complaining of headaches, insomnia, nervousness, continuous fatigue and vomiting. The doctors finally learned that these children watched television from three to six hours on weekdays, and six to ten hours on weekends. When parents co-operated with the request for total abstinence from TV, results were dramatic. In twelve families where the rule of total abstinence was enforced, symptoms disappeared in two or three weeks. In eighteen families where parents cut TV viewing to two hours daily, the symptoms did not disappear for five or six weeks. In eleven families where the parents finally gave in and relaxed the rules entirely, allowing the children to return to their usual time watching TV, the original symptoms also returned. Epileptic seizures in some children have been reported due to the flicker from the TV sets. . . .

Dr. Ott conducted tests with plants and animals to learn exactly what results

would occur from TV radiation. There were abnormal results in plants. Rats first became hyperkinetic (overactive and aggressive) within three to ten days and then became so lethargic it became necessary to push them to make them move.

The results from exposure to color TV was especially alarming. The animal breeding program, successful for two years, "was completely disrupted" upon exposure to color TV. All of the young rats in one of the cages died within ten to twelve days.³

It is encouraging to witness the growing awareness of the damaging effects of X-rays by those in authority.

Routine X-rays may do more harm than good.

Those regular tooth and chest X-rays may be more harmful than helpful, medical and technical experts told a U.S. Senate committee Monday. In fact people are subjected to millions of unneeded X-rays every year, and in one major study such low level radiation has been linked to cancer, they said. Dr. Irwin D. J. Bross of Roswell Park Memorial Institute in Buffalo told the Senate commerce committee his study showed the link between X-rays and cancer, particularly leukemia, to be as strong as the link between thalidomide and malformation and between smoking and lung cancer.

The evidence does not indicate that X-rays cause cancer, but that in a susceptible person, radiation or similar hazards appear to "trigger" the disease, he said.

In the study, over forty per cent more of those suffering from cancer or leukemia had been exposed to X-rays than those who did not have cancer. While this alone might not be a conclusive link, Bross said that when the persons who would be "susceptible" to cancer were isolated there were four hundred to eight hundred per cent more cancer patients who had been X-rayed in the group.

There "was solid evidence that the relatively low dosages of radiation involved in these diagnostic X-rays produced an increased risk of leukemia," Bross said.

Bross, Seymour Becker, chief of the Suffolk county (N.Y.) health department radiation control unit, and Richard H. Sandler, energy consultant to Ralph Nader, all urged a halt to the current widespread use of diagnostic X-rays. "If a doctor can't give a good medical justification, then the patient should say no to a routine X-ray," Bross said. "The giving of routine chest X-rays or tooth X-rays every six months as a method of improving health services is fading out."

"Before a person submits to an X-ray, he should ask the doctor if it is needed, ask to see proof that the machine is in full compliance with state standards, and finally ask if the doctor is qualified to take the X-ray," Becker said.

"At this point we do not know what a 'safe level' of radiation would be," Bross said.⁴

1 Holland, Jack H., Ph.D. "Parapsychology And Medicine in Perspective." *The Varieties of Healing Experience Exploring Psychic Phenomena in Healing*. Transcript of the Interdisciplinary Symposium of October 30, 1971. The Academy of Parapsychology and Medicine, Los Altos, Calif, pp. 6-7.

2 Butler, W. E., *How to Read the Aura*. Samuel Weiser Inc., New York. p. 15.

3 Clark, Linda, "Other Hazardous Appliances: Fluorescent Lights." *Let's Live*, April 1973. pp. 89-93.

4 "Routine X-Rays May do More Harm Than Good." *Daily Colonist*, Victoria, B.C., March 14, 1973. p. 27.

13. Viewing The Subtle Ingenuity Of Nature's Design

Inner peace promotes alignment and allows our energies to flow in continuity with the energies of the universe; conversely when our mind is full of negative turmoil there can be no alignment. With alignment comes the spirit of calmness that allows the thought patterns to flow in harmony with Nature's ambient forces. Clarity of thought is only possible when the brain's energies are in resonance. Thoughts are in reality another expression of energies and logically, they must require an organized energy design in order to be coherent. A design that prevents the flooding of energy waves. I suggest that a Vivaxis provides the necessary mechanism in the form of a specific wavelength and vibration, with the ability to erase another wave vibration after its information has been processed and stored. On what basis can we reach this assumption? Every normal functioning brain receptor in the energy meridians has a set of two code receptors; one of the two always has a wave vector towards the person's Vivaxis, with an energy field surrounding the wave vector. There are many specialized brain receptors but at this point of reference we will only concern ourselves with the specific brain receptors of our communication circuit. See photo numbers 5, 6, 7, 8 and 9, Volume 1, Born to be Magnetic, middle pages. The specialized communication brain receptors have two code receptors on either side of the brain receptor, spaced approximately one quarter of an inch apart. One code receptor of the pair will contain two distinct Vivaxis energies that have waves both horizontally and vertically orientated. In contrast its mate has only the horizontally orientated wave. This latter code receptor has the ability to vibrate in resonance to another wave temporarily introduced into its atomic structure and it will register a tell-tale wave vector to the source of the introduced wave. This pair I will refer to as a voluntary pair of code receptors for one of the pair responds to the brain's command and is flexible. It is highly significant that only one of the pair can align its atomic particles to another wave introduced. The code receptor containing two distinct Vivaxis energies acts as an eraser and each time the mind relaxes, erases the weaker visiting pattern contained in its mate. The ability of Vivaxis energies to erase and cancel prevents wave flooding of our circuits. On the other hand how essential it is that we can temporarily link wave circuits in order to communicate with others. Both wave disciplines portray the subtleness of the creator's design. A design with a Vivaxis as a fundamental part of the blueprint. A supporting role is played through the absorption of arealoha energy waves in our immediate environment, their flexible and compatible qualities help link us to the biological rhythm of our environment. I further suggest that in conjunction with light, arealoha energies propagate the common wave medium necessary for communication with others. A wave medium that is harmonious to all and absorbed by all. In contrast, a Vivaxis propagates waves that are only completely compatible to the individual or entity that is linked by wave to that Vivaxis.

Method of testing the horizontal and vertical orientated waves within a code receptor.

This method of testing will be the prerogative only of those whose circuits are clear of conflicting vibrations, people who are capable of transferring a wave pattern free from interference. Refer to Volume 1, "How to Test and Identify Receptors," page 111. A convenient brain receptor for testing on yourself is one located on the centre of your forehead (refer to diagram 10, page 142). All the first set of tests should be done standing and facing the same direction, but of course, not a direction related to any of your four channeling positions. When recording with a ninety-degree angle wire use the tip of your recording finger on your left hand to locate the Vivaxis code receptor situated beside the brain receptor. When it is correctly located, your recording wire should swing sharply into the direction of your Vivaxis channel and your brain should not be able to direct it elsewhere - we refer to it as a fixed direction, "a wave vector that cannot be changed."

The wave motion surrounding the wave vector can be recorded by altering the ninety-degree angle between the arms of the angle wire. The angle will be determined by:

- (1) The elevation of the tester in relation to the elevation of his Vivaxis.
- (2) The individual wave behaviour of the specific receptor being tested. Refer to Volume 1, pages 123 to 125. When the correct angle is found the recording wire should spin in its copper sleeve and should not stop by command of the brain. Test its mate with a ninety-degree angle wire and it should respond to directional testing.

Test further the different wave behaviour of the two, observing that the one with the fixed alignment to your Vivaxis has an energy wave orientated both in horizontal and vertical planes. I qualify this last statement by saying, "Providing my analyses of the observation are correct."

My method of testing the orientation of waves

- (1) Testing number one code receptor with a fixed wave vector to my Vivaxis. I tested it originally with the end of the vertical arm blocked off and next with the end of the horizontal arm blocked. Repeated tests all confirmed that the recording wire responded the same in both tests, swinging into my channel with its wave vector holding a fixed position, despite my wave command to other directions.

Deduction - There were two wave motions within the same code receptor, one horizontally orientated, the other vertically orientated. Both wave motions had vectors directly to my Vivaxis, with spinning energy fields surrounding the wave vectors.

- (2) Its flexible mate was tested. It had no wave response or life if the tip of the horizontal arm was blocked. However, it responded correctly to our directional testing when the vertical arm was blocked.

Deduction - This flexible mate only had a horizontally orientated wave motion within its structure, with a spinning energy field surrounding it.

Do these two code receptors ever change roles? Yes. A suggested method of testing the influence that causes the reversal of their roles in wave motion is the following: Stretch a string down the room marking your Vivaxis channel. Test and you should find these two code receptors will reverse their roles every time that you move your position from left to right of that line.

A simple method to block off one end of the ninety-degree angle wire from recording. Take a section of paper and convert it into a makeshift bag, ballooned around the end of the wire leaving the end free within the confines of the paper balloon. In order for the test to have validity the tip of the wire must not make direct contact with the paper bag. The paper should extend about one inch beyond the tip of the wire. The free ends of the paper can be gathered into the wire and tied. Before each new test I take the precaution of using fresh paper to avoid a wave carryover. As a scientific instrument such attachments to our instrument undoubtedly lack prestige; however they do serve a useful purpose for what they are intended.

At this point let us turn our attention to exploring a pair of specialized voluntary code receptors associated with the movement of a knee. There are groups located in the four quadrants of the cortex and signals are received on the surface of the head. For convenience of testing we will select a pair located on the left side of the forehead just below the hairline (refer to Volume 1, page 113, figure 7). Recording in the same manner as the previous test you should observe that one of the pair is linked to your Vivaxis with both a vertical and horizontal wave orientation within the same code receptor. Test its mate and one finds a repetition in part to the pair of communication code receptors. For the mate always has a horizontally orientated wave within its structure. Explore now where the difference lies. While testing it think of another person: you should get no response. Think now of moving your knee in a designated direction and according to my observations the wire moves into that direction. When your recording finger is on the same receptor think of moving your head or arm; the wire is unlikely to respond. These tests serve to illustrate the select part the pair of code receptors play in receiving wave messages responsible for the movements of the knee and legs only - again we salute the subtleness of our Creator's design. Double check your accuracy in correctly locating the knee code receptor and do not confuse them with a nearby specialized brain receptor. This brain receptor will respond to wave messages to the knee but will also become stimulated when you multiply, refer to Volume 1, pages 112 and 113.

Involuntary Code Receptor

Pairs of involuntary code receptors are operating in the meridians associated with such glands as the pancreas, liver, kidneys, etc. These involuntary pairs have Vivaxis energies with both horizontally and vertically orientated energy waves contained in each of the mated code receptors. They are self-contained with energy waves with fixed wave vectors towards the owner's Vivaxis. Such observations give more evidence of the important and primary part played by our Vivaxis energies. The important part in controlling the physical functions of all our organs including our brain.

14. Please Spare Us Further Misery

This could well be the plea of many helpless birds, animals and fish, creatures that are in complete harmony and resonance with the universal forces and because of this awareness they are guided by their natural forces. Their feelings are extremely sensitive, and rhythmic movements speak of their joy of living and being one with these forces. Should they be penalized because they are in phase and understand and respond to these forces? If they could pray I am sure their prayer would be, "Please spare us further the ignorance of men who refuse to attune themselves to the same forces; the same natural forces that also govern them." Rather than tune in and discover the answers through their own force field these men choose to destroy and mutilate the abilities of God's creatures, in their cruel, futile and negative approach for answers to natural forces. Answers that are to be found within themselves and answers that have been found many years ago.

Under the heading of "Nobody Knows" - scientists are still spending gigantic sums for the answers of direction finding. Their methods are often torturous, sadistic and cruel. One researcher explored a theory of muscle twitch by breaking unfortunate animals' legs. Another removed the eyes of wild ducklings. In this month's Scientific American, March 1973, there is an article entitled "The Migrations of the Shad," by W. C. Leggatt.

We have also carried out experiments in which we blinded some shad, blocked the olfactory capsule of others and performed both operations on still others. All three groups exhibited less ability in orientation than the unimpaired shad, the anosmic group being most seriously affected. Both the blind fish and the anosmic ones exhibited a reduced ability to find the river, and none of the shad that were both blind and anosmic homed on the river. The experiments indicate that the visual and olfactory systems figure importantly in the ability of the shad to orient and to home.¹

Ten years or more ago I illustrated that fish, animal and bird bones were like bar magnets. The centre point of each bone had a fixed wave vector to the owner's Vivaxis, located at or close to the place of their birth. One physicist made the comment recently, "You are like a million dollar instrument. It would be difficult to duplicate an instrument capable of recording the wave vector in the manner that you have been doing." All life plus magnets are influenced by the same forces and are consequently in a similar wave band. Therefore, they are capable of absorbing and recording energy waves in the same range of wave bands; reliably recording providing one's circuit is not jammed with interference. Using oneself, as an instrument to ground Vivaxis waves other than your own, is a destructive practice and is a definite threat to one's own circuit and health. I was well aware of this at the time of such testing by the reaction of nervous disorientation that followed but the discoveries have warranted my method of exploring. Discoveries that were not done at the expense of others but for the benefit of all life. My motivation was spurred by a sincere desire that this knowledge be presented and spread where it will stem the tide of further sadistic bullying and torturing of God's creatures. My appeal

is therefore to those with compassion in their hearts, plus the wisdom to explore and discover through themselves, that they do have the same natural laws linking them to a Vivaxis and synchronizing the rhythm of their two biological time clocks. I plead that after you have discovered, then let your voice be heard, for the combined influences of the voices of the masses and those in authority will help force many scientists to pull their heads out of the sand.

It is encouraging to realize that the time is ripe for this knowledge, for an increasing number of scientists are recognizing facts that correlate closely with my findings.

In the last ten years investigators studying the biological effects of electromagnetic fields with strengths at the level of the natural environmental fields have produced important successful results. The knowledge resulting from these and other discoveries provides grounds for believing that these natural electromagnetic fields are definitely perceived by organisms and furthermore that they play an important role in their daily lives.

Subsequent experiments disclosed a number of remarkable characteristics of an orientational reaction in snails, including a differential response at various times of lunar and solar day and synodic month, the ability to distinguish magnetic direction relative to body axis and geographic direction, and the ability to distinguish among various magnetic field intensities.

. . . An important discovery by Brown and Park disclosed that a lunar rhythm in *Dugesia* could be phase-shifted by altering the direction of the horizontal magnetic vector. This work is very important, for it not only suggests that the response to magnetism is a normal occurrence in the lives of organisms but also offers the first piece of experimental evidence that the biological clock and biological compass may have a common denominator.-

An excellent example of an animal's ability to follow his Vivaxis beam to where he had been raised appeared in a recent article.

Perhaps one of the most poignant tales of all - certainly one of the best documented - was about the dog made famous in Charles Alexander's book *Bobbie: A Great Collie of Oregon*.

Bobbie was a big bobtailed dog who made his way from Indiana to Oregon, on foot and all alone, to be with his master, a restaurant owner of Silverton, Ore. It was August 6, 1923, when the owner, his wife and the dog set out by car to visit relatives in Indiana. While there, the owner took his car to a garage to have the carburetor fixed, and the dog went along. In front of the garage, Bobbie spotted a big bull terrier and jumped out. The owner went on into the garage, certain his dog could take care of himself. When he looked again, he saw Bobbie running away, with the bull and several other dogs in pursuit. (The terrier was a pack leader.) An exhaustive search failed to turn up the dog. Finally the owner and his wife, heartbroken, headed back to Oregon.

Then began the dog's epic journey. With only instinct to lead him, he made his way west, stopping where he sensed there would be dog lovers who might feed him. The collie swam the White River, the Wabash River and the Tippecanoe River. He crossed Iowa, Nebraska, the Great Plains and the

Rocky Mountains. When he got to Silverton, he had gone six months and had travelled 3,000 miles. Dazed, hungry, exhausted, he reverted to his days as a puppy and went right past the restaurant above which his owner lived, and on to an old farmhouse where he had been raised. There he was found by the tenants of the farmhouse, asleep, atop the grave of a fox terrier, his puppyhood companion. After he had been revived with food and drink, his memory returned and he hurried to the restaurant. He bounded up the stairs, into the apartment and onto the bed where his master was taking a nap. His cries brought a crowd. It was a day before he could be separated from the restaurateur.

Bobbie lived twelve happy years after his return to Oregon. But no one, to this day, has been able to explain how he made the journey.³

The tremendous rapport between a mistress and her dog was well illustrated in another delightful story, a story told to me by a member of our Research Society. Her dog Sally is an intelligent thirteen-year-old border collie. Sally for the past six years has had a heart condition and has been on digitalis. Acute arthritis during the past few years has also given the aging dog a double dose of misery. Her mistress, intent on making her pet's last days happier, decided to try the combination of sea salt and soda. (Refer to page 52, "Technique for Aligning the Body Fluids.") Since her first treatment six months ago the dog has not had one heart attack.

Before that time she was having them regularly every few weeks and often as much as once a week (despite the treatment of digitalis). At intervals when the dog's arthritis showed signs of bothering her, her owner put down the neutralizing hoop as shown in Born to be Magnetic. The dog has come to welcome the treatment as a relief from her miseries and co-operates knowingly without any bidding, stepping into the hoop and waiting for her mistress to call her after the thirty seconds wait. As her mistress uses the plastic bag of mixed compounds attached to a string and starts to carefully introduce the dog's correct vibrations into the mixture, starting with the top of the head and the centre of the paws, Sally holds each paw up in turn without any bidding. Her mistress, consistent with the directions in the book, next subjects the dog's entire head and body to the compounds (with the exception of the lymph glands under the front and back legs). The contaminated mixture is placed in a bucket of ammonia and water. Her mistress then repeats the same routine with a fresh mixture. Next the dog is isolated in a room by herself for a half hour and her mistress immediately uses the accordion technique to neutralize herself and erase the influence of the dog's atomic alignment. Sally is usually quite crippled with arthritis before her treatment, but when the half hour of isolation is over she comes bounding out and off she goes with her mistress for a run or walk. The owner of this loveable collie phoned me a couple of nights ago to tell me how Sally, who usually had a voracious appetite, refused her meal that evening. Further she quite suddenly developed an absolutely putrid and overpowering body odour. The same routine of treatment was given and half an hour later when Sally came out of isolation there was absolutely no trace of the body odour. Further, her vitality and enthusiasm for a run with her mistress had been restored.

This chapter was started by reporting on cruelties caused to birds, animals and fish in the name of science; it is with pleasure that I conclude the chapter with a story of kindness to animals. So the vibrations of our world are compiled, reflecting those that stem from hate, greed, and cruelty, as well as reflecting those that stem from compassion, love, warmth, and kindness. We all have a choice of creating right or wrong vibrations: may the decision rest on every man's conscience.

1 Leggett, William C, "The Migrations of the Shad." Scientific American, March 1973.

2 Stutz, Audrey M., "Effects of Weak Magnetic Fields on Gerbil Spontaneous Activity. Orientation: Sensory Basis." Annals of the New York Academy of Sciences, December 1971, Vol. 188, p. 312.

3 Ames, Felicia, "What is That Incredible Sixth Sense Dogs Seem to Have?" Family Weekly, February 18, 1973.

15. Recording Without The Use Of Wires

The story of Bobbie ends with the statement, "But no one, to this day, has been able to explain how he made the journey."

I am sure the many thousands who have explored and discovered the wave link to their Vivaxis have a fairly good idea of the forces that guided Bobbie right past his owner's home to the place where he had been raised. Bobbie did not require wires, nor should we. Provided a person's circuit is sufficiently clear of entropy, the energy flow and the variations in vibrating motion in his hands supplies him with a wealth of information. Information in the form of energy wave behaviour which he can soon learn to interpret and associate with respect to the various influences in the force field.

I prefer to work almost exclusively without wires, for wires tend to drain off my energies. Further, watching another person operate wires for any length of time can become quite tiring to the viewer's eyes. A build-up of static energies is noted particularly if two or more people in a room are recording with wires at the same time. Therefore, such practices should be discouraged. Wires have been necessary for observation and will continue to be useful for confirming reactions of energy behaviour in one's circuit.

I have learned to recognize and interpret wave information by using my hands only as instruments. I determine the following without the aid of wires:

(1) Locate the channel to my Vivaxis:

(a) When I face forward to my Vivaxis;

(b) When I face sideways to it;

(c) When I turn with my back towards it.

(2) Whether my field is static and at right angles.

(3) Locate disturbed areas or disturbed receptors.

(4) Whether light has a north wave vector or east wave vector.

- (5) Whether light has a south wave vector or west wave vector.
- (6) Major and minor periods.
- (7) Whether my body fluids are aligned to my Vivaxis, after channeling.
- (8) Determine if my Vivaxis is above or below the elevation of the ground where I am currently standing.
- (9) By using my two forefingers, determine the angle of dip at which the forces from south or west are flowing down towards the ground.

I will not attempt to describe all the various methods that I use, for without a demonstration it would be most difficult and tedious to the reader. Further, they are personalized techniques adapted to myself and my present location. They will vary with changing conditions, especially in the technique of locating my Vivaxis channel; for example, the elevation of my testing ground relative to that of my Vivaxis is a factor.

Determining if light has a north or south wave vector is one of the easiest tests for most people to master, and one that is extremely useful if using arealoha energy waves. One's eyes, of course, have to be open to do this, since light is the carrier wave. Suggested method with the spine and head erect, position yourself out of your four channeling directions. Let your arms fall limply down by your sides and probably they will start spontaneously to revolve. When there is a south or west wave vector the energy is flowing downwards to the ground at varying angles relative to time and place and you will not record it unless your head is level, see diagram II, page 167.

Therefore, if you tilt your head, bend your knees and slump, the force flow will cut out of your hands and their revolving motion will stop as though a brake had been applied.

When there is a north or east wave vector, energy is flowing up from the ground and you receive it through your feet and hands. Therefore, the circulating energy in your dangling hands will not stop if you tilt your head or slump.

I can determine the direction whence the forces are flowing by a typical vibrating motion created in my hands, when faced directly into the line of flow; in this test my hands are held down near my sides.

Further, by angling my two forefingers as I face into the flow I am able to detect the angle of the energy flow direction relative to the horizontal plane. When my hands successfully describe this angle my fingers experience a distinctive tingling sensation and pulsating motion; a slight variation of the angle of my hands, one way or the other, and these characteristic stimuli disappear. This test is useful for determining when the time of a major or minor period is approaching, and is detailed in the next chapter.

All these tests may be confirmed with the use of a recording wire.

16. Major And Minor Periods

A chart showing the times at which major and minor periods occur is a valuable guide for those wishing to use arealoha energies. They are known as solunar tables and appear in many local newspapers for the guidance of fishermen and hunters in their specific areas; see accompanying sample. Printed in the Daily Colonist, Victoria, B.C., Canada. Solunar Tables for the Victoria area:

Sunday, March 25, 1973

A.M.		P.M.	
Minor	Major	Minor	Major
9:40	3:55	10:05	4:20

Monday, March 26, 1973

A.M.		P.M.	
Minor	Major	Minor	Major
10:35	4:50	11:00	5:15


It is rather amazing how reliably the charts are calculated for each individual area, but according to our testing there are times when we find that they start sooner or later than the chart indicates.

During the major and minor periods fish and animals are generally feeding and it is in this connection that solunar tables have been used. If one tests the appetat on his tongue (refer to Born to be Magnetic, page 151), he would probably find his recording wire was stimulated with an alternating motion without having to think of strawberry shortcake. (Refer to diagram 12 for a more convenient appetat receptor for testing purposes.)

The major period lasts about one and one-half to two hours and the minor period about a half hour. I would not recommend using arealoha energies during these periods for they are times of energy fluctuations when the direction of energy flow can change rapidly. It is hard to determine the correct relative positions in which to place the sea salt and soda and there is no certainty that the field will not switch before you are finished using them. Generally, the energy force field flows predominantly from either east or west at these times, but occasionally switches over so that it flows from north or south. Therefore, the energies during the major and minor periods are subject to variations and cannot be used reliably.

When the periods are over the energy flow will usually revert to predominantly north or south fields. One can actually determine how close the time is to a period by the angle of the energy flow, see diagram 11, page 167.

DIAGRAM 11. Variation in Displacement and Angle of the Incoming South Wave Vector Relative to Major and Minor Periods.



Minor period -approximately 6 hours before or after a major period.

17. Our Biological Time Clock

Circadian rhythm - this daily rhythm permeates all life -biological cycles recurring at approximately twenty-four-hour intervals.

I suggest that we are influenced by two different Circadian rhythms. Those in our immediate environment and those in the environment of our [Vivaxis](#). The two are synchronized and give each of us individual variation in our biological rhythm.

The biological clock is not absolutely inflexible. It does not start at the same moment for everybody. There are "morning persons" who rise cheerfully with the light and grow sleepy in the evening and "night people" who drag out of bed late in the morning, but who are lively and bright at midnight. Their chemistry differs, not merely their habits. The body temperature that begins to rise at dawn in the morning person, may not rise till 10 a.m. in the night person. (Trouble arises when a morning person marries a night person.)¹ When a person aligns towards their Vivaxis the wave motion seen in their aura changes. "I see a rhythmic pulsating energy surrounding you," was the description given by one young man as he watched a friend align towards her Vivaxis. Recent work with probes strategically placed in the ground under a Vivaxis, suggests that Circadian, monthly and yearly rhythms, all influence and affect the energy behaviour of a Vivaxis. Recordings were made with a milliammeter taking direct current readings from the probes. These are of course electrical recordings and therefore indicate a weak electrical component associated with these Vivaxis forces, see chapter on instrumentation. The influences of the two biological clocks to adjust to one another is normal but a person can readily understand the complications that may arise if he has more than one Vivaxis.

Another difficult adjustment for our biological clocks is caused by the effects of jet flying. Flying from east to west through the series of time zones, from England to the west coast of Canada, in early October, disorientated both my husband and myself for nearly a week; flying the other way from west to east caused us no unpleasant reaction. I have since speculated whether we would have escaped the adverse reaction had we waited until early November when the forces were perhaps flowing predominantly from east to west and moving away from the earth. I understand considerable study has been done in charting the biological rhythm of air pilots to co-ordinate their flying with the best times for their individual biological clocks.

The same rhythmic pulsations in our force field are undoubtedly stimulated by similar rhythmic forces that control the movements of the tides.

The ocean tides are effected chiefly by the gravitational rhythm caused by the earth's rotation relative to the moon. . . . Like solar-day rhythmic changes, these lunar tidal activity patterns are dependent upon numerous underlying and supporting physiological changes.

Although the ocean tides are effected chiefly by the moon, the gravitational

attraction of the sun also has an influence. The sun and moon "co-operate" at new and full moons to produce the highest tides of each month, the so-called spring tides. At the moon's quarters the moon and the sun maximally oppose one another to produce the lowest high tides.²

Circannual Or Yearly Clock

Bird migrations and animal hibernations are controlled by this clock. Efforts to change the yearly clock through artificial environments and lighting have largely failed. One such experiment was tried with golden-mantled ground squirrels.

The animal was housed in a small, windowless room at a constant temperature of zero degrees Celsius and on a schedule of 12 hours of artificial light each day. It had unlimited supply of food and water. Placed in this room in late August, the animal ate, drank and behaved normally until October, keeping active and maintaining its body temperature at a normal 37 degrees C. in the chamber's freezing climate. In October, as might be expected in natural surroundings at that time of year, the squirrel stopped eating and drinking and went into hibernation, allowing its body temperature to drop to about one degree C. Except for occasional arousals it remained in hibernation until the following April, when it again became active, raised its body temperature to 37 degrees C. and resumed its usual eating and drinking. In September the animal stopped eating and drinking and entered hibernation without prompting by any discernible signal or change of circumstances.

The author's research and observation of the forces that control the Circannual clocks only extends for a period of ten months and therefore the data observed since the summer of 1972 to April 1973, might or might not be representative of annual variations. Time alone will tell. If in the years to come we observe the same pattern changes, then we will be closer to understanding the forces that control the timing of migration and animal hibernation.

Observations in summary - During the period of July to October the predominant force field flowed towards the earth in a downward path travelling from the south or west directions. We noticed the flux stream reversed its prevailing direction during the two-week interval from the middle of October to November. Throughout November, December, January and February the energy flow was predominantly away from the earth travelling from north to south or east to west; at these times the **sea salt** had to be placed east of the **baking soda**, and the instrument probes registered too weakly to record with any significant meaning.

Early in March an increasing number of periods were noted when the energies flowed towards the ground; by the middle of March this pattern prevailed, the flow travelling in the directions from south to north or west to east.

During the **major** periods the ascending or descending flow of energies

become vertically orientated rather than angled acutely to the ground. During these times the two receptors on the top of the head become stimulated by light flowing vertically down upon them, and they in turn stimulate the appestat. If the light is screened from the top of the head with a cover of black plastic the appestat ceased to be stimulated.

It's April and the birds are returning to their annual nesting sites and songs of love are warbling in their throats. What biological influences have stimulated the urge to return and mate at this particular time of year?

It was a logical thought to test the receptors on my tongue that become stimulated on thinking of sex, refer to Volume 1, page 151. The readers at this point are justified in smiling at the picture of the researcher laying down her pen to explore this phenomenon. I located another sex receptor more conveniently situated on the bridge of my nose. With my recording finger still on this receptor I deliberately diverted my thought pattern from sex, but when I aligned to the direction of my Vivaxis the receptor instantly gave off a signal; my recording wire responded, alternating back and forth, despite the fact my thoughts were directed elsewhere. The orientation of the light and the direction of the force flow at that time of year is evidently particularly favourable in stimulating the reproductive glands when faced into a channel to an individual Vivaxis. It was fascinating to observe how readily one could detect their correct Vivaxis channel by the recording finger receiving a pattern from the sex receptor. It is quite a surprise and revelation to most of us to discover that the same phenomenon that stimulates the testes and ovaries of the birds evidently stimulates our sexual glands too, providing of course the angle of orientation of light is correct. Through eons of time man's brain has become the chief stimulant of his sexual behaviour and thus the Homo sapiens is assured of the reproduction of his species. It would appear from the tests just described that the main stimulus to the bird's reproductive organs is directly received from their Vivaxis energies as they fly aligned in their channel. See diagram 12.

Spring

The sex glands are stimulated when aligned in the VIVAXIS channel only when there is a south vector. During major and minor periods, the appestat is stimulated.




DIAGRAM 12.

The deeper we probe the more aware we become that the same forces controlling the biological rhythm of other creatures are not altogether dormant in ourselves. Spurred by our biological clock in spring a young man's fancy biologically speaking should turn to love.

1 Asimov, Isaac, "Hidden Rhythms That Make Nature's Clock Tick." National Wildlife, December-January 1972, p. 39.

2 Brown, Frank A. Jr., "Biological Rhythms." Encyclopedia Britannica, 1972, Volume 19, p. 292.

3 Pengelley, Eric T. and Sally J. Asmundson, "Annual Biological Clock." Scientific American, April 1971, pp. 72-74.

18. Contact Healing

It is my experience that contact healing through the laying on of hands, often creates a second Vivaxis. A Vivaxis is born, to which some of the recipient's code receptors acquire a tell-tale vibration, linked by wave vector to the newly created spinning energy field, within the sphere of this new Vivaxis - a Vivaxis that gives a renewed spark to life. This has been observed especially in instances when death appeared imminent and areas of the body had lost most of their original atomic alignment. Another significant and highly interesting observation was the tenacity shown by a few key code receptors to retain their wave link to their prenatally created Vivaxis; possibly indicating the thin thread between life and death.

What creates this ability to transfer energies into another? Forces strong enough to form energy quanta into a permanent sphere that remains at the site, vibrating in resonance to the geographical field of energies at that point: a Vivaxis. Tests indicate that the adrenals play an important role, for the adrenals become stimulated by strong emotions of love and compassion. Many significant points can be well illustrated by relating my experience with our beautiful dog, Shell. Shell's picture appeared in the book Vivaxis and a great number of readers have requested the details of the story behind her realignment. Very graphically her story portrays the creation of another Vivaxis through contact healing.

Shell was a sensitive, intelligent and loveable Collie. During the first six years of her life she displayed a warm devotion and a joy for living that enriched the lives of all our family. Her sense of reticence and sensitivity were characteristics we respected and admired. Her life was dedicated to please and serve each member of the family to the best of her ability. On the few isolated occasions when a word of reprimand was necessary, her sensitive feelings became so acutely hurt that for hours at a time she would hide in the woods evading our persuasive attempts to lure her back. Only when time had mended her feelings would she return. The return was inevitably accompanied by a big welcoming toothy grin. This tremendous grin in response to praise was one of her outstanding characteristics - a trait both comical and endearing.

She enjoyed her duties and took her responsibilities conscientiously; disciplining the cats if they dared climb on the food counters, herding the sheep and protecting the livestock. She virtually rid our property of marauding coons and treed them by the score. Without her we would undoubtedly have lost our chickens, our ducks and all our fruit. She allowed deer to wander freely in the pastures but denied them the orchard.

My sense of telepathic knowingness was dwarfed by comparison to Shell's. If I was away from home my husband could gauge the time of my return by her actions. The island where we lived was connected by ferry to Vancouver Island and our home was almost three miles from the dock. The ferry plied back and forth throughout the day and gave me a wide choice of return schedules. Although the time of my return to the island was almost

unpredictable Shell would invariably become very alert shortly before my ferry was docking. She would dash excitedly out of the house through her swinging door and run a quarter of a mile to the end of our road to wait and greet me.

A portrayal of the part Shell played in our lives gives the reader a better understanding of the deep emotional feelings we had for her. I am confident these feelings played an active role in the stimulation of the adrenals; a stimulation necessary for the sudden surge of energy that was capable of creating a life giving Vivaxis in her crisis.

When Shell was about one year old, she set a pattern that was to become routine for the next six years. Shell's keen and perceptive mind had evidently reasoned that as a member of the family it should be her prerogative to dine with us at the table. I had set up the dining room table for the evening meal and this day she decided to get her message across. She walked with deliberation to a dining room chair, then with great care and determination she used one paw to gradually pull the rush seated chair from the table, inch by inch. With the utmost dignity she climbed up and sat waiting, with a "when do we eat" expression on her canine face. It was a good ten minutes before the family gathered at the table but with her usual quiet elegance she remained sitting absolutely upright, just patiently waiting.

From the start her manners were impeccable; with deliberate care she daintily ate from her dish. When her plate was bare she silently raised a paw and gracefully pointed to the empty dish; never touching it, but just gesturing with her paw, while her soft brown eyes said, "More please." Table manners conducted with such uncanny finesse and dignity not only earned her a place at the family table but also served as a good example in manners to our children.

Through those years her life had been active, happy and carefree. Leaping with easy agility over the many snake fences. With the patience of a true fisherman stealthily waiting to snatch a fish from the shallow water; and always an eager companion on a hike.

I was therefore unprepared for the shock when this elegant and animated friend first showed signs of paralysis. Within a week or two she became totally paralysed in the legs, body and neck; only by massaging her throat was it possible for her to swallow small amounts of liquids. Despite these disabilities she could still respond when spoken to by feebly wagging her tail.

In this pathetic condition we left her at an animal hospital some distance away. A few days later we received a phone call suggesting they put her to sleep as there was absolutely no hope of recovery. "No hope," the veterinarian explained, "because her muscles had atrophied." I was numbed by a verdict that I refused to accept.

During the wee hours of the next morning I awoke with an irrepressible feeling, "My hands, my hands, I can do something with my hands." I could literally feel the energy pulsating through them. As we drove to the animal hospital later that morning, my convictions were very strong that she would recover. When I voiced this conviction to the attending veterinarian he indignantly retorted, "Ask any medical doctor and he will tell you there has

never been a case of total paralysis like this that has recovered, for all the muscles are atrophied."

We requested to see her and he reluctantly led us from the well-furnished reception room to the basement. There lay our beautiful girl hardly recognizable in her misery. Lying prostrate in a small cramped cage with only a few sheets of newspaper between her body and the cold hard cement. Her legs were wasted and shrunk. Her big soft brown eyes were pathetic in their pleading. I spoke to her softly while tears of compassion spilled down my cheeks as I reached to caress her. The vet's voice was harsh as he remonstrated in guttural foreign tones, "Don't sympathize! It only makes it harder for us when you leave."

Contact Healing. Continued

I turned and spoke with unrestrained anger vibrating in my voice, "We won't be leaving her."

It was a difficult task to move her, even with the aid of a rug. Her body was so limp, so lifeless, it just collapsed like a rag doll. We drove to Dr. Lott's, another veterinarian on Vancouver Island; here was a man with a genuine love and compassion for animals. Fortunately, I was able to break down his reluctance to my plea; a plea to be allowed to come each morning and massage her lifeless limbs. Further, it was arranged that he give her B-vitamin shots and that I return next morning.

The following day I took an early morning ferry from our small island and arrived at the vet's hospital an hour later. The doctor laid our limp pathetic Shell on the examining table and with his hands took hold of one of her back paws. He bent the paw back, while I remonstrated in horror at what ordinarily would be brutal treatment. "She can't feel a thing," he assured me. "There are absolutely no reflex actions."

A few minutes later I was alone with my trusting pet. I reached for the lifeless paw, the same paw that the doctor just illustrated had no reflexes, no life; my right hand was instinctively placed on the lower part of her spine. At that instant I felt flooded with an extremely strong emotion of compassion, spawned by the deep bond of love we shared.

It happened within seconds; the paw I held started to twitch and flex. Suddenly life started to flow into her body. The doctor and nurse were both amazed and elated. We were a team now and from then on I received the greatest co-operation.

Later, I was to discover a Vivaxis had been created at the site of the table where Shell lay in the veterinary hospital. A Vivaxis that remained linked to Shell until she died seven years later.

Dr. Lott kept her another six days and I returned each morning to massage and encourage her. At the end of that time we brought her home on a specially constructed bed made with fish net over a wooden frame.

It was seven weeks before I finally got her to crawl. It happened on Christmas Day! We had her on her stomach with a saucer of warm milk just beyond her reach; she wriggled and struggled until she got to it. Each day this routine was repeated, over and over again.

Every day brought new gains. Contact healing had endowed her with a second Vivaxis. Vivaxis energies were now stimulating the growth of new cells, making it possible to develop new muscles and giving her a renewed lease on life. We eventually taught her to walk but during the first series of lessons it was necessary to support her body. Gradually she regained strength and confidence till finally she was able to manoeuvre on her own. Her system never fully recovered, for she lost much of her former agility, but her conscientious dedication to duty remained to the end. This was well

illustrated by an incident that occurred shortly after her recovery. We owned a small summer abode with a lanai, where many of our recreational hours were spent. We arrived one day to find vandals had broken in and caused considerable damage. As a result of this vandalism, plus the fact we spent a good deal of our time there, Shell was left on guard with the lanai as her place of shelter. In her wisdom, she understood and remained faithfully on guard each time we returned to our permanent home.

On one occasion, several days had elapsed and we were unable to get back as anticipated. During the interval, her food supply ran out and I was both relieved and pleased, when she suddenly turned up at our permanent residence. I fed and fussed over her, while mentally sympathizing with her on the five-mile trek, which returning home had necessitated; in fact I was feeling extremely ashamed of my neglect. About an hour later she disappeared. Where do you think we eventually found her? The conscientious soul had walked back alone, another five-mile trek, to resume her responsibilities of watchdog.

"Heaven goes by favour; if it went by merit, you would stay out and your dog would go in," Mark Twain. If foolish folly bars man from entering those pearly gates, then her mistress stands small chance of entering. Why had the beautiful creature become paralysed? The fault, I suspect, was mine; for in my ignorance she had been subjected to a brand of flea powder, subsequent tests revealed, knocked out all the normal atomic alignment in bones.

The vet, at the time of Shell's illness, had commented that there was an epidemic of paralysis among dogs. I suspect the incidence of the paralysis probably paralleled the amount of flea powder that was being used. Since then we have never administered any type of flea powder to our dogs or cats, but we have concentrated on feeding them a diet of good fresh lean meat, food containing plenty of B vitamins and a daily supplement of vitamin C. Under this diet regime none of our animals has shown any indications of fleas. "The principle of increasing the animal's own force field and discouraging unwanted visitors."

In retrospect to Shell, with an atomic alignment to a second Vivaxis at the Prevost Veterinary Hospital, it was the hairs on her body that provided the tell-tale evidence to the existence and location of another Vivaxis.

Wave Behaviour Observed Within The Atomic Structure Of Hairs

In all instances wave readings are taken from the centre point of each hair. With a normal person or animal who has only one Vivaxis, there are two basic observations.

(A) A hair taken from the side of the head or body generally has only one component of Vivaxis energies represented in its atomic structure. This incomplete energy apparently seeks its counterpart and has a wave vector back to the owner of the side hair.

(B) A hair taken from a point along the centre meridian of the head or body, where the energies of the right and left sides merge into a common field, generally has components of both Vivaxis energies represented. In all

probability the Vivaxis energies are both horizontally and vertically oriented. This hair has a wave vector directly to the owner's Vivaxis and not to him.

The word "generally" is used to qualify, for certain conditions are capable of causing variations. For example:

(1) Peroxide and certain dyes destroy the Vivaxis energies in hair. As a result, there is no definite wave vector.

(2) A hair taken from a point immediately above a disturbed receptor will have a similar disturbed pattern and therefore without an organized alignment.

(3) A hair removed from a point directly over the site of a Vivaxis code receptor at the side of the head will have an alignment towards the person's Vivaxis; illustrating that the hair contains the two component Vivaxis energies, influenced by the characteristic energies observed in the code receptor.

It would be rather a coincidence to select a hair in either groups 2 or 3, as each receptor influences the wave behaviour of only one or two hairs.

Wave behaviour observed in Shell's hair after she had recovered from paralysis.

Hairs taken from the centre top part of her head and hairs removed from the centre part of her lower spine in the tail area had wave vectors to her original Vivaxis. It is significant that these hairs were taken from two areas that were not paralyzed. During her illness both her brain and tail responded when she was spoken to.

Hair taken from all the other parts of her body including the side hair, had one polarized wave vector to her new Vivaxis, located in the examining room of the Prevost Veterinary Hospital. The side hairs evidently had both components of the second Vivaxis represented within their atomic structure. Many people tested her side hairs. All were surprised that they did not observe a wave vector returning to Shell as they fully expected. The wave vector they recorded was invariably directed towards the Prevost Hospital, near Duncan, on Vancouver Island. Her hairs were generally wave tested when Shell was well out of sight and yet she consistently became acutely aware and disturbed during the wave recording.

I have made many parallel observations with people and animals who have been acutely ill and then recovered as a result of an alignment to a new Vivaxis.

Speculating on the super powers of several famous healers, the thought comes to mind that in all probability they have a very strong geophysical field associated with their particular Vivaxis. This would make an interesting study and could explain in part what appears to be superhuman abilities. I say "in part," for nearly always there is a spiritual or emotional stimulus accompanying their flow of energies. The latter stimuli are available to us all, yet there are few in the world who can part the cells of the flesh by using nothing more than the stimulated energies flowing from their finger tips. Then by passing their hands over the gaping incision direct the same energies to stimulate the cells so they knit together and heal the wound before

one's eyes. No pain felt throughout the operation and the incision heals without a trace of scar tissue or infection.

Such phenomena occur almost daily in the Philippines. Tony Agpaoa, one of the most famous healers of that area, visited the United States some years ago and demonstrated his ability. His powers of healing were in no way diminished by being so far removed from his Vivaxis.

I have been led to understand that a number of Americans have found they possessed similar abilities while in certain areas of the Philippines; but in contrast to Tony their powers were lost after they returned to the States. If indeed this is correct, then it certainly could be explained through the link to a Vivaxis. In Tony's case, a Vivaxis with an extremely strong magnetic energy content, vibrating in resonance to a geophysical field of energies in the Philippines. The same energies that continued to flow through his fingers regardless of where he travelled. Further, it would explain why the visitors to the Philippines lost the strong magnetic energy flow; lost it after they left the environment that created it.

One such visitor was an American doctor who had worked with Tony in the Philippines. I met him when several fellow members of our Research Society brought the doctor and his wife to show a coloured movie which he had taken. It was a movie that faithfully followed every step as Tony removed a growth from the throat of the doctor's wife. It was indeed a fascinating experience, not only to watch the miracle operation, but to have the patient whose growth was being so casually removed in the film, sitting in the room and giving a running commentary. No anaesthetics, no antibiotics, no scalpels, Tony's hands with their strong magnetic forces were the sole instruments! The energies flowing from those hands parted the flesh and with subtle movements he eased the growth from the bleeding gap. Was it seconds or minutes? It is hard to recall for it happened with such fascinating rapidity. The hand that so deftly made the incision now closed it with equal ease and finesse. The smiling patient shook Tony's hand in gratitude and walked away from the scene of the operation.

Next, we watched a hysterectomy and again the patient had no adverse reaction from the effects of the operation; casually walking out of Tony's house when it was completed. These strong therapeutic energies not only have the power to heal but they also prevent infection, making antibiotics and disinfectants unnecessary.

Without actually testing the energy field in the immediate environment of Tony's house, or at the site of his Vivaxis, or both, it is impossible to make an accurate assessment of the causes. Natural geophysical energies could yield a plausible answer for there are tectonic forces at work in the earth's crust underlying the Philippines.¹ "Mountain building is still in progress and evidence of the recent vertical movement of various portions of mountain mass can be measured. The archipelago is the crumpled edge of the Asian continental platform. . . . Seismic disturbances are common."

I conclude this chapter with a strong urge to explore energy fields in the Philippines, but with no intent of returning without the full complement of organs that I went with.

1 Dewey, John F., "Plate Tectonics." Scientific American, May 1972, p. 56.

2 Huke, R. E., "Republic of the Philippines - Geology." Encyclopaedia Britannica, 1972, Volume 17, p. 848.

19. Toxic Chemicals And Insecticides A Threat To Vivaxis Energies

In the last chapter we illustrated the power of cell alignment; without that alignment the cells lost their cohesive powers. Further, the stories illustrated the vital part a **Vivaxis** plays in maintaining the alignment. On the other side of the ledger we view insecticides, whose chemical compounds are designed to destroy and tear at the orderly atomic structure within the cells. Their insidious power to disrupt life-giving Vivaxis energies makes animals and humans subject to their disruptive forces. Rachel Carson, in her book, *Silent Spring*,¹ has done much to alert those that have the wisdom to heed.

It was before my discoveries of Vivaxis energies that I subjected Shell to flea powders. At that time, many insecticides were heralded with false claims, "Harmless to animals and human beings." Today, in 1973, such claims have long been loudly refuted and nearly all insecticides are acknowledged to be a most serious threat to ourselves and our ecology.

There is no longer the excuse of ignorance and when one reads of an innocent and trusting animal being victimized by such thoughtless cruelty as told in the following story, one is naturally aroused with anger and indignation. This story comes from a Seattle member.

Choose Your Vet Carefully

Going through the Animal Control Center looking for my grandson's kitty, Bill's heart was moved by a big yellow Persian cat which reached a paw through the bars and grabbed at his shoulder.

My grandson's kitty was found after a 24-hour stay atop a tall tree in a park, but Bill worried through the weekend about the yellow Persian. Monday morning he hurried to the Shelter and bailed the beautiful cat out, took him to a nearby vet to be neutered and bathed. The Persian's close quarters had not allowed him to clean his tail and Bill expected him to emerge from the bath all clean, soft and yellow.

The next morning, he picked up the cat, whom he named Caesar, and the cat was ill and sneezing violently. The vet said it had the highly contagious disease "pneumonitis" and that we should immediately have the other cats inoculated and that he should be left in the hospital under quarantine. Bill refused and brought Caesar home, but we put him upstairs in a separate room.

He did not seem to improve with the medication given by the vet, so we took him to a vet on Rainier Avenue. He was hospitalized for several days and that doctor said it was not pneumonitis, but merely an "upper-respiratory infection." It turned out that the first vet had the cat sprayed so heavily with flea powder, knowing that he had come from the Pound, that it made the cat acutely ill. He

is back home recuperating under love and care.

Our point is to be wary of where you take your animals and how they are treated. This cat suffered almost more than his death in the vacuum tube at the "humane centre."²

The victim's new owners, members of the Northwest Magnetism Research Society, have written recently:

February 12, 1973 To further substantiate the cat story, Bill said this big, beautiful, yellow Persian was proud and healthy the day he left him at the vet's and the next day he truly argued with them and believed they had switched cats on him. The cat has been ill ever since and even though we shampooed him with the best of natural shampoos he still has that gray-powder look in his fur. He is not well enough to shampoo often. He, after all these months, wheezes with every breath and is unable to be active. Less than a year old, he acts like an old cat. The lack of oxygen is putting a strain on his heart, also. We wonder if he will ever recover. Evidently the flea powder burned the lining on his lungs and he sounds like a very bad asthmatic condition.

Shortly after this letter was received the story had a happy ending, but only because its owner utilized the knowledge of sea salt and soda to realign the cat's Vivaxis energies.

Unfortunately, the folly of man's ignorance does not stop at animals. What are we doing to our new born? Our babies, whose force fields are still in the formative stages, whose energy systems are still struggling to establish links to their recently created Vivaxes? The lymph glands and Vivaxis code receptors, so new they have not had a chance to become saturated with the immunizing Vivaxis energies. For over two decades it has been a common practice in hospitals to bathe new born infants with hexachlorophene. The dangers of using this chemical were investigated by the National Enquirer. As a result of interviews with prominent doctors and scientists the periodical prepared a comprehensive report,³ in which Dr. Francis N. Marzulli, of the Food and Drug Administration, Washington, D.C., was quoted with the following statement, "Hexachlorophene is widely used in mouthwashes, toothpastes, deodorant soaps, cosmetics, feminine-hygiene sprays, household detergents, suntan lotions, baby powders and as a burn treatment." The article continued, "Dr. Marzulli pointed out that for years hospitals not only have washed new born babies with a solution of hexachlorophene but have also advised mothers to do the same after they took their babies home." The doctor expressed his misgivings of this practice in these words, "My biggest concern is the effect hexachlorophene can have on babies. Their bodies cannot protect them against foreign materials in the same way that adults are protected by their mature bodies."³



In a study relating to the effects of this chemical fifty babies were examined by Dr. Laurence Finberg, of the Montefiore Hospital, New York. The Enquirer relates, "Some of the babies had been regularly bathed in hexachlorophene; others had not. The infants who had been washed with the chemical showed levels of hexachlorophene in their blood which were very close to levels found in rats that died from it." Dr. Finberg stated, "The amount of chemical in their blood indicated a potential threat. So our hospital has discontinued repeated hexachlorophene washings of infants."

Dr. Duane Larson, Chief of Staff at the Shrine Burn Institute, Galveston, Texas, was interviewed. Dr. Larson explained, "During the first six months the new institute was in existence, six children had brain seizures - convulsions and unconsciousness. We tried to find the cause and couldn't. After ruling out all other possible causes, the last thing left was hexachlorophene."³ Therefore, a laboratory study was initiated by doctors Larson and Samuel N. Kolman, to examine the effects of hexachlorophene on 300 rats with burns. "After three weeks of daily washing with a three percent solution of hexachlorophene detergent, some of the rats showed neurological symptoms, including brain seizures and paralysis. Later hexachlorophene experiments were tried on laboratory pigs and dogs, with the same neurological symptoms resulting. Most of the animals had brain seizures." As a result of these studies the Institute stopped the use of hexachlorophene on their patients. Dr. Larson asserted, "Since we've discontinued using hexachlorophene there haven't been any cases of brain seizures or paralysis among our patients."³

We can be grateful that researchers in the F.D.A. now openly question the advisability of using hexachlorophene, especially for bathing newborn infants.

The fact that it has taken over twenty years to realize how destructive its effects can be is a sad reflection on our civilization. A civilization that arrogantly tries to bend nature to its whims, rather than humbly learn to respect and preserve the attributes that nature has implanted to work so beautifully for us. There is no better protection for our bodies than our own Vivaxis energies. When will man learn?

Pity The New Born Who Is Immersed In Toxic Chemicals

Chemicals that disrupt and destroy the energy balance in many of his Vivaxis code receptors; as a result he starts life with three strikes against him. Many times I have wondered if toxic chemicals, such as hexachlorophene or its equivalent, have been responsible for defects that date from the time of birth. Defects that include deafness, poor eyesight, allergies and other bodily disorders.

Such an example was the daughter of a friend. Her mother wrote that Diane was to be married in a few weeks time, but her daughter's severe allergies and the mucus forming in her throat were of great concern. Would Vivaxis help? The unromantic picture formed in my mind of the bride's eyes running and swollen; waking at night fighting to dispel throttling mucus that had gathered in her throat; struggling to swallow because from birth the code receptors responsible for the normal reflexes of the throat lacked their normal energy pattern. The picture I formulated was fairly accurate for these conditions had existed since birth. Subsequent tests proved that many code receptors associated with the eyes, throat, and thymus gland, were disrupted and incapable of playing their role of stimulating throat and eye reflexes. After Diane had introduced her own Vivaxis energies into the malfunctioning meridians connected with her eyes and throat there was a marked change. Her eyes were tested before and after. Without glasses, she could now read a typewritten letter laid on her lap. Previously this had been an impossible task since her right eye had been almost useless. Her neck reflexes became normal for the first time in her twenty-one years and my notes further state that her left nostril also cleared for the first time in her recollection. The next report was from her mother describing a most happy radiant looking bride being married in the romantic setting of their garden. Diane's energies vibrating harmoniously with those of the flowers surrounding her; allergies now only a chapter of the dim past.

We should gain wisdom through the mistakes of the past. The here and now of the present is the time we can reconstruct. In order to formulate policies for handling and bathing the new born with any measure of wisdom, it is essential that those in authority give full recognition to the most basic law of all life, "A specific alignment to a Vivaxis."

Assume they do give full recognition, what would be their first objective? The answer of course would be to avoid all chemicals that weaken or in any way disrupt the pattern of energies in the baby's code receptors. Next, strengthen and encourage the atomic Vivaxis alignment by using one of nature's antiseptics whose vibrations are harmonious with life's forces, such as a weak aqueous solution of sea salt. Further, such a bath might strengthen the baby's

own natural Vivaxis antibodies and the involuntary reflexes of the throat and body that these energies control.

Among new born animals infection is automatically prevented by the mother, as she licks her offspring clean. How rapidly the new born is invigorated by his mother's mode of bathing! My suggestion of using sea salt is not based on experience and therefore should only be regarded as food for thought. The equivalent to sea salt plays a vital role in our system's blood and interplay of Vivaxis energies, and probably in our ability to absorb arealoha energies.

1 Carson, Rachel, Silent Spring. Greenwich, Conn., Fawcett Publications Inc., 1964.

2 "Choose Your Vet Carefully," The Esoterian, December 1972, Seattle, Wash.

3 Mallan, Lloyd, "Hexachlorophene Can Cause Brain Damage and Even Kill." Copyright: National Enquirer, Lantana, Florida, July 4, 1971.

20. Instrument Testing

Considerable time has been spent in exploring what appears to be a weak electrical component of Vivaxis energies. Ernie Bell, an authority in electronics, assisted in an advisory capacity. Testing was done with galvanized nails firmly pressed into damp ground directly under a Vivaxis. A milliammeter was used to read direct current microamps. Similar readings were also taken in damp neutral ground where there were no Vivaxis influences. Allowances had to be made for the fact that the galvanized nail probes in the damp ground were acting as a battery. Therefore many of the results might or might not have too much meaning. But what did appear to have meaning was the fact, that recordings under a Vivaxis quite consistently illustrated the flow of energy was directed towards the point immediately under the Vivaxis centre; provided the energies were flowing down towards the ground. Also recordings were considerably stronger under a Vivaxis than those in neutral ground.

It was through observations of instrument changes that I was led to explore the fact that at times the energies are flowing up from the ground and other periods flowing down towards it, and was thus able to correlate the times of these periods with the positioning of the salt and soda in relation to east and west. The environmental influences that recorded disturbances in our circuits were also recorded by the needle of the instrument. These influences included storms, major earthquakes, power saws, planes, outboard motors and many other disturbing factors.

A friend kindly brought portable high frequency equipment to take pictures of a leaf that had been aligned to the energies of the lightning Vivaxis and also another leaf aligned to a Vivaxis created by sea salt and soda. Refer to diagrams 4, 7. Both leaves had strong alignments to their respective energy fields prior to the time of exposure to the high frequency. Testing after the exposure showed they had lost all their Vivaxis alignment and energies and no photograph was recorded. We tried leaves that were freshly picked off an arbutus tree (madrona). For a few minutes one was placed on the centre of the energy field transferred from the lightning strike. This time a picture was recorded but again all alignment and Vivaxis energy in the leaf was destroyed. A similar experiment was repeated with a second leaf and the results were the same.

Two significant facts were noted:

- (1) The high frequency destroyed the Vivaxis energies.
- (2) The veins in both leaves themselves had very extended and pronounced veins as a result of the high frequency. Leaves freshly picked and not subjected to the Vivaxis prior to being photographed did not have distended veins.

The most valuable lesson learned was the fact that the high frequency destroyed the Vivaxis energies. One member of our Research Society had a

picture taken of one finger the night before. When the finger was tested the next day it was found that its code receptors had lost all their normal flow and wave alignment.

What might be the long range accumulative effect? I rather shudder to think. It took a long time to become aware of the accumulative effects of X-rays for the effects of a disrupted circuit are seldom immediate.

If I was offered a million dollars I would not subject myself to such an aura picture. The value I place on my own force field is beyond price. Refer to Dr. Tiller's definition of high frequency aura photography, page 66.

21. Reference Guide For Beginners. Introductory Course

"Sea Salt and Soda Bath," page 57.

"Technique for Neutralizing," page 19. This new method has replaced the methods suggested in Volume 1.

"Exploring the Energies Within Your Aura," page 65.

All this material should be used for the introductory course and well understood before continuing.

Suitable candidates for channeling are those who have all twelve brain receptors in correct orientation with only one definite Vivaxis to which they are linked by wave. This evaluation is done by directional aura testing with the right and then the left hands, testing twenty-four code receptors in all. Each brain receptor is sandwiched between two code receptors; one of the latter is recorded with the left hand and the other with the right hand.

A person who has two or more Vivaxes is not a good candidate for channeling. His aura testing will probably reveal a wave confliction caused by another Vivaxis. I think these people should be content to use neutralizing and utilize arealoha energy waves, providing they are able to evaluate the correct relative positions of the sea salt and soda.

References For Beginner's Channeling

(A) Check list for determining one's channel, Volume 1, pages 26-36.

(B) Basic channeling methods, Volume 1, pages 37-42.

(C) Technique for realigning X-rayed bones, Volume 1, pages 58-61.

(D) The hot shower method to stimulate the Vivaxis energy flow and disturbed receptors, Volume 1, pages 89-92.

Step 1. A person should neutralize for six times with the accordion method. After a waiting period of five minutes he should test directionally in his aura to determine if his energies are in correct orientation and not at right angles. If the testing indicates that his energies are in correct resonance, he can then proceed.

Step 2. Determine his channel.

Step 3. Proceed to channel.

Step 4. Immediately after channeling correct his receptors by using the PHS method, Volume 1, pages 89-91.

Step 5. Neutralize immediately after the shower using the accordion method. N.B.: Make certain the feet are placed firmly together when neutralizing otherwise the method will have no effect.

Step 6. Test with his wires to determine if his body fluids are unaligned. If so, the wire will turn into the direction dictated by his brain, providing of course, that he is not facing any of his four channeling directions. If he is still aligned

his recording wire will only turn to the direction of his Vivaxis. A good student soon learns to do his own evaluating.

Step 7. With a stiff broom he should scramble the vortex of energy that remains on the area where he has channeled; brushing the area in all directions will quickly disperse the vortex.

An alternate method to the PHS method is to reinstate receptors with arealoha energy waves, see page 137. This is done before channeling and techniques are described on page 130. This method of course can only be used if one can evaluate accurately for arealoha energies. Reference and page 123. The rest of the routine for channeling is the same. It is not necessary to shower after channeling if one has previously corrected the receptors with arealoha energies. After channeling stay isolated and exercise for a period of six to eight minutes, then neutralize.

22. Channeling Techniques For Advanced Pupils

Those who eventually receive the most gains from channeling are the people who strive to make all factors ideal, realizing that they have first to become familiar with every aspect of **Vivaxis** and arealoha forces and then gain experience. Their attitudes and thinking have to be correctly orientated with an earnest desire and determination to learn and understand the energies within their own force fields. This is not knowledge that can be digested by one person and then handed to another, all condensed for him to use. Too little knowledge can always be dangerous. We have found by experience that those we spoon feed, or stand over and constantly give directions, are the ones who continue to remain helpless. On the other side of the ledger there are a great many people who have been most successful, by learning entirely from the information contained in the books. Their mental attitudes were ready for this knowledge and they were prepared to take the time to learn and evaluate. **Vivaxis instructors** are available both in Canada and the United States but only to teach, not to treat. Like most things the effort you are prepared to make, gauges the rewards that you are likely to reap. Perfect channeling conditions are not always possible, but those that place a proper value on their force field, will naturally strive to make conditions ideal for channeling whenever possible.

Ideal Conditions For Channeling

Location -A quiet secluded place outdoors that is free from transformers, planes or other fields of interference. Ground is required to be absolutely level and free from vegetation that will ground against the clothing.

Clothing -Loose and as little as possible. No shoes. See Volume 1, pages 41-42. [Check list for channeling](#).


Neutral ground -Aura testing will help advise if the ground is neutral. Refer to pages 14-25.

Time of day -In the morning the force field will often be stronger and more effective. An hour or two before a **major** period. With experience a person will learn to gauge when the forces are most favourable for himself; remembering that both the force flow at the site of his **Vivaxis** as well as the force flow in his immediate environment will have influences.

Method of clearing one's circuit, strengthening one's force field and correcting receptors - Prior to channeling use arealoha energies. Refer to pages 123, 130, 137.


Ideal method of determining your channel -Head level, eyes shut and use the hands only to determine one's channel; with experience a marker should not be required. A person's hands should advise when he is free from static and the energies are flowing in correct resonance in his channel. The energy flow in his hands can advise when he is facing forward, sideways or backwards in his channel. During the whole channeling process his head should remain level, eyes shut, his mind relaxed and hands grounded by his sides after they have been used to determine each new position. It is a distinct advantage for the individual to use his hands in this manner since he is not required to open his eyes or bend his head to observe a guide line. The

compatible ambient forces in his environment synchronized with his Vivaxis energies, should pulsate rhythmically through him. See diagram "Body aligned."



Disrupted energy meridians

DIAGRAM 13. Weak Aura.






DIAGRAM 15. 20 minute period after channeling - the aura and body fluids are saturated with VIVAXIS energies.




DIAGRAM 16. Normal Size Aura When Not Aligned.
 - - - - - VIVAXIS energy insulating belts.

After completion of channeling he should exercise for one minute. Then test with his hands to determine that his body fluids are aligned to his Vivaxis; when evaluating always test out of the four channeling directions. If the body fluids are aligned his hands will not circulate when held limply down at his sides, in the manner used to determine the up and down flow of the local forces. After ten minutes he should neutralize by the accordion method, refer to page 19, and then test to see if he is neutral. If he is neutral, his hands should respond to the local forces which will again stimulate them into a circulating motion.

Concluding Comments

In the past few years approximately nine hundred members have joined the Northwest Magnetism Research Society in order to learn all the aspects of Vivaxis. It is hoped that many of these members have advanced sufficiently to now use the technique just outlined.

23. Additional Information As A Guide

- (1) Remove the salt and soda from the room before channeling, for these compounds draw in the ambient forces from their surrounding environment. Store the [sea salt](#) and soda separately in a dark cupboard.
- (2) After removing the jars wipe over the area where they had been standing with a damp cloth.
- (3) While watching other persons operate their wires (e.g., aura testing), protect yourself by clasping your hands and crossing your feet.
- (4) If possible have a window open when one is indoors channeling or absorbing arealoha energy waves.
- (5) Erase the energy vortex left on the floor after one has channelled, by scrambling the pattern with a broom or brush.
- (6) The use of arealoha energy waves in conjunction with channeling is proving to be the most effective method yet devised for correcting energy meridians.

Do Nots

- (1) Do not have more than one person operate wires in a room at one time.
- (2) During the period of the full moon avoid using salt and soda; this three-day period includes the days before and after the date of the full moon.
- (3) With any of the sea salt and soda methods the best result is obtained by avoiding its use at the [major](#) and minor periods.
- (4) If using the dry mixture of sea salt and soda do not rub or wipe the head and body with the container but pass the bag slowly over these areas without actually touching. This method is only used when no other method is suitable (e.g., animals) and only if one can be assured that his objective will be accomplished without putting his own [Vivaxis](#) vibrations into the mixture.




DIAGRAM 17. Using the Forefinger in Place of a Second Wire.

Many people find it difficult to hold two wires absolutely level; one wire is therefore preferred for most practical purposes. Before changing a wire from one hand to the other the wave pattern can be eliminated by tapping it against the leg. In the book where it refers to "wires crossing" one can use the forefinger in place of the second wire, see diagram 17.

The wire in the diagram is designed and manufactured by R. Mahany for members of the Northwest Magnetism Research Society and Vivaxis students.

It is designed to give a fluid movement and as a recording instrument is infinitely superior to a homemade wire. The copper sleeve should measure one quarter of one inch inside diameter. A common error is to make the sleeve too tight with consequent binding.

Conclusion of Volume 2

It is the prerogative of every researcher to advance theories that can be either built upon or subtracted from. As a hypothesis for future research I suggest that when our body fluids are aligned to our Vivaxis our atomic particles are in a higher energy state. During this period unprocessed forces in our immediate environment are drawn into our circuit from a much larger radius than normal. Our blood chemistry containing the basic elements in sea salt, soda and iodine, have limited capacities to discard the nonaloha energies; consequently an overload of nonaloha could occur through too frequent channeling and remaining aligned for too long a period.

My recent observations with non-aloha discards could well account for the necessity of warning against too frequent channeling and further recommendations of neutralizing from six to ten minutes after channeling. Up to now we have been observing the effects without full awareness of the cause. We have been aware of the tremendous corrective powers through alignment of body fluids but we have also been aware of the adverse effects if they are aligned too often and for too long. Is the cause nonaloha forces in stronger concentration than the system can discard? It is a thought and perhaps a good one with which to conclude Volume 2, for what not to do is equally as important as what to do.

The more we learn, the more aware we become of the vast field this science embraces and the deeper respect we have for the part these forces play in our lives. As additional information becomes available it is released in supplements to the membership of The Northwest Magnetism Research Society, P.O. Box 114, Delta, B.C., Canada. The Society is a non profit organization. It was formed to explore on an individual basis natural laws of energy that influence our force fields, mainly a Vivaxis.

Glossary

Ambient forces -encompassing all natural forces.

Appestat -a neural system responsible for control of the appetite.

Arealoha forces -energies that are selected from the ambient forces with compatible frequencies to the elements contained in sea salt and baking soda and are also compatible to our system.

Circadium rhythm -pertaining to rhythmic biological cycles recurring at approximately twenty-four hour intervals.

Circannual -yearly biological clock.

Fixed wave vector -a direction of energy wave flow with a fixed pattern that cannot be altered by a normal level of mind control, e.g., a direction linking directly to a Vivaxis.

Flexible wave vector -a direction of energy wave flow that can be readily controlled and changed by the brain, e.g., lacking a fixed pattern in contrast to a wave vector controlled by the energies of a Vivaxis.

Nonaloha -the opposite from arealoha - energies that are rejected by our systems from the ambient forces due to incompatible frequencies.

North wave vector -energy wave flow from a north direction with light as a carrier wave.

South wave vector -energy wave flow from a south direction with light acting as a carrier wave.

Volume 3

Supplement. Introduction

The contents of this booklet are the result of concentrated exploration in search of methods that can be used reliably and meaningfully by the average individual. In these tests one is in reality testing within the confines of one's own force field, or aura, that surrounds every individual. Tests are geared to check the accuracy of the following:

- (1) Determining if the channel one locates has a wave train leading to one's Vivaxis corresponding to the wave length of one's brain.
- (2) If one's magnetic and electric fields are in the correct balance necessary to utilize channeling.
- (3) Checks to determine if one has neutralized effectively.
- (4) Checking after one has channelled to determine if one has effectively aligned his body fluids and that they have become saturated with his Vivaxis energies.
- (5) How a person who at any time has been hypnotized by another individual can observe the effects of the hypnosis through his own testing.

The check tests which follow have tremendous meaning if conducted with adherence to all the rules necessary for efficient wave recording. They are tests that cannot be changed or manipulated by one's brain. Notice that when the field is static your brain cannot persuade the wire to swing towards the direction in which you are thinking. Again, when you are correctly aligned in your own channel the brain cannot persuade the wire to pull away towards another direction.

The ability to test one's force field in this manner has earned a place of respect for our findings among those who have explored through themselves. This group includes an ever increasing number of men in the medical and scientific professions. However, the requirements for exploration in this field do not require a doctor's degree or complicated instrumentation. Our force field is very sensitive to the stronger fields of instruments and a flooding or wave cancellation would most likely destroy the very thing we are seeking. This is a field of exploration where the individual can be his own discoverer.

Neutralizing

Part I. Neutralizing

In our thinking and writing a positive approach is preferable to a negative one, for the negative has the power to crowd out constructive progress. However, as I write in January 1972, it is impossible to record our observations without considerable alarm and increasing concern.

Science has given us the H-bomb; nature has given us vital and therapeutic Vivaxis energies. The two are incompatible. If allowed to flow in their proper magnetic continuity, Vivaxis energies provide an energy balance that is harmonious and conducive to mental and physical well-being. These are energies to which life has adjusted throughout millions of years. Those who have observed and worked with these energies realize the primary role they play in organizing and arranging the molecular machinery of the cells. In contrast, the insidious results of atomic testing have far reaching effects that upset the balance of Vivaxis energies in our environment and the balance of energies of all life influenced by the geomagnetic field. The insidiousness is well expressed by the following quotation, "The normal flow of life processes depends upon the presence, in the proper place and at the proper time, of certain chemical molecules. This is especially true of the processes of heredity. A change in a single gene-molecule in the sperm or in the egg cell may make the difference between a normal child and a pitiful invalid. High energy, or ionising, radiations disrupt the physical structure of atoms and initiate novel chemical reactions. The addition of a hydrogen atom here, its loss there; the ionisation of a formerly uncharged atom; the production of hydrogen peroxide; the physical disruption of long, chain-like molecules - these and a dozen other effects or immediate after-effects of radiation may raise havoc with the cell's basic organization. In many instances, of course, the damage is done to an expendable substance and is repaired by the cell's built-in defence mechanisms. In many other instances, however, damage is done to a unique substance not easily replaced or repaired. Here the effects of radiation are serious. "1

On the morning of November 6, 1971, there was tremendous suspense as the world awaited the last hour decision of the U. S. Supreme Court action. Would President Richard Nixon, in the face of much opposition, proceed with the giant atomic underground explosion in the Aleutians? I chose to think that in his wisdom he would forbid the blast. I am convinced he would have cancelled it, had his wisdom encompassed the knowledge that all life is vitally influenced by the geomagnetic field through its Vivaxis link.

Unfortunately the giant bomb was exploded with devastating force. This in turn provided the incentive for other countries around the world to display their might and folly through thermonuclear testing. How can man be expected to adjust to such a large increase in the level of radiation during this short time span? How does it affect our force field as we are capable of observing it?

We were in Palm Springs at the time of the blast and

1 Bruce Wallace, Theodore Dobzhansky, Radiation, Genes and Man, London, Methuen & Co. Ltd.

my mind had completely dismissed the possibility of the bomb test being permitted. Sometime prior to the explosion I noticed my vision had become very blurred. I picked up my recording wires and both wires spun chaotically. This is a characteristic reaction noticed an hour or more before a thermonuclear test; it is a period when the atoms are being squeezed under tremendous pressure. I did not have to turn on the the TV to be told the explosion would take place. The wild chaotic motion of the wires continued until about one-half hour after the blast. My force field thousands of miles from the Aleutians was adversely affected; my energy waves recorded it. Many other members of the Research Society recorded similar reactions. This was a measure of the high degree of disorder introduced into our circuits.

In order for this test to have meaning I deliberately tried without effect to stop the wires by command of my brain. This eliminated the possibility of the recording wire merely registering a disturbed thought pattern. However, it is doubtful that any thought pattern could duplicate the wild disorder recorded by the wires previous to the blast. Frankenstein would have envied the power of today's scientists to lash out at their fellow men. I once expressed my surprise to a nuclear scientist that this chaotic disturbance was recorded so violently, long before the bomb exploded. "This is when you would record it," he replied and continued to briefly outline the reasons. Adding, "It is no longer any secret." Some physicists have speculated on the strong possibility of damaging infrasonic waves being created as a result of the testing. Infrasonic waves may well have been responsible for affecting our circuits in the hours prior to the actual blast.

During the early years of our exploration an unbalanced field was rather exceptional; today it is fast becoming the rule. We have noticed a sharp rise of disturbances with each succeeding year.

Climatic storms, earthquakes and man-made equipment, that cause damaging infrasonic waves, all add their toll to our energy unbalance and disorder. An article, by David McCrindell, recently appeared in the National Enquirer of November 7, 1971, under the title, " 'Silent Sound' can make you nervous, exhausted and physically ill. " An excerpt from it reads, "Scientists have discovered that the Earth is bathed in throbbing waves of 'silent sound' that make you feel crabby, nervous, exhausted and even cause physical illness.

"Laboratory tests and field surveys have turned up evidence that these unheard sounds:

Cause abnormal jumps in the incidence of auto accidents and school absenteeism.

Neutralizing. Part 2

Turn normally happy and productive workers into bickering do-nothings without anyone realizing what the trouble is.

In severe cases cause headaches, choking, coughing, blurred vision and extreme fatigue.

"Scientists call the silent sounds 'infrasonics.' They are inaudible because their frequency, or rate of vibration, is less than 20 times a second, a pitch too low to be detected by the human ear.

" 'Far more than any other kind of noise, infra-sounds are responsible for nervous disorders in industrial towns, ' the scientists concluded.

"Dr. Vernon H. Goerke, director of the U. S. government's Wave Propagation Laboratory in Boulder, Colo., said infrasonics can be produced by such things as missile launchings, construction machinery, explosions, defective electric motors, aircraft, weather disturbances and earthquakes.

"Intense infrasonic waves produced by thunderstorms and such cataclysms as the Alaska earthquake possess the ability to lash out at human beings from afar, according to a study conducted at the University of Illinois.

"Dr. Floyd Dunn, a professor of electrical engineering at the university, and John Green, a Bell Telephone Laboratories engineer, found that auto accidents and school absenteeism in Chicago jumped to abnormal highs on days when silent sound activity was heavy.

"Green told the Enquirer that he is convinced silent sound can throw people off balance, both mentally and physically.

" 'It may well be that on those days when everything goes wrong - when you get short-changed at a checkout counter, everyone's crabby and you dent the car fender - that the trouble is all due to infrasonics coming from a storm somewhere else, ' he said.

"Not only storms, but defective machinery can emit mind-shattering silent sound, according to Green. "

To many of us the article sounds like "Little Sir Echo. " Testing with specialized instruments scientists now record the same elements causing the same disturbances to the nervous system that we have been recording with our angle wires for seven years. My three books present data that read almost identically except for the explanation of infrasonic waves. The latter helps to explain why we are affected when we are often so far removed from the actual source of the disturbance.

Currently the excessive amount of disturbances is very discouraging as it plays havoc with our nervous systems and unfortunately imposes increasing restriction on the days we can channel. However, we can use neutralizing to ground out the disorder, providing, of course, the cause of the disturbance has dissipated. My recent explorations have been projected toward methods of neutralizing that would dispense with the wire hoop, vinegar and ice. Often the simplest method turns out to be the most effective

and this is particularly true when using our own Vivaxis energies. Further, the research has again illustrated there is no substitute better than one's own energies. My research was conducted at a time of excessive disturbance when I felt all our resources should be marshalled to combat interference introduced into our circuits; interference created by the insidious effects of atomic testing plus the bombardment of infrasonic waves.

The following is an effective way to neutralize. Stand with back erect and legs together so that the ankles and sides of the feet are touching. It is important to have the entire sides of both feet in complete contact. Keep the head tilted slightly to ensure it is not level. Face your hands together and place the tips of the fingers and thumbs against each other, so that the whorls of the opposite fingers are in contact. In this position the palms of your hands will be apart but facing each other. Press your fingers rhythmically in and out like an accordion and at the same time breathe very deeply. Continue to press the fingers firmly while slowly moving them in and out. The number of times this exercise is necessary to effectively neutralize oneself will depend on the degree of disorder in one's energy circuit. Usually compressing the fingers about six complete cycles is all that is required, but this will vary with the individual. Test before and after the foregoing procedure using the standard methods of testing for a static condition.

Always check immediately before channeling to determine if your magnetic and electric field are in balance. Check with both the right and then the left recording wire, for we have recently discovered that if a person is linked into a radionic machine the wave motion is changed in the system and a disturbed static condition shows up in the left recording wire but not in the right. One should be able to get wave vectors in correct orientation while testing with both the right and then the left recording wire.

An accumulation of static disorder may linger in your system, sometimes hours or more after the disturbance that created the condition has dissipated. This we refer to as "lingering static" and the "lingering" is generally in direct proportion to the intensity of the disturbance. Those working in offices under pressure and fluorescent lights record a lingering static, in contrast to workers in a more compatible environment whose energies remain in balance. Neutralizing has the ability to drain off this static and the method described above is extremely easy and useful for office staff to help achieve a correct balance of energies after the day's work.

We stress that before you channel remember to test for a static state. If the test indicates you are static, then neutralize. Test a second time to make sure you successfully neutralized. Wait five minutes and test again to ensure you remain neutral, since the disturbance that caused the static condition may still exist and, if so, it sometimes takes a few minutes to rebuild in your system. If the third test reveals you are again static, then do not channel.

Neutralizing. Part 3

Adequate Grounding

Grounding is an important part of neutralizing. In fact, it is a very important part of the efficiency of our whole circuit. Our circuits would be much stronger at all times if we paid more attention to adequate grounding. Animal life is naturally grounded when they have all fours on the ground. To test this, try crawling when your force field registers a lingering static state. A similar test is to lie on neutrally tested ground as opposed to lying on a bed. Lying on the ground will dissipate lingering static, but lying on a bed will not. Some animal life is grounded to the earth through the water. By taking a short swim in the sea you can dissipate lingering static; you will feel more alert, mentally and physically, than your friends on shore relaxing and still remaining in a static condition.

A book that was first released in June 1971 entitled *Poisoned Power*, by John W. Gofman and Arthur R. Tamplin, stresses the dangers of radiation build-up in our bodies. From it I quote:

"It also makes no difference, biologically, whether the tissue receives a specific amount of radiation, in a given time period, from a radioactive particle of long half-life (like thousands of years) or from one of short half-life (like a few days).

"Knowing these basic facts, we can see that the only real issue that concerns us, about any radioactive material, is how much radiation is absorbed by a single portion of tissue plus the length of time in which this absorption occurs. In order to systemize all radiation measures, radiant energy absorption is measured by the RAD unit. A substance is said to receive 1 RAD of radiation when it absorbs a given amount of energy per gram of that substance.

"One rad delivered to a piece of muscle will have essentially the same effect whether it comes from a dental X-ray machine, from radioactive atmosphere irradiating the muscle from the outside, from gamma rays from radioactive substances in the earth, or from radio-active substances taken into the body with food or water. And it matters not at all, whether the source of radiation is a nuclear power reactor or any other source. One rad is one rad for nearly all types of radiation, from any source for all practical purposes. "2

Before leaving the topic of disturbances to our environment and to ourselves; a short verse inspired by Alison Eaton, age 12, is illustrative.

My Heritage

A morning wrapped in dirty smog And tied with thick pollution Of gray was left for me at dawn, 'Twas labelled "execution".

Probably many readers will recall Alison's story and pictures in *Vivaxis*, the *Spiral of Life*. The following is an excerpt:

"Alison Eaton, an appealing child with dimples in her cheeks, was eight years old when her mother hopefully requested help. At the age of four years she had been subjected to X-rays in the vertebrae of her neck. In later years she had been getting periodic pain in her head which was increasing in frequency. She also found it difficult to sit up erect. Her mother became quite alarmed

when a school advisor suggested she take Alison to a physician, for her teacher had reported Alison's inability, on occasions, to read coherently, which suggested a temporary, jumbled, confused state of mind. "

Ever since that time four years ago, when Alison first used her Vivaxis energies to adjust her disturbances, she has proved herself to be an outstanding and excellent student.

2 John W. Gofman and Arthur R. Tamplin, *Poisoned Power*, Emmaus, Pa., Rodale Press Inc., 1971.

Static Affects The Direction Of Your Energy Flow, Method, For Testing Correct Directions, Common Wave Arrangement.

Part II. Static Affects The Direction Of Your Energy Flow

The following is an excellent test to determine the continuity of the field. Normally our energy flow should have two vertical directions, one up and one down, represented by clockwise and counterclockwise motions as observed in our code receptors. When you are ideally balanced and free from static disturbance, you should be able to conduct this test. Stand in the manner described in the directional test on page 137 of *Born to be Magnetic*, test first with the right recording wire and then with the left. Your brain should be able to send wave messages to your wire to circulate clockwise and then reverse to circulate counterclockwise. The brain should also control the left wire in the same manner. Under these circumstances conditions are correct for channeling.

In contrast, when your energies are out of phase the brain may fully control one wire but the other can only be made to circulate in one direction.

At the time of writing there are periodic disturbances occurring, possibly caused by infrasonic waves from a recent earthquake, and I am unable to drain off these disturbances for any length of time. Due to the static that is currently affecting my brain I am unable to control my right recording wire to make it rotate clockwise. The wire becomes lifeless and without response (another graphic illustration that you cannot make the recording wire lie). However, I find my brain can control the same wire to circulate counterclockwise. Currently the brain can control the left recording wire and make it rotate both clockwise and counterclockwise. With a different set of circumstances this discrepancy would probably make itself manifest with another variance. After I had neutralized, my brain was able to control both wires for a short period only and make them revolve in either direction.

These serve as good illustrations to help us understand how foreign radiations, infrasonics and other disturbing energies have the power to introduce confusion into our brain and impair our judgment and ability to think coherently. It is time to pause and weigh these factors. Think of poor wee Johnny sitting at a desk directly beneath a static producing radiating fluorescent light. Johnny does not concentrate to the best of his ability; his thinking is jumbled and confused and his eyes are not co-ordinating. Why? Move Johnny to another position in the room away from the fluorescent light, also remove his X-ray interference and the chances are good that both Johnny's brain and eyes will gain better co-ordination. Nutritionists have found

that fluorescent lights destroy vitamin A in the system; a very vital vitamin necessary for the health of the eyes.

Perhaps it will be your children that suffer the harmful radiation of fluorescent lights injected into their systems. Through these tests do your own exploring and perhaps your views, plus those of many other parents, will become strong enough to correct this folly of lighting mutilation both in the schools and offices. Test while standing directly under a fluorescent or electric light. Both produce static, but the fluorescent have a more lingering effect, especially if we have been under them most of the day.

It is advisable before doing any of these tests to first check the requirements for recording waves and holding the wire, detailed in *Born to be Magnetic*, Chapter 4.

Part III. Method, For Testing Correct Directions

Stand so that you are not facing toward any of your "channel directions". With feet apart, spine erect and head level, hold your recording wire in one hand. Bend the free arm at the elbow, with the elbow held slightly from the side of the body; extend the forearm and hand horizontally in front of you with the palm facing down.

If your force field is free from static, as you concentrate on a direction the wire should swing into that direction. However, if your force field is static, your brain is also out of orientation and the wire will not move into the direction of which you are thinking, but more generally to one at right angles. To avoid deflections do not think of directions in the room where there are people or where electrical equipment is located.

In all wave testing it is wise to tap the wire firmly against your leg between tests, to remove a carry-over of wave motion into the next test. Other aspects of direction testing are covered in *Born to be Magnetic*. Refer to page 138 and avoid magnetizing the wire to your Vivaxis. Our surrounding aura has an energy field that has the ability to do this.

Part IV. Common Wave Arrangement

The tests and procedures described in this booklet and in *Born to be Magnetic* are applicable only to those people who test and have their Vivaxis in the northern hemisphere.

Our experience has taught us that in this hemisphere there is a normal wave arrangement common to all those testing at a height below their Vivaxis elevation. Similarly, there is a common wave arrangement for all those testing above their Vivaxis elevation, but there is a slight variation between the two groups. The common wave arrangement is only apparent if the induced influences from other fields have been entirely eliminated. Therefore, when we use the phrase "you should be able to" in this booklet, it implies that your energy circuit has been cleared of foreign induced fields.

Inability to do the exercise is often due to the residual influences of stubborn alien fields still harboured in your circuit. These can be the result of X-rays, cobalt treatment, strontium 90 radiations, radionic machines, other types of wave machines, and influences left from treatment with magnets. These are a

mere few of the causes which are capable of changing the organization and arrangement of your energies.

However, experience has also taught us that when the foreign influences are truly erased, these same people have the same reactions when wave testing as we describe. But if one does not record these reactions, then it is a possible measure of the degree of interference currently in one's circuit.

Your Aura, Yoga Exercises Aid In Erasing X-Rays, Nutrition, The Brain's Properties Of Conductivity

Part V. Your Aura

In the tests we describe you are working within your aura, the invisible force field surrounding your body. If your hands reach out beyond the limit of your aura, there will be no response in the wires whatsoever. The latter lose all wave motion and feel absolutely lifeless. Bring the wires back within your aura and immediately you will feel life and response in them.

Conduct the following test at a time when your force field is balanced and your wire responds by swinging correctly into the direction of which your brain is thinking, e. g., the door, the window, etc.; or in a circulating motion in clockwise or counterclockwise directions in correct response to the dictation of your brain. Either preliminary test indicates a balanced co-ordination between your brain and the force field surrounding you. Now place a horseshoe magnet on the floor, positioned either slightly toward the front, side or back of you, with the poles of the magnet facing towards you. If it is within the circumference of your aura the magnet will have an adverse disorganizing effect on your aura and force field, which will become evident when you again try the directional test.

Your energy aura expands in time of well-being and shrinks during periods of illness or if the environment of the field is severely disturbed in any way.

The following is a good test to illustrate how deep breathing and exercise expand your aura. Mark the extreme limit of your aura and place the magnet just outside, so that it has no influence on your force field while testing; next, breathe deeply and exercise. Both actions will expand your aura considerably and you will have to move the magnet much further away from you to reach beyond the circumference of your temporarily expanded aura.

Magnets have an energy force that is foreign to your vibrations and wavelengths, so be sure to make all tests brief.

Part VI. Yoga Exercises Aid In Erasing X-Rays

Recently, while in England and Scotland, I worked with a group of people who astounded me by recording very little sign of wave confusions from X-rays. The normal confusions were not recorded either through their testing or through mine, even though they had been subjected to the average amount of X-rays. However, all of them had one thing in common; they had been conscientiously doing yoga exercises for some time.

Later, when I had taken classes in yoga and bought a yoga record to follow, the reason for these exercisers' ability to erase most of their X-ray

interference became more apparent. Yoga exercises advocate very slow movements that require deliberate concentration on each separate part of the body that is being exercised. The brain is required to send concentrated wave messages that project the Vivaxis energies strongly to the particular limb, whose bone is being slowly and firmly stressed. This combination of mind and exercise, plus very deep slow breathing, apparently has the ability, over a period of time, to erase most radiation interference introduced through X-rays. The bones that yoga exercises do not normally stress still retained the X-ray influences; these included the vertebrae in the centre hollow of the back.

Part VII. Nutrition

Nutrition and exercise go hand in hand, so at this point it is appropriate to say a few words about nutrition. For it plays a vital role in producing the right chemicals, so the body fluids have the ability to act as efficient conductors of Vivaxis energies. This thought serves as a reminder that if you correct the balance of your energies, the right food chemistry is an essential part of retaining those gains. Refer to Chapter 22 of Born to be Magnetic.

Part VIII. The Brain's Properties Of Conductivity

We have mentioned that food chemistry plays a vital role in making the body either an efficient conductor or a poor conductor of our Vivaxis energies. In the same manner man's brain can also act as an excellent or poor conductor, depending on his thought patterns. When it is at peace and tranquil, it is then compatible to the harmonious and balanced flow of Vivaxis energies. In contrast, when the brain becomes disrupted with attitudes of hate and fear, it becomes an extremely poor conductor. The following is a test that graphically exemplifies this fact. We have illustrated that if you are correctly aligned in your channel the wires will not pull away by command of the brain. However, if one's brain is made incompatible through disturbed thought patterns, the wires will automatically pull away in rejection.

You literally cease to be one with the flowing Universal energies and without them your whole being begins to disintegrate. This message serves to remind us that the mind must be tranquil and relaxed when we channel, in order to admit the flow of our own Vivaxis energies.

Method, Of Double Checking The Direction Of Your Channel, Extra Tips For Beginners, Reducing The Radiation Time Of The Post-Channeling

Part IX. Method Of Double Checking The Direction Of Your Channel

If the channel you have located is the channel leading to your Vivaxis, then there will be a flow of energy travelling from that direction with a wavelength corresponding to the wavelength of your brain; your wires will cross.

Method of Checking

- (a) Multiply while testing and your wires will uncross and swing firmly into the direction directly in front of you.
- (b) In another test request one of your wires to swing into another direction. If you are precisely in your channel, then it will not pull away.

If the wire does pull into another direction the following possibilities should be explored:

- (1) You slumped your spine or tilted your head off level when you tested.
- (2) The field is static and electrically unbalanced.
- (3) You are close to your channel direction but still a degree or two off.
- (4) An induced field is being recorded from that direction.

The induced field might be due to electric motors, airplanes overhead, a person concentrating on you, to name a few of the causes; any of these influences coming into you can actually make your wires cross in the direction of the induced field. For example, a person may be hundreds of miles away, yet you can still pick up a channel coming in from his direction if he is concentrating upon you. But if the wavelengths of these induced fields do not correspond with the wavelength of your brain, then your brain can order your wires to move away from them and the wires will obey. In other words, your brain has the ability to shut out other fields that are coming in.

In contrast, if it is your own channel and the wires are correctly orientated, they will not pull away despite your brain's command; since the wave train that links your code receptors directly to your Vivaxis comes in a definite channel direction. The atoms of your code receptors and brain all tilt their nuclei towards that channel. Each brain receptor has a code receptor located at either side of it with the same wavelength as your brain and Vivaxis energies. When you face into your channel you are similar to a radio set that is tuned into a specific channel - your channel.

Another interesting test is to place both ankles, plus the entire sides of both feet in firm contact; at the same time hold a recording wire in either hand. Regardless of where you face in respect to your Vivaxis channel, the wires will swing towards it. They do not cross but separately hold the direction of your channel and they will not pull away at your brain's command, unless there is an energy disturbance in the environment at the time of the test. This is a good way to find your channel and for location purposes has tremendous value. However, be sure to place your feet well apart before you actually channel.

Part X. Extra Tips For Beginners

Neutralize a new set of wires in order to erase the field introduced into them during their manufacture. Run tap water thoroughly over them and then immerse the wires completely; dry well and take care no other person holds them. Before channeling do the accordion exercise with your fingers, slowly and firmly, for about thirty seconds; then exercise strenuously for a few seconds. To introduce your energies strongly into the wires before starting to test, whirl them vigorously in your hands. Now try locating your channel and test the accuracy with the methods described.

Those who have been subjected to wave machines or treatment with magnets will have difficulty locating their correct channel. Several members of our Society, from the state of New Mexico, have kindly passed along their method of negating foreign radiation and increasing their own force field.

Method

Dissolve one pound of baking soda and one pound of sea salt crystals (obtained in most health stores) in a bath tub of hot water. One soaks the entire body for approximately ten minutes and at short intervals immerses one's head. The results of using these simple and natural elements have proved remarkably effective.

Part XI. Reducing The Radiation Time Of The Post-Channeling Period

Recent research has indicated the advantages of reducing the time of radiation absorption. The cells of our bodies are adjusted to a certain degree of our own radiation, flowing in and out of our bodies at all times. Our systems are put into a higher energy state when we channel and we absorb an increased level of radiation through the code receptors for a period of approximately twenty minutes after channeling. There are occasions when our systems appear deficient in these radiation energies and the full twenty minutes of accelerated absorption has tremendous therapeutic value.

Experience is demonstrating the advantages of reducing the radiation absorption time to eight minutes after channeling. There are indications the reduced amount of radiation has the desired effect and yet helps avoid too great a build-up of radiation at one time. The shorter period makes it possible to use channeling more often if specifically required, especially for chronic injuries where the cell growth of code receptors has suffered over a long period. These code receptors are difficult to keep in a steady state and lack the normal ability of retaining the individual's energies. More frequent channeling over a period of a few weeks appears to assist the receptors to maintain their steady state, but this procedure is only advisable if the time of absorption is substantially reduced during each post-channeling period. In fact, in these cases the individuals generally reduce their absorption interval with each subsequent channeling, until the period is only three or four minutes duration.

A few members of the Society, suffering from chronic injuries, successfully experimented with specific channeling for three consecutive days, waited one day and then channelled again on the fifth day if necessary. They found they could gradually extend the intervals between channeling as their receptors gained in retentive strength and were able to maintain their normal pattern for increasing periods of time. This was only possible because they reduced the time of radiation absorption and the field remained in a steady state and free from static.

To Determine If You Have Channelled Effectively, Left Hand Ring Finger, Where There Is A Magnetic Field There Is Also An Electric Field.

Part XII. To Determine If You Have Channelled Effectively

It is wise to check a few minutes after channeling to determine if you have channelled effectively. If you have succeeded, your body fluids are saturated with your own pattern of radiation and a test will show that you are now a temporarily closed circuit. This is illustrated by the manner in which one wire

points in towards you and the other literally latches on to a wave train travelling in a channel to your Vivaxis. The two-way closed circuit link usually persists for about twenty minutes after channeling and during that time the brain cannot persuade the wires to pull into other directions. This is a fool proof method for determining the effectiveness of your channeling.

If the test shows you have successfully channelled and you feel it advisable to reduce the strong flow of radiating energies to a normal level, then neutralize by the accordion method. Generally four to six seconds is all that is required. About thirty seconds later use the directional test to determine if your system is back to normal and if it is, your brain should have the ability to command the wire to swing into the various directions of its choice.

There are times and circumstances when it is necessary to let the post-channeling cycle run its full course in order to achieve the desired corrections. Each individual, calling on his own experience and judgment, has to make these decisions for himself; learning to do one's own evaluating will help in reaching the right decision.

It is wise to remember that more is accomplished if you channel in the morning and get lots of exercise throughout the day. We try to avoid channeling just before going to bed.

Part XIII. Left Hand Ring Finger

The third finger of the left hand, often termed the "ring" finger, can be used for testing receptors, but only by those who are testing at a site below the elevation of their Vivaxis. Before testing, all rings should be removed. This method eliminates the necessity of using ice or vinegar for wave transmitting, as described on page 108 of Born to be Magnetic.

If the person testing moves to a higher level where his Vivaxis elevation is below him, he can no longer receive a wave pattern with the ring finger. However, he will now obtain a wave pattern with his left index finger. Here we are given a clear picture of Vivaxis magnetic energies flowing in one finger and out the other in an organized vertical plane. These energies travel to the elevation of one's Vivaxis and then travel in a horizontal plane to complete the circuit. Within the picture, we also see an organized pattern of magnetic energies that are capable of acting as a wave carrier to another wave imprinted upon them.

Part XIV. Where There Is A Magnetic Field There Is Also An Electric Field

The following test is excellent for showing the magnetic and electric fields in sharp focus. Stand out of your channeling directions with your spine erect and feet apart and press the left index finger firmly against your leg. Under the correct circumstances the recording wire should swing sharply into your channel and your brain should not be able to make it pull away. Now remove the index finger and press the left ring finger against your leg. Again, the wire should go into your Vivaxis channel and your brain should be unable to change its direction.

Repeat the procedure with the corresponding fingers of the right hand and record with the left recording wire. Press the fingers in turn and each time the

recording wire should swing at right angles to your Vivaxis channel, as you test one and then the other. Now turn facing into your Vivaxis direction and observe that when you separately press the same fingers of your right hand against your leg; the wire becomes fixed in the direction of your channel and not at right angles. Your brain cannot move the wire towards another direction when you are pressing either of the two fingers. It appears from this test your magnetic and electric field are now strongly synchronized and in resonance with the waves travelling predominantly in a horizontal plane.

In the test just mentioned, we are only recording the wave vector of the vortex of the energy wave. Around this vortex a spinning energy can be recorded when the horizontal arm is bent to the correct angles necessary to record the spin. The changes in direction of the spin and the angle of spin are both relative to and influenced by:

- (1) The elevation of the individual's Vivaxis.
- (2) The position one is standing in relation to the direction of one's Vivaxis channel.

The foregoing tests are valid only if one is not static; they cannot be changed or controlled by the brain and, therefore, have an important story to tell. These particular tests are probably an excellent measure of the organization of your magnetic and electric field. We have taken special note of the fact that people with an organized magnetic and electric field generally prove efficient wave transmitters; in fact, it is probably an essential quality for wave transmitting. One's objective should be to rid oneself of disorder so one is able to conduct this test with full meaning.

Part XV. Viruses And Bacteria

For many years now we have realized that our bodies play host to viruses and bacteria only if our magnetic and electric field is weak and out of phase. Further, we discovered that if our force field with its specific frequency of wave oscillations is stepped up to a high energy state through channeling, it is evidently incompatible to the vibrations characteristic of the various viruses and bacteria. Long ago it occurred to us that when the higher energy vibrations of magnets and other foreign radiations are introduced into one's system, they have the power to destroy bacteria and viruses, due to the incompatibility of their vibrations with the latter. But we also observed these same vibrations are also incompatible to the individual and do not correspond to the characteristic wavelength of his own energies. Indeed we have observed that magnets and other foreign radiations often upset the wave pattern in some of the code receptors and the damaging side effects become accumulative with time. The test previously described, where the horseshoe magnet is placed within the circumference of one's force field (aura), presents a graphic illustration of the disorder a magnet can introduce into one's circuit. Every test in this booklet is one that cannot be manipulated by the brain which includes those with magnets. It is impossible in the face of the observed results to justify the use of magnets when your own energies are available to you; your own energies are thoroughly compatible to you.

The following quotation is from *New Light on Therapeutic Energies*, 3 an outstanding volume by Mark L. Gallert:

"Once it was proven, by the use of the Rife microscopes, that each type of micro-organism has its own particular life frequency or rate of vibration in the light band, it became a logical corollary that for each type of microorganism there is also some frequency radiation or rate of oscillation that will be destructive to the organism. "

3 Gallert, Mark L., *New Light on Therapeutic Energies*, James Clarke & Co. Ltd., London, England.

Part XVI. Hypnotism

Hypnotism, more than any other single factor, is graphically bringing to the attention of the medical profession the fact that vibrating carrier waves of our Vivaxis energies are responsible for relaying messages from the brain.

While in England and Scotland, I met a small group of medical doctors who are earnestly seeking answers to many unexplained phenomena which cannot be interpreted through chemistry alone. As it becomes true scientists, they were searching for answers which they suspected were to be found beyond the spectrum of their present understanding. Due to this desire to expand their knowledge they invited me to speak to their group at the Medical Society in London.

In England, when an X-ray radiograph is made of the chest, the hands are usually held out free from the body. This particular factor helped my presentation, since those whose hands have not been subjected to X-rays, find the angle wires alive and responsive when they hold them within the circumference of their aura. They were taught the method of using their brain to stimulate a wave message in the recording wire and were quite amazed to see it swing towards the direction on which they were concentrating. Most of the group illustrated their control of the wire and were able to direct it into any direction desired by their brain.

However, to their bewilderment, several got no response when they thought of the direction directly in front of them, yet the wire moved in correct response towards all other directions. Experience had taught me this is a characteristic deviation usually associated with hypnotism. Hypnotism changes the wavelength of a pair of code receptors located in the centre of the forehead and generally the corresponding pair on the back of the head. Between each of these pairs of code receptors is a brain receptor. I requested permission to wave test the pattern of these code receptors. The recording wire circulated but stopped when I tilted it off level; this indicated a wavelength other than the individual's own. Then he was requested to multiply but the recording wire continued to circulate. I swivelled him around in his chair, pausing and testing in the different directions. When the channel where the wave train leading to the source of the hypnotism was located, the recording wire ceased circulating and swung into that direction. Tests showed this channel did not correspond to the direction of his Vivaxis channel; the latter was located from his other code receptors. The revealing wave symptoms told the correct story

in every case; a few of the doctors had been hypnotized in the past and the effects had remained with them throughout the years.

Hypnotism usually has other characteristics; the brains of those who have been hypnotized are often very active and alive, but their thought patterns are inclined to switch suddenly - similar to tuning into another radio station. Soft thumbs are another characteristic generally noted.

Each one expressed the desire to reinstate the affected code receptors to their own original wavelength. A person who has been hypnotized has difficulty in correctly determining his own channel, so this I had to find for each one. After making certain his channel was correct he was instructed to stand in readiness to channel. With his head tilted down he first stimulated the terminal receptors in the toes by shuffling and pressing them firmly against the floor; at the same time he stimulated his thumbs and fingers by pressing them together. Then he placed well directed blows to the centre of his forehead and on the corresponding place at the back of the head; he used the lower part of his hands near the wrist to disrupt the induced arrangement. He channelled immediately after he ceased the stimulations. During the post-channeling period he was instructed to apply hot compresses to the areas under correction and then multiply at intervals to direct the flow of his own radiation energies strongly to those centre brain code receptors. About forty-five minutes after channeling he tested and was impressed how readily the recording wire now responded to his centre brain receptor - the receptor responsible for messages linking into directions directly in front of him. It was an easy test but one that told a definite story, especially after they had harnessed their Vivaxis energies to make the corrections.

Viruses And Bacteria, Hypnotism. Continued

Anyone doing a test to detect the effects of hypnotism should face a variety of directions while trying to channel into the point directly in front. Reason - one channel might be leading towards the person or place to which the brain receptor is hypnotized. This might stimulate a wave response towards that direction - it is a possibility but one not thoroughly explored.

Does the foregoing illustrate, that once the wavelength of a brain receptor is changed from your own characteristic wavelength it will not respond to commands of your brain, but that others have control? This is mere speculation stimulated by observation.

Observations indicate the quadrants of the cortex have their designated brain receptors that are responsible for each direction. If a direction on one side of the head cannot be channelled into as shown by failure of the brain to create a response in the wire, then it generally means there is either a disturbance to the brain receptor or the wavelength of the brain receptor has been changed.

Determining the correct channel of those who have been hypnotized and those who have been treated with magnets requires a great deal of finesse and know-how, for all the normal rules of wave motion have been changed. It takes the type of know-how I would rather be without, for it requires too much detrimental involvement on the part of those assisting. The alternative for the person is to use a compass plus a little trial and error to determine his own

channel; testing after each channeling to determine if he succeeded in making the correction. Perseverance, plus the attitude, "If I don't succeed this time, I will try another channel, " eventually should achieve success.

Conclusion

The wires will not cross unless stimulated by an energy field; they will not cross merely by wave messages from one's brain. Again we are humbled by the smallness of man and it is a reminder that he has to sense his minuteness to discover the greatness of his design. The Universal laws that guide these energies are not created or controlled by man's brain. Nearly all the tests in this booklet illustrate that Vivaxis energies are the predominant energy waves controlling the brain. Man is able to record their influence on himself and as a result, understand that if the energy force in his environment is disrupted and out of balance, so is his thinking and reasoning ability restricted. The degree of restriction is generally in direct proportion to the energy disturbance. In general my discoveries have been the result of becoming familiar with the principles of magnetism as related to the human system. Familiarizing myself for ten years with the fundamentals, I deduced that in principle specific reactions should be recorded by our energy waves in response to certain influences. I then deliberately conducted tests to observe reactions. Seldom were my discoveries a result of just trial and error. Exploring without the guide lines of prior studies was rather slow but challenging; it was an excellent way to learn and understand the necessary fundamentals.

In your exploring I recommend you first learn the fundamentals thoroughly and be content to crawl before you run. These tests or self-exercises should assist you in the efficiency of utilizing and understanding your Vivaxis energies. It is hoped that all these tests will enable you to do your own evaluating.

All the knowledge in this supplement is being incorporated into Volume II of Born to be Magnetic. We anticipate having this volume completed towards the end of 1972.