

*"Magnetically
yours"*

FRANCES NIXON

Magnetically Yours

The title "Magnetically Yours" has significance; it refers to your personal magnetic wave link to the geographic point where you were born. The birds, animals and fish have been aware of this wave link and utilized it for thousands of years in faithfully returning to their place of origin. Man has emerged rapidly into the electronic age but in his haste, he has pathetically ignored his own part in the Universal scheme of magnetics.

It has become increasingly apparent that ignorance and abuse of this important law of nature in biology, has been responsible for a good majority of both physical and mental ills.

In the book Vivaxis, we detailed how this wave link was discovered and proved. In "Magnetically Yours", emphasis is mainly on the application of the knowledge - illustrating the method of utilizing your individual wavelength for better control of your brain, nervous system and reflexes. The book explains how magnetic wave messages are relayed from the brain to the receptor cells of the motor neurons, which control the reflexes of the body. Examples show what happens to the reflexes when messages are disrupted or blocked.

It is a tremendous revelation to most people to discover that through the new knowledge of polarizing, they can reactivate their dormant or sluggish reflexes.

The reactions are usually instant and give a feeling of power and special satisfaction to realize they have

accomplished it themselves by harnessing their own atomic energies.

How a concentration of their own electromagnetic waves can be channelled to one specific trouble area is given comprehensive coverage.

It is well recognized that a healthy body is full of electromagnetic waves but during illness there is a detectable deficiency. The discovery of their origin makes it possible to reinstate these waves to their normal pattern within the human system.

The authoress, Frances Nixon, also wrote in conjunction with Bessie O'Connor, the book, *Vivaxis, The Spiral of Life* - a book containing startling revelations that have created a great deal of interest.

Acknowledgements

I express my sincere appreciation to my husband who assisted in the finalizing of this manuscript.

My thanks also to those mentioned in the book that contributed towards the research and have given permission for their stories to be included.

Frances Nixon Contents

Foreword

Our nervous system literally controls our mind, our body; it is our very life, yet up to the present it has been very little understood. To understand the energies that

stimulate the reflexes and recognize their origin is to understand nature's fundamental blueprint of life.

The intent of this book is to pass on the facts gained from our findings, which frequently provokes the comment, "This knowledge can do more to benefit mankind than anything yet discovered. " Of those whose lives it has touched and benefited there is sincere agreement, one and all. To those on the fence shouting "Quackery" we can meet their challenge, but not by anesthetizing and depolarizing the nervous system with tranquilizers and wonder drugs, resulting in possible side effects that are often more disastrous than the malady itself.

The book is not primarily written for the sick and crippled but for those who wish to keep abreast of the times, by learning more about their energies in the universal scheme of things and intelligently preserving them. The knowledge within this book is an extension to the basic facts published in Vivaxis, The Spiral of Life.

Introduction

"Magnetically Yours" can be regarded as an extension to the subject covered in the book, Vivaxis, The Spiral of Life, written by Frances Nixon and Bessie O'Connor. It will therefore be helpful if the reader is first familiar with the contents of that book in order to understand the basic principles of polarizing and the wave mechanics involved. Vivaxis gives background knowledge necessary for better understanding of the more complicated application of polarizing outlined in this book.

Chapter I.

Understand In Order To Preserve

An individual magnetic pattern gives every living thing its own specific wavelength that is distinct and individual as a fingerprint. In fact, the very line pattern of a fingerprint carries the telltale story of a link from the person to his specific field of magnetic energy; linked by wave to his own Vivaxis, his point of origin. This circuit link can become temporarily disrupted through magnetic disturbances in the Universe; more often, however, the disturbance is caused through the ignorance of man.

Man only discovers laws of nature, he can not create them. Unfortunately due to his lack of knowledge and narrow perception man tampers with them upsetting their balance, weakening and often destroying their objectives. The law of magnetism in all living things is one of nature's fundamental laws and tragically it is possibly the one most tampered with by man in his sophisticated society.

Throughout billions of years nature has been at work to develop the world as it exists today and it will continue for further billions of years, long after man has departed. The laws of the Universe dictate the pattern; the reasons and effects are bound together as bricks in a well-built wall. Lacking the complete understanding and awareness of the foundation and fundamentals there is always the danger of removing a keystone brick, the removal of which may collapse a large section of the wall and the

structure falls in ruins. Meddling with a small part of a related whole can produce a lack of continuity throughout the entire system. Whatever we do in altering the design of polarity and magnetism should be carried out in the full awareness of nature's reaction to and within ourselves. Our personal conscience should insist we study and recognize the laws of nature that so vitally govern us in order that we can intelligently preserve them. In the wild, other creatures live in proper phase with these natural laws but man invariably tries to manage and force nature into new ways, which often creates an imbalance.

Tampering with nature, through the indiscriminant use of nuclear energy, X-rays, certain types of electronic and radar equipment, insecticide and other pollutants, tends to weaken and in some instances permanently change the continuity of our personal magnetic pattern.

If our children, children's children and we are to avoid damage and mutation then it is imperative to understand ourselves in relation to our surroundings. There is no better starting place than to investigate the energies within ourselves; the building blocks of our body are atoms, which are combined in molecules to form the living cells. Each single atom has magnetism generated by its electron spin motion. In the book, *Vivaxis*, we stress how strong polarized waves, other than our own, can have an unbalancing and disrupting effect on the central nervous system by upsetting the atomic spin pattern.

In recent years there has become an awareness of the harmful effects of radiation to the human body and an

increasing number of professional men have expressed their anxiety in this regard. An article appearing in

MacLeans Magazine of February 1969 expresses the concern of Dr. Tanner, chief of a research team, in the National Research Council of Canada. Life is subjected to a tremendous volume of electromagnetic waves of varying frequency and intensity through today's "communication explosion", with its ever present and ever growing band of signals. Dr. Tanner is quoted with the following remarks, "We're communicating all right, but what are we doing to animal life, to human life, in the meantime? "

National Council researchers have discovered a bird can be knocked out of the air with a radar beam that temporarily paralyzes one wing by interacting with the nervous system. The article points out the Research Council does not clearly understand what happens when an intense radar beam falls on living tissue. Our speculation is that it is directly associated with the disruption to their own magnetic circuit which we have found controls life's communication to reflexes.

Articles have described the radiation disturbances caused to the human nervous system in the Phoenix area of Arizona, where there are over 30 corporations involved in electronic research and manufacturing. The actual symptoms experienced by the sufferers have been cardiac flutters and palpitations, soreness at the base of the skull or neck, pain or tightness in the upper abdomen, shooting pains in limbs without discernible cause, chronic dizziness described as "electronic poisoning", and many

had trouble with their right eye and numbness in the left side of the scalp. The large majority of these disorders became apparent after the electronic equipment was installed, illustrating the direct association.

Another example of the awareness of leading men comes in the words of Dr. H. P. Schwan of the University of Pennsylvania, when he presented evidence before a Senate Investigating Committee, "The potential harmful effects of radiation on human beings has become widely recognized. We know definitely that microwaves can do harm, some research has been done with animals that has produced seizures. As is well known the human body is an emitter of radio waves, in fact it could be described as a living broadcasting station of an exceedingly low power. "

Numerous times the question has been asked of me, "Why hasn't this magnetic wave link been realized and proven before now? " This aspect has baffled me more than any other since its prevalence is evident throughout our entire system. In the past when electromagnetic waves were little understood, the unexplained was labelled witchcraft or miracles, both of which retarded its revelation.

It would be appropriate at this point to share a story of an elegant lady of 73. She had just experienced the thrill and fascination of feeling the angle wire respond to her own particular wave pattern introduced into its atomic structure through her hands. The wire became alive and turned spontaneously seeking a corresponding wavelength. It jerked to a deliberate stop as it located the

correct wave channel, leading in a direction towards England, her Vivaxis. She moved to varying positions but the wire always relocated its specific channel. Her eyes were fairly sparkling with excitement and enthusiasm as she became aware of the electronic workings of her own system in the Universal scheme.

"My mother was born 40 years too soon, " she reminisced. "I can remember so well when the discovery of wireless was front page news and my mother commented to her father, "Someday perhaps we will be able to send our own voices through the air in communication. ' My grandfather's shocked voice rang with a stern reprimand as he rapped my mother's knuckles, 'Mary, that is blasphemy! ' "

Today, through electronics the knowledge of wave mechanics has reached an unprecedented high; in fact, as high as the moon. Instruments planted there, which are controlled from earth, dig and test samples from the moon's surface and relay the information to earth by means of electromagnetic waves.

These are tremendous scientific and electronic feats but unfortunately the electronic equipment is often strongly magnetic and its atomic influences are felt in the weaker magnetic systems of the human beings coming in contact with it. As a result their own electronic equipment within themselves becomes weakened; the magnetic pattern that nature has implanted to work and control life.

The researchers of today are in the vulnerable position where they are as individuals more liable to experience wave interference than the average layman, through

constant contact with atomic radiations and strong chemicals.

The law of magnetics so vital to the atomic arrangement in the human system is very intolerant to disturbances caused by tampering and consequently this secret of nature has not been readily revealed in the artificial environment of a laboratory, using artificial stimulants.

The retarded thinking of witchcraft and miracles, plus the wave interference of outside radiation and chemicals, have all played their part towards obscuring the fact that life's communication to the reflexes are fundamentally controlled by a wave link to a Vivaxis or place of birth. I have discovered the specified wavelength of a human being is normally dictated by the pattern of magnetic energies introduced at the point of origin.

Recently, scientists investigating electromagnetic phenomena of the brain were surprised to find each individual's brain had a distinctive wavelength of its own, which they compared in individuality to that of a fingerprint.

Chapter 2.

The Effects Of Major Earthquakes And Other Magnetic Disturbances On The Human System

In the book Vivaxis many simple experiments were outlined. It was hoped the readers would follow the directions and enjoy the satisfaction of experimenting for themselves; confirming that magnetism, in both magnets and living things, is linked to the geographic point where magnetism was originally induced.

Due to the prevalence of major earthquakes shortly after the book was first released, in the spring of 1969, special notice is brought to the attention of those concerned that all these tests are dependent on a steady state with a magnetic and electrically balanced polarity. Generally, the pattern is constant and consequently wave vectors are reliable and true in their direction of energy wave flow. The use of polarizing by harnessing our energies is entirely dependent on a steady magnetic pattern of the earth and only at this time can wave channels to a Vivaxis be picked up accurately and utilized.

Changes in the earth's rotational motion are related with major earthquakes and it has been shown that quakes of a high magnitude on the Richter scale are associated

with a "wobble" of the earth's axis. During the period of disturbance none of the tests outlined in Vivaxis are valid since waves bend and directions of channels fluctuate. A change in polarity occurs slightly prior to the actual quake and might continue to upset our normal equilibrium for twenty-four hours or longer.

On Good Friday of 1964, the time of the Alaska earthquake, when quakes registered about 8.5 on the Richter scale, zookeepers as far away as San Diego, observed birds and animals became unnaturally agitated before and around the period of the disturbances. Similar observations have been recorded in various parts of the world during other major earthquakes. The question must arise in the minds of many, what causes this unrest in the central nervous system of these creatures? Often, people claim they feel this disturbance too, yet the quakes originate thousands of miles away and they cannot possibly feel the ground shock. Is it due to the wobble and consequent change in the spin pattern of the earth's rotation? If so, how and why does it affect them?

The basic law of nature, which, under normal circumstances, links all living things by direct wave circuit to their point of origin and is described in the book, Vivaxis, The Spiral of Life, explains the answers to these questions. There, it explains how the energies of the central nervous system are magnetically controlled by a two-way link; a magnetic wave link that can be detected travelling in an energy wave flow directly to its point of origin or place of birth, called "Vivaxis".

Slightly prior to a major earthquake, generally of a

magnitude of 5 or more on the Richter scale, this direct magnetic circuit link becomes inconsistent in pattern fluctuating in direction like a ship lost at sea. Only for brief intervals can it be detected travelling and channelled in correct orientation to its point of origin; it is more characteristic for the wave channel to change to right angles or just wander and fluctuate. This condition persists after the actual quake for a period which varies in relation to the magnitude of the disturbance; the electric field appears to become stronger than the magnetic.

Our own polarity becomes unbalanced, disrupting our normal magnetic wave link. Many record this through the use of angle wires during the disturbances; major earthquakes can be detected by this means prior to the news reports of the seismograph recordings. It is our observation that severe quakes far removed from civilization, although confirmed by seismographs, are given little or no publicity by the news media. A recent example of such a situation was during the period May 30 to June 4, 1969. A sharp uprise in illness also coincided with that time.

Attempts to polarize by the normal methods are futile during these periods and the unbalanced polarity at the centre point of the head can be detected. However, if nature is left without further major disturbance the natural balancing of her energies generally corrects the polarity within a few days. The earth can be regarded as a large magnet and we as individuals each have a specified portion of that magnetism which is individually ours - an integral part of the magnetic whole.

If the whole becomes unbalanced magnetically it naturally follows we too become out of polarity with consequent reaction to our nervous system.

My first experience of wave vector disturbance caused by earthquakes was in 1964, on the day preceding Good Friday. We were visiting in the interior of British Columbia and I was attempting to demonstrate with angle wires that wave vectors taken from the centre points of a person would give the bearing to his place of birth. The direction of energy wave flow was fluctuating and the predominant trend was at right angles to the correct bearing. At the time, being inexperienced with this phenomenon, I had not associated the effect with the cause and naturally my confidence was somewhat shaken. The next day the major tremor of the Alaska disturbance occurred and the radio was soon reporting the disaster. The inconsistent wave pattern associated with this movement of the earth's crust disrupted further research for a period.

These events further confirmed our opinion that the spin pattern within our own atoms and molecules is predominantly influenced and co-ordinated through the energy of the earth's rotation. Co-ordinated to that particular point where, around the time of our birth, the bones of the body solidify and harden. This can well be compared to recent findings, which show that molten rock aligns its atomic particles to the particular field of energy at the time, and place it solidifies. The magnetic pattern in the rock remains and shifts in the earth's magnetic field can be traced through eons of time by the science known as paleomagnetism.

The Effects Of Major Earthquakes And Other Magnetic Disturbances On The Human System. Continued

During the magnetic disturbance the nervous systems of the more sensitive feel the upset and confliction - a feeling of nervous unrest within themselves. The interval between fluctuations, when the spin pattern steadies, can generally be differentiated by a feeling of continuity. It is heartening to know there are still some human beings sufficiently in phase and sensitive enough to feel these changes, which other creatures of nature feel so strongly.

Many feel it indirectly, unaware of the cause; chronic weaknesses become more apparent and acute. Our findings show that maladies are always associated with a lack of the normal pattern of magnetic waves and we have observed a rise in the incidence of influenza and other epidemics during these times. Also the lymph glands of one side of the body do not have their normal pattern of magnetic energies. The two opposing groups of quanta or energies characteristic of an individual can normally be detected in the corresponding lymph glands on the right and left sides of a healthy body. They combine to act as defences against invading viruses and bacteria.

Throughout the duration of earthquake disturbances I often receive distress calls from people who rely on

polarizing as a crutch. They are alarmed; they have lost their power to channel directly into their Vivaxis and through polarizing revitalize and relieve discrepancies aggravated originally by magnetic wave deficiency. We have found it futile to even attempt polarizing during unsettled conditions and indeed we advise against its use during these times.

As we write now, June 1, 1969, we are experiencing one of these periods of wave disturbance caused again by a major earthquake. The last series were around Easter of this year caused by a number of severe quakes scattered over various parts of the globe and the effects lasted for a period of several weeks.

Deviations in nature are a necessary part of evolution. What might appear adverse in one instant can be beneficial in another. My husband relates a story told by a fisherman who witnessed a large concentration of salmon milling about the mouth of a ridiculously small stream, in an obvious effort to follow their homing instinct to their spawning ground. They were apparently off their normal course and if the date could be traced it is well within the realms of possibility that this was a period of spin pattern disturbance associated with a major quake. This could be nature's answer to migration distribution, for without deviations all salmon might still be overcrowding one river.

In summary it appears that during a major earthquake the magnetism of the entire world is temporarily unbalanced with the electric field becoming stronger than the magnetic. However, other phenomenon can cause

wave channels to be deflected; for example, an over-charged local environment associated with thunderclouds. The influences of the latter are felt not only by those in the immediate vicinity of the electrical disturbance but also by those linked to a Vivaxis located in the electrically charged atmosphere.

In the book Vivaxis, we illustrated with examples that changes in energy potential at a Vivaxis can be detected by a person, who is connected in a wave link to that particular geographic point. A typical incident exemplifying this fact occurred July 14 and 15, 1969, involving a group of several people. On July 14, I received a call from a neighbour four miles distant. She was anxious to polarize, but both her channel and that of her daughter's were at right angles to the correct orientation. I checked and found that mine, too, was coming in at right angles. Shortly afterwards I received another call from one living in a nearby community who was experiencing similar reactions to the correct orientation of her channel. At the time I noted thick dark thunderheads towering over the mountains a few miles away, which undoubtedly were causing the disturbance to all our channels.

Next morning I awoke earlier than usual with an awareness of static potential throughout my system. Although the morning was bright with no visible clouds, my channel was still at right angles to its correct position. My neighbour phoned again to report the directions of her channel and that of her daughter's were now properly oriented, each to their respective Vivaxis in the state of Washington. We checked with another neighbour whose

Vivaxis was in England and she found her channel direction was correct.

I tried mine repeatedly but each time it was deflected at right angles. I asked a fourth person, whose Vivaxis was close to mine in Vancouver, to check her channel; her experience was similar to mine, the direction was at right angles to the correct bearing. Remembering the cloud structures of the previous day we determined by phone the weather in Vancouver and found there were dark masses of thunderclouds over the mountains north and east of Vancouver as well as over the city. Apparently the energy potential in the atmosphere surrounding our two Vivaxes was electrically overcharged and was being transferred by wave to myself and those who had Vivaxes in the vicinity of the electric storm; consequently, the direction of our channels were incorrectly orientated. At the same time those whose Vivaxes were in areas unaffected by the storm found their wave pattern unchanged.

The events recorded during these two days give evidence of the interference of electric storms upon the wave pattern of one's Vivaxis; first when the storm was in the vicinity of the person and second, when the storm moved away to the vicinity of the Vivaxis.

The fact that energy changes in the environment surrounding our Vivaxis can interfere with normal wave patterns makes us wonder and in some instances gives us reason for concern. "Why? " some may ask. The answer is, if we are to survive as healthy normal human beings, we have to take into consideration this basic law

of nature and realize that drastic change in the immediate environment of our Vivaxis can affect our whole nervous system.

As an extreme case we can visualize the effect of a television placed directly over our Vivaxis. We may shudder at this picture and are undoubtedly justified to have a feeling of horror. Perhaps in our imagination we should include the possibility of various types of electronic equipment being placed over our Vivaxis; more specifically the equipment used in maternity wards. What effect may some of the various apparatus have on our nervous system and our brain in particular? This reflection is not intended to alarm but rather to provide food for thought, especially in view of the alarming rise in mental and nervous disorders. Might not this aspect be an avenue to explore in the search for the cause of these disorders?

Most of us have no control over the site of our own Vivaxis and I, for one, choose to think affirmatively, trusting no adverse energy change will occur at the site of my Vivaxis. To think otherwise would be worrying over something that might never happen and thereby court frustration, which is in itself, a destructive force to the magnetic continuity of our entire system.

Chapter 3.

Analyzing The Power Of Polarizing

The power of polarizing is largely effected through our body's fluids. In a liquid the molecules are not held into position with respect to one another. A liquid has a flexible atomic arrangement. Its molecules move relative to one another only when "subjected to a force". During the process of polarizing we create such a force and our bodies are raised to a higher energy state.

Polarizing directly into the channel of our own Vivaxis brings all our body's electromagnetic waves into one strong co-ordinated and coherent pattern. The atoms of our body tilt their nuclei toward one source of magnetic energy. Observing a rule of like wave seeking like wave; one train of wave quanta travels in one direction, the other in the opposite. Although their energy wave flows are direction-ally opposed their goal is to the same geographic point with a common magnetic wavelength. This strong two-way link generates a force with potent energy wave powers invisible to the naked eye.

Polarizing the atomic structure within our bodies has shown the power of these magnetic waves; in view of their strength they should be utilized only by those fully aware of the effects and prepared to use them with understanding, precision and discretion.

It is stressed in Vivaxis that polarizing can "work

miracles" for you but, if misused, can have adverse effects through over-radiation or unbalanced polarity.

For one half hour or longer after basic polarizing the changes in the energy pattern of all the nerves located in the cortex of the skull can be detected. They have become magnetically stimulated and give testimony by their activated wave motion. The direction of energy wave flow of each neuron can be traced as it alternates in a two way channel correctly orientated to the individual's Vivaxis. Under normal circumstances when a person is in repose the neurons in the cortex of the skull associated with the various limbs are also in repose. In contrast, after stimulation by polarizing, the wave activity of the neurons persists for 30 minutes to one hour even though the person is at rest. Stimulating the magnetic wave pattern generally benefits the entire system including all the organs and glands; blood circulation improves and magnetic wave antibodies become more prevalent in the lymph glands.


Polarizing probably stimulates the adrenal glands, too, and we suggest caution to prevent adrenal exhaustion. We recommend polarizing not more than 60 seconds at any one time with an interval of three days or more between sessions. There is an exception to the above recommendation. When fighting a virus infection polarizing should be reduced to 35 seconds exposure at any one time, but repeated within a three hour period to destroy the incubating virus. Three sessions at three-hour intervals is generally sufficient and more is not advisable.

Next, we turn to the analysis of what we have termed "specific polarizing". This is merely a concentration of energy wave flow to one specific trouble area. The principle is to reinstate and correct a disrupted magnetic wave pattern; a disturbance that basic polarizing is not strong enough to restore.


In general, they are disturbances that have become chronic and are accompanied by pain or disability. The receptor cells of the neurons in the head associated with the trouble area are not receiving the wave message efficiently; the result is a deficiency of magnetic waves with subsequent damage to the cells dependent on these energies.

In my experience, I trace nearly all-chronic troubles to disrupted neurons or nerves in the cortex of the skull, plus the hands and the feet where the reflexes generally terminate. The static circulatory wave motion of the troubled nerve appears to be incapable of correctly receiving the message at the specified wavelength; apparently the message is scrambled by interference. The objective of specific polarizing is to reinstate the correct polarity with a wavelength corresponding to that of the energies of the brain.


Neuron - One of a variety found in human beings.



A nerve consists of a number of neuron fibers bound together.
But insulated from each other.



Motor neuron - with a long axon extending from the central nervous system to the muscle.



The electron microscope - reveals that a synaptic knob contains tiny synaptic vesicles. Theories are advanced that an impulse travelling along an axon to the synaptic knob stimulates these vesicles to discharge a transmitter chemical.

Where no head X-rays are involved, the initial corrective step is to accurately locate and mark on the head the position of the disturbed neuron. The participant then faces directly into his channel observing the correct rules of posture for head and body. Light taps to the marked neuron with a wooden object directs the energy wave flow of the participant's strongly polarized waves to the trouble area. He pauses eight seconds for the magnetic spin pattern to orientate itself before turning a full 180 degrees into the opposite direction. The taps are again applied lightly and the waiting period of eight seconds is repeated before he moves out of his assigned wave channel. The purpose of polarizing first in one direction and then in the opposite is consistent with the fundamental law of magnetism, which is produced by reversing currents of related energies.

Further instructions for specific polarizing are detailed in Chapter 4.

Specific polarizing only activates the particular receptor, which has been stimulated; the receptor shows strong polarization with wave vectors alternating in a lively circuit, to and from the participant's Vivaxis for half an hour or more after stimulation. This is in contrast to basic polarizing when all neurons of the head give evidence of stimulation as described earlier in this chapter. The concentration of a person's own strongly polarized waves

to one distressed receptor is capable of making permanent readjustment by restoring dormant reflexes and reactivating the correct wave pattern to correspond with the wavelength of the brain. Hence, the power of specific polarizing lies in the fact the stimulation can be concentrated to an isolated neuron, or group of neurons, associated with a particular part of the body.

The limbs, the glands, the organs of the body, each have their own group of neurons in the skull; some voluntary, some involuntary. The neurons deliver the messages initiated by the brain. For example, we detect a group of five main neurons in the cortex of the head, which are identified with the movement, and reflexes of the right index finger, similarly five are identified with the left index finger. But one neuron near the top of the head is common to both fingers. They work as a group with interplay of magnetic waves between the right and left sides. In the illustration note the location of the specific neurons, which are balanced with corresponding positions on either side of the head. (Figures 1 and 2.)

The blue print of magnetism is a balanced uniformity of energy wave motion concentrated around the centre point of magnetic influence. Pause for a moment to reflect on "deformity" and one can realize it is basically a disruption of related magnetic energies, which can no longer operate, in a co-ordinated balance as one magnetic unit. One visualizes a picture, drawn by an artist belonging to the school of non-conformists, depicting deliberate distortion. A face is portrayed, devoid of magnetism, with features lopsided and distorted, entitled "No Vivaxis".

Analyzing The Power Of Polarizing. Continued

When a part of the body has chronic trouble, assume an index finger, the neurons of the cortex will be tested. One or more of these will often be out of correct polarity and will be detected by a circulating wave motion of the angle wire. It is characteristic when one neuron is in distress the mate on the other side of the head has a wandering vague pattern, suggesting an incomplete circuit until such time as the energies of the counterpart are restored through polarization. In the examination for a chronic disorder, any combination of troubled neurons can be anticipated and the correct picture will be discovered only by careful testing.

Our work repeatedly demonstrates the fact that the head must be level at the time of polarizing; it is vital to the success of the operation. Your sense of "static equilibrium", controlled by the crystals of calcium carbonate on the sensory hair cells of the inner ear, advises you when your head is in a level position, relative to the particular point of the earth's surface where you stand.

The reader can illustrate the necessity of keeping his head level by the following simple experiment provided the magnetic field is in a steady state. Face in any direction which is not in alignment to the wave channel of your Vivaxis. With an angle wire held in one hand and

your free hand held down, legs slightly apart, keep your head in a level position; the wire will swing either to or from the direction of your Vivaxis, depending upon which way you are faced in relation to your channel. If you tilt your head, even slightly out of level, the angle wire will pull away from the direction of your channel. Only when your head is level and you are first facing into your channel and then reversed is the full power of polarizing felt.

The individual who treats these energies as a parlour trick for display to his friends is courting trouble not only for himself, but also for the spectators. It must be remembered he is harnessing atomic energy waves. When polarized, these waves give off a strong radiation which has adverse effects on the magnetic spin pattern of others within a considerable radius; a fact confirmed by many tests. This is one of the problems that assistants have to consider and they must endeavour to avoid too much exposure when helping others. One, with too kind a heart, can be unkind to his own heart.

This is a vast subject and it is often difficult to keep abreast of the varying factors that reveal themselves. In the previous chapter we discussed major earthquakes, magnetic disturbances and their effects on the human system; it is appropriate to focus our attention on these phenomena while discussing static equilibrium, as these disturbances have influences that upset our equilibrium. Further, these influences should be thoroughly understood and recognized in order to avoid polarizing during unstable periods. By the same token polarizing should be used only by those who have been sufficiently

experienced to differentiate between steady and fluctuating wave motion. Gaining experience and becoming familiar can in itself become a fascinating pastime, for this is our link with the universe and through this wave link we can observe changes in wave motion that we can readily learn to associate with the different phenomena that affect us directly.

This brings us back to the phenomenon of wave bending; the analysis might be challenged but the effect we certainly can observe and it is generally associated with major earthquakes, magnetic storms and extreme climatic disturbances. For example, when hurricane "Camille" ravaged the southeast coast of the U. S. A., in August 1969, with winds of 150 miles per hour plus, the wave vectors were found to be unstable thousands of miles away in the southern Vancouver Island area. We have observed similar wave disturbances associated with other severe hurricanes far removed from the site of testing.

This type of observation is the special prerogative of those free from the wave interference of X-rays. We use two angle wires that, under normal conditions, respond strongly by immediately crossing when we are correctly aligned in our respective channels. If the head is slightly tilted either up or down the wires jerk apart. The polarized energy waves are alive and dynamic. This reaction is symbolic of a steady magnetic state. During disturbances our own pattern fluctuates and changes. Surmising this fact I checked and was completely intrigued with some of my findings. The wires were limp and failed to cross when I was first aligned in

my channel with my head in a level position; I tilted my head down ten or more degrees before the wires became alive and swung transversely to each other, but to keep them crossed I had to gradually lift my head to the horizontal and then tilt it slowly upwards to synchronize with the shifting levels. I rechecked at different intervals experiencing many variations but all confirming the shift and deviation from level in the wave motion.

On some occasions my wires would only cross initially when my head was several or more degrees above level; for brief intervals only would they cross when my head was horizontal. It was like a rolling, heaving ship on a stormy sea. Others confirmed these findings during the same period.

The fact that during the sea-saw motion our own level position occasionally coincides briefly with the level of the wave motion can be misleading to the inexperienced. Double checking from both directions is a wise precaution to assure the wave channel is in a co-ordinated pattern coming in strongly and consistently. If there is any doubt as to the constancy of the field, then polarizing should not be attempted.

We conclude our analysis by stressing the wonders that polarizing can achieve but it should be called upon only when needed for a corrective purpose. This is seldom necessary once the energies of the body are in a single co-ordinated pattern. Adequate exercise plays an important role in the realization of our state of well being. When we are in a correct pattern each movement of our body stimulates the flow of electromagnetic waves as the

brain and the neurons cut in and out of their assigned wave channels. If the magnetic pattern is strong the flow of magnetic waves will be strong in direct relation. In contrast unflexed muscles receiving no magnetic wave stimulation soon deteriorate. After a short period of confinement to bed or immobilization the magnetic wave deficiency becomes apparent. Good food chemistry is of equal importance. A healthy magnetic body is dependent on a nutritious diet to supply the building blocks for growth and maintenance of a vigorous constitution. The right chemistry is required in order to effectively polarize the tissues and muscles. Vitamin C and calcium are important components of the glue that holds the cells together and play an essential role in the alignment of atoms.

Chapter 4

A Story To Illustrate The Process Of Specific Polarizing. Part 1

The names of the participants have been changed but otherwise the stories I relate are factual. Nevertheless, where medical confirmation is desired, these people have agreed to reveal their identities.

Many of the cases I encounter appear to be the result of old injuries, X-rays or both, that sometimes have a history of twenty years or more. Nature struggles to restore the body to its original pattern but with the passing years is often forced to yield ground to an ever growing number of resultant complications.

The story of Carol will serve as an illustration to detail step by step the process we follow during "specific polarizing". First, the preliminary measure of ascertaining the particulars of her case, with special reference to all injuries and X-rays regardless of the time of their occurrence. Often the participant will forget some part of the body that was X-rayed and I will discover it for them; perhaps the most frequently forgotten are those connected with foot X-rays so commonly used in former years by the shoe stores. Prior to polarizing, Carol was requested to sign the following: "It is my own decision to try polarizing in order to reinstate my magnetic waves into their normal pattern within my system and I hereby assume full responsibility". Signed: Date:

I explain to Carol that my role is solely the imparting of knowledge and guidance so that she may help herself; she will use her own energies, her own pattern of electromagnetic waves of her own specific wavelength. Further, I try to have her visualize the fact that she has a wavelength, which is characteristic of her own person and through this wave link to her Vivaxis; she is literally plugged into the energies of the universe. These are energies of both magnetic and gravitational forces, for it appears in all instances these forces are combined in the same energy package; the two forces exert strong influences on each other and therefore cannot be divorced one from another.

The following are the condensed facts of Carol's history as recorded by her sister, June 5, 1969: Carol is 39 years of age. As a child she was struck on the head by a rock and cut seriously. In later years she was involved in a car accident where she hit and broke the windshield with her head. As a result of the latter injury she was X-rayed about the head especially in the front of the skull. Throughout the years she had trouble with her head, dizziness, nausea and, more recently, loss of equilibrium when she closed her eyes. In May 1969, she developed shingles on her back; they were severe and very painful. Prior to coming here she had been hospitalized. On the day of her arrival Carol was in great pain. Not only were the shingles painful to the point where she was unable to walk erect, but she also had a badly infected arm where a member of the medical profession had administered an injection. Pills in the form of pain killers had been advised by the doctor and were being taken constantly.

It was necessary to first erase the foreign magnetic energies, which had been introduced into Carol's skull by X-rays; energies with a different atomic spin pattern to that of her own. The head X-rays caused a circulating wave pattern throughout the entire bone structure of her skull excepting in the locations of the brain's various receptor cells. Until the head X-rays were demagnetized and repolarized to correspond to the wavelength of her central nervous system and brain, it was impossible to pinpoint the specific neurons that might have a disturbed wave pattern.

Before assisting Carol to determine her exact channel I recommended a rehearsal using compass directions not orientated to her Vivaxis channel. The intent was to familiarize her with the manoeuvres to be followed, improve her ability to relax and give her greater understanding of the objectives when she finally polarized. Further, it would avoid unnecessary exposure time in her channel. Since the energies are strong while polarizing in our respective channels and our bodies can soon reach saturation point, we must use our time advantageously to effectively concentrate the energies on the areas of treatment. Experience shows that rehearsals out of the participant's channel result in greater efficiency when it becomes time to polarize.

It was necessary to determine Carol's Vivaxis for her initially, due to the extensive interference of her X-rays. I seated Carol in a swivel chair with feet and legs slightly apart; each hand rested separately on her upper legs, well removed from the magnetic influences in her knees. She was instructed to close her eyes, keep her head

level, and sit with body erect well forward from the back of the chair.

It was important that Carol's wave pattern be kept free from outside wave interference that is sometimes introduced by linking circuits through concentrated thought waves of either myself or others. To prevent interference Carol chanted repetitiously two or three words to herself, repeating until the test was completed.

The method employed to determine the direction of a person's Vivaxis varies according to the parts of the body, which are free of X-rays; with Carol I used the lobes of her ears to locate her channel. Before she was aligned one ear lobe had a stronger wave vector than the other and I faced her in the direction indicated by the stronger wave that was towards her place of birth. While she was in this position, I tested the other lobe and now found a strong wave vector flow travelling in the opposite direction. The fact that there was a strong wave flow from one ear lobe to her birthplace, while the other showed an equally strong flow in the opposite direction, signified she was in correct alignment to her Vivaxis.

A Story To Illustrate The Process Of Specific Polarizing. Part 2

In order to confirm that Carol was indeed in her channel, wave vectors were taken from the skull. All wave vectors from one side of the head went towards her Vivaxis, while those from the other side travelled in the opposite direction. This was a strong indication that she was correctly aligned in her channel. The former X-ray wave interference could not be detected during the interval that her head was aligned in her own channel - another sign of the augmented strength of her own polarized waves.

Carol was next instructed to stand and tilt her head down, for in this position her head was not in a high-energy state. This was a precaution against unnecessary exposure.

Two weighted posts were set in alignment to the direction of her Vivaxis and placed some eight feet apart. Two coloured plastic adhesive tapes, eight inches in length, were crossed to mark the centre point between the posts; one strip placed in direct alignment, the other across the centre at right angles. The cross provided a guide for placing the feet and body, when facing the four required directions. The success of polarizing depends on accuracy. Carol now stood over the crossed tapes facing in her channel but still keeping her head down until we were ready to commence polarizing. Throughout the entire proceedings I took special care to position myself out of my own channel; further, I took great precautions

to keep out of Carol's channel while she was polarizing. When we were ready Carol was requested to stand with her head in alignment and eyes closed. A brief testing of the upper and lower parts of the body confirmed she was correctly aligned, since the wave vectors from all points above the waist went in the direction of her Vivaxis and the wave vectors below the waist travelled in the opposite direction. In a confirmation test such as I have described, I used points on the side of the body. Further, I checked each time she realigned to make sure that not only was she in alignment, but also her head was level.

The process of depolarizing the head X-rays began in earnest as I used a "Bess-bonger" to upset the foreign atomic spin pattern of the skull. The force used in the "bonging" procedure was gauged to a degree that did not interfere with Carol's ability to hold her head level and firmly in position; she faced to her Vivaxis with eyes closed while all points on one side of her head were "bonged". One side was completed first before touching any part of the other - an important consideration to the success of the endeavour. When every portion had been well stimulated, Carol tilted her head while I crossed to her other side. After she had raised her head to level once again, I repeated the "bonging" process to the other lateral surface of her skull.

Having completed the stimulation of both sides of Carol's head, a waiting period of eight seconds was required for the atomic spin pattern to absorb the influence of her own magnetic wave pattern. Carol then briefly opened her eyes to turn and align in the opposite direction, using the tapes on the floor as guides. She closed her eyes

again and stood with head level and feet apart for fifteen seconds with her mind relaxed and tranquil; the reversing energies of her own magnetic wave pattern, essential to the reinstatement of her correct polarity, were being received and it was unnecessary to stimulate when faced in this direction. After the period of fifteen seconds, Carol opened her eyes and moved out of her channel.

For the next half hour Carol walked and exercised alone in the fresh air. This was a period of stimulated wave activity and Carol exerted her body in order to dissipate any surplus of electrons. It was best to allow her to attain her proper magnetic pattern without the interference of foreign waves from other people. Further, Carol's magnetic wave pattern was strong during this period and could have adverse effects on those coming in close contact with her, since her strongly polarized state created atomic radiation, which can often be felt by others. Carol had been subjected to a comparatively long period of treatment and it was recommended she wait several days before further polarizing.

She returned in three days when I was able to test the neurons of her head without the interference of X-rays. Testing was conducted with Carol sitting in a position out of her channel, legs apart and grounded to the floor, hands apart and grounded on her upper legs, eyes were closed and brain relaxed.

On the left side of the head where Carol had been injured by the rock, I detected an area of disturbance linked to a depression in the bone structure of the skull; there was an incoherent weak pattern, which indicated a deficiency

of magnetic waves associated with the scar tissue. This particular zone was also the site of nerves connected with the back. In the area surrounding the injury there were three receptors* which had wildly circulating patterns; two more on the forehead were similarly disturbed. The latter were situated in that portion of the head, which was injured when she shattered the windshield.

* Receptor - The point at which a wave impulse is received.

A Story To Illustrate The Process Of Specific Polarizing. Part 3

The circulating patterns of the disturbed neurons still remained unadjusted despite the general repolarization of the skull three days before. This illustration emphasizes the necessity for specific polarizing.

As formerly stated, the purpose of specific polarizing is to direct a concentrated magnetic wave flow to an individual receptor by stimulating that particular point when the person is in his channel. My favourite instrument for stimulating when specific polarizing, is a long-handled wooden drumstick. One end is rounded to a small but solid point, which is ideal for confining gentle but well directed taps to a receptor.

We concentrated first on the receptors marked at the side of the head. In view of their location, they were stimulated while Carol was faced four directions in her channel; front, sideways, back and finally, the reverse side, always turning clockwise into the next position. Each disturbed receptor was stimulated with three well-directed taps followed by a waiting period of four seconds before the next was treated. After the entire group was stimulated Carol remained stationary for six seconds before turning into the next position.

This procedure was repeated while faced in the four different specified directions. Carol then was instructed to move out of her channel and remain in isolation for the next half hour. During that time she was able to walk

around without feeling the former discomfort. Three days later Carol came back and the two disturbed receptors on her forehead were treated. In view of their location they were only stimulated while Carol was faced towards her Vivaxis and then faced in the opposite direction.

Carol returned home to Port Angeles the next day exclaiming at the incredible power of polarizing. Her shingles had disappeared, only scars remained; the infection on her arm and the new shingles that were forming vanished within hours of the initial polarizing.

This paralleled Bessie O'Connor's experience with the boils, related in the book Vivaxis. Carol also regained her proper equilibrium and could now shut her eyes without becoming dizzy and falling; something she had not been able to do for years.

Carol's story had a strange sequel. On June 27, 1969, I was a guest speaker on Bob Craig's open line radio programme, on station CKDA in Victoria. The next day I was busily autographing books in Fords Book Store in the same city. There were about a dozen people waiting for autographs, many firing questions. One question, "Would this help eczema? " I paused for a brief moment recalling Carol's case, for eczema is a disease often associated with a nervous disorder. I started to relate Carol's experience when a masculine voice spoke up, "Yes, and this story is absolutely true; this is a most tremendous thing. I think the book is terrific and I want to buy five copies. "

I was dumbfounded. "Who are you", I enquired.

"I'm Carol's next door neighbour. We heard you on the radio yesterday and I suggested to my wife that we catch the boat to Victoria and meet you. "

This was very gratifying and I persuaded the young man to complete Carol's story as he had witnessed it. Any of those in the group who might have been withholding their decision about buying Vivaxis rushed forward for their autographed copies.

Chapter 5

Vivaxis Lost

This story deals with a lady who came close to losing her Vivaxis and as a result came equally close to losing her life. In all probability the cause was due to the use of pesticides as the onset of the trouble coincided with a time when she had been spraying roses and potatoes in her garden. Her symptoms called to mind the reaction of insects subjected to nerve damaging insecticides.

It was early in September 1968, that I received an urgent phone call from one in the nursing profession. Her voice was troubled and distressed as she made a plea that I see her mother; for identification purposes we will refer to her mother as Joan. At the time I was committed to completing the book Vivaxis and I refused on that ground, suggesting an interview in a month's time. With emotion, she replied, "That will be too late; Mother is not likely to last more than a week due to the critical condition she is in. " Compassion reversed my decision of postponement as she related her mother's plight. For the past six months Joan had been running a continuous fever that fluctuated a great deal; in the early morning it might be several degrees below normal and by evening would often climb to a temperature as high as 102 degrees. She was suffering from extreme exhaustion; the doctors had prescribed every known antibiotic but her condition was getting progressively worse.

At this point of the conversation I was mentally debating whether polarizing would be applicable, when she anxiously described the seriously affected reflexes of her mother's throat. Joan found it difficult to talk, breathing had become more laborious and uncontrolled, and fits of coughing further aggravated the seriousness of her condition; symptoms which suggested an association with exposure to insecticide. I recalled our tests with animal bones subjected to insecticides and remembered that I found the normal pattern of magnetism was so weakened as to become imperceptible.

This despairing but hopeful nurse brought her mother over the next day voicing the sentiment that she was clutching at the final straw.

Normally the direction of a person's Vivaxis can be readily determined by wave vectors taken from the centre points of magnetic influence, where both energies or groups of quanta meet. Selected points have to be free from the disruption of X-rays.

Joan's birthplace was Chemainus, B. C., and in this instance I selected the head for determining Joan's correct wave channel to her Vivaxis. I placed her in a swivel chair faced in the general direction of Chemainus and found her head lacked completely any pattern of magnetic waves. Her Vivaxis was indeed lost or nearly lost, an extreme example of the destruction of magnetism and depolarization by pesticides. In all my experience I had never encountered such difficulty in locating a channel. I eventually employed a method where Joan was rotated through an arc of approximately one degree

at a time with a waiting period of about fifteen seconds in each position. Finally our perseverance paid off for a weak but predominant wave vector reading indicated we had found her lost Vivaxis. The indicated channel was marked; after the requisite instruction, Joan stood up and followed through the manoeuvres of basic polarizing for about one minute. She was encouraged to periodically try and take deep breaths to reactivate the lungs and her throat reflexes. Signs of vitality started to return and next morning her daughter reported Joan's temperature had become normal.

Joan came back twice more with intervals of four days between each session. We concentrated on eliminating the interference of X-rays and breathing deeply in her channel. From the day she first polarized, her fluctuating temperature disappeared and within the day returned to normal and remained so. Here is a dedicated lady who, ten months later, looks twenty years younger and is convinced the knowledge of polarizing saved her life. Faithfully, she carried out basic polarizing once a week until all discrepancies had disappeared and today looks a picture of radiant health.

This story illustrates an unpleasant example of man tampering with a basic law of nature, without being aware of its full effects to ourselves and things around us. Fortunately, the world is gradually becoming conscious of the dangers of insecticides, and there are now many who express the need for moderation and the proper controls of these chemicals. As an example, the Province, a well respected daily newspaper of Vancouver, B. C., in its issue of June 23, 1969, discussed the results of an

investigation by pathologists at the University of Miami, into the use of D. D. T. and related insecticides within the home. The paper quotes from the findings of the study, "The home use of pesticides is one, if not the major factor, in the occurrence of high body levels of D. D. T.... The most convincing relationship between pesticide concentration and disease revealed in the study was found in the consistently high concentrations of D. D. T. present in patients with cirrhosis of the liver, cancer and hypertension."

Another example was in the July 6, 1969, issue of the Daily Colonist of Victoria, B. C., where there appeared an article entitled "D. D. T. Believed Wrecking Planet's Environment". It stated, "Even if we stopped using it today, there may be enough D. D. T. already distributed throughout our planet to cause harm to wild life for decades to come.... D. D. T. is a global contamination; its residues are found in snowy owls in the Arctic, penguins in the Antarctic, fish in the Baltic Sea and people everywhere."

Silent Spring, by Rachel Carson, disclosed some of the tragedies wrought upon our wild life as revealed by her authentic but spine chilling statistics. But what statistics have we to show the unwitting damage caused to human beings from pesticide spray bombs used so freely in food stores, restaurants, hotel rooms and many homes? Which represents the greater threat, a few insects or the disruption and weakening of our life dependent "atomic magnetic alignment"?

Due to the presence of pesticides found in their milk,

Sweden has decided to place a two-year ban on the use of D. D. T., Aldrin and Dieldrin, starting January 1970. The state of Arizona has placed a one-year ban on D. D. T. in commercial agriculture; the state of Michigan has made the sale and use of D. D. T. illegal. Gradually the world begins to realize the long-range effects of pesticides and the cry for control and abolition grows louder.

Chapter 6

The Brain - Our Wave Messenger. Part 1

The brain can be regarded as our electronic control system, influenced by our magnetic energies with a wavelength and frequency corresponding to that of our Vivaxis and in direct wave link to our Vivaxis. The brain is responsible for sending wave messages to the receptor cells of the various neurons in the cortex of the skull. Nature has endowed us with a group of main neurons with receptor cells, strategically located in the different hemispheres of the skull cortex, for each organ and limb. The reflexes controlling our hearing, our breathing, our every move is stimulated through this communication system. A communication system with a specific electromagnetic wave pattern, where the brain can be compared to a radio broadcasting station and the receptor cells of the various motor neurons to radio receiving sets. The receiving set is adjusted precisely to the same wavelength and frequency as the broadcasting station in order to read the wave messages. Following a similar rule of wave mechanics, the receptor cells associated with the various neurons must be tuned into the same wavelength as the brain to receive messages correctly and in turn pass on the orders to the various organs and limbs.

This can only be accomplished if the receptor cells have the same related magnetic pattern in their cell structure

as the brain. Nature has provided us with this efficient design for the normal operation of our bodies.




Figure 1. Dotted, lines indicate sinus cavities.




Figure 2. Neuron receptor for index finger marked with a dot. Symbols - On Apollo's head.

Solid squares mark brain receptors.



Holes in squares - Receptor junction for motor neurons.






Breathing - When the head is level and the magnetic field is in a steady state, these receptors have wave vectors continually alternating in a two-way channel to the person's Vivaxis. When the head is tilted, wave vectors only alternate when breathing deeply. Note in Figure 8 that there is one "X" receptor located centred at the top of the head, with a brain receptor directly in front of it and another brain receptor located directly behind.

Receptor -- The word "receptor" is used to indicate - The point at which a wave impulse is received.

Figure 3. An example of acoustic waves travelling in pathways to brain receptors. The wave impulses can be traced also travelling from the mastoid down the neck and terminating in the tips of the fingers. Another acoustic wave train travels down the back of the neck and spine, terminating in the feet, with receptors on the centre of each heel and other receptors towards the end of each toe.





Lynda is now able to hear the waves lapping against the rocks. See story in Chapter 6.


When the brain sends a message to a limb, a wave impulse is detected travelling in a pathway from the brain receptor to a motor neuron junction, marked by a hole set in a black square. From there the wave's path can be traced, terminating at the site of receptors associated with the particular limb the brain message is being

directed to. Under normal conditions while tracing the wave's route - the angle wire will alternate in two opposite directions in correct orientation to the individual's Vivaxis.

Deviations from this normal wave behaviour have enabled me often to trace motor neuron trouble to its source and correct it with "specific polarizing".

In instances where the correct radiation has been erased or disrupted in the receptor cells, the limbs or organs, which they control, are affected. One or more neurons might have their magnetic pattern disrupted that will contribute to disturbances of varying intensity; the disruptions are all fundamentally associated with a magnetic wave deficiency. However, if the whole group of receptor cells associated with an organ or a limb is lacking the correct energy pattern, then a total disability of that organ will result. No messages are received and no reflexes stimulated.

A striking example of this extreme situation was portrayed by the story of Lynda. I first met Lynda July 10, 1969, when her mother, hoping for help, brought her to me. She was a lovely eighteen-year-old girl who had just graduated from Jericho Hill School, a school for the deaf. Not till Lynda was well advanced into babyhood was it realized by her parents that she was completely deaf; their child was not attempting to talk because she could not hear. At the age of four or five years Lynda underwent two separate ear operations, both of which failed to improve her hearing.



Brain cell - Some brain cells have a network of dendrites that resemble the branches on a tree.

At school this young girl had been trained to lip read, but unable to hear her own voice or those of others the tone of her speech was monotonous and, too many, unintelligible. A battery-operated hearing aid in the right ear had been used for a number of years; two of these had been tried originally, one for each ear, but Lynda could tolerate only the one. It was intended mainly as a protection to alert her to the sounds of traffic. The amplified noises and vibrations were distorted and she was soon to realize they had little similarity to normal sounds. Lynda has not used a hearing aid from the moment of our first meeting and, therefore, the progress to be related has been made without artificial means.

When her mother first appealed to me I told her it would be unfair to give any hope for improvement; finally, under the pressure of her pleading, I agreed to test the wave pattern in the neurons associated with Lynda's ears. It proved a fortunate decision, since my initial findings revealed that in excess of fifty receptors controlling the reflexes of hearing and speech had a wild circulating wave motion. The uncontrolled wave pattern gave us hope for possible corrections.

The Brain - Our Wave Messenger. Part 2

The entire circuit had apparently been disrupted as a result of a birth injury. Lynda's mother recalled that her baby arrived in the world with her head bent backward, in fact, a support collar was contemplated but never actually worn. The birth had taken place rather suddenly before the arrival of the doctor. A large bruise and bump was noted at a centre point on the baby's forehead just above the nose. The bruise was apparent for a long time after birth and was located at the site of an important wave receptor associated with the hearing. For many years Lynda had no sense of smell, but it developed gradually throughout her "teens"; however, she still lacked the control of reflexes that would permit her to blow her nose.

Prior to correcting the wave pattern in the receptors, I tested Lynda's ability to perceive sound. She gazed out the window watching the sea and mountains, entirely unconscious of my presence as I stood three feet behind her and yelled, shouted and whistled; there was no response. The sounds of my voice fell on deaf ears.

The preliminary steps necessitated the cancelling of the foreign wavelengths introduced by X-rays and the repolarizing of the bone structures affected. While taking out the head X-rays I specifically tapped about the nose, sinus cavities and around the ears. This was done having in mind the deficiencies of the nose reflexes. Lynda was extremely alert and co-operative throughout the

necessary manoeuvres. Before she left for home that first day, the reflexes of the young girl's nose had assumed their proper magnetic pattern and she had gained the ability to blow it in a normal manner for the first time in the eighteen years of her life.

The introduction of her own polarized magnetic waves into the receptor cells of the many auditory neurons was a long and tedious job; a task which involved numerous sessions spread over a period of many weeks. At each session a few more disturbed receptors were marked and singled out for specific wave polarizing and each brought further gains and encouragement. In polarizing the neurons at the front and back of the head it was

required of Lynda to face two directions only, i. e., first into her channel and then in the opposite direction. The neurons on the side of the head required four different positions, i. e., first facing into her channel, then a turn of 90 degrees, then 180 degrees, and finally 270 degrees.

After polarizing there is generally a period of fifteen minutes to one-half hour before improvement becomes apparent. During this interval, following the first treatment, Lynda indicated to us her ears felt itchy and were buzzing. She realized something strange was taking place as she repeatedly shook her head, remarking as she pointed to her ears, "Funny! " After the waiting period we hopefully tested the young girl for possible gains. Lynda was seated, with her mother and myself a few feet away on opposite sides and slightly behind her back. In these positions we were out of her vision as we tested with our voices for her reactions.

I raised my voice to a fairly high key and projected the sound with considerable volume. Lynda was visibly startled; she turned her head sharply towards me with her large brown eyes wide in amazement and pointed to her ears, repeating in her monotone, "I hear! I hear! " Treatment of the first group of neurons had broken the sound barrier! Lynda was still deaf, but the fact we had progressed from nothing to a limited degree of hearing was more than significant to the three of us.

Her mother projected her voice in a high key and Lynda swung around to her in a similar startled manner. This time she pointed from her mother to myself, commenting, "Different. " Not only could she hear the voices, but she could detect the difference in our voices. Her mother assured me repeatedly that in Lynda's entire eighteen years of silent life, she had never been able to hear a voice before without the use of a hearing aid and even then could not interpret the sounds without lip reading.

That night she amused her mother by saying, "You laugh too loud. " Lynda was born with a delightful personality and a good sense of humour; her parting comment to her parents as she turned into bed, "Don't make too much noise. " A gay and happy young girl, who was experiencing a real awareness of her ability to hear for the first time, made this remark in jest.

Not having heard voices before, the sounds Lynda now heard were new, strange and confusing; she must learn to associate the sounds before she could learn to talk. The first session she was taught to differentiate between the two words "one" and "duck".

At the next session, three days later, the previously polarized neurons were checked; four had retained their correct magnetic pattern but three others had to be reinstated. In addition, two more were polarized bringing the circuit up to nine activated neurons associated with the ears. Three more words were added to the vocabulary, "father", "bath", and "Lynda", but they had to be megaphoned into her ear before she could distinguish them - the centre part of each ear still had a disturbed wave motion.

During the third session concentration of energy wave flow was stimulated from the outside centre of the ears. As a result Lynda now heard her own voice for the first time in her life. This had a tremendous reaction and brought forth repeated comments to others, and myself "First time I hear my own voice". She emphasized her accomplishment with animated gestures pointing to her mouth and ears.

The Brain - Our Wave Messenger. Part 3

Lynda stayed with us for a few days and progress was speeded up considerably. The fact Lynda could hear her own voice was a big asset but, in the strange new world of unfamiliar sounds, it was particularly important to test her abilities with methods that would avoid confusion or discouragement. Frustration can disrupt the continuity of magnetic wave messages and Lynda's circuits were still weak with the neurons not fully reinstated, therefore it was essential to keep her relaxed.

Lynda was experiencing many firsts and throughout it all her mother and I had the joy of participating in her elation. This in itself was a most gratifying reward. The first time she was able to hear and interpret words on a telephone was a tremendous thrill for all of us. It had been a life-long ambition of the eighteen-year-old girl to use the telephone, an ambition that could not be realized with the hearing aid.

Originally we concentrated on the receptor cells situated in the upper portion of Lynda's head; they apparently had a relation to the higher notes and it was no coincidence that at first she could hear only the higher frequencies. During later sessions when we stimulated the lower receptors in the skull, it was fascinating to observe her suddenly detecting the lower notes that had evaded her previously. The story of the auditory reflexes was gradually unfolding and, due to the deficiencies of this

deaf girl, we were not only perceiving the basic role that magnetism plays in stimulating the reflexes, but we were also being spurred on to search even further.

After numerous receptors had been polarized to the correct wave pattern, Lynda complained of perpetual buzzing in her ears. Having found that nearly all nerve reflexes terminate at specific points in the hands and feet, I surmised her trouble was caused by lack of grounding and incomplete circuits. Tests of her hands and feet confirmed my opinion as many receptors in her hands, associated with hearing, had disturbed circulating patterns. The receptors of the feet making contact with the floor during the polarizing sessions, had been stimulated by the weight of her body and were in correct polarity, but a few still had wildly circulating patterns. Squeezing the tips of her fingers on two posts for a few seconds during the polarizing procedures stimulated the circuits of the hands, as she faced the four ways in her channel. These manoeuvres corrected the main circuits in her hands. The remaining receptors of the hands, which still had disturbed patterns, were corrected during a later session by the routine tapping method where the energy wave flow was directed to specifically marked receptors.

The importance of adequate grounding in her hands and feet soon made itself manifest. The buzzing stopped immediately after the circuits were reinstated. Further, Lynda's hearing was improved when her feet were firmly planted on the ground during the "hearing tests". While listening to records her ears registered better if she grounded her fingertips on a tabletop, for within the tips

of the fingers many auditory reflexes terminate. Possibly, this is a reason why most animals walking on all fours have a keener sense of hearing than humans.

We had reached a platform where tests showed that most of her acoustic neurons responded readily to sound vibrations. In fact, Lynda was almost intolerant of too much sound. It was hard to gauge our voices to a level that she could hear and yet would not cause her to complain, "Too loud". Often she would shake her head in irritation at the many sounds of our modern "gracious living"-outboard motors, power mowers, planes, etc. She accompanied her parents to a baseball game and summed up her reaction by the words, "Too noisy". The sounds of voices she heard, but to differentiate the words required tremendous concentration. Our job was still unfinished.

Her ability to distinguish words varies greatly and there are occasions when it is significantly improved, especially a short time after polarizing when the flow of magnetic waves are concentrated and the maximum effect of the treatment is apparent. Possibly, the fluctuations of Lynda's hearing efficiency, is due in part to a lack of myelin sheath insulation encasing the auditory neurons. Let us digress a moment and consider the relationship between the neuron and the myelin sheath. Most, but not all, the neuron axons of humans are enfolded within a sheath formed by special cells, the Schwann cells. Usually, the axon is enveloped in a myelin sheath that is a part of the Schwann cell membrane and lies between the axon and the main Schwann cell protoplasm.

At birth, a baby's neuron axons are generally unmyelinated and, as the baby grows, the myelin sheath develops and winds ever more tightly about the axons. A main function of the myelin is to insulate and accelerate the transmission of impulses in the axon it envelops. A young baby becomes startled by unaccustomed noise; its nervous system is easily jolted. Similarly Lynda is now experiencing the same reactions to loud voices and sounds. Are Lynda's auditory neurons like those of a baby, lacking adequate myelin sheath insulation because they have never been used? Will they develop as the baby's from the stimulation of magnetic waves flowing in a definite pattern? It is within reason to hope these questions will be answered in the affirmative as Lynda puts her acoustic nerves to greater use.

Not only is the brain the wave messenger, but it also receives messages and impulses from its environment. The eardrums record the sound wave vibrations and the neurons of the inner ears and all other neurons associated with hearing send the wave impulses to the brain. The brain in the final analysis does the actual hearing.

The Brain - Our Wave Messenger. Part 4

We all know how we can shut out voices and noises around us so that we are not consciously aware of them. To hear, we deliberately tune them in to the wavelength of our brain by directing our magnetic wave flow to the ears. This can be determined by a wave transmitter* testing the site of a receptor cell associated with hearing. When the participant is out of his channel and not listening, the angle wire does not move. As soon as he decides to listen to the noise, a wave impulse is instantly transferred to the angle wire, which alternates in a two-way circuit indicating the reflexes of the ear are actively working. The wave impulse can be traced linking to a brain receptor that is generally situated not more than a few inches away. (Figure 3).

A network of brain receptor areas on the skull have been pinpointed, strategically located by nature in the different hemispheres. On Apollo's head many of the main areas are marked; their positions vary only slightly with the individual.

How can we determine that these areas are specifically associated with the brain? Observing wave impulse behaviour under varying conditions has done this. We create the condition and observe the effect. As an example, a wave transmitter has the participant direct the concentration of energy wave flow to the brain by having him apply his mind to simple mathematics, e. g. the three times table. The transmitter then moves his receiving

finger over the participant's skull until he picks up a brain receptor, an area where an active wave impulse is introduced into the atomic structure of the angle wire held in the transmitter's other hand. The wire responds by swinging actively back and forth in correct orientation to the participant's Vivaxis. If the transmitter's receiving finger is moved a small fraction of an inch away from that particular point, the wave impulse is lost. By the same token, if the participant stops concentrating, the brain receptor wave impulses also cease. However, if he concentrates his brain on moving a limb, the wave impulse will reactivate and can be traced travelling away from the brain receptor to one associated with the particular limb.

We are mainly concerned with the auditory neurons in Lynda's case. The main portion of these now responds to sounds as indicated by the wave vector response. But do they also link by wave to their associated brain neuron? Tests showed only a few did.

The job is still unfinished at the time of writing, but as each hearing receptor is linked to a brain receptor, Lynda improves in her ability to interpret sounds. The tapping method is used to stimulate the pathway between the two neurons while Lynda is faced four ways in her channel and listening to the ringing of a bell in order to put direction of magnetic wave flow to her ear neurons.

During Lynda's last visit she spent two hours playing the organ, reading the notes from a beginner's guide card. The tunes included "Silent Night", "My Wild Irish Rose", "Beautiful Brown Eyes", etc. How accurately she heard

the notes, is hard to determine, but she indicated her enjoyment of the melody with a lilting motion of her hand. Her parents have since procured an organ for Lynda so that she can further train her ears and brain to tune into sounds; musical sounds that terminate in the receptors at the tip of each finger. This will be an interesting experiment to determine the extent an organ can contribute to the development of the necessary myelin sheath around the axons of the neurons associated with hearing. Lynda's world of silence has changed dramatically; two months ago when I first met her she was unable to hear a single note even when played in full volume.

Placing myself in the average reader's position, I can sense his impatience and the queries running through his mind, "How can I use specific polarizing? Could I test my own neurons? " And the subsequent discouraged feeling that it is all too complex.

Take heart, "Rome was not built in a day". What might appear complex at this instant becomes as second nature when you gradually become familiar with wave testing your own receptor impulses. In the meantime, be content to crawl before trying to walk. In subsequent chapters we will describe methods of polarizing that can be used readily by a good majority of those interested.

* Wave transmitter - see glossary.

Chapter 7

The Ability To Memorize And Concentrate Can Be Improved

Since becoming involved in this research, there is one lament brought to my attention above all others, "I find it difficult to concentrate. "

Generally, in response, my first question is, "Have you had head or neck X-rays? " Neck X-rays especially appear to be the number one culprit, followed by those for head and teeth. The three combined add up to a dandy confusion of conflicting wave circuits bombarding the poor old brain. The characteristic reactions of individuals, after these X-rays are repolarized, are invariably the same and give strong evidence of the turmoil that existed previously. They express their relief in phrases varying only slightly from the following, "It seems a lot of wires have been uncrossed and my head feels so much lighter; the difference is incredible. " Late reports generally relate the improvement in their power of concentration, their ability to sleep better and the relaxation of their nervous tensions.

The tranquility of a healthy mind is indeed a hard thing to preserve if the body's energies are in conflict and, by the same token, a healthy body is equally difficult to achieve if the brain's energies are in conflict. It becomes a merry-go-round, which generally ends with tranquilizers and pep-up pills, often resulting in a multitude of side effects.

This brings to mind an incident, amusingly told by a man caught in just such a merry-go-round. He had resigned as president of a large firm and was seeking other avenues of endeavour. It was arranged he meet a busy executive for breakfast early one morning to discuss an interesting business proposition.

On the eve of the meeting he downed his usual "lullaby pill" to ensure a good night's rest. The alarm sounded early next morning and drowsily his hand reached to the bedside table and fumbled for the "pep-up" pills, for it was imperative to be alert and on his toes for the scheduled discussion. The pills were swallowed, but, alas, the error was not discovered until too late! Wrong bottle, wrong pills; the label read "Sleeping tablets! " His frantic wife supervised immediate revival tactics by dousing him beneath the shower, walking him in the rain and pouring black coffee into him. Fortunately their efforts were rewarded, he fulfilled the appointment.

Prior to discussing other causes, which contribute to poor concentration ability, let us explore the development of the brain in relation to magnetism, for in this relationship we discover the basic blueprint essential for man's ability to think coherently.

Probably the magnetic blueprint of the brain becomes set at birth, at the same time that the bone structure hardens and solidifies, and a permanent atomic alignment becomes fixed in the skull. Brain cells apparently grow under the influence and stimulation of a magnetic field in conjunction with the growth provided through food chemistry. Both factors are mutually dependent, one

upon the other. The more the energy flow is concentrated in the brain through usage, the greater appears the development of the brain cells. However, if the pattern of magnetism is disrupted, then the brain cell development will be retarded, too.

On the other side of the ledger, too much brain concentration appears to rob the body of its defences. The balance of left and right quanta, normally detected in the lymph glands are deficient on one side of the body; a situation that leaves the body vulnerable to the attacks of viruses and bacteria. I have conducted several tests to substantiate this theory; I used my husband as the first guinea pig. He had conveniently contracted a cold, which had developed to the primary running stage. He polarized; using the method specifically for colds described in a subsequent chapter; within the usual five-minute period his nose became clear and ceased to run. Wave vectors taken from lymph glands on either side of the neck illustrated they had now regained their normal pattern of quanta. After allowing him to enjoy a "cold free" one half hour, I asked him to solve some simple problems in mathematics. Within five minutes his cold virus had taken over as his lymph gland defences again were depleted by the fact of his concentration. Once more he polarized and reinstated the normal energies into his lymph glands and again the cold symptoms disappeared. Others and myself tried similar tests on different occasions with the same results.

It is no coincidence that students and business executives who direct their energies continually into their brain fall prey to cold viruses that are hard to shake. Yet

during a weekend of golf all symptoms disappear.

Accidents causing injuries to the head or neck often accompanied by shock can also contribute to a faulty memory or vague concentration by depolarizing an area of the brain. The trouble area is generally pinpointed by one or more "brain receptors" with a disturbed pattern.

There are several methods of repolarizing the disturbed receptors. The technique, which is preferred and tried initially, is simple and can be utilized by many without assistance. The energy wave flow is directed to the brain while the participant polarizes the four different directions in correct orientation to his Vivaxis. With eyes shut he concentrates on a simple multiplication table while he stands correctly with head level and feet apart for about eight seconds faced in each of the four different directions. This is followed by a period of isolation and mild exercise for the half hour of stimulated neuron activity that results.

If the foregoing technique fails to realign the disturbed areas, the troubled receptors are treated subsequently by the specific polarizing method.

The Ability To Memorize And Concentrate Can Be Improved.

Continued

Probably many readers will recall my early research concerning the use of carbon circuits to study energy wave behaviour, which was detailed in Vivaxis. During one particular routine of experiments I was rewarded with an insight into energy waves in relation to memory recording. I will not digress at this point by detailing it, but my good friend and colleague, Bessie O'Connor, has on different occasions commented that of all the illustrations of "the power of a permanent magnetic atomic alignment", this particular carbon test made the biggest impact on her. It was a test that could only be conducted if the entire carbon circuit was polarized with two related energies.

The nucleic acid, R. N. A., undoubtedly plays a predominant part in the abilities of the brain cells to align their atomic particles under the influence of introduced polarized waves. I suspect carbon plays a part in memory, recording energies received by waves through our eyes, ears and other senses; waves emitted by people and objects in our immediate environment. The atoms of the human system are largely carbon atoms.

There are twenty-four brain receptors marked on Apollo's head. They are generally located in similar positions on the skull for each individual. Normally these twenty-four receptors co-ordinate in wave activity, with wave vectors

alternating in a definite channel to the individual's Vivaxis. Wave activity is generally detected only when stimulated by concentration. If one or more of these brain receptors have a disturbed pattern, then the person would be unable to locate his channel with the following method utilizing the wavelength of the brain. This fact has been useful in tracing trouble areas to brain receptors after other avenues of wave interference have been explored and corrected.

Method of testing the continuity of brain receptors:
Channel the energy wave flow to the brain by mentally repeating a multiplication table while holding the angle wire in a level position. The body is faced out of alignment to one's Vivaxis with the head not level, but tilted slightly down. The feet placed apart and the free hand held slightly out from the body with fingers pointed down. While the brain is concentrating the wire should swing freely into one's channel.

If it doesn't, we generally look for one of several causes. First, both thumbs will be wave tested, since the centre parts of each must have the correct magnetic energies associated with their Vivaxis, in order to relay the wave pattern of the brain into the atomic structure of the angle wire.

If the circuit of the thumb is out, the trouble may stem from any number of things, e.g. injury X-rays of the hand, insecticides, the use of strong detergents and chemicals without the protection of rubber gloves. Invariably it will be necessary to repolarize one or more disturbed receptors in the cortex of the skull associated with the

thumb reflexes. Shortly after corrections are made, the participant can generally pick up the correct wave vector in the angle wire.

However, if there is still wave interference, the disturbance is generally traced to receptors of the brain itself. My husband was one who came within this category and could not obtain a response from the angle wire. The reason was perplexing and frustrating to us both, but through the deficiency we finally traced the cause to a brain receptor at the centre point on his forehead. It had a disturbed and circulating pattern, probably the result of an old injury. However, once it was corrected by specific polarizing, the angle wire responded strongly as it received a wave pattern free from interference.

We have discussed poor concentration and suggested ways to improve it, but, as yet, failed to speculate on the underlying cause. Why is it so many of the kids today are mentally mixed up, confused and suffering from hypertension? Our young son, while attending university, made this observation, "If only some of these crazy mixed up kids understood what you have learned, Mum, I don't think they would feel the need for all these drugs. "

The cause may be multiple, but what are we doing to our young people when we subject their heads to masses of conflicting wavelengths through X-rays. Is it their fault they are confused and mixed up?

Is this the price our children are paying for man's tampering - man's ignorance?

Chapter 8

Overstimulation Can Be Dangerous

Polarizing is undeniably a stimulant and should not be used in conjunction with stimulating drugs; it is possibly safer not to use it at all, if any type of drug is being taken, as the reactions could cause unknown results.

We have all heard of side effects caused by some of the "miracle drugs" which are generally artificial stimulants to the pituitary and associated endocrine glands, including the adrenals. The pituitary gland is a small gland lying just below the brain. It has been called the orchestra leader of the endocrine glands because of its important role in regulating the ductless glands.

In a well-known book written by a medical doctor, a case is cited of a woman becoming totally and permanently blind as a result of overstimulation to the pituitary, causing the gland to increase in size and press against the delicate optic nerves. Two penicillin injections administered for a cold and headache were apparently responsible for the overstimulation.

In order to avoid overstimulation and exhausted adrenals, we strongly recommend against the overuse of polarizing. Nature does not like being rushed; it needs time to replenish its resources. "Keep the power in polarizing" is an appropriate motto and when an

emergency arises, you have it as a strong ally, not an exhausted one.

Polarizing is of tremendous benefit to the body if only used when adjustments are needed. Do not spoil its valuable potential for yourself and others by indiscriminate and irresponsible application. I appeal particularly to those who are thoughtless or lack a grasp of the strength of the atomic energies involved. For example, some have ignored our instructions to remove their glasses while polarizing. As a result they have experienced a disturbed feeling in the head caused by the pressure of the glass frames directing a specifically polarized wave flow to the bridge of the nose and the parts of the head touched by the frames; areas that were probably in a correct wave pattern originally and were detrimentally affected by further stimulation. Similarly, tight clothing, e.g. girdles, belts, etc. will also divert the flow of energy waves to the area of pressure.

Learn to know the energies you are working with before using them or advising others. The book Vivaxis was intended to introduce the fact of a basic law of nature and to show it is an essential part of us; the book was not intended to provide a therapy and "cure all" for disease. Therapy was used as a proving ground, mainly to illustrate the law's existence and fundamental importance; for without its existence none of the accomplishments would have been possible. In the final analysis the best therapy is to understand the laws of nature that govern us and abide by them.

Many people who appeal to me for help come after all

the rules of nature have been ignored or broken. They are from the modern school, believing health can be obtained from a bottle of pills, supplemented by treatment from impressive looking electronic equipment. Finally, the ailing nervous system has to be partially repolarized with shock treatments. A foreign wavelength is introduced which realigns part of the brain into a new field of energy; as a result limbs are often affected and gradually lose their normal reflexes. Polarizing is not applicable at this stage of mutilation when nature's original magnetic arrangement has been destroyed, for it is similar to shuffling the parts of a jig-saw puzzle, throwing away some of the key pieces and then saying, "Please reassemble the puzzle".

Dr. Henry Bieler, m. d., in his celebrated book, Food is Your Best Medicine, cites a notice posted by the Massachusetts Medical Society, dated in the year 1855, "The Treasurer announced that he had received the sum of one hundred dollars from a member of the Society for a prize ... on the following theme: 'We would regard every approach toward the rational and successful prevention and management of a disease, without the necessity of drugs, to be an advance in favor of humanity and scientific medicine' ".

When we polarize, the pattern of magnetism becomes very definite and very strong. We have learned that the energies in each hand have their own distinct magnetic moment, even as the other parts of the body align their atomic particles with the centres of magnetic influences. It will be remembered in Vivaxis, several instruments were described for the stimulation of various parts of the

body, each used in its special way. Never use the hands for stimulating the body while polarizing, since it can result often in alarming complications as experienced by a self-styled experimenter. A friend had assisted him with polarizing and had used the "Bess Bonger" prior to repolarizing his chest X-rays. As a result he felt rejuvenated with a sense of well-being and further he could now correctly find his own channel.

Daily he used his newfound toy, pounding across his chest with his right hand as he stood both ways in his channel. At this point I had not met the gentleman, but his friend was justifiably concerned when she brought him to my house for inspection. His right hand was suffering from what appeared to be a radiation burn. It was extremely painful, very swollen, mottled and peeling. To relieve the pain he had been up all night soaking it in cold water. We fairly gasped as his hand was displayed.

I first tested the receptors of the head associated with the fingers and found a group of three with wildly disturbed circulating patterns. He was aligned four directions in his channel while the receptors were specifically polarized. Within minutes the pain subsided; within the next half hour the swelling had disappeared as his hand assumed a red wrinkled appearance. The case just described is an extreme one but serves as a warning. Generally we win the majority of rounds in polarizing. However, when deviations from the normal pattern still exist we search for the reason drawing upon our experience to make the necessary adjustment. Often the solution leads us to another avenue, which adds further to the knowledge of the subject.

We entitled this chapter, "overstimulation can be dangerous", and while we still have the red signal up I will refer to the chapter mentioning "electronic poisoning", through contact with strongly polarized waves other than your own. We are in the strictest sense of the word "electronic" and during the process of polarizing we emit strong polarized waves, which are definitely detrimental to others who are subjected to them.

I say this with considerable feeling for on occasions I have paid a heavy price for the research that has necessitated over-exposure. Perhaps I also pay for my compassion, as have some of my dedicated assistants. When help is asked, refusal is difficult.

However, I do have my own personal method of partial protection or I would not have endured as much as I have. In lectures I demonstrate with angle wires only when faced out of my channel. To do otherwise, it would be irresponsible and without regard to others. We have had many examples of adverse effects caused to spectators who link into the circuit through their eyes. Their own polarity becomes unbalanced and often they report the accumulated effects are felt some six to twelve hours later. In some instances they have experienced symptoms similar to those described as "electronic poisoning". "You warned me, but I found it hard to believe", is a frequent apology made by those who have ignored the precaution.

Chapter 9

A Review Of Depolarizing X-Rays

The trend of our present policy advocates methods of depolarizing X-rays that can be executed entirely by the X-rayed victim, without involving and jeopardizing an assistant.

The following are a few suggestions to serve as a guide. Allow five or more days between sessions for repolarizing each X-rayed area. Remember it is important to isolate you and exercise for one half hour after polarizing. Remember, too, your success will depend on your accuracy.

- (1) Avoid eating one half hour before polarizing and an additional one half hour after, as the digestion of food diverts the energy wave flow to the stomach.
- (2) Be certain the field is in a steady state and have your channel well marked.
- (3) Keep your head level, feet apart and eyes shut while polarizing. Remove shoes and polarize in bare or stocking feet.
- (4) It is most important not to make any manoeuvres that will change the level position of the head while polarizing.

General Method:

Position your body correctly in your channel facing to your Vivaxis with your head tilted down. Stress by putting pressure on the bones in the X-rayed area to upset the foreign wave pattern. It is imperative there be no time interval between stressing and repolarizing. Therefore, the instant the former is completed, jerk the head sharply into the correct level position for polarizing. Stand with eyes shut for a count of ten seconds, to allow time for the upset spin pattern of the X-rayed area to realign. Then turn in the opposite direction, assume the correct stance and stand for ten seconds to complete the realignment process. It is only necessary to stress the X-rayed area in the first position as described above.

It is safe to use the hands for upsetting the spin pattern but only when the head is tilted down. After stressing is over and during the period of polarizing when the head is level the hands must be held downwards in a static position.

Head and Neck X-rays:

Where both the head and the back of the neck have been X-rayed the best results are achieved by repolarizing in two sessions, due to the number of small bones involved, especially within the neck.

To upset the spin pattern of the head X-rays, tilt the head down and with both hands rapidly slap all parts of the head and neck. Jerk the head to the level position and continue with the polarizing procedure to realign the head X-rays.

After a five-day interval complete the repolarizing by concentrating entirely on the bone structure of the neck. Align to your Vivaxis with head level. Jerk the head sharply to the left side and vigorously back again to the direction of your channel. Immediately polarize for five seconds with eyes shut. With the body still facing towards your Vivaxis repeat this procedure twisting the head to the right side and then forward; align again for another five seconds. Similarly, jerk the head down and finally back to its fullest extent, polarizing for five seconds each time.

Turn your body in the opposite direction and without further preliminary manoeuvres polarize for a ten second period.

Teeth X-Rays:

These generally affect the entire jaw and cheekbones. Stand in your channel facing your Vivaxis and with your head tilted down rapidly and thoroughly bang around the cheek and jawbones, all the while champing your teeth firmly together. Sharply bring your head up and polarize facing first to your Vivaxis and then in the opposite direction, for ten-second periods in each case.

Chest X-Rays:

In order to stress the bones around the chest two small sand bags are used, each of approximately three pounds in weight. With a sand bag in each hand, body faced to your channel and head tilted down the arms are exercised repeatedly. Rapidly and vigorously they are thrust upwards and down; sideways to their fullest extent

and back again; extended forwards and then returned to the body. In addition the shoulder bones are banged. Then straighten up sharply and align in the usual manner for ten seconds; reverse direction and align again for ten seconds.

After the bones have been polarized face into your channel and once more polarize while you take three deep breaths; turn a full right angle and repeat three deep breaths; turn 180 degrees and finally 270 degrees, repeating three breaths each time.

Feet X-Rays:

Stress and polarize one foot at a time. Strain and exercise the foot vigorously while keeping weight on the ball of the foot. After one foot is stressed, quickly align in your channel for eight seconds and repeat in the reverse direction for a similar time. If the other foot has been X-rayed and requires repolarizing, repeat the procedure aligning for eight seconds in each direction.

The principles are the same for the rest of the body. Remember, head down while stressing, work rapidly, and stand still when aligning.

If you have successfully removed the interference of X-rays from all bones or parts of bones, you should be able to locate the direction of your channel with two angle wires, as illustrated in Vivaxis. However, it is often difficult to free all the bones and isolated areas of bone from foreign wave interference. An X-ray generally includes a much larger area than we realize.

For example, a chest X-ray usually takes in the shoulder bones and the arm to below the elbow, the bones of the spine down to the waist and the ribs. The shoulder joints are often stubborn and take special stressing and firm tapping.

If foreign wave interference is still indicated test with a swivel chain suspended in one hand. Barring interference in receptor cells it should swing back and forth when you press on a bone that has your own alignment; if it stops or circulates as you press then wave interference is indicated and corrective measures can be taken.

While you are polarizing in your channel never bang bones that are in correct alignment since this will tend to disturb and unbalance their co-ordination.

Chapter 10

The Vanishing Gold And Clear Sinuses

The so-called common cold need not be the "common cold". This statement is directed to those people who are careful of their diet but still play unwilling hosts to one or more colds a year; it does not refer to those whose daily menu includes pop, candy, cakes and excessive starches.

I speak from experience for I was periodically a victim of the most miserable type of head colds. Characteristically they included swollen eyes, running nose and throat, accompanied by a day or two of violent vomiting. Now, I can cheerfully think of these bouts of misery as periods of the dim past for I have not suffered with a cold since I learned to utilize the power of polarizing to fight viruses and bacteria.

However, it is wise to cross our fingers in case we unfortunately fall prey to a virus at a time when the magnetic field is disturbed and polarizing cannot be used; a period when our magnetic defences are down. It is a situation beyond our control but under normal circumstances colds can be simply annihilated provided they are attacked at the time of their first symptoms.

Before the foreign virus have taken control within the cells of the body to create more virus of their own kind

and destroy masses of body cells. Polarizing does not restore dead cells; it only helps the healthy to overcome attack by the virus.

A chemist recently made the comment to me, "The first person who discovers a cure for colds will become a multimillionaire". I was silent but thought how ignorant and pathetic the human race has become to accept as a part of life the miseries of colds and the complications that result, always hopeful of a day the cure will be found in a prescription bottle.

On several occasions we have mentioned the lymph glands losing their normal pattern of magnetic energies during illness. By observation we have found the magnetic pattern, of the lymph glands on one side of the body, is vague and wandering when the cold is gathering momentum. When the glands are repolarized the body is able to combat the illness, which diminishes rapidly in severity and soon disappears. There is a definite correlation between the correct magnetic pattern of the lymph glands and the recession of the cold. With a virulent cold the repolarized glands often lose their correct pattern. In such cases it is necessary to polarize again about three hours after the initial treatment. However, if the cold is caught at its inception, the pattern will generally remain correct and further polarizing is not required. Usually one of the two lymph glands situated on either side of the thyroid group is among the glands affected by the virus. To combat the cold virus we concentrate the direction of energy wave flow to the respiratory canals and the throat by specific polarizing.

Despite the danger of being monotonous, I will detail the specific polarizing technique to be performed by the victim, so he can control the virus through his own energies.

(1) Attack the virus by polarizing at the earliest symptoms of a cold.

(2) Mark the direction of your channel with tape as described in Chapter 4.

(3) Start polarizing by facing into your channel; stand with spine erect, head level, eyes shut, feet apart, hands held down by the sides. Never hold wires while polarizing.

Breathe three or four times as deeply as possible, stretching and depressing your lungs to their limit and pass the air through the nostrils. Swallow your saliva three or four times because the movement of the muscles involved will direct the magnetic wave flow to the throat glands. Remain for a period of some four seconds without moving.

(4) Turn clockwise, some 90 degrees, which now puts your shoulders in line with the direction of your channel. Repeat the routine as described in (3) above.

(5) Turn clockwise, another 90 degrees, which now puts you in a position with your back to your Vivaxis. Repeat the routine as described in (3) above.

(6) Turn clockwise a further 90 degrees, which places you in a position opposite to that of (4) above. Repeat the routine as described in (3).

(7) Stay in isolation for at least one half hour after polarizing. This is a period when your own atoms align themselves into a strong pattern and it is important there is no interference from other people to weaken the strength of the pattern. After about five minutes exercise moderately.

If the first polarizing does not seem sufficient, repeat in about three hours time, but it is recommended not to carry out more than three polarizings spaced at three hour intervals.

The Vanishing Gold And Clear Sinuses. Continued

A large number of people now report they control colds successfully by this method; they are to be congratulated and we hope they will communicate their knowledge to others. Many who are presently unaware of the power available to them will learn through education and when that day dawns the colds that are now so common will gradually vanish.

It is tragic to see so many people suffer unnecessarily from the distressing effects of sinus disorders that in many cases have existed over a period of years. Practically all the chronic cases that I have encountered will clear substantially by one half hour after specifically polarizing the sinus cavities. If the trouble reoccurs after a few days, further treatment by specific polarizing is generally all that is required for permanent and complete relief.

The corrective measures require the same basic rules for specific polarizing as that outlined for colds. When faced in each of the four directions tap the bones associated with the sinus cavities that include the nasal bone and those around the eyes, nose and ears. (See Figure 1)

The rounded end of a wooden spoon handle is a useful instrument for tapping; use two, one in each hand to stimulate the bones on the corresponding side of your body. Pause for four seconds after tapping before making the turn into the next direction. When the bone

stimulation has been completed in each of the four directions, turn into your channel facing towards your Vivaxis and breathe deeply three or four times through your nose; reverse your direction and repeat the breathing a comparable number of times.

During the entire manoeuvre of polarizing and stimulating be sure the head is level and straight to the body; also, do not tap with your fingers or cross your hands over to the opposite side of the body.

The receptor cells of the sinus reflexes terminate in the fingers and feet. In the feet they are situated at the centre of the bottom of each toe and the centre part of both heels.

These are contact points when the feet are placed on the floor and generally any disturbed receptor becomes automatically repolarized, especially if the person is without shoes.

If the sinuses are still not completely clear, the problem may arise from a disturbed magnetic pattern in one or more of the finger receptors. Should this prove to be the case, the correct pattern can be reinstated by the method of repolarizing the fingers described in Chapter 6.

Those of us who have not experienced the physical distress associated with sinus disorders find it hard to visualize the cross these victims have to bear.

Operations to drain the sinuses will alleviate their suffering, but in so many cases the relief is only temporary.

I will relate a recent experience of a young lady in her early thirties who had suffered from the discomforts of congested sinuses for some eighteen years. She had endured many disturbed nights with little rest.

After the specific polarizing of her sinuses she went for a half hour walk in isolation. Within about fifteen minutes after polarizing she was amazed to find one nostril quite clear; after another five minutes the other nostril cleared. When she returned she hugged me with emotion and observed, "If only I had known this before, I could have been spared eighteen years of torture and discomfort".

Several subsequent specific polarizings were necessary. I also recommended that once a week for several months, she breathed through her nose as she faced to her Vivaxis and then reversed in the opposite direction. This stimulates the magnetic wave flow to the sinuses and aids the process of repair.

Chapter 11

Reborn

"So little can do so much", is a comment often made especially when disturbed neurons in the cortex of the head have had their pattern of atomic alignment corrected and, as a consequence, dormant reflexes become suddenly activated. Never has the suddenness of the activation been more dramatically illustrated than that of a recent case of advanced emphysema. This is a diseases of the lungs in which large air sacs form and the lungs lose their elasticity.

This particular case involved a young mother in her thirties whom we will call Doris. She had reached an advanced stage of the disease when she enlisted my help. Doris had read the book Vivaxis and a friend had successfully assisted her to cancel chest X-rays and carry out basic polarizing. Although this had made her feel generally better, the reflexes were still inefficient, making it impossible for her to effectively expel air from the lungs. Every breath was a battle as she wheezed and fought to empty her lungs; indeed, I requested she refrain from talking, as the combined effort to breathe and talk was unbearably distressing. Prior to working with Doris I made a tape recording of her wheezing as she struggled to expel air - I shudder each time it is played.

Later, Doris described the existence her chain smoking had created for her, as that of a snake pit. Her ability to accomplish household tasks was reduced to a minimum.

For example, if she climbed a few stairs, she would be compelled to sit for half an hour to regain her breath. She dare not lie down in bed for fear of choking and never breathing again. What fitful sleep she managed to acquire was done while propped up on her elbows throughout the night? It was not surprising that when first I met her she resembled something designed to scare crows from the strawberry patch - just bones and exhausted nerves.

On the initial specific polarizing I concentrated stimulation to a group of three receptors in the cortex of the skull. They were all associated with the reflexes of the lungs. As she was faced in alignment to her Vivaxis the struggle to breathe reverberated ominously throughout the room. I tapped the first receptor and immediately her lung reflexes were activated to life and her breathing became strangely rhythmic. The sudden transition amazed me almost as much as it did Doris.

When the polarizing manoeuvres were completed she excitedly exclaimed, "I feel as though I've been born again! I can breathe once more! " After polarizing was completed she went for a short walk and was delighted to discover she could now climb a moderate grade without losing breath.

Doris vowed never to smoke again; a vow she has conscientiously observed. That night she phoned several friends. They noticed immediately the improvement in her ability to speak - no more wheezing and struggling for each breath. It was incredible to them that her chronic condition could be corrected so simply, so suddenly.

Such evidence left no room for skepticism and they were eager to learn more.

Doris coughed up a lot of the accumulation in her lungs during the succeeding days. The second time we met I found one of the three receptors originally treated had to be repolarized; in addition I discovered a few others with disturbed patterns that had to be polarized. Her improvement was steady, gathering momentum with each week. I also advised her to polarize every four days, turning four ways in her channel and breathing deeply, stretching and depressing the lungs to their utmost. The need for polarizing became less frequent and the time interval was extended to once a week. Now, four months later, she has outgrown the need to polarize for emphysema.

I would like my readers to see Doris now! Lovely complexion, relaxed and gaining in weight, she breathes as quietly as a child while she expounds enthusiastically of the law of magnetism that has given her a second chance. Gone is her fatalistic attitude that emphysema cannot be cured. No longer does she feel that renouncing tobacco serves only to further torture the body and prolong death.

We hope the story of Doris will help the thousands who currently suffer from this agonizing disease. In her case the cure was the reinstatement of the atomic pattern in the receptor cells associated with the reflexes of the lungs and the removal of the main cause by substituting fresh for polluted air.

Chapter 12

Our Guardian Angel

Yes, we all have a guardian angel in the form of magnetic energy waves and further, it is within our ability to make it a strong one. A strong one with the power to destroy the foreign virus and bacteria invading our body. The powerful flow of energies in the fluids and blood created by polarizing appear to create conditions incompatible to foreign invaders; the uninvited guests can only mature and reproduce if the circumstances are suitable for them.

Conversely, wrong elements introduced into our system will prevent our guardian from protecting us. I refer particularly to frustration, which can shut out and shackle the guardian by disrupting the flow and continuity of magnetic waves. During our early stages of testing with carbon circuits, as detailed in the book *Vivaxis*, we observed that an energy wave could be destroyed and the carbon circuit lose its atomic arrangement by anger or frustration of the participant. "Frustration upsets the balance of energies", not a new observation but one well recognized in the world of medicine. Polarizing helps to balance and correct our energies.

In the light of this knowledge I am inspired to observe a motto, "Let no man have the power to frustrate me". In fact, I personally feel a responsibility to myself and to my guardian angel, to avoid those who try to frustrate. I refer, particularly, to those unhappy, negative and mentally

needling creatures that seek to destroy the tranquility of others.

It is an unfortunate child that is tormented and bullied by a parent, for he has no avenue of escape except to mature and go out in the world. However, if he is resolved that his past can be forgotten and the present is a world of his own making, then he can gain the tranquility of a healthy mind; one of his best allies in retaining a strong and well balanced magnetic atomic pattern.

In our experiences we have been surprised how quickly polarizing will overcome viral and bacterial infections in wounds or cuts without the aid of medication. We have simply stimulated around the infected area with a padded object while polarizing.

Our observations are limited to situations that we have experienced and are not intended, as medical advice to others, for this is a study in the magnetics of the human system. However, in the course of our investigations, nature has revealed that a specific atomic arrangement is her design to protect the body against disease.

Chapter 13

Additional Methods Of Locating Your Vivaxis

Standard methods of locating one's channel are described in Vivaxis, The Spiral of Life and will not be discussed here. However, where the chest X-rays are causing wave interference the following technique can be tried. By introducing both energies directly into the wire, the effect of the chest X-rays is counteracted.

Our model, shown in Figure 6, is faced out of her channel concentrating on holding the wire level. The angle wire is held so it touches the centre portion of the swirl of the thumb, while the point of the wire rests on the centre point of the other thumbnail. With both quanta waves correctly introduced into the angle wire it becomes magnetically alive and turns spontaneously into her channel leading directly towards her Vivaxis.

Since both energies are represented it will swing after a period of time to the opposite direction. However, if the model is faced directly towards her Vivaxis with head level, the excited energies cause the wire to swing continuously in alternate directions, to and from her Vivaxis.




Figure 4. Angle wire grounded into centre of the line on the palm of the hand.




Figure 5. Marked with a cross the point on which the angle wire in Figure 4 is grounded.




Figure 6. Angle wire held grounded on centre point of thumbnail.

Another method, used when chest X-rays interfere, is illustrated in Figure 4. The wire is held in one hand and grounded midway on the centre line of the palm of the other hand. (See Figure 5.) With the head level and the

wire held correctly the angle wire will turn in the direction of the person's Vivaxis.

These are rather awkward methods and are ineffectual if the hands have been X-rayed. When a person is unable to determine his channel by the two methods just described a story is often told of neuron disturbance in the thumbs, or receptor neurons of the head associated with reflexes terminating in the thumbs. After these are traced and corrected the participant can generally determine the direction of his Vivaxis.

It is interesting to observe that some of the disturbed neurons of the skull connected with the thumbs have been associated with the cause of chronic headaches. Thus, correcting the neurons has relieved the participant of the discomfort of recurring headaches.

If people realized the sensitivity and importance of the neurons in the hands, I feel confident they would take greater precaution when using strong chemicals by protecting their hands with rubber gloves. Detergents, insecticide bombs, paints, are some of the chemicals, which disrupt a normal atomic arrangement.

We observe examples, which graphically demonstrate the effects of chemicals on magnetism during tests with human hair. Hairs untouched by dyes have a strong atomic pattern of magnetism. Those removed from the top of the head have both quanta of the individual and, as a result, have strong wave vectors correctly orientated to his Vivaxis. Hairs, taken from either side of the head, have an incomplete energy; the wave vectors generally channel back to their owner to seek their counterpart.

This occurs when the gravitational influences are favourable and is an interesting study in its own right, but I will not digress from the main issue at this time.

This test of the hair can be used to confirm whether the participant had accurately aligned, both forwards and backwards, in correct orientation to his Vivaxis, for only then will both energies be introduced into all the hair of his scalp. If, when he attempted his polarizing his head had not been level or his direction had been incorrect, then this change in energy would not occur in the side hairs. This is a law of nature which makes itself manifest in literally hundreds of ways and it is incredible that man has been utterly blind to its existence for so long.

In contrast, hair that has been peroxided or treated with harmful dyes invariably lacks the atomic arrangement of magnetism. Many authorities suspect hair dyes are a contributing cause of cancer; their opinion is probably well founded. I have observed, individuals who use hair dyes over a prolonged period of time, have a noticeably weaker pattern of magnetic waves in the cortex of their skull and I suspect that hair dyes in some instances are the culprit of disturbed neuron receptors.

Devices for aiding individuals to locate their correct channel are currently under study. The first person to contribute an efficient design will be well rewarded by popular demand.

Everyone will appreciate this contribution to the future of magnetics, as it applies to the mental and physical well being of each individual.

The basis for electronic equipment is magnetism. Consequently, electronic instruments will have an atomic alignment with a wave vector to a Vivaxis of their own. This is a factor, which will necessitate special adaption. In my role as a wave transmitter I must place myself out of direct alignment to my own Vivaxis in order to be in a weak incoherent pattern and therefore able to link circuits and trace a polarized wave vector, other than my own, to its Vivaxis.

We mention in the book Vivaxis that deflections in the direction of one's channel can be caused by other magnetic fields. This was illustrated to me very forcibly when I was recently assisting a friend to locate her channel. Within the room was a television set, which was unplugged but still causing a variation of about twenty degrees to the correct direction of her Vivaxis. We removed the television to another room and confirmed the fact it had created the deflection.

We are increasingly aware of the hazards to our health from influences of electromagnetic fields; even the acid and alkaline balance of the body can be affected. In recent experiments researchers have found that electromagnetic fields in office buildings can affect the efficiency and thinking capabilities of the workers. The loss of efficiency was found to be in proportion to the strength of the field; the higher the floor from the ground, the greater the loss in efficiency.

Other factors were the voltage and the design of the wiring system. The latter was particularly important since the strength of the field was influenced by the layout of

the wires, parallel, criss-crossed or some other design.

Many predict that before long the word "Vivaxis" will be on the lips of every educated child. It was not long ago that the idea of sending our voices over the air was treated with ridicule or regarded as blasphemy. Man is rapidly emerging from the dark ages and into the electronic age but in his haste he has pathetically ignored his own part in the universal scheme of magnetics.

Chapter 14

New Hope

There is new hope for many of those affected with paralysis but unfortunately not for all. What is the point of no return and can it be prevented?

In answer to the first part of the question it appears the point of no return arrives when muscles and nerves have shrunk away, one from the other, and no longer make effective contact. I think the point of "no return" could be prevented in most instances by correction before atrophy has caused complete disability.

"Nerve damage, dead nerves, " many times we hear these words applied; yet in my experience rather than "dead nerves", I find receptors with disturbed circulating patterns. Further, once this is corrected the receptors become alive and responsive. In the book Vivaxis I discussed a multiple sclerosis case which was my initial encounter with a paralytic disease. Since that time I have gained considerable experience and have learned to first test the wave pattern of the brain receptors. Worries and frustrations are a common spawning ground of this disease and therefore it is not surprising that disturbed wave patterns of brain receptors are generally found.

Currently I am assisting such a case in our search for more knowledge. For five years his balance was so pathetically inadequate that he was unable to sit in a chair or on his bed without tumbling over. A particular

group of four brain receptors were the main cause of his lack of equilibrium. One of these disturbed receptors was located in the centre of the forehead, two others a few inches away on either side (see Figures 7 and 8), the fourth was located at the back of the head towards the top. These were all corrected with specific polarizing.

About a half an hour later this man was able to sit without support in an armless chair having regained control of his equilibrium. A few days afterwards his wife reported that he was now able to sit on the bed and dress himself. In the space of a short half hour he overcame a discrepancy that had plagued him for five long years.




Figure 7




Figure 8

Front and back views showing respiratory and brain receptors. The eye receptors are not marked, but they are generally found in close proximity to brain receptors.

In this instance, the man was in a wheelchair and was not considered a good subject for polarizing. Efficient polarizing should be done standing with both feet separated in order to ground the two different energies. Tests have showed that during polarizing the heart responds with a strong co-ordinated rhythm with wave vectors alternating in a wave channel to the person's Vivaxis. In contrast, polarizing while sitting is inclined to cause a confliction in the magnetic wave pattern of the heart and consequently polarizing is only attempted in a wheel chair if the participant shows muscle and reflex response sufficient to indicate that after an initial start he will be able to polarize standing up.

In this man's case he had no ankle X-rays and we were able to place a round container of ice between his bare ankles as he sat with his feet on the floor and his head aligned in his channel. His ankles introduced his two correct opposing quanta into the ice and this served to pull his energy waves down into his feet. This man is now walking with assistance (for the first time in five years) and in the future polarizing will be attempted while standing.

I receive numerous letters from multiple sclerosis cases and their desperate pleadings bring a big lump to the throat. However, even if it was humanly possible to handle them all, I must refuse because I am not licensed to do so.

Therefore, I suggest that these desperate people appeal to the Multiple Sclerosis Society and medical profession to investigate this law of magnetism that controls wave messages to the reflexes.

Conclusion and Glossary

If you want a heightened sense of your part in the universal scheme, a deeper involvement and participation in living, then reach out and learn to understand your energies and wave link with the universe.

A wise man once said, "Tragedy is not what we suffer but what we miss".

During a recent interview a radio commentator remarked, "You have discovered what the birds, animals and fishes have known all along". Yes, the statement is very true. In the past I'm sure other humans realised this fact of biology but I have pioneered its application through seven years of research, commencing in 1962.

During the last four years its basic importance to the human system has been proved and established far beyond the theoretical stage.

As we learn more of this vast and fascinating subject we are constantly amazed at the unexpected avenues discovered. Despite his thin veneer of sophistication, bred by a few thousand years of civilisation, man is but a part of the universe and governed by natural laws just as any other creature.

If we represent on a scale of 24 hours the interval of time the world has existed since the formation of its crust, then the recorded civilization of humanity would occupy a tiny fraction of the last second.

Man is indeed a latecomer and the full knowledge of natural laws is essential for his well-being. I wish to make it clear to my readers that I am not a medical authority and consequently not in a position to give interviews and medical advice. The various people mentioned in this book were volunteers who aided in the research.

Currently there are branches of the medical profession who are indicating an interest in the work and intend to explore our findings. Many branches of the medical profession in the near future will undoubtedly recognize a basic law of such importance to the communication of the reflexes. When this day dawns, we can expect a sharp decline in illness, both mental and physical.

To the many, who are already aware of the vital role of a specific magnetic pattern, we beseech you to share this knowledge in order to plug the holes of ignorance, that contribute towards the ever increasing rise of nervous disorders. This can be your contribution to stronger bodies, healthier minds and a better world.

Glossary

Wave Transmitter - people are used in this regard. A specific wave pattern is imprinted on the receptor of one finger, a receptor located centre of the swirl of the fingerprint. The wave pattern is transferred to the atomic structure in the angle wire held in the other hand. The atom and molecules in the angle wire align their atomic particles under the influence of the wave pattern introduced.

The angle wire swings seeking the direction of the source from which the wave originated. (A rule of wave mechanics where a wave returns to the source that it originally radiated from.)

In order to transfer a true wave pattern, the wave transmitter must be free from wave interference caused by X- rays or other interferring causes.

To test wave patterns other than your own requires a great deal of knowledge and experience and we therefore can only suggest that this be used to test your own pattern.

Testing wave patterns other than my own was necessary for my research. The method employed was varied in accordance with my geographic position and elevation in relation to my own Vivaxis. This had to be carefully determined in order to link circuits without introducing my radiation into the person being tested.

I will only test receptors in the cortex of other's skull when I am located on ground where my own Vivaxis is

located below me and my receiving hand is held below my shoulder level.

As my Vivaxis is about sixteen feet above sea level, in most areas I am located, my Vivaxis is generally situated below me. This is one factor that has made a great deal of my research possible.