




RADIESTHESIA FOR HOME AND GARDEN

BRUCE COPEN, Ph.D., D.Litt.



Academic Publications



About the Author

BRUCE COPEN commenced his writing career at an early age, and by the time he was 21 had written 15 stage plays, numerous books of poetry, and Belles Lettres. His original method of writing was discovered and cultivated for the more popular style of works, of which this book is one.

He has studied a great deal and researched many diverse subjects, and his versatile talents have been recognised all over the world—awards have been bestowed upon him during the past 20 years, some of which include Doctor of Philosophy, Doctor of Literature, etc., etc. His outstanding contribution to adult education was rewarded by him being installed as Knight of the Sovereign Order of St. John of Jerusalem (Danish Sector) in 1970.

During World War II, he was serving in ENSA, as Stage Manager, and ultimately Stage Director whilst serving in Germany. On returning to England after the War began his most prolific writing career, but always in the vein of the Teacher. To date 47 books, 9 study courses and hundreds of articles have been published, some of which have been translated into French, German and Swedish. The book you are about to read is yet another of his essentially practical works, which are timeless in their content.

Past President/Founder of the British Radiesthesia Association 1953/69. Editor "*British Journal of Radiesthesia*" 1954/60. Editor "*Natural Therapeutics Journal*" 1965-71. Current Editor of the *Seeker Magazine* for the past 11 years. He is a member of the Society of Authors and other literary bodies. Currently he is President/Founder of "International College of Radionics".

Hobbies include organ playing, reading, motor cars and anything inventive and scientific.

Consultant to a number of Overseas Universities and Educational bodies in Adult Education.

In Radiesthesia, Radionics and Adult Education in Natural Therapeutics his name is known all over the world as a leading authority. Inventions include numerous Radiesthesia and Radionic Devices, Radionic Computers, and Therapeutic aids.

At 52 he is still a hive of industry, pouring forth knowledge of this very specialised nature, for which his advice is constantly sought.

THIS BOOK is a practical one—offering simple, non-technical knowledge and style which will enable readers who have only a minimal knowledge of the English Language to understand, and utilise its contents.

RADIESTHESIA FOR HOME AND GARDEN

(The use of the Pendulum at Home and in the Garden)

By

BRUCE COPEN,
Ph.D., D.Litt.



Published By:

ACADEMIC PUBLICATIONS

**"Highfield", Dane Hill, Haywards Heath, Sussex,
RH17 7EX, England**

***Radiesthesia for Home and Garden Handbook. World Copyright
Reserved 1974. Reproduction prohibited by any method
without permission.***

Contents

PAGE

Foreword	...	...	...	...	...	...	4
Introduction	...	...	...	...	...	...	5
The Pendulum	...	...	...	...	...	...	6
Movements of the Pendulum	...	...	...	...	...	...	8
Personal Sensitivity	...	...	...	...	...	...	12
Theory of the Pendulum	...	...	...	...	...	...	14
How to approach the Pendulum	...	...	...	...	...	...	16
Examples of Pendulum Success	...	...	...	...	...	...	19
Practical work with the Pendulum	...	...	...	...	...	...	22
In the home—Testing Foods	...	...	...	...	...	...	23
Experiments with the Radio	...	...	...	...	...	...	29
The best Sleeping Position	...	...	...	...	...	...	31
Locating broken Pipes, etc.	...	...	...	...	...	...	39
Plants in the Home and Garden	...	...	...	...	...	...	43
Finding the Fault in your Car	...	...	...	...	...	...	47
Decorations in the Home	...	...	...	...	...	...	49
Documentary Radiesthesia	...	...	...	...	...	...	50
What will the Weather Be?	...	...	...	...	...	...	51
Forgeries	...	...	...	...	...	...	54
Experiments with a Photograph	...	...	...	...	...	...	58
Six simple exercises with the Pendulum	...	...	...	...	...	...	62
The Radionic Instrument	...	...	...	...	...	...	70
Conclusion	...	...	...	...	...	...	71
Bibliography	...	...	...	...	...	...	72

RADIESTHESIA FOR HOME AND GARDEN

By

Bruce Copen, Ph.D., D.Litt.

FOREWORD

There have been probably many things around the home and garden that have wanted a helping hand, but to obtain this assistance, a great deal of waiting around might be involved, not to mention expense.

Take for instance the broken drainpipe—to find it there is only one way known to the men who lay drains—that is—dig them up, right along your newly laid path, over the lawn, leaving a muddy mess; uprooting your favourite flower bed and to where? All this work takes time and money—how much simpler to use the Pendulum and go right to where the broken pipe is lying and dig just one small hole yourself, and if you like to repair these yourself how much time and money do you think you save?

What about the home—lost anything of late? Want to test foods to see if they are healthy? Want to test the colour of decorations to suit you? Both you and I know that in the course of day to day living many little problems crop up which can be easily solved if we use Radiesthesia—the Use of the Pendulum.

It is the intention of this book, the first of its kind dealing with this particular aspect of the work, to offer without technical jargon, a simple, inexpensive tool that will work as a second right hand for you. The fact is, that in dealing with everyday odd things that might occur, there is no finer tool than YOU and the Pendulum. I do not intend going into the technical aspects of Radiesthesia, this has been done in other publications of mine, but to give, in an easy manner, instructions to use the pendulum without fuss and bother. There is no doubt that it is a universal tool which relies on your natural degree of Extra Sensory Perception (E.S.P.). We all have a greater or lesser degree of it and simple testing experiments with the pendulum will give you some proof of your ability with it.

Once having studied the elementary aspects of Radiesthesia you will become more interested and want to know more about it. There is, at the end, the address of the publishers from whom you can obtain a list of books which will guide you, and I hope that this small book will lead you on to a path of new treasures which are to be found on the fringe of the unknown in nature.

BRUCE COPEN, PH.D., D.LITT.
Sussex. 1974.

INTRODUCTION

There are a considerable number of books dealing with various aspects of Radiesthesia—The Use of the Pendulum—but I believe that this is the first time that such an intricate subject has been put in a simple form in that it can be used by the more inexperienced pendulist to obtain the best results possible.

The subject itself is a very complex one and requires considerably study over a number of years but there are basic rules which may be applied into using the pendulum for the best results and where better place to use it than the home and garden which is the immediate surroundings of most of us at leisure time. This does not follow that the instructions offered within this book are restricted to the home and garden, they can be applied of course elsewhere.

Radiesthesia is a very fascinating subject, there are so many branches of it but anyone of either sex, of any age, can use it with great success. There is no limit literally to the uses to which the pendulum may be put and it depends a great deal on the interest of the operator as to whether it may be applied in a more complicated sense or in a simple sense as within this book.

A number of questions you have always asked yourself may be answered within the tests and experiments that you will obtain in various chapters that follow. The history of pendulum usage goes back into ancient times and this has already been mentioned in an earlier work, but no doubt most readers will appreciate grandmother's idea of sexing eggs and finding the sex of pre-born babies with the aid of a wedding ring on a hair or a piece of string.

Well, basically this is what the pendulum is: It is a weight suspended on as thin a suspension as possible. The best pendulums are simple, but special pendulums are made which give better balance than a home-made one, but as a first experiment you may obtain or make a pendulum out of almost anything providing it consists of weight, and a string to hold it by.

The psychologists of the last century used the pendulum as a means of detecting psychological disturbances in patients. This was known as the Chevreul Pendulum. It is hoped that this small book will give those interested an insight into the wonders of pendulum operation which will in turn give us an insight into the unknown world which we do not fully understand.

More complicated and technical books and instruction courses including the use of Instruments of course make the subject even more interesting, but I am sure that as a start this book will give you something to do, something constructive, and as a reference work for the future.

THE PENDULUM

To obtain best results with Radiesthesia it is always a good thing to have the best pendulum that you can afford. In so doing you have the best tool that will offer you the best results. This does not debar you from experimenting with simple pendulums of your own, but the professionally made pendulum has a certain balance which gives you much better and effective results.

As already stated a pendulum is merely a weight suspended on a thread. This simple statement can indeed become quite complicated if one would like to go into the technicalities about shapes, forms and colours of pendulums, of which there are many. There are magnetic pendulums, non-magnetic pendulums, square pendulums, long ones, round ones, white, black, purple or green ones—any colour you like—any shape.

To the professional Radiesthetist each colour and shape of a pendulum means a great deal because it can spell results or non-results as the case may be, but the pendulum illustrated shows the most common type available, being a clear special plastic with a thin suspension thread.

Some operators of the pendulum may find that an instrument of heavier or lighter material in weight may be preferable to what is generally termed the average weight of a pendulum which is about 35 grams. If you find you are obtaining results which are too fast or the pendulum begins to spin then you need a heavier pendulum of a darker colour such as black. If you find that your pendulum is going too slow, then you need a slightly lighter pendulum of probably a different shape. This is really determined immediate tests as you do your experiments as described in this book. Once you have established the type of pendulum suitable for you, then you could keep it with you at all times. Some folk I know keep their pendulum in a small cloth bag: For ladies, in a special little purse which will do. If you carry your pendulum with you, you will find as time goes on the uses and diversity of opinions on pendulum work will interest you more and take you into more enlightening fields of this subject.



Fig. 1

For the beginner to obtain the best results, hold the pendulum in the manner shown, about $3\frac{1}{2}$ inches from the tips of the fingers. It is a good idea, when holding a pendulum for the first time not to grip it too much, otherwise it will tire you out, and to try and sit so

that you are slightly above the table so that your hand is, in effect at right angles to the body—this will save fatigue.

Having discovered that you can either make a pendulum, or you have already bought a pendulum, you are now wondering what to do with it.

However, before we go into actual practical experiments we must discover what sort of relationship you expect to have with the pendulum. This may at first seem a little strange when we talk about having a relationship with an inanimate object but when we think of the object in terms that it is an extension of ourself and not as an outside tool then we become more understanding towards it.

The pendulum will do nothing of its own accord: Suspend from a clothes line or any inanimate object and it will stay inert and will not move other than by movement of the air or if you decided to move it by the hand. So we have discovered that it does not move without us holding it. What is usually said at once is that of course I can hold the pendulum and make it move—of course you can. It would be a very peculiar situation if you could not make it move of your own volition, but this is not the intention of using the pendulum. The intention is to get the pendulum to show YOU the way. Remember it is an interpretation of the pendulum movements much in the same way that you use a delicate piece of measuring apparatus or you tune your radio into a certain station. If you do not tune your radio into the station you want you will not get the station itself you will get something else.

So in turn we have in a sense to have some control over the pendulum, but not enough as to inhibit it. We have to think of our relationship with the pendulum as something which will interpret our higher thoughts: When I say our higher thoughts this may be interpreted as intuition or what you like; there is a sound reasoning for this which has been mentioned in other works of mine, but if you rely one hundred per cent (100%) on the pendulum and not to reasoning you will obtain better results than if you reason something for yourself.

You do not think in terms of whether you are moving the pendulum or whether the pendulum is moving of its own accord through the energy pattern given out by the fingers. You should feel at ease and not under strain. It is often better to use the pendulum when you are least tired—this is in the morning mostly. Of course there is nothing to stop you from using the pendulum at any time of the day or night, but at night-time you may get slightly different results due to the fact that the earth reverses its polarity at night.

Having ascertained that the pendulum and yourself are a team you must then begin to understand that you have a mutual relationship with this inanimate object which is going to tell you things that you could never find by any other method—things that will work for you on a slightly different plane to what we are normally used to.

Throughout the world many thousands of people use the pendulum in a great many different ways or a great many different purposes and to use it in the home and garden, in other words, your immediate surroundings may give you confidence to study it further in any interesting facet you may find to research further. Therefore your relationship with the pendulum at the outset is one of the most important things you have to understand and when you have understood and appreciated this relationship then we shall proceed to show you the movements of the pendulum.

THE MOVEMENTS OF THE PENDULUM AND WHAT THEY MEAN

There are many dozens of complicated movements the pendulum may describe but we are interested in only three of these in this particular work and these are the three basic movements which indicate: Positive; Negative and Neutral—a force that exists throughout nature in one form or another. Knowing these three basic movements of the pendulum will show you the way to future experiments.

The illustrations that follow in turn show the directions of the pendulum I am talking about.




Fig. 2

Before we indicate things such as polarity and positive and negativeness, a small point I wish to clear up which may later avoid confusion. Generally speaking a man is right-handed positive and left-handed negative: generally speaking a woman is the reverse; that is to say right-handed negative and left-handed positive. Therefore the movements I am about to describe as positive and negative will be attributable to the man and should be reversed for the woman. However in certain exceptional circumstances these movements may vary a little depending on the individual polarity of the operator.

Movements of the Pendulum

The three basic movements of the pendulum are described as positive, negative and neutral; that is to say, positive is clockwise, negative is anti-clockwise and neutral is oscillating or swinging. These




Fig. 3




Fig. 4

are the movements for male operators, as stated before, variations may occur in either sex. (Figs. 2, 3, 4 and 5.)

In order to establish your particular type of movements a simple experiment may be undertaken. As will be seen by the illustrations, the pendulum will rotate in a complete circle when suspended over an item that is termed positive. The pendulum will rotate in the opposite direction, that is anti-clockwise over an object that is termed negative. It will swing or oscillate in any position that is between the two extremes: Hence we may do a simple experiment by placing on a table in front of us a clean sheet of white paper. White paper is important and not coloured paper as this will affect the end results. (Fig. 6.)

Place a pen or a pencil on this paper in any direction you wish—just put it on—now suspend the pendulum so that the pendulum bob




Fig. 5




Fig. 6

itself is about one inch above the surface of the pen or pencil. Suspend it in the middle approximately and it will be observed that instantly the pendulum will tend to travel lengthwise along the pen—(a-a- or b-b)—this is termed neutral. Move your hand with the still moving pendulum to one end of the pen—immediately you will obtain either an anti-clockwise or a clockwise movement. How quickly this will change from the swinging to rotating depends entirely on the degree of your own sensitivity. In some persons this is marked at once, in others it takes a little more time. The faster the change from the swinging to the rotating shows increased sensitivity to this particular type of work.

Move the pendulum still rotating towards the further end of the pen. On its way it will begin to swing again and then rotate in the opposite direction to what it did on the furthest end. You have now established that the pendulum rotates and swings for you; you still have to discover your polarity.

The simplest way whereby you can establish this polarity is to obtain a torch battery (you may take a battery from a torch or purchase one from your local shop). A battery has the property as does a magnet of having a positive and a negative pole. If you lay the battery down and if it is marked with a plus (+) this is the positive pole. If it is marked with a line (—) this is the negative pole. If it is not marked at all such as in a tubular type of battery the centre piece of metal is the positive and the bottom of the battery is the negative. Suspend your pendulum over the positive pole of the battery; normally in a man this will rotate clockwise, in a woman it will rotate anti-clockwise; in certain circumstances a different movement may be obtained in which case you then determine the negative movement you have: In a man this is anti-clockwise if the pendulum is held in the right hand—in a woman clockwise if the pendulum is held in the right hand.

It is interesting to note that should you hold the pendulum in the opposing hand the opposite movement will occur in recognition of your own polarity.

Having established the type of movement you have obtained over the positive pole and the negative pole of the battery then the remaining movement will be the neutral, and this is all you have to remember for your basic experiments.

In order to clarify the terms Positive, Negative and Neutral, I append a little further information as the interpretation of the three movements of the pendulum.

Positive, or clockwise movement of the pendulum may be described as indicating, harmony, good; that is to say, by testing food and so on it is good for you if the pendulum goes in this direction; beneficial and generally well-being.

Negative, or anti-clockwise movement of the pendulum indicates discord that I think is bad for you; such as a food that is completely opposite from what is indicated from the positive. The neutral movement of the pendulum indicates a neutral attitude of discovery by this method.

The three basic movements of the pendulum are generally termed by some authors as the language of the Pendulum. This is specially so by Dr. C. Dietrich, the famous German worker in this field in the early 1930s. An interesting note from one of his early works on the "Language of the Pendulum" is as follows: —

"We mentioned before that the prerequisite of sensitivity has nothing to do with anything shrouded in mystery. However, this does not mean that an easy study is given to us a gift. To study the science of the pendulum, we must have solid expert knowledge, be this medical for the purpose of making a diagnosis of the condition of health, be it for the analysis of the character, or for utilisation in the criminal field, or for geological research, or for any other purpose. These are important prerequisites which under any circumstances must be taken into consideration. If these are met, if there exists an earnest desire for truly diligent and perseverance for indefatigable study, then there is just hope that toil will be rewarded and that our old and yet so young science will result in joy. However, an excellent state of health is an absolute necessity. For a really earnest pendulum research, not only for an occasional hobby—only healthy people are suited; an earnest investigation is different from the layman's occupation with the pendulum possible in a playful manner. We have nothing to do with the latter, we refuse to do so.

"Steady nerves are required or else it may easily happen, even if we think we are able to protect ourselves against foreign ray-forces, that disturbances come about in our bodies and set up causes which may continue to exist over a long period. Only the one who has undergone the experience knows in what manner these disorders may make themselves known; they will show themselves in one way in a particular instance and in another on a different occasion; it depends in what manner the object is constructed which is to be tested with the pendulum and in what way our bodies react to the experiment. We note that very often our bodies are penetrated by rays which are entirely foreign to them and which may leave behind some sediments. We shall discuss later what we can do against the absorption of harmful emanations. Especially the earnest and conscientious diagnosis of the state of the health and the much more strenuous character analysis so much more so if the latter is carried out in a psycho analytical manner, consumes nerve energy.

"Every study with the pendulum consumes considerable energy; demands are made on our bodies. In case the energies of a body are dissipated in additional ways, one failure follows after another. This must be considered. The investigator of the pendulum must remember

this. Generally speaking he must get used to leading a moderate life, alcoholics, steady smokers, hearty meat eaters and servants of Venus, will hardly be able to create much good and usefulness of permanent value with the pendulum. Yet, there are still more prerequisites—the art of relaxing entirely and at the same time to work in the highest concentration, in order to rivet one's full attention upon the pendulum. So, it follows that this earnest study is not quite simple, and if we emphasize this fact once more, we do so to have it stand out clearly and yet—the acquisition of this knowledge is easy for the one who is talented and who possesses the impetus of the research worker."

PERSONAL SENSITIVITY

There are a number of methods of testing personal sensitivity to the pendulum. I have already described one with your experiment with the pen, however various authors have also their own systems. F. A. Archdale for instance, has the following:—

"All sensitivity tests are equally good, but the one I am going to describe has the added advantage of being self-applied and therefore allows of periodical checks at various times and under various conditions.

"Stand erect, facing due West, relax as much as possible; place the left hand over the solar plexus, palm inwards with the fingers closed. Suspend the pendulum from the right hand, using the full length of the twine so that the pendulum is opposite the centre of the of the left hand, about 8 inches from it. The pendulum will commence to gyrate in a clockwise direction. Count the number of gyrations carefully, and if the gyration are weak and less than fifteen your chances of getting any reliable results from Radiesthesia are remote and I suggest you go no further with it.

"The degree of sensitivity is indicated by the number of gyrations made by the pendulum and although they vary very considerably with each individual they can be grouped roughly as follows: 15 to 30 weak; 30 to 50 medium, and 50 to 100 good. These figures represent the total number of complete gyrations and are not so many per minute. Personally, I vary from 45 to 55 so I am, in all probability, about average, perhaps slightly below. In this connection an interesting experiment can be made which, in my opinion, proves beyond any shadow of doubt that the human body is extremely sensitive to outside influences.

"While you are carrying out a self test, that is to say, while the pendulum is still gyrating, let another person lay a hand on your left shoulder, and observe the pendulum carefully. If the second person is sensitively stronger than yourself the gyrations will speed up and increase in number; but if, however, the second person is

weaker the reverse will take place, the pendulum will slow down. In the case of two people of equal strength there will, of course, be no change in the movements of the pendulum."

An interesting paragraph may be noted by V. D. Wethered, B.Sc., he says: "As to individual sensitivity, I once handed a pendulum to a friend who held it over his leg while sitting in his chair. The pendulum was on a fairly long string, say six inches, and it at once started to oscillate vigorously through a fairly wide arc, and it was amusing to see the expression on my friend's face as his reaction manifested itself without any conscious control on his part.

"On another occasion I found a large toad in the garden and tried my pendulum over it, whereupon the pendulum immediately began swinging strongly in a contra-clockwise direction. The toad certainly looked a poisonous creature.

"When I asked a friend who had shown some aptitude with the pendulum, but had had little practice with it, to see what happened when she held it, the result was that the pendulum immediately repeated the same swing. Then I asked another person present who had never come across the pendulum before to try it, and she obtained just the same reaction, again quite involuntarily as far as one could tell."

Having discovered that you have a certain aptitude for the pendulum we may now proceed with a simple test to gather further information.

Obtain a piece of clean white paper and place it on the table before you. Obtain two coins of money, both of the same denomination. Place one coin on the right hand half of the paper and suspend the pendulum over it. You will find that you will obtain either a positive or a negative movement. If you obtain a negative movement turn the coin over, this will give you a positive movement. Be careful to turn it over so that it remains in virtually the same position. Place another coin on the other half of the paper and repeat this experiment. You now have two coins which have the same polarity showing, that is to say the pendulum detects the positive side upwards. Assuming that the two coins are about three to six inches apart suspend the pendulum over one of them and the pendulum will rotate for a little while and then it will swing or oscillate and so on. We need not go into why this is done at this time.

Having seen the pendulum rotating move it to the other coin and you will obtain the same movement. Move the pendulum across the paper about an inch above the paper towards the other coin and it will be drawn towards the other coin automatically and swing until you get a position halfway between the two coins when the pendulum will rotate in a large arc or a circle.

Now remove the pendulum and leave the coins exactly as they are. Without handling the paper too much, draw a straight line between the two coins from edge to edge of paper. Repeat the experiment by putting your pendulum over one coin then once you have positive movement move it slightly towards the next coin—a remarkable thing happens—the pendulum will ignore the second coin and in fact, if you put the pendulum over the line it will swing along the line and ignore both coins.

You have now destroyed or put a barrier between the force fields of both coins so that they ignore each other. The only way to bring these back is either to tear an edge of the paper so that the line is slightly destroyed or run a pencil in wiggle fashion along the line and you will find that everything will be back to normal.

This simple experiment will prove that you are dealing with something that is not knowable by any other method. Between the two coins there exists a field of attraction because they are the same polarity. When you have drawn the line you have introduced a virtual wall which separates the two coins. Until you partially destroy the image that this wall presents, then the barrier remains.

Now repeat the experiment with the two coins on a clean piece of paper—put one coin down first, then the other one and don't move them. Take one coin away and suspend the pendulum over the vacant space and you will notice that the pendulum will rotate in exactly the same manner as when the coin was there; but it will only rotate for a number of times and it will immediately start swinging in a direction which indicates where the original coin on that site will be—in this case it will probably be on the table or in your pocket.

In order to discover whether this is real or fantasy all you have to do is to suspend your pendulum over the vacant spot again to obtain the positive rotation of the pendulum and then point to the site with a finger of the free hand and immediately the pendulum will cease rotating and swing. You have destroyed the image by pointing at it.

You may experiment with this idea quite a number of times: Now I mention specifically that you should use white paper for experiments. If you are doing experiments of an important nature it is impossible to do them on any old surface and any old time but if you are doing casual experiments as we will describe later on there will be no need for taking these precautions but the phenomena connected with what we have already discussed is of vital importance to the professional radiesthesist.

The Basic Theory Behind the Pendulum:

In this volume I need not go into the technicalities of the Pendulum, but no doubt the reader will appreciate a little theory on why the pendulum will make the movements and do the tests that we place before it.

A number of authors of course have their own opinions about this theory. The older operators assumed that it was a magnetic flux which permeated the pendulum and the body but later workers in this field have assumed that it is a nervous type of energy. In fact, my own theory tends to place the operation of the pendulum partly muscular, partly psychical or intuitive and partly nervous and there is no doubt that the harmony that exists between operator and pendulum is vital to the success of any experiment undertaken. It is essential, I believe, that one uses the intuition far more with the pendulum than in any other thing you may do in life. It should not be looked upon as an occult power or anything of this nature; it is purely a scientific piece of apparatus which can be used by the non-scientific person as well as by the professional radiesthesist and having got this far then it will become clear to the user of the pendulum that once you have experimented and felt the movement of the instrument, there is certain power that you will feel that attracts or repels the pendulum to certain substances. It is true to say that the rarer the substance of the pendulum the better your results.

Many years ago when plastics and modern materials were not available, pendulums were made of wood. Now if you have a pendulum made of oak wood and you go into a forest full of oak trees or you are surrounded by a forest full of oak trees the pendulum will give erratic results because like all things in nature it is attracted to the mass of its like. Therefore if you have a diamond pendulum it will be attracted to other diamonds, but since all of us do not have diamonds as common-place as oak trees in our homes then a diamond pendulum may be said to be ideal, but for practical purposes most modern radiesthesists use specially made plastic pendulums, which are made specially for this type of work to give the maximum sensitivity. The degree of sensitivity in any given person is not purely a bodily or not purely a psychical sensitivity but a little of both and if you have this partnership with the pendulum as in any partnership you must be in harmony to make a success of it and once you have shown to yourself that the pendulum will give you definite results then you have passed the barrier of scepticism and will therefore open the degree of sensitivity to the higher mind and to the intuition.

Having said this it may seem a little complicated from the readers viewpoint especially to the amateur readers of this book, but such a brief definition is essential so that one can understand what one is doing. There is little use in driving a motor car if you do not know what you are doing when you press a switch or push a pedal down, therefore the basics of pendulum work are simple but essential.

Aptitude Test:

Experiments can be made by one's self if one is qualified for the work with the pendulum. Certainly, these are not always decisive because they do not always succeed, for in spite of failure, there may

exist an aptitude. The aptitude test is generally made by experts familiar with the subject. Anyway, we shall describe here the manner in which these self examinations may be carried out.

If there is no brass pendulum, a plastic or wooden one will suffice. At one end of the thread we tie a small loop so that we can better grasp the pendulum. Then, we take it between the thumb and index finger of the right hand. The other fingers we keep closed, forming them into a fist. Some metal, it does not matter if it is iron or copper, is laid on a table. We hold the pendulum 2/3 cm. above the object to be investigated (pendulum object). Movements of the pendulum in accordance with our aptitude will result, that are in accord with our sensitivity. The pendulum will draw figures, usually circles, clockwise, as this is the case with normally polarized individuals mostly.

Another experiment we mention, is to hold the pendulum over our own left hand. In this case the movements will be noted to be quicker and more distinct. The oscillations will result in clockwise circles with men of normal polarization. With women generally the opposite will be true.

The oscillations are brought about by the interplay of ourselves and the pendulum body, our pendulum object and is nothing else but an induction process; depending upon the existing sensitivity and the conditioning of our body, weaker or stronger oscillations will result. It is only necessary to concentrate entirely upon the matter and to shut out every other thought. Above all, one should not anticipate the pendulum with a thought about an expected or supposed oscillation. If we do not shut out disturbing thoughts, the pendulum goes its own way without achieving any results.

The foregoing aptitude test is one of many opinions by various authors, but generally speaking it is possible to show the variety of methods that come along with the common law of the pendulum. We have tried not to complicate the subject of Radiesthesia in this book but it is somewhat difficult to make such a subject as simple as possible. However, no doubt the reader will divine his own ideas from the writings.

How to approach using the Pendulum:

Having already discussed that the intuition is important and the fact that the operator of a pendulum must be in harmony with his/her instrument we must briefly touch on his/her attitude of mind which is an important factor in obtaining the best results. Contrary to popular belief there is nothing occult or superstitious in using the pendulum. Not quite wondering what to expect it is important that if you suspend your pendulum over an object of your test, a quiet and familiar approach should be made much in the same manner as you would pick up a pen to write a letter, so you pick up a pendulum to do a simple task and in so doing you obtain the best possible results


without mental interference. To the beginner this may appear to be a rather difficult task but in fact a little training will suffice and the quicker you work with the pendulum the better the results.

There is virtually no end to the type of work that may be undertaken with the pendulum and whether you use it just for the home and garden or for other things outside the home, experience is always the best teacher and no book or instruction course can give you practical experience to any degree. Therefore in reading through this book and gaining knowledge from the experiments given it is essential that you do not just do the experiments once or twice, but quite a number of times, and you may vary them to suit yourself.

Adjusting the Pendulum:

The first author who thought of adjusting the pendulum, that is to say increasing or decreasing the length of the suspension thread, was Henry de France in his book "The Elements of Dowsing". In this he suggested that the lengthening or shortening of the thread of the pendulum between the fingers was rather like tuning it, as in a radio set where you turn a dial to shorten or lengthen a radio frequency to obtain a given station.

In order to adjust a pendulum precisely it is better to have a pendulum with a small hand rod



Pierre Beasse assumes the adjustment of the pendulum and gives an experiment which can be done by everybody and shows that, when correctly held and properly adjusted, pendulums react in presence of an electro-magnetic radiation.

The direction of the reaction and specially that of the gyration of the pendulum, depends on the polarity of the wave perceived. Thus positive and negative electricity give contrary reactions, as may be realized by placing the instruments above the pole of a voltaic cell. In the same way there exist radiations of different polarity, which are for instance the radiations cast by electro-positive bodies (EP) and by electro-negative bodies (EN) respectively. In France, with a string of 140 millimetres long (5 ins.) for instance, a pendulum of adequate weight gyrates above a radio set tuned on "Radio Paris"; with a length of 120 millimetres (4 ins.) above the same set tuned on "Poste Parisien" and with different, but strictly adjusted lengths above any mineral, be it radio-active or not, any cellular tissue either living or dead, animal or vegetable.

It seems as though the whole system constituted by the body of the operator and his instrument was forming a receptor of electromagnetic waves, the instrument acting at the same time as amplifier and as regulating apparatus.

The radiation, received by the human body, would seem to have an action on the nervous system, which in its turn reacts, determining movements of the pendulum, a slight forward movement of the hand in the case of a swinging of the pendulum; a double movement with a perpendicular forward or backward direction, to the left or to the right, in the case of a gyration of the pendulum.

We owe the principle of the adjustment of the pendulum—which is the basis of physical radiesthesia—to the Abbé Ferran, and its necessity has been brought to light by the experiments of Engineer Voillaume. It consists, in fact, in adjusting the human receptive instrument on the wave length of the radiation to be collected.

To adjust the pendulum in order to receive a determined radiation, you place it above the radiating source, a mineral body for instance, and swing it, modifying gradually the length of the suspensory string. The swinging is first converted into an elliptical movement, then the smaller axis of the ellipse gradually grows longer, and the ellipse grows more and more similar to a circle. At last the gyration, now perfectly circular, takes a maximum speed and it cannot be stopped; at this moment the instrument is correctly adjusted.

To Abbé Ferran's method of adjusting the pendulum in length and weight, Henry de France (who has been the champion of the adjustment of the pendulum which he has greatly contributed to spread, and has thus powerfully helped Radiesthesia by placing it within the reach of operators with a sensibility often under the average) has substituted the easier one of adjusting the length only of a pendulum of determined weight and shape and selected as a standard.

By very clever experiments on colours Engineer Voillaume has demonstrated that, provided one operates with a very precisely adjusted pendulum, there is an almost absolute proportionality between the length of the suspensory string determining a perfect gyration, and the wave-length of the radiation collected.

There are for the same substance, and a given pendulum, a great number of adjusting lengths. Pursuing his experiment, M. Voillaume has demonstrated first that certain of those lengths corresponded to each of the lines that the spectral analysis gives for those substances, and which have a different wave-length; but apart from those adjustments, which he calls "real adjustments", and which are the most sensitive, there exists others, of less acute sensitiveness, on the harmonics (or multiples) of the preceding wave-lengths.

The reason for adjusting a pendulum is two-fold. The first is to increase the sensitivity of a given pendulum and also to obtain better results over precise experiments. As I have already said, each of us varies a great deal in our degree of sensitivity and by tuning a pendulum, that is to say, lengthening or shortening our suspension thread we obtain the best tuning for us in particular.

As a simple experiment referred to earlier with the torch battery, you may suspend your pendulum over the positive pole with the pendulum bob about 1 inch from the battery itself and at first glance you may not obtain a rotation of the pendulum; you may have had a swinging or an anti-clockwise motion if a man. This will then in all probability baffle you, since my statement says that the pendulum should rotate in a clockwise direction for a male and anti-clockwise for a female over a positive pole of a magnet. The reason you may not have got this at the first time or you may have got only a weak reading is because the pendulum is not tuned in accordance with Henry de France's system.

All you do is to suspend your pendulum over the battery as stated, starting with the pendulum thread at about 3 inches between the finger and thumb. As the pendulum tends to swing just slightly feed the suspension thread through the fingers a little at a time and at some point, say between 3 and 6 inches, the pendulum will start rotating as described. This is your own tuning and you may put a little knot in the suspension thread so that you can get hold of it each time. This is ideal then for general use.

For more precise use an individually tuned pendulum is not necessary so having found your own tuning you may carry on with the experiments about to be outlined, but before we go into some experiments, let me offer a few personal experiences in which the pendulum results not only surprised one, but are so accurate as to be absolutely shattering at times.

Everyone in our early days of studying any new subject will find that the personal results and satisfaction obtained by getting the right results spurs us on to greater things.

EXAMPLES OF PENDULUM SUCCESS:

Many years ago when I was a student in this field of Radiesthesia, I worked in a radio workshop and as those who know who have worked in such places, it is full of magnets, electrical currents, noise and interference. The best teachers in Radiesthesia will say "always work in a quiet place". However at that time I had lost a valuable tool of the trade and I had been out in the country, I had travelled many miles, I had been at home, I had been everywhere, but I had lost it. Now it occurred to me that I should use the pendulum to find it. So, beginning with the place of work which I thought was

the logical thing to do, despite the noise and the magnets and the electricity etc., I started from one end of the building on the ground floor and gradually moved along passages. When you are walking forward along passages the pendulum swings to and from the body. All I had as a specimen was the thought and the image in my mind of what the tool looked like--so I just thought "I wonder where that is"? visualising it in my mind and walking down this given passage suddenly the pendulum went round and round and round, in fact it went berserk. So I thought, well it could not be there, there is nowhere for it to be only in a cupboard so I opened the cupboard and the pendulum slowed down. I started from the floor and worked upwards and near the top the pendulum swung violently in a given direction and there lying on the top of the cupboard was the missing tool. Bearing in mind the noise and other interference I have already mentioned, this was a good example to me that the pendulum is a positive means of finding things.

Another time when I had a motor scooter I went out into the country for many miles and I returned home and discovered I had lost a fountain pen; this particular pen was of sentimental value and I realised the futility of trying to find it. So I gave it up more or less as a total loss. However, a few days later I thought again and I wondered if the pendulum could find it for me. So with the aid of a standard map and the thought of the pen in my mind I started from one side of the map to try and find where it might be. Bearing in mind that although this was rather a wild type of experiment at that time (map dowsing is dealt with in another book of mine) it is not so wild as it first seems. The pendulum indicated a certain area and this area was some 20 miles away from where I lived. However I recalled that I had stopped in that area to have some food; I set off promptly for the area and with my pendulum in my hand I went within that given small area and there on the side of the road was my pen, rather wet and muddy, but there it was. Rather remarkable you might say but since that time this can be done I know from experience many, many times with nothing more than a simple pendulum and faith in the thing that works.

Another more recent experiment took place when a friend of mine had mislaid the combination of his safe, and anyone with a safe will know how complicated and expensive this can be if one has to obtain the services of an expert to open it. The curious thing is that only a week previously my friend had changed the combination which he did at regular intervals, and he asked me if the pendulum could solve it. So with his photograph and a series of numbers in front of me, I had the image of the safe in the back of my mind, I sat down at my desk and let the pendulum rotate over his specimen i.e., his photograph. After the pendulum had rotated a number of times it swung in a certain direction towards a number, this was at 3; then on taking the pendulum away and putting it back again the same thing happened, the pendulum went to number 1. I repeated this

twice more and had the numbers 4 and 7, but nothing after this. I told my friend about this experiment and he tried it on his safe—it opened the first time.

Now I would not suggest that you lose things deliberately in order to use the pendulum to find them again but the examples already shown are the positive ones.

Many years ago, a neighbour, an elderly English-speaking Italian, somehow got himself attached to us, chiefly I imagine because he and his family were very lonely. In order to improve my Italian I spent an hour or so in the evenings with him and it was during one of my lessons that he introduced me to Radiesthesia, partly on account of our using a book on the subject as a “reader”.

At first I was inclined to laugh at the whole thing, but as time went on he roused my interest to such extent that I borrowed his books and a pendulum, which I still have. He first impressed me with the rapidity and accuracy with which he could find an object I had hidden somewhere in his house. In the childish game of “hunt the slipper”, with the aid of his pendulum, which he always carried in his waistcoat pocket, he found the hidden object in a matter of minutes.

Still somewhat sceptical I attributed this to some form of telepathy, as it might well have been, but I kept an open mind on the subject, until one evening, quite spontaneously, he told me my age and the month in which I was born; true he used a small chart, of his own design, for this purpose. We had not discussed age, so I had to rule out telepathy.

He had some misgivings regarding his elder son who was, as he thought, somewhere in North Africa. Using a photograph of his son and a series of maps, the pendulum indicated that his son was somewhere near Bombay, which appeared to him to be quite impossible. Some months later he heard from his son from India, where he was a prisoner of war. In the case of his other son, a doctor in the Italian Navy, he regularly and accurately followed his movements on maps and knew of his death a long while before he received official notification that he had been drowned at sea.

I had no reason to disbelieve his stories so they made a great impression on me as, I am sure, they would have on most people.

There are failures to pendulum success of course: For instance, something that I would say was a partial failure was the fact that I was asked to trace a missing person some years ago. Having only as a specimen the man's wallet, he had been missing about 6 months and from the specimen I had traced a certain road in a certain town and informed the relatives what I had found.

They went to the address I gave and discovered the man's brother; this is an unusual twist to a little research I have done in the past.

On several occasions I have found relatives where the specimen has come from somewhere else of the same family, possibly because the frequency patterns are very similar. The experiments which have turned out successfully as I have shown may be performed by anyone without experience in pendulum work and I show them as a few examples because it may give you confidence in doing the experiments which will appear later in this book.

In my early days of using the Pendulum I met many sceptics who thought I was a little mentally unbalanced in using a pendulum even for pure speculation and one day I received somewhat of a challenge to the effect that I could not select given substances from a number of containers. I took up the challenge half expecting to become a failure because I was rather inexperienced with the pendulum at that time. The small containers which were ice cream cartons each contained different substances such as coal, sugar, flour, and so on. To my astonishment I found every one correctly which rather surprised me and my fellow experimenters.

It is very simple to do this I find now, because one only has to know the serial figures and identification methods of different substances in order to locate what is within a given container. However, I would not now recommend this sort of thing to an absolute beginner: Because you can do it once and you may get it correct, but to do it a second time would be rather foolhardy since there are technical reasons why this should not be done on two consecutive occasions.

PRACTICAL WORK WITH THE PENDULUM

It will be remembered by the reader that the practical work you are about to undertake is purely experimental at this stage. Later on you will become proficient and the results you gain from one experiment will give you experience to carry on to a further experiment and it is intended that the following information should be taken on a purely experimental basis until you become proficient with the pendulum.

This does not take long to achieve if you are fairly sensitive. If the pendulum does not work very well for you then it is possible to obtain a device called a Polariser which can make the pendulum work better for you. These days virtually everyone can use a pendulum to a greater or lesser degree and whether you take it seriously or not for the future depends really on the results you obtain from the initial experiments you are about to undertake.

Radiesthesia is unlike any other science which you may be acquainted with. It may be applied to almost any type of research work that you care to name, but of course you must know a little about the subject you are going into.

Having got this far and trusting you have understood the preceding instructions which are all that is needed for the following interesting experiments which will show you the scope of using the Pendulum in everyday life and will serve to start you on the road to an interesting period in your life.

For convenience sake I have sectioned the experiments into various phases and those given are but a few with which the pendulum may be felt useful. No doubt the reader will find many more.

IN THE HOME:

Within the home as any housewife knows, there are many many jobs to do and daily the framework of these varies a great deal. Some things may appear insurmountable but it is the purpose of using the pendulum that we may overcome some simple problems within the home itself and this may be seen as a valuable non technical aid in solving these problems.

TESTING FOODS:

Since a great deal of the housewife's time is spent in the kitchen it is logical that we may look to the pendulum as an aid in that area of the household and what is usually used in the kitchen mostly is the preparation of food, therefore it is sometimes difficult to tell, especially if you are on a diet, which foods are suitable and which are not suitable for you or your family: The following simple experiment may convince you: —

Obtain 2 samples of sugar—some white sugar and some cane (brown) sugar only a small quantity of each; place each sample on a piece of white paper. With the pendulum in the right hand suspend this over the white sugar first and it will rotate a number of times; as it is rotating lift the hand slightly so that the left hand or the free hand comes between the pendulum and the sample of sugar. If the pendulum changes direction from the positive then the sugar is not suitable for you. Next try the brown sugar and repeat the same experiment; you may find this is more suitable for you. On the other hand, neither may be suitable for you.




Fig. 7

Another way to approach the same thing is to keep the two specimens of sugar on their respective pieces of paper and making a triangle between the free hand placed palm down on the table and the two samples, suspend the pendulum over the back of the free hand which is resting on the table. The pendulum will rotate a few times and then it will either go in one direction or the other to one of the piles of sugar or it will swing aimlessly ignoring the sugar in which case you will not need either sugar. If the pendulum rotates anti-clockwise very vigorously you should not take either sugar because it is not suitable for you at that time. It is essential that you do not put the sugar into containers for testing because you will pick up the container first.

Another similar experiment can be undertaken very successfully with eggs. Firstly because you cannot see inside the egg and secondly you do not know whether it is good for you or not. The fact that you cannot see inside the egg makes the process of selecting a good one or a bad one a difficult task. The same may be applied to find a fertile or an infertile egg with the pendulum. In order to discover whether your eggs are in good condition there is no need to take them out of the box. Making sure they are not touching each other, suspend the pendulum over each egg in turn placing your hand in between the egg and the pendulum. If the pendulum rotates clockwise then the egg is perfectly alright; if it should swing or oscillate the egg is not fresh. If the pendulum rotates anti-clockwise the egg is not good—or is not good for you at that time.

If you wish to use the same eggs to breed chickens, I mention in passing a very simple system which has been used as far back as 5000 BC by the Chinese. By suspending the pendulum over a given egg with the pointed end up and if the pendulum goes anti-clockwise of its own accord then the egg will be a female, if clockwise it will be a male; if it swings it is infertile. You will note that in this connection you do not impose your own hand as a testing medium.

The system using eggs is a very accurate one and although you have the shell between the substance and yourself the pendulum will pick up the substance inside the egg providing you have a frame of mind as previously described and do not try to visualise the *outside* of the egg. You want to visualise the *inside* because this is the part you will want to use. If you are testing the shell you will find it definitely harmful to you.

In order to prove the point you may experiment with a few eggs and if you have the use for them, break them afterwards and test them again and you will obtain the same results. The best results in all these experiments will occur if you have previously tuned your pendulum to yourself as described earlier because you will get a quicker and a more accurate response.

The next common experiment is to discover if the food in a tin has gone "off" or is perfectly alright to eat. Taking for granted that

a great percentage of tinned food is perfectly alright anyway, then we have to discover one of two things. If the food in the tin is suitable for us and if the tin has been "blown". If this has been blown it is possible that the goods inside may be bad, so without opening the tin (you can do this later if you wish) you suspend the pendulum over each tin in turn interposing the free hand palm downwards, the pendulum will rotate clockwise if the item inside the tin is both good for you and is quite alright to eat. If on some rare occasion you find a tin of food that does not suit you the pendulum will swing in a line to and fro. If the food in the tin has been contaminated in any way the pendulum will rotate anti-clockwise very vigorously. It is important when testing food not to become biased. The fact that you do not like a particular food personally bears no relation as to whether it will do you good or not or is harmful to you or not. Although we have a natural selective system within us our tastes change as we pass through life and because you have a tin of corned beef for example and you do not like corned beef it does not mean that it is not good for you or in fact if you have eaten it it will do you any harm. The pendulum will show you which is the correct food and which is the incorrect food to eat. Of course coming after foods we also come to allergies, because some people are allergic to some foods. In fact quite recently an American Professor had discovered and borne out the following types of allergies connected with food. It will be noted the most common food, if we can call it a food, that most people are allergic to in one way or another is milk and the professor gives the following symptoms in relation to various foods. If you have one of these symptoms it is possible that it could be due to an allergic condition to one of the foods in question:—

Fatigue and achiness of the bones: milk, corn, tomatoes and potatoes; however some types of tomatoes and potatoes may be exempt—hence the reason for testing them.

Diarrhea and abdominal pain: milk, apples, peas, eggs and wheat.

Headache: corn, peas, milk, chocolate (which is also known as a very liverish type of food), onion, garlic, strong herbs, eggs and sometimes pork.

Chronic constipation: wheat and milk.

Skin sores: some toothpaste, too much citrus fruits, too many apples, vinegar and sometimes tomatoes.

Skin rashes (sometimes called hives): pork, strawberries, fish, aspirin and eggs.

Eczema: milk, peanuts, tomatoes and eggs.

Nervous tension: milk, chocolate, corn and wheat.

These are merely shown as a guide and should not be taken too literally in order to diagnose symptoms that it is possible by using the pendulum for testing any of these items in the home that you may

select something that is correct in your diet and avoiding the type of symptoms mentioned above.

A similar method to that which has been described for testing food is given by the late Henry de France in his book "The Modern Dowser". He says: "Do you want to know what kind of food suits you and what does not? Point at the food in question with the finger as antenna, the pendulum gyrates as soon as it is adjusted; now hold the pendulum first over the food and then over your left hand. Three things may happen; the pendulum may continue to gyrate in the same direction as before; which shows that the food or remedy is good for you; the pendulum may begin to oscillate, showing that the food is neutral; the pendulum may begin to gyrate in the opposite direction, which shows that the food is bad.

"If you suspect auto-suggestion, work with the eyes closed, whilst an assistant brings the food. If you succeed in carrying out this experiment on yourself all the more will you succeed on others".

A similar paragraph may be seen in Pierre Beasse's book on Radiesthesia which reads as follows: —

"It is a fact that a vibratory motion is reinforced by another vibratory motion in correspondence with it, especially if the latter has a greater amplitude which is the case for an harmonic. It is weakened on the contrary if the point in question is attracted in a direction inverse to that of its elongation.

"Such is the principle upon which is based the rational choice of foods or medicines. When an organ is sick, the sympathetic freni which innervate it are touched and the wave which travels through them is put out of phase.

"A medicine will therefore be good if its radiation coincides with that of the normal sympathetic wave. It will not be advisable if, though in concordance, it moves in the other direction (case of inverse polarity resulting from the opposition of magnetic vibrations). It will be indifferent, and consequently, without action on that motion if it is not in concordance with it.

"A pendulum accurately adjusted on a medicine or food, and placed, then, above the left hand will continue to gyrate in the same direction if it is salutary. It will gyrate in the other direction if it is noxious, it will oscillate if indifferent.

"A medicine at massive doses acts by the chemical reactions it causes; on the contrary an homoeopathic medicine the action of which, because of its infinitesimal dose, is nil, acts through its radiation, and that action has often more efficacy than the first".

It is peculiar, although different authors have different approaches to the same thing they all arrive at the same results and Captain W. H. Trinder is no exception:

"This is quite comprehensible when we consider that the system of health, in both human beings, animals and plants, consists partly of the correct harmonies of the alkalies and acids in the body and partly of the arrangement of the positive and negative cells of which the millions of cells in the body consist.

"If the alkalies and acids are not properly harmonised, it follows that somewhere in the body there will be an accumulation of waste products which are not being properly thrown off and, in consequence the organ which is thus affected is not healthy. Not being healthy, this organ cannot give off a healthy ray, and this fact enables the pendulist to locate the trouble by noticing that, when the pendulum is over that organ or the finger is pointed at it, the pendulum will change from gyration to oscillation or vice versa.

F. A. Archdale on the other hand, still on the subject of diet, in his book shows a different point of view:

"It is common knowledge that the human body is made up of, amongst other things, certain mineral elements. In order to keep the body in good shape, it must be supplied with these minerals either in the form of food or drugs. Dietitians tell us that our food, particularly vegetables, contain all the necessary minerals, such as iron, lime, calcium, phosphorus, iodine, etc., but the difficulty is to know which we require and how much of it. I have often heard people say that we should eat spinach because it contains, I think, iodine; but how do we know that we need any? We may, for all we know, already have enough and really require lime or iron. By means of Radiesthesia we can determine our bodily requirements in minerals, and the vegetable which contains them, thereby enabling us to work out our own diet. The minerals in the vegetables are assimilated by our bodies, provided, of course, that they are not boiled out of the vegetables and thrown down the sink, as is, I am very much afraid, often the case.

"Quite recently we had a friend staying with us. There happened to be some pears on the table and she volunteered the information that they always disagreed with her. I carried out a test and got a strong negative reaction which confirmed her statement. I then tried several pears on myself and got varying reactions which, at first, I did not understand, but found that ripe fruit gave a strong positive reaction whereas unripe fruit gave no reaction at all. The same test can, of course, be applied to beverages and soups.

"I do not for a moment suggest that a labour be made of this. Tests can be carried out in the privacy of the kitchen. Although you may have the digestion of an ostrich, as I have, nevertheless there may be some foods which do not suit you and if you continue to eat them your digestion may become impaired in course of time".

Experiments with diet are contained in almost every existing publication on Radiesthesia. If you wish to test food for another person in the house this can be done in a similar manner to that

already described. First of all you can get a specimen of the person for whom you wish to select a diet; this can be a photograph or a lock of hair or a signature or something of this nature; this will act as a temporary specimen.

In most cases it will be somebody who is a member of your family and what you really want to test is the foods that are suitable for them and not suitable for them, irrespective of whether they are on a diet or not. It is usually by eating the right things that dieting is unnecessary.

First of all you want to be sure you have a number of foods in small quantities on little pieces of paper; which is the best way to go about it. You may put the foods in tins or boxes etc. on the table, but this does not give a true reading, and in fact it will give a false reading.

For instance, if you put a pound of sugar on the table and test it, it is assuming that this pound of sugar will be taken altogether in which case it will act more or less as a poison. So you need small quantities of each specimen of food, each placed on its small piece of white paper: I always stress white paper because coloured paper can bring difficulties for the beginner. There are technical reasons, which I will not go into here why one should not use coloured paper (Fig. 8).




Fig. 8

There is no special direction to stand or sit when you do these experiments it all depends on how you are situated, but the best position is that you are just above the table, either standing, or sitting shall we say, on a high stool, so that the pendulum is slightly below the waistline.

Place your specimen of the subject (the person for whom you are testing) on the table as shown in the diagram. Place the selection of the foods in a straight line about 6 inches to a foot away from the specimen.

Obtain a pencil or ball pen if you wish, anything with a point will do. Suspend the pendulum first over the specimen of the person for whom you are testing the food. The movement of the pendulum will be in accordance with the sex of the person be they male or female. Once the rotations have finished which are 30 for a man and 15 for a woman, the pendulum will begin to swing. Let it swing a few times and it will start rotating in the opposite direction for a few turns, then removing the pendulum from the specimen and bringing it back again will restore the original pendulum movement over the specimen.

You have now what is generally termed saturated the pendulum with the image of the person under test providing you do not touch it with the free hand. Once the pendulum is rotating over the specimen, with the free hand point or touch the specimen food. If the food is perfectly all right the revolutions of the pendulum will continue, if the food is definitely not good for the person under test the pendulum will immediately change to anti-clockwise or the reverse of what it was before, depending on the sex of that person. If the pendulum swings then the food is neither good nor bad and therefore rather wasted if it is taken.

These are the three basic movements that are all you need to know at this point of study. You may then make a list of these foods which are suitable and those which are not suitable and in some cases they will be remarkably similar to the likes and dislikes of the person you have tested. It is important when you are doing this experiment to have a completely unbiased mind; for instance, because you know your husband may be wanting to get his weight down and that butter is his favourite food you should *not* assume that butter is not good for him or that he should have milk or cheese or some other given thing.

Having studied these simple experiments with food this may whet your appetite as it were to go on to other things for which you may use the pendulum. No doubt you will find many more uses for the pendulum than I have given here and many more experiments, but once you have gained success with the beginnings then the interest will grip you to go further and to study further into this fascinating subject.

EXPERIMENTS WITH YOUR RADIO:

I have already mentioned that you may tune the pendulum by means of a small rod, which is the simplest way, or letting the pendulum suspension thread become longer or shorter and it is interesting to note that you may tune in your pendulum to your radio set to any given station.

To do this all you need to do is to tune in your radio to a station that you know well, and holding the pendulum in front of the radio you then suspend the pendulum by about 2 inches of thread when it will oscillate or swing. Gradually lengthen the thread by letting it slip through your fingers, a small piece at a time, and at some point the pendulum will rotate. This is the tuning for this particular station. Now without taking your hand away, if you can (or get a friend to), change the station of the radio and the pendulum will once




Fig. 9

more oscillate and you commence the same procedure and at a different point, that is to say, a different length of suspension thread, the pendulum will again rotate: This is then tuned to that station. You can repeat this experiment almost indefinitely; you could also repeat the experiment with the radio on, but with the volume control at zero and obtain exactly the same results (Fig. 9).

A very interesting by-product of this; perhaps you have a radio with VHF (Very High Frequency) reception, then you can switch it on with the aerial extended and you can walk to and from the radio and at some point your body will create interference or a hissing sound—sometimes the station will fade. You can put your hand out and at precisely the same position from the radio the emission will be the same. On different days the distance between you and the radio will vary a considerable amount depending on your vitality at the time and this is the effect of the aura or magnetic field around the body which is influenced by your health and vitality. Likewise when testing the pendulum against these fields you can accurately map the distances between the radio and the magnetic field for that day.

Having tuned your pendulum into a radio station you can get a friend in the next room, or downstairs, or upstairs in the same house to tune into this station without the volume and you will discover the pendulum will immediately rotate when the radio is on. It will stop rotating when the radio is off.

This can be done under experimental conditions very accurately because the radio set just does not pick out one type of frequency from the atmosphere. The radio frequencies are already in the atmosphere, what you are doing is sensing the interference caused by the radio collecting them. You do not even have to hear the radio to be able to get a response with the pendulum. No doubt you can

think of other experiments to do along this line. That is one of those interesting things you may find in passing.

I might add that if something is wrong with your radio and you have no knowledge of radio work at all you may suspend the pendulum over different parts of the radio and if the pendulum does not rotate, then there is your trouble.

THE BEST SLEEPING POSITION:

Apart from food, possibly the next most important thing in life is rest and when we consider the enormous amount of sleeping pills taken by the populace of the world today, it is no wonder how illnesses occur, but when we consider that sleep is quite a natural function and if we interfere with natural functions then obviously we disturb the sleep pattern and having disturbed the sleep pattern it is further aggravated by the taking of pills, of medicines of all descriptions, of all colours, shapes or forms. It is true that a lot of people are never happy unless they are taking pills, but in fact they are not needed at all. It is absolutely not necessary to take drugs or medicines to make you sleep, unless you are severely ill or incapacitated in some way, mentally or physically. Normally the average person can have a good night's sleep by observing natural law.

In order to understand natural law we could go into very deep subjects. However, for the sake of simplicity, we will show you one or two methods of obtaining a good night's sleep without problems.

Firstly let me say that insomnia or sleeplessness is one of the most potent troubles that humanity has to bear. It occurs in civilised nations all over the world, mainly because they ARE civilised, and as such, there is much to think about and do, whilst in the non-civilised countries, sleeplessness is virtually unknown.

Insomnia (or sleeplessness) is caused primarily by aggravating a mental situation of fear; because one is frightened that if one does not sleep there will be some illness to follow: This is not true. Some people can exist on two or three hours sleep a night—others need eight to ten hours or more. It is an entirely personal thing depending on your sensitivity and general personal constitution. Scientists have discovered, however, that the amount required by each person varies such a lot that a great deal of what is loosely termed "insomnia", is not insomnia at all, but just the imagination of the subject because their individual pattern of bio-rhythms are not understood. (The subject of "Bio-rhythms" is explained in my book "Biograms—the Secret of Successful Living").

The beginning of sleeplessness commences with one night without sleep (or so we fondly imagine) and not being able to sleep tends to make us worry, and this builds up a mental tension in which we anticipate that we may not sleep the following night. On the follow-

ing night the same thing happens, and the night after that the same thing occurs again because we are reinforcing our own suggestion that we are not going to sleep. It is a psychological fact that if a person fails to sleep on the first night, he will be less likely to sleep on the second. If the pattern continues, then one finds that sleeplessness becomes a habit brought about by auto-suggestion, and then one resorts to drugs that never cure the trouble but bring on other illnesses and cause an upheaval in the body itself, thereby causing an allergy in due course to the very drug taken as a last resort.

If one simply understands the problem, then there need be no insomnia.

Of course, apart from ourselves there are exterior influences that prevent us from having a good night's sleep and this has nothing to do with our mental condition. There are many causes of sleeplessness, but one thing is certain—drugs and medicines will not cure it.

Harmful radiations from the soil are one of the predisposing causes of sleeplessness and many other illnesses. The history of this factor has proven it a prime factor in the causation of insomnia.

Those who live over a sandy soil appear to enjoy a better night's sleep than those who sleep over granite or clay; the loss of sleep is due to cosmic radiation bouncing from the under layers of strata and being amplified by the springs of such a thing as a bed; the whole bed becomes a radio wave collector which can be remedied by suitably neutralising the bed against these rays.

For some years I have had people write to me saying that they could not sleep; they suffered bad health as a result of living near broadcasting stations or military establishments, and so on. I have tried to find the cause of this and decided that the broadcasting stations (that is, your normal broadcasting stations that give you your daily programmes) can have an adverse effect on super sensitive people.

Having thus established this fact some years ago, now we find in a recent scientific journal headed "A Potential Health Hazard from Radar, Microwave and High-powered Broadcasting Transmission Facilities", that this is in effect true. Broadcasting stations do affect the individual strongly.

"A potential health hazard from Radar, Microwave, and High-powered Broadcasting and Transmission Facilities may prove to be fact rather than suspicion. For years, Soviet bloc scientists have insisted that so-called non-ionizing radiation, such as that near radio station towers, can directly affect the central nervous system, even at very low levels. Most United States scientists have objected that the only effects worthy of study are those of direct "heating" of human tissues from close exposure to high-powered sources.

"After spending six to seven million dollars a year on the problem, the Federal Government is now ready to admit that low levels do affect the nervous system and behaviour, as well as normal development, growth processes and possibly some biochemical and metabolic aspects.

"Precautionary measures may take the form of tighter safety procedures in and around high-powered facilities if these tentative findings are confirmed. But researchers are already surveying the potential 'electromagnetic pollution' in and around several major cities, to determine how much exposure ordinary citizens in a community may be receiving".

Another source of aggravation to the sensitive sleeper is the magnetic force of the earth. This was known as far back as 1929 by the late George Starr-White, M.D., and he has this to say about his observations on the Magnetic Meridian: —

"A compass needle points north and south, and the north-seeking pole is drawn in its definite direction by some unseen energy. This energy must be constant, or the north-seeking pole would at times be pointing south, east or west, but from time immemorial its direction has been practically the same.

"I have made the discovery that this same energy, which holds a compass needle in its definite direction, will also change the tonicity, or tension, of the organs of the body, if a certain technique be followed. (The heart and blood vessels together are considered as an organ.)

"I have discovered that some insects and practically all birds take a definite geographical direction when going home, and birds do not deviate from this direction for miles and miles of flight. When this is done in the dark, it cannot be that their eyes guide them; their ears are not sensitive enough to show them: their sense of smell is limited. What guides them? I have asked this question innumerable times, but have never received a satisfactory answer, except that they possess 'a Psychic Compass', or 'Magnetic Sense'.

"From my observation and experience I am inclined to believe that it is the magnetic fields of the earth. That is, the Magnetic Meridian has more or less of an effect upon the sympathetic system of all insects, birds and animals similar to its effect upon the magnetic-needle, by which they are able to orientate themselves even when all other senses are out of use. This instinct or 'Magnetic Sense' can truly be called a 'Psychic Compass'.

"I have experimented with some people who could be blindfolded and turned about on a pedestal and they could tell in what direction they were facing. Some blind people have this faculty. We might say that it is a highly developed 'Magnetic Sense' or 'Natural Instinct', but like so many so-called instincts, or 'senses', it has been stunted

by modern so-called 'civilisation'. It is well known that aborigines had a greater faculty for orientation; or we might say, a more highly developed or specialised magnetic sense than their 'cultivated' descendants.

"The Magnetic Meridian, because of its direction-showing property, might properly be called an 'Orientometer' or an 'Orientoscope'. In like manner the human body, because of the Bio-Dynamic effect that the Magnetic-Meridian Energy has upon it, might also be called an 'Orientometer' or an 'Orientoscope'."

For many years I have, at various times, demonstrated to different people (many of them professional people) some of the effects of the Magnetic Meridian on the human organism. I have often "empirically" advised anaemic persons to sleep parallel with the Magnetic Meridian. In the majority of instances the people were benefited by the change. Whether this was all "psychic", or "imaginary", I could not always prove; however, when I began to change the cribs of infants that were not doing well, so that they lay parallel with the Magnetic Meridian, they almost invariably improved. Then I decided that it was something more than "psychic" or "imaginary".

Unquestionably the Magnetic Meridian has a far-reaching effect upon life; and that it has a different effect upon a well individual than upon one that is not, I am now able to demonstrate in very many ways.

When one considers that life is the manifestation of "Vital Force", and that vital force is a rate and mode of motion, then one can readily understand why the Magnetic Meridian, which is in itself a rate and mode of motion, must have a different effect upon one with a normal rate and mode of motion (health) than it would have upon one with an abnormal rate and mode of motion (un-health).

So we have seen one or two causes of insomnia or sleeplessness. Having discovered the cause we may use the pendulum in a simple manner to find the solution. The first solution and one advocated as the simplest, especially if you have the kind of bedrooms that you can move your bed around in, later in the day, better to do it at midday is to suspend the pendulum over your bed where you normally sleep, so that your free hand is between the pendulum and the bed. If the pendulum rotates, then you are sleeping in the best position. If the pendulum swings, then you are not sleeping in the best position: You may then stand in the middle of the room and with your left or free hand extended rather like an aerial, from the elbow forward, you hold the pendulum in your hand and it will swing back and forth. Turn your body around on its axis, slowly moving round with the arm extended and at some point the pendulum will rotate. If you go past this point the pendulum will swing again; so if you make a note of the line where the pendulum rotates and move your bed, if possible, at that position, so that the head is facing the position

the pendulum is showing you, which more often than not is towards magnetic North (in the Southern Hemisphere it is magnetic South), you will probably find that your sleeping pattern will improve.

However, the cause of sleeplessness may only be partially solved, and what you have already done is to rectify the human magnetic body in line with the magnetic flux of the earth, thereby giving a harmonic feeling to the body. Of course you are not conscious of this. It is a state that is there in all nature whether we are conscious of it or not.




Fig. 10

If you do not wish to move the bed there is another system. Measure your bed around the outside of the mattress. For instance a 4 foot bed will measure approximately 20 feet all round the outside of the mattress. Therefore if you obtain a single piece of electrical flex 22 feet long, then you can place it around the bed as shown in Fig. 10.

First you must find the correct polarity of the wire. Hold the two ends in the free hand so that they are pointing upwards and about 2 inches apart (Fig. 11). Suspend the pendulum tuned to yourself over one end and then over the other end. On one end of the wire you will obtain a positive reading, on the other you will obtain a negative reading. In this negative end of the wire you just tie a single knot to remind you. Having stripped the bed of its clothes, you then attach the wire in some manner around the bed, as illustrated, so that




Fig. 11

the negative end of the wire is lowest and the positive slightly higher. The two ends should overlap by about 2 feet. It does not matter if they overlap at the top, or the bottom, or the side of the bed. The wire should be firmly fixed in place by any method at your disposal and the two overlaps should not touch; they should be at least 1 inch apart.

This is all you need to do. Remake your bed in the normal way, and you may have solved your sleeping problems for many years to come.

If you are in the habit of taking sleeping pills, try not taking them. If you do not sleep well the first night don't worry about it and take a pill—forget the pills—you do not need them; not unless you are really ill, or in pain, or something of this nature, but the normal healthy person should not need any pills to make them sleep under any conditions.

There are still simpler methods if you do not want to bother with fixing lengths of wire around your bed. This is a special type of neutraliser which is made in my laboratory and has solved the problem of insomnia for many people all over the world. It needs no attention; no attachments; no batteries; no wires. It is permanent once under the bed.

So we have here some simple ways of curing sleeplessness in young or old alike and I hope that you will find them of use.

We may now see a few observations from others which are almost identical to my own. George Starr-White, M.D. offers the following:

“As I believed that the Magnetic Meridian had an effect upon hens when they roosted with their heads north or south, I was interested in noticing the directions in which persons slept. I did not know whether it were better for persons to sleep with their heads directed north or south, or east or west; but I met many persons who would say that they slept better with the head in a certain direction. Some said they thought this was a ‘notion’, but I thought it was an influence other than ‘imagination’.

“Some people told me they could not sleep unless they were on the ground, or were connected with the ground in some manner. One man told me that if he fastened a wire around his hand and had the other end of the wire on the floor, he could always sleep better. Another told me if his bed were on a carpet he could not sleep, and therefore he always kept it on the bare floor.

“All these little idiosyncrasies, or ‘notions’, were interesting to me, and I kept wondering if there were anything of a fundamental nature to them. Later I found there was a great deal to it. I learned that if a copper wire were passed across the mattress (under the under sheet, between the mattress or mattress pad) and that wire

were carried to the ground, gas pipe, water pipe or radiator, many persons who could not sleep without some form of sleeping pill, or only in 'cat naps' could sleep well in a bed so arranged.

"I also learned that some persons, who had been in the habit of sleeping in a bed with the head directed north or south, could not sleep if that bed were turned so the head was directed east or west. This was not imagination, because the persons sometimes did not know in what direction they were sleeping, as they were in a strange house. When they mentioned that they did not sleep well, I would pull my compass out to see if the Magnetic Meridian had anything to do with it.

"Later I was able to prove that a person who had slept for years with the head directed east or west, could not sleep if he were in a room where the head of the bed was directed north or south—he had not observed the points of the compass in either instance.

"I have often noticed that if children, even babies, sleep in cribs directed east or west and do not do well; if the crib is turned so that the head is directed either north or south, they invariably do better.

"In another instance I had a copper wire under the under sheet of the bed in which a patient slept. The man's bed was directed lengthwise, north and south. He had not slept without some kind of a drug for a long time. Within two days after his bed was 'wired-up' and grounded, he slept well without taking any drugs. Some might say that this was imagination, but one day his wife called me and asked me to come to their house as her husband had not slept for two nights. When I went to their house and looked over the bed to see if it were wired all right, I observed that the wire running to the radiator from the bed was broken and I twisted the wire together. I talked to the man and his wife and suggested that before taking any sleeping drugs he had better try another night without them. In the morning the wife telephoned me that her husband had slept very well indeed.

"A week later I called on the man and was informed that he had slept well every night since I had been there. During the conversation I learned that someone had been cleaning the windows the day before this man began to be wakeful; the step-ladder had fallen and the person cleaning the windows had fallen on to the patient's bed. That explained how the wire became broken. These people never knew anything about the wire being broken or my twisting it together.

"I mention this instance to show that there is something more than 'imagination' underlying this phenomenon. I cannot begin to tell of the number of persons who have told me that they have been benefited by carrying out this method of putting a small-calibre copper wire under the under sheet and connecting that wire to a copper rod driven in the ground, or to a water pipe, gas pipe or steam radiator.

(The reason I specify copper wire is that it is more malleable and easier to lie on.) Any wire will do as long as it is not covered with some insulating material; the wire must be bare. The thickness of the wire does not matter, but a very fine wire (28 to 32) will do just as well as a thicker one.

“Some have tried using the wire next to their night attire, that is, over the under sheet; but I have observed that there is enough moisture from the body to ground the person very well if there be one, two or even three thicknesses of cotton between the body and the wire. However, if woollen sheets be used, the wire must be attached to the person's body, because they cannot be well grounded through woollen night clothes or woollen sheets. The clothes must be cotton, linen or silk (vegetable silk is better than worm silk).

If one is affected by strong light, then the use of colour is very helpful by having a small blue lamp alight in the room at night. This helps to soothe the nervous system also. Curiously enough sleep is more or less an intuitive thing in both human beings and animals. A cat or a dog will only sleep in certain directions and if you care to watch your pet curl up in its favourite position it will sleep in line with the magnetic meridian. They will also sleep as long as they want to: You have never heard of a dog or a cat taking sleeping pills and yet they never fail to have their rest at any time they feel like it.

Most animals use their intuitive powers consciously or otherwise to obtain the best out of nature that nature has to offer them and we could well take a few lessons from our pets in their habits if we care to look at them carefully and observe their manners in relation to nature in general.

From one of my earlier works we see the following: In these modern times the mere mention of Radio-activity conjures up in our minds visions of Atomic Plants and Atomic Bombs and we think of the Atom and all its possible manifestations. But radio activity exists in such minute quantities that we have so far been unable to produce an instrument delicate enough to detect it—except for the most sensitive instrument of all, the human body.

Those who study these and similar radiations are known as Radiesthesists. The old name was Water Diviner, but the ancient water-diviner did not STUDY the manifestations of animate or inanimate matter.

Radio Activity appears in our lives in many ways but in such small quantities that we do not notice it. It appears in most decaying food, vegetation, and in certain soils and it is HOW this latter type manifests and acts upon the human body in the form of illness that I hope to show.

A stream of water may be perfectly pure and fit to drink but if it passes through certain soils or contacts certain rocks it absorbs Radio Activity and becomes a positive danger. Water can display

many curious phenomena and these can be detected by the Dowser. It is interesting to note that every underground stream of water radiates streams on each side. These are called Stream Bands and each one has its own individual pattern of effects.

During sleep we are open to any attack by radiations on our health and unless we take measures against such attacks we fall victim and become ill. We tuck the bedclothes closely around us to protect ourselves from catching colds and chills, yet we GET chills! There is most likely an earth fault under the house. In this case the frame and the springs of the bed act as receiving aerials and become condensers and amplifiers of the deadly radiations. These the bedclothes absorb and pass on into the body and thus cause destruction of the cells and blood.

What the old adage says about one man's meat being another man's poison is quite true about the effect of earth rays. One person may sleep and live in a certain place for years and never catch a cold, yet another person can, in the same house, become a victim to anything, even Cancer! Now, I would not like to state that earth rays cause every ill, but it is a fact that many illnesses ARE caused by them while others are greatly assisted by them on their destructive paths.

To return to radio activity, one might ask how can it harm us if it is in such minute quantities. The causes of harmful radiations are many, and I will give one. If we visualise the earth as a great battery full of positive and negative vibrations, that is the first step to realising the fact that if certain areas are predominantly negative, we are in a harmful zone, but if they are positive then it is safe for us. But there are people, and animals, too, who thrive on what one call noxious radiations; then, one would ask, how are we to tell which area is dangerous? I will explain that later.

A stream of water or a rift of radio-activity can be amplified to a greater intensity through geological faults in the earth, such as cavities with or without air, no matter what the depth. Noxious rays will come upwards, particularly at night, because at this time part of the earth is de-magnetising itself, ready for the next day. Storms are another way of earth's de-magnetisation and, as at night, earth rays manifest themselves fourfold.

LOCATING BROKEN PIPES OR FAULTY CABLES UNDERGROUND:

Any person with an elementary knowledge of Radiesthesia can locate without expensive equipment any buried item under the soil. This includes money, lost objects, electrical cables, broken pipes, and a multitude of other things. However, we are more interested in this particular chapter in the solving of such problems in every day use.

We realise it is not every day that you have a broken pipe in the garden, or a faulty electrical cable in the house or garden, but these things do occur. The same methods I am about to outline may be used for tracing faults under the ground or anything that is buried, even to finding water and minerals, etc. The latter, however, is rather a specialised branch of Radiesthesia which is mentioned in my earlier work "Radiesthesia and Ecology". There are a great many organisations in various parts of the world who use Dowzers and Radiesthesists for locating broken pipes, etc. under the earth, and with great success. It saves a considerable amount of money and time, because orthodox equipment is expensive; its operators are highly skilled and therefore also expensive and as a householder it would be very expensive to employ someone to dig up the whole of your garden, or all your favourite lawns and flower beds, uprooting trees, etc. in order to find the culprit.

With the pendulum it is so easy that a child could do it. But first we will just look at what other people say about it. For instance, Pierre Beasse, the well-known French author of Physical Radiesthesia, has this to say: —

"Some people especially gifted working with the psycho-physical method or psychestesy will find, sometimes easily and very quickly, lost or hidden bodies. They must be congratulated on the fact that a special aptitude, which does not belong to everybody, permits them to resolve easily one of the most difficult problems which confronts the dowsing prospector.

"Let us add, however, that usually they are comparatively easy cases when the place of the object is approximately known, the object being lost or hidden in a limited zone, e.g. the exact location of a water pipe whose general trace is known to a few metres, a metallic piece of a known shape enclosed in a block of masonry, the corpse of a drowned person lost in a river of small width, etc. Those cases may be solved without any great difficulty either by work on the map, or by any of the methods expounded by various Radiesthesists.

"But the research of the position of a hidden body generally occurs in more intricate conditions, and in such a manner that it is difficult at first to realise the approximate place and especially the depth of the prospected body. Each object, in fact, determines the formation of a great quantity of images, which generate secondary images.

If the objective serial figure of the substance is high, such as 11 for gold, 13 for lead, the number of those images may reach the number of several milliards, among which, it is true, some, being far removed from the original possess too faint a radiation to be detected.

"In such a case, it will be wiser, instead of starting in a hurry, to pause and try to solve the problem methodically and by successive approximations".

Any length of material such as electrical cable or an underground pipe-line or a water pipe and so on has a continuous neutral polarity. It is positive at one end where it is connected, it is negative at another end where it is connected and like the early experiments we have already mentioned over the pen, the pencil, we are really amplifying the condition of this experiment with the pencil, where one end, if you remember, was positive, the other end was negative, and in the middle there was neutral. As a simple experiment, before you go round digging your garden up: Obtain a piece of wood (any piece of wood you like) or any piece of string, anything that has length that can be easily broken or cut. Get this length of something and suspend the pendulum over each end in turn; you will obtain a positive end and a negative end and in the middle the pendulum will swing along in a neutral manner. Assuming that we have either a piece of string or a piece of wood and we cut this in the middle or at any distance along the length (it does not have to be in the middle) and then test the pendulum again along each end, the positive at one end and the negative at the other end, but when you come moving the pendulum along the length of the substance you have, at the point of break even though the two pieces are pushed together, the pendulum will swing crossways. If you move the two sections slightly apart you will obtain a positive over one end and a negative over the other. You may break the same piece of material a number of times and each time you will obtain this phenomena. It does not matter at which point the break occurs, it does not matter if you try to glue it together, the same swinging crossways will occur if the two points are in contact. Once broken they can never be joined in the same manner as before. So we have a simple experiment where you can prove to yourself that the break offers its own polarity and this is exactly what tells us where your broken underground pipe or cable may be and we do it in the following fashion:—

Let us assume we have a pipe line of some kind, it may be a drain or a water pipe (do not tamper with gas pipes—they are dangerous . . . do not tamper with underground electricity cables—they are also dangerous. It is best to locate the break and then call for someone with the necessary experience to mend it for you). However, with a water pipe and a drain and things like this there are not many complications that can occur. Of course, before you mend it you have to turn the water off at the mains, but this presents no problem. In




Fig. 12

order to discover the breakage you begin by suspending your pendulum over the point where you know the pipe comes out of the ground. The pendulum will rotate along the line of the pipe itself until it disappears into the ground. All you have to do is walk along very slowly and let the pendulum take you the length of the pipe to where it will eventually exit from your property on to someone else's. If the pipe has no breakage you will get a continuous swing of the pendulum as you walk along the pipe. If you have water flowing, such as a tap running, for instance, then as you walk away from the house the pendulum will rotate along the pipe against the current. If you do not have a tap running, then the pendulum will swing lengthwise along the pipe (Fig. 12).

On the other hand if there is a suspected break in the pipeline, at the point of the break the pendulum will rotate vigorously in an anti-clockwise direction. If the break is only partial the pendulum will rotate in an anti-clockwise direction. If the pipe is absolutely broken and separated you will find by walking very slowly, that you will obtain a clockwise motion over one broken end and a negative one over the other broken end. The pendulum has to be held fairly close to the ground, say 2 or 3 inches in order that you can trace this break with some accuracy. All you need do then is to put a small stake in the ground and wait for the man to come to repair it—it is as simple as that.

Should there be interference in the ground with other pipes or other problems, which a lot of old properties tend to offer, you can obtain a bar magnet and hold the point marked North which is usually shown with an indentation so that it faces down to the earth, and over the suspected point of the break the pendulum will rotate in a clockwise manner. If you turn the magnet the wrong way up the pendulum will rotate in an anti-clockwise manner.

Having discovered that you can do this I should practise on known pipes, electrical cables, etc. A simple experiment might be of use: Assuming you have an overhead electric cable going across your premises, stand in the garden and point to it accurately with the free hand and the pendulum rotates vigorously in a clockwise direction. If you get someone in the house to turn off everything—switch off the mains if you like—thereby causing a break in the circuit, and if you point to the cable, the pendulum will stop dead or just swing aimlessly. As soon as the current is switched on in the house and is flowing, the pendulum will again rotate. The more current that is flowing the faster the pendulum will rotate. Remember you are only pointing to the cable—you are not actually touching it—you have no need to touch it, because, in some cases, if the cable is wet or is leaking, there may be a danger. All you need to do is point to the cable thus using your free hand as an antenna to gather the information.

You can do this experiment many times quite blindly, you do not even have to know when the current is switched off or on, but the results will always be the same.

It is possible that fathers can make up a battery attachment for their children so that control of a battery electric current can be checked to a simple circuit and can be blindly switched on and off so that the pendulum results can be seen as a demonstration piece of apparatus by their children or by friends, etc.

PLANTS IN THE HOME AND GARDEN:

It is very common to have ailing plants in the home or in the garden. Inside the house, plants need and rely entirely on your support by giving them water and a little fertiliser occasionally and a little trimming, so the normal plant will thrive quite happily indoors and will give you many months of joy. However, a great many plants for one reason or another fade away and die because the owner does not really understand, or has not the time to give them a little attention. Indoor plants do not need attention very often but like any living thing they do need some care. Assuming that you put them in a good light and water them every day, or every week, depending on the plant, and give them a little liquid feed occasionally, and you suddenly find your plant is dying, its leaves are falling and it looks very poorly, what can be wrong with it?

There are two basic reasons why a plant will be ailing, even if well looked after. Firstly, it can be sited over an underground stream or earth radiations and these can cause a magnetic disturbance in the home, as in anywhere else. More about earth radiations and their devastating effect on the individual are outlined in other publications of mine, but suffice to say with our plant, try moving it to another room for a few weeks to see if there is any improvement. If there is improvement and you have previously sited your plant over a negative earth radiation pattern which would require attention, the author would be pleased to advise on such a problem.

The second thing that can be wrong is that the root may be what is termed "pot bound" either because there are too many roots in the small pot, or it can be short of essential minerals.

In order to test if the plant requires to be given a fertiliser, I can do no better than offer some advice given by the late F. A. Archdale. He says: —

"Our objective in the following tests is to determine whether harmony exists between plant and soil and, when necessary, between plant and fertiliser. If a plant is not in harmony with the soil in which it has been planted it will grow but it will not thrive. That

is common knowledge to us all but, generally speaking, we have to find out for ourselves by trial and error, whereas Radiesthesia will give us the answer in a matter of minutes.

“Let us, for example, suppose that you have a small plot of ground in which you decide to grow tomatoes, although you do not know whether the soil is suitable or not. If you plant them and it is a success, well and good; if it is not, you have lost the use of the plot for about six months and have spent time and money to no purpose. The test by Radiesthesia is not a difficult one. As you may have several samples on the table at the same time I suggest that a newspaper be spread for the purpose. Take a small sample of soil from the plot, a large handful is sufficient, and place it in a small heap on the paper. About 18 inches away from the heap of soil, place a tomato seedling, a leaf, or some seeds, but preferably a seedling. Hold your pendulum over the heap of earth and when it is gyrating strongly move it from the soil to above the seedling and watch the result closely (Fig. 13).




Fig. 13

“If the gyrations increase then the soil is in harmony with the plant and is therefore quite suitable for growing tomatoes and you have nothing to worry about. If the gyrations decrease it means that the soil is not particularly good, although not bad, for the purpose. Should the pendulum change over from gyrations to oscillations it signifies that the soil requires some form of fertiliser to make it suitable. If, however, the pendulum gyrates in the opposite direction, the soil is unsuitable and no attempt to grow tomatoes should be made. This test can be applied to anything that grows in the ground—vegetables, flowers or fruit trees and bushes, but a living specimen must be used as a sample. A dead twig or leaf, for example, should not be used.

“We will suppose that your pendulum has indicated that the soil requires some form of fertiliser in order to make up some deficiency. In order to make this test you must have small samples, about two ounces of each of the various fertilisers you have at your disposal. You must now determine which fertiliser is in harmony with the tomato seedling so the soil sample must be replaced by the samples of fertiliser, placed several inches apart so as to be clear of each other's field of influence. Hold your pendulum over the tomato plant and when it is gyrating move it above each of the fertilisers in

turn, the one that gives the strongest reaction will be the right one for tomato growing. You will probably find no difficulty in selecting the right fertiliser because the pendulum will continue most likely to gyrate over one and decrease or stop over the others, but it may take a little practice before you get it right.

“Having found which fertiliser is the most suitable, put the others away and bring your samples of soil into use again, as you must now determine how much fertiliser is required for the heap of soil. This is a somewhat delicate test so it is advisable for you to have an assistant. Hold the pendulum over the earth and then move it to the plant and while it is gyrating let your assistant add the fertiliser, a very small quantity at a time, to the heap of soil. As the fertiliser acts as a tonic the gyrations of the pendulum over the plant will increase up to a point. When you think that point has been reached stop adding the fertiliser. If more is added the gyrations will decrease and you will know that you have added too much. Again a little practice is necessary before you will be able to decide when sufficient fertiliser has been added. Careful measurements will give the exact amount of fertiliser to use, or you can, of course, take the manufacturer’s figure as correct, but do not lose sight of the fact that too much fertiliser is as bad as too little”.

Although Archdale mentions plants in the ground the same rules are applicable to potted plants as well, so the instructions can be applied both to your garden and the plants in your home.

An interesting piece of information is given by Pierre Beasse on the radiation of vegetables and he says: —

“As the cellular vibration constitutes the very essence of organic life, the cells of vegetables, as those of animals, are in permanent vibration. The perturbation of the normal characters of those vibrations constitutes disease, their complete extinction generates death, with the more or less rapid decay which follows.

“Thus, as animals, vegetables emit radiations, upon which it is easy to adjust a pendulum.

“The principal wave seems to correspond to the sympathetic wave of animals.

“If, the pendulum being adjusted on that radiation, we hold on it the finger as an antenna, or place it close to diseased part of the vegetable, the instrument starts its oscillations. It has been discovered in vegetables a wave similar to the sympathetic wave which is emitted by the healthy parts of the plant, a vital ray identical to that of animals, a sexual ray also identical to that of the animal kingdom, with a polarity which is different on pollen and on ovary, lastly a ray of species.

“Besides, each vegetable has a proper wave (similar to the personal wave of man), which characterises and distinguishes it from the others”.

The radiation of the living plant is thus easily disturbed by the slightest upheaval in its environment, and in the household there is a great deal to upset this natural environment such as radio, television, etc. Some plants will thrive while standing on top of a television set, others will not. Tulips will not thrive very well while sited on the top of a television set because the magnetism upsets them, while some of the non-flowering types of plants will do fairly well since they are slow growing and sometimes absorb the radiation from the television with no harm. Of course, the noise of radios can affect some plants as well as human beings if it is too loud or too lengthy.

The vibrations of plants are very sensitive to changes in the atmosphere and too hot a room caused by central heating will not only dry the plant out quickly but will suffocate it so that it will show symptoms of a disease. The same plant taken out into the sunshine will recover in a very short time.

As for plants in the garden of course we have a different situation, because the plant is able to obtain more food and better growing conditions without so much disturbance. However, the same type of earth radiations can affect plants outside as well as inside the house and the same kind of tests can be carried out for both outdoor and indoor plants.

The late Henry de France offers some interesting advice: —

“In all countries and in all ages it has been observed that certain plants flourish in certain kinds of soil, and not in others. Soil can be improved by the addition of suitable fertilisers, but there must be a fundamental accord between the plant and the soil.

“You have only to present your pendulum, adjusted for the plant, over the soil. If it continues to gyrate in the same direction, you can be hopeful. If it gyrates in the opposite direction, you are confronted by a disharmony which it may not be possible to correct. If it merely oscillates, a certain amount of fertiliser will establish accord.

“As a matter of interest, I may mention that the hazel appears to contain gold, the lime silver, the beech copper, the oak iron, etc., but in infinitesimal quantities.

“An experiment in Radiesthesia was in connection with the Solar Plane, by walking between the sun and a tree with a leaf as sample. In this case any leaf of a tree of the same kind will suffice, but if you wish to obtain a reaction on the other side of the tree and in the same place, you must use a leaf from the tree itself. In the first case there is similarity, in the second identity, whence interesting conclusions from the biological point of view can be drawn.

“Relying on this basic fact, experiments have been made by working on grapestones and plants, which have led to the cultivation

of hybrid vines of excellent quality. The same has been done with apple trees. In this order of ideas there seems to lie a method of selection which is well worth developing.

“When examining the fruit trees in an orchard, or the forest trees in a wood, you will notice that sickly, stunted and cancerous trees do not accord with the soil in which they are planted. You will find that these trees are generally growing over a water-bearing fissure positively electrified, whilst the soil is usually negative. Therefore, when you are planting trees, avoid underground streams: You will also notice that all trees struck by lightning are standing over streams, especially those at the intersection of two streams”.

It will be noted that Henry de France refers to the phenomenon called the “Solar Plane”. This need not apply in your garden, because this is strictly a farming or forestry phenomenon which may be applied when required.

FINDING THE FAULT IN YOUR CAR

It is an unfortunate thing that despite today's sophisticated equipment to the motor car, occasionally we have a fault, which in the case of a car is most inconvenient. It is possible with the use of the pendulum to locate the fault, even if not to put it right, especially if your knowledge of the car mechanism is not all that it could be.

For the sake of anyone who may be interested we may refer back to the paragraphs in which I mention about locating broken pipes, etc. The same laws apply in locating a fault in a car, that is to say, if there is not a continuity of the system then the pendulum will indicate this.

Basically, in a motor car there are only a few simple things that may go wrong in order to make your car immobile. The first is lack of petrol either in the car-tank or going to the engine. The second is lack of ignition, that is, the spark which makes the engine work, and thirdly, a fault with the water system.

These are the three basic things which can affect the performance of a motor car. Of these the two most important are the petrol system and the electrical system. Unless both are working correctly the car will not operate. You may be in the proverbial country lane on a wet night, as various authors try to put it, and this is indeed a horrific position to be in when we have been in a nice dry car most of our working lives, but the situation does occur. It may occur outside your house, it may occur 20 miles from home, with no garage within miles. However, the pendulum will come to your aid. I mention this in passing, because you may remember it at some future date and it may come in handy. One thing I would advise, because

many people do not carry a pendulum with them all the time, is to have a small purse and put a pendulum in it and tuck it away in the glove box of the car. You never know when you may need it. I always do this and have found it very useful when travelling around the country.

In order to locate a fault in a car, there are two simple and straightforward methods. The simplest one, which would save even getting out of the car on the proverbial wet night, or if your car is at home you may be even in a better position to do the following experiment.

Obtain the handbook of the car, which is usually carried on the vehicle, and lay out the various plans; the electrical system and the rest of the systems of the car. As I have said before, when a particular line or system is unbroken the pendulum will give polarity at the beginning and the end of the line, and in between it will swing. Assuming you have in front of you the plan of the electrical system of the car, place this flat in any available position you are able and with the pendulum in your right hand suspend it over the centre of the plan. If the pendulum rotates in a positive direction over the entire plan this indicates there is nothing wrong with the electrical system in this case. If on the other hand something is wrong with the electrical system the pendulum will swing or oscillate. You now have to find where the fault is! So the simple method is to get a ball pen or a pencil in the left hand and point in turn to various parts of the electrical system. At each place you point to hold it for a moment to let the pendulum which is still oscillating over the centre of the plan and at the point where the break occurs the pendulum will rotate in a negative or anti-clockwise manner. In some operators who are inversely polarised the movement will be a clockwise one; mark this point.

The weak points in the electrical system of a car are the distributor, the coil, the plugs, but there is always the possibility that the fault may occur somewhere else, the fuses for instance. So you can quite easily, within a few moments, locate the cause, and while I am not intending to give you expert advice on how to put your car in working condition again, if you have a basic working knowledge, in this case of the electrical system of the car, you may be able to rectify it yourself; if not, you can quite confidently tell the garage mechanic what is wrong, thus saving a lot of expense.

Another simple system is to open the bonnet of the car over the engine and with the ignition switched off, you may suspend the pendulum over different parts of the car. It does not matter in what order you do this; you can suspend it over the distributor first, the coil, the plugs, the exhaust, or any part of the car engine available, and at the faulty position the pendulum will swing or oscillate.

Once you have found the spot, which should take only a matter of a few minutes, you can then either repair it yourself or tell the garage mechanic exactly what is wrong. It will surprise you how accurate this system is in locating faults in a vehicle. The same tests may be applied to any kind of machinery be it of a static or a non-static nature, as in a factory for instance. An expert with the pendulum could tell you a lot more, but at the present time all you need to find is what is wrong. The same system can also be applied to broken radios, broken electrical equipment, etc. in the home, but it is important when testing electrical equipment in the home to always **unplug** it and switch off from the mains for safety reasons.

A brief suggestion may be given by F. A. Archdale on how the pendulum will come to your aid if you are lost and cannot find your way home. This basic method as outlined will enable you to find your way or the direction in which you wish to go: —

“Let us suppose, for the purpose of this experiment, that we have lost our way in a thick fog and have no means of finding our way home, which we know is due South, if we only knew in which direction due South lay. Luckily we have our pendulum which is held in the usual manner and we think of what we want to find, the North and South line. After a short while the pendulum will swing on the line you require, but this does not tell you which is North and which is South. In order to find this you must have a piece of metal, and we will assume that you have a bunch of keys in your pocket.

“Hold the keys in your left hand, which should be held away from and in front of the body to act as an aerial. Hold the pendulum in the right hand and turn slowly round; when the pendulum gyrates you are facing South. Other metals respond to different points of the compass but they are not the same for everybody. Iron or a bunch of keys indicate the South to me and, I believe, to most people, but not all, so I suggest you make a test before actually getting lost in a fog”.

DECORATIONS IN THE HOME

The greater majority of housewives obviously like to work and live in a harmonious condition in the home, that is to say apart from the personal environment. Therefore if you have read anything about the effect of colour on the individual it is important that the right type of decorations in and around the home are in harmony with its occupants. It has been known many times that discordant colours, for instance, can have a very adverse effect on the life around the home and between personal relationships, but I do not intend to go into the philosophy of colour, this has already been dealt with in other works of mine.

Suffice to say that one of the best tools for selecting colour and decoration in the home is the pendulum. Of course it is not always

possible to have the ideal conditions of colour saturation in the home and personal likes and dislikes also come into it, but the pendulum can assist to give you some harmonious colours.

Assuming you have some colour charts of paints or emulsions, etc. in which you wish to decorate a room, all you need to do is to hold the pendulum in the right hand, away from the charts, and the pendulum will rotate in a positive direction. You point in turn to each colour shade (touch the colour shade if you wish) and at the harmonious ones the pendulum will continue to rotate, at the discordant ones the pendulum will swing. So you can narrow the colours down to those that are in harmony with you. You can repeat this test with the members of your family to find which colours suit the entire family, as surely there will be several. From there you can narrow your decision on which colours to use.

The same may apply with wallpaper and other decorations around the home. Only small samples are required for the simple test, and if you refer to earlier tests in this book the same basic law will apply the harmony and discord of the various constituents of the test. Some colours in a room can cause insomnia, others can cause an uncomfortable feeling. Some colours can over-stimulate; dark colours can make a room seem small, while light colours will make a room seem too large. So it is an important test, but simple, to select the colours you wish with the aid of a pendulum in any facet of decoration for the home.

DOCUMENTARY RADIESTHESIA

Using the pendulum in connection with documents around the home and can also be termed Tele-Radiesthesia which is the subject of another publication of mine. A very interesting facet of pendulum work is the fact that there are literally no limits to its use and providing one has a fertile imagination and the necessary interest in natural law then a great deal of information can be obtained by using the pendulum. A great many people take up work with the pendulum in a professional sphere, and although it is quite different from any other facet of work one may be engaged in, it is very rewarding, not only from the monetary point of view, but also from job satisfaction point of view, because it is such a different subject.

There are very few people in relation to the total population using it on a professional basis. If one is desirous of using the pendulum professionally, then I suggest that one obtains as many books on the subject from various points of view and then take a necessary course of instruction on the subject. This will then give a good grounding that cannot be obtained in just one publication such as this.


Documentary Radiesthesia can be applied to a great many facets, either in the home, in the office, etc., and I will now give a few ideas which you may find interesting and may have the time to investigate

further. An important point when using the pendulum to detect, let us say, forgeries in documents, is to avoid auto-suggestion because this is the pendulum's greatest adversary. The pendulum although working on its own laws can be subject to auto-suggestion in certain cases. Therefore it is important to have an impartial frame of mind when using the pendulum in connection with photographs, drawings, charts, etc. One may do a series of interesting experiments along these lines.

WHAT WILL THE WEATHER BE?

A simple experiment which in no way attempts to forecast the future, although it may appear so at the first glance, is to try to forecast the weather. This is a problem that governments have spent untold wealth on trying to do accurately and which is ever changing. Whatever the forecast is for tomorrow, the state of nature is today, so in effect you are not forecasting the future so much as testing the state of the weather today, and interpreting it for tomorrow or the next day.

In order that we may try to forecast the weather for tomorrow, for instance, we may use the accompanying chart or one similar to it. It will be seen that you can use either the chart or you can use small cards, on each of which is written a condition of the weather. Suspending the pendulum, Fig. 14, in the case of the illustration over point X you then merely think of tomorrow.



Assuming you may be going on an important engagement, just casually think of the engagement and immediately the pendulum will swing in the direction of one kind of weather, be it stormy, rainy, fine, hot or anything. Make a note of this. It takes only a moment to do the test. When tomorrow comes, check on the actual weather situation. It may be that you will be travelling to another place at that time in which case the test may be a little more complicated, in that you have to write down on a small piece of paper the name and address of the place you are going to visit. Place this in the position (X) I have already mentioned. Suspending the pendulum over the name and address, you will get the same kind of results as before.

Why do we get this result which will be accurate for all practical purposes, for a place which may be hundreds of miles away or just

a few streets away. It will take far too long to go into the technicalities of the subject, but thought-forms are an important part of our existence. The early French experimenters with the pendulum relied on charts to a great degree because the chart actually forms a thought picture under certain conditions.

For those who are interested in meteorology one may obtain plans of the weather to discover in which direction the weather is moving and what kind of weather will be approaching on the following day or days, but for the average person who does not know about weather forecasting from the technical point of view, then the method already outlined is probably one of the best.

The thought-form is an important part of our make-up and it should be noted that even when we write down a person's name, the pendulum will react to that person up to a limit because we are placing a thought-form into the writing of that person. Let us assume that you are writing the name of a brother or sister, let us say Fred Jones. The fact that you are writing Fred Jones on a piece of paper, at the same time your intuitive mind is visualising Fred Jones as he is. So, in effect, when you are writing on a little piece of paper you are actually projecting a photograph from the mind into the signature, although the actual writing is yours. You are projecting a thought-form which is very real.

An interesting fact on thought-form is that if Mr. X who speaks and thinks in English was to implant a thought-form on to paper, Mr. A., who cannot think or know English, can detect the thought-form of Mr. X.




Fig. 15

The same thing happens when we write down on our chart, fine weather, stormy weather, rain, ice, snow. As we write then we visualise the condition which applies and so in effect, if we write down the word snow, and we all know what snow is, we are visualising the picture vaguely in our mind although we are not conscious of it

at the time. We are so used to writing it down we just write down snow and instantly we are implanting into the word the meaning of the word. This is why the pendulum can detect the subtle thought-forms which may be implied and this is why a great deal can be detected from photographs, letters, and so on (Fig. 15).

A great many people I know use the pendulum to ask a number of questions for various reasons. While I do not condone using the pendulum for asking questions of it, it is nevertheless possible to obtain positive results if used in the correct manner. For instance, in my early days, among my many thousands of experiments I would often try to ask the pendulum mentally the number of letters that would arrive in the post on the following day and I evolved a simple scheme by including parcels and letters separately and I kept a record of these tests over a period of six to seven months. The results were a great deal more than 80% accurate, which proved the point as far as I was concerned.

I was not detecting the future because each day the letters were evidently in the post somewhere and the thought-form of the persons writing to me obviously were with me all the time. So although we may dismiss this sort of thing as hocus pocus, fortune-telling, etc., there is nothing fortune-telling or future-predicting in using the pendulum on this type of subject and if we bear in mind the simple process I have already explained then we can understand a little more freely how it is possible to detect unusual things with the pendulum.

There is no doubt that some of my readers may find their own ideas for using the pendulum, especially if you have a very fertile imagination you may use the pendulum for some things that even I have not heard of, but as long as you get the desired results this is all that matters.

It is true to say that once you use the pendulum you can experiment for the rest of your life and still you would not have covered all the ground required to give you an over-all picture of the phenomena connected with nature. We must remember that the pendulum in itself does nothing. We, of ourselves, do nothing, unless we are extremely sensitive in which case there are a few individuals who have no need to use the pendulum to get these results; they are few and far between and very fortunate, so we use the pendulum as a tool with a view in mind.

A great deal of ground can be covered with the pendulum in all walks of life for very many diverse purposes as will be seen by the amount of literature that is published on the subject. I am sure that you will come across this literature and find each successive book or magazine on the subject more interesting than the last.

Each facet of Radiesthesia, the use of the pendulum, has its own peculiarities which overlap one from another use but the basic law of the pendulum is always the same. The interpretation of your sensitivity towards the subject you are working from.

FORGERIES

It is possible to detect a forgery, be it of a bank note, a coin, a stamp if you are a collector, or of anything that is capable of being forged or imitated. Therefore the techniques, although very similar, can be different depending on the subject you are detecting. For instance, F. A. Archdale says:—"In order to detect a forgery it is necessary to have a sample of the genuine article as well as the one under suspicion, be it a signature, coin or currency note. Place the two specimens on the table in front of you, about 6 inches apart. Hold your pendulum over a point midway between the two specimens; if it gyrates in a clockwise direction harmony exists, which indicates that it is not a case of forgery. On the other hand, the pendulum oscillates if forgery is indicated. I know of at least two stamp collectors who use this method."

This is but one method; another method that can be used: Suppose you are fortunate enough to have a thick bunch of bank notes; you may keep them in the pile. Using a note that is genuine, you hold this in your free hand. The pendulum will rotate in the hand and should be suspended in mid-air at the time. You have now tuned yourself to the original specimen, that is the note in your hand. Hold the pendulum over the pile of bank notes, if there is only one forgery the pendulum will immediately begin to swing or oscillate. If there are a lot of forgeries the pendulum will rotate anti-clockwise or negatively. You may do this if you are fortunate enough to work in a bank where you may be allowed to handle money and you may detect a forgery without anyone knowing that it is there—this is the best condition because you have no one interfering with the thought pattern.

So you have a pile of bank notes which are unknown and you suspend the pendulum over them and obtain the necessary movement of the pendulum. Of course, forgeries in some cases are scarce, in other cases they are common, but if you have a pile of bank notes that are genuine and you want to make sure that you do a test then get someone to put an ordinary piece of paper or an imitation bank note into the pile and then give it to you without you knowing whether the imitation bank note is in the pile or not. The pendulum will tell you if this is so. However, the drawback of this test is that you have someone else's thought pattern transferred into the pile. This is why a blind test on unknown things always turns out better than something that is already known.

But of course we are not limited to the forgeries in money. Stamp collections, jewellery, various documents, etc., can also be tested in this manner. In the case of a stamp, for instance, the collector may have illustrations of the genuine stamps. What he will do is to suspend the pendulum over the genuine stamp and adjust the pendulum to it as we have described before. When the pendulum rotates over the particular specimen, the stamp, he will then take it

and suspend it over the suspect stamp which has been placed on a clean piece of white paper. If the stamp is genuine then the pendulum will rotate in a positive manner, i.e. clockwise. If the stamp is a forgery the pendulum will rotate in a negative manner, i.e. anti-clockwise. On closer examination by the stamp collector or expert, the forgery or part of the stamp which has been forged, or perhaps the error in printing (the stamp may not be a direct forgery it may have an error), will be shown. This is because the original stamp or illustration of the stamp will have been the correct whole and what we detect with the pendulum is the incorrect part of the illustration or the stamp itself, or the substance on which it is printed. This is a very accurate and quick way of detecting forgeries without having to go to great expense and wasting a lot of time to discover them. Of course the stamp collector will know more about it than I do, but I am sure that if you collect stamps, even in a modest way, you will appreciate the simple experiment.

Another simple test along these lines is to detect a forged signature. You may obtain, or get a friend to write down their name and address on a clean piece of white paper. It does not matter if they handle it or not; if they do not handle the paper their thought-form will appear on it; if they do handle it their specimen, finger-print, etc. will appear as a specimen of themselves. However, you can either get this friend to write down their name and address in a different manner or in several different manners, or get the same name and address written by other people. This can be done quite blindly without the pendulum operator being aware of it. You first of all tune your pendulum over the hand (or the photograph) of the person whose genuine signature you wish to find. In this case the pendulum will rotate in a positive manner. In turn suspend the pendulum over each specimen of handwriting. Over the forgeries the pendulum will either swing or rotate in a negative manner. Over the correct specimen the pendulum will rotate in a positive manner, usually clockwise. You will notice that I mention using a photograph. However, with a photograph, although used very often in this type of work as a specimen, there are certain rules that may be applied, because errors can occur on a few simple points.

A photograph will emit the radiational pattern or the thought-form pattern of the person it represents, no matter if this is a newspaper photograph which has been reproduced many thousands of times or if it is an original photograph. No one particularly knows why one can use a photograph in this manner, but I suspect that the photograph itself does not play the important part that it was at first thought, but rather that the thought-form is projected and the telepathic impulse of the operator forms the final picture. However, it is strange to note that if you obtain a photograph, any photograph, and suspend the pendulum over it the pendulum will rotate in a positive manner. Get a friend or yourself for that matter to cut or tear the photograph in some way, not the image itself, but just a corner

of the photograph and immediately the photograph becomes useless. The pendulum will not move over it, it will merely swing to and fro. It does not matter if you try to gum the photograph together again, the result will not be accurate; so you must have an untouched photograph in order to get the best results.

Pierre Beasse gives us a more interesting piece of information on the researches from a photograph: —

“The examination with a pendulum of the photograph of the place permits to draw several deductions. On the one hand if it is well done it gives us a comparatively accurate imaginative representation of the realities which we should have found on the spot; but on the other hand, as it only gives us a perspective view, it is also for a representation in perspective that the motion of our point selector will trace the outline of the radiating zones that we shall have selected. That is to say that it is very difficult from a photograph of a place to effect at least accurately, vertical sections.

“A clear photograph taken vertically from an aeroplane flying at the more convenient height will constitute a good means of researches, and the work will be done in conditions at least as favourable as those on a map or on a drawing.

“The photograph of a person, even a reproduction in thousands of copies in an illustrated paper, will give, from the pendulum point of view, the same indications as if that person was in our presence (places of sick organs, direction of rays of diseases, etc.) If it is a living person, we are tempted to explain the fact in saying that our mental ray, guided by the photograph, meets the person where he is, and brings back his radiation. But what happens for the photograph of a dead person seems to invalidate that over-simple explanation.

“If, with a pendulum adjusted on the vital wave we detect the photograph of a living person, our pendulum will gyrate; if the person is dead, it will oscillate. The same reactions will be produced in the same conditions if with a pendulum adjusted on the mental ray we stare at the temples of a photographic portrait. But other facts, more strange, are verified. It is possible to detect an old person and tell his actual diseases from a photograph when he was a child and when he was in good health.

“Thus there is, in the radiation of a photograph, something strange, yet unexplained owing to our present ignorance. The problems which seem to belong both to geometry and to psychism, will certainly be solved one day. We now confine ourselves to raise the question, without claiming to solve it.

“Without entering into the discussion of the different theories emitted on that subject, we simply verify that a photograph, as well as a picture, is a guide which leads us toward ‘something’ of the depicted person, but something which is yet perfectly unknown to us.

"The study from a photograph can give us information upon somebody of whom we have no news. The adjustment on the vital waves can tell us if he is living or dead, the intensity of this wave which is perceived at a distance will give us indications on his vitality. If a pendulum gives us, for instance, 93 oscillations on a photograph, we shall conclude that he is in good health. If it is somebody who is young, and we have only 50 or 60 oscillations it is because the general state is not so good. An adjustment on the sympathetic wave will, in that case, give the place of the wounded part or of the diseased organ".

Another interesting use of photographs is mentioned by F. A. Archdale: —

"Photographs are commonly used as samples chiefly on account of their ready availability, but I doubt very much whether they are as good as other articles of a more intimate nature. It must be borne in mind that, although a photograph may represent a person, alive or dead, it may never have been in actual contact with that person, having come direct from the photographers. I believe for "Radionic" Therapy they have used reproductions of photographs, but results have not been as good as with the originals.

The Abbe Mermet had a method whereby he put an age and gave a name to the subject of a photograph or even a specimen of handwriting. In order to get the name it is necessary to have a set of the letters of the alphabet, similar to those used when teaching children to spell.

"It is a somewhat lengthy process as the pendulum must be applied to each letter until it gyrates, thus indicating the correct letter, I have only tried this once and with rather extraordinary results. I borrowed, as a sample, a photograph of a girl to whom one of my officers was engaged to be married. I had no idea what her name was at the time and all I could get, after several attempts, were the letters M.O.P.S., each attempt giving the same result. When I returned the photograph I told the officer that I had not been able to make any headway. He told me the young lady's name and then added: 'She is known as "Mops" to her family on account of her mop of hair when a child'. This may sound fantastic, but is nevertheless quite true.

"Using figures or numerals the age or weight of a person is ascertained in the same way, but as I have never checked this method I cannot give an opinion, but a friend of mine certainly gave my age and approximate date of birth quickly and accurately".

Having discovered all this information about a photograph, we then have to decide what we are going to do with this knowledge. Of course there are many technical problems connected with working from photographs and it is not my intention here to get too involved or complicated but to give you a few experiments which may be of interest.

It is well known, for instance, that you can tell from a photograph if a person is living, dead, ill, and so on, and to do it fairly accurately. In order to find out if a person is ill, you must have a photograph of that person on their own; it is useless having a person in a group because the group images only make for errors. If you want some basic information about the person then you need only a head and shoulders photograph. If you want to know something about their health possibly, then you need a full-length photograph of the person. It does not matter if the photograph is coloured or black and white providing it is taken in natural colour or natural black and white. It is not my intention to give medical information in this type of general publication because it is a rather specialised subject, but if you have such a photograph you can then suspend the pendulum over parts of the body, and on the healthy parts it will rotate clockwise or positively; on unhealthy parts it will either swing or rotate in a negative direction. Further than this I will not go, because the subject becomes rather complicated, and at the moment I am trying to make things easy for you, the beginner.

Like the specimen of handwriting the photograph exists for ever until destroyed and it is possible to detect the whereabouts of a person from either their handwriting or their photograph wherever they may be and use it as a specimen. Many operators do this. The only time that the photograph or specimen of handwriting will be useless is when the document has been mutilated in any way or if the person has been cremated. You will get exactly the same readings of the personality after the person has died as when they are alive, the results will not be so vigorous, but will be there, but on cremation it seems that the entire self is destroyed and the photograph becomes useless for pendulum work.

EXPERIMENTS WITH A PHOTOGRAPH

Every home no doubt has numerous photographs of all kinds and primarily we can deal with photographs of people, possibly of relatives or friends. The best photograph, as I have already said, is the one in which the person is alone; the background is immaterial; it does not matter whether it is coloured or black or white. It should not be torn or mutilated in any way.

In order to do experiments with the pendulum and photographs it is essential to have a clear table or desk and free from disturbing influences such as noise, etc. Approach the job in hand as any other job and use the pendulum you have. You can test a photograph by two methods. One is to tune your pendulum by string length as already mentioned; the second one is by having a fixed string length, it depends entirely on which you find more acceptable. Generally speaking if you suspend the pendulum over the photograph of a male you will obtain a clockwise rotation; over the photograph of a female

you will get an anti-clockwise rotation. You will get 30 turns of the pendulum in a clockwise direction for a healthy male; for a healthy female you should get 15 turns anti-clockwise. This is the basic rule. If you have just started using the pendulum you may get more or less turns because the pendulum does take time to change from rotating to oscillating or swinging, but once you have mastered the art, the pendulum changes very rapidly and you can accurately gauge the number of turns it makes.

Having a male photograph in front of you, suspend the pendulum over it within an inch from the surface of the photograph and it will rotate 30 turns clockwise. After the 30 turns the pendulum will change direction to a swinging motion away from your body. Usually this is 30 swings in the case of a single male; in the case of a married male the pendulum will swing only 15 times before changing to an anti-clockwise motion. On the anti-clockwise turn of the pendulum this will rotate either 10 or 14 times indicating the type of female he is associated with. I will explain this later. In the case of using a female photograph, you will get 15 turns of the pendulum in an anti-clockwise direction. As in the male, the pendulum will then swing to and fro away from the body for 15 swings if the female is not married or associated with a man. If she is, it will swing 30 times and after the 30 swings it will rotate clockwise either 10 or 14 times.

Now, it will be seen that there is a direct link between the man and the woman, who is either single or married. This is a very interesting experiment because, from the radiesthetic point of view I had discovered many years ago that although there is only one male reading of the pendulum, there are two female readings. I found that if the pendulum showed the female to be what I call a 10 subject, she was usually a thin type of person, possibly tall, wiry, etc. The 14 subject on the other hand tends to be more robust and heavily built and possibly shorter, so you have two distinct types of female.

It may be argued that there are also two distinct types of male but, however, the pendulum does not show this—so we have this basic reading. You can, of course, do the same experiment with photographs of man and wife and will find this a most interesting field of research.

There again, if you have a full-length photograph of the person, you obtain these three serial figures, for the man, clockwise, swinging and anti-clockwise, and after the anti-clockwise rotation the pendulum will rotate in a positive direction again. You then move the pendulum over the photograph, or better still if you have a pen or pencil in the free hand, point with it to various parts of the body and at certain parts you may find the pendulum will change from clockwise or positive to a swinging or anti-clockwise motion. In the case of a female (after the first three serial figures already shown), the healthy rotation is anti-clockwise. If you come across an illness or upset in the person, you will get either a swinging or a clockwise motion. We see now

that we have established that male and female are basically opposite in polarity. This is only basic because there are technical reasons why we can only give general terms in this particular case. To go much further into the complicated method of series which was explained in an earlier book of mine, "The Practical Pendulum" would detract from the simple explanations I wish to give here.

Once we have established this fact then we can discover if the person has a mild illness or not such a mild illness, but I would not under any circumstances decide that a person had a severe disease without going further into the matter with a qualified radionic expert or someone who is qualified to do the necessary analysis.




Fig. 16

Suffice it to say that supposing you find that the photograph of Uncle Fred gives a swinging of the pendulum over the forehead, it is quite possible he may have a headache at that time. If on the other hand, assuming that Uncle Fred had a leg amputated the pendulum will still give the same kind of series, but on pointing to the amputated leg, for instance, the pendulum will rotate vigorously in a negative attitude.

The same will operate with a photograph of a female. The method is also applied to photographs of children, animals or plants. You can use a pendulum over any photograph (providing it is not torn or mutilated in any way) to obtain information (Fig. 16).

I have purposely given only the briefest information on photographs because it is a lengthy study which although termed "unscientific" is in fact most scientific and most interesting to the qualified observer.

Many authors over the years have used photographs for a number of reasons, mostly for medical purposes or to find diet and so on.

It was once thought that on taking the photograph the subject unconsciously projected their image on to the photographic film, but this has since been discounted by some researchers in the field, but the point is, of course, that one can use a photograph with great accuracy and it is used in a great many situations involving Radiesthesia or its sister science Radionics which I shall mention a little later.

If you wish to find out something about the writer of a letter, for instance, you may do so from the scientific point of view of handwriting analysis. You may also do the same thing by using a pendulum. I have already shown that the writer of the letter will have put their thought-forms into the paper itself; it is impregnated until it is destroyed and it will remain in the letter for any length of time.

Experiments on very ancient letters going back several hundreds of years have proven the point that even old documents can produce a radiesthetic pattern that will be detected by the pendulum and radionic instruments as long as the document remains in one piece and is not mutilated by any method. So then we have a potential information computer from a letter. This may seem rather startling because you may say the whole personality of a person may be unfolded unwittingly by writing a simple letter, but in fact to unfold the entire personality is a very costly procedure from the time point of view and I will not go into it here.

Other uses of the pendulum may be applied around the home such as testing food, which has already been mentioned, but are your cooking pans good for you? Many people have aluminium pans in the home, but aluminium is a known toxic substance to food if you allow it to be. Test it with the pendulum. Is it doing you any good? Have you a grey complexion—greyish whites of the eyes—nails too brittle? These are symptoms of excess aluminium in the body. This is taken with the food: Look at those potatoes, grey did you say they were, look at the aluminium saucepan after you have cooked in it. Is it nice and clean; cleaned by the food you have cooked in it, and thus harmful to you. But do not take my word for it, test it for yourself.

There are also scientific works about aluminium and in a recent test on the Continent it was discovered that copper and iron are the best pans for cooking in, while aluminium came bottom of the list.

If you are a woman, have you thought whether your cosmetics are suitable for you? Some women are positively allergic to certain cosmetics; you can test these with the pendulum to find the correct shades and types of manufactured cosmetics. I know a perfumier who makes use of the pendulum to select the ingredients for perfumes for special clients according to the pendulum.

Did someone ring the front-door bell? Suspend the pendulum in front of you and mentally guess who you suspect it might be. You will be surprised. The pendulum will move in a positive direction

if you are right, but will give a negative reaction if the wrong person is indicated. These are but a very few examples of how the pendulum may be used in various aspects.

SIMPLE EXERCISES WITH THE PENDULUM

This chapter is intended to give you some practical experiments which you may find of immense value in gaining confidence with the pendulum. It is possible that you will enhance your ability and increase your sensitivity to pendulum work by undertaking a few simple experiments that neither involve money or an upset in the home. These simple experiments will show you the versatility of the pendulum for various detection methods.

EXERCISE 1

Obtain three or four boxes, ice cream cartons, flower pots, jars, anything that are empty and clean. Take a coin or a brooch, or a small object belonging to you or someone else and get someone to put this object, whatever it may be, into one of the containers. You do not see the containers—how they are put in—how they are arranged. Your job now is to find the hidden object.

Of course the more containers you have, the more bewildered you are likely to be, but in fact there is no need to be, because if you only have two containers to choose from you have only a 50% chance of being wrong. If there are three this halves the chances. If there are twelve the chances of finding the right one are harder, but in fact, from a radiesthetic point of view it is easier. Arrange these containers in a row in front of you. If you suspend the pendulum over the back of your own hand first, it will rotate in a clockwise manner. Have in mind a mental image of the hidden object, whatever it might be, because you can choose what you want to be hidden. Suspend the pendulum over each container in turn. Over the wrong containers the pendulum will swing or it will stay still. Take your time, you only need to suspend the pendulum over a particular container for a matter of 10 seconds or so. If it does not move or only swings during that time, move on to the next one at the same time keeping the image of the object in your mind—you visualise it. Over the correct container the pendulum will vigorously move clockwise. All that remains is to open the container and take out the hidden object.

A simple straightforward exercise that you can repeat a number of times, but here is a warning: Do not repeat the same experiment by putting the object into different containers. You can put it back into the same container and move the containers around, but in no circumstances move the object and place it in a different container because we have what is known as a phenomenon of remanance which I will not need to go into here. So if you do this experiment a number of times always use the same container for the hidden object.

It is best if you have identical containers so that you do not know, and your friends will not know which container holds the object. You can give your pendulum to someone to try the same thing and the results will always be the same, but if you inadvertently take the object and put it into another container, be it identical in appearance, then you will get two reactions.

You will get one over the container which previously contained the object and you will get a movement over the container that has got the object in it.

In order to test this, try doing just what I have told you not to: Put the hidden object into a different container—or get it put into another container. If you find out of six containers you get two clockwise movements then all you need to do is to place your hand between the moving pendulum and the container to find if the pendulum continues to rotate—this is the correct container. If the pendulum begins to swing this is the incorrect container. Another method is to just point at the container and the one containing the object the pendulum will rotate over. A simple straightforward and uncomplicated experiment that you can repeat in any shape or form to suit yourself.

EXERCISE 2

This experiment is also simple and is very similar to the previous one. Obtain several glasses, wine or water glasses, all of an identical type. Get a friend to put a pinch of salt in one of the glasses, which are about half full of water. Because only a pinch of salt is placed into one of the glasses there is no discernible change in the appearance of the water. You have to find which glass contains the salt. Suspend the pendulum over each glass in turn and the pendulum will swing. Over the glass which contains salt and water the pendulum will rotate (Fig. 17).




Fig. 17

This can be repeated as many times as you wish, always using the same glass for the salt water mixture. This is extremely simple and is a good method of testing tap water. For instance, obtain, let us say three glasses of distilled water—which is more or less as pure as one can obtain water—and one glass of tap water. You can move the glasses how you like or get a friend to, so that you do not know which glass has got the tap water in it. Over the distilled water the pendulum will rotate clockwise. Over the tap water you will find it

will swing and I have known in some areas where pollution is present such as lead, fall-out and so on, that the pendulum will rotate in an anti-clockwise direction thus showing you that the tap water at that time in your area is not good for you to drink.

It may be that you have a well in which case you can test your well-water in the same way because some wells contain bacteria which are also harmful, others are quite good. This is just another simple exercise which you can vary as much as you like depending on your imagination, but the fact remains, this is a definite type of experiment that gives you definite results over and over again. It is simple and straightforward as are all the experiments shown.

EXERCISE 3

It is possible to prove to some extent the value of Telepathy with the use of the pendulum. This is why it is highly recommended that some professional radiesthesists and radionic operators do not use the pendulum with the person they are testing present for the following reason: Suspend the pendulum in front of you and think of nothing in particular; just let it hang. You will find that it will probably move about a little and then gradually it will become more or less still. Have another person in the same room imagine, just imagine in their mind the pendulum moving in a clockwise or anti-clockwise direction. You will find that it is quite possible that this person can influence the movement of the pendulum and will make it go in the direction they will. This person, your friend if you like, can also imagine the pendulum swinging in a given direction, just by pure imagination. He or she does not have to look at the pendulum, just imagine it and the pendulum will rotate in the way that they decide providing you keep an unbiased mind and just wait to see attitude.

The same person can go into the next room, or into several rooms away and repeat the experiment and each time the pendulum can be influenced by their thought alone. You can repeat this type of experiment time and time again, to prove the point that telepathy in this form does exist and can influence the pendulum, thus proving to a certain extent that the pendulum operates on the higher planes of thought.

Your mind is like a computer and the information contained in the computer can be extracted by transference of thought; it can be inflicted by the transference of thought. Thus, any person can affect the pendulum of another so it is not much use trying to do an experiment sitting at a table, with someone else sitting in the same room and wishing you probably stopped the pendulum, because they can stop the pendulum without you thinking about it. This is a very interesting thing because it is possible, if you are doing experiments, to obtain absolutely inaccurate results. Therefore it is a good idea if the previous experiments are undertaken in the strictest scientifically

approached method so that the mind does not affect the pendulum of the operator.

It will make no difference if the operator and friend are of the same sex or opposite sex, it makes no difference whatever, the results will be the same. However, it is possible to control the system if the operator of the pendulum will suspend the pendulum again in mid-air and imagine it going in a certain direction, i.e. clockwise, anti-clockwise or swinging. Providing you concentrate on your movement of the pendulum, enough to get it moving, then your friend cannot upset the movement of the pendulum to any degree, unless he or she is extremely sensitive, in which case the pendulum can still be affected.

EXERCISE 4

This simple exercise will once again prove the existence, not only of telepathy, but what Pierre Beasse calls the "Visual Ray". He also mentions the phenomenon of what he terms the "Mental Ray", which is what we are talking about in these experiments. He says: "When we think of an object, the Electro-Magnetic wave consecutive to the motion of the brain due to the action of the intellect, automatically directs itself towards this object and brings back the specific waves.

"Let us, for instance, adjust our pendulum on silver, and let us put a coin of this metal on a table. Let us turn our back to the table, and shut our eyes. We shall find that whenever we think of the coin, the pendulum gyrates; and that, on the contrary, it swings as soon as we think of another object."

The French Engineer, M. Voillaume, who has made a special study of that ray, has determined its starting points, which vary according to the position of the body under consideration with relation to that of the operator, one of them being, in most cases, a particular point of his temple which is nearer the body. He has been able to reflect, and polarise that ray, the properties of which are no more questioned nowadays.

If we think of an object enclosed in a space which is not permeable to specific rays, but open to infra-red rays, the pendulum adjusted on that object will gyrate. If, on the contrary, we hide the object with a porcelain screen, the mental ray, not being able to reach it, the pendulum will swing.

If we think of a copper object, for instance, the mental ray will fall on the object, and bring back the specific rays of copper. Let us hold a pendulum in our right hand, and, while thinking of copper, let us lengthen or shorten the suspensory string.

There will come a time when the pendulum will gyrate according to a well regulated circle. We shall have obtained a mental adjustment on copper, which we shall ascertain by placing the instrument on the vertical of an object made of that metal. But we shall also

find that this pendulum gyrates if we place it above the left hand, that is to say on a radiation (sympathic wave) with a wave-length very similar to that of the mental ray. Thus we have to do with an adjustment common to the mental ray and to one of the specific rays of copper; that is to say, an adjustment executed on a common harmonic of the carrier-wave; or rather, as there can be neither mathematical precision nor common measure, on a wave-length very similar to that of the harmonic.

So we can obtain a very simple experiment of our own in which you may get your friend again, and put a lot of different articles on a table—anything will do, vases, cutlery, plates, pieces of paper, etc. Get your friend while you are out of the room, or unknown to you, to think and look at a particular object on the table, just for a few moments. Just let him concentrate on it; then tell him to stop concentrating and leave the room. Next, you have a pendulum in your hand, suspend it over each object in turn, thinking about your friend. You will be surprised that the pendulum will only rotate over the object which your friend has concentrated upon. It does not matter what the shape, or the colour, or design of the object is, the pendulum will only move over this particular object. If you do not wish to clutter the table, you may find it easier to obtain a number of sheets of paper, lay them in a given order and get your friend to concentrate on one only. The concentration can be done at any distance from 1 to 20 feet or so: Just look at one particular piece of paper only—this is important. Obviously one cannot exclude the rest of the pieces of paper on the table, but concentrate on one particular piece. The pendulum will only move in a clockwise direction over the piece of paper that has been concentrated upon.

EXERCISE 5

A very simple exercise may be taken out of doors as follows: Get your friend to go out into the garden and take a leaf or a small piece of twig from a tree, bush, or plant anywhere in the garden. The object then is to discover which plant the leaf or twig came from. For this we use the science which is called the “Phenomena of the Solar Plane”. It depends on whether you want to discover the exact plant that the sample was taken from or if you want to discover how many plants of that kind are in the garden or wood-land, whatever you like. (See Fig. 18).

This is where the “solar plane” method comes in very useful and I can do no better than use the Abbe Bouly description: This may be used not only for estimating the location of an object, but also, to a certain extent, in the analysis of ores. As an example of the method, get someone to hide a piece of silver on the ground (in the early stages of this experiment it is better for them to give you a very rough idea of the direction in which it lies), then take a silver sample in your hand and walk between the sun and where you think the

object lies. At a certain point your pendulum will gyrate. Mark this point on the ground. We will call this point "A". Now go nearer the place where you expect the object to be and again walk between the sun and the object, and where the pendulum gyrates put another mark in the ground. Call this point B. Now go back to A and walk out first on one side and then on the other side of A B and where the pendulum gyrates mark these points also. We will call them C. Now go to B and follow the same procedure of walking out, first one side and then the other, marking these points where the pendulum gyrates, which we will call D. Lines drawn through C D on both sides should intersect each other, and A B continued, somewhere near H and this point of intersection should be over the hidden silver.

Taking a base line E E at right angles to A H gives you two angles A H C and C H E. The horizontal angle A H C is useful as it is characteristic of the nature of the object and varies with it, in other words it differs with each kind of metal or other substance, thus rendering it possible, by reading the angle, to determine the nature of any metal, or other substance, below it.

Following this method, you can take a leaf from a plant and, holding the leaf in your hand as a sample, you will get a gyration of the pendulum when the sun and the plant and your sample are in a straight line. No matter how many plants of the same variety are there, you will only get a gyration of the pendulum for the particular plant from which the leaf has been taken, so long as you are on the side remote from the sun; but, if still keeping the same sample in your hand, you walk between the sun and the plant you will get a reaction for any plant of the same type.




Fig. 18

Thus you can see that if we work with the sun behind us, the specimen in the free hand, and the pendulum rotating which shows you are in tune with the sample. Providing you keep the sun behind you, and the pendulum has rotated a number of times it will swing

in a given direction and more or less in a line to the indications of the pendulum, you can then so straight to the part and discover which plant the specimen came from.

On the other hand, if you wish to discover if there are a number of species of this plant in the vicinity you then have the sun between you and the object. In other words as shown on the chart.

You are at A and the sun would be at B this will then indicate to you the general location of the species identical to the one you are holding. In passing it might be said that in botany there are very many plants which look the same, but are not. There are at least a dozen or so plants that look like a buttercup, but are not. So you will find that the pendulum is not only accurate in finding the one plant that you want, or the species, but will also show you one species from another even though they look the same to you, and this simple experiment can give you extra confidence in the use of the pendulum.

If you do make mistakes the first couple of times do not worry, for once you have got the system firmly imbedded in your knowledge you may use it at any time in the future for doing any kind of work such as this.

EXERCISE 6

Are you going Fishing? then use the pendulum. It has been said that fishing is one of the most popular of sports, if one can call it a sport, and the pitfalls that come by way of fishing are many. Although I know very little of the subject myself, I have known of friends who have used the pendulum with a great amount of interest. It was Henry de France who first discovered that not only could you use a pendulum on the ground, but you could use it in a boat, in an aeroplane, just as well as anywhere else. Of course if you have a metal boat or a metal aeroplane there may be some magnetic deviations and so it is best to use a non-magnetic pendulum or a pendulum specially made for this purpose.

It is possible not only to use the pendulum in a boat for fishing but to find archaeological discoveries, wrecks, bullion, and so on, but for the sake of clarity we will give the instructions for fishing, but the same instructions can be applied for any of the other things I have mentioned.

If you go out in a boat fishing, you may want to discover the best place to fish. Many a fisherman has gone to a spot where he thinks the fish may be, but on that day the fish may have decided to go elsewhere and so he comes home with very little or nothing and although from the majority of fishermen I have spoken to, it is not the number of fish they catch but the relaxation of the hobby that matters, then to some who read this, it may not worry them. However, for the fisherman who wants to go out to gain a maximum catch, then all he needs to do is to obtain a map or plan of the area

which he hopes to go out to. Placing this map or plan on the table, he will then visualise in his mind a picture of the type of fish he wishes to catch. The idea is merely to imagine, not to will—to imagine the fish, if you like, in mid-air before you. Suspend the pendulum over one edge of the plan and moving the pendulum slowly up the edge of the plan, it will swing to and fro. If there are any fish in that particular area of the type you are visualising, the pendulum will move and turn on its axis so that it swings inwards on to the plan itself.

At the point where this happens, you mark with a pen or pencil on the edge of the plan the angle of the pendulum's swinging. Do the same along the top and bottom of the plan until you have a series of marks. You then get a ruler and join these marks up—they will converge on one point. Still imagining the fish you want to catch, suspend the pendulum over the intersections of the marks and there you have a positive reading.

The next thing remaining is to navigate into the position indicated by the pendulum and, using the pendulum in the boat, you can then pinpoint the fish you desire to catch. Simple, straightforward, and very productive. It costs very little, apart from the cost of your pendulum and it can be applied as I have said to finding old wrecks, treasures under the sea, rocks, minerals, etc. The depthing method which is a specialised method can be used: The solar plane method can be used, to locate anything under the sea as it can by land and the results are indeed gratifying and interesting which I am sure you will find.

No doubt the reader will find many more interesting experiments to do after reading this book. If you find you have difficulty in using the pendulum, it may be you need a different type of pendulum, a different colour, a different weight. It is always wise to get the best pendulum you can afford to get the best results. It is not a thing that wears out, you can keep it for all time, and it will become very useful for future experiments in the home or garden, etc. A good idea is to keep 2 or 3 pendulums about the house so that you know where you can put your hand on one without too much bother. As I have mentioned earlier, keep one in your car as well, it may come in very useful.

OTHER INSTRUMENTS USED IN RADIESTHESIA

Other Instruments used in Radiesthesia: Although the pendulum is the main instrument used in the detection of radiation, it is possible that to the very sensitive operator either the use of a rod-type pendulum or a radionic instrument may be more sensitive. The former called a Radameter is a type of sprung rod-cum-pendulum. It has been specially designed to be used either indoors or out (Fig. 19).

The instrument is held in the hand normally using the pendulum. It can be held at any angle, but the most common is at right angles




Fig. 19

to the body. It will rotate and oscillate in the same way as a pendulum except that it is not so susceptible to weather conditions outdoors and it gives much firmer reactions for the amateur. It is very quick in action, you do not have to worry about suspension threads or anything of this nature, you merely take it out of its holster and use it in any manner you wish. It is normally supplied with its own holster, so that it will not be damaged. Having used this instrument for many years many professional radiesthesists find it as accurate as the pendulum.

THE RADIONIC INSTRUMENT

There are a lot of different kinds of Radionic instruments. The term radionics is a form of radiesthesia, but in using simpler instruments to obtain the same results. The illustration shows one of the simpler instruments used in Radionics.



Fig. 20

With this type of instrument the pendulum is used, but because of the number of pre-set frequencies used with the instrument it is highly accurate and gives successful results in any work undertaken. Some of the more advanced radionic equipment, I use the term advanced here in the technological sense of the instrument rather than the operational sense because even the most complicated piece of radionic equipment may be used without previous experience, since it uses a pendulum and a highly accurate self-governing frequency pattern by which one may do any test of any kind with the minimum of knowledge and a maximum of accuracy.

If the reader would like further information on this type of equipment, other books and publications may be obtained which will describe the system in more detail, but there is no doubt that the Radionic Instrument is for the scientist of the future, and will give repetitive accurate results at all times.

We may find in the future that Radionics and Radiesthesia may give us the answer to many of the problems we seek today.

CONCLUSION

Having read this book once, it will be well advisable to read it again and again because it is designed as a simple instruction media by which you have a new tool to be used around the home and the garden, perhaps the office or anywhere else.

It is hoped that the instructions given are enough to give you consecutive results. This is the first time that Radiesthesia has been offered in this type of format to enable the non-technically-minded person to undertake accurate experiments which will give them great benefit, not only in reading matter, but in proving for themselves that there is something in the Universe which we are gradually finding out about and our knowledge, although basic in this particular publication will give us food for thought, and I hope, will encourage you to go further into studying Radiesthesia and possibly Radionics.

I will be pleased to keep you informed of any new developments in this field, because it is an entirely revolutionary type of science.

I will also be interested to hear from readers who have carried out successful experiments along the lines I have shown in this book. Possibly you may have some ideas of your own which may even improve on the systems outlined.

In the meanwhile I wish you luck and success with the undertakings and the interest you will find in Radiesthesia.

BIBLIOGRAPHY

The following works were consulted in the preparation of this book, those marked with an asterisk (*) are out of print and not generally available.

- Archdale: *Elementary Radiesthesia* (1955)
Beasse, Pierre: *Dowsing—Physical Radiesthesia* (1941*)
Dietrich, M.D., Dr. C.: *The Language of the Pendulum* (1936*)
de France, Henry: *The Elements of Dowsing* (1943*)
Starr-White, M.D., George (Dr.): *The Finer Forces of Nature* (1929*)
Trinder, W. H., Capt.: *Dowsing* (1939*)
Copen, B., D.Litt.: *Harmful Radiations and Elimination* (1953)
Copen, B., D.Litt.: *Healing Power of Bio-Magnetism* (1956)
Servranx: *Initiation A La Radiesthesie* (1955*)
Heimme, Prof.: *Nouvelle Methode de Radiesthesie* (1966*)
Luzy, Antione: *La Recherche Radiesthesique* (1967)
Copen, B., D.Litt.: *How Radiesthesia Can Help You* (1969)
Servranx: *Exdocin* (various issues) (1955*)
Academic Publications: *The Seeker Magazine* (various issues)
(1967–69)
-

Books or Apparatus mentioned in this publication may be obtained from the Author's Laboratories through the publishers at the address as shown.

Enquiries should be accompanied by return postage.

ACADEMIC PUBLICATIONS

"Highfield", Church Lane,
Dane Hill, Haywards Heath,
Sussex, RH17 7EX. England.