

COURS DE RADIOESTHÉSIE PRATIQUE

Pour s'initier sans professeur

MÉTHODE PHYSIQUE

Tome II

laid out reach of all

by

P. BEASSE

Dowser

Ch SOLLET

Dowser

Preface by Mr.

Dr Albert

THE
PRINCE



31
LESSONS

270 PRACTICAL APPLICATIONS

A mention
Radio
Sympathy

RICHESSSES IGNORÉES

CLASSIC COURSE

OF

RADIESTHESIA

PRACTICE

(PHYSICAL AND MENTAL)

FROM THE SAME AUTHORS:

Works published:

New simple and rational processes of Physical Dowsing, by P. BÉASSE. Consultant Technician, Dowser, **1938**. (Out of print).

Dowsing explained and practiced by the Physical Method, by P. BÉASSE, Technician-Advisor, Dowser, **1939**. (Three separate editions: in French, in English, in Spanish).

Course of Practical Dowsing for the use of beginners of the Physical Method, by J. CORRENSON, Former Student of the Ecole Polytechnique, and P. BÉASSE, Technician-Advisor. **1943**. **TOME 1: 1** General instruction and Development of Sensitivity (followed by an Appendix on the processes of the Mental Method, by P. BÉASSE). First edition of Volume **1**. (Out of print).

Classic Course of Practical Dowsing for beginners (Physical and Mental Methods) . by P. BÉASSE, Dowser, Consultant Technician : J. CORRENSON, Dowser , Former Student of the Ecole Polytechnique, and Ch. SOLLET, Radiesthesist, **1** Engineer -

Chemist , **1946**. Volume **I** : General Instruction and Development of Sensitivity in **30** Lessons, **150** Exercises, **100 Applications** . Second edition of the previous course.

On sale :

Maison E. I. R .. 37, rue Rossini, Nice (Alpes-Maritimes).

All rights reserved for all countries, including the USSR, also concerning the rights of **coverage** , reproduction, translation , performance and any adaptation, even for talking machines, television and radio. telehearing. Copyright **1947**, by Pierre BÉASSE, Publisher, **37, rue Rossini, Nice (France)**.

COLLECTION : "**RICHESSSES CACHÉES**"

Printed in France.

To learn without a teacher

CLASSIC COURSE

of

PRACTICAL RADIOESTHESIA

for use by beginners of

PHYSICAL AND MENTAL METHODS

made available to all

31 LESSONS — 270 PRACTICAL APPLICATIONS

**Field and remote prospecting . Grapho-dowsing. Psycho -
Dowsing. Rational choice of friends, colors, jewelry, metals,
perfumes. Hunting and fishing. Gravidity and Prenatality. Aromatherapy.
Phytotherapy. Medical dowsing. Chemistry. Astro-dowsing.
Agricultural dowsing.**

by

P. BÉASSE

Dowser

and

Ch. SOLLET

Dowser

Preface by Dr. Albert LEPRINCE

VOLUME II

**EDITIONS OF “SCIENTIFIC PROGRESS.
37, Rue Rossini — NICE (A'pes^Maritimes)**

COLLECTION : **"RICHESSSES CACHÉES"**

Volume 1 (1st^{edition}) of this Course
was crowned
by the Union of Journalists and Writers, Paris
1 "Prize, Competition 1943

TABLE OF CONTENTS OF VOLUME II

	Pages
PREFACE by Dr. Albert	LEPRINCE V
WARNING	VI!

(Continued from Volume 1)

CHAPITRE VIII. - Prospecting on the ground.	I
8.1, ° Lesson : Identification of bodies. Water prospecting and analysis . The “Potabilimeter PS” >>	I
32'''co Lesson : Mineralogical prospecting. Gold. Depth wire method. Dosage of ores	1 3
33 ° Lesson : Prospecting for oil	20
34''' ° Lesson : Finding the hollow, underground	24
35'''' Lesson : Searching for the location of a hidden body of small dimensions	26
CHAPITRE IX. — Remote prospecting.	31
36'''' Lesson : Principles of work on plan	3
.....	1
37''' ° Lesson : What do we encounter when working off-plan ? Elimination of disturbing images and influences. Lo Pointe-Emram anti-image antenna. Anti-image revealer. i^image Schu^mfell. ■. ■.	43
9.1, ° Lesson : Introduction to work on plan	50
39'''(' Lesson : Finding a person or an object on a geographical map .. >.....■ >>	56

CHAPITRE X. — Grapho-Dowsing	58
40 ° Lesson : The dowsing examination of writing.....	58

CHAPITRE XI. — Psycho-Dowsing.	63
4I"' .. Lesson : The Method of Testing. Phrenology. Inquiry into Individual Moral Worth.....	63

	Page\$.
CHAPITRE XII. — The rational choice of friends.	71
42 " " Lesson: Principle of this method of finding partners , partners, etc.	71
CHAPITRE XIII. — Gravidity and Prenatality.	70
43 "" Lesson : Gravid state. Determination of the sex of a pregnant child. Double pregnancy	76-
CHAPITRE XIV. — Modern aromatherapy.	83
44 "" Lesson: Perfumes. Therapeutic Perfumes.	83
CHAPITRE XV. — The Colors.	92
45 "" Lesson: Their particular radiance. Their serial numbers. their agreements. favorable colors	92
CHAPITRE XVI. — Hunting and Fishing.	109
46' "" Lesson : Remote Prospecting .	109
CHAPITRE XVII. — Prospecting on living organs.	112
47 "" Lesson: Medical Dowsing.	112
48 "" Lesson: The Hanged Diagnosis ! area	130
49 "" Lesson: Pendulum detection method. The radiesthesic examination sheet	135
50 "" Lesson : Abnormal radiation or disease rays. ^S^j^iit^j^an^etr^j ^^ .Si. 1^4^5	
51 "" Lesson: Measuring the degree of deficiency of an organ. The ^V it^j^l^ètr^js ^^ .^.. .i ..ii 1^5^5	
52 "" Lesson: Method of Doctor A. Leprince. Brochenin method . Method of Mr. Alby. Method of M. Lesourd.	17 I
53 "" Lesson: The Cause of Cancer and Telluric Currents	186
CHAPITRE XVIII. — Phytotherapy and Dowsing.	193
54 "" Lesson : Medication by 'es Plantes.	193
CHAPITRE XIX. — The Radiesthesic Accumulator.	205
55 "" Lesson : Capturing various rays. Projection of healing radiation.	205

	Pages
CHAPITRE XX. — The Wavelength Scale.	211
56"" Lesson : Possibilities of various searches	211
CHAPITRE XXI. — Chemistry and Dowsing.	214
57"" Lesson : Dowsing analyses. Study of precious stones . Microbial analyses. Various studies	214
CHAPITRE XXII. — Vitamins.	230
58"" Lesson: Radiesthesic study of food	230
CHAPITRE XXIII. — Astro-dowsing.	240
59"" ? Lesson : Origin. Planetary Chromatics. Choice of Colors, Stones, Jewelry, Metals, Favorable Perfumes.	240'
60"" Lesson : Medical Dowsing and Astrology	257
CHAPITRE XXIV. — Agricultural Dowsing	273
61 "" Lesson: Land identification. Choice of Fertilizers and Amendments. Value of seeds. Orientation of trees. Fertilized eggs. Etc...	273-

PREFACE

of Mr. Doctor Albert LEPRINCE

Commander **H. Chrétien** having already said what should be thought of the “ Course de Dowsing ” of MM . Pierre Béasse, J. Correnson and Ch. **Sollet** , I have little left to add. This book, in fact, constitutes a complete treatise, abundant documentation and exercises judiciously chosen to first initiate the neophyte to the simplest explorations and lead him imperceptibly to the most subtle and the most complicated.

Dowsing, which since the first days of the last war had slumbered a little, is awakening little by little, and everywhere, in France and abroad, the Special Reviews are resuming their publication, at the same time time for authors to publish or republish their works and for newcomers to complete the research of their elders .

The book by **Messrs.** P. Béasse and Ch. Sollet, second part of their complete course, happily comes to bring to old and new dowsers, elements of original research , and prospects for interesting discoveries . It will certainly be welcomed with joy and sympathy by all those who are interested in Dowsing.

Does this mean that any dowsing apprentice will be able, on the first try, to carry out the experiments described in the 61 lessons contained in the two volumes of this Course ? .I do not believe that. Here, as in all science, we must remember the old Latin proverb : " Fabricando fit faber ."

(It is practice makes perfect). It is by wielding the wand and the pendulum that one becomes a dowser , a dowser.

The Dowsing is not yet a science: it has quite solid bases however, physical. physiological. and psychic. **Sympathetic Rays . mental.** described by Voillaume , as soon as they can be measured with improved and derived apparatus. for example. of the Gazzamalli apparatus. or our Radio - Biometer, will no longer be subject to criticism from the uninitiated. and pseudo-scholars. who have never held a wand or a pendulum in their hands.

It is not a matter. indeed, to place Dowsing among the occult sciences, but to give it a place in the sciences in a state of evolution. and it is the dowsers who will have been the good workers of this evolution. It is, in fact, thanks **to** their trials, **to** their experiences. **to** their perseverance and their enthusiasm that Dowsing has been able **to** make, in a few years, such significant progress in. all areas. Their rallying cry has always been, and continues **to** be, that of scholars of all centuries :
“ Laborsmus: T r a v a i l l o n s . »

WARNING

Radiesthesic art, a set of processes facilitating radiesthesic perception, is acquired by studying its technique and practicing numerous exercises. The Torne 1 of this course responds to this first goal, comprising a general instruction in this art and developing the sensitivity of the operator through training.

But the fusion of theory and practical applications must immediately become the dominant concern of those who take it upon themselves to place reasoned knowledge at the service of both the progress of pure science and that of industry. These two branches of human activity cannot be exercised separately. Without constant collaboration, science, deprived of all effective control, would be lost in vain imaginations, and industry, deprived of precise direction, would become immobilized in endless fumbling.

It is to respond to this need for collaboration between science and industry that this Torne **II** was designed.

It will satisfy those who have recourse to the art of dowsing in embarrassing cases. as in the common cases of daily practice, whether it is mainly a question of solving problems of the material domain, or sometimes of the intellectual domain.

The processes, mostly unpublished, that we expose in this second Volume. are the result of many years of work, during which these processes were developed after tirelessly multiplying the controls.

We deliver them in all sincerity to your needs, certain, when your education is done, and it will become convincing.

cante from your first attempts — that you will adopt this second manual. as a valuable guide.

In any case. desirous of arriving at a greater perfection ourselves . we will always be happy to receive any comments worthy of interest.

CHAPITRE VIII

FIELD PROSPECTING

LESSON THIRTY-FIRST

IDENTIFICATION OF BODIES

Documentation

To identify a **body** or a **radiation**, which can generally only be done by trial and error, the prospector has several means at his disposal.

He can :

1" Try out several millimetric **adjustments** , as precise as possible, by operating on the sheet of vertical rays;

2 " Try the series , or what is even more convenient, the **particular number listed** on the setting chart on page 138, Volume 1 (2*"" edition).

3" Check the orientation of the **fundamental ray**:

4" Repeat the study with a " **witness** " held in the right hand ;

5" Finally , check the identification by using the **ray**

of **union** with this " witness " . identity, to be able to grasp by means of an antenna tip, held in the left hand, the specific radiation of the body on the line which connects it to **the** " witness " **at** a point, of variable situation, called " Neutral Point >>.

When these different processes have given a concordant result, we can proclaim with certainty the identity of the substance found.

However, it will still be advisable to ensure in particular, by the use of the anti-image developer "Schumfell" that one is indeed in the presence of the radiation of the real substance. Not that of one of his "images".

WATER PROSPECTING

Documentation

In Torne 1 of this Course, 20th lesson, page 251, we took on the practical study of finding an unknown underground stream of water, a body of water, or a griffin. We have exposed the best methods for determining the depth, the flow, the pressure. etc We therefore refer the student to the details therein. We will now continue **this** study of water in other practical areas:

Water analyses : The principle of the general method explained below, is applicable to the qualitative analyzes of **-various simple or compound bodies, solids or liquids.** We will see in the lesson devoted to Chemistry that this method can be extended to salts. as well as chemical solutions

These experiences are based on the phenomenon of the **Fundamental Ray**, a ray which is proper to all bodies and particularly qualifies them.

- Let's use the neutral pendulum PS set to Magnetism, length of wire. 211 millimeters.

a) Case of a - **simple body** : If we place the element to be studied in the center of our ra^esthetic Reporter Circle PS, divided into 360", oriented to Magnetic North, and if, on the 1st circumference of this circle, we have taken care to indicate, according to the Table of Mendeleev and the Fundamental Rays , page 227, the location of the Fundamental Ray emitted by each of the simple bodies, we notice that the neutral pendulum PS, adjusted beforehand on the Magnetism and presented on the vertical of the observed element, enters gyrations ; then it oscillates indefinitely in the direction of its Fundamental Ray. if it is a **simple body**. The direction of this oscillation corresponds then to the indication of the name of the simple body carried on the circumference of the circle.

b)Case of a **compound body** : On the other hand, if the examined body is a **compound body**, the **pendulum** , regulated on the Magnetism , aligns itself towards the Fundamental Ray of the most important substance of which the body is constituted. Finally, it oscillates in this direction a certain number of times varying according to the nature of this substance. The pendulum then resumes a certain number of gyrations, then oscillates again in the direction of the substance, second in quantitative importance , and so on for the other substances constituting the mass; this until the pendulum returns to its starting point and begins a series of identical movements. It is therefore when the pendulum returns to the location corresponding to the first body that the examination is deemed to be over.

Note in passing that a neutral pendulum PS **set to** H::O oscillates endlessly on the degree of water 312 °30 ; and that a neutral pendulum PS **set on Magnetism**, swings first on the radius of Water and then on Oxygen 142°35 and Hydrogen 0".

This is a matter of adjustment.

Let's apply this data to a few applications.

Apps

A. - To begin. take the two extremes: pure distilled water and contaminated water. containing coli bacteria. for example.

Pure, drinkable water always has an inverse, negative (—) polarity, as we will be able to verify objectively by adjusting the neutral pendulum PS to pure water (wire length 132 millimeters).

Distilled water, therefore pure. being placed in the center of our Radiesthesic Circle PS, divided into 360° and oriented North-Magnetic, let us launch the regulated pendulum. holding it above the liquid. After a certain number of reverse gyrations (—) the device moves while oscillating progressively towards $0^\circ/360^\circ$ and stays there definitively.

If care has been taken to properly orient this circle, it is therefore towards the North that the movements are made.

B. — Should the distilled water be replaced by **contaminated water**, the pendulum swings in the opposite direction South, 180° .

This) two experiments authorize the following remark:
) The orientation of water of various qualities is always located, according to their potability or their harmfulness, in the zone of the circle located between the degree $0/360$ and the degree 180 .

C. — We have indicated experimentally that pure or drinkable water has an inverse polarity (—); gold. This remark furnishes an element of discrimination and the following fact proves it: It suffices to add a minute part of a foreign product to this water to instantly transform the direction of the gyrations, and thus obtain the **change of polarity**.

Example: Let's take a glass of pure spring water, the pendulum presented **vertically** and adjusted to the water. rotates inversely (—). Let's place a small silver spoon in the glass of water for two or three

minutes

Let us remove the spoon
and carry the pendulum above the level of the water. Note that it turns
directly (+)

D. — If, therefore, drinking water happens to change polarity as a result of the addition of a metal or a beneficial product, it remains suitable for drinking. It is easy to ascertain this by trying, by means of the pendulum presented without transition, water on the hand of the consumer, to find a gyration of the device. in a sense identical to that obtained on the surface of pure water, therefore negatively.

E. — **On the** other hand, if you put for a few seconds on the surface of this water, known to be drinkable, the tip of a pen filled with ink, made up of elements dangerous to health, so that a slight trickle of ink disperses in pure water, you will find, after removing the pen, that the minute quantity of ink which the water has taken on will be enough to make the pendulum turn directly, that is to say positively .

F. — **How to determine, in the laboratory, the degree of potability of water :** Water used for drinking, for the various uses of food, even for washing, should be as pure as possible. Water is too often the habitual vehicle of the most dreadful diseases and in particular of typhoid fever, gastroenteritis, cholerin, etc. A drop of water is. apart from its constituent parts. mineral, organic matter, gas, etc., in solution, inhabited by microbial colonies. It is therefore important to define the degree of potability of water intended for public supply.

Let's use the neutral pendulum PS

We give below (fig. 1) the device of a Protractor called the " Potabilimeter " PS (registered model). allows - both to classify the water you drink, compared to various qualities of water. This device is based on the action of radiation specific to each type of water subjected to examination . Around its perimeter are degrees from 0/360" to 180°.

To operate. Precisely adjust the neutral pendulum PS beforehand to the water to be examined (i.e. with a length

of

wire of 52 millimetres). The polarity of pure water is negative.

PHYSICAL METHOD

shore (-). This operation takes place before the use of the "Potabilimeter".

Orient the "Potabilimeter" PS towards North-Magnetic. Place a small glass cup containing the water to be examined (from 1 to 3 grams is sufficient) at the central location marked "witness" and suspend above the adjusted neutral pendulum PS.

Above the water, throw the pendulum. After a few inverse (—), or direct (+) gyrations, depending on whether it is pure water or impure water, we notice that the detector oscillates in a sector whose degree is as close as more than 0° — 360° that the water is more' pure.

We note, for example, the following orientations:

$0^\circ/360^\circ$ (reverse gyrations): distilled water, water from **melted** snow, rainwater (carefully collected), water sterilized by ultraviolet rays, radioactive water, etc...

From 235° to 180° (direct gyrations (+) : sea water, river, river... water polluted by stagnation on the ground, contaminated water, etc...

Note that the degrees of water quality are always in decreasing numbers:

Example : Good qualities: around $0^\circ/360^\circ$;


Average qualities: around 270° ;

Poor qualities: around 180° .

C. — Quality of water in the field : In order to determine the quality of water the existence of which has just been discovered in the field, one will proceed as stated above (page 4, in HAS). The left index "in antenna" directed towards the water point, the pendulum being presented above the protractor "Potabilimeter" PS, at the location marked "Witness" .

This way of working also applies to searches on maps, plans or photos. We then use a "tip-antenna" to designate the water point and we hold the pendulum above the protractor; the oscillation occurs

exactly on the **location** of the degree corresponding **to** the quality of the water.



Rapporteur radiesthésique
POTABILIMÈTRE P.S.
pour la détermination de la potabilité des eaux

Rather than keeping the detector in the center of the protractor , it is also possible to move it around **the** edge of the limb until the moment when, meeting the exact degree, it enters gyration.

H. — By way of indication, here are some figures taken from a map of Paris, following the Protractor Potabilimeter PS 0

°/360° to 180°, with a neutral pendulum PS Prior adjustment on each water “ Witness ” examined.

Eau de Seine, at the entrance to Paris: Bercy 235°.

leaving Paris: Auteuil 220°.

Daumesnil lake water : 220°.

Canal de l'Ourcq : 250°.

Drinking water from the Buttes-Chaumont or Belleville reservoir: 285° and 290°.

■■ Dhuys reservoirs : 290°.

Auteuil source: 300°.

I. — **State of. purity of certain waters** : Behold, . to specify, - a few degrees which testify to the state of purity of various waters (Potabilimeter protractor 0° /360" to 180° and neutral pendulum PS). Prior adjustment on each “ Witness ” of examined water.

340° sparkling mineral water from Vals (—):

330° Evian spring water (—);

315° Touraine spring water (—);

295° filtered well water (—);

282°50 hydrogen peroxide (+);

278° rainwater collected on a roof (—) ;

270° distributed city water (—);

265° unfiltered well water (—) ;

235° sea water (+);

225° polluted water (+);

180° contaminated water (+) .

Note that hydrogen peroxide, although located in a favorable 282°50 zone, is polarized (-t-) directly, since it is not

drinkable.

J. — **Various waters and colors** : If we study the relationship that exists between waters of various origins, we will be able to observe that the waters: pure, **distilled** . coming from **melted** snow, etc.... agree with the green **color** and that the pendulum gives with them inverse gyrations (—) .

Rainwater syntonizes with the color **orange** , inverse gyrations (—) .

Drinking water from a well agrees with: a **blue color** , inverse gyrations (—) .

Mineral and spring waters tune in with the color yellow, reverse gyrations {—} .

Among non-potable waters. sea water (from the Atlantic Ocean) agrees with **the blue** heart . direct gyrations (-1-) ; as for the waters of **rivers and unpurified** rivers , they agree with **the green color** , direct gyrations (- ! - } .

Water of the **pharmaceutical** type , hydrogen **peroxide** . goes well with the color **orange** . — — — It should be considered that **rainwater** , **polarized** in **reverse** **men t** (—) . — — — also goes well with the same orange **color** . — — — but for **oxygenated** water , the **gyrations** occur **directly** (+) . — — —

The **liqueur** of **La bar r a c a c c** ords with its **indig o color** . **gyrations** direct (+) .

Polluted **water** goes well with the color black . — — — **direct** gyrations (-|-) .

Con t a m i n e d water goes well with its indigo color . **direct** gyrations (-1-) , as well as the **Labarraque** liqueur.

K. — **Characteristics of some kinds of water**: Here are the reactions of the neutral pendulum PS , regulated on **M ag n etism** (length of wire . 21! millimetres). relating to some **kinds** of waters. whatever their nature, the observation of which always begins with the **20 reverse** gyrations

(
) due to adjustment. Next come the oscillations
specific to each of the elements and whose series are separated
from each other by a number X of inverse gyrations (
—).

Distilled water	1	Distilled water. North	0°/360°		)	swings.
	\	Oxygen. Southeast	142"35	80		
	1	Hydrogen. North	0°/360°	40	\	
	I	Northwest	330"		,	
Spring water at low mineralization : Evian (Cachat).		Oxygen and Hydrogen as above				swings.
	)	Sodium. North-East	16°30	20		
		Carbon. North-West	336°45	100		
	r	(Presence of baking soda)				
spring water	1					swings.
	(	North-West	340°			
	\	Oxygen and Hydrogen as above			1	
		Sulfur. Northeast	78°30	120	F	
spring water has strong mineralization. Vittel (Hepar).		Calcium. North-East	22"30	40	\	o s c i l l a t i
	He	(Presence of lime sulphate)				
	.	Northwest	320"			
		Oxygen and Hydrogen as above			I	
spring water has strong mineralization. Vittel (Hepar).	1	Sulfur. Northeast	78"30	120		o s c i l l a t i
		C a î c i Um. North-East	22°30	40	4	
	1	Sodium. Northeast	16"30	20		
	1	Magnesium. North-West	331°40	50	I	
spring water has strong mineralization. Vittel (Hepar).	1	Lithium. Northeast	70"	40		o s c i l l a t i
	1	(Presence of lime sulphates,			\	
		magnesia, soda , traces of				
		l i t h i u m) .			/	

PHYSICAL

tau from an
alkaline-gas source:
Vais (Saint-Jean)

		North West. 34°		
		Oxygen and Hydrogen as above		
	Sodium.	Northeast	16"30	20
1	Carbon.	North-West	336°45	120
		(Presence of carbonic acid and baking soda).		

swings.
1

City water
filtered, distributed.

		West.	270°	
		Oxygen and Hydrogen as above		
	Sulfur.	Northeast	78°30	120
	Calcium.	Northeast	22"30	40
1	Lead.	Northeast	50"	30
		(Presence of lime sulphate and lead pipes).		

swings.
I
/

Well water
distributed by pump
and lead pipes.

		South West.	265°	
		Oxygen and Hydrogen as above		
1	Sulphur.	Northeast	78°30	120
1	Calcium.	North-East	' 22°30	40
/	Iron.	South	180°	20
	Lead.	North-East	50°	30
		(Presence of sulphate of lime, iron from the pump, lead from the pipes)		

swings.
1
\
/

1
:
1
1
PHYSICAL METHOD.

1
I
:
I
I
I
I

	North West. * •	278"	
	• Oxygen and Hydrogen as above		
	Sulphur. Northeast - . ' ' 78°30.	120 1	
Collected rainwater .	Calcium. Northeast ' • 22°30^	40	
^on roof and	Carbon: 'Northwest J3 S °	60	
fiJtree, distributed. • •	-Lead. ' Northeast • • ' . _ ., 50° .	30	swings.
	(Presence 'of sulphate and car - bonata). of^ lime; lead from _ pipes). ' •		
	• South East.' ' .. ■ > ■ " :235°		
	Oxygen and Hydrogen.as.above		
Alkaline sea water ' Chlorine.	North-West /290°50'	140 -	
(Oc ean 'Atlan tic) ' i. Sodium.. _	North East. - * 16°30 •	20 1	swings.
■ fl Potassium.	North East-- ' * 1.0” ,	40 i	
• “ . • 1	•Bromine. ' -' Northwest- -	. 3 1 3°1 0 -	■80 ' has
	.Iodine. .- North-West ' .	'320 50 -	60
	.Manganese. • South-West ' 233°	60	
	Magnesium. Northwest ' 331 °		

L. — Quantitative evaluation of the salts in solution :
 With regard to the quantitative evaluation of the salts contained in these different types of water, it can be carried out according to the **Probst method**, which was discussed with regard to the " Ray of Union ", practicing thus:

On a flat wooden ruler approximately one meter long, place a flat container at the right end, containing, for example, 100 grams of the water to be studied.

On the opposite side, on the left, place a second container, similar to the first/ and containing 100 grams of water dis-
 similar.

Then, if we present the pendulum approximately in the middle of the ruler, we notice that it turns, since there is dissimilarity between the two kinds. of liquid . But, if one pours little by little, in distilled water (receptacle on the left) small proportions of the product (salt or other) , the existence of which has been observed in the water to be studied (receptacle on the right), and we repeat the pendulum experiment , we must stop adding product as soon as the detector begins to oscillate .

At this time, your two kinds of waters will be charged with an equal proportion of the foreign product.

If the water contains various substances, you just have to repeat the operation as many times as necessary.

M. — One can also use for the same purposes the Method of our Radicsthesic Circle PS, divided into 100 parts. by placing the water in the center and holding a sample of product of the same type as that to

be measured near
the pendulum suspension **stick** .

The indication provided by the oscillation of the pendulum in the direction of a certain figure of the **graduated circle, corresponds** to the proportional **percentage of the product** existing in **the** water .

The experiment is to be repeated by appropriating the “ **controls** ”
as many times as there are products foreign **to the water**.

LESSON THIRTY-SECOND

MINERALOGICAL PROSPECTING

Documentation

The work that is carried out in underground places to extract minerals, precious or common, all inorganic bodies, is of three categories: those of research to discover the deposits, those evaluating their importance, finally those of extraction. Up to now, discovery and estimation studies have had as their main guide the geology of the region. Dowsing has become a most precious aid to him.

No one can carry out research to discover mines without the consent of the owner of the surface or -
with the authorization of the Mining Administration of the mineralogical district. Legally, a mine is property distinct from the surface and created for the benefit of the concessionaire,
with compensation previously provided for to the owner of the surface.

Gold ore : The search for gold rightly preoccupies many prospectors. There are, moreover, beautiful deposits still unknown.

Apart from the help of dowsing, there is hardly any indication that can provide, with certainty, data on the presence of gold in a region. These deductions are sometimes based on rocks with visible gold.

There are, indeed, rocks which are more or less predestined to contain gold. But there are no rocks that are definitely auriferous. When you encounter a nugget, it usually comes out of a quartz, in which it

L. — Quantitative evaluation of the salts in solution :
 As regards the quantitative evaluation of the salts contained in these different types of water, this can be done according to the **Probst method**, which has been described
 -
 tion **about** the " Ray of Union ", practicing thus :

On a flat wooden ruler approximately one meter long, **place** at
 !' right **ex trem** ity a **flat** container, containing, for example , 100
 grams
 of **water to be studied**.

On the opposite side, **on the left** , place a second **receptacle** ,
 similar to the **first** , and containing 100 grams of
dissolved water .

Then, if we present the pendulum approximately in
the middle of the ruler , we notice that it turns , since **there** is a
dissimilarity between the **two** kinds . of **liquid** . But, if one
pours. little **by little** , in distilled water (receptacle on the **left**)
 , small proportions **of the** product (**salt** or **other**) ,
 the existence of which has been noted in the water **to be studied**
 (receptacle on
 the right)
 , and we **repeat** the pendulum experiment , we
 must stop **adding the product as soon as** the detector **passes**
through the _ _ _ _ _ oscillation.

At this moment, the two kinds of waters will be charged with an
 equal proportion of the **foreign** product.

If the water contains various substances, all you **have to do** is
 repeat **the** **operation**
 as many **times** as necessary .

M. — One can also use for the same **purposes the**
Method of our Radiesthesic Circle PS . divided **into** 100 parts
 , placing the water in **the center and holding** . near the
 hanging stick of **the pendulum** . a product sample **of the same type**
 as that to be measured
 .

The indication provided by the oscillation of **the** pendulum in the direction of a certain **number** of the graduated circle. corresponds to the **proportional** percentage of the product **existing** in the water.

The experiment **is to be repeated** by appropriating the “ **controls** ” as many times as **there are products foreign** to **the** water .

LESSON THIRTY-SECOND

MINERALOGICAL PROSPECTING

Documentation

The work that is carried out in underground places to extract minerals, precious or common, all inorganic bodies, is of three categories: those of research to discover deposits, those evaluating their importance, - finally those of extraction. Up to now, discovery and estimation studies have had as their main guide the geology of the region. Dowsing has become a most precious auxiliary to him.

No one may carry out research to discover mines •
without the consent of the owner of the surface or ■with the authorization of the Mining Administration of the mineralogical district. Legally, a mine is property distinct from the surface and created for the benefit of the concessionaire, with compensation previously provided for to the owner of the surface.

Gold ore : The search for gold rightly preoccupies many prospectors. There are also beautiful deposits still unknown.

Apart from the contest of the Dowsing, one knows hardly any indication which can provide, with certainty. data on the presence of gold in a region. These deductions are sometimes based on rocks with visible gold.

There is . indeed, rocks that are more or less predestined to contain gold. But there are no rocks that are definitely auriferous. When you encounter a nugget, it usually comes out of a quartz, in which it

was molded, quartz which, by breaking, gives freedom to this nugget. It was molded at this place, because the " mold " was lined with dust from an oxidized iron pyrite, transformed into limonite. As certain electric currents can very well be produced in a liquid and precipitate there, it happens that nuggets are formed in quartz.

There are therefore fortunes to be made in detecting the presence of these galvanic currents, or that of nuggets already formed, or even that of powdered gold in sand deposited by water.

The prospection of nuggets or any mineralogical vein is done, dowsing, under the same conditions as that of an underground water table. We report for this purpose the Student at Torne^{1st} of this Course.

There is, however, a difference to be observed. The dimensions of a mineralogical vein are generally much larger than those of a stream, because the " images " which the vein produces are at a much greater distance. So it's much easier to stumble upon the seam itself. The use of Schumfell Revealer, a perfect anti-image, will clarify the center of the vein all the better. But in this research, there is reason to be wary of two pitfalls: that of the influence of radioactivity first, that of the confusion of the Fundamental Ray of the ore with the successive Rays of Union.

Treasures : If the prospector of precious minerals now has a serious helper in Dowsing, the treasure seeker can, thanks to it, considerably multiply his finds. Knowing that the earth, the base of trees, the old wells, the old walls, the underground passages often contain numerous treasures which man has deliberately hidden and which his successors have so far been powerless to find, he can henceforth lead his investigations methodically.

Note that the treasure belongs to: 1° for the whole to the one who discovered it in his property ; 2° half to the detector and half to the owner, if it was discovered on the property of another. By treasure, we can mean the heap. gold, silver or valuables hidden away.

Apps

A. — Influence of radioactivity : Let us place a piece of silver on a table: by examining it seriously with an antenna-point, we note that a pendulum regulated on silver ceases to turn as soon as our antenna -point deviates one millimeter from the part. Next to the coin we now place a radioactive body : • a fragment of pitchblende ore. for example, we find that our pendulum now turns as if the dimensions of the room had suddenly become **those** of a plate.

Remove our ore, and replace it with an empty bottle hermetically sealed for about an hour, we observe, except **for** the question of the amplification coefficient, the production of the same phenomenon. It is therefore that, under the action of the RS Rays (of radioactivity). whose emission is common to the radioactive body and to the ionized air contained in the flask, the radiation of the coin has extended to the point of giving us the illusion of a coin of enormous dimensions.

He is us. indeed, easy to note, by operating on a closed empty bottle, that, from the point of view of emission of radiation and external action, the air contained in a hermetically closed enclosure behaves like a radioactive mine, such as pitchblende ore.

There are, of course, many radioactive terrains. But all porous soils (sands, recent embankments, etc.) containing confined air and, consequently, ionized, give rise to **this** phenomenon of amplification. Their action, moreover, by moving the images away from their normal location, distorts the depth indications given by the so-called **depth wire process** (discussed on page 17).

The presence of a magnetic field is ineffective in combating this action: but the use of the point, both in work on a plan and in prospecting on the

ground, generally reduces the radiation from an object **to.**

and
restores the true depth.

Therefore, in measuring depth by the depth wire method discussed on page 17, it is essential to keep the iron rod pointed to which the copper wire is attached. It can be associated with a horseshoe magnet surmounted by a witness. but it is essential to keep the pointed stem.

We recall below this process which, of course, can be used for water, oil, etc., up to a certain depth beyond which it must be supplemented by an intensification device.

Another pitfall to be wary of is the following :

B. —

The Fundamental Ray of Gold : The process of research by the “ Ray of Union ” is very often used for the determination first of the direction, then of the exact location, of the mass of precious metal (silver, gold, etc.).

The “ control ” corresponding to the metal sought is placed anywhere on the pitch, on a **raised** board. We go around, with the pendulum, this “ witness ”. There

comes a time when the pendulum cuts the “ Ray of Union ” between this “ witness ” and the precious metallic mass sought . We thus manage to fix the **direction** in which this mass is buried. It suffices then **to carry out** two or three other similar cross-checks by placing the “ control ” at two or three other places on the ground. Direction lines are thus obtained which meet **at a** triangular geometric point, which specifies the exact location **of the** object or of the body sought.

The failure that we want to point out resides in the fact that one must not confuse, by circumventing the “ witness ” with the pendulum, the Fundamental Ray of the “ witness ” **with the** successive Rays of Union.

Indeed, the Fundamental Ray of silver is 90'* East; that of gold is 270" West. Depending on the object or the precious or common body sought, it is advisable to know and

wary of his Fundamental Ray. This does not give a direction, but serves, in other circumstances, to identify the body.

C. — Depth Wire Method : On any point above the deposit whose depth we wish to determine, we insert a pointed iron rod.

At the top of this sheet we attach a metal wire (preferably copper) which we will extend horizontally on stakes terminated by insulating supports.

It has been observed that everything happens as if the waves emanating from the body fall back along the wire, emitting two symmetrical images of the prospected object (fig. 2).




Fig. 2

The operator moves along the wire which he frames with his two legs. During this journey the pendulum set on the ore turns above the wire except at the location of the images whose proximity it signals by an oscillation. It turns out on these images that we find at a very small distance from the wire and

on each side. As soon as he arrives on the image of the body sought, the wand. *e* or the pendulum react. The distance between this point and the initial point gives the depth of the body.

If we continue **to** follow the wire, the instrument does not stop rotating as long as we are on the image, and stops as soon as

that we have exceeded it. By measuring on the wire the interval between the initial point and the end point of **the** reaction. we obtains the thickness *e* of the deposit.

If the depth seems very great, the first lengths are replaced ; s of wire by reels of **I** 00. 50, 25. 10 meters, which avoids long displacements.

Because of the large number of diurnal images that an object produces during the day on its vertical, it **is** advantageous to measure the depth only after sunset or to use the Schumfell Revealer. Otherwise, there is a risk of confusing the depth of one of these “ images” with that of the object itself.

D. — Dosage of minerals using a pendulum:

The principle of the quantitative analysis of bodies with **the** help of the pendulum is based on the modalities of the phenomenon of the radius of union.

Two cups are fixed **0** **I** m. distance, at most on a very dry wooden board. The middle of this distance **N** is marked by a clearly visible line.

In one of the cups, one places the ore whose qualitative analysis , by the ordinary methods (adjustment, series, fundamental radius), revealed the elements **a, b, c, d.** It is a question of looking for the weight of each of these elements which is in the weight **P** of the sample which one placed in the first of the two cupels.

Two operators are required. The first places his pendulum set for element a above

point **N** : with his left hand, **he** signals to the second operator, who pours into the second dish. do the powder of element **a**, the pendulum rotates. As soon as he sees that the gyration is weakening, he signals to his **helper** to tip with caution. As soon as the pendulum swings, **he** stops it **with** a brief gesture. At this moment, the ore and the second dish contain exactly the same weight of the element a, which is thus dosed. The weight of the powder in the control dish represents the **dowsing weight** of the element studied. If the operation has been well done, this weight must be strictly equal **to** **0** that which a theoretically perfect balance would give.

The same is done for the other elements **b, c, d,** and if **P** is the weight of the sample, **p p' p'' p'''** that of the weighed elements, its **100** **p**

dosage in each of them is represented by the formula $x = \frac{p}{P}$ {the weights **p** and **P** being expressed in the same unit}.

It goes without saying that, for the result to be exact, it is necessary to know how

to rule out from the operation a certain number of causes of error liable to falsify it, and of which the least is the difficulty of carefully placing the centro of gravity of the bodies at points A and B to appreciate over a distance of one meter the exact position of the neutral point.

after having worked for a long time with this process. found it too rudimentary, although

the search for the neutral point with the aid of a very fine antenna point would have given it an increase in precision.

He had the idea:

1° To lengthen (without increasing the dimensions of the plank for this) the distance A B which separates the two masses, that of the body to be analyzed and that of the control body by joining these two bodies by means of a coiled conductor, which amounts to extending the summary device indicated on page 195, Fig. 76, Volume I.

2° To concentrate the action of these masses on very small surfaces. theoretically reduced to material points (straight sections of a thread); which amounts to neglecting in the appreciation of the distance A B the dimensions of the bodies present. He achieved this by enclosing these bodies in metal cages impermeable to the ray of union. which, therefore, could only develop by passing through the points of penetration of the circuit into the cages. The dowsing weight of the two bodies was thus concentrated on these two points.

This device, which already brought a considerable increase in precision. soon benefited from a happy discovery by Commander Gorceb who had just observed that the range of the union radius was considerably increased by placing one of the bodies on the path of an oscillating circuit.

Mr. Brord therefore completed his first balance by interposing in the circuit an inductor and a capacitor variable from one to two thousandths of a microfarad: which made it possible to lengthen the range dl,) union radius at will, a very interesting advantage in the case of the determination of infinitesimal masses.

The inventors were not long in touting that a length of wire much less than that which they had adopted was very sufficient to give to their apparatus a sensitivity very superior to that of the best balances employed in the chemical laboratories: and, if taking è a length of wire of 18 meters. they made their second device.

They also specified the procedures to be used to eliminate the action of foreign influences liable to modify the dowsing weight of the body studied and to obtain that this weight be strictly equal to that which a high-precision balance would give.

In the second edition of their work, MM. Brard and Gorcei)t indicate new simplifications and new improvements brought to their apparatus and give the means of using it for physical perception at a distance by the addition of an electro-magnet which transforms it into a new instrument known as the name of Collector B G.

It is advisable, however, to warn the operators against the

analyzes of cast irons and steels, because of the magnetism and the compression, which produce anomalies.

LESSON THIRTY-THIRD

OIL PROSPECTING

Document 1

Oil usually shows up in nature in liquid form. Nevertheless, when mixed **with** certain materials, it is present in solid or bituminous form; finally, we meet him; it is sometimes in the gaseous form.

The fact has long been known that oil exists in the subsoil of our country. In Alsace, **at** Pechelbronn, a deposit had been exploited since **1735**, but only the consistent fats used to lubricate the axles were extracted from bituminous soil. Since, this deposit has become one of the most important centers of oil production.

For many years this issue has been neglected, and oil imported from abroad comes **at** a prohibitive price. The country's economy is seriously affected.

Or, for some time, the public authorities were disturbed by this situation and research and soundings were undertaken: but the results were rather disconcerting and not very encouraging.

Here, yet, the dowry must have their word **to** say. We can never repeat enough that our accessories, rod and pendulum, are overly criticized, too despised, and should we wish that we have recourse **to** them if we want that the polls do not succeed the polls, without result and or detriment to the State budget.

This search for "black gold" by means of the pendulum and locket must be undertaken in our country where we do not care enough about what is happening in the States

neighbors: Italy, Germany, etc... where dowsing is in the spotlight, used for prospecting the subsoil as well as it has been for military purposes.

But let's go back to our subject at the point where we said that research had already been undertaken and let Mr. Armand Viré, Doctor of Science, ex-Director of the Museum, talk about research that dates back some twenty years. already : “ In collaboration with Mr. Bidreman , we were experimenting with our methods in Gabian, in the Hérault department. (About this name of Gabian, we know that in Medicine and Pharmacy, petroleum bears the name of oil of Gabian.) We walked around the perimeter of the fields as it appeared to us.

c He had been made alo. s 23 surveys. The engineer director of the works, on seeing our route, tells us that only 3 wells had given oil and were enclosed precisely within our perimeter. The other 20. remained sterile, were located outside of it .

“ In the department of Ain, we found ourselves one day in front of a drilling in progress to search for oil. It was a great opportunity to experience. We offered to prospect and we were able to declare that we would not come up with anything. Indeed, this well pushed to **1,100** meters deep remained sterile.

“ During our various surveys throughout France, we have been preoccupied, for our personal instruction, with the question of oil, and we believe we can affirm that France could produce at least a good part of its consumption ”.

M. de Marsay, for his part, expressed himself thus, about ten years ago , during a conference given in Paris:

“ At present, it is difficult for a dowser to certify on the ground some presence of kerosene. Indeed, all the hydrocarbons contained in the subsoil give dowsing reactions and I do not feel

able to discern with certainty whether I am dealing **with** oil or **bitumen** .

" What I can say, when the drilling was decided, is, according to the manifestations of my pendulum, that at a given place there are or are not hydrocarbons , it could be p oil or bitumen : but if no reaction is felt, the certainty is that there **is** no oil **at** the place envisaged.

" Currently, two dowzers will have found oil fields in the region between Lyon and Clermont-Ferrand, in the plains of Li magn e , as well as in the department of Lot-et-Garonne.

" These observations need **to** be verified, but don't they promise the most beautiful hopes ".

Radiesthesis characteristics of liquid crude oil : **Liquid** crude oil , i e l that it is extracted from wells, is a complex material formed from a mixture of several compound bodies. It rotates the pendulum counterclockwise.

Its characteristics are as follows:

Series: — 3. **Fundamental radius:** 343°. •

In sensitive people, liquid **crude** oil seems **to** attract the pendulum and weigh it down ; moreover , its gyration gives the impression that the instrument is moving in an oil bath .

Prospecting **for oil**: All that has **been** said about the prospecting of an underground water table applies to **that** of an oil-bearing layer. To properly adjust the Schumfell Developer, e; moreover, to resort to the " control " *process* , the use of which is essential , it is advisable to obtain a sample of **crude** oil .

Solid or bituminous oil: On bituminous oil , the pendulum gives the same information **as** on liquid crude oil ; but

it reacts then and successively
on the foreign bodies which it contains and according to their
particular characteristics ,
which make it possible to identify them.

Gaseous Oil or Petroleum Gas : Gaseous oil gives somewhat different characteristics than liquid crude oil. Has very sensitive operators. it gives the impression that the pendulum is lightened and dances in the air.

Where liquid petroleum cannot penetrate, petroleum gas . by its subtlety and its force of expansion. manages to slip out.

It only happens in contact with water. the gas dissolves in it giving it a characteristic color and smell. We have the whole illusion of oil. However. we dig, and we find nothing.

Undoubtedly oil exists: but far from the place where one would be tempted to suspect it.

TRENTE-QUATRIÈME LEÇON

FOR THE TROUGH

Documentation

If the cavity is in contact with the atmosphere, if the air circulates easily **there**, or at least is renewed there frequently, the pendulum placed on the vertical of a hollow space (fault, underground gallery, empty conduit) and correctly adjusted, will react, first by its oscillations, then after successive physical adjustments for the co; ps below:

1 ° For air;

2 ^ For 1 oxygen:

3 ° For nitrogen:

and will make it possible to find all the characteristics of these bodies that we recall below:

Air: Series: + 2, Rf 352°. Settings: 1 20 -161-1 78 198 — 217mm.

Oxygen: Series: — 1, Rf 142°35'. Settings : 1 1 1.50 — 147 — 191.50 mm.

Nitrogen: Series: + 1, Rf 293°. Settings: 108 — 131.50 161mm

To obtain an experimental adjustment, each operator will determine these adjustments himself, either by mental adjustment,

or above an uncorked empty bottle: and as precisely as possible.

But, if the cavity is almost hermetically sealed. **if** it only communicates with the outside through very narrow openings. not allowing **0** the air to be renewed. it will

emit

over its entire surface RS rays (1) in addition to those of the normal rays of a cavity in the open air . ation with the +17 series.

On the other hand, it will emit in a special direction which will depend on its shape and orientation, a more or less thick layer of v, J , £ rays, accompanied by RS, ES — and MS + rays. Make these adjustments to see it.

These data will therefore make it possible to discover the location of the cavity and to trace its outline using either the neutral pendulum with or without a witness (empty bottle stoppered

(case of the closed underground) or not (case of the underground in relation with the external atmosphere), either of the Schumfell developer, or of the self-adjusting pendulum (empty bottle) which must rotate

constantly , and oscillate, on the contrary above the hollow. many “ images .” Use all the means described to eliminate them or simply use the Schumfell Developer .

An underground gallery produces several images of galleries of which this : tains can be in its exact extension. These images emit harmful rays of polarity corresponding to that of their own radiation and iout as dangerous as those of a real gallery.

Subject to the same reservations as for water, the solar ray and the mental ray can be used to determine the location of a dungeon.

Finally, let's add that some people manage very easily to feel the hollow with their bare hand.

MÉTHODE PHYSIQUE

(I) Lo vido is radioactive (tubo or way **formed**, boito de carton de pharmacio bien **formado**).

TRENTE-CINQUIÈME LEÇON

SEARCH FOR THE LOCATION OF A HIDDEN BODY OF SMALL DIMENSIONS

Documentation

Some particularly gifted people who operate by the psychophysical method or by psychesthesia sometimes find lost or hidden objects easily and very quickly. They are to be congratulated on the fact that a particular aptitude which is not the prerogative of everyone allows them to easily solve one of the most difficult problems which present themselves to the dowsing prospector.

We should add, however, that it is usually the relatively easy case, where the location of the object is approximately known, object lost or hidden in a very restricted area, exact location of a pipeline water whose general course is known **to within** a few meters, metal piece of known shape enclosed in a mass of masonry, body of a drowned person lost in a narrow stream, etc., etc. .. These cases can be solved without great difficulty **using** plan work.

But the question of the search for the location of a hidden body generally arises in much more difficult conditions and such that it is difficult to realize at the beginning the approximate location and especially the depth of the prospected body. Each object, in fact, determines the formation of a large number of images, themselves mothers of other secondary images. If the serial number of the substance is high. such as 11 for gold, 13 for lead, the number of these images can reach the figure of several billion, among which, it is true, those of a certain degree of filiation are of too little radiation.

TRENTE-CINQUIÈME LEÇON

intense in order to be felt.

In the presence of this situation. he will therefore be wise. instead of accommodating each other feverishly. to reflect and seek to solve the problem methodically and by successive approximations.

Use of neutral pendulum images PS: Si. by their large number and arrangement. the images constitute a serious obstacle to the encounter with the object pursued . they can. by a rational use of their properties , help us to discover it.

They can inform us about the reality of its existence . on its nature. its layout and main forms. If multiple images. some straight, others upside down, indicate to us. obviously with various and variable deformations. always four substantially circular plots giving the reaction of gold. separated by other lines of different shapes. but .always corresponding. giving the tin reactions. we will be tempted to conclude that the object of our research consists of a chest, the substance and location of which we have yet to determine, and which must contain four bags of gold coins separated by pewter objects.

If we notice, on the other hand, that images are laid out on 3 or 4 alignments converging at the same point. we will be led to suppose that this point must be on the vertical of the object sought and we will seek to verify this hypothesis by the intervention of the solar ray and the mental ray. reminding us that these two rays only occur with a real object or an electromagnetic image .


The images being, not only spread out in more or less horizontal planes. but also stacked vertically. we cannot. from their depth derive no indication for that of the object.

Elimination of the images: The images having provided all the information that it is possible to ask them, **it**

will
 now be a question of eliminating them in order to arrive **at** the real **object**
that they mask .

By working either in the field or on a plan before sunrise or after sunset, we will rule out all diurnal images on a magnetic or radioactive medium due **to** the magnetic action of sunlight, images which are formed at sunrise . and disappear at the exact moment of sunset .

The elimination of the other **c images** > **will be done** ,
 either by prospecting **using** the anti-image precision pendulum.
 Electro-radio- magnetic
developer **Schumfel!**, or even
 by combining the use of the black spherical neutral pendulum PS
 with the **Emram Antenna-Tip**, anti-images, and the other
 anti-image processes indicated on page 322 of Torne 1. this



.IIJd •■*
J ?nf"t i that

Fig. 3. — The Schumfoll Revealer, anti-images

which will be less convenient and less rapid than with the Schumfel
..

information on the principle and instructions for use of the ingenious Schumfell Developer can be found on pages -49 and 173 of Torne 1. 2nd e editing.

When you believe you have found the location of the real object, you will still have to assume that you may have "**made a spelling** mistake ", and only start the excavations after a new elimination check and also after making sure that we are not dealing with one of the four physical images determined by the corner phenomenon. We will then seek **to** cancel the effects of this phenomenon by the process indicated on page 338 of Volume 1. 2^m edition .

Use of teleradiesthesia : By resorting to or working on a plan. under the conditions indicated on page 50, prospecting operations will be considerably simplified and accelerated .
He is. in fact, it is much easier and faster to **scan** a fraction of a sheet of paper placed on a table with the antenna pointer than to slowly survey the terrain of which it represents the reduced dimensions and layout. We can search and re-search all the nooks and crannies several times without having **to** move any furniture or heavy objects.

Use of the Collector B. C .: By completing with a bar magnet the embryonic device of figure 76 (p. 195, Volume I). we will realize schematically the principle of the Percep eur BG If we embed in the lid of one of the boxes a piece of cotton string whose other end will be threaded in the axis-support of a magnet mobile. one will transport in this box the radiations of any body included in one of the dowsing fields of this magnet, and the ray of union with an identical body placed in the other

box will be produced. as if the body seized by the magnet had been transported to the neighboring box. Of course, the device will only be able to operate with precision if care is taken to remove all disturbing influences likely

to falsify its indications and which will inevitably be encountered in large numbers.

An operator. who knows how to handle a BG Perceptor , by removing any **image** influence, would very **quickly find** the object sought. As soon as the manufacturing difficulties , inherent in the post-war period, will be ironed out. we will be able to make available to our members this pendulum **scale and this BG Tax Collector** , the advantages of which are indisputable .

CHAPTER IX

LESSON THIRTY-SIXTH

DISTANCE PROSPECTING OR TELRADIESTHESIA

Documentation

If the success, indisputable today, of a large number of surveys carried out on the ground, using **radiesthesic** processes, ended up winning the support of many skeptics, many people still revolt **against** the idea that it might be possible to carry out **research** from a distance using a **plan**, a **map** or a **photograph**.

And yet, many facts, as undeniable as the pre-mises demonstrate that, however unlikely it may seem, this possibility exists.

Many researchers use it successfully. Astonishment about a practice which becomes more commonplace every day, only proves one thing, which is that our ignorance **with** regard to the means at our nature's disposal is still considerable. According to Claude Bernard we can do more than we know.

Is it logical to deny a fact for the sole reason that we do not understand it? **7 That would be to** prohibit science from going beyond the limits of our own intelligence. The great scientists have, fortunately, thought otherwise, because history shows us that their greatest discoveries have

most often related **to** things judged unreasonable -

injured by the ignorance of their contemporaries. “ Today's error is no doubt tomorrow's truth,” says C. flammarion .

Teleradiesthesia **exists** and its mechanism, which has nothing occult or mysterious about it, is perfectly explained by the natural play of means which we all have and which it suffices to recognize. e.

PRINCIPLES OF WORK ON PLAN

The work of research on plan rests on the use of the **Mental Ray**, electromagnetic wave of a great power of propagation and which is determined by the pen-see.

We will probably always ignore. s how the soul. immaterial principle. acts on the brain, a material organ; but what we can know perfectly are the physical and physico-chemical effects of this action, because these are facts perfectly accessible to our senses. By a mechanism which we cannot explain to ourselves, **thought** determines a movement of the brain, and this movement , a physiological phenomenon, engenders **in** its turn an electromagnetic wave. identical for all individuals, of whom we know all the data and who are called the **Mental Ray**.

Psychic in its determination. physiological in its emission. the mental ray is purely physical in its pronagation which extends **to virtually unlimited** distances like wireless waves .

What happens when we think **of** an abstraction ? To search for it here would be outside the scope of this Course.

But. what we find again. because a very simple experience demonstrates this, it is that when we think of a material object. **even** then we ionor its exact em-lation. our mental ray meets it instantaneously . brings us back. serving them as sunnort. the

specific radiations of the substances that compose it, and

our pendulum, if tuned with one of them, allows us to perceive it.

Let's put a copper object on a table, let's set our pendulum on the copper. Let's get away. Whenever we think of copper, our Mental Ray will bring the radiations of copper back to us and our pendulum will spin. As soon as we stop thinking about it, the export of copper rays to our brain will in turn cease, and the pendulum will swing.

Use of the plan : A plan is not absolutely necessary for doing remote research, especially if it is purely qualitative research. An imaginative representation of places can make up for this perfectly in many cases.

When we seek to determine a depth by the method "**by counting**". we represent to ourselves a vertical section of the ground on which would have been traced a determined scale, in meters, for example, and we walk our Mental Ray along this scale until it meets the level of the stream . , for example.

But, to perform a thorough and accurate job. the use , depending on the case, of a map or a plan is essential. How. indeed, could we fix the exact location of an object. if we did not recognize it with respect **to** invariable points or lines ?

It should not be believed, as certain people unfamiliar **with our** art imagine it, that the radiations of an object that we are looking **for with** the help of a plan escape from the basket: to put forward such an idea , would be giving too much credit to our adversaries who would have a fair chance to call us fools.

The **tip-antenna that we move on a plane** simply serves **to** guide rationally and methodically the displacements of our Mental Ray that we walk in space and to carry our exploration where we desire it.

An indisputable proof of this demonstration is given to us by the success of the processes which are at present

employed in certain hunts with hounds.

One hour before that scheduled for the start of the hunt, a dowser looks for the location of the game on a map of the property. As soon as this location is found, the animals, which must undoubtedly receive a shock, immediately move off.

We can smile at this statement; but we do not suppose. It will not happen that the pack, landed at the place indicated, immediately takes the still fresh track and follows it. It is a fact that has been observed many times over that game notices research on the map and is frightened by it; for if the work is started too early, a premature flight is provoked, and the trail, half erased, can no longer be successfully followed.

This process is even more successful in the practice of fishing, because the fish, even when detected, remain on the spot. We will conclude that, perfectly organized to perceive the electromagnetic waves which propagate in the water, the fish are insensitive to those which come from the ground and that their defense, on this side, does not have at its disposal. This means that the indications of their senses of hearing, sight and touch.

These explanations make it possible to understand how it is possible to perceive, at very great distances, dowsing images of the objects or people sought, as well as the places where they are.

Unfortunately, this image, perceptible at a great distance by ileradiesthesists, is mixed with all the "images" of all the regions of the world, reflected to infinity; identification is difficult and it is here that the usefulness of the "witness" appears, plan or photo, so that the superposition of the real image takes place on the one that we mentally form of the images. places or object.

The mechanism of detection on plan : According to

Abbé Mermet, our brain is a receiving station that we adjust to receive what we want, **even** as a receiving station. ice of TSF adjusts its capacitors and its antenna to receive such order of radiations, coming from such direction or from such transmitting station.

Nor does Abbé Mermet deny the possibility of a cerebral emission which facilitates reception: which is also the impression of Brother Benoît Padey.

Mr. Christophe insists on the role of the will or, at least, of “ mental desire ” and believes in the power of thought at a distance, in its very power to concentrate external radiation towards a precise place, or the determined points of a plane. But this is a hypothesis of the show and not its explanation !

She can. would be the one given by M. Voillaume : “ The organism after having received. then selects the waves coming from outside, projects them with his gaze onto the plan, the map or the photo. After which, having fixed them as real, he recognizes them on this plan, this map or this photo. in the same way that he recognizes them in nature. »

This would be the **reception-emission theory**.

For our learned colleague. Commander H. Chrétien, universal sound **waves** ; there is no need at all to go on site, but to work on the plan and then check, if necessary, at the desired location. A thousand proofs exist of the exactness of the work on plan.

As far as ultra-short waves are concerned, all pass through a point ;— a plan, a map. which serves as a reference for our eyes. Firstly. And on the other hand. vibrates like all bodies similar to the original. as it is very easy to realize by passing between the plan and the original. Such, according to him, is the cause and explanation of remote reception and t. avail on plan.

With regard to the waves of the TSF. for example, even directed, they are received by all the stations of the earth — at multiple waves — even at the antipodes. If we move the post from 0 to 50. 100 meters. 100 kilometers. 2,000 kilometers. etc. in all directions, the reception is the same.

In addition. Commander H. Chrétien insists on this point that it is necessary to **work alone**, and not several

at the same time. so as not to disturb the reception.

When two neighboring wireless sets. reaction, seek
at the same time to detect the same wave. they bother

'one will hear it with audible effect. as soon as they are both on the same wavelength . Now, ji is the same in ray - thesis. From which one concludes that there should be no competition;

— scientific research is not publicized: — but. what is needed is to work in **calm** . in **order** to obtain precision, and with knowledge always developed ph.Js; but practical work cannot be accomplished in a few days .

Note that **Mr.** Voillaume recommends **working** away **from** any radiant body: this invalidates the idea, about the pendulum, of which some people. ent to increase the sensibility by **charging** it with a radiant body: pitchblende or other.

MG Lackowsky gave work on plan this explanation : “ Par. anr of the theory of thought-vibration. it shows the radiation of the brain similar to an electromagnetic radiation and which, at a rate of 300,000 kilometres. es to a second, envelops the whole earth in about a seventh of a second.

If a point is moved across the plane of a terrain to be detected at the antipodes, a line of force is created between this terrain and the opé

. ator. Are we looking for the radiation of water 7 This one will borrow the vehicle of the line of force and will go up to us. that is to say to our brain.

And this. not to mention " mental desire ". neither of the predominance of the spirit, nor of " **mental** orientation ", nor of a mediumship according to **Dr.** Osty. nor of the " directed intuition " of **Dr.** Alfred Roux, from Vichy.

The mechanism of detection on photos: Photo-dowsing detections are difficult to explain: but this is not a sufficient reason to deny their possibility and it would seem that it is in connection with similar

MÉTHODE PHYSIQUE

research that Ch. could write: "If we were to limit our activity to experiences that could be explained in an adequate way, we would risk never doing anything. " »

But, as well, the interpretations provided by the radi -
thesisists. even experts — are quite divergent, from which
it follows that they have engendered confusion and distrust

For Brother Padey, quoted by Mr. Gsorges Barbarin, " with willpower, the pendulis?...it can accelerate the manifestation of influences and it will even feel immediately, if it wants, such or such group of waves ; that he wishes to capture: this is what is called acting by the " fluid of intention ."

Mme de Mersseman, who specializes in research on photos, poses a similar principle and has pointed out the existence of waves which would persist, even after the death of the subject, as well as a manifestation of waves of vigor and youth.

In the opinion of Brochenin, one proceeds with the pendulum by circumventing the photographs, in order to seek the fundamental rays and the figures of gyrations.

Mr. Christophe establishes that one can make a diagnosis on a photo, even a newspaper photo, even a telephotograph coming through space, printed in millions of copies, just as one diagnoses the subject **and** its emanations.

However, this personal affirmation in no way explains the phenomenon which, according to the author, would be an invisible emanation.

communicated to the paper proofs, either by printing, by contact, or by enlargement, projection or even mechanical reproduction , like a flame which would perpetuate itself indefinitely, from torch to **torch** , without the intensity of the source of light is never diminished.

Fortunately, Mr. Paul Serre provides an objective definition which should win him many votes, when he writes that “

the dowsing influence on the negative occurs at the same time, and in the same places as the luminous influence .

". So. if the chemical treatment of the plate **with** silver bromide is intended to bring out the latent image, it is up to the pendulum to find out. on the same plate, the dowsing emanation.

It is understandable, in such circumstances, that a pl:olo

can serve as a “ witness ”. in the same way as an object imprinted with radiation from a person.

It is on the basis of this principle that we were able to carry out the following experiment:

In a photographic frame, in the absence of a sensitive plate, we placed a **thin sheet of aluminium**, absolutely neutral from the point of view of radiation. We had previously swept it with a magnet.

Then opening the lens towards a person, as if to photograph them in the ordinary way, we posed for a few seconds.

Then removing the metal sheet, we noted with a pendulum all the characteristics of the person who was used for the operation: number, sex, general deficiency, present condition of the organs, etc., as if it had been a photographic image printed on sensitive paper.

Just as from a photographic negative one can draw, by contact or by enlargement, an unlimited number of prints which all take on the personal emanations of the subject: represented, we were able to draw on sheets of paper, ^ plain white, free of radiafons, as many oreves as we pleased, and above which the pendulum reacai under the same conditions as on the original sheet of aluminium.

Then, the question having arisen in our mind to know if the photographed objects also emitted a rad flux : aesthetic. we could. after experience. conclude in the affirmative.

To do this, we first operated on a bronze statue, emitting inverse radiation (—); having photographed it on the aluminum sheet. we then observed these characteristic signs: number, direction of pendular reactions, etc.

The same test on a piece of furniture gave identical results.

tiques.

in order to avoid any autosuggestion. we had not looked for the signs (—) for the statue. and (+\ for the piece of furniture, only after taking two shots.

Finally, for the experiment to be: • conclusive, we continued no; trials by experimenting with the action of photonraphy colors; on the aluminum foil, and the successes

were complete.

These results clearly demonstrate the favorable ^{or contrary} influence exerted on us by the radiations, invisible but real, emitted by furniture, the; ornaments, works of art, decorations, as well as colors, in the atmosphere of which we evolve.

For Mme de Me sseman, photography is the emanation of a person's radiation. is capable, provided the person depicted is in perfect health, of favorably influencing a sick subject. if their two photos are placed next to each other.

By applying this principle, one should be able to • create a comforting and healing atmosphere, by surrounding the photo of a sick person with selected remedies, suitable to his •
• emperamen t and likely to bring him a relief.

It would be easy to realize the effectiveness of such a process, by noting **the** pendulum of the reactions caused by the state of the patient, before and after the experiment.

The author also signs the dangerous action of the morbid radiations of the photos of patients, as well as of the letters written by them. Just as the success or misfortune of the people we live with influence our own destinies.

Fortunately aue. always according to the theories of Mrs. de Mersseman, the radiations of the pho+onrar''hies canvP.n ¹ also exercise on the mind and the health of others • beneficent influences : such is the case of the r''ho+os of athletes, of champions, of beautiful children of humanity, of gentle and beneficent people, of reliable friends. from which it is possible for us to profile salutary radiances, so knotted; take the corner rfe us in e.,+ourer or place them in the vicinity of our own effigy.

However, a mystery still hangs over the question, if we know that the photo of an individual, in his childhood, can be

used **for** research on his present state of health, then
gu' :! **A4+** **A** :«+ llae r.1îir. and even 1 **has** old age. Or. if the diagnosis
reveals
the day we are. a sick person. a deficiency ,
or even the recent loss of a limb, for -

Can we say that it is to the dowsing recording that these phenomena are linked?

The pendulum search can be carried out not only on a photograph. but also on a drawing. and if we graphically reconstruct the body of a person of whom we only have the photographed head. the pendulum reacts as it would on any part of the body indicated with the greatest **precision** .

Father Mermet. in his book " Comment j'opere ". slowed to make a pendulum evaluation of the faculties of musicians: Wagner. Beethoven. Chopin. Mozart. Gounod , Sébastien Bach. Tchaikowsky; gold. all these artists except Wagner. Gounod and Tchaikowsky. had died long before ^Daguerre's invention.

It was therefore necessary for the Abbot to make his experiment on engravings. which should bear no trace of the person of the said musicians.

In such circumstances. it is to be presumed that the operation is only a matter of **mental** effort and. in this case, the drawing behaves like a " witness ", that is to say, like a " filter" which would only let through radiations of the same nature as those which preoccupy our mind, and would only act not by the power of his ray-. particular.

This remark is confirmed by the sentence of M. Voillaume, when he writes : " Drawing is only a means of guiding and fixing thought in its work at a distance ".

We can then ask nothing of photography other than to play a role analogous to that of a

" **witness** " , held in the hand d. hear. and which possesses qualities analogous to those of the " filters " employed in radiotelephony .

In this case, our best collaborator is the **mental ray** ,

joining by an electromagnetic wave the brain
of the operator **to** the thought object; and this explains the
mechanism of prospection
on **plane**.

It is the same, moreover, for any object other than a photo, which is asked to support our mental effort at the precise moment when we operate.

Whether we use a map, a plan, a photo, a drawing, a physiological " witness " , **the role of these intermediaries** falls within the domain of teleradiesthesia.

But if the graphic representation were on the scale of nature and consequently capable of being superimposed on it, the operator would find himself in conditions analogous to those of a dowser operating in the field.

However, this is never the case, especially when using a photograph of necessarily reduced format and which, however , presents all the characteristics of the land **OR** landscapes it represents. And it is in order to specify the limits, as well as the particularities, of the plots studied, that it is necessary to have recourse to a fine point, held perpendicularly with the left hand.

In addition, the photo, drawing or plan must have an orientation identical to that of the land studied.

To search for elements likely to exist in a given area, it is necessary to use " witnesses " as close as possible to the bodies sought : water, sand, limestone, metals, coal, crude oil, etc. The pendular manifestations conform to those produced by these bodies themselves.

Photography of places : The pendulum examination of the photography of places allows us to draw many deductions. On the one hand, if it is well done, it gives us an almost exact imaginative representation of the realities that we would have observed on the spot: but, on the other hand, as it only provides us with a perspective view , it is also for a representation in perspective that the displacement of our tip

-

antenna will trace the contours of the radiant zones that we have

retained.

That
is to say that it is very difficult to carry out, from a photograph of
places
,
vertical sections, at least exact.

A sharp photograph, taken vertically from the top of an airplane flying at the most suitable height. will be an excellent means of research. **and** the work will be carried out there under conditions at least as advantageous as on a ca. you or a plan.

People photography : The photograph of a person. even in reproduction in thousands of copies in an illustrated newspaper. provides us, from the radiesthesic point of view, with the same indications as if this person were in not. e presence (location of diseased organs, orientation of disease rays, etc.).

Yes. with a pendulum. Regulated on the Onde **Vitale**, we detect the photograph of a living person. our pendulum will turn: if the person is dead. it will stop. The same reactions will occur under the same conditions if. with a pendulum. tuned to the Mental Ray. we fix our gaze on the temples of a photographic portrait. But there are other, even more disturbing facts. It is possible to detect an elderly person and indicate his illness;; present. from a child's photograph. from a time when she was in excellent health.

So there is. in the radiance of a photog aphy something disturbing and still unexplained with our current ignorance.

LESSON THIRTY-SEVENTH

WHAT DO WE ENCOUNTER IN PLAN WORK

Documentation

As Abbé Marmet has already said, we encounter, from a distance, the same phenomena as on the ground.

Only the perception of these phenomena by the dowser can present some differences of detail. Whereas, in the field, with the exception of the case where we have recourse to the Mental Ray, the radiation of matter reaches our nerve centers only through one of our limbs : **hand** (contact or . antenna, placement of the pendulum on the vertical) : **foot** (for the users of the wand, especially): on the other hand, in T éléradies hésie , the radiation of distant bodies reaches our brain **directly** and without intermediary. e, with the aid of the Mental Ray which serves as its support.

Some differences will impose themselves, in the use of certain processes described. It is conceivable, for example, that it is impossible to arrange a physical screen on the path of a ray of which we do not know the exact di action. Under these conditions, the elimination of images can only be done by the use of dowsing screens.

Impossible to achieve by the Physical, objective Method, the Serial Number can only be determined by subjective processes.

On the other hand, we will be able to trace perfectly the Fundamental Plan of

a known or discovered object, which will allow us ,
if necessary, to or;enter rigorously a plan

of which we only know the approximate orientation. This orientation can, moreover, be done with the help of the horizontal rays (>) of the same object.

The control of the polarity, and, in particular of that of the “ images ”, will be done without difficulty by the simultaneous reception of the dowsing wave and of the wave of a pole or a magnet. It will be the same for the control by the “ witness ” held, either with the right hand, or with the left hand, with its indications respectively different in each case. (See pages 95 and 169, Torne 1. 2^{mo} editing).

Phenomenon of the corners : We know that an object in a corner, like an object suspended from the ceiling, does not emit vertical rays at the location it occupies. (See pages 335 and 338, Volume 1. 2^{ree} editing).

If we direct a point at it, or if we place it **inside** . Within a magnetic field, its normal radiation will reappear, at least in the parts subject to these two influences

If we think of an object placed in a corner, our pendulum set on this object will oscillate: but if we seize a magnet in the left hand, it will begin to turn. Must we admit that the magnetic waves with which we charge ourselves are transported by our Mental Ray to the object and cause it to radiate at the point struck? The same phenomenon is observed, moreover, on the spot if we look at the suspended object while holding a magnet in the left hand.

Refraction : If, from the counter of the vertical radiation of a buried object, we draw a line on a **plane** chosen at a certain level above this object (that **of the** ground, of

the room we are exploring from a distance, for example), it can be done, if this radiation encounters homogeneous layers of inclined terrain. that this line is deviated by refraction. We will not be surprised, in this case, if the vertical cut that we will execute next seems offset

from our horizontal path. If the shift in the plane is only due to refraction, a second vertical cut perpendicular to the first will usually restore the true position of the object.




Fig. 4

Let us note/ indeed, that there is an infinity of vertical planes . passing, for example, through the same vertical line. Two of them can be perpendicular (fig. 4).

Geological sections : The Mental Ray enables us to work just as well on a vertical plane as on a horizontal plane and, consequently, to draw sections just as well as planes.

The geological section of a piece of land can only be done remotely by trial and error, and by successively trying different substances : **aluminum** for earth, **silicon** for sand, **calcium** for limestone, characteristic substances for certain rocks, etc. If we are fixed on the nature of the layers that we encounter in the explored terrain, we will only have to arrange them using the pendulum, according to their order of succession and their thickness.

Disturbing influences : It can happen, and the case seems quite frequent, that certain disturbing influences , the nature of which is still badly determined, make themselves

felt in a homogeneous ground where the vertical rays are not subject to refraction. In this case, these influences not being exerted with the same intensity in all the directions, and in particular in the horizontal and vertical directions, the rays will not be deflected in the same way in these two directions and we will still have cuts that are slightly offset from the corresponding planes.

We will indicate later how to rectify this cause of errors.

Use of very precise adjustments : It goes without saying that if we want to avoid possible errors, we will have to, by working on plan, both at the Neutral Pendulum PS and at the Schumfell Revealer, only use very precise adjustments. great precision.

Elimination of images

> and per: urban influences

Like all the other micro-physical manifestations that we encounter in our on-site studies, with the Neutral Pendulum PS, the images appear and, sometimes in very large numbers in our remote research.

We will find some that are stationary, but we will also find others that will move continuously in connection with the apparent movement of the sun. This means that their location will vary if we perform our work at different times of the day.

Certain divine "images" moving on different alignments, but converging towards the generating object, we could be tempted to use this particularity to discover the location of this object. Unfortunately, these fine 'images' are themselves also producers of other secondary 'images' which move under the same conditions.

However, there is no doubt that, if it already fixes us on its existence, the arrangement of the groups of families

of "images" of an object, can already fix us on the limits of the zone in which we must look for it.

Anyway, it will always be in our interest, at least at some point, to get rid of ^{<e} images ^{:1>}. We will eliminate most g. and number of daytime images, operating either before sunrise or after sunset, and our work will thereby be considerably simplified.

“ **Emram** ”
tip-antenna : For the elimination of other “ images ”, we will remember that a vertical tip , directed towards the ground, makes us insensitive to **electromagnetic** or **radioactive** “ images ” and that the contact of a magnet held in the left hand deprives us of the faculty of perceiving the radiation of **magnetic images**. It is on these two principles that the. “ **Emram tip-antenna** ”, **anti-images**. This ingenious little instrument (1). held with the left hand, is most convenient. We the




Fig. S. — Pointo-antonno EMRAM anti-images

(1) We find the Pointo-ontonne **EMRAM** d lo M o i s o n of “ Scientific Progress ”.

37, rue Rossini, Nice.

to the needs of our exploration. It will have, in addition; e, the advantage of eliminating the disturbing actions of which we have spoken previously, as well as the amplification due to the porosity or to the radio-activity of the ground (fig. 5).

Search for water.: The use in Teleradiesthesia of the **anti-image Emram antenna point**, will most often avoid us being stopped on a **line of influence** ; and, if we carry out our research in the evening, we will no longer encounter diurnal images, and in particular those found on the ascending or descending vertical of an object or of a "magnetic image". We will only have to deal with the families of electro-magnetic AC "images", much rarer than the preceding ones, and to which our special antenna-point must render us insensitive.

Underground research : Like waterways, underground passages generate "images". A gallery will produce gallery images; a room, "images" of a room of the same shape. If the soul emits harmful rays. we will find at a short distance (1) these same rays to which it will have communicated its own polarity. Whatever this polarity, the physiological action of the harmful rays coming from an "image" will be just as pernicious as that of the same rays emanating from the subterranean itself.

Search on the map for a mineralogical vein : If we do, on the cavity, and using a neutral tip (pencil or ordinary mechanical pencil). the search for a mineralogical vein, we are exposed, if this vein is in porous or radioactive ground, to trace an amplified t.-cs perimeter . The use of the above-mentioned **Emram antenna-point** will free us from this inconvenience.

(1) Images of harmful rays coming from underground. are. generally, shifted compared to the images of this underground.

Use of Schumfell developer in off-plan work

The use of Schumfell Revealer in plan searches is very advantageous. It must, of course, be regulated with the greatest possible precision on the prospected substance and only make it oscillate in the plane of the magnetic meridian. One can, by referring to the anti-image qualities of the instrument, prospect with the neutral point (pencil or ordinary metal rod) or use the above-mentioned Emram anfi-image antenna point, which will further increase the chances of elimination of images, interference and disturbing influences. ice cream of any kind. But we must take good care of the fact that the Schumfell apparatus, as soon as it ceases to oscillate in the orientation of the plane of the magnetic meridian, begins to rotate automatically, producing an accidental gyration from which no conclusion can be drawn.

Due to the volume and weight of the Schumfell developer. it will be in your interest to prospect only with the help of an antenna point held in the left hand. It is only for the rough work of preliminary clearing that we can walk it alone on the paper. But, from this point of view, because of its anti-image qualities, it can render the most valuable service.

LESSON THIRTY-EIGHTH

INITIATION TO WORK ON PLAN

Documentation

We strongly recommend that beginners do not perform work on a plan before at least one year of field exercises; work on known elements, first, research on unknown then. You will find, if necessary, for this first initiation, in Volume 1 of this Course, a program of elementary exercises - born out of about thirty lessons comprising more than ISO exercises and a hundred practical applications.

It **will** , in fact, be of the greatest interest **to** approach the work on the plan only after having familiarized oneself with all the difficulties and all the pitfalls that **one** encounters in on-site research. '

When this is the case, we can tackle the following first elementary exercise :

Apps

A. — **There is, for example, in a room, a** rectangular table of
2 m.
X 1m. A helper **will** place an object there
Known copper

In another room, the operator will trace on a sheet of paper a rectangle of 0.20 X 0.10 (reduction to 1/10th on which, using a “ Schumfe-11 ” ruled on copper, i **will endeavor to trace the location** and the apparent horizontal outline of

the
dowsing

indicated

object

(large

point

vertical and magnet). he will come across many "images" and will have a good chance of tracing the outline of one of them on his sheet. This is the case in the use of the black spherical neutral pendulum PS which, precisely, is however not "anü-images".

Without allowing himself to be discouraged by the first inevitable failures, he will begin this first exercise again, until he succeeds in a routine way, as many times as he will be necessary.

B. — When he will do it fluently without error. he will move on to the second, which will consist in finding in an apartment of which he will have the plan, the location of a known object which an assistant will have placed there on a piece of furniture.

C. - Finally, the third posterior elementary exercise will consist in finding the exact location of an object buried in a space of 6 meters by 4 meters, chosen in the angle of two walls. Before covering the hole where the object will be buried, the assistant will have taken care to note very precisely the distance from its center to each of the two walls, as well as its exact depth from a certain leveling mark.

It will be a matter of tracing the "apparent horizontal contour" of the object at its location and making a perfectly marked vertical section of it in relation to the two walls.

D. — Recommendations to operate according to a photo : When one wishes to operate with the pendulum according to a photo, it is essential to take into account some recommendations which can be summarized as follows:

Use, as much as possible, a photographic image in

full length: three points are to be explored: head, chest, belt.

If you proceed on a bust, look for radiation **at** the level of the solar plexus.

For a head, preferably aim for one of the temples.

the case of a group, isolate the person to be examined, surrounding him with black opaque paper in which you will have

ménagé une ouverture correspondant à la silhouette du
su jet.

Whatever kind of photo we use, to
rid the image of para si radiation. es with which it can
be loaded, touch it with a warm breath, or
move over the entire surface, as well as on the back, the
two branches of a horseshoe **magnet** .

no handwritten, ink or
pencil writing on the side of the image, or on the back of it.
If so , it is essential to remove it
and then pass the magnet.

Throughout the pendulum research, the
photo must rest **on black opaque paper**, far from any
emanation of foreign radiation: electric, magnetic , radioactive, the
head of the photographed person
being o iented
North.

Avoid using a photo representing a subject
crossing his arms.

E. — States of life or death according to photography : We
indicate below some applications that are
easy to do using a photographer.

Indispensable precaution: give a suitable length of wire
to the pendulum.

Neutral sphe.ic pendulum PS: adjustment : 201 millimeters
(Onde Vitale).

Schumfell Developer: Setting : 90 millimeters (
Vital Wave).

As a general rule, when examining the photo of a
living subject or mod, the pendulum begins to turn for a few seconds
in the direction of the
polarity
of the being represented .

By the mere fact of a precise setting on the Vital Wave, for

a living person, the apparatus rotates endlessly: for a dead person, it
comes to a standstill
.

But it should not be forgotten that, even if **the** subject is dead, the pendulum first turns in the direction of the polarity of the subject for a certain time **before** s·ar·eter.

F. — “Witness” photo: Place the photo (which will be used as a “witness” of life) of a living subject — of the same sex as that of the person whose state of life or dead — on the right, in front of you: on the left, place the photo to be examined, this one being on the same horizontal line at about 20 centimeters.

Pres. er the pendulum first on the right, above the photo; then, after a few seconds during which it has rotated, direct it above the horizontal to the place (the neutral point) where it oscillates strongly.

.Under these conditions, the two photos agree: living on both sides.

If, on the contrary, the pendulum continues to turn, the subject examined is mo: t.

C. — The watch : On the photograph, put a watch, the number XII towards the South. The pendulum shown above the watch first rotates for a few seconds — meaning the polarity of the person represented — then it begins to oscillate.

If it remains parallel to the operator, that is to say **IX** o'clock - **XV** o'clock on the dial, the subject is alive.

In case of death, the oscillations occur perpendicular to the operator, ie. **VI** hours — **XII** hours or dial.

H. — The dry battery: Place in front of you a flashlight battery , even a used one.

Present the pendulum above the photo: If the left index finger touches the (+) pole of the battery. in case of life of the subject, the apparatus turns as long as one maintains the index on the positive blade.

If you touch the negative blade, it oscillates. In the event of death, the same manifestiations of the apparatus occur if **one** touches the (—) pole.

Do we touch the positive blade. **H** oscillates.

I. — R a d i o-a c t i v i t y : The pendulum rotates above the photo to be examined: if, with the index or left middle finger, you touch a radioactive element: radium, uranium, pech - blende, granulite, etc... the device continues to run for a living person. For a dead man, he comes to a standstill.

The experiment can also succeed if the radioactive “witness ” is held in the right hand, near the suspension stick of the pendulum .

In the absence of designated radioactive substances, one can use them for the same purposes. some kind of radioactive water, contained in a glass tuba.

|. — Flowers: The photo of a living subject tunes with a natural flower.

An artificial flower goes well with a dead subject.

K. — White and black device: To use this device . the photo should be placed at the bottom of the vertical separating the two sectors (at A, fig. 6).




Fig. 6

The pendulum held above the photo rotates for a few moments in the direction of the polarity of the person photographed .

Then, it oscillates and maintains itself in the direction of the black sector

, if it is a living thing.

For a dead. it **moves** and maintains itself in the direction of the white sector.

when the pendulum has definitively held in the direction of one or the other sector, present it above the sector in question. At the moment. it rotates in the part which corresponds to the indication it has given, life or death, and oscillates in the other part. That is to say, for a living being, it turns in the black sector, and oscillates in the white sector. And

vice versa.

L. — On a full-length photo (subject's head to the North:

As soon as the pendulum begins to turn. lead it slowly upwards from the feet to the head.

In case **of** life, the pendulum turns.

It oscillates. if it is a death.

M. — Control by the bar magnet process:

Set the pendulum on I Magnetism. Place the right magnet (rectilinear) on the “ witness ” (photo, etc.); all oriented North-South magnetic.

To certify :

For a living person: Oscillation in the center of the magnet;

Negative gyrations in the
immediate extension of the North Pole;

Positive gyrations in the immediate **extension**
of the South Pole.

For a death: Gyration in the Center of the Magnet :

Positive gyrations in the
immediate extension of the North Pole:

Negative gyrations in the
immediate extension of the South Pole.

LESSON THIRTY-NINTH

SEARCHING FOR A PERSON ON A GEOGRAPHIC MAP

Documentation

As we know, the constitution of organic matter is based on **the** cell, the seat of an intense vibratory movement. which constitutes the very essence of the life of any organized being. The vibration of the cell, constituting a permanent excitation, living or dead beings emit a large number of electromagnetic radiations which it is possible to isolate from each other and which are added **to** those of simple or compound bodies which enter into the **composition** of their cells.

By Teleradiesthesia it is therefore possible to detect on a geographical map. a precise plan, the presence of a living or dead person. We will proceed as follows: •

Apps

A. — Orient the Plan or the Map magnetically North-South .

Place the " witness " (photo, or hair. **or joist. etc.)** at the edge of the card, in one of the nails.

Set the pendulum on the " **sympathetic wave** ", **or on** the " witness:..

Present the pendulum around the " witness >, slowly. **follow** the arc of the angle.

When the pendulum swings **o** the straight line joining the " witness " **to the** subject sought, **o** whatever distance

subject is found, it will frankly oscillate along this line.

Mark this first line obtained, either with a stick, or with a ruler, or with any thread.

Move the “ witness :”, place it in another corner of the ca. te, so as to prepare a cross-check.

Resume around the “ witness ” the search for the new and second line linking it to the subject sought.

The point of intersection of this line with the first must in principle be where the subject is.

Two or three analogous cross-checks are always performed. s helpful.

This work must be done very slowly Leave the pendulum time to manifest itself, even if it means repeating the experience as many times as necessary.

It happens that the pendulum, after having oscillated firmly on a line, changes direction without apparent cause. Take your time well. Ensure the perfect orientation of **the** card.

It is a question in this process of a use of the famous " ray of union ".

Search for a lost object, on a map or on a plan

B. — The same search procedure can be used to find a lost object. Draw yourself the land, the garden, the apartment, etc... where the object seems to have been lost. The “ witness ” will in this case, as far as possible , be an object similar to that sought, of the same material and of the same shape if possible.

Do not forget to desensitize the drawing representing the terrain by sweeping its surface with the two poles of a curved magnet.

CHAPTER X

LESSON FORTIETH

GRAPHO -RADIESTHESIA

Documentation

The dowsing examination of writing : We know that graphology is based on the relationship that exists between the brain, seat of thought and will, and the hand that materializes and fixes the concept through writing.

It is good to resort to this art to appreciate what humans are worth, according to the examination of their handwriting. to better choose his friends, his collaborators, in private life and in business .

Dowsing can also help us considerably and with greater precision.

Indeed, the pendulum study of the writings is most interesting . For our part, we have observed that the Neutral Pendulum PS follows exactly, not only the inclination, as

well as the direction of the lines written, but that it translates by its various movements **the state of mind** of the writer at the time . where he covered the paper with his writing.

How could such a phenomenon be explained?

Doctor Lakhowski teaches us “ that each cell of our organism contains a microscopic oscillating system , which vibrates continuously under the action of cos - waves . mics ..

“ The entire Universe, he says, is bathed in an ocean of vibrations and

radiations, which reach us from all regions
of the firmament.

“ However, these vibrations and radiations are not absorbed by our cells: they enter them like a transformer and come out in the form of reradiations.

The sum of these reradiations constitutes your **personal vibration** of each individual, of each plant, of each mineral.

—
“ Radiation is different for each person. It is its frequency, its number, its intensity which constitute our **individualities**. And this is how the individual transmits his personal radiation to a **page** of writing: just as a " witness " of a person or a " witness" of a plant or mineral is impregnated with this personal radiation. .

“ Cosmic radiation and vibrations never influence two individuals in the same way. Their frequency, their intensity being extremely variable, explain the diversity of natures and confer on each individual a number of his own.

Apps

A. — On a type of "calligraphic" writing inclined, in the classic way, i.e. 50 to 55 degrees, and testifying on the part of its author to the qualities of order and care, but also the love of the conventional and sometimes also the insignificance , the pendulum seems, so to speak, to follow the outline of the written page docilely: it gives all the characteristic signs revealed by oscillations or gyrations • at a regular and calm rhythm.

B. — Small and tight, the writing reduces the movements of the pendulum to a series of slow and very minute manifestations ; it is the typical writing of thrifty, reserved or avaricious people. In case of exaggeration of smallness, it is a sign of elusiveness.

C. — Quite different is the behavior of the pendulum with regard

to "**simplified**" writing , which always indicates a cultivated mind ; the movements of the camera, however slow they may be, are calm, balanced and absolutely regular.

D. — For an “**a r t i f i c i e 1 1 e**” writing, vertical line with pitto esque endings. generally revealing on the part of the author a background of dissimulation and research of the effect. the pendulum first swings vertically. then it follows the sinuous meanderings of a thought that slips away.

E. — The fact that the pendulum swings wildly and turns at irregular intervals. sometimes on the right. sometimes on the left. depending on the complexity of the layout and the **unexpected direction** of the necks. bes and rights. is the confusion index. negligence. from the distraction of the ignorant and careless. for most cases.

F. — The clues are substantially the same for “**confused**” writing , the fruit of an imagination as lively as it is ill-regulated; the pendulum in this case reacts by a series of rapid gyrations. direct or inverse, and perpendicular oscillations .

C. — If it is a “**spaced out**” writing , the pendulum goes around the outline of the letters according to their inclination; it then oscillates perpendicularly between the voids of the graphism . This peculiarity denotes the breadth of the author's ideas and tastes : unless the imagination translates. in a lower script. expense. oniomania. or the need to throw window dressing.

H. — Material Temperament. passionate or brutal temperament. it is the sc. excessively “**pressed**” iture . The pendulum reacts in the direction of the tilt. most often abnormal, by the very accentuated amplitude of its movements: very powerful gyrations and oscillations.

I. — In the case of a “**magnifying**” line, revealing exaggeration. of recklessness. the pendulum while adjusting to the inclination of the letters. gradually accentuates its swings. which become powerfully active at the end of words. Then contrary movements occur for

a "gladiolated" writing symbol of finesse. of caution.
skill and even artifice.

J. angular calligraphy — generally high — called “ of the Sacred Heart”, which seems to be done to the cadence of the metronome, reveals a polite but distant coldness, which can also be interpreted as a love of convention and tradition . It provides the pendulum with movements that are all the more accentuated and frequent as the layout is on a more or less exaggerated scale; movements first in the direction of the relative inclination, then movements from left to right, in oscillations, following the exaggeration. ation of horizontal lines .

K. — The “ **trembling** ” line: feverishness, senility, provides the detector with low amplitude oscillations, horizontal, then vertical, and discontinuous.

L. — The writings of the **left hand** are reversed and form an angle of 100 degrees with the horizontal. On a graph of this kind

, the behavior of the pendulum is expressed by a series of oscillations to the left , at extremely sharp angles .

M. — This kind of writing, which is also found in subjects capable of writing with the right hand, is for the latter an indication of withdrawal into oneself, reserve, **mistrust** and dissimulation.

N. — A page of extremely confused and “ **exaggerated** ” writing, a type of exaggeration or maniacal exaggeration, produces a set of lively oscillations, followed by abnormally powerful positive gyrations.

O. — Above a **complicated signature** , however intricate it may be, the pendulum draws all the tangle of meanders as well as the slightest paths of the pen, with all the more acuity that the signature is exaggerated.

P. — We know that in graphology, the pride of the name can be read in the bar which underlines the family name, just as the clever person in business or the suspicious person who is misguided envelops his name with a protective lasso; now , in the first

case, the pendulum, after having turned over all the letters of the name, swings horizontally from left **to** right; for the other signature, it ends by wrapping the name in an ovalized gyration.

Q. — To say a word about **anonymous letters**. the radiesthesic means
give the possibility of identifying them, provided that one has a “ witness ” or the “ personal number ” of the supposed author.

R. — In the absence of these documents, recourse is had to "mental questioning": but then one must be wary of often misleading autosuggestion.

S. — **A typewritten page.** above which the pendulum oscillates
vertically without end
,
can only acquire value from the point of view which concerns us
insofar as
it is signed by the hand of its author.

T. — In this conjuncture, it is possible to carry out dowsing research of health of:; more complete.

CHAPTER XII

FORTY-FIRST LESSON

PSYCHO- RADIESTHESIA

Documentation

Although not expressly pertaining to the method of Mental Dowsing, the **psycho-dowsing operations, the description of** which we have undertaken using the pendulum , require on the part of the operator an application of the mind, even a serious effort of will, in order to dismiss any suggestion or autosuggestion.

we have recommended that pendulisers strive to remain passive , with no other concern than to interpret the behavior of the movements of the pendulum and to operate only as far as the the dispositions of the organism are in the optimum condition to perceive the action of the waves by purely objective means.

These recommendations are even more pressing here since the success of the operations is strictly subordinate to them .

The modern “ **testing** ” method, which is used to determine. the **development of the faculties** or the **mental level of a human being**, as well as his **aptitudes**, is likely to be practiced by dowsing means. .

It is only after repeated trials and after having checked all of the multiple observations that we decide **to** make known the methods which have succeeded.

But, just as much, the fact of wanting to establish a criterion of the qualities, aptitudes or faults of others, requires on the part of the researcher real qualities of intelligence, discernment and moral balance, for lack of which the best means of appreciation would run the risk of proving obsolete.

c The test, writes Professor Wallon, is an experience or an instrument of experience. The fruitfulness of the experiment is measured by the genius of the experimenter. In the use of skills, all degrees of sagacity and all degrees of insufficiency are observed. There are no processes that allow Science to develop automatically . »

One can therefore only judge the quality of a subject according to his general qualities: someone who, for example, shows a high level of intelligence, if one observes this faculty alone, may turn out to be crippled as a whole spiritually or materially. Any value; human being is conditioned by all the other values, and vice versa.

It's the 0^r Alexis Carrel who said : “ Intelligence is almost useless to someone who only possesses it. Without the exercise of the will, the intelligence remains dispersed and sterile. >

These remarks command the reasons why in this kind of research. it is advisable to establish an average which then allows a classification embracing all of;; values or possibilities.

The;; the most homogeneous averages. those which present

the closest figures, will affirm themselves superior to those which will present significant differences. Thus, a constant number of 27 or 8, for example, should be considered superior to a series of numbers ranging from 3 to 9 or from 5 to 10, which testify to a disharmony in the subject. We will attribute ilux primes a real balance merging into a set superior.

1. TEST METHOD

One method, called “ tests ”, consists **in** using the process of individual psychological profiles created by the learned Russian psychologist Rossolimo, according to a method dating from 1909 (quoted by A. Cuvillier, “ Manuel de Philosophie ”) according to a Table of an Individual Psychological Profile (1).

Apps

A. - To establish radiesthesically this “ Psychological file ”, it is advisable to place **on** the right the “ témoin ”. **unless** you want to operate directly on the subject himself, in which case he will have to place his right hand in the same place.

Either way, the results are identical.

The PS neutral pendulum, tuned to the Sympathetic Ray (158 millimeters of wire) or to the subject. is presented **vertically** either to the “ witness ” or to the subject’s right hand .

The operator holding an antenna tip in his left hand places it, held vertically. **on** the left in the middle of space n° 1, located above the word: Attention.

The pendulum first rotates without stopping, directly (+) or inverted (—) depending on the polarity of the subject. Then place the antenna tip by mounting on location no . 2, and continue like this. slowly. following the order of the numbers, until the moment when the instrument switches **to** oscillation. then turn in the opposite direction.

Note with a dot or a cross the location where the device has modified its movements in accordance with the level of the faculty.

(1) For sale House of “Scientific Progress ”. 37, rue Rossini, Nice.

B. — Then repeat the operation by acting in the same way for each of the faculties: Will, Perception , Memory, and so on.

. **C.** — As soon as all the cells of each column have been explored, the marks, dots or crosses are joined together by a series of small straight lines, the whole of which provides a particular graph to the individual examined.

D. — Professor Wallon, in his book " Principles of Applied Psychology ", provides the following examples as documentation :

.a) Case of a normal subject:

Attention 8, Will 8, Perception 8, Visual Memory 9, Auditory Memory 8, Number Memory 8, Intuition 9, Deduction 9 , Ingenuity 9, Imagination 9, Organization 9.

b) Mild intellectual disability:

Numbers in order of faculties listed above •

S.6 , S.7, 7, 7, 7, 8, 9, 8, 9.

c) Noticeable deficiency:

4. 4, 4, 6, 4, 4, 4, 4, 4, 3.

d) Imbecility:


I. 1. 1, 3, 2, 2, 4, 1, 1, 1, 1.


II. PHRENOLOGY


By resorting to the doctrine of Gall's System, as well as to the more modern works ^{of} **Dr.** Luce and Colonel de Rochas, according to which the faculties and the intuitions would have their seat

in specific places of the encephalon, it was possible for us , by using the radiesthesic means, to determine the existence or the development of the **instincts . inclinations**

or feelings . of the **affective** and **perceptive faculties** of living subjects.







The 35 divisions, conventional, no doubt, less devoid of a certain realism, which, in the brain, locate these various faculties, make it possible to establish a balance sheet of the qualities, values and aptitudes specific to an individual and whose knowledge can be of great use in **choosing a career** or in many life circumstances.

In correspondence with the digits and the numbers shown on the three figures represented below, here is the nomenclature of the zones adequate to affect one of these mental functions.

a) **Inclinations** : 1 Philanthropy, 2 Love of children, 3 Attachment to the ground. 4 Love of parents, 5 Love of struggle, 6 Destructiveness, 7 Discretion, 8 Desire to acquire, 9 Constructiveness.

b) **Feelings** : 10 Self-esteem, 11 Desire to be praised.. 12 Prudence, 13 Benevolence, 14 Veneration, 15 Firmness. 16 Consciousness, 17 Optimism, 18 Love of the marvelous, 19 Ideal, Poetry, 20 Cheerfulness, 21 Imitation.

c) **Perceptual faculties** : 22 **Personality** , 23 Drawing, Decorative arts, 24 Scope, 25 Manual dexterity, 26 Painting, 27 Geometry , 28 Mathematics, 29 Order, 30 Optimism, 31 Concept of duration, 32 Music, 33 Languages.

d) **Reflective faculties** : 34 Logic, 35 Judgment.

When it is a question of establishing for an individual, known or not, this work of research, it is by no means necessary to prospect all the 35 faculties, feelings or inclinations : one can limit oneself to making a choice of those which it is of particular interest to study.

Anyway, the way of operating remains **the** same.

Apps

A. — The pendulum PS, regulated on the Sympathetic Ray (158 millimeters of wire) or directly on the subject, is presented

vertically ,
as is generally done.

The operator, holding an antenna tip in his left hand, directs it vertically to the location of the number

or cipher specific to the faculty whose merit he wishes to estimate.

Above the “ witness:., the pendulum which rotated (+) directly, or (—) inversely, in accordance with the polarity of the subject, then immediately oscillates a certain number of times, as many times as **necessary. retain or better grade** ; after which it resumes its gyrations.

It is the greater or lesser number of oscillations which enlightens the operator on the level of qualities in experience.

B. — If the examination covers all of several faculties, it is important to calculate an average by adding the number of oscillations considered. **üf** on the number of faculties studied.

This average makes it possible to deduce from the following set the deviations by excess or by default.

The closer the figures are to a constant average. the more the general balance is satisfactory.

C. — Let us take for example the case of a young man who asked ^{us} to study his **p e : s onne l es** . with regard to **choosing a career**.

The examination, which related to ten specialties: Architecture, Decorative Arts, Biology, Physics, Mathematics, etc., provided a total of 402 oscillations, that is to say an average of 40. However, we were able to draw up a list where Biology, Physics, A chitecture. Literature ranked first, having brought out figures, clearly **above** the average and which burst 'our candidate on his best chances of success.

III. INDIVIDUAL MORAL VALUE

We have developed an ingenious " Chart of Individual Moral Values " which, although established according to the rules; of Mental Dowsing, allows, by means of **very** simple physical processes, to form an opinion on the value of individuals, even unknown ones, to the point of * ue of

their good or bad quality .

Apps

A. — At the bottom of the painting, in the rectangular part. where the legend appears. the “witness” is placed, which may consist of a letter or any other object belonging to the person to be judged.

• **B.** — If one operates directly on the subject. which is undesirable. because of the very nature of this kind of investigation. enough. to place the upper end of the fingers of the right hand at the location of the “witness:..

An arrow cut in the middle by a circle. which po te. at the end of two small arrows. a letter B (good). M (bad). divides the painting into two equal areas.

To the right and to the left. at the top. we can read a succession of numbers from I to 15.

Two regular curves—the mode of establishment of which the author deems it necessary not to divulge—are: one, that on the left, concave, and the other, that on the right, convex. dominate the whole. They are what give the device its value.

C. —The way to use this table is **very** easy.

The net pendulum e PS. tuned to the Sympathetic Ray (158 millimeters of wire). or on the " witness ". is held above it. It first spins directly (+). Or vice versa (-). in the direction that suits **the** subject 's polarity.

It is guided straight ahead following the direction of the large median arrow. then it is held for a few short moments vertically above the circle. We then expect that, spontaneously and freely. it takes one direction or the other. **left (Good)** or right (**Bad**).

A somewhat practiced operator will clearly

" feel " in which direction the device is tilting and follow it to the point where it oscillates. then stabilize.

The number at the top of the column will provide the “ index ” of good or bad quality .

D. - Either. according to legend: from 1 to **4** average, from 5 **to** 12 good, from 13 **to** 15 very good. or again: from 1 **to** 4 average, from 5 to 12 bad, from 13 to 15 very bad.

E. — There can be no doubt as **to** the direction the aircraft will take. Indeed, just in case, having been misdirected. it would happen that he engaged on the curved line contrary to that which he must correctly follow, the hanged man **would turn in opposition** to the real polarity of the subject (just as he acts, if one exceeds the " neutral point " when using the " Union Ray"). Any misinterpretation of this fact is therefore impossible.

CHAPTER XII

FORTY-SECOND LESSON

RATIONAL AND HAPPY CHOICE OF FRIENDS, ASSOCIATES, SPOUSE BY PERSONAL WAVE <1>

Documentation

Searching for the reason of the agreement existing between certain people, and of the disagreement existing between the others, we realized, during our experiments, that **the Personal Wave** of an individual, sympathizing with another individual, presents a harmonic relationship with the Personal Wave of this other individual.

We have also observed that the Personal Wave of an individual experiencing antipathy for another individual presents a dissonant relationship with the Personal Wave of this other individual.

We finally noticed that the Personal Wave of an indifferent individual towards another individual does not present any relation with the Personal Wave of this other individual.

We therefore thought of using this Personal Wave, positive in men and negative in women, a special wave , specific **to** each human being, and which characterizes their personality, to detect whether two people are likely to sympathize, and, above all, to match two beings, that is to say to bring about the fusion of their personalities, a necessary condition for **their** good understanding.

(I) Communication from Mr. Maurico BÈQUART. son.

Our experiences have enabled us to establish the method of Following Physical Dowsing, for the rational and happy choice of **friends**. associates , spouse .

Principle of this physical method : 1° If the vibratory movement of the Personal Wave of an individual is reinforced by the vibratory movement of the Pe Wave. sonnel ie of another individual, and " vice versa ", is that the poini. which is the seat of this movement. is stressed in the direction of its elongation.

In this case, these two waves have a harmonic relationship between them : there is therefore agreement between the two individuals.

2° If, on the contrary, the vibratory movement of the Personal Wave of the first individual is weakened by the vibratory movement of the Personal Wave of the second individual. and " vice versa ". it is that the point, which is the seat of this movement, is solicited in the opposite direction to that of its elongation.

In this case, these two waves present between them a dissonant relationship: there is therefore disagreement between them; and the two individuals.

3° If, finally, the vibratory movement of the Personal Wave of the second individual has no action on the vibratory movement of the Personal Wave of the first individual, and " vice versa ". these two waves have no relation between them : there is therefore indifference between the two individuals.

Apps

A. — Explanation of the method : Let us obtain a "witness" (blood , urine , lock of hair or photo, preferably) of each of the two individuals we have to deal with and place ourselves in the axis Magnetic North-South

3

(the face to the North).

Let us present the Schumfell Revealer above the “ witness ”
(photo. for example), oriented magnetic North-South. of the first of
the two individuals .
Let's oscillate the device and tune
it to the Personal Wave of this individual. Let's oscillate-

1st again the Revealer and let us present it, without placing the “ witness ” against the rod, above the photo, also oriented magnetic North-South, of the second individual.

Reaction of agreement : If the directions of gyration of the pendulum agree

, the two Personal Waves are in harmonic report . The two beings sympathize, because they are made for each other: they are matched. Their personalities being able to merge, these two beings have an interest in frequenting each other, to socialize, to marry.

Reaction of disagreement .If, on the contrary, the directions of gyration of the pendulum do not agree

, the two Personal Waves are in dissonant relation. The two beings harm each other mutually; they don't get along because they do n't match. Their personalities being incompatible, these two beings have the greatest interest. and to avoid dating, associating, marrying.

Reaction of indifference : If, finally, presented above the photo of the second individual, the Revealer Schumfell persists

in **oscillating** , or stops, the personal waves present in themselves no relation. The two beings are indifferent to each other. They therefore have no great interest in dating, in associating, in marrying.

B. — Control : As a verification measure, let us now present the Schumfell Revealer above the “ photo witness ” , oriented N.-S. magnetic, of the second individual . Let's oscillate the device and adjust it to the Personal Wave of this individual. Let's oscillate the Revealer again and present it, without placing the “ witness ” against the stick, above the photo, also oriented N.-S. magnetic, of the first individual. .

5

The reaction of the pendulum, recorded in this second examination should, if the two operations have been well done, be identical to the reaction of the apparatus. obtained during the pre-my exam.

If we want to operate directly on interested people we govern. So let's have our Schumfell Revealer above

from one of our subjects' hands. and we will proceed as before.

In order to avoid errors due to fluid impregnation . we will take care, before and after each operation, to de-impregnate the pendulum and the operating hand.

Any dowsing operation aiming at any choice: food, remedies, relationships. etc ., must, like any other operation. be subject to rigorous control.

We can use two excellent means for this control :

1 ° The " polarity indicator ":

2 ° The Fundamental Plan.

The use of the " polarity indicator ". as a means of control. having been described in the " Course of Physical Dowsing " (Torne I^{er}), we will only expose here the manner of using the Fundamental Plan as a means of verification.

Example of control by means of the Fundamental Plane : **Let**

us set our pendulum on the Personal Wave of a male subject A, above his photo. We get a positive gyration.

Let us seek (as indicated in Il^{le} lesson of the " Course of Physical Dowsing ", page 157. Torne I^{re}) the orientation of the Fundamental Plane of the Personal Wave of this subject A.

Let 90° " This orientation be magnetic.

Now place the pendulum, set to the Personal Wave of subject A, over the photo of a female subject B. We register a positive gyration.

Let us slowly move the device in gyration around and as close as possible to photo B. in the direction North-West-South-East if our operating hand is positive, or in the direction North-East-South-West, if our hand operator is negative.

1 ° If the pendulum. which rotated positively on the 45° rays of photo B. begins to oscillate strongly as soon as it enters the field of the Fundamental Plane of the Wave

Personal on which it is set, the polarity of the gyration obtained is exact.

In the example chosen, the pendulum beginning **to** oscillate around 90° , to **the** magnetic East of photo B. would indicate the exact direction of the gyration recorded.

2° But if the pendulum, rotating positively on the rays at 45° of photo B. begins **to** oscillate as soon as it penetrates **opposite** the field of the Fundamental Plane of the Personal

Wave on which it is regulated, the polarity of the gyration obtained is inexact.

In the example chosen, the pendulum starting **to** oscillate around $90^\circ + 180^\circ$ offset = 270° , **to** the magnetic West of photo B, would indicate to us the inaccuracy of the direction of the gyration recorded.

In case of oscillation, or stoppage of the pendulum above photo B. it would obviously be necessary to resort to cont. ole by the " polarity indicator ", the only one usable in this case. (See page 95, Torne 1).

The control for subject B would be carried out in a manner identical **to** that which we employed for subject A and should, of course, give the same result as for this subject A.

C. — Investigate between two friends, or two members of the same family, whether there is agreement, disagreement or indifference.

D. — Find out whether there is a good or bad agreement between two associates of the same company.

E. — Find out if there is a harmonious relationship between one or more persons of the same family and such domestic **animal** belonging to them: bird, dog, cat, horse, goat, or various animals.

CHAPTER XIII

FORTY-THIRD LESSON

GRAVIDITY AND PRENATALITY

Documentation

I. CRAVID STATE

Apart from known symptoms. it is hardly possible to obtain certainty of the gravid state unless one observes the movements of the fetus (and this requires about four **and** a half months) or if one hears the sounds of the heart.

to
this éga.d an appreciable progress .

To undertake this kind of research—whether determining **the state** of pregnancy or determining the **sex** of a child in gestation—it is necessary to set the new pendulum - f. e spherical PS on the **sexual ray** (length of wire : **134** mm. for example). We refer the reader to Volume I' ^P . page 283. where an important documentation is given on these questions.

Apps

A. — If the pendulisor operates directly in the **presence** of the **person** whose condition he wishes to examine. he must point the index finger of his left hand as an antenna, towards the umbilicus, while
his right hand holds the pendulum in the center of our Radiesthesic Circle PS graduated **0°/360"**. **oriented** magnetic North .

) inversely, first for a few seconds, then it oscillates more and more strongly towards the North 0°-360°. where it remains in case of pregnancy.

If it is otherwise, the pendulum oscillates and takes the direction East 90 °.

B. — The same examination can also be done **by means of a " witness "** of the mother-to-be and **at** any distance whatsoever.

Urine, blood, saliva can constitute a sufficient “ control ” .

Place this document in the center of the aforementioned circle. The movements of the detector are consistent **with** those which occur when the examination is made directly on the person.

Whether one or the other of these methods is used, care must be taken to wait until the movements of the pendulum are clearly marked, so as not to confuse the first manifestations (which are those of the person examined) with the latest, which reveal. or not, the gravitational state and which are manifested by sustained oscillations.

C. — A drawing, a schematic figure, a photo representing a fertilized or unfertilized uterus, or an illustration of the human egg, or of the early stages of pregnancy, are very good documents capable of providing the desired information .

The search, in this case, operates as follows: Hold against **the** rod of the pendulum a homeopathic preparation of " placenta ", for example: then explore the graphic document with a point - antenna, while the pendulum is held at the above the " witness ".

If **there** is syntony between the preparation and the state of the person examined, the pendulum turns, and we can conclude in the affirmative.

If not, the detector oscillates.

D. — The union ray method can also be implemented to solve the same problem. **It** is enough. in this case, to place the homeopathic preparation or

c^ihè:-apiquo embryonic or foetal egg. in front of you, **on the** **e.VT** **side** of a horizon line of 20 centimeters: then on **the other side**, **the physiological** " witness " of the future mother.

The affirmative is revealed by the agreement achieved if the pendulum

r^se-tc) above the " neutral point " **oscillates endlessly**.

C'--: knows, indeed. that in the experiments on the **Dv'fon Ray**, the agreement is marked. not by gyrations. but because of oscillations above the " Neutral point ".

II. DETERMINING THE SEX OF A CHILD IN PREGNANCY

before undertaking this research. we must not lose sight of the fact that " **the** genital gland of the human embryo **appears** at the fifth week: it takes on its sexual type **at the seventh** week in the male. and to the tenth in the female.:e". (Jean Rostand.)

It is said that it is not necessary. not attempt the experiment of **determining the sex** of an unborn child **before** the third

month of pregnancy. •

Research can be done. as was indicated previously **with regard to the gravid state** . either on the future **mother**. self; on a "witness " **emanating** from her.

Apps

A. — The pendulum, adjusted to the **Sexual Ray** (134 millimeters **fi** !), held in the right hand, points with the left index finger **as** **an** **antenna** **to** the pregnant person's umbilicus, the apparatus turns **first** a certain number of times : generally 34. **in** **the** **opposite** **direction** (—) : it oscillates **again** and the number of these **beats** is not constant. are di ech (+) **for a male subject** , or inverse (—) for a female subject.

B. — This operation can be repeated using u:1 < **witness** » of **the** future mother. taking com..tc 41ue **in** this case **the** **nend-jle** doi , be presented vertically in **this physiological** document.

C. 0° / 360° graduated circle can also provide useful **precision** .

Square. the " witness " in the center of the Circle and above. throw the pendulum. After a series of gyrations the apparatus oscillates and maintains itself strongly in the direction of 330° degrees

for a male subject and in the direction of 340° degrees for a female subject

As soon as the oscillations indicate, unequivocally, one or the other of these divisions, carry the pendulum above one or the other, then accompany it gently towards the center of the circle. He executes a small gyration, then he "1 ire " straight to the center, on the good radius, while he turns and cuts on the bad one.

D. — **The colors** themselves also provide a good means of investigation for research of this nature. e.

Place a transparent green screen (No. 6 of H. Mellin's screens) on the physiological " control", throw **the** pendulum **above** it . **It** 1 rotates inversely (—): these are the radiations of the future mother: then it oscillates a certain number of times to resume its gyrations: (—) inverse, if it is a girl.

We remember that it was said, in connection with colors, that green harmonizes with a feminine subject.

For a male subject, after the first reverse gyrations (—) the pendulum oscillates endlessly and the gyrations resume in the direct direction (+) only if a transparent indigo screen is superimposed

(n° 4 of H. Mellin's screens) **to** the green screen already placed on the " witness ".

We have said of the colors that indigo harmonizes with the masculine type.

In the absence of these transparent **colored** cellophane screens , **opaque screens** can be used for the same purpose.; but. in this case. it is necessary to resort **to** the method

of the Ray of Union, by placing the " control " on the right and the **color** on the left.

1

E. — The magnet can in turn be used to determine the sex of an unborn child. if we proceed as follows:

The pendulum being presented above the “ witness ”, touch with the left index or middle finger the S (—) pole of a curved or rectilinear magnet. The detector rotates (—) inversely , then oscillates, and then resumes a system of inverse gyrations (—) if the unborn child is female.

In the case of a boy. after the first gyrations, which correspond to the mother's polarity, the pendulum oscillates without stopping , unless at this moment the (+) pole of the magnet is touched, and then the detector rotates (+) directly. after the first reverse gyrations (—) .

F. — Finally. it is also possible to carry out the same experiment using a dry flashlight battery , even a used one: the pendulum reactions are identical , as is the way of operating.

III. DOUBLE PREGNANCY

Apps

A. — The pendulum presented above the “ witness ” rotates inversely (—): 34 times. It oscillates, then rotates again directly (+) : 17 times: oscillates again and rotates inversely (-). This is the case of a boy and girl twinning.

For two boys, the inverse gyrations (—) are followed by a few oscillations, and finally two phases of direct gyrations .

For two girls. things happen similarly except that the last two phases of gyrations are reversed.

B. — As a control of these remarks, it is easy to resort to the processes implementing: the colors, the magnet or the dry battery.

C. — At the end of the examination of a case of simple pregnancy. if there were any doubt about the possibility of twinning, it would suffice

to observe attentively the movements of the pendulum which, as soon as the characteristics of the future only child are revealed, resumes its system of gyrations (34) in agreement with the future mother.

These various methods, established according to observations collected in the course of numerous experiments, should not, however, make us lose sight of the fact that it happens accidentally that the hormonal mechanisms of sexual differentiation are t. or c. in the embryo; in this case the individual may present at birth and retain throughout his life secondary sexual characteristics of one or the other sex.

For these reasons, it is prudent to specify, at the end of the examination, that the “ witness ” provided the characteristics of a subject, not a boy or a girl, but a direct polarized (+) being. - lies, or (—) conversely.

abnormal polarizations: that the boy (—) and girl (+) sometimes, without it being possible, up to now, to discern the causes, although a modern theory would have it that the abnormally polarized subjects were preterm infants, and we must recognize that we have been able to note the accuracy of this observation in several circumstances.

IV. SEX OF A CHILD IN GESTATION

A. ^— Use the Sanitamètre PS for these researches

- be
's “control ” may consist of a few drops of urine on a cotton ball.

Place it in the usual place. South (-).

On the opposite side, to the North (+), apply a homeopathic “ control ” :

Placenta.

The oscillations of the " Schumfell " **Revealer** in an East-West direction reveal the state of gravity. In case of non-gravity the Revealer stops.

B. — To find out the sex of the child in g e s t a t i o n , ask a male **ccontrol** : Orchitine ; or **feminine** : Ovarine : or any other sexual element , **near** ((witness >> **Placenta** .

If agreement is achieved, by the East- **West oscillation**. with one or the other of these “witnesses”, we will **deduce** that it is a **polarized** being (+) or (—) **who** — unless is not an abnormally polarized topic — **will be** boy (+). or **daughter** (—j).

C. ^— **In the case of a double** pregnancy, **the** agreement is made by means of the two "witnesses", boy or girl, **placed** near the **Placenta** .

CHAPTER XIV

FORTY-FOURTH LESSON

MODERN AROMATHERAPY

I. PERFUMES

Documentation

Most subjects. Fragrances come from the plant kingdom: there are, however, some of animal origin: musk, civet, ambergris, castorium, etc... as well as others that are not found in nature and for which we are indebted to Chemistry. If perfumery has become an important branch of commerce, it is necessary to anticipate for modern Aromatherapy an equally important development.

The flowers have a characteristic odor and various parts of the plant are fragrant: leaves, sheaths, wood, roots, fruit envelope, bark, and also the still closed flower buds.

Nevertheless, for the generality of fragrant plants, it is especially the petals that contain the most delicate perfume.

The place of cultivation of a plant has a great importance on the quality of the perfume it produces. It is only for this reason that certain harvests from certain sources are more appreciated, because we are sure to obtain only excellent products from favorable soil.

The perfumes coming from plants derive their origin from particular organs: the oil glands: while the perfumes drawn from certain kinds of trees take the form

of a more or less thick substance, passing through various degrees of consistency; these are balsams and resinous gums: incense, benzoin. myrrh. etc...

According to ancient physics. fragrant materials act on our senses through extremely fine particles . invisible. imponderables. which would detach from the odoriferous bodies and would come to influence our olfactory organs as well as our nervous system. acting as a stimulant.

Currently. the scientists admit the **vibrational** theory to explain the effects of the odorous substance. In **1882**, Wil.iam Ramsay and Haycroft considered that odors belonged to the theory of vibrations. and Durand demon - trait. in **1918**. that odorous particles have, like dematerialization ions. the power to condense water vapor into tiny droplets. as it happens in the Wilson Chamber, this apparatus intended to show the trajectories of very small ionizing particles.

The odorous atoms are infinitely numerous; some. such as those of musk. emerge in the open air by hundreds of millia ds without the matter showing any decrease in precision balance weight. ^

Others, on the contrary. and' this is the case of the essence of roses. due to volatilization, are subject to considerable loss during storage. even in carefully stoppered bottles .

Apps

A. It is possible using the pendulum. **to** practice recognizing the part of the plant prop; e to supply!a **fragrant substance**.

For it. it suits. after setting the pendulum on the plant and. with the help of a " witness ". to find on which part the device enters gyration.

If it is, let's admit it. with a **sprig of mint**. the camera set on it, rotates on the leaves as well as on the

flowering tops. and oscillates if presented on the jigneuse rod.

B. — When we operate. e on a **flower**: rose. jasmine. narciss. hyacinth, we use as " control ". near the stick - net of the pendulum, a petal of the flower. or even a paper slightly soaked in the pure essence of the flower (physical impregnation) and we see that the movements of the pendulum occur only above the flower.

C. — For the sandalwood. rosewood. •the Cedar. the detector reacts on **the bark** and on the wood; for patchouli. it is the leaves that cause the gyration; finally the roots if we consider the vetiver or the iris.

D. — In the case of **seeds**: cardamom. anise. coriander . _ etc.... we use a seed as " control :..

E. —
Standardized essence or chemical product : Chemistry . for its part, complements and reinforces the work of nature, and as paradoxical as it may seem. it is capable of supplying products, as well as essences, whose fragrance is closer to reality than what the flower produces. after she herself was treated.
 •

Tests on a large quantity of natural essences and chemical products have enabled us to make a remark of great value. of direct gyration ' (+) and that a chemical or synthetic product, liquid or crystallized, causes pendular reactions in the opposite direction (-); finally, if the repair contains both gasoline drawn from flowers as well as chemical constituents , the pendulum swings first in one direction and then in the other, starting with the one that responds to the dominant product.

F. — **Nature of the floral emission** : Belonging to the series of ultra-short waves, the particles emitted by

6

an essence of flowers are of an electro-magnetic nature,
and the fact can be verified objectively by
dowsing means.

PS Accessories

Tom I (2nd Edition April 1947) and Tom II report interesting new Radiesthetic Devices of various measurements, such as Radiometer, **Vitameter**, **Sanitameter**, Reporter Circles, as well as accessories, such as straight and curved magnets, colored screens, "witnesses" of organs, diseases, etc...

Depending on the choice of specialties studied, the School will be able to provide oaa devices and accessories as the initiation progresses,

However, due to the difficulties of all kinds inherent in the present **post**-war economic situation, and in particular with regard to the special raw materials used in the manufacture of these accessories; **these**, in the course of manufacture, can not be delivered before one or two months at the most. As a result, prices **can** not yet be known. We ask our Members to give us a little more patience. They will also recognize the considerable effort made in these difficult production times for having already made available to **them** three important well - **documented** course books

Our Members will therefore be individually notified as soon as the aforementioned items are soon to be supplied,

correspondence

37 Rue Ross i n i - NICE (AM) -

of a more or less thick substance. passing through +ous degrees of consistency: these are balsams and resinous gums: incense. benzoin. myrrh. etc...

According to ancient physics. fragrant materials act on our senses through extremely fine particles . invisible. imponderables. which would detach from the odoriferous bodies and would come to influence our olfactory organs as well as our nervous system. acting as a stimulant.

Currently. scholars accept the vibrator e theory to explain the effects of the fragrant substance. In 1882. Wil.iam Ramsay and Haycroft considered that odors related to the theory of vibrations, and Durand demon - strated. in 1918. that odorous particles have. like dematerializing ions, the power to condense water vapor into tiny droplets. as it happens in Wilson's Room. this device intended to show the:; trajectories of very small ionizing particles.

The odorous atoms are infinitely numerous: some, such as those of musk. emerge in the open air by hundreds of millions without the material showing any reduction in weight on the precision balance.

Others, on the contrary, such as rose oil, because of volatilization, are subject to considerable loss during storage, even in carefully stoppered bottles.

Apps

A. - It is possible , with the help of the pendulum, to practice **recognizing** the part of the plant which is suitable **for** furnishing the **fragrant substance**.

For it. it suits. after setting the pendulum on the plant and. with the help of a "witness ", to find on which part the device enters gyration.

If it is, let us say, a **branch of mint**, the apparatus set on this one, turns on the leaves as well as on the

flowering tops, and oscillates if it is presented on the ligneous stem.

B. — When one operates on a flower: rose, jasmine, narcissus . hyacinth, we use as " control ". near the stick - net of the pendulum, a petal of the flower, or even a paper slightly soaked in the pure essence of the flower (physical impregnation) and we see that the movements of the pendulum occur only above the flower.

C. — For sandalwood, rosewood. cedar, the detector reacts on **the bark** and on the **wood** ; for patchouli, it is the leaves that cause the gyration: finally the roots if we consider the vetiver or the iris.

D. — In the case of **seeds** : cardamom. anise. coriander , etc... a seed is used as a " control ".

E. —

Standardized essence or chemical product : Chemistry . For its part. complements and reinforces the work of nature, and as paradoxical as it may seem, it is able to provide products, as well as essences, whose fragrance is closer to reality than what the flower produces, after that she herself was treated.

Tests on a large quantity of natural essences and chemical products have enabled us to make a point of great value, namely that an essence drawn from a flower gives the pendulum a direct direction of gyration ' (+) and that a chemical or synthetic product, liquid or crystallized, causes pendular reactions in the opposite direction (—): finally, if the preparation contains both gasoline drawn from flowers as well as chemical constituents , the pendulum swings first one way and then the other. starting with the one that responds to the dominant product.

F. — **Nature of the floral emission** : Attached to the series of ultra-short waves. the particles emitted by a flower essence are **electromagnetic in nature.** and the fact can be verified objectively by

dowsing means.

Let's take as an example a type of natural essence of lavender, the PS pendulum set on Electricity (127 millimeters of wire) turns. a directly (+) ; set to Magnetism. (112 mm lead) detector will also rotate; any other setting will provide no pendulum activity.

C. — However, a recent experiment enabled us to observe that certain flowers, in particular the rose, emit radio **-active waves**. To be convinced of this, all one has to do is set the PS pendulum to radioactivity (170 millimeters of wire), then present it above the flower, even as a bud; the device reacts inversely (—) as happens in the case of radioactivity emissions.

If one wishes to verify the reality of the nature of the emission , one can hold, as a " witness", near the rod of the pendulum, a radioactive substance whose influence is sufficient to prevent any error of interpretation. , since by doing so one can only collect one emission of Radio - activity.

H. — **Floral radiation** : In addition, it is possible to **measure the activity of the rays** emitted, using. of the c Radiometer PS ”.

Here's how: the device being oriented North-South, present above the " Red Point " the pendulum PS set to Radio-activity. Designate the flower with the left index finger in antenna: the detector, after a few reverse gyrations (—) indicates, by a series of sustained oscillations, the figure of **the activity of the floral radiation**, ie for a rose **O p.** 20 to 30 angstroms.

He. THERAPEUTIC OF PERFUMES

Documentation

Therapeutic influence of perfumes : " Perfumes , in addition to their bactericidal power (the typhoid bacillus cannot live in a solution of one gram of gomenol per liter of water: the pyocyanic bacillus is destroyed by a solution of 2.25 grams of gomenol per liter of water) have

a favorable influence in the treatment of various diseases ” . (Commander H. Chr  ; ien.)

Lavender is an antineuritic; **benzoin** is lung friendly and **lemon** is stomachic. **Verbena** is supreme against headache ; sage is indicated to **fight** apoplexy and the **vulnerary** to strengthen. The **rose** is astringent and the **jasmine** emollient.

The **vulnerary** is . purified to heal wounds, and **terebenthine** acts on the urinary tract. The bulb of the meadow **narcissus** is **emetic**; while **asa-foetida**, with an attenuated odor , is antispasmodic.

The **flower of hawthorn** is a heart tonic, like that of **lily of the valley** ; while that of the **orange tree** is calming. Chinese anise, star **anise**, is stomachic.

resin cures dermatoses; that of **tolu** is used in bronchitis. **Galbanum** is **antispasmodic** and **myrrh** an exciting tonic.

Birch oil (essence of Russian leather) is used in dermatoses; the seed of **cardamom** is stomachic and the essence taken from the **geranium** is an antiseptic, as well as those of **eucalyptus** and **gomenol**.

The powder from the **iris rhizome** is used in the composition of tooth powders.

All these indications refer to an already ancient pharmacopoeia, since scientific research on the antiseptic and therapeutic power of oils or perfume essences only goes back to the second half of the 19th century.

Since then, Chemistry has contributed greatly to providing therapeutic relief through essences that can also enter into the composition of perfumes.

Methyl salicylate calms rheumatism, as well as **amyl salicylate**, is also indicated against sciatica; finally, **amyl valerian** dissolves hepatic concretions .

Vanillin, **eugenol**, **coumarin**, ^{ethyl} and **butyl** compounds , so

valuable in the r ormulation
of synthetic fruit essences

,
are also part of **modern aromatherapy** .

The aromatic odor of **benzyl benzoate** is suitable for the treatment of asthma and angina. ine; likewise **benzyl cinnamate** is advocated by Jacobsen against tuberculosis.

Bitter almond-scented **acetophenone** is hypnotic; **benzoic acid** from **ben j oin** is used in .lung ailments .

Apps

A. — Fundamental radius of the main perfumes:
Set the Neutral Pendulum PS beforehand to Magnetism (1 12 millimeters of wire) and proceed as indicated **II - Lesson**, page 157 of Torne I, 2nd^{edition} .

neroli	20°	Sage	260°
Lavender Lavandin	60°	ylang	265°
Lemon	85"	Green anise	295°
Thyme	130°	Sandalwood	300°
Vé!yver	180°		
Cloves	190°	small bean	315°
Bulgarian Rose	210°	Jasmine	3300
Bergamot	215°	Rome; in	335°

B. — From the point see dowsing, he is curious and useful to control the **therapeutic value** of these varied products, whether they are natural essences or chemical substances .

We know, in fact, that the figure noted around the circumference of the dial of the Vitameter PS was specified by a series of constant pendulum oscillations at the corresponding place .

Now, if, while the pendulum continues to oscillate, we point with the left index finger to the product under experiment, and there is no modification of the movements of the

detector, we can deduce that the action of the product will be zero.

If the pendulum moves towards a higher number — thus indicating a higher state of deficiency — the product is contraindicated or harmful.

Finally, if the movements occur at a point corresponding to the perfect state of health — that is to say towards the zero of the Vita meter PS —

we can safely recommend the use of the product.

C. — Let's say that a subject has a **nervous deficiency**, the extent of which the Vitameter PS number has revealed to us. As we know that the perfume of the essence of lavender is favorable in this case, let us point with the left index finger in antenna - while the pendulum continues to oscillate - and observe us. On, after a few seconds, the detector moves slowly towards the number 0, which corresponds to the normal balance of good health.

D. — We know the importance and usefulness of “witnesses” for the purpose of identifying the various substances that make up a **mixture** or a **combination**. We have spoken of their use in the search for simple bodies. Now, by resorting to a similar method in connection with a preparation containing various odorous substances, it is possible to recognize each of them if one employs suitable “controls.”

These may consist of products housed in small glass bottles or tubes, or simply a few drops of essence impregnating small pieces of white blotting paper — one for each product — held near the stick of the pendulum, unless one prefers to designate them with the left index in antenna.

The pendulum shown above the mixture rotates when the “control ” used agrees with one of the similar products .

If agreement is not achieved, the detector oscillates. and one can then, in one or the other case, conclude with the existence or not of the substance sought.

OAMMB DES OPEURS.




Fig. 7. — Range of odors, according to PLESSE

E. — A well-known perfumer of his time, Piesse, **tried** to group the various perfumes on a **harmonic scale** depicting a piano keyboard, and to deduce the harmony between the fragrant products and the notes of the scale. bass and treble clefs.

In the practitioner's mind, fragrant materials must be combined with each other, just as sounds must harmonize to produce suitable sets: the agreement of smell and the agreement of sound must coincide. But, as we do not yet know whether the nervous organs of hearing or smell are shaped in an analogous way, we reproduce here the range of odors as a pure curiosity.

More objective appears to us the nomenclature of the fundamental rays of the most known odors that we have; been able to establish and of which we have given, page 88, the nomenclature

.

CHAPTER XV

FORTY-FIFTH LESSON

THE COLORS

Documentation

We know, according to the recent conceptions of modern physics, that everything in the physical Universe, can be reduced to **vibrations** of order both particular and also very different.

These vibrations have **wavelengths** that extend over greater or lesser ranges. Some have a very reduced value of the order of a fraction of a millionth of a millimeter, this is the case of cosmic rays on the one hand and of alternating current on the other. which responds to very long wavelengths: 6,000 kilometres.

Now, it is **in this interval** of a wide range that the Cosmic Rays are classified. Gamma Rays. X-Rays. Ultra-Violet. the rays: luminous, heat. the Infra-Red. the waves of the Radio and finally those of the Alternating Current.

Only a few of these waves are perceptible; by our senses. To speak only of the **visible vibrations**, it is considered that they are distributed over an area ranging from 400 to 700 micromicrons. This fraction of the band of visible electromagnetic radiation goes from the ultraviolet or more precisely from the domain of so-called “**black**” **light** to the infrared . These visible vibrations are commonly called “colors”.

From the point of view of their **radiation**, all the radiations of the colors can be divided into two bands, of which

the middle boundary is green light radiation. The colors to the left of green. i.e. violet. indigo, blue. are dia-magnetic or **negative** and hence a pendulum, tuned to electricity and presented above one of them. turns left: while above the colors to the right of green: yellow, orange, red. which are para-magnetic or **positive**, the pendulum, set on Magnetism. turn right.

Above the **color green**, the **pendulum**, regulated indifferently on Electricity or Magnetism. does not turn, it oscillates. However, if we present this detector to the upper part of the color. it oscillates: while it turns if it is presented to the lower part. It is the only color that has this feature.

Colors, Ult. a-Purple to Green, are **harmful**, because they stop cell division. On the contrary, all the radiations ranging from yellow to red and Infra - Red. have an **exciting power**, activating the vitality of the cell.

, emits electromagnetic radiation which. by means of a wave of accompaniment, is nro""', aC1P.nt in the space giving rise to a plane of waves of 1 m. 20. which plane in turn furnishes five nodes of vibrations of equal length, which amounts to saying that if one moves 6 meters from a colored radiation, the pendulum is able to detect the radiation of this radiation

. cī by its positive or negative gyration depending on the particular polarity of the color envisaged. And this explains the interest for our state of health or well-being, the colorful atmosphere in which we usually live .

The radiation propagates along the direction of a horizontal ray called the “**particular ray**”, appropriate to each color . ray whose opposite horizontal projection is manifested at an additional 180° of the Radiesthesic Circle PS at 360°.

To precise. take the example of a blue ray which is located at 90° on the **1st** circle specified. We will see its presence at division 270 of the circle.

Radiation. identical to those of the color envisaged, s'observcn. also at each of the four cardinal points.

All radiations are likely to be composed in the same way as those emanating from all bodies as far as the laws of physics are concerned: conductivity. refraction. diffraction, imerference.

The " **images** " produced by the colored radiations **accompany** specific waves of magnetism and electricity and are subdued. as well as the radiations themselves, to the laws which govern all bodies. These " images " are annihilated by screens suitable for magnetism or electricity.

Each color emits, additionally. electrically supported vertical radiation

. which are suppressed by the interposi, ion of an electrically insulating screen: paper. cardboard, natural silk , etc...

The so-called vertical radiations also have a negative **polarity** above the horizontal plane. as well as a positive polarization below this same plane.

We are still **in** a position to ascertain the existence of rays **with** a magnetic support. says : " **rays with** fixed inclinations ". which are negative at 45° and positive at 135° from the vertical.

Finally. there is **radioactive** radiation at degrees: NE 45° , SE 135° . SW 225° and NW 315° .

This radioactive radiation, as well as the " images " which result from it. obeys the laws which govern the radioactive elements of the bodies likely to generate some . It is dowsingly an inverted polarization and a serial double " cipher " .

In addition. they produce on the 1 meter 20 wave plane, as well as on its extension. the five nodes of vi **b** rations.

Radioactive " images " **have** the same peculiarities as **electromagnetic** "images" with respect to polarity **above and** below the horizontal.

The power **of impregnation** of the colored radiations is such as a fragment of colored paper placed for a few

seconds in contact. of radiation-free paper. leaves a trace likely

to
be positively or negatively detected by the pendulum. following the
polarization. color ion
considered. ee.

There **is** likewise **syntony** between the colors and one or more of the most apparent specific rays of certain bodies.

Series figures : The spherical neutral pendulum PS. set to the Electricr.é. given :

Purple: number 6

Indigo : — 7

Blue : — 8

The same pendulum. regulated either on Electricity or on Magnetism. gives the number 9 for green. Finally. set to Magnetism, it gives:

Yellow: number 8

Orange: — 7

Red : — 6

These " figures ". objectively obtained, **varying from** one author **to** another. but that should not surprise us any more than when we notice differences of signs for the same body. The main thing is that these personal remarks are confirmed regularly and definitively .

From the point of view of **tuning**, it exists between blue and black coupled and white, and with these two tints only.

There is also a resonance between the colors and one **or** more of the specific rays of certain bodies. For example : set to the appropriate shade. the pendulum rotates on the corresponding body.

We will recall that. Presented above a perfectly white object , **the** pendulum rotates with any setting. because there is at least one that matches **your** wavelength of one of the shades. of which white light is made .

After setting the pendulum to a color. he gives

the orientation or "**Fundamental Radius**" of it. that is to say:

1 •

Purple	82°50	Green	90°
Blue	55°	Orange	225°
Yellow	180°	White	270°
Red	302°	Black	360°
Indigo	30°		

Here are the **chords of the colored radiations**:

- Purple and Red:
- Indigo and Infra-Red:
- Blue and Black ;
- Green (—) and (+);
- Yellow and B:anc (Radio-Activity):
- Orange and Ultra-Violet:
- Red and Purple.

Magnetism: Opposite the (+) or (—) poles of a magnet. its magnetism passes through opaque screens such as wood, glass, brass, paper, etc... pole (—) uh white screen, the shades of these last two completely annihilate the magnetic radiation.

We do not ignore **the influence of colors** in order to avoid ; pathological disorders and to act favorably or unfavorably on the body and the mind.

On this subject, Commander H. Chrétien was able to write: “ The effects of induction and the electrical effects of colors on organic bodies are considerable and sometimes more harmful than the most virulent microbes. when we persist in staying in their fields ... ”

Hasn't it often happened to us that we prefer more particularly a trinket, a piece of clothing, an ornament, the color of which we like ? Instinctively, our choice turned out to be in accordance with the affinity of the radiations emitted by the object of the shade of our choice.

Doesn't the hanging of a room encourage us to stay in its atmosphere rather than in a certain part of the

house

?

It is the same for a landscape, for a country whose roofs are bright. of the sunny shade of the tile. Don't they attach us more than the ci.é where the sad slate seems the prerogative of rainy regions 7

Apply 1 ions

A. — By using the “ Antenna Ray”, we can make the following experiment, after having regulated the pendulum experimentally on the palm of the right hand of the subject **to** be examined, for a man; on the back of the right hand for a woman.

Favorable color : The colors being arranged in the normal order from purple to red. the pendulum held by the right hand, we take with the left hand the right hand of the person whose **color we want to know is favorable to him**. Then we ask this person **to** designate with his left index finger, without touching them, the colors one after the other.

If the pendulum swings in the direction of the person's polarity, the color is favorable to him.

Does the pendulum rotate in the opposite direction? e, the color is harmful to him: it is indifferent to him if the pendulum oscillates. (See chapter **XXIII**, Astro-dowsing. Of the choice of favorable colors , page 254).

B. — The operator can also carry out this search as far as he is concerned: in this case, he points with his left index finger to the series of colors.

C. — Unless he prefers to use the following method:

The colors being arranged in the normal order, set the pendulum, pou. a man, on the palm of his right hand: for a woman, on the back of her right hand.

Without transi.ion, present it to the verticala of each of; colors and note the manifestations of the instrument, as

mentioned above.

D. Colors still provide us with a means of control in finding the state of **life** or **death**. The state of life adjusts. of with the shade indigo; blue reveals to us the state of death.

E. — In a different field. but which completes the same observations, we can see the influence of sounds in the search for the same states.

Above a living subject. or a " living" witness. the pendulum swings.

Then ask someone to sit at the piano — any other musical instrument can be used in the same way — : gold. as soon as, while executing the treble clef scale, the musician reaches the note " fa ", the pendulum turns if the subject is alive.

In case of death, the agreement is realized as soon as one arrives at the octave of the note " do ".

These physical phenomena are based on equalities of length and frequency of waves between the pendulum and the vibrations of sound.

F. — In the field of **perfumes**. these states of life or death agree , the first with the vibrations of camphor. the second with those of tuberose.

By carrying out these experiments, colors, perfumes and sounds, (see page 90), we materialize the verse of Baudelaire:

" Perfumes, colors and sounds respond to each other ".

C. — Returning to colors. Rancoule having made known to us the agreement of the **Vitamin**:

A with red, B with yellow, C with blue, it was important to check the accuracy of his statements with products that contain the said vitamins A, B, C.

The tests having been conclusive. we have, with the help of colored screens — type of screens of H. Mellin, — proceeded to the discovery of the other vitamins: DE G, PPK

This study was carried out after much trial and error which is not proof of their uncertainty, but on the contrary, a guarantee of their value and of the possibility offered by the pendulum of attempting such research recommending itself from stricter observation.

We found, as a general rule, that the existence of a vitamin, whatever it is, always causes a reverse gyration (—) of the pendulum.

Whether the research is carried out with a " vitamin-witness " or with the aid of a colored screen, the need is expressed by the oscillations of the pendulum, and the sufficiency by inverse

gyrations

In conclusion, the following correlations can be noted:

Fat-soluble vitamins:

- A) anti-infectious, agreement with red ;
- D) antirachitic, harmony with green;
- K) antihaemorrhagic, accord with black':
- E) antisterile, agreement with white.

Water-soluble vitamins:

- F) antiscorbutic, pairing with indigo blue:
- BI) antineuric, agreement with light yellow;
- 82) of nutritious use, pairing with dark yellow;
- PP) anti-pellagra, accord with violet.

See chapter **XXII**, page 230, essentially devoted to the study of Vitamins, as well as pages 105, **144** and 156.

During these tests, we were able to observe that sugar and alcohol agree with violet, saccharin with dark gray, starch with light blue.

H. — A practical application of the possibilities offered by the colors enables us to identify that a **product** or a salt, dissolved or not, **of an acidic nature.** agrees with indigo blue, an **alkaline** with blue, a neutral body with black.

I. — With respect to the **sexes**, the **agreement** is established between masculine or “ witness-masculine ” with indigo blue. while the color green tunes with a subject or a “ feminine - witness ”.

J. — This remark proves its application in the search for **sex before birth**.

K. — We also recognized the **concordance** between:

Distilled water and color. green:

— source — yellow:

— polluted — black: '

— contaminated — indigo.

L. — As for the metals:

Iron goes well with **the** color blue:

Copper — — — red:

The E.ain — — — orange;

Gold — — — yellow:

Silver — — — indigo;

Lead — — — black.

M. — If it is a question of recognizing the **composition of a soil**, it

will be noted that clay finds an accord with red: limestone with violet: siliceous sand with green: finally, humus s goes with black.

N. — Because of their harmony with the Colors, **mushrooms** can turn out to be:

Edible if they resonate with blue and indigo:

Doubtful or at least indigestible if they go well with yellow and green:

Poisonous or dangerous, in agreement with orange and red.

O. — Colored opaque papers:

sides, by means of **opaque papers of various shades** :

Personally, we have made the following **agreements**

glandular system	black tint
pituitary	- mauve
brain circulation	- blue
The nervous system	— 1/2 red 1/2 blue, side by side
Anemia	- purple
blood circulation	- yellow
Heart	- red
Respiratory system	— coral
Lungs	- White
Bronchi	— 1/2 red 1/2 white, side by side
Stomach	— 1/2 indigo 1/2 green, side by side
Liver	- green
gallbladder	— 1/2 black 1/2 green, side by side
Ra. e	— 1/2 black 1/2 yellow, side by side
Intestines	— indigo
Kidneys	- brown
Bladder	— o angel
Tuberculosis	— 1/2 yellow 1/2 white, side by side
Cancer	- dark green
Arthritis	— light brown
Syphilis	- Burgundy

Note that on a Ray of Union of **30** centimeters, the " Witness " being placed **on** the right and the opaque colored screen **on the** left, one evaluates the **degree of deficiency** of an organ according to the number where the agreement is achieved by the oscillation of the pendulum above the " neuire point ".

P. Screens Hector Mellin : If trans - **colored cellophane screens are used** - relative of H. Mellin, numbered from I to 15, the following shades correspond to the various organs, in the ord. and below:

N⁰⁸ I White transparent screen

- 2 — — purple
- 3 — — light blue
- 4 — — indigo
- 5 — — blue green
- 6 — — fundamental green
- 7 — — malachite green
- 8 — — I H.:ne
- 9 — — golden yellow
- 10 — — erythrin red
- 11 1 — — rcuge cer i se
- 12 — — second orange
- 13 — — **gr** - i s
- 14 — — black _ _
- 15 —_T — pink

N^Y ii 2 and 3

overlaps s — — purple and light blue

S, 6 and 12

superimposes s — — yellow, fundamental green
and orange second

Accord avec Cœur

- — Poumons
- — Pancréas
- — Foie et Vésicule
- — Vessie
- — Estomac
- — Hypophyse
- — Reins
- — Cerveau
- — Organes féminins
- — Intestins
- — Rate
- — Organes masculins
- — Surrénales
- — Thyroïde

— — Moelle **épineière**

— — Bulbe

2 and 10	—	purple	and	red eryi	hi'ine	—	blood	circulation
1 and 2	—	—	white	and	purple	—	—	Lymphatism
7 and 8	—	—	malachite green,	yellow	—	—	Nervous system	
4	—	—	indigo	—	—	—	Arthritis	
11 and 9	—	—	cherry red ,	golden yellow	—	—	Arterial wall	
1. 10 and 9	—	—	white. erythrin	red .	golden yellow	—		
	—	—	—	Pulmonary system				
14	—	—	no . r	—	—	—	Cancer	

Let us note the following results by presenting the pendulum vertically to the screen, itself held above the “ witness ”.

In case of gyration in the direction of the polarity of the subject, the organ is normal.

The oscillation indicates the **existence** of functional disorders.

The gyration in the opposite direction to the normal gyration (+) or (—) is symptomatic of real organic disorders, all the more accentuated as the gyration is stronger.

These screens pe. try again. owing to their peculiar shade, or in combination with each other, to recognize the existence or deficiency of [^] **Vitamins** in individuals, or in any product. **to analyze certain substances**, or to **detect certain specific** — **states**

No - 2 Violet		transparent screen			' \ Alcohol
				Accord with	< Sugar
					<i>Diabetes</i> _
No. 12 — —	— —	second orange		— —	Albumin
No. 8 — —	yellow	—		—	Urea -
# 7 — —	Malachi	Green		— —	Acetone
No. 4 — —	indigo	—		—	Acid -
No. 3 — —	light blue	—		—	Base
Nos · 3 and 4					
layered s	— —	light blue, indigo		— —	Neutral
N ^{OR} j and 4					
layers s	— —	purple and indigo		— —	Starch
No. <i>R 1 1</i> and 9	— —				
superimposed s	— —	—	cherry red ,	golden yellow	— — Lime
phosphate					
No. 13 — —	— —	gn s		— —	Saccharin
No. 6 — —	— —	fundamental		green — —	Water -

Consia tones that the appropriate screen being placed above the product, the pendulum presented vertically tou. ne if the searched body is present and oscillates if it does not exist.

Example: Do you dread saccharin in jams ? Try screen no. 2, the pendulum will oscillate: this is proof that they do not contain sugar; but it will spin if you try screen #13.

Q. — Vitamines :

N° 11 Ecran	transparent	rouge cerise	Accord avec	Vitamines A
N° 8 —	—	jaune	— —	Vitamines B 1
N° 9 —	—	jaune d'or	— —	Vitamines B2
N° 4 —	—	indigo	— —	Vitamines C
N° 6 —	—	vert fondamental	— —	Vitamines D
N° 1 —	—	blanc	— —	Vitamines E
N° 12 —	—	orangé second	— —	Vitamines G
N° 14. —	—	noir	— —	Vitamines K
N''' 2 et 8 superposé	— —	violet et jaune	— ^—	Vitamines P.P.

MÉTHODE PHYSIQUE

Note that the need for vitamins can be recognized by the pendular oscillation.

Adequacy is recognized by the inverse (—) **gyration** of the detector apparatus.

In concluding this brief account of colors, the experiments of which could go on **ad infinitum** , we will add that doctors and researchers have succeeded in establishing the concordance of certain colors with the various **organs of the body . human**. This is called **Chromo-diagnosis**, the principle of which is based on agreement or disagreement between the radiations of the subject in a state of health or illness.

R. —

Metals : According to modern biologists . our body contains all the **minerals** which are found in the earth's crust and in the atmosphere, that is to say the **92 simple bodies** of chemistry, forming the series of elements whose vibrations do not neutralize each other , nor merge, and conse.vent their particular properties.

What we have said about the physical, physiological and therapeutic influences of colors applies equally to **Metals**

.

We have indicated the way to recognize for each, the nuance which is favorable or unfavorable to him.

In the same way we should proceed with metals in order to use their influences in an optimum way.

Medical specialists, in particular ^{Dr.} Leprince, have instituted methods not only of **Diagnosis**, but also of **Therapy**, to which they have given the name of “ **Metallotherapie** ”.

Indeed, by wearing **rings,. wristbands. belts**, made of metals, gold, silver, platinum, copper, aluminum, even iron, carefully chosen according to the kind of affection to be treated,

we manage to cure ailments such as: Nervous affections, Epilepsy, Neurasthenia, Angina Chronic, Laryngitis, Em - physema, Asthma, Stomach, Constipation, Enteritis, Coliba - cillosis, Menses, Metritis, Uterine disorders, Rheumatism, Arthritis, Eczema, Tumors, etc...

S. — Microbial toxins : For his part, Mr. Soulier , pharmacist at Le Puy (Loire), has drawn up a table of **the metallic nuclei of the micelles of each** microbial toxin :

Syphilis		platinum as its core
Rougeole	—	arsenic
Cancer	—	zinc
Typhique	—	tungsten
Tuberculose	—	copper
Colibacille	—	gold
Coqueluche	-	nickel
Scarlatine	—	titanium

Diphtheria	—	lead	_
Staphylococcus	—	carbon	_
Pneumococcus	—	radium	_

We faced using < ! Specific
» witnesses , the concordances indicated above, and we were able to ascertain that they are in conformity with reality, as well as with indications drawn from various sources.

It will be understood that anyone who wears a piece **of** metal: gold, platinum, silver, tin, copper, iron, etc. can, without suspecting it, be inconvenienced by the radiation of this metal. However, the pendulum provides **us** with a practical and effective means of checking whether a jewel or an ornament is in agreement with our own radiations. We have not forgotten the malevolent power of a certain blue diamond, all of whose possessors died tragically !

T. - It is the same for the **precious stones**, which by their origin, their size, their color, their facets, are under a weak volume, true condensers of electrical energy which made them use aut. times as talismans.

Like all bodies. each of the stones constitutes a universal center to which end all the waves of the Universe or their harmonics.

Commander H. Chrétien indicated that a person whose **Astral Sign corresponds** to :

Sun will be favorably influenced by Gold:

Mercury	—	—	by the metal of
			same name:

Venus	—	—	by Copper :
Mars	—	—	by Iron:
Jupiter	—	—	by Tin:
Saturn	—	—	by Lead :
Luns	—	—	by Silver.

U. — Search for favorable colors, stones, metals, jewelry, perfumes, etc .: This choice can easily be

carried out by means of the most ingenious dowsing device , the **Sanitamere PS** and the **Schumfel Revealer**

Apart from the possibilities of determining the state of health, which are discussed on page 160, the Sanitamètre PS also allows the search for **color**. metal . of **stone**. perfume . jewelry . which are particularly suitable for a person and with which it is in their interest to surround themselves or to carry on oneself.

The procedure is the same as that described on page 254 and, for all these searches, the operator can act himself, on his own " witness ".

Colors: Place the " witness " of the subject in the place reserved in S.

On the opposite side. in N. alternate the seven colors of the spectrum. unless, holding them outside the bounds of the device. we do not prefer to designate them with the left index finger

as an antenna... or better with an antenna tip.

If the " Schumfell " **Revealer** oscillates in an East-West direction. the color is indifferent, that is to say of zero effect.

She will be supportive. on the contrary, if the Revealer Schumfeh turns: and harmful if it stops.

Metal. Stones. Jewels: As for the choice of a metal, a stone, or a jewel, the procedure is the same and the pendular reactions are identical.

Perfumes: Also for perfumes, with this particularity that one can designate the perfume of the index finger in the antenna, or else judge it olfactorily.

V. — Another very convenient astro-radiesthetic procedure is indicated on page 254.

CHAPTER XVI

LESSON FORTY-SIXTH

HUNTING AND FISHING

Documentation

Dowsing already applies to many areas. There are many others to which it will extend as it becomes part of our customs. Such is already the case of Hunting and Fishing.

Whether on the ground, at sea, or remotely on a plan, map, etc., we recommend the use of the " witness ". He . It goes without saying that this " witness " must correspond to the animal sought: hairs of roe deer, stags, wild boars, foxes, etc., or feathers of partridges, pheasants, woodcocks, etc. ..., tails or fins of this or that kind of fish, whether it is open sea fishing for locating schools of fish with determination of the exact depth , or whether it is river fishing for fixing the best places.

In the absence of hair, feathers, ears or fins, a photo of the animal sought can be used : an eggshell left in a nest is also an excellent " witness " .

The Commander of the Bastide is always quoted in matters of hunting directed by dowsing: " For several years,

he writes. I use the ring:te and the pendulum to find the ways and to detect the rests of the animals of venery.

< When you follow a path in the forest and you cross a track. if it's a stag or roe deer that has jumped the lane, the wand straightens. If it's a boar or a fox, the wand. on the contrary. drop to earth. We can take the direction of the animal's walk: on the “ right ”. that is, in the same direction as the animal. the wand lowers. On the “ against”. that is to say in the opposite direction, the rod is raised.

“The pendulum is held in the right hand while the left arm is stretched in the antenna in the direction of a forest with the will to take only the radiations of the stags. for example. the pendulum will tell how many stags and does this forest contains. It begins by turning in one direction to indicate the males and in the opposite direction for the females ».

Then, he also indicates the dowsing sense of the animals thus detected by the dowsing of man. This sense invites them to flee as soon as they feel detected.

Likewise. Mr. Hector Mellin advises the operator who wants to locate such game or school of fish. to operate on a map beforehand. by several overlaps. so as to detect the detected animals.

For this purpose:

T Orient the map No-d-South Magnetic;

2° Place the “ witness” in a first corner of the card ;

3° Set the pendulum on the “ witness ” ;

4° Present the pendulum around the “witness” , very slowly .

when the pendulum swings to the right line joining this "witness" 0 the animal or group of animals sought. at any distance. the pendulum will swing frankly along this line.

Mark this first line in pencil on the map and. right away.

5° Place the " witness " at a second corner of the map and going around the "witness" again , obtain a second line which will intersect the first.

6° Carry out immediately a third cross-check by moving the witness in a third angle, to obtain a third line coming to cross the first two.

The small triangle formed by the intersection of the three lines will specify the precise spot where the animal is lodging, while confusing it as to the best direction to take to flee .

CHAPTER XIX

LESSON FORTY-SEVENTH

PROSPECTING ON LIVING ORGANISMS

RADIESTHESIA AND MEDICINE

Documentation

It was around **1905** or **1906** that Abbé Mermet had the idea, since it was possible to study the earth's crust and inanimate things, to do the same for **living beings**.

So he set to work, observing the radiations of the human body and the various organs.

He noticed that the bodies. or organs. sick, did not give the same pendulum reactions as healthy organs.

The way of operating of the famous abbot is simple: it consists in seeking the personal radiation of the subject. then, to move the pendulum **15** to **20** centimeters all around the body.

For the abbot. if the pendulum passes in front of a diseased organ , the apparatus undergoes a repulsion and deviates from the body by tracing a loop which comes to close on the diseased point and this loop is all the more accentuated as the organ is more achieved.

For the operator using the rod. the movements of this one occur differently if it is presented on a healthy part or an affected part.

Since then, doctors. more and more numerous, both in France and abroad. ask dowsing to

control their diagnosis and the **choice** of their remedies. They consider it as an **auxiliary** capable of giving indications of a different nature, certainly, but, at the very least, just as important as those which can be provided by radioscopy.

However, there are still many who show a **stopped hostility to medical** dowsing.

The learned Professor Charles Richet wrote a few years ago :
 “ You have to be as bold in the hypothesis as you are rigorous in the experimentation. Boldness is necessary. e. We must doubt everything, even the most classic data of science, forge the most unlikely hypotheses, because our sciences are barely in their infancy. Our descendants will certainly find it strange that we have considered essential truths which will seem to them monstrous errors ”.

For takes. e a recent example, not so long ago, in fact, that homeopathic doctors were the object of violent reactions from the medical profession. Now, thanks to their patience and above all to the undeniable results that their new science has brought to light, **homeopathy** will soon become an official science; Let us also remember that medicine **was first witchcraft**

: chemistry
 ,
 uno alchemy: “astronomy , astrology.
 engendered a morphology already surer of
 its observations.

Thanks to modern physics, new fields are offered to our investigations: such is the case of medical dowsing .
 science of the waves, the normal or abnormal radiations **emitted by the** human body. It makes it possible to detect radiation or vibrations from human organisms in a good state of health, from microbial organisms or from bodies parasitized by pathogenic microbes, it being understood that the disease

comes from the **partial or general imbalance of the organism.**

So, to restore health, one must restore the harmonious balance of vibrations and the simple and natural way

is to use for this purpose drugs whose wavelength annihilates those of pathogenic impregnations, causes of almost all diseases. These drugs can be allopathic or homeopathic: but the essential is the determination of the wavelength witnessing an imbalance in the person studied while dedicating to him his individual polarity.

“Thus, according to doctor Edgard Blum, medical dowsing makes it possible to determine **exactly** the appropriate medicinal dose for each particular case and the duration

of the treatment. There are many drugs which, depending on the doses in which they are prescribed, have opposite effects. Yarrow stops bleeding and causes it. Bearberry makes urine mucous and clears purulent urine. Colchicum deflates the dropsy, but dries up the secretion of the kidney, which transforms the belly further. The bittersweet[^] causes convulsions and stops them. Henbane gives epileptic attacks and dispels them. Caustic potash produces tetanus: this alkali has a curative virtue against this scourge”, and so on.

We realize all the interest **there** is in **harmonizing the waves emitted** by these drugs, with **the waves emanating from the patient** to be treated. Through its sensitivity, the Schumfell Reveal

is able to measure the intensity of the radiation from the various parts of the body in the healthy state and in the pathological state, and thus, to specify prognoses and diagnoses and to go back further in the search for the causes and origins of the disease.

Furthermore, the Schumfell Reveal will detect mineral and vegetable substances and even colored vibrations having wavelengths similar to those of some of our cells and which, by their special and

curative vibrations , will influence them.

•Medical dowsing has no other purpose. She deserves all the attention of doctors.

Various processes have already been perfected: diagnosis by the use of "witnesses ", **diagnosis by** vertebral pendulum examination , digital diagnosis. biological pendular reactions ,

diagnosis by measuring vital radiations, research of the medicine with the pendulum, use of the action of metals and colors, chromo-diagnosis, diagnosis on fingerprints or emanations, telediagnosis, etc...

The results 'ah that a dowser doctor can obtain:

We could not better end this overview of medical ray thesis than by inserting the communication addressed to us, in all professional conscience, and imbued with the greatness of the mission which falls to doctors, the eminent doctor Valmyre :

“ Three years ago, in full physical and moral equilibrium, I added to my professional plate, in large letters: Medical dowsing. A former sailor, which I pride myself on, I had shown my colors

“ Since then, how many criticisms have I suffered from the unconscious , but how many sweet satisfactions have I reaped from my grateful patients or from my dowsing equals. I learned to cure with method, and the

pondulo of the scientific dowser revealed to me many things that official medicine cannot teach.

“ I will take examples of rapid, marvelous cures. in my clientele and at hospital 1, randomly from my memories:

“ 1° In the etiology of diseases, where there is an impregnation, the pendulum told me the virulence of the germ, the resistance of the patient and allowed me

to fix a prognosis. Can the officials achieve this result? Impossible !

“ Where there was no impregnation, I was able to find the cause of the imbalance of the diseased cells. Here, it is a hanging whose colors do not agree with the patient

, there harmful waves coming from the basements of the houses; a change of color in the cushions, in the curtains, in the clothes, a displacement sometimes of fifty centimeters of an armchair, of a bed and, with a few remedies, the cellular balance is restored, the patient is cured. Rheumatism, pretuberculosis, nervousness, organic insufficiencies , neurasthenia

, paroxysms of schoolchildren, early cancers , all have disappeared. Magic?

“ And my dowsing therapy stems from the agreement between disease and medicine. We no longer want empiricism, university routine, without basis and applied to everyone, haphazardly, with eyes closed, by the great masters and their students.

c: 2° I will cite a serious chorea, admitted to the hospital, cured twenty-five days later, because I had found the meningococcal impregnation with my pendulum and scientifically established the treatment in resonance

with the impregnation. What will official science say, which does not know much about this disease and even less about its

treatment?

“ 3° I will recall a puerral septicemia also cured in four days by a serum consistent with staphylococcus dor6, which had

■ caused IG death of a fetus and infected IG mother recovering from para - typhoid. An eminent surgeon called from Toulon did not want to intervene because his clinician had said: no dilation of the cervix, no losses, no trenches. But the pendulum had affirmed : dead fetus , by its immobility on a pregnant belly, and I ava . s demanded the intervention that saved the mother.

c 40 Shall I speak of pruritus with secondary lichenification of a vulva, cured in three weeks by the appropriate serum, opotherapeutic medication required by glandular insufficiency and an ointment chosen from among sixty others, whereas the officials had waded for five years.

c S* And what about tuberculosis. even in the second degree, cured in a few weeks, not by an "omnibus " treatment but by a variable medication according to each patient and made for him only.

c 6⁰ How many syphilitics are also cured quickly, thanks to the early detection of the infection, when the organism has not yet had time to make the antitoxin necessary for the laboratory's response: thanks above all to the judiciously chosen medication among mercurials , bismuthics, arsenicals, and not blindly.

c How much has my pendulum blessed this fickle husband. who had embarked for Cythera with an elegant, but syphilitic partner - that, he had been told. He had come to my office, distraught, to ask for a blood test. How long ago was the contact, I asked him? At six days. It takes six weeks for a Wasserman, was my answer. And the unfortunate man, who was to join his wife the next day , wondered with anguish what his course of action would be. Like a perfect gentleman, he had resigned himself to the humiliating confession, perhaps with grave consequences. rather than poisoning his legitimacy. But the dowsing watched. All the analytical tests agreed: her blood was free of any spirochetes, any gonococcus, any Ducrey and I allowed this unfortunate husband to use his conjugal rights in complete safety. Five months later. he was again in my office, radiant: he had brilliantly celebrated his return home :

his friends had teased him by telling him that his partner was syphilitic. Ouelle gratitude à la pendulum which had allowed him not to humble himself in front of his wife and to always be a husband... irreproachable.

c JO I would add to this fine track record an osteofibrous tumor of the iliac bone, cured in a few weeks, a fibroma the size of a car. grapefruit , already promised to the scalpel of a great Toulon surgeon and who, in less than five months, by a medical dowsing treatment to his measure , had completely disappeared, without radium, without operation, without ultra-deep.

c8° Should we speak of the diagnoses made at the patient's bedside, each morning, by the resonance or not between the bedridden patient and the disease witnesses. No more blood samples, blood cultures, inoculations on agar , pultaceous smears, their culture in an oven for twenty -four hours. By a simple pendulum placed between the

streptococcal or staphylococcal diphtheria witness and the patient, the anginal diagnosis is made, the treatment applied in less than two hours. Saving time and money, which is very appreciable today.

C By the physical law of resonance, the pendulum has sounded the death knell of laboratories, of outmoded methods, where the polymorphism of microbes makes light of microscopes and dyes.

C Here is after three years of dowsing clinic a beautiful overview. And the conclusion that imposes itself is that the dowsing doctor has an obvious superiority over his official colleague: he can quickly detect the cause of a disease: the official doctor can

not and must address the patient, to those around him, who give him bad information, to the laboratories who arrive too late or who can not get to the bottom of things.

C The radiesthesist doctor knows, with his instruments, at all times, the virulence of the germ: the other is obligated to address the laboratories which require the taking of liquids, cultures, injections into rabbits and guinea pigs, which requires weeks of observations and complicated tools.

" The radiesthesist doctor knows, at any minute, the resistance of his patient and each day draws up his curve of health, like a thermometric curve: one meter, a space of eight meters, that's enough. The official doctor can in no way provide this most important information for prognosis and treatment.

C The radiesthesist doctor quickly knows the state of all the organs of his patient through his clinic, his witnesses and a very simple

technique. The allopathic doctor has only his clinic to enlighten him, and his laboratories that are too slow, too expensive, so unreliable.

" Finally. the therapy of the dowser is scientific, it aims to establish an agreement between the patient and many possible medicines by the law of resonance. He gets there quickly and can find the best remedy among the best. The official physician has nothing to fix his therapeutics except his routine, his empiricism, his medical notes. And regularly, he applies one or more of the empirical remedies which have given him success in all his other patients. It is an "omnibus" medicine. which the dowser no longer wants, because it can be harmful or useless.

C In fact, last superiority of the doctor dowser on the official, it is that the first, with his precise diagnosis of impregnation. the knowledge of the organs affected, knows what his patients recover from or

die from: the official doctor is often embarrassed to fill in the death form that the statistics service now demands of him.

C With confidence, I look to the future. I soon see dowsing taught in our faculties, but within the framework of medical studies, it will be the medicine of tomorrow.

C What a triumph that day! Will the calcified brains then open

up to the light? And then, too bad for them :t.

Auxiliary Dowsing of Tomorrow's Medicine

Claude Bernard foresaw this new medicine, most often based on "resonance", that is to say by "wave tuning", when he wrote : " Scientific Medicine is not yet established; but thanks to the experimental method, it tends to become a precise science .

,
any doctor concerned with scientific probity in his professional life in particular, who does not deny anything " a priori ", **must attach himself** to the sensational discoveries of medical Dowsing. To this end, he has within his reach the numerous experimental proofs which are the essential object of the present chapter.

This "honest" doctor will penetrate among these rational methods with the scientific spirit of research and progress. This is how he will prove to be a true scientist in the same way as the eminent doctor Jean Montpellier, Agrégé de l'Unive-sité, Professor at the Faculty of Medicine, who wrote in 1939:

" **Few brain activities lead** to doubt more surely than the practice of medical science, I mean the medical art surrounded by the various sciences which support it. It is that in medicine, the mind that cares not to confine itself to the passive role of mirror, finds itself perpetually tossed about, what am I saying, shaken and harmed . Even

the "facts" themselves that the most objective observation has delivered to us as "acquired" and that one day, from the top of the galley that we ride, shamelessly, we have to throw overboard ! What then of their "interp: state ". on what, however, is the surest of our art founded? . ("The Dowsing under the lens of science". by Magnol).

How can we be surprised by such words of wisdom ?

Indeed, the laboratories at the service of the doctor are too slow and often promise more than they can give:

the dowsing diagnosis is immediate. accurate. complete.
In early tuberculosis and cancer screening.

X-rays give absolutely harmful results: whereas dowsing processes denounce the evil even before the appearance of the first Symptoms. In all circumstances, Dowsing makes possible an exact preventive medicine and, in this, prepares well the therapy of the future : " Prevention instead of curing". Nowadays, we only take care of health on the occasion of illnesses!... We don't care that a cancer, the rise of urea, blood pressure, diabetes, the preparation of an apoplexy, the evolution of glaucoma, can lead in less than a year from apparent health to inevitable death.

What say. e also the diagnostic disagreements of several doctors on the same case of illness, attesting to the empirical basis of their knowledge, acquired on observation alone | *What can be said above all about their "trial" prescriptions ?* How little doctor. -he. scientifically, to choose among at least 100,000 pharmaceutical specialties whose biochemical reactions he ignores, specialties " advertised " by the pharmaceutical " industries"? What to think, finally, of the deep disagreements, too often noted by the patient, on the diet to be followed?

Radiesthesic medicine, with its physical law of resonance , which establishes a link between the patient, the organs and the drugs, remarkably eliminates such failures and will collaborate in the medicine of tomorrow. The current medicine not being able to take row among the exact sciences, will arrive there by the medical dowsing. The latter, by its indisputable practical results, gives proof of an additional guarantee for the patient and constitutes an undeniable progress for medicine itself.

Who can perform medical dowsing? — Just as it is preferable to prospect land by dowsing to be a geologist and sometimes even a chemist: in the same way it is more prudent to do medical dowsing only when one is a doctor, when one has therefore acquired in -depth medical knowledge, supported by a trained dowsing sense.

It has been claimed that non-physician dowzers, using neither the prior questioning of the patient nor the usual clinical sense, had more chances than the doctor of avoiding the great danger in radies during an examination - thesis that is autosuggestion. We disagree. The physician will always have the superiority of his medical knowledge and his clinical sense over the non-physician . As for autosuggestion, it will be as easy for him as for the non-physician to compel himself to the physical and mental neutrality necessary during the dowsing examination. Thus, the doctor is indeed the ideal medical dowser.

We cannot therefore strongly recommend that “ auxiliary medical therapists” rely entirely and in good faith on the final decision of a doctor, whatever the divergences in reciprocal conclusions . Indeed, non-physicians must remain strictly in their role of “ **detector of waves on** living organs ”, noting with the pendulum, the deficient points of such and such an organ. Thus, they will form a body of " pendulum technicians " in the service of Medicine. They will not deal with medical issues, for which they are not prepared.

However, physicians will increasingly have to rely on physics. therefore to “ pendulum technicians ” because the human cell is governed by purely physical phenomena .

Moreover, this physical domain, devolved to non-physicians, is very limited by law:

Law of 1892, article 16, interpreted by Dalloz (updated in 1938):

No. 25. — “ The offense of illegal practice of medicine is committed by anyone who, without a doctor's degree in medicine , takes part habitually or by direct direction in the treatment of illnesses ”.

No. 27. — “ The title of illegal practice of medicine may result from any mode of treatment, provided that they are usual

and followed
,
even without prescription medication. »

No. 28. — “ The law affects even those who, out of humanity, give care to the indigent without urgency, in the absence of any fee ! »

As we see, we can only heal legally.

We hope that French law will one day become less rigorous vis-à-vis medical radiesthesist technicians, to whom so many patients, abandoned by official medicine, owe their lives and thus, on returning to work , become useful again to the company, whereas they would have remained, without them, at his expense.

But for the doctor to be able to legally agree to act as a " wave detector ", whose training is that of physical accuracy, it is necessary for him to register at the Faculty of Medicine, because the The law provides for

this exception: for non-physicians, as follows:

No. 29. — “ **Another** exception. ion concerns medical students, helping a doctor, or even that the latter places with the sick. »

Thus, the doctor can be complemented legally by the technician.

The role of the wave detector technician : Despite the rigors of the law, more and more doctors are considering new physical discoveries that upset old orthodox theories. They gladly pay a just tribute to many technicians of dowsing, acting at their side as Detector of waves - of on o. living organisms. The latter have often proved to them that, especially in medical matters, dowsing was far from being a mirage, as was believed for a long time superficially.

It is because these convinced doctors make a difference between these conscientious and capable collaborators, often possessing a certain scientific background, but who are not doctors, and the too many dowsers-dowsers, of insufficient

general knowledge, who are tempted to apply their pendulum skill to the medical field. like the first - comer who, knowing how to drive a car, finds himself

incompetent **at** the first breakdown. In any case, he then calls on the doctor... mechanic!

However, in the medical field, responsibility is more serious than in automobile mechanics !

...

But why are so many dowsers-dowsers fascinated by the desire to collaborate with Medicine? It is because, in the absence of doctors dowsers in sufficient number and instructed in this matter, a great number of patients, in hopeless cases, after having consulted several doctors, without improvement, had recourse: s to modest dowsers... who cured them; because also these dowsers do not suspect, for lack of a sufficient instruction of the ambitioned profession, of the complexity of the technique of this one and of its prodigious future. They will quickly abandon such a profession that they will be confronted with a more complete day-to-day teaching, as we envision it. They will most often recognize that they do not have the skills nor the qualities required to approach such a practice alongside medicine. Their candor, all in good faith moreover, **in** tackling such a serious subject comes essentially from the fact that it had never been possible for them to realize the perilous path in which they wanted to embark, inconsiderately. This is the case in all established professions. Thus, such and such a French teacher will not apply for a post of mathematics teacher, these two lessons having been well defined and known for a long time.

The current crisis will quickly dissipate when we put these brave people in the face of their incapacity. As for the irregular c ". as there are in all professions, even the highest, they will soon **be** denounced and discouraged by the doctors themselves, to whom they will have entrusted their poor services.

This yes amounts to saying that it is necessary to organize the profession of medical dowser in a scientific form, to teach it in the Faculties, and

form, first — of all at least
a MÉTHODE PHYSIQUE

School of qualified medical dowsers Auxiliaries.

There is no shortage of eminent specialist professors. although they are not doctors. Pasteur, Lumière, and so many others were not doctors and yet the medical art owes them so much !

Apps

A. — Determination of the polarity of the subject to be examined : Before undertaking any operation concerning a health study, the pendulisor must endeavor to recognize the polarity: (+) positive, or (—) negative, of the subject who offers for examination.

In principle, above the palm of a man's right hand, normally polarized, the pendulum rotates directly (+): that is to say from left to right, in the direction of movement of the Clockwise.

Above the back of a woman's left hand, normally polarized, the movements of the device occur indirectly (—)' from right to left, contrary to the direction of clockwise motion. show.

We have dealt with this question (Volume I , 2nd^{edition} , pages 66 and 67) in order to warn the operator against errors which could occur due to the abnormal polarity of certain individuals. We strongly recommend referring to it .

It was useful to recall these particular considerations, which are of **capital importance** if one realizes that the pendulum presented in front of **an individual**, or a **healthy organ** , turns in a direction in conformity with the polarity of the subject or the organ examined: while a diseased organ or an affected subject give a pendular reaction **contrary to the normal.**

The oscillation of the device reveals a transient functional disorder, in most cases.

It will be noted that these various movements: gyration (+), gyration (-), oscillation and, possibly,. stoppage of the apparatus when it is a question of an absent member or organ,

identical conditions occur when one studies a particular organ with the exception of the others.

B. — The antenna ray method : As far as we are concerned, experience has taught us that for this kind of medical research the reactions of the pendulum are more subtle and more precise than those originally reported by Abbé Mermet.

The so-called **Antenna Ray method** (Volume 1 , page 273), which is practiced either with the index finger of the left hand, or by holding in the same hand a finely pointed pencil, or an antenna tip that moving level with the clothes, without touching them, makes it possible to locate with precision the place

of the body where the various movements of the detector show a particularity, — a place which corresponds to a suspicious organ : — but, by practicing in this way , we will not omit , as recommended by Dr. Albert Leprince. “ to eliminate by will the parasitic emanations to keep only those located in front of the index or the tip:..

The **depth** of the weak or diseased point is estimated, according to Abbé Mermet, in centimeters or millimetres, by means identical to those used to

assess the depth where a buried substance lies. or to locate an underground watercourse (Tome 1^{er}, page 251).

C. — The " witness " of the subject : For this way of operating which presupposes the indispensable presence of the patient,

one can substitute that which is based on the use of the **patient's product**

which is called **witness**, since any part of the body human emits radiations similar to those of the whole body: just as a cell sums up all the radiations of the total organism. The microbes themselves have their own vibrations.

The **patient's product** may consist of a small portion

of a liquid. organic: blood, sweat, saliva, urine. In the absence of these physiological products, we have sometimes carried out research, the accuracy of which those interested have been pleased to recognize, by resorting to a page written by the subject, or even his simple signature. As well as a digital impregnation, or.

palmar, on a blank white paper, or a smooth surface, were enough for us to do complete analyses.

But these are exceptional processes and one should prefer blood, for example, which constitutes the medium in which all the cells of the body live: or else urine, which emits radiations similar to those of normal or affected organs.

The **Dr** - E.-A. Maury, from Paris, would like to have as a " control " a little blood taken from the end of the index finger.

The pharmacist Gab; iel Lesourd chooses urine as the " starting point for his dowsing analyses ". He expressed the opinion that the radiation emanating from it "has wavelengths which can be measured, compared to those emitted by 'witnesses' and be annihilated by those of the **suitably** chosen ' minus' side".

It is, in summary, on such data that he built his system of radiesthesic analyzes of which he summarizes the essentials as follows:

“ Health is a harmonious balance of radiation :

“ Disease is an oscillatory imbalance:

“ Healing will be a restoration of balance ”.

The mechanism of the medical examination, apart from the presence of the patient , does not offer any real difficulties for an operator who possesses all the technical resources of teleradiesthesia, provided that he enjoys a developed sensitivity through the practice of this art and that, through his medical knowledge and his prior special preparation, he has acquired the possibility of approaching this type of research.

us have the modesty of moderation that **suits** our ignorance !

D. — The various “ witnesses-organs ” : Below, we indicate, by referring to the work of Dr. Henri Naret (“Contribu.ion à la Dowsing Medical”), the detail

of the main “witnesses” that it is essential to have. These "controls " consist of dilutions of organs from healthy animals, and coated in a support of

lactose in granules, as are, in general. homeopathic preparations .

Digestive system : Parotid, Amygdala, Esophagus, Stomach, Pyloric antrum , Duodenum, Small intestine, Appendix, Cecum, Colons, Rectum; Liver, Gallbladder, Pancreas. Peritoneum.

Respiratory system : Adenoids, Laryngeal mucosa, Nasal mucosa. Trachea, Bronchi. Lungs, Pleura, Diaphragm.

Circulatory system : Heart, Pericardium, Endocardium, Myocardium , Aorta, Atrium, Ventricle, Arterial walls, Vein, Blood, Hemoglobin, Plasma.

Lymphatic and hemopoietic organs : Lymphatic ganglion , thymus, spleen.

Nervous system : Brain, epiphysis, meninges, medulla, cerebellum, spinal cord, spinal ganglion, sympathetic ganglion. pathic, vagus nerve, sympathetic nerve, sciatic nerve.

Sense organs : Skin, Tongue, Retina, Choroid, 1 laughter, Total eye, Middle ear, Inner ear.

Urinary System : Kidney, Ureter, Bladder.

Male genitalia : Testis, Interstitial glands, Epididymis, Prostate, Sperm.

Female Genital System: Ovary, Fallopian Tube, Uterus, Mammary Gland, Corpus Luteum, Lutein, Folliculin, Fetal Embryo.

Hormonal glands : Thyroid, Parathyroid: Entire gland pituitary, Posterior lobe pituitary: Lower lobe pituitary, Adrenal, Adrenal bark.

Musculoskeletal system : long bone, short bone, vertebrae. Bone marrow, Periosteum, Spinal cord.

E. — Procedure for the study of a separate organ : Let us consider the study of an isolated organ, the

heart,

for example.

Set the PS pendulum, or the Schumfell Revealer, on the patient's product (person-witness): small vial of urine,

sterile hydrophilic cotton ball .

Place in front of you the homeopathic tubes of organs necessary **for** heart research, ie: Heart, Endocardium, Myocardium, Pericardium, Aorta, Auricle, Ventricle, Aderial wall, etc., arranging them in such a way that they can be easily examined one by one. to the other.

Hang the pendulum. above the patient's product (person-witness): the device rotates in the direction of its general polarity

the left index or middle finger, touch the homeopathic “**control-organ**” tube : **Heart** .

Three cases can arise :

a) The pendulum continues to turn in the same direction; the organ is unharmed.

In this case, examination of other parts of the **Heart organ** becomes unnecessary.

b) The pendulum stops turning, then it oscillates continuously; it is the index of a functional disorder, doubtless temporary.

Consequently, the previous operation should be repeated, this time considering the various indicators : Endocardium . Myocardium. etc., one after the other, in order to discern the affected part of the organ.

c) The pendulum rotates in the opposite direction **to** that of the patient's general polarity . We deduce that it is a serious organic disorder, or even serious .

F. — Examination of a suspect point of an organ:

Then, the role of all the parts of the organ is imposed and those which provide the detector with a continuous series of movements contrary to the normal must be held

responsible for the poor state of the organ.

In order to determine with precision the location of the suspect part or parts, refer to a diagram - even summarily made - on which one locates with

the " Point-antenna " the exact place where the pendulum continues to rotate: - Conversely. When the point touches sound parts, the movements resume in the normal direction of the general polarity of the subject.

This examination is all the more complete and more satisfactory as the operator is more capable of considering with all the resources of his knowledge all the eventualities which may arise during the examination of each of the parts of the organ . .

Such a research method can be carried out on the patient directly by presenting the pendulum above any part of his body, generally the hand.

C. — Procedure
for the general examination of the state of health: We have just considered the study of a separate organ. When it is appropriate to carry out a general examination of a person's state of health, the succession of organs designated below provides a sufficiently complete set:

This. calf :

Nose and Rhino-pharynx:

Larynx, Trachea:

• Lungs, Bronchi:

Nervous system, Circulatory system:

Heart :

Liver and Gallbladder:

Stomach, Intestines:

Missed :

pancreas;

Adrenals:

Kidneys :

Peri .oine:

Genital apparatus (male or female):

Legs.

The working method conforms to what has just been explained for the study of a separate organ, in this case the Heart, and the examination of each organ must be the subject of careful observation .

in; ive.

Brain : Examine successively the state of the parts: bulb. cerebellum, gray matter, meninges, epiphysis, pineal gland, corpus callosum, etc.

Eye : Retina, optic nerve, cornea, choroid, sclera, lens, etc.

Nose : Sinuses, turbinates, cartilages and partitions.

Tongue : Parotids, tonsils:

Larynx : Trachea, pharynx:

Lungs : Anterior and posterior surface, pleura, bronchi : .

Heart : Endocardium, pericardium, myocardium. ventricle, auricle. aorta, arterial wall, veins, blood, fibrin, hemo - globin, plasma. white and red blood cells:

Liver and Gallbladder : Gallstones, bile:

Stomach : Esophagus, stomach lining. pylorus:

Intestines: Duodenum. cecum, colons, rectum, peritoneum:

Rate ; _ _

Pancreas (head, body, tail):

Kidneys ;

Spinal and bone marrow. vertebrae:

Bladder: Prostate, testicles, sperm:

Ovaries: Uterus, mammary glands:

Ne •fs : Sympathetic, pneumo-gastric, phrenic:

Bone : long bone. short bone:

Etc., etc.

Having determined the organs whose condition should be the subject

of particular attention, it will be essential to assess! their degree of impairment. The means of assessing this deficiency are indicated on pages **160** and **166** : **Sanitamètre PS** and **Vitamètres PS**

LESSON FORTY-EIGHTH

PENDULUM DIAGNOSIS

Documentation

Regarding Medical Diagnosis. we could not do better than by pointing out the next few pages, borrowed from the famous work on " Les Rayonnements de l'Homme ", by the engineer C. Voillaume, each of whose chapters is treated with very erudition . safe (1):

Pendulum diagnosis: We have said that the whole body, with its organs, comes under the action of the sympathetic in its vegetative life or nutrition. In fact, the pendulum being carefully adjusted to the Sympathetic Ray (for this adjustment, we recommend using the radiation emanating from the solar plexus, because of its intensity and the convenience of the operation), the finger in antenna traversing the subject's body, the pendulum swings everywhere positively (negatively for a woman in good health).

This is, in fact, what happens to a healthy body. But if an organ is sick, the sympathetic threads that innervate it are affected, and the wave that runs through them is altered, out of tune. If the antenna finger is then placed on this organ, the pendulum ceases to turn.

It is this phenomenon that many doctors use today. It is extremely sharp, and with the pendulum finely tuned. one can detect with precision the malado organ and, on this organ, localize the affected parts. It is therefore a valuable means of diagnosis whose use is spreading more and more.

But, we cannot insist too much in this respect, as we do not cease to do, moreover, each time it is a question of serious prospecting, on the absolute necessity of precise regulation. It is only by operating thus that the method will be sure and will give the maximum of information.

(1) Ubrairie Scientifique, Paul Lechevalier, Paris.

MÉTHODE PHYSIQUE

Consider an electromagnetic wave. If we superimpose on it in one way or another, a wave tuned with it, that is to say whose wavelength or one of its harmonics is the same as its own, we will obtain a reinforcement of our wave. If we apply the phenomenon to our sick sympathetic wave, by the reinforcement thus obtained, we will promote the defense of the sympathetic and , consequently, an improvement in the state of the patient. This improvement will lead to a slight change in the wave of the sympathetic which will approach normal.

Another operation done with a wave tuned to the new wavelength of the sympathetic, will bring about a further improvement , followed by a second change of wavelength. This phenomenon may occur several times , until the sympathetic wave has returned to normal.

Let us transpose this process into the practical domain. It is a question of finding waves tuned with the sympathetic wave of a patient. It is essential that this agreement be conspiracy, that is to say that the polarity of the wave be the same. If it were the opposite of that of the sympathetic, it would, on the contrary, be harmful or even deadly substances. We can find these waves in certain chemical bodies, in certain ferments, in certain microbial cultures . (Any living body, plant or mineral being composed of atoms, emits radiation).

To find them, we will use the pendulum adjusted to the Sympathetic Wave of the patient, placing it on each body to be tested.

We will keep all the bodies on which the pendulum, rotating positively (the patient being assumed to be a man) will indicate the agreement sought. These bodies, as we have said above, are capable of reinforcing and improving the sympathetic radiation of the patient. It is therefore the actual remedies that the physician will have to examine and sort out.

We have said that in the preceding case, the pendulum must turn positively , indicating a wave attuned in wavelength and in polarity with the patient's sympathetic system. The pendulum set on the colloids, is in agreement with the sympathetic wave (see theory of A. Lumière). Indeed, if the pendulum turned negatively, the polarity of the wave of the body would be opposite to that of the patient, and we would obtain a damping, a weakening of the sympathetic wave, that is to say that the disease would be aggravated. It is therefore then a question of drugs clearly contraindicated, and even of poisons. It is easy to experiment with certain fungi or harmful products , such as potassium cyanide or polluted water.

We also said that the remedies found were the current remedies . In fact, experience proves that, after application of the said remedies and sometimes, after twenty-four hours for example, the

MÉTHODE PHYSIQUE

pendulum set again no longer turns on these remedies which have produced their effect, and others are designated . whose role is to continue the curative action of the first: this phenomenon can, for the reasons indicated above, repeat itself several times.

One of these extremely interesting of a médication surveillée eu pen-
dule was exposed gifts the “ Bulletin of the
Association of the Friends of the
Dowsing”, by doctor Cohen, of Rouen. There arose a case
of pulmonary gangrene, of which the doctor was able, he said, to follow
the pathological evolution step by step and immediately fix the appropriate medicine
.

The method indicated above is quite general with regard to the sympthetic
,
so that the regulated pendulum can indicate
remedies which may surprise an observer having knowledge only of certain diseased
organs. These remedies
, however, are suitable in a mixture, whether they apply to the general state, or
whether
they reveal certain defects of the organism, which have gone unnoticed ,
and for which they are indicated. -

In all of these cases, it is good practice to check the operation by
reversing the method. We carefully regulate the drugs identified,
and we check that by placing the finger in the antenna on a sym -
pethic emission from the malede (solar plexus) or on the diseased organ, the
pendulum
turns well and in the right direction. meaning.

Another method makes it possible to determine the remedies suitable
for a precise way in a diseased organ. It consists in regulating on
this organ, directly. To do this, place the pendulum on the patient,
G height of this organ, and fix his attention well on the latter :
adjust the pendulum carefully.

The pendulum thus regulated in a slightly different way will designate
all the remedies favorable to the cure envisaged. But this process
has the disadvantage of designating remedies which can however be
contraindicated due to the state of other parts of
the body, which can be ignored.

However, the pendulum thus adjusted on an organ, will allow the doctor to
auscultate this organ and to draw its outline on the body
(for all the points where the pendulum passes from rotation to
oscillation or from oscillation to rotation, depending on the direction in which one
operates). He will thus be able to judge congestion, hypertrophy, displacement
. etc., of an organ.

To facilitate and check these adjustments, we give the
serial numbers of a certain number of organs, for a man:

Brain	: + 7	Liver	: + 5
Ear	: + 5	Kidney	: + 11
Eye	: + 13	Pancreas	: + 11
Stomach	: + 5	Missed	: + 7
Heart	: + He	small intestine	: + 7
Lung	: + 11	Large	: + 17

Blood	: + 19	Bladder	: + 7
Blood has the number the Human Rays. medical diagnosis	of series : + 19, like by the use of the Ray		the sympathetic Sympathy what can

be supplemented by the identification, in the event of an infectious disease, of the microbial element which is the cause.

The methods to be employed are analogous to those which we have just indicated:

1. A microbe which infects an organ by rendering it sick produces, by the same mechanism as that which we have studied above, an alteration of the sympathetic wave by tuning it with its own. The pendulum set on the sympathetic will therefore turn on a culture of this microbe.

More clearly still, a pendulum set on the diseased organ, presented on a certain number of microbial cultures, will turn as soon as it finds itself above the culture of the microbe with which the organ is infected.

2° One can also, when one suspects that a disease is caused by a microbe, set the pendulum on a culture of this microbe, and examine the patient's body and organs with the finger in antenna. Wherever the microbe is in the body, it will be detected by the operator's finger, and the pendulum will spin.

3° In these microbial diagnostic experiments, it is good to carry out the control in the following way:

We know that two bodies of the same nature act on each other by a phenomenon analogous to that of induction, and that there exist between them not only electric and magnetic waves, but also a specific wave, which is that of these bodies. If they are made of copper, for example, we find the copper wave between them.

If we apply this law to waves emitted by microbes, we see that between microbes, for example of diphtheria, contained in the throat of a patient and a tube containing a culture of microbes of diphtheria, there is a specific ray of diphtheria.

Therefore, the pendulum being set either on the diseased throat or on a culture of diphtheria, if the antennae hand crosses the straight line joining the gorge to the culture, the pendulum will turn".

This method gives an excellent control, and can, moreover, serve itself for the search for the microbe.

Many of the microbial cultures we have studied have the same serial number:

— I 1 (scarlet fever, typhoid, staphylococci, streptococci, diphtheria, smallpox).

Tuberculosis has the series —13, malaria — 23, coli bacteria 29.

We add that cancer has a series — 19.

All these series of diseases, microbial or not, are negative.

and

that based on the Solar Ray were first applied by Abbé Bouly.

Conclusions: All that we have just explained on the Sympathetic Ray, shows well the considerable importance which it presents from the medical point of view. This is the **basic diagnostic radiation**.

We cannot prevent ourselves from comparing all that we have just said to the thesis courageously defended by Doctor Martin du Theil, on the preponderant role of the great sympathetic in diseases . their prevention and cure. For him. “ the art of protecting oneself from disease simply consists in keeping the nervous system (great sympathetic) in perfect balance, a necessary but sufficient condition for it to be able to fulfill its role of defender against any disease of an infectious nature”. Its purpose is to treat the great sympathetic in order to preserve the energy necessary for keeping the body safe from microbial attacks. The same method is applied in the event of illness, by direct recourse to the nervous system.

The thesis of Dr. Martin du Theil is therefore in agreement with the theory that we have developed.

In short. we could think of disease as a struggle between two detuned wave systems. It is a question of knowing which one will prevail over his adversary. The doctor's task is to immediately come to the aid of the great sympathetic, by sending him reinforcements by means of new waves tuned to him, either in the form of remedies. of vaccines. or even in the form of electromagnetic waves produced by special circuits.

We cannot too strongly advise physicians to use the regulated pendulum and to study all these phenomena, of which we have only enumerated the great laws. This medical study will advance the art of healing and will open, we are absolutely convinced, unexpected and unforeseen paths to therapy.

FORTY-NINTH LESSON

PENDULUM DETECTION METHOD

Application

A. — Outline: First determine the general **polarity** of the subject, or of the subject's " person-witness " .

The pendulum being regulated on the **Sympathetic Ray**, seek , to start, the general behavior of the subject on the device below representing the human organism and whose various parts correspond to (Fig. 8).

- a) Vitality;
- b) Marrow and bones:
- c) Nervous system:
- d) Traffic :
- e) Organs possibly affected.

The pendulum is held above the " witness ", or any part of the person being examined.

With the left hand, the “ Pointe-Antenne ” is presented on one of the parts: a, b, c, etc

By its **gyrations** in the direction of the polarity of the subject, the pendulum indicates a satisfactory state. So, no suspect organ, from this point of view.


The **oscillations** indicate an unfavorable state, but not alarming.

On the other hand, if the **gyrations** are **in the opposite direction** to that of the polarity of the subject, they reveal a bad state capable of alerting the attention.

By using this device, something **similar** to

what happens with Mellin's screens occurs, which respond

to the suggestions of the performer. This device therefore belongs to the mental order: the layout of the rectangles, the surfaces, the direction of the hachures combine with the cerebral effort and support



it
.

B. — Examination on an anatomical chart of the vertebrae :

Then note the observations obtained by the preceding operation which will be confirmed during

C

e

Fig. 8. — Représentation de l'organisme humain, d'après C. R. Pollak

examination on the **anatomical chart of the Vertebrae**. seen from the back, below, and at special “ **points** ” indicated in figure 9, observed pendularly by the pharmacist G. Lesourd (1),

most of which have already been pointed out by Dr. ^{Albert} Leprince in his works (2) and exposing the relationships that exist between the vertebral spines, the marrow and the nerves on the one hand and the internal organs and their functions on the other.

The anatomical board of the vertebrae will be arranged magnetic North-South, facing the operator, the “ witness-person: (saliva, urine, hair, photo, writing, etc.) to its right, and above which reacted. has the pendulum.

Determine the general polarity of the subject. whether man or woman, with the help of the pendulum suspended on the “ **person-witness** ”, or regulated in advance on the Sympathetic Ray.

Then, while keeping the pendulum on the “ **person - witness** ” by a kind of deciphering. pass to the “ **Pointe - Antenne:** held in the left hand, very vertically, from the first dorsal vertebra to the coccyx.

If the pendulum turns on each vertebra in the direction of the polarity of the subject, it is because **the corresponding organ** is **Sat**,

If, at any “ point”, the pendulum turns in the opposite direction to the polarity of the subject, or if it oscillates, it is advisable to refer to an anatomical board, where the surface of the organ is larger and more detailed. , in order to locate **the exact location** of the deficient organ.

Finally, one can evaluate the importance of the deficiency of the organ examined, using **Vitameters PS** ^, either in quarter circle, or horizontal, of which it is question page 166.

The **list of organs** is placed on the right as well, so that all its numbers correspond exactly to

-
- (1) See c Vie, Maladies, Radiations :t, by G. Lesourd.
(2) See “ Medical dowsing :”, by 0^r A. Leprince.




Fig. 9

the location of the vertebrae of a skeleton seen from the back : **Ex**
 : the
 n° 1 of the list must be aligned to the right of the first. e vertebra
 -
 dorsal, and so on descending to n° 15
 Coccyx.

Take the polarity of the subject, or that of the "witness:....

With the Tip-Antenna held in the left hand, prospect
 the board along the vertebrae, carefully following
 the numerical order of the list and considered. pay close attention
 to
 the reactions of the pendulum.

Note each organ about which the detector reacts
 in opposition to the polarity of the subject.

C. — Examination on a general anatomical board : In
 this way. we will have noted points on which there are. instead of
 returning directly
 to
 the figuration of the organs represented on the general anatomical
 chart.

Then try to recognize the state of the **arterial circulation**
 as well as the **venous circulation**, especially if
 the examination in figure n° 8 has revealed in box (d) an
 anomaly revealing a circulation disorder.

Arterial circulation : Follow the aorta in its
 entire course.

Venous circulation : Start from the superior vena cava
 and also follow it throughout its entire course.

If during the review. according to the concordance of the
 vertebrae and
 the various organs. there were indications
of affected or defective organs. search for each of them on a large
-scale anatomical figure , and therefore

more detailed than the overall figure. details of suspect points.

Are these the **lungs**? Explore at the antenna tip, first the five lobes — 3 on the right and 2 on the left — anterior face and posterior face: as well as the internal tissue.

Then examine all the **large** bronchi, the network **of bronchi and** bronchioles, etc... The circulation **through** the lungs .

For the **Heart**, check the condition of the muscle itself, anterior and posterior surfaces, as well as the coronary arteries and veins

—
the condition of which is generally determined by the circulation mechanism. — Continue by examining the envelopes : endocardium , myocardium, pericardium, etc...

Check the Aorta, the vena cava, the pulmonary artery as well as the ventricles and the ears.

Prospect with the same care the **liver** — its two lobes — the gallbladder, the hilum, the bile ducts and **Wirsung 's ducts** , etc.

Then the stomach, from the esophagus , the external walls. then the interior, not neglecting any point and ending with the duodenum.

Also note the **reactions** produced **by** the **pancreas** , the spleen , the **condition of** which is often **indicative of lymph a tic** disorders

.

Then proceed to examine the **intestinal mass : appendix, colon** , cecum, small intestine: then, the bladder .

Research on a **representation** of the sexual **organs** will provide information on their condition : prostate , ovaries , etc. ' ..

Walk the tip-antenna over the **head**, brain, eyes, ears, nose, larynx, pharynx, trachea. etc...

Do not omit to examine the whole of **the skeleton**, the marrow, the bulb, especially if the examination of figure n° 8

revealed an anomaly, (box b).

Consider the entire **nervous system** at the most essential points : the **plexuses** , the **sympathetic** major , the pneumo - gastric , the spinal **nerves** .

The more detailed the examination of the organs, the **more** precise the diagnosis will be.

The absence. of a **limb**, a bone fracture or the ectomy of an organ, will result in the immobility of the pendulum.

D. — The glands: On a graphic representation of the glands: thyroid, parathyroid, pituitary (the 3 lobes) , epiphysis, adrenal, it is the behavior of the pendulum above the " control " of the subject which provides information on their state .

“ witness ” near the pendulum suspension stick , then point with your left hand with a “Tip-Antenna ”. the various parts of the gland **to be** studied.

If the device continues to rotate (sense of subject polarity), **the** gland is normal. Hyperfunction. or hypofunction, is revealed by a contrary movement.

One can judge the importance of the excess, or of the insufficiency of secretion , by using the Sanitamètre PS (See page 160).

E. — Urine : For a urine analysis, operate using the Ray of Union constituted by the horizontal Vitameter PS , on the three “controls-diseases ”: Glucose, Blood albumen and Ammonium cyanate (Urea synthetic). The "control-diseases" being held along the suspension bar of the pendulum, the oscillation reveals the absence of specificity, and the gyration (+) or (-) its existence.

The **Radiesthesis Reporter Circle PS** . (divided into 360° representing the Fundamental Rays of the specific impregnations is capable of taking the place of all

“witnesses”
of replacing them.

and

DIAC NOSTIC PENDULUM METHOD

TO AVERAGE COLORED SCREENS OF

H.MELLIN

PHYSICAL METHOD

Numbers of	Nuance Screens	Corresponding organs
1	White.	Heart.
2	Violet.	Lungs.
3	Light blue.	Pancreas.
-4-	Indigo blue.	Liver and Gallbladder.
5	Blue green.	Bladder.
6	Fundamental green.	Stomach.
7	Malachite green.	pituitary.
8	Yellow.	Rems. -
9	Yellow gold.	C\ rveau.
10	Erythrina red.	O^ female ganes.
1 1	Red cherry.	Iriestins.
12	Second orange.	Spleen, Pa athyroides.
13	Grey.	Male organs.
14	Black.	Adrenals.
15	Pink.	Thyroid.

Superimposed

2 + 3	Purple. Sky blue.	Spinal cord.
8 + 6 + 12	Yellow. Fundamental green and second orange.	"
2 + 10	Violet, Erythrina Red.	Bulb.
1 + 2	White, Purple.	Arterial circulation.
		Lymphatism.

Numbers of Superimposed	Screens	Shade	Corresponding organs
	7 + 8	Malachite Green, Yellow.	The nervous system.
	4	Indigo blue.	Arthritis.
	11 + 9	Red cherry. Yellow gold.	Arterial wall ,
			arterio -
- —	1 + 10 + 9	White, Erythrine Red, Golden Yellow.	Pulmonary System.
	14	Black.	Cancer.
Incidentally	2	Purple.	Sugar, alcohol. diabetes.
	12	Second orange.	Albumin.
	8	Yellow.	Urea.
	7	Malachite green. • '	Acetone.
	4	Indigo blue.	Acid — Life — Male subject
	3	Light blue.	Alkaline — Death.
Superimposed	3 + 4	Light blue.	Neutral.
	6	Fundamental green.	female subject.
	1 4- 4	White, Indigo.	Starch.
	11 + 9	Cherry red, golden yellow.	Ca phosphate.
	13	Grey.	Saccharin.
	6	Fundamental green.	Water.

The method of diagnosis by means of Colored Screens provides a mode of control of the work carried out using the anatomical board and can possibly replace the latter.

The concordance of the screens with the different organs, given above, was established by systematically discarding all indications relating to the experience of H. Mellin.

The screen of suitable shade being placed 1 centimeter above the witness or the subject himself, the pendulum is presented vertically to the screen. If it turns in the direction of the polarity of the subject, the organ is normal, suspicious if the detector oscillates ; reached if the gyrations sc do the opposite.

Determination of the need for vitamins

As for the vitamins, here is their syntony with the colors of the Mellin screens.

The swing of the pendulum above the screen. the " witness " below it. indicates deficiency.

HA Anti		XL	Red cherry.
S	infecti		
BI Antineuritic	—	VIII	J-:iune.
Aneurin.			
B2 Nutritious	—	I X	Yellow gold.
Lactoflavin.			
vs Antiscorbutic	—	IV	Indigo.
Ascorbic acid.			
D Antirachitic	—	VII	Fundamental
Cholesterol.			green.
E Antisterilic	—	1	White .
Tocopherol.			
PP Antipellagra	—	He- : VIII	Purple and Yellow.
Nicotinic acid.			

K Antihemorrhagic — **XIV** _ Black.
Naphthoquinone.

With regard to the vitamin status of the subject, the operations are identical to what has just been said, taking into account the adaptation of the screen to the corresponding vitamin.

The swings (—) of the pendulum, whether it is a masculine or feminine subject, are equivalent to a sufficiency.

The deficiency results in the oscillation of the detector.

DETERMINATION OF MICROBIAL IMPREGNATION

*

But it is also excellent to use the **Dowsing Reporter Circle PS**, whose degrees 0 to 360 (clockwise) represent the locations of the **Fundamental** Rays of the specific impregnations.

In order not to be the plaything of auto-suggestion, it is recommended that only the numbers appear on the circle. Refer to the list below when the pendulum has oscillated persistently on a given number:

Degrees	Impregnations and Organs
0/360	Taenia, Malaria, Gonorrhea, Streptococcus.
34	Pneumococcus, Staphylococcus white and gold.
55	Thyroid.
120	Charcoal, Parathyphoid (a).
146	Albumin, Smallpox. Dysentery.
152	Scarlet fever.
I 70	Influenza, Pertussis.
173	Tuberculosis.
1 76	Cancer, Slow poisoning.
185	Enteritis, Tetanus, Encephalitis, Measles.
237	Appendicitis.
285	Cholera.
321	Koch's bacillus.
324	Influenza. Plague, Poliomyelitis.
342	Syphilis, Thyphoid.
346	Colibacilus.

-
- 347 Rage.
 - 350 Diphtheria.

There is nothing surprising in the fact that on the same radiation , the 0/360°, for example , there are four impregnations of a different nature. It is up to the operator, with the help of homeopathic “controls” nosodes (microbial products or abnormal products of a pathological state, such as stones, concretions, etc.) . to discriminate which specialty H is dealing with.

The control methods are the same as those indicated by Lesourd , ie to use specific LHF “controls”, or others .

CONTROL OF THE CHOICE OF MEDICINES

The subject's deficiency is indicated by the percentage **of the Vitameter PS** in a quarter circle.

the prescribed medication close to the “ control ” . .

If it suits the patient, the needle of the Vitameter PS being **brought** back to zero, the pendulum oscillates as soon as one begins to direct the needle towards the left .

If the oscillation only occurs **at** the percentage already noted indicating the deficiency, the drug will be ineffective or insufficient.

Finally, it is contraindicated, or harmful, if the oscillation **only** occurs one digit beyond, to the left, the degree of deficiency.

Example: Oscillation from 0 to 5 : Favorable. Oscillation **at** the deficiency figure: Ineffective or Insufficient. Oscillation beyond this figure. around 100° : Bad.

THE RADIESTHETIC CARD OF A SUBJECT

For the dowers, “wave detectors on living organisms”, also called “ medical auxiliaries ”. we

wanted to provide hereafter the means to operate with order, by describing to them a formula of " **Form of examination of** radiations

-
physical thesis", to establish in duplicate for each examined subject. one copy being intended for the attending physician.

This formula can be modified according to their own needs.

Of course, unless he is a doctor, the dowser will only indicate radiation and pendular movements. There can be no question of indicating illnesses .

The work of the dowser finished, the doctor will verify under the purely medical angle, in the most complete freedom, the results of this physical pendulum examination. He will write his prescriptions accordingly.

Elements to ask a subject not present

1° A confidential letter, on white, unlined paper, which the subject alone will have touched, written in his own hand. indicating its age, and, in brief. a few words on the pain that may have been felt.

2° A little blood taken by puncture at the end of a finger or the lobe of an ear, deposited on a tuft of cotton wool: or a little saliva deposited, by him alone, on waking in the morning, on an empty stomach, in a light tuft of cotton wool, half-opened and closed, or even a lock of hair cut by **the** subject himself, with scissors previously flambéed, or even a tiny bottle of morning urine, on an empty stomach, will constitute an excellent biological “ witness ” .

All slipped into an envelope sealed by the subject.

PHYSICAL RADIESTHESIA EXAMINATION SHEET intended for the attending Physician alone qualified to draw, if necessary , the medical decisions to be taken

First and last name of the subject NOT"

Address.....

Age Control used.....

Comments.....

Sex

Deficiency (out of **100**).....

Resistance (out of **100**)

General Wavelength of Health (on normal
.....

8 meters)

Infusions of Harmful Waves

Instrumental reactions obtained

(out of 100 = perfect health)

The organs **marked** with a red cross have **detected a fairly strong pendular movement on the back of the organ diagram, the “ points ;> s é c i ü u J! detected).**

Nervous system:

Digestive :

to be reported or Doctor (See

**W
he
re**

Brain, right hemisphere.

Parotid.

— — left.

Tonsils.

Epiphysis.

Esophagus, —

Bulb.

Stomach, in general.

Cerebellum.

Cardia.

M e n i n g e s . —

Pyloric lair.

Cervical spinal cord .

Duodenum.

— — dcrsai.

Hail without duodenum.

— — l o m b O i r < .

Appendix.

N e r v e s .

Cecum.

Symnothic nerve .

Ascending colon.

Vagus nerve.

Transverse colon.

Sciatic nerve.

Descending colon.

Blood circulation:

Rectum.

Arterial song .

Liver, right lobe.

Veinous song.

Liver, left lobe.

Heart, in general.

Gallbladder.

Myocardium.

Pancreas.

Endocardium.

P e r i t o i n .

Pericardium.

Respiratory :

Ao r i c . ,

Nasal mucous membranes . — — —

Arlérie'lcs walls.

Adenoids.

Glands:

Laryngeal mucosa.

T h y r o i d .

Trachea.

P a r a t h y r o i d .

Front right pcumon.

Total pituitary.

Front left lung.

Hypophysis l o b e anterior.

Rear right lung .

Pituitary lobe posterior .

Rear left lung .

Adrenal.

Pleura.

Adrenocortical.

D i o p h r a g m . —

Lymphatic G a n g l i o n .

Thymus.

Burp.

Device urinary:

Right kidney.

Left kidney.

Ureter.

Bladder.

Testicles.

Epididymis.

Prostate.

Right ovary.

Left ovary.

Straight trunk.

Left trunk.

Uterus.

V a g i n .

Mammary gland.

Bone









Bone.

Vertebrae.

Bone marrow.

Periosteum.

Some organ diagrams among the main For
more precise research, use
more complete diagrams



There is nothing surprising in the fact that on the same radiation , the 0/360°, for example , there are four impregnations of a different nature. It is up to the operator, with the help of nosode homeopathic "controls" (microbial products or abnormal products of a pathological state, such as **stones** , concretions, etc.), to discriminate which specialty H has business.

The control methods are the same as those indicated by Lesourd, i.e. using specific L.H.F. “controls” , or others.

CONTROL OF THE CHOICE OF MEDICINES

The subject's deficiency is indicated by the percentage of the **Vitameter PS** in a quarter circle.

Place the prescribed medication close to the “witness”.

If it suits the patient, the needle of the Vitameter PS being **brought** back to zero, the pendulum oscillates as soon as one begins to direct the needle towards the left .

In the event that the oscillation only occurs at the percentage already noted indicating the deficiency, the drug will be ineffective or insufficient.

Finally, it is contraindicated, or harmful, if the oscillation **only** occurs one digit beyond, to the left, the degree of deficiency.

Example: Oscillation from 0 to 5: Favorable. Oscillation **at** the deficiency figure: Ineffective or Insufficient. Oscillation beyond this figure. around 100° : Bad.

THE RADIESTHETIC CARD OF A SUBJECT

For the dowsers "detectors of waves on living organisms", also called "medical auxiliaries", we wanted to provide below the means of operating with order, by

describing to them a formula of " Examination sheet of **ray** - thesis physical", to be established in duplicate for each subject examined. one copy being intended for the attending physician.

This formula can be modified according to their own needs.

Of course, unless he is a doctor, the dowser will only indicate radiation and pendular movements. There can be no question of indicating illnesses

The work of the radiesthesist finished, the doctor will check under the purely medical angle. in complete freedom, the results of this pendular physical examination. He will write his prescriptions accordingly.

Elements to ask a subject not present

1 “A confidential letter, on white, unstriped paper, that the subject will have been alone to touch, written with his own hand, indicating his age, and, in short, a few words on the pain possibly felt.

2° A little blood taken by puncture at the end of a finger or the lobe of an ear, deposited on a tuft of cotton wool: or a little saliva deposited, by him alone, on waking in the morning, on an empty stomach, in a light tuft of cotton wool, half-opened and closed, or even a lock of hair cut by the subject himself, with scissors previously flambéed, or even a tiny bottle of morning urine, on an empty stomach, will constitute an excellent biological “witness”.

All slipped into an envelope sealed by the subject.

FIFTIETH LESSON

ABNORMAL RADIATION FROM LIVING ORGANISMS (NECK DISEASE RAYS)

1. –DIRECT EXAMINATION ON THE PATIENT

Documentation

1 ' DETECTION OF A SICK ORGANE BY RECLACE ON THE SYMPATHETIC WAVE

Any healthy organ emits **the normal Sympathetic Wave**.

Determine beforehand and with great care the real polarity of the subject (See page 89 of Torne 1).

A pendulum, regulated on this Sympathetic Wave. will therefore turn on the emission of any **healthy part of our organism**. However. any **cell of a diseased organ** will emit a radiation different from the Sympathetic Wave. radiation on which the untuned pendulum will oscillate thus marking the state, to say the least, suspect. In the event of a serious case, the gyration will be reversed. that is to say contrary **to** the real polarity of the subject.

With a pendulum, set to the Sympathetic Wave. detection of diseased regions can be done either with the help of the left hand extended or not by an antenna tip. or, which is even more convenient, with the aid of the Mental Ray. Each time our gaze encounters an abnormal point on an individual's body. this point were it a simple abrasion or a scar, the pendulum will oscillate instead of turning.

All that the dowser can affirm. it's that of

this or that region gives off abnormal radiation. 1: it will be up to the doctor to discern whether the evil is superficial , or deep, and to apply the narrowly indicated.

**2° DETECTION OF A SICK ORCANE,
BY "REGLACE ON THE "WITNESS-MICROBE"**

The detection of microbial diseases can be done using a "microbe-control", a small tube containing a microbial product, or an abnormal product of a pathological state , such as colculs, concretions, etc... If , after having set our pendulum on the "witness-microbe" suspected in a patient, we hold the rod for winding the suspension wire against this small tube. we will only have to touch the diseased organ with the left index finger to ascertain, by the reaction of the pendulum, whether or not this organ emits the radiation of the "witness-microbe". If the pendulum turns, the disease exists, if it swings - there is no - attunement. (See page 169, Volume I, the 12 Lesson on "Witnesses" and page 193, 16 ^{n,c} Lesson on the " Ray of Union").

The " **Witnesses** " in **medical dowsing** : We call: " witness" in general, a body, a product, a substance, an impregnation, identical to that which one seeks, and which one uses to help oneself to it find by **tuning**. This method, very simple and very precise, is widely explained in the 12th Lesson of our Course Volume 1, to which the reader **should** refer.

The rod provided with a "witness" **ceases to react**, except in the presence of a body of the same nature as the "witness".

It is the same with the pendulum, regulated with a length of wire suitable for the " witness", and provided with a "witness " held by the same hand (which suspends the pendulum), which now turns only on a body, a substance, etc. identical to the " witness ".

Different categories of " witnesses" : A distinction must be made

between :

a) The “person-witness”, replacing or representing the person being examined (hair. morning urine. song.

saliva, plus full-length photo). Failing that, but we recommend it much less, use a bodily object such as clothing

. belonging to the person examined.

b) The **“control-organ”** containing a sample of fresh glands or organ having been subjected to desiccation. (Example: Liver, whole blood, etc...).

c) The **“witness-vitamins”**. (Example : A, **B2**, C, D, E, PP).

d) The **“witness-microbe”** or witness-nosode constituted by the nosodes, substances of pathological origin (human or animal). opotherapeutic drugs, venoms, or abnormal products of a pathological condition such as stones, concretions, etc.

e) The **“Disease Witness”** (Example: Albumin, Glucose, etc.).

f) The **“control-remedy”** or **“control - drug ”** substance used to fight diseases by all methods (homeopathy, allopathy, herbal medicine, serotherapy).

The use of “witnesses ” (organs, microbes, remedies). is essential, either during the direct examination of the patient, or especially when, in the absence of the patient, the "witness-person" replaces him. It is therefore advisable to obtain special **“ witness kits ”** for dowsing.

You will find the complete list of “witnesses-organs ”. **“ microbiological controls ”** (nosodes), sections of normal histology and pathological histology, vials of tumor extracts (gloxins)

, and homeopathic remedies , in the corresponding kits for dowsing.

3° THE DETECTION OF A SICK ORGAN ON AN ANATOMICAL BOARD

Research on an anatomical board is carried out by the same mechanism and under the same conditions as work on a plan or map, using a pendulum, carefully adjusted to the Sympathetic Wave (wire length ,
158 millimetres, for example) and thinking of the person being

examined

Indeed, that with the left index finger in antenna, one designates such or such part of the body of an individual, or that the Tip-Antenna, held vertically with the left hand, one explores a plan, a photograph, a drawing, or the representation of the different organs of the human body. the principle is absolutely the same .

We can. if one is fixed **in** advance on the particular object of the research **to** be carried out, explore in detail, and with attention either the different parts of the apparatus here: culato re. either the respiratory system or the nervous system. or the vertebral column

or a particular organ, the brain. heart, stomach, etc.

In this case. a quick process consists of using a kind of album of rectangular black paper sheets 20 centimeters high by 30 centimeters wide. on which we will have glued, by category, the figures of the organs, one **after** the other. This process appears **in** use. more convenient than the demountable organ board - tables.

With the subject **to** be examined present, the operator will sit opposite him and carefully determine the polarity of the subject. The operator will then hold his right hand with his free left hand. Having placed the above-mentioned album sheets on his knees, the operator will pass his pendulum successively over all the points of the figured organs . Its

pendulum will turn in the direction of the polarity of the subject on the healthy regions: it will oscillate on the diseased points, or even suspect ones. It will spin in the opposite direction of the subject's polarity in a severe case.

For more precision, the use of a neutral Tip-Antenna (simple pencil, very pointed, or thin

and very tapered metal rod) or an “anti - **image** ^{EMRAM Tip-Antenna}”. is indicated. These antenna-points can easily traverse the various points of the drawings of the **anatomical** board, the pendulum being held in the right hand, outside the board, the base of its mass. or its tip, being held **at** the height of the drawing.

The operator must have his eye fixed on the tip of the Pointe-Antenne, in contact, and only look at the pendulum stealthily.

If the errors, which can come from the formation of " images " , are rarely to be feared (this hypothesis is not to be completely ruled out in medical dowsing), it will be good, as a precaution, to explore using the EMRAM Tip-Antenna , specially designed to make the images imperceptible to the operator. (Fig. 9a).




Fig. 9a.

It will be towed, for example, that if, with the neutral Tip-Antenna (pencil or simple metal rod), one searches on the plane of a jaw for the location of the aurified teeth of a person, the large number of images of or which have ended will cause inevitable mistakes to be made.

A similar confusion can occur in determining the location of a cyst, a calculus, a tumor

, a germ, and in the latter case lead to the proclamation of an opposite polarity of the real polarity, and, consequently, the opposite sex of the real sex. which will, at the very least, make you smile... after the event.

The Mental Ray, emitted by the brain of the seeker, is exported towards the organ considered, then returns, charged with the waves of this organ, impressing the sensitivity of the operator and provoking the movements of the pendulum. This kind of prospecting can only collect waves emitted by the latent but real physiological state of the patient.

For this kind of research, the neutral spherical pendulum PS must be carefully **adjusted to the Sympathetic Radius** : length of wire, **158 millimeters** , for example.

The above principle being admitted, it is possible to recognize an identity of existence, (by a mechanical action of correlation) between the individual considered and the " witness " of an organ, a tumor, the human germ, whether operated on the subject himself or on a photographic , drawn or engraved representation.

And this principle also applies to research on animals, trees, plants, metals, minerals, etc.

We know that, when dealing with normally polarized subjects, the pendulum swings (+)• directly, for a man , and (—) inversely, for a woman; any other behavior of the detector must necessarily warn us against an anomaly in the operator. In this case the signs (+ and —) are reversed. (See “ Important note ” , **page 89 of Tome 1**). .

Nevertheless, it is advisable to grant in certain cases of very personal pendular reactions to certain operators , the latitude to interpret according to their personal remarks , the various movements of the pendulum: positive or negative

gyrations
, oscillations with various orientations,
stop .

Each according to his state of sensitivity will notice, with experience, the greater or lesser amplitude of the pendular movements, for the summary estimation of the degree of gravity of the disease.

Although essentially attached to the Physical Method in our teaching, let us recall, in this respect, the process of the Mental Method. You can use the “ mental arithmetic process ” to determine the degree of seriousness of the illness. It simply consists of a mental agreement of preliminary measurement, with our subconscious:

this one will answer by the pendulum.

The important thing is also to give all the necessary time to the pendulum to take its final reaction.

4" Search for the cause of the evil of the sick organ: This mental process is reserved for doctors. Having observed a deficient organ, it may be more interesting to define the **cause** of the evil. For example, among many others, if the liver is found to be in poor condition, it will be advisable to review, in thought, the possible classic causes of such a condition: congestion, swelling, induration, enlargement, atrophy, jaundice, inflammation, etc... The dowser then calls upon his “ Mental Ray ” to operate the selection among the aforementioned causes.

Holding the patient's right hand with his left hand, or the left index finger in antenna or in contact with the diseased organ, the doctor who will examine his pendulum, after mental agreement with

his subconscious, first on the congestion, making swing the pendulum slightly. If the latter starts to turn continuously, it will conclude that there is congestion; if it continues to oscillate or stops, there is another cause. It will move on to the next one: swelling and so on.

It is understood that this menfal process is not within the reach of everyone's faculties and that **only a doctor.** with his extensive medical knowledge and experienced clinical acumen, can carry out such a mental examination.

He. — EXAMINATION IN THE ABSENCE OF THE PATIENT

Documentation

1° (DETECTION OF A SICK ORCANE ON AN ANATOMICAL BOARD

This detection **with** the help of a "witness-person" (hair , blood, saliva, urine, etc.) comes under Téléradies - thésie. But we cannot recommend highly enough to the beginner in this search for **the state of health**. and even to the informed operator

to do so only with the greatest circumspection and by becoming aware of the serious responsibility they incur, if they were not prepared for it by adequate training.

This means that the **doctor is the only one qualified** for this kind of research on the state of health, assuming he is himself a trained dowser.

Moreover, as the pendulisant "wave detector" or " medical assistant " must limit his activity to discovering such or such organ affected, or **to** detecting a microbial impregnation (although his discretion must be complete especially at the regard to the patient), he must be convinced that he does not have the legal right to formulate. nor to prescribe a remedy.

It is therefore **on** a purely theoretical basis that we indicate : here, a summary method of teleradiesthesia, relating to the **diagnosis of health**, while engaging the pendulisor **0** to ensure the collaboration of a doctor in order to compare his own remarks with the practitioner's clinical observations .

The mechanism of this kind of research is the same as that of research on maps and plans.

Apps

A. — The pendulum in the right hand is held above **the** " witness:., while the left hand explores, with a point, the representation of each of the organs on an **anatomical board** .

As a general rule, the pendulum rotates in the direction of the polarity of the subject and retains this movement as long as it is a normally healthy organ.

If there is a deficiency, it oscillates and rotates in a direction contrary to the normal polarity, in the event of an affected organ.

These manifestations of the detector provide information on **the state of the organs in general.** '

But to locate with precision the suspect part of a **particular organ**, it is advisable to employ a representation of this one on a sufficiently large scale to allow an effective work. -

It is useful to note that as soon as an organ is even slightly affected, the pendulum reveals it immediately, its revealing action almost always **preceding the** clinical manifestations .

This particularity is all the more valuable in the case of a slowly developing disease.

B. — By identical means we judge **the state of the glands** : thyroid, parathyroid, pituitary, etc.

C. — For **urine** analysis , it is necessary to **obtain “controls”**: glucose, blood albumin, urea... These “controls” placed on the left, the pendulum in the right hand. above the “witness” of the subject, one touches with the left index finger the specific witnesses, one after the other. and if the pendulum swings the urine is unscathed.

On the contrary, if it turns, it is to be feared that the urine contains abnormal elements. The reactions of the apparatus are the same if one holds one or the other of the “ controls ;;. near the stick. of the pendulum.

D. — To evaluate the sufficiency or the vitamin deficiency **of a subject** , the procedure is the same.

Obtain:- the following “ witnesses”:

Béta (3) Carotène				for vitamin A
Aneurine	—	—	B1	
Lactoflavine	—	—	B2	
Acide ascorbique	—	—	C	

Cholesterol	for vitamin D		
Tocopherol Alpha (a)	—	—	E
Linoleic acid	—	—	F
Nicotinic Acid	—	—	P
Naphthoquinone	—	—	K

In the absence of these original substances, we can use the corresponding pharmaceutical preparations.

In case of **sufficiency**, the pendulum rotates (—) inversely, for a male or female subject; the **deficiency** is revealed by the oscillation of the pendulum.

2° THE RATIONAL CHOICE OF REMEDY OR MEDICATION

The principles of this important question are extensively treated in the 16th Lesson of Torne of this Course, relating to the " Ray of Union ", as well as in the 26th Lesson, in the chapter of " Foods and Remedies ". Let us recall however that it is a fact that a vibratory movement is reinforced by another vibratory movement in agreement with it, especially if the latter is of greater amplitude, which is the case of a harmonic. It is weakened, on the contrary, if the point which is its seat is stressed in the opposite direction to that of its elongation. This is the principle on which the rational choice of remedies is based.

On the other hand, as we know, the examination carried out directly on the person, or on a graphic representation of an organ , provides the means of recognizing whether a remedy is likely to bring about an improvement in a patient. .

When the pendulum, by its various manifestations: gyrations (+) or (-), oscillations, stoppage, signals an imbalance to the attention of the operator, the latter can, by using various preparations, discover which one is able to restore balance.

For this examination, it is recommended to hold the " remedy witness

" or "medication-witness " against the rod **of the**
pendulum.

Apps

A. — If one operates directly on the patient and points with the left index finger to the affected organ, the pendulum reacts abnormally; but if one places it either in the hand of the patient, or on a part of his body. a suitable medicine, the pendulum resumes its normal movements. Otherwise, another product must be chosen until a satisfactory result is obtained, validated by the correct movements of the detector.

B. — One can also, for the same purpose, place the remedy on a table 50 or 60 centimeters from the patient. As much as possible in front of the suspected organ; then, passing the pendulum between the remedy and the patient, we ascertain whether the movements of the apparatus are produced as in the presence of a healthy organ. Otherwise, try another preparation, homeo or allopathic.

C. — If I examine a “witness-person” : blood, urine, hair, saliva, the following method is capable of giving a good result:

Place the “ person-witness ” in front of you , and 10 or 15 centimeters ahead, the medication ; if the pendulum presented in the free space rotates normally, in the direction of the polarity of the " witness-person", the drug can be considered favorable. It is contraindicated in case of contrary gyration, **and** ineffective or insufficient, if the device oscillates.

D. — But it may happen that several remedies are suitable for a patient: it is therefore necessary to establish in what order it is advisable to classify them.

Place the remedies in front of you, on the same horizontal line , 10 centimeters from each other, the “ person-witness”

himself being placed 20-30 centimeters below.
MÉTHODE PHYSIQUE
Present the pendulum vertically to the “ person-witness”.
the device, after rotating it a number of times.
oscillates strongly in the direction of **the most effective remedy**.

in decreasing order of
CONVENIENCE .

E. — Finally, by also **operating above a " witness - person "**, if with the left index finger in the antenna we point to the drug, the pendulum continues to turn in the direction of the polarity of the " witness-person " . , whether the drug is suitable for the patient; it rotates in the opposite direction in the event **of a** contraindication; and oscillates if the product is valueless or **unsatisfactory** .

F. — It is necessary to draw attention to a few remarks, the importance of which should not be underestimated: In the event that the pendulum, instead of rotating, begins to oscillate, do not conclude " ipso facto " that the pendulum is ineffective . remedy, but consider whether the **dose** of the product is **sufficient or insufficient**.

C. — Just as if the pendulum turns in the direction contrary to the normal, it is necessary — before concluding that there is a contraindication — to verify whether the **quantity** envisaged is not **too great**. When it comes to pills, granules, tablets, operate by trial and error, increasing or decreasing the number of units of each kind.

H. — It is the same in order to appreciate the **necessary quantity** of leaves for an herbal tea, or the **number of puffs** in the case of a concentrated solution. In this case , pour the product drop by drop into the dilution water . until the pendulum, presented to the surface of the glass, indicates, by a normal gyration, the realization of the agreement.

I. — As far as **microbial impregnation** is concerned, the methods described above are also valid.

A " **witness-nosode** " or " **witness-microbe** " : bacillary. diphtheritic

, scarlatinous or of any other nature, held against the stick of the pendulum and presented in front of an

impregnated organ, causes the detector, by a phenomenon analogous **to** that of induction, to agree with the organ. if one operates on the patient himself. A similar fact occurs **if** we employ a " control" coming from the patient, at some distance from the operation.

J. — A microbial culture is also suitable for identifying the **impregnation of an organ** if the pendulum has been set exactly on the organ and that with the left index finger in antenna we intersect the straight line which joins the culture to the organ.

K. — If we proceed to the examination of a “ witness-person ” **on an anatomical board** and we want to realize if an organ is carrying microbial germs. it is enough. to make sure it's real. to place the microbial culture tube near the “ witness-person ”, provided by the patient. and to explore, by means of a tip-antenna, the surface representing the organ in all its extent, anterior surface and posterior surface, if necessary.

If there is agreement, the pendulum will turn wherever the point will rest and all the more strongly as the organ is more or less affected.

This method is especially valuable when it is necessary to pinpoint the exact location* of the **microbial focus** .

If the organ is unharmed, the pendulum will swing.

It is not without interest to note this general observation : Above the microbial cultures. the pendulum always turns (—) inversely, as can be seen **with** regard to vitamins and hormones.

3° DETECTION OF A SICK ORCANE, OF THE STATE OF HEALTH BY THE SANITAMETER PS AND CHOICE OF REMEDY

the Schumfell Electro-radiomagnetic Developer to Magnetism (length of wire: 73 millimeters or 1 12).

Orient the **PS Sanitometer** exactly No d-Sud.

A. — General state of health

1 ° Indirect examination. according to " witness " of the patient :
For the research of a **general state of health.** place the “ witness ” of the person being examined in the space

marked “ WITNESS ”. South. Leave free the location marked " ORGAN ", to the north.

Present the Schumfell Revealer, mentioned on page 28, in the center of the device. Sanitometer PS and let it oscillate magnetically North-South for a few seconds.

Direct it slowly over the " witness ". It rotates in the direction specific **to** the polarity of this " witness ".

Without transition, slowly bring back the " Schumfell,. in the center.

At this moment, strong oscillations follow the gyrations and are maintained in an East-West direction, in the case of perfect health.

In the event of a deficiency, the Schumfell Revealer, while continuing to oscillate, inclines towards North, then West, depending on the more or less serious state of deficiency.

Note the number from 1 **to** 15. marked on the circumference of the device in the direction of which the Schumfell Revealer permanently oscillates

In order to know the percentage of this deficiency, it suffices to multiply the figure noted by 6.25. Example: digit 4
 $> < 6.25 = 25 \%$

From where we conclude that the light disorders are registered from

1 **to** 4 : the notable disorders. from 4 **to** 8 : finally, serious disorders, from 8 **to** 16.

In case of missing limb or organ. as well as in case of death, the Revealer is immobilized.

2° Direct examination according to the patient: The examination can also be carried out directly **on the person** of the patient, by the method of the left index finger " en amenne " , by designating the various parts of the body **to** submit **for** review.

the Schumfell Revealer is kept at the center of the **PS Sanitometer device**.

B. — State of health of a separate organ

To recognize the state of any **organ** , place an appropriate “ organ homeopathic tube ” **in** the space reserved “

Organ ” to the North, the “ witness ” of the patient (if operating by this means) being placed in the South. In case of direct examination on the person, do not put anything in S.

Revealer Schumfell behaves as it was says and stops if the “ control-organ tube ” is not the one that corresponds to reality.

C. — Search for a microbial state

In order to establish the existence of a specific state **micro - well** or otherwise, one must spot; the “ nosode control ” (microbial product) versus the “ organ control tube ” . Delete the latter if it is a search on all gold - organization.

The Schumfell Revealer stops if this “ nosode witness ” is not the appropriate one, or if there is no impregnation.

D. — Hormonal state

To determine the **hormonal state of a subject**, use the **appropriate** “ glandular control ” , placed in “ ORGAN ” . i.e. in the North.

If there is enough, the Schumfell Revealer oscillates East-West. If it inclines towards the North, we can conclude that it is **in** a state of deficiency. In case of plethora, the Revealer tilts, oscillating towards the South.

E. — Vitamins

Do we want to assess **the vitamin status** of a subject? Place the “ control ” of the various vitamins A, 81, 82, C , D, E. PP. in N.

In the event that the Schumfell Revealer oscillates in an East-West direction, the subject is not in a state of starvation. On the contrary, in case of insufficiency, the Revealer inclines in the direction of East-North, and West, that is to say towards a figure all the higher as the deficiency is greater.

F. - Urine analysis

The reactions are the same when using the “ controls ”: glucose, blood albumin, urea, placed in N.

C. — Suitability of medications

The suitability of a **drug** is checked by placing it near the “ control-organ ” at N. If the oscillations occur in an East - West direction. the drug is suitable for the subject. In the event of indifference or null action, the Schumfell Revealer oscillates according to the degree of deficiency noted.

For a bad or contraindicated product, the Schumfell Developer stops in the center of the PS Sanitometer device

If it is necessary to assess the value of a drug for the general condition, delete the “ organ control tube ”.

H. — Medication dosage

The important and indispensable operation **of drug dosing** is easily carried out by means of the Schumfell Developer.

If it is a question of counting the quantity of drops necessary for a treatment, place the “ **control** ” of the patient in the suitable place in S.; place the opposite, in N .. in a small container, the necessary quantity of water.

Let the Schumfell Developer act, as well as for all the operations described above.

,
the Schumfell Revealer becomes immobilized in the center of the Sanitamètre PS device.

,
the medicine is dropped drop by drop into the water, as soon as the sufficient quantity is reached, the Developer oscillates endlessly, from East to West.

If the quantity is exceeded or insufficient, the Developer stops again.

To dose tablets, cachets, powdered or liquid medicines, pills, herbal teas, small granules or others, the way of operating will be the same, the product being placed in N.

I. — Febrile state

To assess the degree of a **feverish state**. place a Melitensis “
nosode tube
” in N. The oscillation of the Schumfel Revealer

along the East-West line corresponds to the normal temperature of 37° . Above, the value of the degrees is inscribed according to the greater or lesser inclination towards East and North. The temperature 38° corresponds to number 2 of the device and so on.

J. — Nutritional value of food

To assess the nutritional value of **food**, place the product in S.

Operate as prescribed. The Schumfell Revealer, after having oscillated East-West

, inclines in the N direction, then aligns itself with a figure which is all the higher as the food has **greater** or lesser nutritional qualities.

If the food is not suitable or if it is bad, the Revealer becomes immobilized.

K. — Ultraviolet and infrared X-ray treatment

In order to recognize the advisability of **treatment by c;s rays**, it is advisable to designate on the **PS Wavelength Scale** with a “Tip-Antenna”

, the location of each of these types : X.. UV.. IR. and follow the movements of Revealer Schumfell on the Sanitameter PS

If the device continues to oscillate, depending on the degree of impairment of the subject, the effect will be nil. In case of East-West oscillation, the influence of the radius will be favorable. Finally, if there is a contraindication, the Developer will stop.

As a check on what precedes, we can direct one of these rays on the “witness” of the patient, and the reactions will be identical.

L. — Finding the sex of a pregnant child

- The mother-to-be's “witness” can consist of a few drops of urine on a piece of cotton. Place it on the PS Sanitometer in the usual place. to the South (—) ; opposite, to the North (+). pose an embryonic homeopathic “ witness ” .

The oscillations of the Schumfell Revealer in an East-West direction confirm **the state of gravity**. In the event of **non-gravity**, the device stops moving.

To find the **sex** of the child, place a male "witness" (Orchitine), or female (Ovarine), or any other sexual element, near the "witness" of the future mother.

As soon as the agreement is made with one or other of these "witnesses". and sometimes with both, in the event of a double pregnancy, the Schumfell Revealer oscillates in an East-West direction : it stops moving if the sexual "witness " is not suitable.

M. — Choice of colors. metals, jewelry, perfumes

The use of the Sanitamètre PS device also allows the search for the color, the metal, the jewels, the perfume which are particularly suitable for a person and which he has inté.êt to surround himself with or to carry on himself.

The procedure is the same as that described above, and for all these searches, the operator can act himself on his own "witness".

Colors : Place the "witness" of the subject in the place reserved in S. On the opposite side in N. alternate the seven colors of the spectrum, unless, keeping them outside the device, one prefers to designate them from the left index in antenna or better with a point.

If the Revealer oscillates in an East-West direction, the color is indifferent, that is to say with zero effect.

It will be favorable in the event of gyration of the apparatus and harmful if the Developer stops.

Metal, jewels : As for the choice of a metal or a jewel, the procedure is the same and the reactions of the Revealer are identical.

Perfumes : **Also** **for** **perfumes** ,
with this particularity that we can designate the perfume of . the left
index
in antenna or to judge some olfactory.

FIFTY-FIRST LESSON

MEASUREMENT OF THE DEGREE OF DEFICIENCY OF AN ORGAN

Documentation

Having determined the organs whose state must be the subject of particular attention, it is essential to evaluate their degree of deficiency, that is to say the **percentage** that they cause with regard to their condition of normal balance.

The means of evaluating this deficiency are facilitated by the use of **the PS Sanitometer** or the **PS Vitameter** . . . whose principle and use are indicated below:

P **vitameter** . **S.** — in a quarter circle , although it does not have resources as varied as the aforementioned Sanitometer , allows the assessment of **the state of health** with the advantage of not requiring any special equipment. It allows indifferently the use of the neutral pendulum PS. or the Schumfell Revealer. This is the recommended device for doctors.

The principle of the device is based on the radiation of the extreme colors of the spectrum, violet and red, and comprises a dial on the perimeter of which are indicated, in " grades " . divisions from **1** to **100**. A **hand** - operated needle indicates, with rigorous precision, the degree of general deficiency of an **individual**, or of a particular **organ** .

Apps

A. — Using the quarter-circle Vitameter PS (registered model): In order to assess the extent of the deficiency of an affected

organ in a subject, the quarter - circle
Vitameter PS , with mobile needle, is very precise and

very simple handling. It is based on the "Phenomenon of Oscillation in direction " (See page 196, Volume I, 2TM* edition)

Proceed as follows:

Set the pendulum on the " person-witness " (saliva, hair, photo, writing, etc.) of the subject, or on the Sympathetic Ray. The pendulum will turn (+) or (-) depending on the general polarity of the subject, whether male or female.

Place the magnetic North-South device , by principle .

Arrange, by the left hand and by its pivot, the tip of the needle on the O.

Then, place the "witness-person " to the right of this needle, about halfway up (rather below). Ask this "witness-person " a homeopathic organ preparation ("witness-organ

": stomach, heart, times, etc. from the Homeopathic Laboratories of France). (In the absence of a " witness-person " , present the pendulum above the subject's hand, placed near the operating button , i.e. the subject's left hand placed flat, hollow on it, receiving the aforementioned "witness-organ " .)

Present with the right hand the pendulum, adjusted, vertically , depending on the case, either of the "witness-person " supporting the " witness-organ ", or of the hand of the consultant. supporting the

witness-organ:..

Finally, with the left hand. rotate left. very gently, the needle on its fixed point. The pendulum turns at the start.

As soon as the end of the needle reaches the very exact number of the deficiency of the organ examined, the pendulum stops turning. It begins to oscillate indicating the percentage of deficiency.

If, inadvertently, the exact figure is exceeded, the pendulum would turn in the opposite direction to the observed polarity of the subject.

In this operation, which in practice is one of the simplest, it is advisable not to look at the pendulum,

only to glimpse its movements from the side, in order to follow the advancement of the needle with the eyes.

to realize the **general deficiency of a follower**, one operates in the same way, but retaining the " person-witness " and suppressing the " organ-witness ". As an indication, a deficiency of 0 to 12% constitutes a good state of health.

In addition, the method can be usefully employed as an attestation of the **death** of a person. His " **person - witness** " leads the needle to the number 100.

Finally, the **appropriate remedy**, placed in the same conditions , causes the pendulum to swing immediately. On the contrary, the persistence of the gyrations betrays the ineffectiveness or contraindication of the product.

If one wishes to operate on a **photograph**, the preceding indications are also valid. But it is worth noting that for all research of this kind, the photographic print must be free of any inscription on the back. It is also advisable to de- **impregnate** the document (image and back) by passing over the entire surface the two poles of any magnet.

The quarter-circle Vitameter PS also provides information on the **degree of radioactivity or magnetism of the bodies**.

With regard to this kind of evaluation, the Vitameter P.. S. in quarter of a circle, must be suitably **oriented to the** magnetic North , and the pendulum **regulated** is on the radio-activity. either on magnetism; the product to be examined taking place near the operating button.

The rest of the operations are in accordance with what has been said **about** the search for the state of health.

B. —

Using the horizontal PS Vitameter (registered model): This second device, shown on the same board as the previous device, is based on the " Union Ray ". and on the principle of the " Vibration of the colors

of the Spectrum " of which purple and red are the two extreme poles. This device requires no special orientation. **nor** mental convention.

1¹ allows the control of previous operations.

A square of violet color, on the right, corresponds to the perfect state of health; a red square. on the left, corresponds to a very bad condition, the worst !

In order to assess the importance of the **deficiency of an affected organ** **in** **a** **subject**

, the horizontal Vitameter PS is also very precise.

Set the pendulum on the " person-witness " (saliva, photo, writing, etc.) or on the Sympathetic Ray. The pendulum will turn (+) or (-) depending on the general polarity of the subject. either male or female.

Place the homeopathic " control-organ " on the left. on the color red, and the " person-witness " of the subject. on the right, on purple.

If there is no " person-witness ", replace him. at this same place on the right, by the application of the subject's left hand.

Present the pendulum with the right hand. rule. vertically. depending on the case. or the " person-witness ". either from the hand

of the consultant. The pendulum will turn.

If you slowly move the pendulum forward, thus in gyration . towards the left. thus distancing him from the " person-witness". it will arrive at the " Neutral Point ". where it will oscillate. In this location.

a number indicated will mark the deficiency of the organ examined . ms.

Moreover (the homeopathic " witness-organ " **being always** left on the red). having thus noted the figure of deficiency of the organ, if you place on the right next to the " witness-person " of the subject. a **drug** (or diet food), and that, starting from the red square. you notice that the pendulum swings immediately, the medicine (or diet food) is good.

In case the pendulum swings to the deficiency number . previously recognized for this organ, the drug would have no effect. and harmful, if this figure is exceeded. in the direction of red.

These manifestations are, in short. identical to those previously

indicated for the
quarter-circle

Vitameter

PS

To determine **the general state of health**, place the “ witness-person: (sal.ive. photo, writing, etc.) to examine, on the violet color, on the right; without putting anything on the red color.

Suspend your pendulum on this “ witness-person ”, it will turn according to the general polarity of the subject.

If you advance slowly, then the pendulum, thus in gyration , towards the left, thus moving it away from the “ witness-person ”. it will arrive at the “ Neutral Point ”, where it will oscillate. At this place, a figure will mark the deficiency of the subject, and as a counterpart his physical resistance.

The operator will be able to determine **his own deficiency**, using his own " person-witness ".

In this regard, an interesting experiment can be carried out with the Chinese drawing Yn-Yang, which is discussed in

Volume 1^{rr} . page 216; After getting your health deficiency percentage. hang your pendulum again on your “ person-witness ”. This is the moment to place the palm of your left hand, open, above the Yn-Yang. You will find that the spinning pendulum will swing. as soon as he leaves the " control", thus indicating the ideal state of health. The beneficial influence of the Chinese figure will be exerted . and your deficiency will be annihilated.

OTHER MEDICAL METHODS

1. Method of Doctor Albert Leprince

Documentation

Dr. _ - The prince. in his remarkable works. in particular in : “
Diagnosis by Colors and Metals. ::.,
and : “ Radiations of Diseases and Microbes::., proposed
a summary means of researching the state of the essential **organs**
which we summarize as follows :

“ We can divide the right hand into segments or
imagine lines starting from the middle of each finger and
from the middle of each interarticular line. Each of
these lines corresponds to an organ of the body as indicated below :

« 1) The external lateral line of the thumb corresponds to
the cerebrospinal nervous system :

« 2) The axial line of the thumb corresponds to the intestine;

« 3) The thumb-index interdigital line corresponds to the
estornac:

« 4) The axial line of the index corresponds to the
sexual and ve s.co-ur i na i res organs;

« 5) The index-medius interdigital corresponds to the liver;

« 6) The axial line of the middle finger corresponds to the
kidneys:

« 7) The middle-annular interdigital corresponds to the
spleen:

« 8) The axial line of the ring finger corresponds to the
pancreas:

« 9) The annular-auricular interdigital corresponds to the

CINQUANTE-DEUXIÈME LEÇON

lungs:

« **10)** The axial line of the little finger corresponds to the heart”.
(See device below):

Apps

A. — We recommend using this search system as follows:

Experimentally set the pendulum, whether it is the neutral PS pendulum or the Schumfell Revealer, on the subject's " person-witness " . Obtain the sense of gyration of the polarity of the subject in this way.

Hold as an " organ control ", near the suspension stick of the pendulum, the homeopathic preparation corresponding to the organ to be examined.

Present the pendulum above the " person-witness " . Then, with the left hand, direct a " Tip-Antenna " on the point to be observed and whose position on the drawing of the hand is indicated.

The reactions of the pendulum conform to what has already been said about this type of research, namely: Girations in the direction of the polarity of the subject: organ not affected: Oscillations: functional disorders :
Girations in the opposite direction to the polarity: organic disorders.

B. — In the presence of the person himself, the examination can be done as usual above his hand.


Moreover, it is also possible, instead of using the drawing of the hand, to search, by means of the " Point - Antenna ", the characteristic places, directly on the palm of the right hand of the interested party.

II. Brochenin method

Documentation

Before undertaking to research the **nature of an affection** , whatever it may be, it is necessary to convince oneself that the operation is delicate, let us say difficult, and that it is essential to possess complete clinical elements. medical. He is.

indeed, very complex cases, especially in places where there is superposition or partial overlapping of organs, this is particularly the case of the pancreas, whose pains



Cliché du Dr A. Leprince

are often confounded with those of the liver, or of the gall-bladder, and one could cite many other similar cases.

Several methods are available to the practitioner: particularly the **Fundamental Rays Method** (see Torne 1st r · 2nd edition , pages 157 et seq.). including Brochenin, after long and patient research / noted. on a circle which he calls " Dial of the Azimuthal Rays of Diseases ". the indication of many states of disease - too many perhaps, because there are no less than **31 on the** North-East radiation alone , degree 35.

In effect. the particular ravage that a given disease causes on the cellular tissue of the organ which is **the** seat of it. causes the formation of a wave which propagates in a fixed direction, characteristic of the disease. This wave, sensitive to the hand at its points of reinforcement, appears to be a beat wave between the sympathetic wave and the abnormal wave produced by the disease.

When a disease presents several periods of evolution . and, therefore, several different modes of cellular damage. it gives rise to the emission of several distinct abnormal radiations . having. each, their particular characteristic orientation. These directions are either on the patient himself or on an impregnation. or in a photograph.

This discovery is the fruit of the researches of M. Bro - chenin who has noted for a large number of diseases which he has studied. the characteristic directions which he calls **Fundamental Rays of Diseases.**

to discern the formation of certain diseases at a period of evolution when the procedures of classical medicine do not yet make it possible to detect them.

This Brochenin method is very interesting, but we

must recognize that it is extremely complicated and is intended only for experienced dowsers. only competent to discriminate between the multiple indications provided by each of the degrees of the Dial, the one **which**

must be considered as responding exactly to the pathological case under observation.

However, if we want to summarize this method, it is because it can serve as a basis for establishing a less complicated device and a simpler handling.

Apps

A. — In his "Traité de Dowsing ". the author ex-
award as follows:

" Having noted that diseases gave me, like metals or alloys, one or more fundamental rays particular to each disease, I was able to build a system which allows dowers to study conscientiously and to note, once and for all, the multiple reactions that a microbial or pathological preparation can give. When they find themselves in the presence of a disease, it can be identified easily, just with the pendulum.

"Each fundamental ray is immutable for each disease and cannot be contested since a large number of non-dowers even can perceive them".

B. — The author, in his way of working, attaches real importance to " **serial figures** " as the example he gives bears witness to this :

" Take any preparation, **failing** that a picture of a patient. Place a homeopathic witness of staphylo - shell on white paper, in the center of a circle of good size graduated at 360°, oriented to the magnetic North, or take the compass itself, although less precise given its small dimensions and walk your pendulum around the preparation.

" The swinging pendulum will turn while crossing the direction North-East 35°, it is the fundamental radius of the white staphylococcus. If it turns North-West 335°, it is Staphylococcus aureus and **you get 36 gyrations**, the (serial) figure for Staphylococcus -

cocci”.

It is seen that besides the orientation of the **fundamental ray of** the microbial preparation. Brochenin indicates a **number of series** which, according to him, makes it possible to distinguish this preparation from other affections having the same orientation and he concludes:

“ Well practiced. when you encounter a disease caused by this microbe, you must obtain the same immutable fundamental radius as well as an equal and constant number of gyrations (of series).

“ If you detect vertically on the preparation, you will only ever obtain one or the other of the dominant rays: Doré North-West. Northeast White”.

III. Mr. Alby 's method

Documentation

It is on the basis of a similar principle that Mr. Alby. from Bordeaux. has established a protractor on the limb of which are located the fundamental Rays of about 78 microbial strains .

The numbers that correspond to each microbial type are located from left to right. below a horizontal line , the middle of which must be suitably at magnetic North.

In order to find the nature of a microbial impregnation, it is important to place the product of the subject in the middle of the horizontal line; then, having adjusted the pendulum to this product, the instrument is allowed to evolve towards the degree situated in the fraction of the zone particular to the microbe studied.

In order to check whether the location towards which the pendulum

oscillates in a constant manner is really that which characterizes the impregnation, it is advisable to direct the apparatus slowly from the center to the periphery . Above the exact number the pendulum turns. Moreover, on the course it turned constantly whereas it would have oscillated across on a line qu; would not have corresponded to reality.

IV. Lesourd 's method

Documentation _ _

The pharmacist Lesourd observed that the impregnation of a healthy person determined a series of fields separated by a length of 0.20 cm. (fields 20/40/60) and that of a sick person provided tighter fields (fields 17/34/51, for example). The length of the latter is fixed and characteristic of the disease. Distances are measured on a ruler specially designed to eliminate parasitic influences and sources of error, at the bottom of which is placed the impregnation (cotton soaked in blood or urine).

If the impregnation is juxtaposed with the appropriate pathological remedy, the fields immediately resume the normal length 20/40/60.

We summarize the principles of this method according to his works : “ **Method Dowsing** ” and “**Life. Diseases . _ Radiations** >> in which Mr. Lesourd explains his working methods.

The author has chosen urine as the starting point for his dowsing analyses, and, according to him, the resulting radiations have wavelengths capable of being measured, compared to the waves emitted by “ witnesses ”, and also to be annihilated by judiciously chosen “ witnesses ”.

These are **the magnetic fields** which exist around an individual, or his urine, the magnetic fields of nance, of tuning, established by evident comparisons which, by means of “ witnesses ”, justify the use of **the Rule**. which is the main part of . this method. Mr. Lesourd thus indicates the realization, in case one does not have his special Rule, made of a material in the composition of which enters special products, and

in particular sulphur, which **has** the property of absorbing stray radiation likely to falsify the results.

The Lesourd ruler : Take a ruler, graduated, a double meter in wood, or for more convenience in tape. **Unless** you make a drawing on a simple strip of strong white paper, writing down the divisions and taking into account the following indications:

From left to right, every 10 centimeters (10, 20, 30, **40**, etc...) we lengthen the line of the graduation by a light brushstroke of black color or Indian ink, in order to make the numbers found more visible.

Also make even more visible lines — **although** a little less high — at the following centimeters : 5, 10, 13, 19, 25, 26, 38, 50, 51, 55, 62, 68, 72, 75, 78, 102, **110**, 124, 136, ISO, I56.

Finally, make very large strokes at centimeters 20, 40, 60, 80, 160.

Give the first strokes (from 10 to 10 centimeters) a height of about 1 cent. and half.

In the second lines (numbers 5, 10, 13, etc.), a height of one centimeter.

With very large lines, the full height of the ruler (numbers 20, 40, 60, etc.).

Apps

A. — Manner of operating : Place the ruler on a table so that the first centimeter is directed towards the magnetic North.

On the left, right up against the first centimetre, on a square of neutral white paper (a paper whose surface has been swept **with** a magnet), place a hydrophilic cotton pad, the size of half a walnut, soaked subject's urine.

In general, for a man, the pendulum set on urine **and** shown above swings directly (+) if he is a normally polarized person. In the case of a woman. it rotates inversely (—). usually. -

B. — Case of a healthy subject: After a few aforementioned gyrations of the pendulum, slowly advance the hand which suspends it, towards the left, on the top of the ruler, in the direction of the numbers 10, 20, etc...

As soon as the pendulum has ceased to be vertical to the "witness" of the subject, **it oscillates** from the number 0 to the number 20.

Continuing to move the hand forward, the gyrations resume in the direction of the polarity of the subject and remain constant until the number 40.

Beyond this number the gyrations **change direction**, from the number 40 to the number 60.

Finally, it is by a succession **of oscillations** up to the number 160 that the operation ends.

The balance 20, 40, 60 achieved as just said is characteristic of a **perfect state of health**.

It is this invariable magnetic field that the author has named "organism's defense magnetic field" whose radiation extends up to five times 1 m. 60, or 8 meters.

C. — Patient without impregnation 1 microbial ion:
The pendulum reactions are in conformity with what occurred for the case of a healthy subject, with the difference **that the final oscillations** from 60, cease at a figure lower than 160. and the difference between the figure obtained and 160. corresponds to the degree of impairment of the subject.

D. — Patient with unique microbial impregnation:
The **gyrations** in the direction of the polarity of the subject **continue** even if the pendulum is outside the "witness" of the subject.

If you continue to move your hand forward, the gyrations are transformed into oscillations **above** a certain number.

Beyond this figure, which is important to remember, the device **rotates in the opposite direction** to normal polarity up to twice

this figure, where it oscillates all the more strongly as the impregnation is stronger.

In this location. apply a “specific indicator of microbial impregnation”

The list of these “specific witnesses”, as well as their correspondence. with the figures of the ruler, appears at the end of this chapter in the enumeration made by M. Lesourd.

Returning then above the "witness " of the subject. it can be seen from the movements of the pendulum that the equilibrium 20, 40, 60 is re-established, if the "specific witness" is really the one which corresponds to the impregnation. For control. if we go back beyond the double digit and come back to the digit 0. we find that the pendulum **no longer oscillates** above the double digit, nor above the first digit.

In the event of an error, that is to say if **the "specific witness" chosen is not the appropriate one, the pendulum oscillates at these two places** as it did before the annihilated ! microbial radiation.

E. — Patient with multiple microbial impregnations : After having turned
 , then oscillated, above a certain number, if one is in the presence of a new microbial impregnation. the pendulum continues to turn **in the same direction.** then it **oscillates** above another cipher supenor.

Several “magnetic fields ” are superimposed, ie the most elongated dominating the others, except at the figures which characterize the various impregnations , above which the pendulum oscillates.

In this conjuncture, the 160 radiation plane may be momentarily masked in the event of the existence of fairly elongated microbial fields: but the 160 radiation plane is re-established as soon as the microbial fields have been annihilated by the use of "specific witnesses". >> placed at their respective digits

M. Lesourd **has** established that the magnetic fields of the

urine of patients **with** microbial impregnation are always one of the following:

5. 13. 19, 25. 51, 55. 62. 68, 72, 75, 78.

F. — The wavelengths, indicated by the author in his book “ Method Radiesthesic ” , for the microbial impregnations , therefore for the microbes themselves, are the following:

± 5 field 0/5/10: Measles. Scarlet fever, Micrococcus catarrhalis, Chicken pox.

r 13 field 0/13/26: Syphilis, Enterococcus, Lethargic encephalitis , Glanders, Poliomyelitis, Malaria, Ducrey 's **bacillus**.

± 19 field 0/19/38: Tuberculosis (BK). Malaria.

± 25 field 0/25/50 : **Anthrax** , white Staphylococcus (and **because** of it, flu). Pneumococcus, Meningococcus.'

51 field 0/51/102 : Cancers, Tumors, Swellings of all kinds, serious or not, Ulcers, Warts. This field is also found in certain serious illnesses caused by other impregnations. (Example: Typhoid).

r 55 field 0/55/110: Gonococcus, Tetanus. Colibacillus, Amiba coli, Dysentery, Gallstones (with 68), Kidney stones (with 62 and 75).

£ 62 field 0/62/124 : Various streptococci, Rabies. Endo - carditis, Leprosy, which is 0/62/...620.

f 68 field 0/68/136 : Staphylococcus aureus. Diphtheria, Typhoid and Paratyphoid, Pneumobacillus, Ascaris, Pinworms , Tricocephalus, Toenias. Smallpox, Pseudo - Diphtheria, Lamblia, Scabies. Same radiation: Glucose , Diabetes.

£ 72 field 0/72/144 : **Whooping cough** or Bacillus of Bordet (and sometimes Bacillus of Kock jointly with 0/19/38), Micrococci of Doyen, Micrococci Melitensis and consequently Laryngitis. Chronic tracheitis . Hansen's bacillus.

; 75 field 0/75/150: Bacillus Friedlander, Bacillus Pyocyanique. Tetragen. Same radiation: Albumin.

± 78 field 0/78/156: Bacillus of Pfeiffer, Bacillus Proteus. Anaerobes, Influenza (with lengths 5 and 25), Obesity (edema).

The other microbial impregnations are found less often in current medicine.


For more precision, we refer L'Etudiant to the remarkable more recent work of M. Lesourd , “ Vie, Maladies. Cancellations ”.

C. — Evaluation of blood pressure according to M. Gabriel Lesourd.

Seek to obtain a normal pendular gyration above the hand of the person to be examined, the pendulum being held suspended from a fairly elongated regulated wire.

Slide the pendulum between the thumb and the index finger of the subject's left hand, the hand held without stiffness, the thumb well detached.

When the body of the pendulum arrives at a certain distance **below the hand** , the instrument will turn a certain number of times. Count. This number will indicate the **voltage mmima**.



Going up the pendulum, which oscillates, up to the level of the thumb index opening, a little below, or at the exact level, then the pendulum will begin again a series of gyrations, the number of which will be that of the **maximum tension**.

If the tension is **hyper**, the pendulum must be lifted above the hand to obtain gyrations.

If the tension is **normal**, the gyrations will occur at the thumb-index opening.

If the voltage is **hypo**, the pendulum should be below the hand.

H. — Evaluation of blood pressure. by means of a graduated circle of 30 divisions PS

The divisions of the circle each bear a number **from 1 to 30**.

Place the subject's "witness " outside the circle. right

Present the pendulum above.

With the left hand, use an antenna point to go through the figures of the circle starting from the number 1.

As soon as one has reached the number corresponding to that of the arterial pressure, the pendulum oscillates with force. (See Fig. 10).

V. — Method L. Chaumery and A. de Belizal

In order to allow an instantaneous location of the “ **Disease Waves** ”, as well as of the “ **Healing Ray**” which will have to fight them, MM. Chaumery and de Belizal imagined ur. a device they baptized “the Snail” and whose shape recalls the Indian conch of Mr. Turenne.

According to the authors, the shape of this device is **emitting** and, depending on the point of suspension of the pendulum, makes it possible to obtain

the **electric wave**, or the **magnetic wave**.




Fig. 10. — Evaluation of blood pressure

One can realize, according to the figures above, that if the margin reserved for the invisible rays, beyond the violet, is extended, on the other hand, that located below the red is restricted. This is what explains the need to use two figures, which offer the possibility of exploring more easily one or the other part, so as to be able to tune the "Healing Ray" with plants, allopathic remedies. . or homeopathic, or the influences of objects whose favorable "shape " can aid in alleviating states of illness.

Way of operating: The "witness" of the subject, or " Strain-disease", is placed in the center of the "Snail" and its wave is carried by the color waves of the device, which is radioactive by its shape. On the drawing are represented all the color-vibrations at the exact points where they are located.

The pendulum set on the "witness " of the subject, then presented above this "witness " gives first. a certain number




Fig. 9 ter. — L'Escargot

Recto (Infra-rouge) et verso (ultra-violet) de la planchette répartissent les rayons-couleur sur les deux faces.

of gyrations in the direction of the polarity of the subject. It then moves towards a point on the spiral, opposite which is indicated the color of the "Healing Ray ".

An appropriate medicine placed opposite the " Sickness Ray " stops the swinging of the pendulum.

To assess the **deficiency of an organ** or the **harmfulness of a microbial strain**, it suffices to place the " control - organ " , or the "control-microbial ". in the center of the. spiral near the subject's "witness " . One realizes according **to the** direction which the pendulum takes while oscillating, that the perfect state corresponds to the horizontal Violet-Red direction: while the deficiency or the harmfulness are registered on the part where are located the rays corresponding to indigo. to blue, green. yellow, orange, red. For greater precision, the following figures can be arbitrarily assigned to the various radiations :

Purple	0/10	Yellow	45
Indigo	15	Orange	75
Blue	25	Red	100
Green	30		

When, for a given state of health, the pendulum is oriented by oscillating towards a ray in the direction of the red ray. and if the operator designates. with the left index finger, a favorable drug , the apparatus immediately resumes the direction of the horizontal line with a tendency towards violet. If the medicine is insufficient, the pendulum continues to oscillate on its radius , indicating the number of deficiency.

For a bad or contraindicated medicine the pendulum moves towards the red ray, which indicates the highest

degree of deficiency and even the state of death.

In the presence of the subject, these searches can be carried out on the palm of his hand, which the operator points to with his left index finger .

VI. Bequard's method

Documentation

For the detection of diseased organs in living beings, Maurice Béquard bases his method on a physical, objective basis of the relationships between **colours, organs** and **planets**. An original method, of course, but one of the most interesting and rapid, as operators who want to pay particular attention to it will be able to see. The description of this method of pendulum chromo-diagnosis is entirely given on page 257. in the chapter Astro-Dowsthesis.

FIFTY-THIRD LESSON

THE CAUSE OF CANCER AND EARTH CURRENTS (>)

Documentation

C a n c e r : In all countries. we are more concerned than ever about the **cause** of cancer, which is still on the rise. In France, 60,000 **people** die of cancer every year. while there are only **40,000** deaths from tuberculosis.

In America. according to statistics. Over the past few years, one person in eight has died of cancer . This worrying progress motivated two bills for the intensification of the fight against cancer: one tabled in the Senate by Mr. Cl. Pepper , the other in the Chamber by Mr. Matthew Neely.

In France, cancer wreaks the same havoc. Medically, pathologically, therapeutically. officially. the word **cancer** has been banned . But this ban has not stopped the progress and the growing devastation

It sure seems like. in France, medical circles, oriented more towards physiology rather than towards physics, have not given all the necessary attention to the research of MH Chrétien, whose work in physics and scientific works are well-known: among others : " The Cause of Cancer and Precursor Disorders ", and " Complement to the Cause of Cancer ". transmitted to the Academy of Sciences and **the** Academy of Medicine in 1938.

Mr. Doctor Peyré, from Paris and Bagnoles-de-l'Orne ; Doctor Dumesnil . from Mulhouse; Doctor Alfred Roux,

from Vichy. among others. found the facts of the influences

(1) **Communication from Commander H. CHRÉTIEN.**

of these radiations, which have been called " harmful ". M. Delcambre

verified these indications in particular and in his report to the " Congrès International de Liège " in 1939, he shares his research and that of M. Joseph André, of Oran, who, on 107 cases of cancer examined, **found** 99 of which the lodgings occupied by the patients were situated above an underground stream of water. He adds :

" **I would also like to** underline this: Like Commander Chrétien, quoted by Doctor Peyré, I have always found an interlacing of harmful currents under the bed of cancer patients ".

But given the findings, the cures in all countries, it is not possible not to make known the results obtained over the past few years

, since the discovery of the Cause of Cancer.

.Cancer is known to be a malignant solid tumor.

Left to itself, the disease of cancer leads to death. Cancer most commonly develops in the breast, stomach, bowel, tongue, skin, etc.

Is Cancer hereditary ? No, we are more or less predisposed to Cancer, in relation to the places we live, the food, the age.

Is Cancer a virus, a microbe, like tuberculosis ? No. If we crush cancerous cells and inject the filtrate into guinea pigs, or animals, we do not produce a cancerous tumor ,

no pathological disorders , as is the case with contagious diseases of microbial origin. But all the biologists and oncologists agree in saying that Cancer is in the cell, spreads through the cell, is grafted externally with the cell, between similar species only. And for the layman , the human body is made up of billions of cells juxtaposed .

Cancer is formed by the proliferation of cells, of a

part, of an organ of the body, in relation to neighboring cells.
^o
sins.

Causes of Cancer : What we have seen for a long time .
it is the “ cancer house ”. Mr. Chrétien's well-known work in physics
—including Meteorology

and Meteoropathology—led him to the study of telluric currents. This is how, in 1935, he noticed for the first time that a current of water, a fault, not - knows under the bed, under the location of the body of a person who died of cancer (rectal cancer).

Continuing his research on other cases, of which he did not know the cancerous localization, he made the same observations. **And**, since that date, thousands of cases have been examined in France and in a large number of countries. In all cases of cancer, it has been observed that the patient was placed on a telluric current, on a body that is a good conductor of telluric currents.

What is a telluric current? It is the electric current which runs through the Earth from South to North , and from East to West, that is to say perpendicular to the earth's field.

These currents have a great intensity and a high potential when approaching a depression, before rainfall; hence the recrudescence of pathological troubles.

These currents are channeled by all bodies that are good conductors of electricity: water currents, damp faults, iron beams , metal pipes, aerials, electric wires, various metal parts. Hence the greater danger of so-called modern constructions that are not electrically insulated.

, which radiate vertically in relation to their size, the width of their field, 10, 20, 30, **40**, 50, 60 centimeters, electromagnetize the receiving bodies, including the cells of the human body. , placed above or below the radiant field. In the long run, this results in the most varied disorders: insomnia, nervousness, circulation disorders, hepatic and intestinal disorders, disorders of the glands, before becoming precancerous and cancerous.

These findings have been made on thousands of cases.

Animal and plant cancer have the same origin.

The bodies electromagnetized by these direct currents, in relation to the composition of the cells, the power supply, are also grounded, and are discharged like two capacitors in series, hence the reduction in the electrical capacity of the body. human, the decrease in wavelength, depression and general fatigue, ^on waking. or after having lingered for a long time on these most varied currents and pathological disorders, which are connected with most of the so-called chronic illnesses.

These currents can be verified by means of an electroscope, an electrometer, and, it must be said, much more easily, by dowsing means, despite all the suspicions of which this resurgent science has been exposed. object.

Detection : Here are some objective ways to identify Cancer :

The neutral pendulum PS, tuned to the Microbial Ray of Cancer (183 millimeters of thread), presented above the product (or " person-witness ") of a microbial subject, or on the subject itself, rotates (—) Conversely. It is the index of a specific impregnation whose nature it is important to recognize.

It is advisable, for this purpose, to resort to the usual means: Rule of Lesourd, or Fundamental Ray, or Ray of Union, or Special device " Sanitometer PS " with the Schumfell Revealer, or Homeopathic pathological strain, held near the stick of suspension of the pendulum.

a) **Lesourd rule** : Check if the agreement exists with the wavelength : 0-51 - 102.

b) **Fundamental Ray** : On the 360^o part of the dowsing Reporter Circle PS, between the North : 360 degrees and the South : 180 degrees, find the degree corresponding

to the vibrations of cancer. Remember that the Fundamental Rays of cancerous impregnations are inscribed (as well as those of microbes for that matter) **in** the portion of the Reporter Circle between North and South, but counterclockwise .

c) **Radius of Union** : Using the horizontal Vitameter PS, check whether agreement is established between the subject's " control " and the pathological strain " cancer ".

d) **Special " PS Sanitometer " device with the Schumfel Revealer:**
In the event of an agreement between the subject's witness and the homeopathic pathological Strain, the Schumfel Revealer moves towards the part of the circle between the east, north and West: in this way it indicates the degree of development of the tumor.

e) **The Homeopathic Pathological Strain**, held near the pendulum suspension stick, presented above the " witness ". of the subject, rotates (—) inversely, in the event of the presence of the cancerous tumour.

When, under the same conditions, the neutral pendulum PS oscillates, it is the ulcer index.

Protedion : These disorders being of electrical origin. Mr. Chrétien immediately had the idea of deflecting them using a Faraday cage. His experiments, which spanned several years, showed that a simple iron wire, placed around the room, completely diverts these currents, which are grounded by an earth connection. But the effect achieved by iron. despite its importance, is not enough. Positive copper wire has given good results : but specially prepared wires of high conductivity and flow have given the best results. The most diverse disturbances arising from these telluric currents cease almost immediately as soon as these currents are placed in deviation and grounded.

Science, which is not content with subjective affirmation or negation, but with experiments

,
can easily verify these facts. This is why, in a problem so important for Humanity, Medicine cannot stay away from Physics, because these physiological disorders are linked to Physics.

MÉTHODE PHYSIQUE

Cure : Remove the cause. by moving the patient's C from the radiant zone to an undisturbed part of the room, with a uniform field, or by switching the room on, is the first remedy to be applied. There is hardly any lasting cure. if the cause of the evil is not eliminated.

It then remains to modify the receptor state of the cells of the body, their colloidal composition, by appropriate medication, and this is precisely what has been perfected with results that have never been achieved up to now. .

Opothherapeutic treatment is of great importance, because all the endocrine glands are affected in a cancerous and precancerous state. But this treatment is not enough, the treatment which **has** given the best results so far is the phytotherapeutic treatment, composed of a certain number of plant extracts whose specific effects have been proven. (1). The number of cures for so-called chronic illnesses, precancerous and cancerous states is considerable. And one can say, according to the facts. that the cancer is on the way to shrinking.

It is obvious that one does not cure, one does not replace a gnawed, completely atrophied organ. Cancer treatment should generally be taken in its early stages. and it is very easy to notice a precancerous or cancerous state. hence the need to teach this method of diagnosis in faculties.

Even in serious cases, however, one must not despair. A doctor from Lyon reports, among other things, that a person with tuberculosis and cancer regained 5 kilos in a month, and the cancerous tumor shrunk by half.

Another in Indre-et-Loire, suffering from cancer of the brain, with lesions of the reflexes and beginning of paralysis of an arm and a leg, is completely cured, etc.

In summary, according to these conclusive and verifiable facts, it is not possible that this work and these results remain

longer without being taken into consideration in an official way. After examining 10.20.100 cases of cancer, and realizing that the patients are all on currents. of the merits of this discovery, of the means of protection and healing, we will also realize the interest presented by Dowsing as a means of detection, of syntonization. Instead of cracking down on Dowsing, against the science of waves, or holding it in suspicion, official Science will study it, will use it in its interest, for the greater good of Humanity. Because, rejecting and condemning a thing, a means, without having experimented, verified. is not scientific. The error of judgment is not on the side of the dowsers, — of whom a large number , who belong to all nations, are men of science, known, of great value, — but on the side of those who judge it. subjectively, without knowing it.

CHAPTER XVIII

FIFTY-FOURTH LESSON

PHYTOTHERAPY OR MEDICATION BY PLANTS

Documentation

Undoubtedly, the dowsing procedures, which make it possible to establish medical research with absolute certainty, as well as to control the agreement or the repulsion of the elements which compose the mixtures of officinal plants, are not foreign to the renewal of the current trend in **herbal medicine**. used alone or mixed together.

Our processes have the advantage of achieving syntony of a **herb**, a **flower**, a **root**, or a **bark**, with each particular case of **disease**, or **with** microbial strains . They also make it possible to recognize whether the virtues of the elements proposed are adequate for the results that one tends to obtain.

Since the most distant times, men have asked the plant kingdom for remedies capable of relieving the ills from which they suffer. It was not in vain that they did so since almost everywhere, within easy reach, benevolent Nature gives birth to elements indispensable for food or the maintenance of life, as well as simple capable of providing healing, or at least beneficial and restorative relief.

It is also known that the instinct of animals guides them surely towards the grass, or the root, which suits their nature

and
capable of curing them if need be.

Better than **chemical products**, which act strongly on the organism, plants, if they operate in a smoother and gentler way, are assimilated more rationally; all the more so as the preparations that they make it possible to achieve respond to many applications, whether they are herbal teas, concentrated drops, dragees, or liniments.

It is from the observation of the results acquired, as well as the recognized benefits that **Phytotherapy**, that is to say the medication by plants, was born.

That these must be picked or cut in the places which constitute their normal habitat, at determined times, at such and such a phase of the moon, at sunrise or sunset, at the most propitious moment of the year, so that the vegetable juices and the essences produce the maximum of their quality, it is the evidence itself; but it is essential to select, clean, cut or divide them, and finally to eliminate the humidity in order to ensure their conservation.

These multiple operations are the domain of specialists. It is only when the plants, the flowers, the roots are ready to be used, that the **role of the Radics - thesist begins**.

However, we borrow from Doctor Edmond Locard the following advice on picking:

“ You have to learn in what state you have to pick the plant. Thus, when it comes to **flowers**, they should not be taken withered :

often even, they should not be taken completely open. thus the rose of Provins. On the contrary, the violet and the pansy benefit from being slightly faded. they say. There are flowers whose petals alone are useful: others whose calyx must be preserved, if even the calyx is not the essential part from the point of view of therapy. This is the case for labiatae. like rosemary, lavender, sage, thyme. Finally, some flowers are too small to be picked one by one and in isolation. We then take what

we call the flowering tops, that is to say the extremities and stems comprising the flowers, bracts and leaves at the same time. This is what we do for absinthe, the little centaurea . hyssop. the fumitory. curd it. In the latter

case, we make small bouquets or small bunches that we dry and then put in paper bags.

“ The **resinous barks** should be picked in the spring , when the sap begins to circulate more vigorously: the non-resinous barks are taken more ordinarily in the autumn. It is necessary to choose the barks produced by vigorous trees , in the prime of life, on branches of two or three years. After having separated them from the sapwood, as well as from the mosses which sometimes cover the epidermis, they are cut into pieces which are all the smaller as they contain more vegetation water: they are dried in the sun and keep them away from humidity and dust.

“ The **leaves** are picked when the plant is flowering, in dry weather, and when the dew has evaporated.

They must not be left in a heap, nor pressed against each other, because then they heat up and then decompose. They are spread on large linens , sheets, for example, or on racks covered with a wide-mesh cloth, and exposed to the rays of the sun. You can also put them in an oven, where you will start drying with a temperature of 25° to go to 35° and even a little beyond. An attic exposed to the South and perfectly heated by the sun perfectly replaces the oven and saves fuel. The leaves *are* stirred from time to time so that the drying is done evenly, and they are removed when they begin to break in the fingers. They are then left in contact with the air for a few hours; as soon as they have regained a little flexibility, they are locked up in boxes which are placed in a dry place. The leaves prepared in this way retain their smell and even their color . If they take on a black tint, which happens if they are dried too slowly and **in** the shade, they are good to throw away: they don't! none of their medical virtues. >>

The exact dosage : It is understood ,
in fact, that in view of their

best use, the products must be carefully dosed . first to avoid waste, then to

obtain the maximum return from their qualities and properties . We are not unaware, in fact, that certain materials “ tune ” , that is to say that their elements agree and reinforce each other, while others harm or annihilate each other. reciprocally.

Let us first consider the simplest case, that where the **plant is used alone** for the preparation of an infusion, using our usual means, pendulum or ring, as well as the applications we know. with the aim of obtaining an exact dosage, which will provide a beverage with an incomparably superior flavor and efficacy to what would be possible with an empirically evaluated quantity ; especially since the medicinal doses act differently depending on the quantities used.

High doses and low doses of the same product: Note

: the effects of opium, aloe or foxglove are diametrically opposed whether these products are used at low or massive doses .
At high doses, opium puts you to sleep : at low doses, it prevents sleep. Aloe in low doses constipates: it purges in high doses. Digitalis slows or quickens the pulse, depending on the amount absorbed.

Is not the use of low doses the very principle **of homeopathy**, in which the power of the remedy is all the more effective as the disintegration of the substance is all the more advanced ? ...

Let us recall, for reference, the figures of Abrams, quoted by H. Chrétien in his remarkable work: " **The Invisible and Marvelous World of Waves** " (Torne IV):

The mother tincture of Aconite corres -

poses a resistance of **40** hundredths of an ohm

The same tincture diluted 50 times corresponds

at a resistance of10 ohms **36**

The same tincture diluted 100 times corresponds

at a resistance of30 ohms **52**

Belladonna mother tincture corresponds to

a resistance of 0 ohm **3 2**

The same dye at **6sm** dilution (i.e. 1 mil -

lionth) corresponds to a resistance of . . 1 2 ohm 44

Various dowsing processes : The dowsing - thesical means commonly used, whether it is the Rayon d'Union, the Circle divided into a hundred equal parts, recommended

by Father Bourdoux, or the Rayon Solaire of Abbé Bouly. will be likely to help us, both for our **dosages** and to check **the agreement of the mixture** and especially to allow us

to judge **the advisability** or **the uselessness** of continuing or interrupting a treatment, depending on whether the state of the patient requires this or that prescription.

In this our Science is truly without rival, for **it warns us** of the precise moment when we must **take** or **cease** curative action.

Perhaps we have not hitherto given sufficient attention to this observation.

How many people, in fact, believe they have to finish a vial of potion or even take the last pill, when the action of the medicine has been obtained, and continuing the treatment becomes harmful if the required dose is exceeded !

Apps

A. — Evaluation of quantities : When it is a question of **evaluating the quantity** of flowers or plants sufficient for the preparation of a herbal tea or an infusion, the **Graduated Radiesthesic Reporter Circle** PS. whose hundred divisions are inscribed in the direction of clockwise movement

, that is to say from left to right, is capable of giving us information, provided that we attribute to the figures the . value of the weights expressed in grams, or in centigrams, because of the importance of the quantities to be evaluated.

Let us place in the center of the Circle the plant, flower, bark, or herbal tea, necessary to prepare a liter of infusion.

The pendulum, set on the product, let's throw it. It first turns directly (+) or inversely (—), then, forcing ourselves to think of the necessary quantity, we notice ,

after a few moments, that the sustained oscillations following the gyrations are carried out in the direction of a number that corresponds to the dose that we are trying to assess

.

It is by operating in this way that we were able to determine the following figures:

Chamomile	Quantity	needed	for 1 liter	: 5 gr.
Basswood	—	—	—	10 —
Orange tree (flowers) . .	—	—	—	—
5.—				
Orange tree (leaves).	—	—	—	10
—				
Borage	—	—	—	6
—				
Verbena	—	—	—	8
—				
Mint	—	—	—	8
—				
Sage	—	—	—	5
—				
Cherry tails	—	—	—	20
—				
Anise (Star anise)	—			
—		30	—	
Lemon balm	—	—	—	10
—				

Concerning these species, we allow ourselves to recall that the linden or the orange tree (flowers or leaves) have calming properties and that a mixture of linden leaves and orange blossoms provides a **drink** with a delicate aroma and of exquisite taste.

The pectoral species: violet, mallow, poppy, mistletoe - mallow, called bechic, are a remedy for coughs.

Green anise and also star anise promote digestion. Lemon balm calms stomach pains. Artemisia is the emmenagogue of folk medicine. Linden is febrifuge. sudorific borage, laxative buckthorn and antiseptic thyme.

,
borage and wild pansy are part of the diuretic herbal tea the " four flowers:...

The excellent infusion given by verbena, lemongrass or mint is precious for delicate stomachs.

Some medicinal herbs have a tonic action : they are classified as

200 MÉTHODE PHYSIQUE

astrigent (such as burnet) and
bitter
capable of stimulating the appetite (such as fennel and
gentian).

B. —

Suitability or contraindication of a product (method of union radius) :

The exceptional interest presented by the exact dosages of products, such

as

those we have just listed, increases even more when it is necessary to group, to associate various species of plants, roots, flowers or leaves. We understand, indeed, that the mixture will be all the more effective if its elements agree, instead of contradicting each other, and if their physiological properties mutually reinforce each other.

However, there is no surer means of appreciation and experimental control than dowsing practices. •

Using the **Ray of Union device of the horizontal PS Vitameter** (1) we can easily verify the validity of this assertion.

Let's place on the right the " control " of a patient for whom we want to recognize if a product (leaf, flower, root, bark, etc.) is **suitable** for his organism, or if it is of a nature to **treat** the ailment from which it is afflicted.-

To the left, put a small amount of the product.

We have indicated, during the XVI^{mo} lesson of the Torne I^{rr} (2nd edition), page 193, the employment of the principle of the Ray of Union. Let us remember, however, that the pendulum set on the " control " first turns directly (+) for a male subject, and conversely (—) for a female subject. Then, if we advance horizontally the hand which holds the pendulum in the direction of the product, it happens that at the " Neutral Point "

the device stops rotating and oscillates if the agreement is achieved. Otherwise

, the device continues to run. The product, in the first case, can be considered favorable, and ineffective or contraindicated in the second.

C. — Exact dosage : Such a procedure provides us with indisputable proof as to the **value of the product**, but also informs us of the exact dosage of the quantity to be used.

(1) A special radiosthetic device appears on the **planchetto memo** as the Vitameter **PS** on a quarter cord.

not realizing.

A sufficiently large quantity must then be withdrawn from the product

until the pendulum oscillation tells us that the exact quantity is reached.

It is also possible to operate by making successive contributions of small quantities until the same result is obtained.

D. — Control method: As a control, it is easy to repeat the test by replacing the recognized beneficial product with a dangerous plant: black henbane, jimson weed, lesser hemlock, colchicum, foxglove, spotted arum, etc., and we see that the pendulum will never swing or stop.

This method is valuable when in doubt about the nature or effects of an unknown plant. The lesser hemlock looks a lot like the chervil. However, a simple means of checking consists in putting them opposite one another and in finding out whether agreement can be reached. Invariably, the two plants will prove antagonistic.

Such demonstrations which are based on the principle of the Ray of Union are similarly realizable with the rod whose movements: immobility, raising or lowering correspond to manifestations identical to those which activate the pendulum.

Suitability or contraindication of a product (Solar Ray Method) : Abbé Bouly. who specializes in this kind of research, employs the method of the **Solar Ray**.

To r. • , □ n — J, ¹ eoiTion, we have defm, what is the Solar Ray. In this case, to apply the principle to

plant
201

syntonization

research

so., turning the back to the sun, or to the day light.

then to move forward by directing the pendulum on the path of the ray going from the source of light to the plant.

So if we hold on, as a “ witness ”. near the suspension stick of the pendulum a small part of the product (plant or mixture). the device rotates in case of agreement, directly (+). It rotates inversely (—). or stops , if the agreement does not materialize. In case of insufficiency, or if the product should not give any result, the device oscillates .

All in all, these various methods are equal and their role is preponderant when it is important to find the agreement of various species, which their specific qualities or their effects make likely to complement each other, to reinforce each other, or to

¹
oppose .

It is on the **rigorously effective dosage that the** value of the **mixtures** depends in the various applications where they are called upon to contribute to furnishing an effective remedy.

F. — Here are some examples of mixtures of which the pendulum allows us to judge the **curative value**:

Gray Cinchona;
White horehound.

Let us unite these two products and seek their agreement by employing the Ray of Union.

At the “ Neutral Point ” the pendulum swings, which means that the association of bark, flowers and leaves constitutes a satisfactory whole. ""

As an experiment let's add an equal amount of crategus (thrush) and repeat the pendulum test. This time the balance is upset.

So let us remove the crategus and add wormwood leaves , as well as germander flowers, which we know must complete a remedy against anaemia: we will then find that the

agreement manifests itself since the pendulum oscillates around above the " Neutral Point ".

It is thanks to similar methods that we have recognized that the mixtures of which we give a few examples answer victoriously to the considerations which we have just exposed.

C. — Arthritis:

Birch	. . 3 parts	
Ash	4	—
Ulmaire	2	—
Bitter Sweet	I	—

H. - Bronchitis :

Elecampane	 3	—
Hyssop	2	—
Ergot	3	—
Milkwort	2	—

I. — Enteritis:

Wormwood	5	—
Cynoglossus (bark) . .	4	—
Levant hulls. .	1	—

J. — Heart failure (asystole):

Digital	2 parts	
Asonis	vernalis	4 —
White Horehound .	4	—

K. — Dyspepsia:

Green mint .	2	—
Lemon balm	4	—
Officinal rosemary	1	—
Common thyme	2	—
White Willow	I	—

L. — Crippe: Cinchona

gns	5	—
Gentian	2	—
Vomic Nut	1	—
Lavender (flowers)	2	—

M. — Proportion of the mixtures : We believe it superfluous to multiply the examples, especially since the special treatises are full of these formulas, while our object is to **determine dowsing the proportions** of the species which enter into the composition of these mixtures.

The manner of carrying out these searches is the same as that which we have indicated by means of the Radiesthesic Reporter Circle PS divided into 100 equal parts.

Place the mixture in the center of the Circle and hold it as a "witness ", near the pendulum stick. one of the products : grass, bark, flowers, root, etc.

The pendulum is presented above the mixture. After a certain number of direct (+) or reverse (—) gyrations the apparatus oscillates, then remains opposite a number which corresponds to the proportion of the substance, analogue or "control-product ", contained in the mixture.

N. — Arthritis : Take, as an example, the herbal tea formula for the treatment of **arthritis**.

Witness Birch swings the pendulum towards the number 30

—	Ash	—	—	—	40
—	Ulmair	—	—	—	20
—	Bitter Sweet	—	—	—	10

Let's remove the zero in each number and we will have the proportions 3, 4, 2. 1 which we indicated **earlier** for this formula.

O. — Determination of the unknown elements of a mixture : This type of research is easily carried out when the various products of which the mixture is composed are known , but the operation becomes more delicate (without being difficult) when 'we do not know the details of the formula.

It is then advisable to operate by means of various "controls", which one tries one after the other, until

an agreement has been found.

At first sight these exercises seem complicated; but when one engages in this kind of research, one is generally not completely ignorant of what a mixture is made up of, and one manages quite easily to discover the appropriate " control " .

P. — Graphic representation of the elements of a mixture : If a series of " controls " of the substances to be identified are not available , the examination is carried out using a graphic representation (black or colored printing).

The presumed substance is pointed with the tip-antenna, while the pendulum is presented above the mixture. It is the gyration of the device that indicates whether the substance is really the one sought.

CHAPTER XIX

FIFTY-FIFTH LESSON

THE RADIESTHESIC ACCUMULATOR

Documentation

dowsing radiations graphically .
These same radiations are capable of
accumulating so that one can, by means of an apparatus,
very simple to construct, put them **in reserve**, so as
to be able to use them as and when required.

It is **up to MM. L. Chaumery** and **A. de Bélizal** that is due
the idea of capturing, storing and outputting
the most diverse waves, from very short cosmic
rays to rays of alternating current of **6,000** kilometers.

Here is, according to these authors. in their “ Experimental
Treatise
on Radiesthesic Physics ”. the principle of the accumulator:

If you make a pendulum turn, set. vertically with a
silver coin. or any other **metal**. or over any
color, drug , or fluid, and at the
same time. one traces, with the left hand, on a
sheet of new paper, without any radiation, a series of
lines by means of a neutral point, the sheet acquires all
the characteristics of the metal, the color, the medicine,
as well as the other elements used in the experiment.

Same figures, same fundamental Radius, same various
applications.

Now, if, instead of paper, we use a metal disc .
or a coin, this medium retains
the said radiations in the same way.

The authors acknowledged that " four of these discs ". giving human tension, have the power to act on the human body, without producing a vibratory imbalance of the cell.

Such an accumulator is made up of four metal disks : silver, or copper, or aluminum, one or the other of these elements is perfectly suitable, as are coins in silver, or bronze, or nickel, etc. ..

Say **let** 's put them on a horizontal line, then let 's set them in the wooden slide.

The right end of the slide is marked with a red dot (shown hatched in the figure).




Fig. He. — Dowsing Accumulator

The **loading** of the device is done as it is said above about the paper. That is to say, while the gyration of the pendulum lasts above the substances whose radiations are captured, the left hand executes, with the tip, on the surface of each of the metallic discs, a series of strokes. , or better a series of spirals, charging the accumulator. As soon as an element has received the correct dose, the pendulum stops turning.

A very **exact adjustment** of the length of the pendulum wire is absolutely essential for the success of these operations .

We have noticed that when it comes to recording a color, it is possible to proceed with the charging of

the

accumulator device by simply putting the said color in contact with the discs. and this for a color on an opaque support. because experience shows that if we cover a body with a paper or a fabric of a certain color , it repels the waves attached to its very color and attracts towards the body the completely opposite waves .

comments.

If you have colored transparent screens — like H. Mellin's screens — or simple colored cellophane sheets. simply lay the chosen screen on the discs and exposure to daylight causes **charging** . The exposure time is one hour. at least in diffused light. *

An accumulator of this kind, exposed for half an hour in direct sunlight. without screen; captures the following rays:

1. Cosmic rays.
2. — Gamma •(
3. . — X (a , P , (•))
4. - Ultraviolet.
5. All bright rays of white light.
6. Infrared rays.

No Harmful Rays. which are on the Scale of wavelengths. immediately after the Infra-Reds.

To de- **impregnate** the radiesthesic accumulator, it suffices to touch the disks with a hot breath and then to rub them with a dry cloth.

Apps

A. — For the search for the aforementioned rays :
Present the pendulum to the right of the accumulator, near the red point, while with a point in hard wood, bone, ivory, or galalith, etc... one explores **the**
'Wavelength scale

. (Page 211).

As soon as the tip is on the location of the corresponding ray. the detector begins to rotate:

If we present the pendulum opposite the red dot. so to the left of the slide, we detect the same kinds of rays as above, except that in the range of light rays the order of the 7 colors of the prism is no longer manifested from violet to infra -red. but from infra -red to violet.

Furthermore, the existence of harmful Rays is detected.

B. — A peculiarity of such an accumulator is to output a vibration conforming to that of the source which charged it at the right end — red dot — and at the left end an inverse emission.

This means that a device loaded with a color :

Red responds to		the opposite
Orange	—	Purple. Ultraviolet.
Yellow	—	- White.
Green (--r)	—	— Green (-)
Blue	—	— Black.
Indigo—	—	— Infrared.
Purple—	—	- Red.

Note that the color green gives Green (+) on the right, and Green (—) on the left. We have already had the opportunity to point out the particularity of this double polarization, in connection **with** this tint, when speaking of colors.

C. — An accumulator **charged with a wave of sickness** gives, opposite the red point, a healing radiation.

D. — The device can still be charged by causing the influx of **Ultra-Violet** or **Infra-Red rays to act** on the surface of its elements , produced by a lamp emitting **this** kind of rays.

E. — Similarly, an electromagnetic wave can be produced **by**

210 MÉTHODE PHYSIQUE
recording alternately one and the other of
these radiations.

F. — The power of an accumulator comprising 4 metal discs 35 millimeters in diameter, charged with Ultra-Violet, is sufficient to **immunize** two liters of water in 24 hours, and to mummify a quarter of meat in a few days.

If it is necessary to treat, for example, two liters of water contained in a jar. the accumulator is arranged in such a way that the source of the Ultra-Violet rays is directed to the surface of the liquid, and not to the side of the vase, since the glass intercepts this kind of rays.

C. — The device of the four discs charged with infrared rays can be used to locally treat **pain**, such as: rheumatism, lumbago, frostbite, etc...

H. — Charged with the **sun's rays**, it can be favorable and comforting to us if it is directed towards us, on the red dot side, of course. It is easy to realize the accuracy of this remark by comparing **with** the Vitameter PS the deficiency of his condition before **and** after the operation.

I. — The power of the apparatus is considerably reinforced by placing it within the limits of a **magnetic field whose** action will be greater the stronger the magnetic source :
a magneto magnet. for example, considerably amplifies the possibilities of the accumulator .

Starting from this principle. we operated at a **distance of 5 or 6 kilometers from the transmissions of colors, or of electro-magnetic charges**, by placing the device between the branches of the magnet, the red point on the right side of the slide, directed towards the place chosen; the assembly, accumulator and magnet, arranged on a building or local plan, oriented along magnetic North.

The plan was that of the room in the building where we wanted to operate and, for greater precision, the location of the piece of furniture where our correspondent was to receive the broadcast at home.

J. — It would be possible to establish a **Telegraphic Code** in this way by means of formulas corresponding, after conventions , to a given color , to a metal, or to any substance whatsoever.

K. — Charged with a **radium-bearing substance***. the device can deliver emissions of unsuspected power.

For more information concerning this very interesting discovery of **the dowsing accumulator**, we refer the **reader to** page **314** and following of Tome **1**.

J. — It would be possible to establish a **Telegraphic Code** in this way by means of formulas corresponding, after conventions , to a given color, to a metal, or **to** any substance whatever .

K. — Charged with ^a **radifera sub s ta n c e** ; , the device can deliver emissions of unsuspected power.

For more information concerning this very interesting discovery of **the dowsing accumulator**, we report. the reader **on** page 314 and following of Torne **I**.

CHAPTER XX

FIFTY-SIXTH LESSON

RESEARCH POSSIBILITIES USING THE WAVELENGTH SCALE

Documentation


On the Scale appear at their respective wavelengths: Cosmic Rays, Gamma Rays, X-Rays, Ultraviolet, Black Light, Light Rays (White Light) whose area includes the seven colors of the spectrum. as well as the limits of the electric and magnetic fields, the Infra-Red Rays, including the Harmful Rays, the waves of the Radio and the electric current where the radiations of static and dynamic electricity are included.

To detect the existence of the various radiations emitted by the **White** Light (daylight), it is advisable to direct an antenna tip held in the left hand, in the direction of the sky or the sun. The pendulum, held in the right hand, is then presented on the Scale, opposite the indications at the bottom, the divisions of which correspond to the wavelengths appropriate to each type of radiation.

In this kind of research, as when it comes to the moon, whose brightness is a reflected light, we see that the pendulum reacts for Cosmic Rays, Gamma Rays, X-Rays, Ultra-Violet, all the colors of the spectrum composing **the** White Light, the Infra-Red, up to and **including** the limit of the Harmful Rays.

WAVELENGTH SCALE

pour l'identification various light **and** non-light rays.



Instructions for use: Going from left to right, the vertical oscillation of the pendulum, held with the right hand, is transformed into gyrations (+), or (—), on the **path** of a rddiation, when, with a tip-antenna, held very vertically with the **left** hand, one encounters on the scale a wave length identical to that emitted by the said radiation.

One can also control the existence and the nature of any radiation whatsoever (the Cosmic Rays, for example), one aims at the sky by means of a pointo-antcnne prolonging the left arm, while the pendulum, regulated on the wave sought, explores the **Scale** , and reacts when it tunes with the radiation itself.

Apps

A. — In the zone corresponding to the longest waves of the electric current, locate the static and **dynamic electricity**.

B. — For the examination of **electrical elements**, the presence of currents is easy to ascertain with a lighted lamp or a wire traversed by a current. Designate the lamp, or the wire, of the left index, while simultaneously prospecting with the pendulum the Scale of the wavelengths. It is also possible to operate on a dry cell, and for static electricity a piece of glass or ebonite, previously rubbed with a woolen cloth, is employed.

C. - One proceeds in the same way for the waves of the **Radio** by operating in front of the loudspeaker of a radio apparatus.

D. — In the zone of luminous rays, the spectrum can be used for many experiments on colors. Do we want, for example, to find the color favorable to someone ? It is enough to present the pendulum above a “ witness ” or the hand of the person himself. By means of a Point-Antenna, the succession of colors is designated and the manifestations of the pendulum are as follows: favorable effect, gyrations in the direction of the polarity of the subject; oscillations, indifferent effect; gyrations in the opposite direction to the polarity, harmful color, to refrain from carrying or surrounding oneself.

E. — To examine **radioactive bodies or products** : radium, radon, pitchblende, granulite, etc., point to the product with the left index finger, while moving the pendulum on the scale above the location of Gamma Rays. X-rays, and the apparatus rotates in accordance with the ray proper to the emanation.

F. ^— Let us point out in this connection a curious experiment that can be made with a **horse chestnut**. We know, in fact, that this seed is radioactive.

Now, if we point to the brown of the left index finger and at the same time we present the pendulum above the location of the X - rays (alpha, beta and omega), we find that the apparatus spins in tune with the beta rays.

C. — The experiment can be carried out under the same conditions with an onion . also radioactive.

H. — With regard to **Ultra-Violet** or **Infra-Red emissions**, as well as **Black Light** , the way of operating is identical.

I. — As for **Harmful Rays** , if one suspects that any place is likely to emit them, one makes sure of the reality of the emission, by pointing with the left index finger to the suspect location , while **with** the right hand the pendulum is presented on the Scale opposite the location of the said rays . The examination can be done by impregnating a sheet of white paper (new or unimpregnated), by **L:1** staying for a few minutes •in contact with the suspect place and proceeding as above.

CHAPTER XXI

FIFTY- SEVENTH LESSON

• CHEMISTRY AND RADIESTHESIA

Documentation

About the " Antenna Ray " (Torne I. page 273), we indicated that the acid state. alkaline. or neutral. of a product. or a dissolved or undissolved salt. can be identified according to the behavior of the movements of the pendulum held outside the product and by pointing to it with the left index finger " in antenna".

The acid procures direct gyrations (—!—) of the pendulum;

The alkaline provides reverse gyrations (—) ;

Finally, the **neutral body** provides sustained oscillations.

We also said that the **colors** allow the same possibilities. the agreement being made between:

indigo and acid;

the blue and the alkaline;

the black and the neutral product.

Apps

A. $\wedge$ — • On a Radiesthetic Protractor Circle PS divided into 360 degrees. the body to be studied being placed in the center . the swings:

in an East-West direction (90° and 270°) characterize an acid;

in a North-South direction (0° and 180°) characterize an **alkaline**;

while a **neutral body** swings the pendulum along a northwest line. Southeast (315° and 135°).

B. Analogous characteristics concerning a **salt**, dissolved or not, can be established by means of a **bar magnet**, or in the form of a horseshoe.

Let's place the product in the middle of a straight magnet, or near the curved part of a horseshoe magnet.

Above the positive pole (+) an **acid body** produces direct gyrations (+);

In the middle, as well as above the negative pole (—). it provides oscillations.

An **alkaline**, above the negative pole (—) gives reverse gyrations (—)';

In the middle, as well as above the positive pole (**H-**). **it** gives oscillations.

For the **neutral product**, above the positive (+) and negative (—) poles. we get oscillations, and, in the middle. reverse gyrations (—) followed by direct gyrations (-t-).

C. Body Analysis : When it comes to analyzing a body, the method of the " Fundamental Rays " provides **an** effective and certain means.

For a **simple body**. one proceeds as it was indicated (Torne 1, page 160), in connection with the " Fundamental Rays " by placing the product in the center of the Radiesthesic Reporter Circle

PS, divided into 360° and oriented magnetic North. The Neutral Pendulum PS, set to Magnetism, held vertically to the product, after a few negative gyrations, oscillates in a direction that is always constant for the same substance (See also page 3 of this Torne II).

In the case of a **compound body**. or a mixture, the **elements**

appear in decreasing order of the importance of the constituents without the state of their reciprocal combinations intervening (see page 3).

D. — If we are dealing with a salt, the metal radiates in

a direction close to its particular fundamental plane.
with a slight inclination towards those of the other components.

Let us try, for example, to analyze an **alloy** whose nature is unknown to us.

Under the influence of the radiation of each of the elements. the pendulum swings towards 180 degrees for iron, 336°45 degrees for carbon, then towards 324°40 degrees for phosphorus, and finally 249° for nickel.

This is a nickel steel

E. — To verify the accuracy of this research, it suffices to operate by **tuning**. by arranging in the axis of the earth's magnetic field on one side, on the right, the alloy. and about 30 centimeters away, on the left, the elements identical to those which we have just recognised. In this case: iron, a fragment of coal, a small part of nickel. finally some phosphorus.

As soon as these elements are grouped, the pendulum is launched at a point which corresponds approximately **half**

of the space comprised between the two masses: alloy on the one hand and grouped elements on the other hand, and one notes, according to the oscillating movement of the pendulum, that **the**

syntonization

is carried out . We remember that in the **case** of the use of the “ Ray of Union ” **it** is the oscillation of the pendulum which reveals the chord.

Conversely, it suffices to remove any one of the elements , or to add a new body (even in a tiny proportion) for the tuning to cease, and then **the** pendulum begins to turn.

Here are some achievements based on the experience just described.

F. — A **mineral fragment**, preserved for its pleasing appearance and the originality of its brilliant shades, gives. by the **method** of research using the “ Fundamental Rays ” (the pendulum held above the mineral, this one placed in the center of the circle): Bismuth, 78°30 ; Carbon, 336°45 ; Silicon, 37°50.

In addition, as we can see the syntonization with

Bismuth officinal Carbonate, we can deduce that we are in the presence of a native bismuth ore mixed with quartz.

C. — By using the same method, it is easy to identify among the materials used for the manufacture of an **electric bulb** : Silicon, $37^{\circ}50'$; Copper, $41^{\circ}32'$; Tungsten, $140^{\circ}40'$, as well as a rare gas: Argon, $70''$.

A similar test repeated on a light bulb. of ancient manufacture , revealed that it possessed a filament of Thorium 214° .

H. — The fact of having detected the existence of Argon in the electric bulb led to the idea of researching the composition of a complex mixture, such as the atmospheric air **contained in** a glass tube . The presence of: oxygen, $142^{\circ}35'$; nitrogen, 293° .; a small part of carbon dioxide, $336^{\circ}45'$: then a little hydrogen, 360° , as well as rare gases: Argon, $70''$; Neon, 115° ; Krypton, 75° ; Xenon, 20° .

I. — **Analysis of chemical substances** : As regards the study of chemical substances, the application of the principles just mentioned can lead to very encouraging results .

First practice looking for the elements that make up, for example ,
 Carb.onate, Bicarbonate, Sodium Chloride
 : or potassic salts such as
 Bichromate or Permanganate.

The alkali metals Sodium and Potassium being spotted. it is important to recognize the difference which exists between a Sulphite, a Bisulphite, a Hyposulphite, a Metabisulphite, a Sulphate, a Sulphide, etc.

J. — **Study of sulphite of soda** : Considering sulphite of soda as a type, we first note 20 inverse gyrations (—), due to the setting of the pendulum on the magnetism , then 40 oscillations in the direction of the “ Fundamental Ray ” of Sulfur: $78^{\circ}30'$, then a series of new

inverse gyrations (—) and 20 oscillations towards the Ray .
Fundamental of Sodium: 16° 30 „
and, finally, a series of reverse gyrations (—)
.

The operation is complete; it therefore follows that Sodium Sulfite responds to the pendular formula:

- 20 turns (—) ;
- 40 oscillations in the direction of 78°30 ;
- x gyrations (—) whose number is inconstant;
- 20 oscillations in the direction of 16°30.

K. As an indication, here are some characteristic pendular manifestations of the salts below, neglecting to point out the very first reverse gyrations (—). the - which are always identical as meaning and as number :

L. — Etude des sels potassiques : Etudions à présent quelques sels potassiques				
Chlorate de Potasse . .	60 oscillat.	en d i recti		290°50
Métabisulfite de Potasse	20	—	—	78°30
Bromure de Potassium . .	80	—	—	313°10
Permanganate de Potasse	60	—		233°
Bichromate de Potasse.	40	—	—	227°
Alun de Potasse	40	—	—	128°
Sulphite of soda. . . .	40 oscillations in direction			78°30
Sodium Bisulphite. .	80	—	—	78°30
Sodium hyposulphite	30	—	—	78°30
Sodium	180	—	—	78°30
sulphate	50	—	—	16"30
Carbonate of Soda	100	—	—	16"30
Baking Soda	170	—	—	290°50
Sodium Chloride . .	60	—	—	290°50
Sodium hypochlorite	50	—	—	345"20

, the presence of the soda they contain results in 20 oscillations.

The existence of potash is revealed by the constant figure of 40 pendular oscillations.

M. — Study of lead and zinc sulphides:

Plomb	) 20 oscillations in direction	78°30
6 60	— —	50°
	60 oscillations in direction	78°30
0 — —		36°05

N. — Study of other salts : Let us also consider the reactions provided by some other salts, for example:

Alun de Chrome • •	1 40 oscillations en direction	128°
	1 50 — —	227°
Talc . .	☿ 50 oscillations en direction	331 °
	\ 30 — ■ —	37°S
Nitrate d'argent .	1 180 oscillations en direction	293°
	< 60 — —	90°
Phosphate de chaux	\ 60 oscillations en direction	324°40
	1 20 ■ ■ ■ —	22°30
Sous-nitrate de Bismuth	9 60 oscillations en direction	293°
	1 60 — —	58°30
Kaolin	/ 30 oscillations en direction	37°50
	/ 50 . — -	331°

It should **be** noted that in the above cases. as well as for hundreds of experiments of this order. the figures characterizing the number of oscillations are constantly 1 O. or multiples of 1 O.

Obviously, the number of oscillations of the pendulum depends on the sensitivity as well as the personal dispositions of a given operator; but by practicing in the manner indicated above. everyone should be able to draw up a list where they will record their observations.

O. — Alcoholic degree of a solution : In order to evaluate the **alcoholic degree of a solution**, it is advisable to employ

our Radiesthesic Reporter Circle PS divided

into one hundred equal parts.

By situating the division 0/100 in the North, the numeration will have to be made in the direction of running clockwise .

1° Placing the liquid to be examined in a small cup in the center of the Circle, oriented North-South, the pendulum is held vertically to the container.

First of all, there are a certain number of reverse gyrations (—) ; then, afterwards, a series of sustained oscillations , which, after a short time, are maintained along a radius indicating the number corresponding to the alcoholic degree.

2° The examination can also be made by moving the pendulum around the circumference of the circle and it is noted that as soon as it has reached above the exact number the detector rotates endlessly. .

When operating above the liquid, if one wishes to obtain a very precise indication, it suffices, as soon as the pendulum oscillates in a continuous manner in the direction of a given radius, to designate the corresponding figure with a point-antenna held vertically and if the location thus identified is really the correct one, the pendulum ceases to oscillate and enters into gyration.

P. — Study of glass or precious stones:
Vertically on the glass, as well as on the precious stones, the pendulum, depending on the nature of the composition observed, gives a certain number of oscillations, the first of which occur in the direction of **the** Fundamental ray ” of the color , then on the ray proper to each of the mineral oxides forming the very substance of the precious stone or the glass. Incidentally, there is a certain number (generally 10) of reverse gyrations (—) between each series of oscillations.

Precious stones that do not have any **coloring** (except for diamonds, whose unique “ Fundamental Ray ” is Carbon 336°45) are revealed as being crystals of alumina or Aluminum Oxide having for “ Ray

Fondamenta ? » the direction of 128° .

Stones with their **own coloring** : Topaz, Ruby, Sapphire, Amethyst, etc., owe their coloring to the presence of various oxygenated salts: Chrome 227° for the yellow, green and • violet shades; Manganese 233° for red, pink and violet shades: Cobalt 218° for blue.

The emerald or beryl causes the pendulum to swing towards degree 3 19°45.

Garnet gives: Aluminum , 128°: Manganese, 223°: **Iron**, 180° : Chromium, 227° ; Calcium, 22°30 ; Magnesium, 331°.

reconstituted stones . we note: Silicon, 37°50 ; Aluminum, 128°: Sulfur, 78°30 : Lead, 50° ; Chlorine, 290°50 : Carbon, 336°45.

If such stones have a color, the pendular reactions relating to the colors are identical to those observed for real stones, since they owe their colors to the same mineral oxides.

Soluble **glass called white glass** gives: Silicon, 37°50: Potassium, 10°, or Sodium, 16°30.

Bohemian “ **white glass**”• : Silicium, 37°50 ; Potassium , 10°, or Calcium, 22°30."

Window **glass** : Silicon, 37°50: Sodium, 16°30 : Calcium , 22°30.

The **mirror glass** : Silicon, 37°50: Sodium, 16°30 : Calcium , 22°30, or Barium, 326°30.

The **crystal** : Silicon, 37°50 ; Lead, 50°, and for some kinds: Boron, 345°20 : Barium, 326°30 ; Sulphur, 78°30.

“ **Bottle** ” **glass** : Silicon , 3 7°50 : Calcium, 22°30: Iron, 180°.

Q. —

Study of photographic papers : Examination with a pendulum of three sorts of photographic paper of the sorts: Bromide, Chloro-bromide, Self-tacking, made it possible

to identify, in addition to silver and gold salts, bromine and chlorine, contained in their sensitive layers, the presence of Sulfur and Barium. These two bodies identify the existence of

baryta sulphate which smooths the surface of
so-called
“coated” papers.

R. — Various studies : Using the same process. it will be easy to discover the radiation of the bodies which one can find, for example, in a **horse chestnut**, that is to say:

Hydrogen, $0^{\circ}/3600$: Oxygen, $142^{\circ}35$: Calcium, $22^{\circ}30$: Carbon, $336^{\circ}45$; Potassium, 10° ; Phosphorus, $324^{\circ}40$: Iron, 180° : Fluorine, 286° : Magnesium, 331° : Radium, $161^{\circ}15$.

Horse chestnut is radioactive. It is without doubt this property that makes it favorable to people **with** rheumatism !

Note: the **chestnut** **does** not have this radioactivity ; neither does **garlic** : while **onions** are radioactive !

S. — Microbial analyses : By the **method of tuning** on the “ Ray of Union ”, it is possible to carry out microbial analyzes using “
homeopathic witnesses
” suitable for identifying bacteria and microbes
and for differentiating between them
•.

These qualitative analyzes indicated, for example in an ampoule of **bacteriophages**, the presence of the following types : Dysentery, Typhoid, Paratyphoid A and B, Enterococci , Bacillus pyocyaneus

, Colibacillum, Streptococcus and Staphylococcus.

Homeopathic powders of organs have been identified in a medicine, these are: Pituitary, Adrenal, Thyroid , etc.

T. — The same study carried out on samples of springs, rivers, seas, etc., has shown the presence and the numerous variety of the bacilli which they contained.

Comparative tests have established the difference between the specimens taken at the source and the same filtered ones. boiled or sterilized with Ultra-Violet.

U. — It is also possible to carry out similar pendular work for products such as **milk** from various sources, which reveal the fertility

223 **MÉTHODE PHYSIQUE**
of their microbial flora.

V. "And what about the variety of bacteria that soil banknotes **that have been in** circulation !"

W. — **Study of food flour** : By way of demonstration, let us try to find the elements contained in food wheat germ flour. .

The leaflet accompanying the product promises us that we **will** find vitamins A, B 1, B2, D, E. PP.

If we do not have chemical or synthetic " witnesses" of these bodies, we will use the " method of colors ".

However, we have learned that vitamin (anti-infectious) A tunes with the color Red.

It will therefore suffice to choose a red cellophane screen (Mellin screen no. 1 1) . hold it above the food and present the neutral pendulum **PS** (adjusted to the food) above the screen.

If the pendulum turns inversely (—) , we can conclude that the vitamin really exists.

The absence would result in the oscillation of the detector.

Moreover, if, in the absence of colored transparent screens, opaque

" controls" (paper or ribbons) of an appropriate shade are used , one must, after adjusting the pendulum, hold the " colored control" near the stick for suspending the pendulum, and the reactions will be identical to those obtained as just said.

Unless you prefer to use the "Union Ray" method : in this case, you will place the food on the right (in front of you), and the opaque "colored indicator" on the left.

One will then have to remember what was taught **about** the " Ray of Union", that is , if agreement is achieved. the pendulum **o s c i l l e r a** halfway between the two opposite points, while it will turn in case of disagreement.

We will use one of these three methods **to** find the other vitamins by using:

Vitamin B 1, Mellin screen n" 8 or light yellow opaque control

Vitamin B2. Mell screen: n° 9 or dark yellow opaque indicator.
Vitamin D. Mellin n" 6 screen or medium green opaque control.
Vitamin E. Mellin n° 1 screen or White opaque control.
Vitamin PP. Mellin n:o 2 and 8 screens or coupled Violet and Yellow opaque indicator.

X. — But the food studied contains not only **vitamins**, but also a certain number of **simple bodies** : Phosphorus . Calcium, Iron, Magnesium, Sodium, Potassium , Copper and Zinc on which the " Method of fundamental rays " will inform us.

Place the product in the center of the Radiesthesic Reporter Circle PS divided into 360 degrees, on the perimeter of which appears the location of each of the simple bodies according to their own
“ fundamental radiation ” .

The oscillation of the pendulum in the direction of:

Ray	324°40 us	will reveal	xesenc	and Phosphorus.
	22°30	—	—	Calcium.
	180°	—	—	Iron.
	331°	—	—	Magnesium.
	16°30	■ ■ ¹	—	Sodium.
	10°	—	—	Potassium.
	41°32		—	Copper.
	36°05	—		Zinc.

Y. — **Finally**
, if it is a question of finding out **in what proportions** these various simple bodies exist in the food, one operates on a Reporter Circle PS divided into grades from 1 to 100, the division being at the North and counting in a clockwise direction

Set the neutral pendulum PS on each of the elements considered.

The food being placed in the center of the circle divided into 100

parts. stand near the pendulum suspension rod

a "control" corresponding to the element for which the proportion in the mixture is to be sought.

After a certain number of direct gyrations (+) the pendulum oscillates in the direction of a figure, corresponding to the percentage.

In the present case :

Division 22.50% Phosphorus.

- 30 — Calcium.
- • 10 — Iron.
- 3 — Magnesium.
- 1 — Sodium.
- 2 — Potassium.
- 1 — Copper.
- 1/2 — Zinc.

Of course, it is necessary to appropriate the " control " to each of the bodies contained in the food.

In. Due to the low proportions of Magnesium, Sodium, Potassium, Copper and Zinc, it is recommended to check at the " tip-antenna " whether the division in the direction of which the pendulum swings corresponds to reality. If so , the oscillations of the device are transformed into gyrations.

In order to carry out this kind of research, it is advisable to arm oneself with patience and never to consider the first observation as sufficient, the second and the third generally proving to be more precise and more significant.

If the body, or the liquid to be examined, is contained in a glass receptacle, it is useful to hold along the stick of the pendulum a small "witness" of glass, in order to avoid the loss of time which results from the orientation of the first oscillations in the direction of Silicon.

The quantity to be examined can be extremely reduced. water analyses, as well as bacterial and microbial research can cover a few cubic

centimeters

Only the quantitative appreciations must, for the facility of the calculation, be made on 10 or 100 cubic centimeters.

With regard to the numerical evaluations of oscillations or gyrations, they may vary from one operator to another, but they remain identical for each pendulum izing.

Z. — All bodies without exception, all “ **nosode witnesses** ” could be identified according to the direction of their radiation, provided care was taken to locate the location of the Fundamental Rays which particularly qualify them.

That is to say that in the case where **the chemical analysis**, for example. could have presented real difficulties, all the elements manifest themselves spontaneously and surely.

In addition to the scientific interest attached to this kind of research. how many applications could be attempted . and lead us to exploit treasures of positive observations and practical experiences?

\

MENDELEEV CHART

# ⁰¹	Body Name	Symbols □	Background Radius . . I
1	Hydrogen	H	0°
2	Helium	Hey	289°20
3	Lithium	Li	70"
4	Glucinium	Gl	319°45
5	Boron	B'	345°20
6	Carbon (coal, diamond)	VS	336°45
7	Nitrogen	NOT	293"
8	Oxygen	O	142"35
9	Fluorine	F	286°
10	N ⁿ (gas)	Born	1 15°
1 1	Sodium	N / A	16°30
12	Magnesium	mg	331"
13	Aluminum	Al	128"
14	Silicon	S:	37°50
15	Phosphorus	P	324°40
16	Sulfur	S	78°30
17	Chlorine	VS:	290°50
18	Argon (gas)	HAS	70(\
19	Potassium	K	10"
20	Calcium	That	22"30
21	scandium		
22	Titanium	You	220 "
23	Vanadium	v	44"50
24	Chromium	CR	227 '
25	Manganese	min	233"
26	Iron	Fe	180°
27	Cobalt	Co	218°
28	Nickel	Neither	249 °

NO T''	Body Name	Hayon l'ondnmental Symbols^	
29	Copper	Cu	41°32
30	Zinc	Zn	36°05
31	Gallium		
32	Germanium	Ge	112°50
33	Arsenic	ace	229°
34	Selenium	Se	74°50
35	Bromine	Br	313°50
36	Krypton (gas)	kr	70°
37	Rubidium		
38	Strontium	sr	283°30
39	Yttrium	there	67°30
40	Zirconium	Zr	5307°10
41	Columbus		
42	Molybdenum	Mo	131°
43	Masurium		
44	Ruthenium		
45	Rhodium		
46	Palladium	pd	241°50
47	Silver	Ag	90°
48	Cadmium	CD	196°30
49	Indium		
5 0	Tin	sn	21°
51	Antimony	sb	31°
52'	Tellurium	You	25°
53	Iodine	1	320°50
54	Xenon (gas)	x	20°
55	cesium		
56	Barium	Ba	326°
57	Lanthanum		
58	Cerium	This	156°50

Nak	Body Name	Symbols Fundamental Ray
59	Praseodymium	'
60	Neodymium	
61	Illinium	
62	Samarium	
63	Europium	
64	Gadolinium	
65	Terbium	
66	Dysprosium	
67	Holnium	
68	Erbium	
69	Thulium	
70	Ytterbium	
71	Lutecium	
72	Celtic	
73	Tantalum	Ta 136°30
	Bismuth	Bi 581'30
	Mercury	Hg' 3 15°40
	Gold	At 270°
	Platinum	Point 1 15°30
	Lead	bp so°
	Radium	Ra 161°15
	Thallium	tl 246°20
	Thorium	Th 214°15
	Tungsten	w 140°40
	Uranium	a 124°40
	Iridium	Ir 217"
	Osmium	Bone 282°50
	Radon	rn 305°

CHAPTER XXII

FIFTY-EIGHTH LESSON

VITAMINS AND RADIESTHESIA

Documentation

Among the multiple possibilities offered to researchers, there is one, **the identification of vitamins by means of dowsing** , which **makes** it possible to carry out a whole series of most endearing and most useful studies, not only to **doctors.** but also to people curious to know their **sufficiency** and **deficiency** in these products.

The way to operate is very simple and does not require the use of any particular equipment. We will realize this during this presentation.

Above all, a fundamental principle should be remembered: on a vitamin “ control ” , as well as on a hormone or a microbial test, the pendulum always turns (—) inversely .

Our research and identification experiments having focused on the agreement of vitamins with colors, we will say that we have made use of the transparent screens of Hector Melin :

not that one cannot operate by means of colors. opaque, cardboard or colored ribbons. **and** we will indicate later how to use them.

At the start, it does not seem superfluous to us to recall the main characteristics of the most widespread vitamins , especially since the bibliography on their subject is not yet very abundant.

But, if the encyclopedias are silent, Science, for its part, has not remained inactive and, failing to always know the composition of vitamins, it has at least succeeded in classifying them according to their effects and Chemistry is managed to reproduce them synthetically.

The 8 vitamins, according to their nature, are classified as hydro-soluble, such as the types : B1, B2, C and PP., and as liposoluble, such as A, D/E and K.

Vitamin A (β carotene) is said to be anti-infectious. The absence of this substance in the diet leads to certain infections of the eyes, the respiratory system and favors the appearance of otitis and sinusitis.

It is found in fish liver oil, raw liver, brains, butter, eggs, cream, cheeses, oysters, milk, fatty meats and provitamins carrots, tomatoes, green leaves.

Anti-rachitic vitamin D (cholesterol) is found neither in vegetables nor in fruits, but in animal fats and in the liver oils of cod, tuna, halibut. About this oil, the ultraviolet rays being absorbed by the deep waters, it happens that the liver of the animals which live there, is irradiated and the oil which one extracts from this gland brings a beneficial element in the food ration for children and sick people.

Vitamin K (methyl-naphthoquinone) contains prothrombin necessary for blood clotting: its sources are unshelled grains, green leaves, egg yolk, pork liver.

Vitamin E (tocopherol), called antisterile, is necessary for reproduction and its deficiency leads to sterility in women, disorganization of the functions of the belly.

It exists in cereal germs, liver, peanut oils, palm: lettuce, watercress, butter, wholemeal bread.

Vitamin B1 (aneurin) antineuric, regulates the functions of the nervous system; vitamin B2 (lacto-flavin) acts

through its nutritional qualities on the growth and vigor of children.

These **vitamins B 1 and 82** both abound in cereal germs, nuts, hazelnuts, rice, cabbage, wholemeal bread, vegetables: asparagus?, onions, peas, potatoes, tomatoes.

Vitamin **C** (ascorbic acid) antiscorbutic, promotes the resistance of the bone system. Its deficiency creates a terrible disease : scurvy. It is found in fresh, raw, living foods: green vegetables; fruits rich in yellow pigment: apricots, lemons, oranges, physalis.

The anti - pellagra **vitamin PP** (nicotinic acid) is a remedy for skin ailments and also for mental illnesses. It is a variant of vitamin B and comes from the same sources: garlic, shallot, tomatoes are abundantly provided with it.

Associated with vitamins B1 and B2, it has a preventive action on various ocular diseases and acts favorably on certain intestinal affections.

Except for the C type, the vitamins contained in **the** vegetables are likely, without being decomposed, to undergo prolonged cooking, even in the autoclave up to 112 **degrees**. This is the case with certain varieties of carrots, cabbage, spinach, peas, beans and potatoes.

On the contrary, vitamin C is destroyed from 65°. so that the vegetables that contain it: celery, salads. onions, tomatoes should, as far as possible, be ^{eaten} raw.

Storage, desiccation, oxidation are equally harmful to the preservation of vitamins.

Apps

A. — Method of colored screens : But, just as well. shall we say now in what manner. dowsing, we went about studying vitamins.

Roncoule, in his "**Chromotherapy**", having taught us

that vitamin A goes well with the color red, the vita-

mine B with the yellow color and vitamin C with the blue color , we have, in the first place, checked the existence of these bodies by means of colored screens, in the foodstuffs which contain them.

It then remained to seek the agreement of the other sorts: DEPP. K. less known and studied.

We were therefore able to establish the agreement of vitamin D with the color green: then the agreement of vitamin E with white. It was then the observation of the kinds K and PP which syntonize respectively with the black and violet-yellow screens, these last two superimposed.

Now, if we use, as we have done, the transparent screens of Mellin, we can establish the following agreements:

A	accord avec	the screen N ° XI cerise red.
BI	—	— VIII yellow.
B2	—	— IX golden yellow.
C	—	— IV indigo.
D	—	Fundamental Green VI.
K	—	— XIV black.
P.P.	—	purple and yellow screens II and VIII above , perpose.
	avec	screen 1 white.
E	—	during these tests. having encountered a product based on Phosphate of lime; we recognized its agreement with the screens N° 8 XL red and VIII yellow, superimposed.

On the other hand, a casein biscuit contained vitamin A , agreement with screen No XI red, and vitamin C, agreement with screen No IV indigo .

In a vitamin food specialty we were able to identify the presence of vitamins A, B 1, B2, D, E, and PP: and in a granule the types A. B 1, D and E.

Honey constitutes a complete food which, from the point of view of its radiations, tunes with the wave 20, 40, 60 centimeters and 8 meters: that of the individual in perfect state of health. However, honey contains vitamins B2. C and D.

Having recognized the agreement of **sugar** with the N ° Il v i olet screen, we were able to verify that **alcohol** provides an identical agreement . from which we can conclude that **it** is possible to detect ! a presence of alcohol in a solution containing a very small proportion using the same screen.

Saccharin , despite its sweetening power and although having a common fundamental ray with sugar. neither tunes nor controls itself with him by the law of similars . Its particular screen is the smoke black No. XIII.

Practically, if your supplier guarantees its “**pure sugar**” **jam** . look for the deal with the purple screen. In case of disagreement and tuning with smoke black, it 's saccharine and beware of sensitive kidneys !

The **research and identification** of vitamins is done by placing the colored screen on the vitamin or on the product supposed to contain it. The pendulum is then presented above the screen. If vitamin is present, the pendulum rotates inversely (—) . In the absence of vitamins, the pendulum swings.

B. — Method of colored cards or ribbons: We have said it. instead of Mellin's screens, it is possible to use **cardboard or colored ribbons** of shades corresponding to those indicated above. Only the user manual differs. One can use the method of the “**Ray of Union** ” by placing the colored “ control ” on the right and the vitamin on the left on a horizontal line.

The swing of the pendulum above the “ Neutral Point” characterizes the chord. We know, in fact, that in this method the tuning results in the oscillation of the device. while the gyration indicates the absence of agreement.

C. —
Method of the colored spectrum: One can also operate above a **colored spectrum** **to** which the color black will be added; but this method is not

the most advisable. The pendulum being presented above the vitamin, it will turn inversely (—) when, with a point-antenna held in the left hand, the operator designates the **suitable** color of the spectrum.

The colored cards could possibly be held as "witnesses " in the right hand: the reactions of the device will conform to what has just been said.

D. — Method of the 360° dowsing protractor circle
PS : Finally, on this circle, divided into 360 degrees, we have determined the location which corresponds to the radiation of each type of vitamin.

Magnetic North-South oriented circle, pendulum set to Magnetism:

Vitamin	F	degree	60
	E		125
	HAS		180
	P		290
—	BI	—	325
	B2		330
	D		350
	vs		354

Let us note in passing that a **raw vegetable** aligns its radiations towards the degree 135 - 315 (line of life), while a **cooked vegetable** makes oscillate the pendulum in direction 45 -225 (line of death). The same is true for **sugar** and **saccharin**. fe first line of life, the second line of death.

A similar phenomenon is observed with **barley grains** and these same grains after roasting.

E. — " **Vitamin-witnesses** "

method : **Although** the method of identification by screens, cards, or colored ribbons can render real services, the use of vitamins as " witnesses

" is without any preferable doubt . These are the characteristic products whose nature we have indicated by recalling the particularities of each vitamin, or else the synthetic specialties of the trade.

We then operate by presenting the pendulum above the "witness of the subject " to be examined, then by designating with

the left index finger in antenna the vitamins or their synthetic equivalent.

To ascertain a person's sufficiency or deficiency, one operates directly (generally on the hand) or on a "witness" from said person: hair. saliva. blood or any physiological fluid.

Whether vitamins, transparent screens or colored cards are used, the pendular reactions must conform to those indicated: presence, reverse gyrations (—); absence, oscillations.

F. — Method of the Ray of Union : If the method of the Ray of Union is used, the person's hand is placed. or his "witness". at one end of the horizontal line. the vitamin occupying the location opposes.

The sufficiency or deficiency observed in an individual responds rigorously to clinical observations. Example: Anyone with a nerve deficiency is deficient in vitamin B 1 ; **female** organic functional disorders presume vitamin E deficiency.

We have observed that a vitamin A deficiency is always indicative of microbial impregnation.

—
Vitamin richness of a product : Vitamins which are difficult to measure, except by radiesthesic means . are of the order of 1 millionth of the weight of the daily food ration.

By using the Reporter Circle PS divided into grades (1 QO divisions). and placing the product to be examined in the center of the circle. we can. by means of the pendulum and using a "witness-vitamin", held in the right hand. evaluate, at least proportionally. the vitamin richness of a product.

H. — Antagonism or synergy between vitamins : In his work: " Les Vitamines ". Suzanne Gallot writes: " Gabriel Bertrand showed that there was a relationship between vitamins and zinc ".

The experiment is very easily achievable with a pendulum.

And Suzanne Gallot continues: “

Research in recent years has highlighted the antagonism or synergy that may exist between vitamins A and D.

“ Likewise. under certain conditions. there is antagonism between. vitamin D and vitamin C. This is how cod liver oil given to scorbutic patients aggravates their condition.

“ There is synergy between vitamin D and B vitamins. between vitamin A and B vitamins. etc. >>

The antagonism and synergy of certain vitamins caught our attention and it is by proceeding as follows that we have verified the realities.

By means of the quarter-circle **Vitameter PS** , we sought the degree of general deficiency of a subject that we knew to be deficient in A and D.

The deficiency figure being 45%. it was enough for us to place a tube containing vitamin A near the patient's “ control ” **for this deficiency to be** annihilated and the figure reduced to zero, that is to say to the perfect balance of health.

operating under the same conditions. we obtained an identical result with vitamin B.

But. if we used A and B together , the deficiency was carried to its extreme limit.

Besides. if we group two antagonistic vitamins, and we present the pendulum above them. the device stops moving .

The same experiment can be made by means of the “ Ray of Union ” by the horizontal Vitameter PS.

But, have we been told, there are nevertheless specialties grouping both vitamins A and D and which do not seem to be contraindicated.

We do not ignore it. We have mentioned in this regard cod liver oil which contains these two vitamins: also, we believe that in this case, as well as for the pharmaceutical specialty . there is a body whose role is to attune these antagonists.

This body. or at least its equivalent, we found it

in product F. which is not strictly speaking a vitamin but a dual catalyst. a fatty acid essential

for the maintenance of life. The experiments were therefore repeated by adding the product F.

The A + D set then proved to be effective.

Pursuing this kind of research, we recognized the antagonism A + E, B + E, B + K, D + E, E + K, antagonism which was remedied by the addition of the product F.

On the other hand, we noted the synergy of the sorts A + B. A + C, A + K. B + C, B + D, C + E, C + K. D + K, D + F C, whose actions, instead of thwarting each other, reinforce each other.

The pendulum presented vertically of these grouped sorts rotates inversely (—).

“ The mechanism of the physiological actions of vitamins is extremely complicated. It takes into account the proportions, the balances between the different nutritional principles and obviously the personal factor: the body of an individual

being able to claim such vitamin in more or less big proportion, according to its tendencies. >>

1. — There follows a set of unpublished facts and comments

of practical and current utility.

Vegetables : Onion	.. raw vitamins	B.C, . (nil).
raw tomato	—	A, B, C, G.
—	. cooked	
Carrot .	raw or cooked	— A, B, C, G.
White cabbage .	.. raw or cooked	— A, B.C, G.
Red cabbage	.	— A, B.C, G.
Raw Brussels sprouts		A, B. C, 1 EG
—	—	■ -■ (none).
Spinach .	.	— A, B.C, G.
—	cooked	
Pumpkin.	. believed	— A, B, C, E.
— .	. cooked	(none).
Potato raw or cooked		BC
Green beans raw or cooked	—	A, B.C, G.

Raw white beans
or — A, B.C, E.

Salads:	Raw	escarole	leaf-
l [^] e [^] i . . . •	er		A, B, C, G.
raw escarole yellow leaves			(néant).
raw lettuce			A, B. C, E, G.
Watercress . raw or cooked			A, B. C, E, G.
Raw celeriac.....			A, B. C. E.
— cooked			(néant).
Fruit : Chestnut. . flood			A. B. C. E.
Cooked chestnut.....			
(The chestnut has no			
radioactivity like the horse chestnut .)			
Raw pear and apple			A, B, C, E.
— — cooked			(néant).
Sweet almonds			A, B, C, E.
Orange- and tangerine...			B, C, E, G.
Meats: Beef . . . believed			A, B, C, O .
Beef gate			B, C, D.
—cooked			
Pork . . raw or cooked			A, B, C. D. E.
Calf . believed			A. B, C. O.
— . cooked			B, C, O.
Miscellaneous:	Cereal	flours	
(wheat and corn) .			B, E.
^3 l [^] n			A, B, E.
Butter			A, B, C, D, E. G.
Grain barley.....			A, B. C, E, G.
— — roasted. . .			(néant).
Cristalized sugar.....			A, B. C. E. G.
— refined.			B, C, E.
. — of grapes.			A. B, C, E.
Saccharin.....			(néant).

CHAPTER XXIII

FIFTY-NINTH LESSON

ASTRO-RADIESTHESIA

Documentation

The globe we inhabit is far from completely isolated from the rest of the universe , for many of the influences we experience come to us from outer spaces. Solar light, with its accompanying calorific and other radiations , lunar influences , planetary actions play a considerable role in the development of meteorological phenomena, as well as in all manifestations of the life and growth of beings. animated.

But astronomy and above all astrology, the development of which was much more extensive among the ancients than in our time, teaches us that stars or meteors are incomparably more distant. exert undeniable influences on our globe , either by their mass or by the cosmic rays they send us.

It is therefore not surprising that dowsers, especially if **they** are looking for them, can experience the action of some of these influences on their detectors. Some of **these** actions which directly reach our sixth sense will come under the domain of **physical** dowsing . others will relate to **psycho-physical** dowsing . others **to** psychesthesia .

The study of physical dowsing, if we know how to make use of all its advantages, can quite quickly reveal to us some of the secrets whose mystery modern physics seeks to pierce; but why could its methods not extend to the search for a deeper knowledge of the truths that the celestial spaces hide from us ?

With the aim of allowing astrology and dowsing to combine their efforts, and, consequently, to support each other, by the different information that they can provide, and, consequently, by the control which can result from it, Dom Néroman proposed to study their reciprocal reports and to make of the knowledge of these reports the object of a new science, the **Astro-Dowsing**.

We believe that we are useful to a certain number of our readers by setting out to them in the present chapter the principles on

which rests this new science which seems destined to render invaluable services to those who will be able to practice its applications. We allow ourselves to add that Dom Néroman adopted the Schumfell Revealer for his experiments and very recently still, for the study of the very particular phenomenon

:
the pendular oscillations detecting the azimuth of the sun. In this area again. like so many others, practitioners are finding the accuracy and valuable benefits that the Schumfell provides them.

Origin of astro-dowsing. — In February 1937, the review “ Sous le Ciel ” began a section entitled: “ Astro-Dowsing ”, due to the collaboration of Doctor Moineau, radio-tellurist. and of the engineer of the Mines Dom Néroman, astrologer. After an abbreviated history of the mining discoveries of Baron de Beausoleil, mineralogist, and his wife, Martine de Bertereau, “ baguetteing ” the authors got to the heart of the matter and declared that

the Wand is dependent on heaven, quoting passages from the famous work “ The Restitution of Pluto ”. **It** is difficult to summarize what was already a very condensed shortcut of previous works, but we can give the substance in three points:

1° Besides the five rulers and the sixteen instruments suitable for finding underground deposits, there are seven specialized rods . applicable to the seven base metals.

2° These rods can only be used if they have been *cut* under the appropriate constellations ” . that is to say in harmony with the sky of the nativity of the one who will use it.

3“ Search operations must be carried out under suitable skies.

On the second point, Martine de Bertereau is very clear, and here are fragments of her text:

“ The rod. by an occult virtue, bows and lowers itself on the places where the sources of the waters are, and on the metals which are in the ground and in the waters, which the first dexter branch of the palm tree also does, taken under their own constellation (of the baguettetizers) without which observation they are of little effect, even they are useless to those who are born opposite to their constellation

, and who have their ascendant as an enemy. This is. why all kinds of men

cannot make use of it, which obliges those who want to be able to quickly find the sources of waters, the veins and matrices of metals, to have the knowledge of the sixteen instruments and the seven rods of which we talked above, and under what constellations they should be done. »

In modern language. Martine de Bertereau tells us that we must have sixteen instruments and seven rods, and that we must cut them and prepare them under the sky that suits the operator , otherwise the effect will be little appreciable, and even zero. if they were prepared under a sky in quadrature of that which i; had to choose.

Finally, on the third point, the baguettetiser indicates examples of skies suitable for the use of. each instrument or drumstick (see below).

All this can be summed up in one word : **Radiation**

thesis and astrology must be combined . And it is this fundamental idea which is the starting point of a new science : **astroradiesihesia .**

Some details on the ideas of the XVII⁰ century. —

Here, summarized as much as possible, Martine de Bertereau's indications, interpreted by Dom Néroman:

1° The 16 instruments.

4 large sun compasses, one for each of the four cardinal points. Searches for gold and minerals under the influence of the Sun (marcasites, azurites, golden talcs) ; to be used under the same sky as the **verga lucente**

below.

7 large compasses with 7 angles, lunar, one for each of the combinations: Moon-Moon, Moon-Mercury, Moon-Venus, Moon-Sun. Moon-Mars, Moon-Jupiter, Moon-Saturn. Silver and mineral research under the influence of the Moon (rock crystal, diamond, etc.) ; to be used under the same sky as the **verga calente**

below.

5 planetary instruments, called : **astrolabe** for Venus (copper), **dial** for Jupiter (tin), **geotric** for Saturn (lead), **rake** for Mars (iron), **hydroic** for Mercury (mercury and water) ; to be used under the same skies as the rods below.

16 instruments in total.

2° The 7 rods or rods.

a) **Verga lucent.** for gold. Sky similar to that of July 27 , 1578 (Sunday, day of the Sun, Sun in iron. Rising sun).

b) **Verga calente** or **focosa**, for the money. Sky similar to that of August 22, 1578 (Friday, day of Venus, Moon in exaltation, rising Moon).

c) **Verga satente** or **saltante.** for copper. Sky similar to that of August 29, 1578 (Friday, Venus day, Venus in celestial throne, Venus rising).

d) **Verga battend** or **furcilla**, for tin. Sky similar to that of August 6, 1578 (Thursday, Jupiter's day, Jupiter rising).

e) **Hectic verga**. or **treme**, for lead. Sky similar to that of September 20, 1578 (Saturday, day of Saturn, Saturn enthroned, Saturn rising).

f) **Verga cadente** or **inferiore**, for iron. Sky similar to that of July 15, 1578 (Tuesday, Mars day, Mars enthroned, Mars in the middle of the sky).

g) **Verga obvia** or **superiore**, for mercury. Sky similar to that of August 26, 1578 (Wednesday, day of Mercury, Mercury enthroned, Mercury rising).

Moreover, the horoscopes indicate the planetary hour, but determined according to rules which could not be elucidated. This is

why Dom Néroman retains only the idea.

For all these “ faces of the sky ”, as Martine de Bertereau says, except for the sixth, the theme is that of the moment when the planet that governs the sought-after metal rises; the exceptional chart is that of iron: the planet Mars, instead of rising, passes through the meridian, so it is still in a remarkable position: but the Sun rises, and as it is linked to Mars, the exception does not break with the main idea that chooses the time when the planet is most dynamic. Dom Néroman also thinks that this separate theme is that of the birth of the Baron de Beausoleil. which would explain the exception

.

We also notice that almost always the ruling planet of metal is powerful in the sky (in exaltation or in throne), and we can safely say that the Ancients, to establish and use the rod suitable for the detection of such metal, copper for example, sought the period when its ruling planet (Venus) was powerful, and the hour when it rose: failing that, the hour when the Sun rose.

We find a confirmation of this in the “ Treaty of Mining Practice ” by the Marquis de la FraHa-el-Montalbano, a very

rare

work

,
published in 1678, therefore thirty-eight years after the “ Restitution
of Pluto ”, and just on the centenary of the seven " faces

of the sky ” by Martine de Bertereau. We reproduce an engraving of it which shows the series of operations, **carried out at the rising sun.** In the tree, two children cut the branches with sickles ; on the ground, they shape the wands, while three characters each wield one of the three wands



Fig. 12

described by La Fratta-el-Montalbano: the one on the right uses a simple rod, which he arches in a semicircle, hands inward; the one in the middle uses a fork, held in the same way , and in short his instrument derives geometrically from the first by

in the middle of the hanger: as for the last, he holds outstretched a straight rod at the end of which is suspended a “ magic ring ” ; this mysterious wand required incantations forbidden by the authorities of Venice.

The intention of the engraving is indisputable: all the operations :
cutting, shaping, and field research with the three types of rods, are done at sunrise.

modern ideas. — Dom Néroman specifies that it is not at all necessary to adopt Martine de Bertereau's rules word for word , rules in which real naïveties appear (for example, the attribution to the Sun of golden talcs). You simply need:

a) Admit the principle of the influence of the sky on the manifestations of rods and pendulums, which is obvious for

any astrologer, and even for any person who realizes that the waves of any kind which constantly sweep the earth do not cannot be unrelated to the effects of the Sun, the Moon and the planets whose field constantly modifies the solar and lunar fields;

b) Review the rules of the Elders:

c) To forge new rules and above all a doctrine.

It is this program which is both precise and very vast. so very flexible, that he invited all the dowzers: and to coordinate their efforts, he detached the **Astro-dowsing section** from his magazine " Sous le Ciel ", and he created, on February 1 · 1938 , a small special bulletin : “ Astro-Dowsing ”.

The first works. — At the beginning, research was confined to two very direct paths:

a) **Metal detecting** at various times, carefully noted. These experiments have shown that the detection was

more or less easy depending on the time and it seems that the best thing is to operate at the time when the ruling planet of the metal sought reigns, especially if it is at the same time the sunrise or planet or sun time .

b) Detection of planets : We tried to find **the** azimuth of the Sun, the Moon, or a planet, at any moment of the day or the night. Almost always the pendulum correctly indicates the azimuth for the luminaries (Sun and Moon):

for the planets, the successes and failures did not make it possible to

reach a conclusion, but it seems that it is necessary to seek a planet according to the same rules than its metal : at the hour of its rising. or at 'the hour of her reign, or at the rising hour of the luminary with which she is in aspect.

Research on human waves. — Encouraged by these first results, Dom Néroman did not fail to take an interest in the axis of polarization of the personal waves emitted by every human being (or animal, or plant). and which **he** called the axis of Baradat. In this area, what has happened is what always happens in times of bubbling and creative effervescence: great confusion; several dowsers have reported " rays ", " **planes** " . " beams ", which perhaps are different elements of human

radiation, but which perhaps are only **the** same element seen under different aspects. In addition, and it is here that Astro-Dowsing takes on its full extent, this axis of polarization detected by the dowsers must necessarily be found in the subject's astrological chart. since this theme defines the personality of each one. If, therefore , we manage to identify in the astrological chart the axis of polarization highlighted by the pendulum, the so-called occult sciences will take an enormous and probably decisive step :

one supporting the other, dowsing will bring to the astrology the resource of the possibilities of experiments which it misses

, and astrology will bring to the dowsing the source, therefore the causal explanation of the waves which it detects.

Dom Neroman even hypothesizes that the Baradat axis is

not identifiable **with** a constant element of the astrological chart, for example the ascendant, or the solar vector (Commandant Le Breton's hypothesis), or the Dragon. etc Then, one could investigate whether there is not a hereditary element foreign to the astrological chart, but nevertheless concealed in it, because, he says, " it is quite obvious that any being

is determined by its heredity. which is its deep nature. and by the nativity sky. qlli is the accidental atmosphere under which this profound nature presented itself on the threshold of an earthly life; it is also quite obvious that this being will evolve according to its native circumstances on the one hand

—
embodiment of a pre-existing nature under a given sky —and the episodic circumstances of its life, created by the constantly renewed configurations of the moving sky, or, in shortened language, by the film of the evolving sky ”.

One thus sees the immense interest which will present the Astro-Dowsing applied to this field of research. It is doing a great service to the resurgent sciences to identify **the axis of polarization** of all the subjects whose date and place of birth are known.

But it is essential that these records be complete; an axis is not generally horizontal; that of humans (like the magnetic axis of the magnetic needle), is indeterminate on the horizontal; two measurements must therefore be given: the azimuth,

which is the direction (relative to true North) of the plane in which the pendulum beats, and the **height**, which is the inclination of this axis on the horizon.

Well-conducted statistics will bring valuable clarity here.

The planetary chromatic chronicle. — In another way, Mr. A. Laurent and Miss Mourgues have undertaken in collaboration the determination of the planetary colors. A short preamble is necessary here.

The tradition gives the correspondences of the seven planets with the seven usual metals, and also with the seven colors. For metals, the tradition has been perfectly preserved, and

no single document has ever been cited giving a correspondence other than the one above. and which we rap below to give a full set

.
On the contrary ,
for colors, the tradition has been lost, and there
are different documents, between which one had to
choose. Dom Néroman preferred to try to establish it directly ,
and he ended up with the following general picture:

M E T A L		PLANET	COLOR	
Last name	Atomic number		Last name	Aadi Longoto r
Iron _ _	26	MARCH <i>See</i>	(orange)	
Copper	29	VENUS 9 i	(red)	
Silver	47	MOON ((	exophote	
Tin	50	JUPITER ^	purple	0.41
Gold	79	SUN O	blue	0.47
Mercury	80	MERCURY è)	green	0.52
Lead _ _ _ _	82	SATURN 2	yellow	0.58
(Iron)		MARCH <i>see</i>	orangè	0.60
(Copper)		VENUS Q	red	0.65

Fig. 13




Fig. 14

This painting is quite remarkable in that the two series, each in its **numerical order**. give the same planetary order. The first begins with Mars, iron having the lowest atomic number; the second begins with the Moon, which is out of color (exophote), and follows with Jupiter, whose color (violet) has the shortest wavelength; but the planetary order is common to both lists; and if we wound these two lists on the circle, they would merge according to figure 14 ..


Now, pushing things to the bottom, we see that there are only three planetary orders in correspondence, that is to say deducing one from the other, because if we arrange circularly , on the vertices of the heptagon, a known order, for example the kinetic or cabalistic order which is that of the seven planets from the slowest to the fastest, i.e. figure 15, A.

Saturn, Jupiter, Mars, Sun, Venus, Mercury. Moon, the first derived order will be obtained by joining the vertices of two in •two, which gives the obtuse star heptagon (fig. 15, B):

Moon, Jupiter, Sun, Mercury, Saturn, Mars, Venus, and the second derivative order, by joining from three to three. which

gives the acute stellate heptagon (fig. 15, C):

Moon, Mars, Mercury, Jupiter. Venus. Saturn, Sun.



Only these three regular heptagons exist, so no other derived order is possible. In the second, the reader has recognized that of the preceding table, the order of metals and colors, which Dom Néroman calls **wave order**, because it is realized in the range of atomic numbers and in that of the lengths of atoms. wave ; in the third, the reader has recognized the order of the days of the week which the same author calls **influential** or **divine**, because it is a legacy of the most remote tradition, placing each of the seven days of the week under the influence of a planet in this mysterious order, the physical reconstruction of which has yet to be discovered.

We see how solid all this is; we have known for millennia the cabalistic order (A) and the order of the week (C): the " undulatory " **order** is deduced from it, but we did not know it until we knew restore the order of the usual metals according to their atomic number: and it happens that the colors also reproduce it.

This explained, was it not fascinating to determine by **dowsing** the correspondences between planets and colors ? This is what M. Laurent understood, and it is important to say here that he did not accept the correspondences given by Dom Néroman, in contradiction with other data which had the preference of occultists. Mr. Laurent sought these correspondences by materializing the planets by their hieroglyphs ; he got nothing: he then thought of working **on** direct photos of the planets, as is commonly done on photos of human subjects. and, against all expectation, the correspondence noted by his collaborator, ignorant of the various solutions proposed. were those of the painting of the eminent astrologer.

We see, by this example, how much astro-dowsing can serve the two sciences which it so successfully combines .

Current extension of astro-dowsing. Astresthesia . — After these works, and quite a few others that cannot be related here, Mr. Laurent proposed to Dom Néroman,

creator of astro-dowsing, to broaden the field and

extend it **to** study of all the problems of interest to the two disciplines in all their possible interactions.

And he is led **to** identify two distinct currents: the first consists **in** doing dowsing **taking into account the sky**, this formula being understood in its most general and most complete sense. The second consists in seeking in dowsing a **mode of astrological experimentation**, and it is all the more interesting that, precisely

, astrology suffers from a deep evil: the impossibility of doing at will, therefore

systematically, experiences. It is this second aspect of fastro-dowsing that he proposes to call **astresthesia**. The ostresthetic problem consists essentially, not **in** verifying on a subject, by the pendulum, the reality of the effect of certain planetary transits, but **in** directly studying the factors of aesthesia.

In this respect, it is therefore necessary to classify in **Astresthésie** the verification of the planetary chromatics that we have just exposed, as well as the control of the astrological charts of collectivities, nations, cities, of which we must say a few words.

World astrology. — When an astrologer studies a human being, he draws up his chart, which is the planetary sky seen from the place of birth at the time of this event. When he tackles the theme of a nation like France, a city like Paris, a regime like the French Third Republic, he enters a domain where reality and fiction are intertwined, and he loses his footing. Dom Néroman gave rules to establish these themes of collectivities. M. Laurent, for his part, sought to determine them by dowsing. and he succeeded in doing so, by methods which we cannot explain here. Let us simply say that we can have confidence in these methods, because twice they have just obtained the consecration of the facts: for Great Britain, the chart established " astresthesically " shows that, in the current period, our Republic and the English Monarchy have their

antennas strictly merged, therefore unite intensely in their present evolution; for Czechoslovakia, the **astrothesic** chart announced its misfortune. Finally for

Paris and for France, whose themes had been drawn up by Dom Neroman according to the principles of his work : " Les Présages à la lumière des lois de l'Evolution ". Mr. Laurent found the same orientations dowsing.

Thus a new science was born which brings to astrology possibilities of experimental control, to ray thesis of new lights as to the causes of the forces which it detects, to medicine entirely new ways, and to all of the most exciting astrological sciences

It is to be hoped that it will develop, without, however, losing any of the coherence in which its creator knew how to install it from the outset, and maintain it despite the diversity of paths already opened.

CHOICE OF COLOURS, STONES, METALS, FAVORABLE PERFUMES

Applications using the star heptagon and the neutral pendulum PS

A. — Search for colors, stones, metals, favorable perfumes : The starry Heptagon hereafter, called in Astrology “ Undulatory order ” or “ Order of metals and colors ”, realized in the range of atomic numbers and in that of wavelengths. will allow an automatic designation of the favorable elements.

First set the pendulum precisely on the “ witness ” of the person to be examined in this regard. The pendulum will swing in the direction of that person's polarity. For himself, the operator will choose his own “ witness ”.

Then place the “ witness ” (hair. photo. urine, blood. etc.) in the center of this Heptagon.

Suspend the pendulum above the “ witness ” and wait for its final oscillation towards the star under which is placed ! the person to whom the “ witness ” belongs .

Following the designated star. report to. finally. in the table below to find out the “ favourable elements”:

SUN :

Colors: Orange yellow.

Stones: Diamond, Topaz, Ruby, Carbuncle. Amber.

Metals: Gold.

Scents: Havana, Sandalwood. Heliotrope.


MERCURY:

Colours: Green, Orange.

Stones : Agate. Jasper. Carnelian. Opal, Beryl.

Metals : Mercury.

Scents: Verbena, Jasmine. Benzoin.



RADIESTHESIC STAR HEPTAGON
(Cryptophysical order)

**for the search for Colours, Stones, Metals, Jewels and
Favorable Perfumes .**

Device;, orient magnetic North .

VENUS :

Colours : Pale pink. pale green.

Stones : Light sapphire, pink coral.

— Ruby. Garnet. Aquamarine.

Metals : Copper.

Scents : Rose, Violet. Lilac. Verbena.

MARCH :

Colours : Dark red.

Stones: Rubies. Garnet, Sanguine, Carbuncle Hematite.

Metals : Iron.

Scents: Fern. Eyelet. Reseda.

JUPITER:

Colors : Blue-violet.

Stones : Emerald. Amethyst, Dark Sapphire. Dark coral .

Metals : Tin.

Scents : Wallflower, Saffron, Ilang.

SATURN:

Colours : Black or Dark Brown.

Stones : Jet. Onyx. Black coral, dark green marble.

Metals : Lead.

Scents : Henbane, Poppy.

MOON :

Colours: White or bluish light grey.

Stones : Mother-of-pearl, Pearl, Opal, Crystal, Moonstone.
Jade.

Metals : Silver.

Scents : Lily of the valley, Iris.

The planet under which the person is placed being thus known dowsingly. it will also be possible to apply the influence of his star to this person. This will of course only be planets that revolve around the Sun. This governs the Earth, and the planets intervene only as modifying elements of the solar influx. It is this modification, according to Dom Néroman, Mining Engineer. which

creates varieties in the solar fundamental note. Thus, when the Sun exalts a living being, it can do so with very varied modalities, and these are the modalities. attributed to the various planets. .

“ In connection with the Moon. the Sun will exalt the poetic feeling: with Mercury. it will boil the inventive imagination : with Venus, it will make the call of the flesh pass; with Mars. it will excite combativeness; with Jupiter. it will provoke an act of authority; with Saturn. it will unleash a selfish appetite : with Uranus, it will trigger a sudden decision, a whim: with Neptune. it will bring a creative breath , sometimes brilliant. » •

So oriented. we then refer the operator to works dealing more fully with these particular influx tones from each of the planets. related to the Sun.

B. For color determination. stones, jewelry. metals. perfumes. etc.. favorable refer to other dowsing procedures indicated on page 107 in the chapter on Colours.

LESSON SIXTIETH

MEDICAL RADIESTHESIA AND ASTROLOGY

Physical method of pendulum chromo-diagnosis (1)

Documentation

We know the correspondences between colors and organs, quite incomplete, or simply valid for the Method of Mental Dowsing of Chromo-diagnosis. applied to the detection of diseased organs of living beings.

For this method of Chromo-diagnosis to rest on a physical basis, it must obviously be **objective** . therefore external to the operators, and that consequently the relations between **colors** and **organs** are the same for all.

In effect. at the exam. the known correspondences, between colors and viscera, moreover incomplete, are valid only for the Mental Method, subjective.

It was therefore important, in order to lay the foundations of a physical method of Chromo-diagnosis, to establish, by the objective method, a rational list of the triple ratios **or** electro - magnetic resonances between Planets, Colors and Organs : this is what we have achieved by dowsing control on anatomical boards.

As tradition teaches us that not only is there a concordance between **colors and viscera**, but also between colors and **planets**, as well as between **viscera and planets**, and that moreover , it has left us several lists of these concordances , it is possible to use planets. in the same way as the colors, for the detection of diseased organs.

(1) Communication from Mr. Maurice Béquarr, son.

Unfortunately. or over the ages, the tradition has become adulterated and the lists which give the correspondences between planets and organs being contradictory, an experimental verification proved to be essential to establish the foundations of an Astro - Diagnostic method.

The dowsing examination, by the objective method, has thus made it possible to establish the following rational list of the triple relationships or EM resonances between **planets, colors and organs.**

Let us note that so that such a method answers what one must expect from a radiesthesic research, it is appropriate that it is limited **to** indicating only the affected **organ** , without specifying anything as for the microbial impregnation **or** the pathological condition of the subject. On this subject we refer the reader to pages 145 and 148.

CORRESPONDENCES BETWEEN PLANETS, COLORS AND ORGANS

I

PLANET: Sun : O

COLOUR: Light blue or Dark blue.

ANATOMY:

a) **ORGANS: Cardiac region.**

Heart.

Arteries. Veins.

Blood. Hemoglobin, Red blood cells.

Left eye.

Ring finger, and region of the hand situated below the ring finger and bounded by the line of the Heart. (Mount of the Sun).

b) **SYSTEMS:**

Cardiac system.

Circulatory system.
Seen.

Organic pathology : Disorders of the cardiac region. Disorders of the cardiac system (possibility of asystole, aneurysms, endocarditis, myocarditis, pericarditis, palpitations, hypertrophy of the heart, angina pectoris, etc.). Blood circulation disorders.

Disorders of the venous system, Disorders of the arterial system.

Cardiac and circulatory disorders (possibility of anemia, loss of vitality, weakness, etc.) .

Left eye disorders.

Disorders of the ring finger and the region of **the** hand located below the ring finger and limited by the line of the Heart (Mount of the Sun).

He

PLANET: Moon : »

COLOUR: White.

ANATOMY:

a) **ORGANS: Epigastric region.**

Digestive tract, stomach, pancreas.

Lymph. White blood cells, Lymphatic vessels. Breasts, Uterus, Ovaries.

Right eye.

Part of the hand located, under the little finger, between the line of Destiny **and** the line of the Head, (Mount of the Moon).

Secretions and liquids (saliva, gastric **juice** , pancreatic juice, breast milk, sperm, etc.).

b) **SYSTEMS:**

Gastric digestive system.

Lymphatic system.

Female reproductive system.

Seen.

Organic pathology : Disorders of the epigastric region .

Gastric digestion disorders: (possibility of embarrassment, gastric intoxication, indigestion , dyspepsia, stomach ptosis, stomach hyperchlorhydria , salivary hypersecretion, etc.).

Disorders of the lymphatic system: (possibility of lymphangitis, lymphatism, apathy, etc...).

Disorders of the female reproductive organs: (possibility of pregnancy disorders , menstruation disorders, mastitis, milky engorgement, tumors of the breasts, womb, ovaries, etc.).

Right eye disorders.

Disorders of the part of the hand, located under the little finger , between the line of Destiny and the line of the Head, (Mount of the Moon).

Disorders of secretions.

A ¹¹¹

PLANET: Mercury : **9**

COLOR: Light green or Dark green.

ANATOMY:

a) **ORGANS: Chest.**

Lungs, Bronchioles, Bronchus, Trachea-Artery.
Missed.

Abdomen.

Intestines.

Nerves (sympathetic and peripheral).

Shoulders, Arms, Hands.

Auricular finger and region of the hand located below the little finger and bounded by the line of the Heart, (Mount of **Mercury**).

Solid excretions (feces).

b) **SYSTEMS:**

Lower respiratory system.

Intestinal digestive system: (absorption and assimilation of food, transformation of waste into excrement).

Sympathetic nervous system,
Peripheral nervous system.

Organic pathology : Disorders of the chest.

Disorders of the lower respiratory system: (possibility of bronchitis, pneumonia, pleurisy, emphysema , pulmonary tuberculosis, etc...).

Abdominal disorders.

Disorders of the intestinal digestive system: (possibility of nutritive disorders, constipation, colitis, enteritis, dysentery, cholera, typhoid fever , appendicitis, intestinal tumors, intestinal intoxication, etc.).

Disorders of the sympathetic nervous system.

Peripheral nervous system disorders.

Shoulder problems. arms and hands.

Disorders of the little finger and of the region of the hand situated below the little finger and limited by the line of the Heart (Mount of Mercury).

IV

PLANÈTE : Vénus : 9

COLOUR : Light red, or Dark red. or Pink.

ANATOMY:

a) **ORGANS : Lower part of the crown* e.**

Oral cavity, Lips, Tongue, Ears.

Neck.

Throat, Pharynx, Larynx, Vocal Cords.

Thyroid, Thymus (in children).

Lumbar region.

Adrenal capsules, Kidneys, Urinary tract, Ureters.

Bladder, Urethra.

The thumb and the region of the hand between

the thumb and the line of Life, (Mount of Venus).
Liquid excretions (urine).

b) SYSTEMS:

Taste, Hearing.

Voice.

Upper respiratory system.

Thyroid and glandular system.

Renal system: (transformation of liquids into urine) and Urinary system.

Organic pathology : Disorders of the lower part of the head.

Disorders of the oral cavity: (oral conditions).

Tongue Disorders, Ear Disorders: (possibility of otitis, etc.).

Neck Disorders.

Disorders of the upper respiratory system: (possibility of sore throat, angina, diphtheria, tonsillitis, pharyngitis, laryngitis, etc.).

Speech disorders.

Disorders of the thyroid system: (possibility of growing pains, etc.).

Disorders of the lumbar region.

Renal system disorders,

Urinary system disorders: (possibility of albumin, pus, diabetes

, uremia, nephritis, stones, lesions, etc.).

Adrenal capsule disorders.

Thumb and Hand Area Disorders

between the Thumb and the line of Life. (Mountain of Venus).

Liquid excretion disorders.

PLANET: Mars: *See*

COLOUR: Orange.

ANATOMY:

a) **ORGANS:** Upper part of the head.

Forehead.

Brain, Cerebral hemispheres, Dura mater.

Nu q U' & .

Cerebellum.

Nasal cavity.

Nose. Sinus.

Male genitalia.

Testicles.

Part of the hand located. under the little finger. between the Heart line and the Head line. (Mount of Mars).

b) SYSTEMS:

Brain system. Brain nervous system.

nasal system. Smell.

Organic pathology : Disorders of the upper part of the Head.

Disorders of the cerebral system: (possibility of encephalitis, cerebral congestion, migraines, dizziness, meningitis, mental disorders, aphasia, mental imbalance, madness, etc.).

Disorders of the nasal system: (possibility of cold, sinusitis, lesions, inflammation of the mucous membranes of the nose, etc...).

Male genital disorders.

Disorders of the part of the hand located, under the little finger, between the line of the Heart and the line of Tê: e, (Mount of Mars).

VI

PLANET: Jupiter : ^

COLOUR: Purple.

ANATOMY:

a) ORGANS: Hepatic region.

Liver. Gallbladder.

muscles.

Thighs, Feet.

Index finger and region of the hand located below the index finger and bounded by the Heart line or its extension. (Mount of Jupiter).

b) **SYSTEMS:**

Hepatic system.

muscular system. '

Organic pathology : Disorders of the **hepatic** region .

—
 Hepatic Disorders: (possibility of hepatic poisoning ,
 fatty degeneration, obesity,
 diabetes, hepatic congestion, cirrhosis
 of the liver, jaundice, lumps, growths ,
 etc...).

Disorders of the muscular system (possibility of wrinkling
 , straining , **a t r o p h i e** , etc.) .

Thigh problems. feet.

Disorders of the Index and of the region of the hand
 situated below the Index and limited by the
 line of the Heart or its extension (Mount of
 Jupiter).

VII**PLANET:** Saturn: 2

COLOURS: Light yellow, or Dark yellow, or Light
 brown, or Dark brown , **or** Black .

ANATOMY:a) **ORGANS : Skeleton.**

Bone. Cartilages, Joints, Nails, Teeth, Skin,
 Tissues. Hair, Mustaches, Beard. Fur.

Vertebral **column** .

Bulb. Spinal cord, spinal nerves .

Bone marrow.

Legs, Knees.

and

the region of the hand below the middle finger. and
 limited by the line of the Heart
 or its extension, (Mount of Saturn).

b) **SYSTEMS :**

Bone system.

Cutaneous system.

hair system.

spinal system.
The tact.

Organic pathology : Bone and cartilaginous system disorders
: (possibility of bone tuberculosis,
gout, rheumatism, arthritis, gangrene
, bone caries, lesions, fractures,
etc.) .

Disorders of the teeth: (possibility of dental diseases)

Disorders of the cutaneous system: (possibility of skin
diseases :
dermatosis. urticaria. pruritus,
eczema. impetigo, multiple sclerosis: possibility
of tissue atrophy, etc.) .

Scalp disorders. of the hair system.

Spinal disorders.

Disorders of the medulla, spinal cord,
spinal nerves: (possibility of locomotor ataxia,
paralysis, infantile paralysis, syringomyelitis
, myelitis with muscular atrophy,
slowing of organic chemistry, etc.).

Bone marrow disorders.

Leg and knee disorders.

Disorders of the middle finger and the region of the hand
below the middle finger. and limited by your
Heart line or its extension, (Mount of
Saturn).

Apps

A. — Chromo-diagnosis in the absence of the subject:
Any healthy organ emits the normal Sympathetic Wave; but
any diseased organ. or about to be. emits a
radiation different from this normal Sympathetic Wave.

Let's get a picture, or a lock of hair, of a
person. and place ourselves in the North-South magnetic axis
(the face to the North and the neck to the South).

1 ° Set the Schumfell Revealer to normal Sympathetic Wave
. using one of the millimeter settings

automatic (see Table, page 271, Torne 1). Let's place the photo or the control wick against the hanging rod of the thread.

Let's oscillate the Developer and present it successively above 7 **colored** cards (Blue, White, Green, Red or Pink, Orange, Purple, Yellow or Brown or Black). taking care each time to note his reaction.

Health reaction : If the pendulum starts to turn on the card above which it is presented, the organs. corresponding to the color of this box are in good health.

Pathological reaction : But if the device persists in oscillating or stops above this box. one or more of the organs, related to the color of this card, are disturbed; They are sick.

Once the examination was completed, we recorded: either 7 health reactions if the person subjected to our remote sensing is in perfect health; or one or more pathological reactions if the person we are caring for has organic disorders.

As a check, let's do a second look.

2° Set the Schumfell Developer to the normal Sympathetic Wave , and place the photo or lock of hair in the hand that is not holding the camera. We have thus just self-adjusted our pendulum, which is constantly rotating.

Let us then present him successively above the 7 colored cards, and note each time his reaction.

Health reaction : If the Schumfell Revealer begins to oscillate or stops on **the** card above which it is presented, the organs, corresponding to the color of this card, are in good health.

Pathological reaction : But if the Schumfell continues to rotate above this card, one or more of the organs, related to the color of this card, are diseased.

These two examinations must, of course, give us an identical result, if however we took care to disimpregnate , before and after each search, the operating hand and the pendulum, and if this one did not out of adjustment during remote sensing.

The color(s), having caused the pathological reaction of the pendulum, become the pathological colors, which will allow us to establish our diagnosis.

Suppose that we have obtained as pathological colors : Green and Violet.

The organs corresponding to the color green are: the pulmonary tract, the spleen, the intestines, the nerves.

The organs related to the color purple are: the liver, the gallbladder, the muscles.

All these organs are therefore susceptible to disease; but nothing proves that they all are. We must therefore examine whether there are any who are in a good state of health. This is why we will always pursue tele - detection by colors, by remote-detection on anatomical boards with the aim of eliminating undisturbed organs. which should therefore not be included in our **diagnosis** .

sensing on anatomical boards : Let's set our Revealer Schumfell to the normal Sympathetic Wave. Let's place the " witness " (photo or hair) against the stick supporting the device's suspension wire.

Taking a tip-antenna in the hand not holding the pendulum, let us successively explore all the organs corresponding to the color or colors having caused the pathological reactions of the Schumfell, in this case the organs corresponding to the colors green and violet.

This operation reveals to us, among the organs likely to be disturbed, those which are in reality, thus enabling us to

establish the diagnosis of our subject.

The pendulum swings on diseased viscera and turns on healthy organs.

the Schumfell Revealer oscillates on the intestines, on the liver and on the gallbladder, and if it turns on the pulmonary ducts, the spleen, the nerves and the muscles, we will deduce that the intestines, liver and gallbladder are disturbed, but only the pulmonary tracts. the spleen, nerves and muscles are in good condition.

Usefulness of chromo-diagnosis : The interest of Chromo - Diagnosis lies mainly in the saving of time that it brings to the practitioner and in the care of his nervous system.

Without this method, which allows him to concern himself only with the organs corresponding to the pathological colors, the dowser is, in fact, obliged, in order to discover the disturbed organs of the patient, to explore from top to bottom various anatomical plates; which wastes precious time that he could use for other medical examinations, and unnecessarily strains his nervous system.

The interest of this method also lies in the fact that if the Revealer Schumfell, oscillating above a color. tells us that certain organs, corresponding to this color, are disturbed in their radiation. normal, it also tells us that the other viscera corresponding to the same color, undisturbed in their normal radiance, are all the same put in a state of lesser resistance and thus present either a weakness, or an insufficiency, or a more or less deficiency . less accentuated.

In the example quoted above, the oscillation of the Schumfell on Green, then on Violet, indicates respiratory , nervous and muscular insufficiency.

The definitive diagnosis is therefore established as follows :
 “ Disorders of the intestinal digestive system and hepatic disorders , Pulmonary, nervous and muscular insufficiency. »

Determination of the percentage of health and the percentage

**of disturbance in the cellular vibration of
the organism :** Health results from the

normal cellular vibration of all the organs of the human body. **The disease** results from a disturbance in the cellular vibration of one or more viscera of the organism.

As the organs of the body of living beings are divided into seven lists. each time the pendulum gives a health reaction above a color (or above the engraving of a planet, if we use the Astro-Diagnosis), the body of the examined person presents : **100 %** : ' **7 = 14 %** 285 normal cell vibration, or **14%** health .

The perfect state of health is therefore only achieved if the body of this person presents:

$$14\% \text{ } 285 \times 7 = 99\% \text{ }_{995} \text{ or } 100 \text{ o of } health .$$

Each time the pendulum gives a reaction of disturbance above a color or above the engraving of a planet, if all the viscera corresponding to this color or this planet are disturbed, the body of the person examined presents : **14 %** 285 organ disorders . fuck.

But each time the pendulum gives a disturbance reaction above a color, or above the engraving of a planet, if one or more of the viscera, corresponding to this color, or to this planet, are disturbed , the body of the person examined presents : **14 %** 285 disorders and insufficiency, or deficiency, or even organic weakness.

We therefore include in the percentage of organic disturbance not only the disturbed viscera , above which the pendulum oscillates, but also the viscera not disturbed , but put in a state of less resistance because of the oscillation or the stopping of the pendulum above the colors

or the planets in connection with these viscera.

In the percentage of health, we include, on the contrary, all the viscera, corresponding to the colors or the planets , above which the pendulum turns.

.TABLE FOR THE QUICK DETERMINATION
OF THE PERCENTAGE OF HEALTH AND THE
PERCENTAGE
OF DISTURBANCE IN THE CELLULAR VIBRATION
OF THE ORGANISM

reactions health	reactions Pathological		% of Health	'0 of Penurbatic :1
			1	
7 and	0 give		99% .995 = 100%	and 0%
6 and	1 —		85/' o .710 85%	and 15%
5 and	2 —		71%,425 == 71%	and 29%
4 and	3 —		57% • 140 == 57%	and 43%
3 and	4 —		42% .855 == 42%	and 58%
2 and	5 —		28%.570 -= 28%	and 72%
1 st	6 —		14%,285 - 14%	and 86% -
0 and	7 —		0%.000- 0%	and 100 /'o

In the example we have chosen, we have obtained 5 health reactions and 2 pathological reactions. The person examined therefore has, according to the table :

71% of health and 29 *f' o of disorders and* organic insufficiency .

The health record of our maiade can be established as follows:

Example of Mr. X 's health record ...

Health : 71%;

Disorders and organic insufficiency : 29% ;

.Troubled organs : Intestines, Liver, Gallbladder;

Weakened organs : Lungs, Nerves. muscles.

Organic Pathology :
Disorders of the intestinal digestive system . Liver disorders.

Remote sensing, or remote sensing, appears **to be** preferable to
sensing carried out
on the patient himself. Tele -
detection, in fact, allows the practitioner to establish the

diagnosis of his subject in his absence, in calm

and solitude, which is much preferable for all serious radiesthetic research.

B. — Chromo-diagnosis in the presence of the subject:

To be complete, here is the way to use this method of Chromo-diagnosis **in the presence of the patient** and with his help.

Let's have our subject sit down and orient it magnetically North-South (the neck towards the North. the face towards the South). We place the face to the North. let's tune the Schumfell to the normal sympathetic wave

Let's introduce the device. rule. above the back of our patient's negative hand.

Above this hand. the Developer begins to rotate positively for a practitioner with a positive operating hand.

then ask the patient to place successively under the palm of his negative hand the seven colored cards which we have previously placed near him.

Health Reaction : If the pendulum continues to swing over the hand our subject placed a flush into. the organs corresponding to this color are in good condition.

Pathological reaction : But if the device oscillates or stops above the hand in which the patient has placed a color. the organs corresponding to this color are disturbed.

The colors that caused the pathological reaction of the pendulum become pathological colors. tells us which organs are likely to be diseased.

It only remains for us now to distinguish the viscera that are really troubled from those that are not.

This work of elimination will advantageously be done on anatomical boards .

according to the method indicated previously (refer to the paragraph entitled : “ Remote detection on anatomical boards ”).

ASTRO-DIACNOSTIC

Since, we noted it previously, there is concordance as well between Colors and Organs as between Planets and Organs. one can, to detect diseased viscera. use planets instead of colors. This therefore amounts to transforming the “ **Chromo- Diagnosis** ” method into an **Astro-Diagnosis method**.

or the lock of hair of the person whose color diagnosis we made. Let's set

our pendulum on the normal Sympathetic Wave, and place the " witness " (photo or hair) against the stick that supports the fi! suspension of the Developer.

Let's oscillate the Schumfell and present it successively , no longer above the 7 colored cards, but above each engraving of the 7 planets, observing each time the reaction of this device.

The Astro-Diagnostic Method differing from the Chromo-Diagnostic method only in the use of peet engravings, we will refer for the rest of the operations to the description of the Chromo-Diagnostic method.

The result obtained by Astro-Diagnosis is of course always identical to the result obtained by Chromo - Diagnosis, which allows the practitioner to use, to establish the health record of his subject, either the detection method - tion by colors, or the method of detection by the planets.

Note : We can use the Chromo-Astro-Diag nostic not only for humans, but also for animals. However, when we have to examine an animal, we must use, for the elimination of the organs not troubled by the disease , anatomical plates, no longer human, but appropriate to the species to which the animal of which we are concerned belongs. we will have to take care of. The adjustment of the pendulum will be done above a photograph, or above a tuft of hairs of this animal.

This method is therefore of equal interest to doctors and veterinarians.

CHAPTER XXIV

SIXTY-FIRST LESSON

AGRICULTURAL RADIESTHESIA

Documentation

We wish, in order to be complete, to give a few brief notes resulting from our own observations, as well as from what we have been able to gather in the special treatises.

The field to be exploited in this kind of research is particularly vast and the dowser is called upon to become a collaborator of choice with the aim of controlling modern methods of agriculture, which now tend to replace outmoded and routine practices .
, which from very distant times have been in use among us.

For a long time already, the dowser has been authorized to search for underground **water**, essential to the needs of the farm (1). Its role can also extend to detecting harmful **fumes**, produced by the faults of certain terrains of different composition, or by the path of currents of clear or polluted water, generators of radioactive waves, harmful both to the health of humans than that of animals (2).

How often have we not been struck by the fact that certain cattle , certain poultry, rabbits, suffer,

- (1) Tomo 1, poge 251. 2nd Mr edition.
- (2) Tomo 1. paqc 223, 2nd " edition.

laugh and die for no apparent reason. in spite of a normally established habitat, as well as the best understood hygienic conditions.

However, there is now no doubt that the cause of these ravages is due to unfavorable telluric radiation emitted **by** the subsoil.

To the doctor-veterinarian, who alone is qualified to prescribe the measures to be taken, the **dowser** is able to indicate the nature of the **diseases** that affect the animals and then to control the effectiveness of the prescribed **drugs** .

This examination can be carried out outside the presence of the animal, if one takes as “ control ” a tuft of hair. or a little of the subject's urine. (See “ Dowsing and Medicine ”. page 1 12).

From the observation of nature and the elements that make up a **land**, **it** appears that the selection of **plants, seeds and amendments** is greatly facilitated by dowsing means, capable of establishing the relationship between these various elements . and the soil and subsoil conditions themselves

Tree **planting** is carried out in the most advantageous manner from the point of view of future development and productivity. if the radiations of the species harmonize with those of the ground. It is for the dowser one of the most common and attractive operations to practice this sort of research which can also be extended both to the control of **seeds to be sown and** to the rational choice of races; draft **cattle or barnyard** animals .

If it is necessary to recognize the conductivity of a ground, it will be easy to operate a classification into **good conductors** : clayey, marly, ferruginous grounds, 'es ores , **carboniferous** : and

badly **conductive** grounds **:**
sandy, limestone, chalky, gypsum, granite soils.
sandstone, etc.

Apps

A. — To identify the nature of the terrain. one of the simplest tests available to the pendulisor consists in seeking the harmony existing between the various soils and the colours

. Also, it will be possible, by employing the method of the " Ray of Union " exposed in Torne ^{l^{tr}} , page 193, to note very easily that a clay soil agrees with the color red, a calcareous soil with purple. a sandy ground with the green. finally, leaf mold, humus, go well with black.

B. — MH Mellin has established a complete field correspondence system in harmony with the colours. as well as the orientation of the land and the choice of fertilizers and amendments, which we like to reproduce **here**:

Correspondence of Earths with Colors:

Limestone.	Agreement with Violet.
Silico-Calcium	— Violet and Green.
Siliceous	— Green.
Silico-Clay .	— Green and Yellow.
Clay-limestone. ...	— Yellow.
Clay-Sandy	— Yellow and Red.
Clayey	— Red.
Clay-humus.	— Red and Black.
Silico-Humiferous	— Black and Red.
Humiferous.	— Grey.
Humus	— Black.

Land orientation:

West and South-West facing acids .	
Strong.	— South-South - West and South.
Demi-fortes ..	— South and South-South-East.
Infertile lean.	— South-South-East, East,
North-East •	
Ungrateful	— East-North-East. North.

Orientation of Fertilizers:

South-West Oriented Phosphates .	South-South-East.
.Nitrogen—	South. South East.
Potassium —	South-South-East, East-
North-East	

Fertilizers and Amendments:

Calcareous earth: copper sulphate, slag.

Silico-limestone: Iron sulphate, Bicarbonate and
Lime sulphate, Green sands.

Silico-clayey: Potash Sulphate, Lime,
Potassium Chloride.

Clay-limestone: Sodium chloride, nitric acid,
phosphoric acid, horn fertilizer.

Clay-sand: Nitrates of Lime, Soda, Potash;
Alkaline Sodium Carbonate;
Sylvinite, Bone Fertilizer.

Clay-Humiferous: Ammonia Sulphate, Phosphates and
Mineral Superphosphates. Cyanamide.

Humiferous: Potash Phosphate.

C. — The distribution of the **fertilizers** necessary for a given piece of land is evaluated by exploring with the pendulum all the parts to be filled, by counting the number of gyrations of the apparatus. The places where there are fewer gyrations are those where it is necessary to spread a greater quantity of fertilizer.

D. — The **germination quality of the seeds** to be sown is assessed with precision using the **PS Sanitometer** mentioned on page 160. To do this, it suffices to place part of the seed to be examined in the center of the device and to **present** the Schumfell Revealer above. The quality of the seed will be all the better if the device, having first rotated for a few moments, will oscillate perpendicular to the operator in an East-West direction.

Conversely, a seed which will give oscillations in the direction of the North, then towards the West, will be inactive and if the seed is completely sterile, the Schumfell Revealer will immobilize itself completely.

E. — Such an examination of **the germinative value of the seeds** to be sown can also be made by employing one of the methods which we have previously indicated for

recognizing the state of life or death in a human being. The reactions of the pendulum are analogous. Ray of Life: good quality: Ray of Death: unproductive quality to be rejected.

The appreciation of the quality of **freshness**, or the age of a **seed** to be sown, or of a certain quantity of seeds. is periodically useful. By the " Ray of Union". the Horizontal **Vitameter**

PS, whose ingenious device is exposed on page 166, will easily solve this important problem , otherwise insoluble.

Set the pendulum on the seed to be examined. Then present it above the type of seed. placed to the right of the Horizontal Vitameter PS

For a very fresh seed, therefore very good. the hanged man stops spinning as soon as he is no longer vertical to this seed. The further the gyration will cease from the seed. the more doubtful or old it will be.

To evaluate the **quality percentage** of a seed, a fruit. of a plant, of a product. etc.. it will be advisable to employ the Radiesthesic Reporter Circle PS, of 100 divisions , these

distributed in the direction of the march of the hands of a watch. Seed. for example, being placed **in the** center of the device, present the pendulum vertically to the seed. After a few gyrations (+) or (-), the pendulum will oscillate in the direction of a number corresponding **to** the value of the product. or seed considered. (See Torne I'', page 196 : " The Phenomenon of Oscillation in Direction").

F. — The use of Lesourd's Rule is also recommended: a **healthy** and productive seed corresponds **to** the normal agreement 20, 40, 60 centimeters. wavelength which is that of the perfect state of health in an individual.

G. — Conversely, a defective state affecting a **seed**, a **plant**, a **fruit**, corresponds to the length 1 7, 34. **SI.** which is significant of a characterized disease state.

H. — To recognize **the agreement between the ground and the seed** that one proposes to deposit there, one first presents

the pendulum above the seed . then it is transported to the

surface of the ground. If the gyrations take place in the same direction and increase, the terrain can be considered favorable. Unsuitable ground causes the aircraft to move in the opposite direction.

I. — In the case of transplants, **the** same considerations apply.

J. — **And** what is true for small and medium cultivation is also true for large sowings and the owner should not adopt a quality of **wheat** or **oats** on the assurance that it has worked wonders in another soil than his own, but make sure that the said seeds are in **accordance** with his own grounds.

K. — For **trees**, after having checked by the methods which have just been indicated, whether the ground is favorable to the species to be planted, we make sure (the tree being held vertically) of the direction of the "Fundamental Ray" (See Volume 1^{re}. page 157). Then one proceeds to the installation, taking care to make the Fundamental Ray of the tree agree with that of the earth.

The results of such a practice are expressed first by the rapid growth and development of the tree and then by the unsuspected abundance of the harvest.

Indeed, when a plant comes from a seedling, we notice that the orientation of the "Fundamental Ray" of its "**Individual Wave**

" coincides with the "Fundamental Ray" of the ground on which it was born.

We notice the same fact when a vegetable, whose stem is dead, pushes back with the foot. It is also observed for the vegetation of the scion which comes out of a rootstock. It therefore seems

that this is a natural law which cannot be transgressed with impunity.

When we **transplant** a plant, or a shrub, we must orient it in such a way that the "Fundamental Ray" of its "Individual Wave" coincides with that of its new terrain. Disregard this requirement. it is

to thwart its influence and consequently its development. and often doom it to decay and an untimely end.

It is sometimes noticed that **young trees** of equal vigour, transplanted simultaneously in a perfectly homogeneous ground from all points of view, progress there differently. It is to the difference in orientation of their individual influence that we must attribute this dissimilarity.

there is a flagrant discrepancy between the radiation of the plant and that of the ground that supports it.

This defect is gradually attenuated in plants which support the annual pruning, such as the vine, and the new vegetation gradually orients itself in its natural direction.

L. — There is another care that one cannot fail to give before proceeding with the **establishment of a fruit tree** in particular, it is that which consists in seeking with the pendulum if the **ground** is favorable to the "**variety**" of **fruits** which one plans to obtain. For this purpose, the agreement is established between the terrain and a fruit analogous to the species chosen, or by simply referring to a graphic representation of this same fruit.

M. — Nor will we forget to make sure that! there is no harmful radiation, caused by the subsoil (such as "**harmful waves**", studied Torne 1. page 223) and capable of compromising the development and the very life of the tree (apart from the walnut tree and the vine, it seems). Also avoid planting trees or shrubs in the immediate vicinity of buildings or fences painted black: tar, coal tar; the subjects would not take long to agitate, then to die.

Sometimes all it takes is a move of a few decimeters for success or failure to manifest itself in an obvious way.

N. — Talking about **fruits**, remember that the number of gyrations given by the detector placed above a fruit reveals its edibility. The number of

gyrations is generally small, from seven, the quality of the species is doubtful.

O. — **Finally**, let us remember that an **edible plant goes well** with the colors Blue and Indigo; a dubious vegetal tunes with Green; finally, a poisonous plant: a mushroom, for example, goes well with the colors Red and Orange.

P. — For the **treatment** of trees, let us take the example of a subject whose bark requires treatment **with lime**, for example. It will be noted that the pendulum, presented on the chemical product, reacts under the same conditions as in front of the trunk of the tree and that the gyrations are all the stronger as the remedy is appropriate.

Q. — But if the lime treatment is insufficient **and it is** necessary to combine it with a **treatment with petroleum oil**, for example, the pendulum examination will testify to **the success** of the treatment. operation by strength and range of motion.

R. — A similar example can be given if copper sulphate and sulfur are combined in the treatment of downy mildew in the **vine**.

S. — The beetle which devastates potato plants is **easy to detect** by holding one of these insects as a " **witness** " near the hanging rod of the pendulum.

A friend of ours, MM, of Tours, has researched what **color** was unfavorable **to** these insects. Having recognized that the red-yellow tint kept them away, he coated with this tint (3 parts of red ochre, 1 and a half parts of yellow ochre, 1 half of black) wooden disks 10 to 15 centimeters in diameter. diameter, placed them in staggered rows in his fields every 2 or 3 meters and, for several years now, he has rid his fields of these unwanted guests.

T. — It is often profitable to ascertain the sex of the germ of **fertilized eggs**. We will proceed as follows using the " antenna radius" method (See Volume I, pages 102 and 273).

On a table, at 0 m. 50 from each other, to the right, we place male and female “organ witnesses”.

left index finger " in antenna " the pendulum captures the radiations of the egg. •

The pendulum held high and motionless descended slowly above the " witnesses ".

If agreement is not achieved, the pendulum swings, the egg is clear, unfertilized. On the contrary, if there is agreement, it rotates directly (+) or inversely (-), depending on the gender.

The eggs must be very clean and bear no handwritten inscriptions. If these recommendations were not taken into account

, the pendulum would not turn on the radiations of the hen. but on that of the person who last touched /egg.

In the absence of male or female "organ witnesses", a rooster **feather** or a hen feather can be used. We can also, depending on the case, hold the hand of a man or a woman. ■

U. — We hold, in ending this chapter on Agriculture . to quote the very beautiful page of Commander H. Chrétien on **the usefulness of dividing up** cultures .

The waves are generally invisible; the only ones that are visible are light or colored waves under certain conditions (exchange of electricity between two armatures , two capacitors, two clouds, a cloud and the ground, etc.).

But the stems of the plants which prolong the seed, **the** seed, the plant in the embryonic, microscopic state, seem to materialize the wave of the seed. with a periodic growth corresponding to the Wave of Species and ;on damping. This is variable, as we know, according to its intensity, its amplification received on the one hand from **the** Earth, from its chemical composition and, on the other hand, from **solar**

, planetary, zodiacal, cosmic and their electric currents.

We note that each species of plant has a

particular wave with bellies and nodes. particular forms
of stem, leaves, roots, which make it possible

to receive corresponding atmospheric, cosmic waves , or by resonance, of a particular wavelength.

Hence the need, given a wave limit in a region of the atmosphere, to obtain a better yield, **to alternate the species of plants having** the most varied forms-receiver antennas for a good reception and use the as complete as possible of all the diffracted waves, existing in an atmosphere, a region, a place.

In short, it is always necessary to avoid uniformity in nature , for plants, as elsewhere, because the yield in this case comes from the inequality of forms, and that in gardening . as in **agriculture**. And it is because of these effects, attached to particular receptor wavelengths of plants. that the **cut crop has** a **higher yield than** the field crop and its plantations of uniform species. (H. Chrétien “ The Invisible and Mysterious World of Waves ”, Torne I 1).

SNE
Imprimerie
21, Rue
NICE

Meyerbeer
Meyerbeer, 21

PI
j
1