

Elementary
RADIENTHESIA
and the Use
of the Pendulum

(THIRD EDITION)



by

F. A. ARCHDALE

1956

MRS. M. ARCHDALE
3, WAYSIDE ROAD
SOUTHBOURNE, BOURNEMOUTH

Elementary Radiesthesia & Use of the Pendulum by F. A. Archdale

Foreword to the 3rd Edition

To anyone who has read any of the many articles on the subject of Radiesthesia by Mr. F. A. Archdale, which have appeared in the Press, one thing will have struck him forcibly, viz., that Mr. Archdale possessed the great faculty of being able to deal with an abstruse and highly technical subject in a popular way and had the happy knack of being able to describe his findings in language which is understandable to the beginner and the “man in the street” as well as to the more advanced reader.

Although I have personally read a great number of books on the subject of Radiesthesia and have by the nature of my work with my wife as Radiesthetic Consultants for the last 14 years become familiar with the Science, I may say that as soon as I read one of Mr. Archdale’s articles I felt that he had made an additional valuable contribution.

Up to the present time Radiesthesia has depended upon the E.S.P. (extra-sensory perception) of highly trained individual workers, who employ the Dowsing Rod, Pendulum or Dela-warr Detector. The reason for this is that no laboratory instrument has hitherto been devised, which has been sufficiently sensitive to record automatically the microwaves emanating from the blood plasma system. No doubt the future will see this gap duly bridged, since many enthusiastic research workers in the field of Radiesthesia are eagerly seeking a solution. As to who will be the fortunate discoverer remains to be seen, but that it will come in due course is reasonably certain. The discovery will be momentous and will advance mankind very greatly in the crusade against disease as well as in general scientific knowledge. Already photos from this source have been obtained.

I am sure that Mr. Archdale’s book will fill a gap and enjoy a very wide circulation and make many new friends both at home and abroad. It is the result of much study and research, founded on a long practical experience in the use of the pendulum both on the Continent and in the British Isles and so I very heartily

commend it to you.

C. L. COOPER-HUNT, M.A. (Cantab.)

Radiesthetic Consultant and Late President of the Radionic Association of Great Britain, 1948/49.

Author of "Radiesthetic Analysis".

Barton-on-Sea, Hants, England. Oct., 1956

NON OMNIS MORIAR

It was with deep regret and a great sense of personal loss that we had to report the death, on July the 16th, 1953, of the founder of the Pendulum, Lt.-Col. Fulbert Audley Archdale, M.B.E. (Mlty.), after a long and distressful illness.

Colonel Archdale had that priceless gift of being able to express in simple and understandable language matters that others had seen fit to veil in almost impenetrable mystery. His "Elementary Radiesthesia", of which this is the third edition, has proved a valuable handbook for many beginners who were painfully finding their way through the early stages of radiesthesic knowledge. Much of the material which he wrote for the "Pendulum" stood out by reason of its clarity and conciseness.

Of him may well be echoed the words of Horace, "I shall not die completely, my work will live on after me".

EGERTON SYKES.

Editor of the Pendulum.

November, 1956.

Introduction

The object of this little book, written by my late husband F. A. Archdale, is to introduce Radiesthesia to the beginner in its simplest form, without becoming too involved in the branches of this science, which appertain to geology, minerology, medicine, etc. These he has left to others better equipped in scientific knowledge than him. The possibilities of Radiesthesia are almost limitless, and although the science is still in its comparative infancy, new applications are being discovered daily. Its salient feature is that anyone has the ability, in greater or less degree, to work the pendulum, which is the only implement required to cover a wide field of investigation.

Radiesthesia is a fascinating subject, and there are so many branches of it that everyone, of either sex or of any age, can find a use for it. It is a science and has nothing to do with "black magic", although the astounding results obtained make one wonder whether there is not some force in operation of which we know nothing.

There will be some people who will expect to make predictions, but Radiesthesia can only deal with the past and the present. Also its application and interpretations are so highly individual, that each user of the pendulum must work out his or her own method.

This third edition is much the same as the first two, and I hope that it will continue to prove as interesting and helpful.

Muriel Archdale, 1956.

Chapter I: MY EARLY DAYS IN RADIESTHESIA

There seems to be little doubt that Radiesthesia, although under another name, was practised as far back as 2000 years B.C. It is claimed that the Hebrews and Egyptians used it and that the Chinese called for a Radiesthetist before building a house, so as to detect, as they said, "The Claw of the Dragon", which probably corresponds to what we now call the nocive or harmful rays.

There is no magic in Radiesthesia; it is a faculty which most people possess and consists in their ability to receive rays or waves surrounding them and to pass them on, through muscular reflexes, to the instrument they are using, the pendulum. It is in fact a scientific investigation in which many medical men, research workers, priests, geologists and policemen have specialised.

Everybody cannot become a Radiesthetist of a high order any more than they can become great artists, musicians or cooks, but it can be developed in about 80% of human beings, some of whom, of course, will be more proficient than others either through initial adaptability to radio-perception or through training.

As far as I am aware there are no textbooks on, or teachers of, this subject. It must therefore be self-taught and the object of my little book is to start you off from the beginning and only deal with this interesting and useful science in a purely elementary manner. There are a great number of works on the subject in French and Italian, as both these nations seem to have made more use of it than we have in this country.

Radiesthetists have different methods, although they achieve the same results or at least hope to, that is, to develop and intercept the reflexes resulting from their sensitiveness to radiations emanating from other bodies, either animal, vegetable or mineral. Radiesthesia is in no way a "parlour game", it is an extremely serious and interesting subject and should be treated as such.

In telling the story of how I became acquainted with this science I must, in order to keep events in their correct sequence, cross the border-line between Radiesthesia and Teleradiesthesia, but I feel that it will only lead to confusion if I introduce the latter at this stage, so it must be left for the time being.

I came across Radiesthesia purely by accident. It was in Italy during the late war, a few days after the fall of Naples. We established our headquarters at Portici, a suburb of Naples, almost in the shadow of Vesuvius. Our next-door neighbour, an elderly English-speaking Italian, somehow got himself attached to us as official interpreter, chiefly I imagine because he and his family were almost starving. In order to improve my Italian I spent an hour or so in the evenings with him and it was during one of my lessons that he introduced me to Radiesthesia,

partly on account of our using a book on the subject as a “reader”.

At first I was inclined to laugh at the whole thing, but as time went on he roused my interest to such an extent that I borrowed his books and a pendulum, which I still have. He first impressed me with the rapidity and accuracy with which he could find an object I had hidden somewhere in his house. In the childish game of “hunt the slipper”, with the aid of his pendulum, which he always carried in his waistcoat pocket, he found the hidden object in a matter of minutes. Still somewhat sceptical I attributed this to some form of telepathy, as it might well have been, but I kept an open mind on the subject, until one evening, quite spontaneously, he told me my age and the month in which I was born: true he used a small chart, of his own design, for this purpose. We had not discussed age so I had to rule out telepathy.

He had some misgivings regarding his elder son who was, as he thought, somewhere in North Africa. Using a photograph of his son and a series of maps, the pendulum indicated that his son was somewhere near Bombay, which appeared to him to be quite impossible. Some months later he heard from his son from India, where he was a prisoner of war. In the case of his other son, a doctor in the Italian Navy, he regularly and accurately followed his movements on maps and knew of his death a long while before he received official notification that he had been drowned at sea. I had no reason to disbelieve his stories so they made a great impression on me as, I am sure, they would have on most people.

During the winter of 1943 the war in Italy became more or less static and I found that I had plenty of spare time in which to study my new hobby as well as the language. My instructor tested me by a method which will be explained later and was of opinion that I was sufficiently sensitive to get moderately good results, impressing on me that I should not be despondent if results did not come at once and I pass this warning on to my readers.

If we approach Radiesthesia as we might a new game we are about to take up, remembering that without practice we cannot become proficient and that even when we are proficient we must expect “off days”, then we are approaching it in the right spirit which should lead to satisfactory and gratifying results.



Lt.-Col. Fulbert Audley Archdale was born August 8th, 1890, the son of the late Major M. E. Archdale of the Gloucestershire Regt. After a short time at Malvern College he went to H.M.S. Worcester at Greenhithe. He served before the mast as an apprentice on the three-masted barque Inverlyon, travelling three times round the world carrying coal and general cargoes. He served in Survey ships on the coasts of Africa and India, and finally joined the Hoogli Pilot Service in Calcutta. In 1914 he joined the 130th Baluchis and was on active service in German East Africa and Palestine. He was demobilised in 1918 in Karachi and there joined a firm of Exchange brokers. He also commanded the Karachi Corps Auxiliary Force for several years. In 1938 as a member of the Reserve of Officers he rejoined the Army in England and worked in the Department for Passive Air Defence, and then in Movement Control. In 1943 he joined the Royal Pioneer Corps with who he was on active service in Sicily and Italy. He was awarded the M.B.E. (Milty.). He was demobilised in 1945.

Chapter II: THE PENDULUM, THE OPERATOR, SENSITIVITY TEST, POLARITY

THE PENDULUM

Pendulums can be of almost any shape and, within reason, any size. Personally I use one not unlike a miniature mason's plum-bob, about the size of a small hen's egg and weighing just under two ounces. For ordinary purposes they should be made of wood or ebonite, in fact of any material that is a non-conductor of electricity. My Italian friend used a gold one:, quite small, about the size and shape of an acorn. Needless to say, that was not the one he gave me to practice with, which was of ebonite, but I now find it a little too heavy so I prefer wood. It is essential that the pendulum is black or dull in colour. Metals and bright colours are not suitable as they may produce special effects by acting as "samples" instead of the medium between the operator and the "sample". Hollow pendulums are used for special purposes, being filled with a small quantity of the substance sought, such as oil or gold.

The string or thread must be pliant and strong: I use fine fishing line, about fifteen inches long with a small bone ring at one end to prevent it slipping through my fingers. I have seen all manner of things used as pendulums, all serving the purpose equally well; it is the person using the thing that matters, not so much the pendulum itself, although I have read of one Radiesthetist who used over a thousand different types.

The pendulum by itself can do nothing, you have only to suspend it from some inanimate object to prove this: it will remain stationary even if a railway engine is placed under it, but once it comes in contact with the human hand a piece of metal no larger than a pin's head will bring it to life. The pendulum will do one of four things: 1, remain stationary; 2, swing or oscillate; 3, gyrate in a clockwise direction; 4, gyrate in an anti-clockwise direction. Under certain conditions it will move in an ellipse.

THE OPERATOR

In order to get results Radiesthesia must be approached with enthusiasm and optimism; this is very important because the mental condition of the operator has considerable bearing on the result of his or her experiments. If the subject is treated halfheartedly nothing useful will be achieved and is better left alone as it will only be a waste of time and money.

In order to get the fundamental principles of this science you must try to imagine yourself, the operator, as a super-sensitive receiving set, as in fact you are. It is common knowledge that holding one end of the aerial can increase the volume from an ordinary wireless set. This surely proves that the human body can and

does receive waves or radiations from the ether. Similarly in Radiesthesia you receive radiations from outside sources, which you instinctively pass on, through reflex muscular action, to the pendulum, which, by its movements, enables you to perceive and measure the external influences you are, quite unwittingly, receiving. The pendulum may be regarded as ancillary to the sense of Touch as compared with the microscope in relation to the sense of Sight; it serves as an amplifier, but like the pendulum, requires suitable conditions and arrangement to be efficient.

The conditions under which experiments are made are very important, but before I give some of the more important I want you to accept from me, as a fact, that all objects, both animate and inanimate, give off radiations which, if the objects are sufficiently close to you, you will pick up, albeit unintentionally, thereby giving you mixed and possibly useless and baffling results.

In view of what I have just said it will be obvious that experiments should not be undertaken in a room full of people or on a table on which there is any large object which might influence you; for example, a sewing machine, tools, knives, etc. Nor should they be undertaken when the operator is unwell, or under the influence of alcohol, however slight, or during a thunderstorm when atmospherics are likely to be strong; nor should the operator wear rubber-soled shoes, as they will act as insulators. So much for the conditions, now for the arrangement. The operator should be seated at a wooden table, preferably facing towards the West, with both feet firmly on the floor or ground (not cross legged).

Assuming that he is right handed, the pendulum should be suspended from the right hand, the twine being held between the thumb and first finger, with the right elbow resting on the table, to give stability. The left hand should be on the table and may be either holding, or pointing at, the subject matter or "sample" as it is generally called. The arms and body of the operator now resemble a horseshoe magnet, the hands being the positive and negative poles; or perhaps a better comparison would be to a receiving set, which, in fact, it is. The stage is now set for operations, but before commencing it is advisable to carry out a self-test of your sensitivity so as to avoid disappointment later on.

SENSITIVITY TEST



Testing for Sensitivity

There are several methods, all equally good, but the one I am going to describe has the added advantage of being self-applied and therefore allows of periodical checks at various times and under various conditions. Stand erect, facing due West, relax as much as possible, place the left hand over the solar plexus, palm inwards with the fingers closed. Suspend the pendulum from the right hand, using the full length of the twine, so that the pendulum is opposite the centre of the left hand and about 8 inches from it. The pendulum will commence to gyrate in a clockwise direction. Count the number of gyrations carefully, and if the gyrations are weak and less than fifteen your chances of getting any reliable results from Radiesthesia are remote and I suggest you go no further with it.

The degree of sensitivity is indicated by the number of gyrations made by the pendulum and although they vary very considerably with each individual they can be grouped roughly as follows: 15 to 30 weak, 30 to 50 medium, and 50 to 100 good. These figures represent the total number of complete gyrations and are not so many per minute. Since my articles on this subject have appeared in print I have heard from people who get 500 and more, in fact fact one reader claimed

as many as two thousand. This last figure, although not unheard of, is very exceptional. Personally, I vary from 45 to 55 so I am, in all probability, about average, perhaps slightly below.

In this connection an interesting experiment can be made which, in my opinion, proves beyond any shadow of doubt that the human body is extremely sensitive to outside influences.

While you are carrying out a self test, that is to say while the pendulum is still gyrating, let another person lay a hand on your left shoulder, and observe the pendulum carefully. If the second person is sensitively stronger than yourself the gyrations will speed up and increase in number; but if, however, the second person is weaker the reverse will take place, the pendulum will slow down. In the case of two people of equal strength there will, of course, be no change in the movements of the pendulum.

POLARITY

I have previously mentioned positive and negative poles in relating the human body to a magnet, and I feel that this requires some explanation. If you have a horseshoe magnet, so much the better; if not, then an old horseshoe will do, or even a piece of metal or wire twisted into the shape of one will serve equally well. Place the magnet, horseshoe, or what have you, on the table in front of you with the arms pointing away from your body. Take your pendulum in your right hand and suspend it over the right hand arm of the horseshoe and you will find that it will gyrate in a clockwise direction, which we will in future call 'positive'.

Now move it over to the left-hand arm of the horseshoe where it will change from clockwise to anti-clockwise gyrations, which we will in future call "negative". Now hold your pendulum over the base or curved part of the horseshoe, that is, the part which will be nearest to your body, and you will find that the pendulum will oscillate from side to side because it is in a neutral field, that is to say, neither positive nor negative. So much for the magnet or horseshoe, which should now be removed from the table. Now let us see what happens to the human body. Place your right hand, palm uppermost, on the table and with the left hand suspend the pendulum over the right and you will see that it will gyrate positively or clockwise. Reverse the operation, that is to say, suspend the pendulum over the palm of the left hand, and the pendulum will gyrate negatively or anti-clockwise, just as it did in the case of the magnet or horseshoe.

In order to take this test a little further, place an ordinary pencil on the table in front of you, parallel to your body—it will therefore be in a North-South line, and suspend the pendulum over the middle of the pencil. The pendulum will immediately swing along the pencil. Now move your hand along the pencil, first to the right, and when the pendulum is over the end of the pencil it will change from

swing to gyration (positive). Move the pendulum along the pencil again, to the left this time, and it will swing again until it is over the other end when it will change over to gyration but negatively this time, that is to say, anti-clockwise. It is quite good practice to get someone to cover any object with a cloth or large piece of paper. With the aid of your pendulum you will be able to find the object and its extremities. In the case of a square object the pendulum will gyrate at the corners and swing along the sides, but in the case of a circular object, such as the top of a tin, it will gyrate clockwise round the circumference of the object.

Chapter III: SAMPLES, TIMES, AUTO-SUGGESTION, ADJUSTMENT OF PENDULUM, LEFT-HANDED OPERATORS

SAMPLES

Sample is a small specimen of the object sought and can be almost anything under the sun, such as copper, gold, silver, tin, zinc, clay, salt, lime, water, milk, food, hens' eggs, feathers, plants, leaves, artificial manures, human blood, saliva, colours, etc., etc., but whatever it may be it is always advisable to put a clean piece of paper between it and your table because some of its influence may be left in the table after the sample has been removed. Samples may be quite small, such as a ring, bunch of keys, handful of earth, and so on.

TIMES

Although I have carried out tests at all hours of the day, I cannot say that I have found any difference between one time and another; but some authorities on the subject suggest 7 a.m. to 11 a.m., 3 p.m. to 5 p.m., and 8 p.m. to 11 p.m. as the best times. I have also read that immediately after a shower of rain, provided that there is no thunder about, should be good, as the air has been cleared of any suspended particles of dust. On the other hand, some think that a cloudy day is preferable to a clear one. All these suggestions may be all very well in their own way but I feel that if we waited for the perfect climatic conditions to coincide with the right time of day we might spend most of our time waiting. With the exception of thundery conditions, which is logically sound, I suggest that little heed is paid to the foregoing as there are so many influences which might affect us and it is quite impossible to pick on any one as the culprit. While on the subject of time I suggest that, in the early stages at any rate, you do not try to do too much without a break. Ten minutes on a test should be sufficient, followed by a rest of twenty minutes; otherwise you will find that the pendulum becomes sluggish in its movements and poor results obtained. That is my experience at any rate and I give it for what it is worth.

THE DANGER OF AUTOSUGGESTION

Autosuggestion is Radiesthesia's worst enemy, and you will find that, unless you are very careful, the pendulum will do what you want it to, or perhaps what you think it ought to do. You will no doubt meet people who will tell you that Radiesthesia is autosuggestion, pure and simple, and nothing else: a somewhat sweeping statement, but nevertheless it has a particle of truth in it, inasmuch that the "idea of the movement creates the movement".

To prove this is a comparatively simple matter. Draw a circle on a piece of paper — a half-crown piece will do if you haven't a pair of compasses handy — and then add two diameters at right angles to each other so that you have a design like a wheel with four spokes. Hold your pendulum over the centre of the circle and impress on yourself that it should gyrate round the circumference of the circle, which it will do almost at once. Start again, but this time “will” your pendulum to swing along one of the diameters; again you will find that it will obey. For further and conclusive proof, while the pendulum is gyrating round the circumference of your circle, close your eyes for a few seconds. When you open them again you will find that the gyrations have ceased, which shows that it was autosuggestion and of no objective significance in regard to the circle. Try this once or twice but don't let it depress you in any way. Now place some object on your table, for example a bunch of keys. Your pendulum will gyrate clockwise. When it is gyrating strongly, close your eyes and even “will” it to stop. You will find that although it may slow down slightly it will not stop; the reaction is a true one and not autosuggestion.

ADJUSTMENT OF PENDULUM

The only adjustment to the pendulum is the length of the string between the operator's hand and the pendulum itself. Henry de France lays great stress on the importance of exact adjustment, so much so in fact, that he had his string on a short piece of stick so that he could wind it up or let it out at will until perfection was attained. On the other hand W. H. Trinder seems to find one-and-a-half inches of string suitable for all ordinary purposes, so it would appear that no hard and fast rule can be laid down. Personally I find that I use from four to six inches, according to the material under test and the pendulum I am using.

LEFT-HANDED OPERATORS

In the paragraph on “Polarity” I have assumed that the operator is right-handed, which, of course, need not be the case. If you are truly left-handed then your left hand will be positive and your right negative. In order to make certain of this carry out the same experiment and you will find that the pendulum will gyrate clockwise or positively over your left hand and anti-clockwise or negatively over your right hand.

Chapter IV: RADIATIONS, TESTING WATER & FOOD SELECTION

WATER AND FOOD

Before I deal with some of the intricacies of Radiesthesia I want to say that I am not a chemist, scientist, physicist or biologist, nor have I any special knowledge of geology, agriculture, nutrition, medicine or anatomy. I must, therefore, tell how you can best make use of this science in the language of a layman, which is, perhaps, just as well as this work is intended for laymen, although there is no reason why people in all walks of life should not benefit by it.

I have already asked you to accept as a fact that all, or nearly all, objects and substances give off radiations, varying in strength and polarity. In order to demonstrate this more clearly, hold your pendulum over any substance that is a conductor of electricity, such as iron, zinc, silver, water, etc., and you will find that the pendulum will gyrate in a clockwise direction. Now do the same over substances, which are non-conductors of electricity, such as salt, lime, clay, sand, etc. The pendulum will gyrate in the opposite direction. I suggest you do not accept these as facts but try them out for yourself and at the same time try with “eyes closed” in order to satisfy yourself that it is not autosuggestion.

The area round any substance or object, in which its radiations can be felt, is known as its “field”. In radius this varies from an inch to as much as thirty inches or more, in the case of iron. In order to ascertain the size of the field, place a sample on your table and apply the pendulum. While it is gyrating move your pendulum slowly away and you will find that it will eventually stop and change over to oscillation in the direction of the sample, indicating that it is outside the sphere of influence of the sample. Now move them closer together again until the gyrations commence again and you will be able to establish the exact size of the “field” of that particular sample. So, with the various samples you have at your disposal, you can find out the dimensions of their “fields” of influence. This will be necessary before you can carry out the test I will explain in the next paragraph. Should you at any time wish to stop the pendulum gyrating, merely touch your right hand with your left. This seems to act as a kind of “short circuit”, because the pendulum stops at once. If you are going to experiment with a number of samples, don’t forget to put a piece of paper under each so as to prevent a false reaction from previous samples; and don’t use the same piece of paper twice — this is very important.

When dealing with food, agriculture and medicine I shall use the word “harmony” as existing between samples, such as the human body, earth, plants and food. Similarly, of course, there may be discord. Place two similar objects on your

table, for example, two half-crowns, about six inches apart so that their “fields” will overlap. When your pendulum is gyrating over one of the coins move it slowly in the direction of the second one and you will find that it continues to gyrate over the whole space between the coins, because they are in harmony. Now replace one of the half-crowns with a penny and repeat the process; you will find that as they are not in harmony the pendulum will not gyrate between the coins even though it may do so over the coins themselves. This is a case of discord. Please don’t think, however, that harmony cannot exist between samples which are physically different; later you will see that harmony can exist between food and the human body, soil and plants, and so on. I hope I have made myself clear on this point, namely, that there can be harmony or affinity between two objects that in no way resemble each other.

TESTING WATER

To test water for purity, and therefore potability, is quite a simple matter. Hold your pendulum over a cup full of water; if it gyrates positively the water is pure and fit to drink, but negative or anti-clockwise gyrations indicate that the water is in some way polluted and unfit to drink.

In order to carry this test a stage further fill half a dozen cups with water and place them in a row on your table. Now get someone to put a tablespoonful of kitchen salt into one of the cups, but ask them not to handle the cup or cups if it can be avoided. You should, of course, not be in the room at the time so as to obviate the possibility of your knowing which cup contains the salt. Apply your pendulum in the usual manner to each cup in turn and you will find that it will gyrate negatively over the cup containing the salt. Here I will sound a word of warning because you have established something, which might be mistaken for a “parlour game”. Your friends and relations will, without doubt, want you to do it again, after they have mixed up the cups. If you agree you are almost certain to fail in your second attempt because your friends, although they are unaware of it, have mixed their own radiations with those of the samples. Leave the cups alone for several hours, however, and you will get the same results as. you did at first.

Notwithstanding the advertisements we see regarding beer, Radiesthesia reveals water as the first beverage, provided it is of good quality, and as far as foods are concerned it places meat last, as a necessity, on a long list of comestibles.

SELECTION OF FOOD

We are told, and have every reason to believe, “what is one man’s meat is another man’s poison”, but we do not always know which is the meat and which the poison. Radiesthesia can give us indications in this respect, and the method is a simple one. We will assume that you have a plate of food in front of you.

Adjust your pendulum over the food and when it is gyrating, hold your left hand, palm downwards, between it and the food. The normal reaction to the back of your left hand should be oscillation, but if the pendulum continues to gyrate it shows that there is harmony between you and the food and that it is therefore good for you. Should the gyrations change from positive to negative, however, it shows that the food is definitely bad for you. If the pendulum changes to oscillation, its normal reaction, it would not necessarily mean that the food is bad, although not particularly good, for you.

A certain lady had an inordinate “penchant” for fish and chips with plenty of fat, but she always “paid for” her pleasure in the form of a bad attack of indigestion. In a matter of 10 minutes we found that it was the fat and not the fish or potatoes that upset her; she can now eat them with impunity, provided they are dry. I know a considerable number of people who no longer suffer from the same complaint, indigestion, thanks to Radiesthesia.

W. H. Trinder in his “Dowsing” gives an interesting and, I am sure, authentic case. I am taking the liberty of quoting, verbatim, a letter he received from a third person, after a lecture on dowsing at the Conway Hall, London. “A woman in business near here suffered from headaches three times a week, so much so that she thought she would never hold her job. Her lady doctor told her that there was no known cure for that kind of headache, which comes out of the blue. She came to your demonstration and then tried a pendulum over all her food, with the following result: Clockwise — brown bread, boiled eggs, etc.; Anti-clockwise — white bread, fried eggs, sugar, etc. She promptly dieted accordingly. In a day or two she had lost her headaches and has had no return whatever. She told her doctor, who was curious, but noncommittal. She offered her the pendulum to try, and the lady doctor put it over her palm, whereupon it began to whizz round almost as rapidly as yours does. The doctor was rather scared and said: ‘What is it doing? I’m not doing this.’ The woman told her that she was evidently a well - developed dowser, and if she tried it over her food she might find something of interest. So you can put down to your credit the cure of an unknown woman who had a fixed idea she was going to be forced to give up her job and is now as well as she can wish to be.”

Since my articles have appeared in print I have heard from the writer of this letter, and he confirms that the lady still enjoys the best of health and has helped other sufferers with her pendulum — a bead on a piece of cotton.

It is common knowledge that the human body is made up of, amongst other things, certain mineral elements. In order to keep the body in good shape it must be supplied with these minerals either in the form of food or drugs. Dieticians tell us that our food, particularly vegetables, contain all the necessary minerals, such as iron, lime, calcium, phosphorus, iodine, etc., but the difficulty is to know which

we require and how much of it. I have often heard people say that we should eat spinach because it contains, I think, iodine; but how do we know that we need any? We may, for all we know, already have enough and really require more lime or iron. By means of Radiesthesia we can determine our bodily requirements in minerals, and the vegetable, which contains them, thereby enabling us to work out our own diet. The minerals in the vegetables are assimilated by our bodies, provided, of course, that they are not boiled out of the vegetables and thrown down the sink as is, I am very much afraid, often the case.

Quite recently we had a friend staying with us. There happened to be some pears on the table and she volunteered the information that they always disagreed with her. I carried out a test and got a strong negative reaction that confirmed her statement. I then tried several pears on myself and got varying reactions, which, at first, I did not understand, but found that ripe fruit gave a strong positive reaction whereas unripe fruit gave no reaction at all. The same tests can, of course, be applied to beverages and soups.

I do not for a moment suggest that a labour be made of this. Tests can be carried out in the privacy of the kitchen. Although you may have the digestion of an ostrich, as I have, nevertheless there may be some foods that do not suit you and if you continue to eat them your digestion may become impaired in course of time. Nor do I suggest that you take your pendulum with you when dining with friends, because, with the best intentions in the world, you might create the impression that you either mistrust the food placed before you or your hostess's culinary abilities.

Prevention is better than cure, so a little time and trouble spent on this valuable branch of Radiesthesia may well be worth while as it may prove as beneficial to you, your friends and relations as it did to the lady who suffered from, apparently, incurable headaches.

Chapter V: AGRICULTURE, TESTING EGGS



Testing Plant & Soil with Pendulum

It is not necessary for me to stress the importance of agriculture in these difficult times, but if Radiesthesia will help us, as it will, to get a better return for our labours by planting the right thing in the right place, and by using the right fertiliser, so much the better.

The big farmer is in a position to take advantage of the various Government departments which are set up to assist him in the testing of his soil and so on. There are, however, thousands of smallholders and tens of thousands of allotment holders who are not able to take advantage of such facilities and it is for them that Radiesthesia will be found profitable. Time and time again I have heard gardeners say "Broad beans never do well in my garden, I don't know why, I'm sure." The answer is, of course, that either the soil is unsuitable or they are using the wrong fertiliser.

Our objective in the following tests is to determine whether harmony exists between plant and soil and, when necessary, between plant and fertiliser. If a plant is not in harmony with the soil in which it has been planted it will grow but it will not thrive. That is common knowledge to us all but, generally speaking, we

have to find out for ourselves by trial and error, whereas Radiesthesia will give us the answer in a matter of minutes.

Let us, for example, suppose that you have a small plot of ground in which you decide to grow tobacco, although you do not know whether the soil is suitable or not. If you plant it and it is a success, well and good; if it is not, you have lost the use of the plot for about six months, and have spent time and money to no purpose. The test by Radiesthesia is not a difficult one.

As you may have several samples on the table at the same time I suggest that a newspaper be spread for the purpose. Take a small sample of soil from the plot, a large handful is sufficient, and place it in a small heap on the paper. About eighteen inches away from the heap of soil, place a tobacco seedling, a leaf or some seeds, but preferably a seedling. Hold your pendulum over the heap of earth and when it is gyrating strongly move it from the soil to above the seedling and watch the result closely. If the gyrations increase then the soil is in harmony with the plant and is therefore quite suitable for growing tobacco and you have nothing more to worry about. If the gyrations decrease it means that the soil is not particularly good although not bad, for the purpose. Should the pendulum change over from gyrations to oscillations it signifies that the soil requires some form of fertiliser to make it suitable. If, however, the pendulum gyrates in the opposite direction, the soil is unsuitable and no attempt to grow tobacco should be made. This test can be applied to anything that grows in the ground — vegetables, flowers or fruit trees and bushes, but a living specimen must be used as a sample. A dead twig or leaf, for example, should not be used.

We will suppose that your pendulum has indicated that the soil requires some form of fertiliser in order to make up some deficiency. In order to make this test you must have small samples, about two ounces, of each of the various fertilisers you have at your disposal. You must now determine which fertiliser is in harmony with the tobacco seedling so the soil sample must be replaced by the samples of fertiliser, placed several inches apart so as to be clear of each other's field of influence. Hold your pendulum over the tobacco plant and when it is gyrating move it above each of the fertilisers in turn, the one that gives the strongest reaction will be the right one for tobacco growing. You will probably find no difficulty in selecting the right fertiliser because the pendulum will continue most likely to gyrate over one and decrease or stop over the others, but it may take a little practice before you get it right.

Having found which fertiliser is the most suitable, put the others away and bring your samples of soil into use again, as you must now determine how much fertiliser is required for the heap of soil. This is a somewhat delicate test so it is advisable for you to have an assistant. Hold the pendulum over the earth and then move it to the plant and while it is gyrating let your assistant add the

fertiliser, a very small quantity at a time, to the heap of soil.

As the fertiliser acts as a tonic the gyrations of the pendulum over the plant will increase up to a point. When you think that point has been reached stop adding the fertiliser. If more is added the gyrations will decrease and you will know that you have added too much. Again a little practice is necessary before you will be able to decide when sufficient fertiliser had been added. Careful measurements will give the exact amount of fertiliser to use, or you can, of course, take the manufacturer's figure as correct, but do not lose sight of the fact that too much fertiliser is as bad as too little.

In order to prove what you have just read I suggest that you take a rhododendron leaf and a small quantity of garden lime. Apply your pendulum and you will find that strong discord exists between the two, the pendulum gyrating in the opposite directions. I believe it is common knowledge amongst gardeners that the rhododendron does not thrive in soil with a large lime content, but I did not know this when I made the test so it must have been a true reaction and not our enemy, auto-suggestion. Similarly, some time ago when I was testing various vegetables and flowers, the only harmony I got was between a tomato leaf and a potato leaf. I was pleasantly surprised when I found that they are of the same family.

A number of interesting experiments can be carried out using soil, fertilisers and plants, which should prove beneficial to one's garden. I do not claim that this method is by any means infallible, because of the human element, but for all practical purposes it should give a good indication of the type of soil compost required for any particular plant and deter gardeners from trying to grow something in soil, which is unsuitable. As a matter of interest, I read in a book written by a French Radiesthetist that there is a part of the potato, which reacts strongly to the pendulum and that if this part is placed towards the North, the yield is likely to be very considerably increased. This is, of course, not a practical proposition in a general way, but I suggest that a few rows for experimental purposes might prove interesting.

A number of Radiesthetists, after careful investigation, have discovered that trees, particularly fruit trees, will not flourish if they are planted over a subterranean stream. This would appear to be paradoxical as one would have thought that a tree would benefit from the proximity of water to its roots, but that is apparently not the case. They state also that trees so situated are more likely to be struck by lightning than others, in fact, one authority on the subject goes so far as to say that all trees struck by lightning are standing over streams. I have had no evidence of this so I am merely passing on what I have read.

The use of Radiesthesia for the purpose of testing eggs is nothing new. It is, I believe, used by a number of breeders, but is far from being in general use. Quite recently I asked two county poultry advisers and they were of the opinion that, if it were possible, it would be of considerable value to breeders, which rather implied that they were sceptical and that it was not a common practice as far as they knew. There are several methods, some possibly more accurate than others, but the principle is much the same. Care should be taken that a fresh piece of paper is placed under each egg, otherwise you may get false reactions.

The egg should be pointing North and South, that is to say, its longitudinal axis should be as near the North-South line as possible, with the pointed end of the egg towards the North. Apply your pendulum over the egg in the usual manner, keeping the left hand on the table, near the egg. If the pendulum swings along the axis of the egg, it is sterile; if it gyrates clockwise it signifies a cock bird; and if it gyrates in an anti-clockwise direction then a hen bird may be expected. In some cases it will be seen that the actions of the pendulum are feeble, which indicate that a successful hatching is in doubt.

A second method, and one which appeals to me very much as it seems more logical, is somewhat slower. As samples one must have two feathers, one each from a cock and hen bird. The feather should be held in the right hand with the pendulum and the sex of the egg is determined by the feather to which the pendulum reacts. If there is no reaction the egg is sterile. W. H. Trinder claims 100 per cent, right in the case of small lots, but when he came to do 150 at a time he had a small error, but only in the case of sex, steriles were all correct. This he attributes to fatigue, which I can well understand, and I have already sounded a word of warning in this respect. This method is one of determining harmony between the feather and the egg and it is this reason that makes me think that it is more logical than others. I have no idea how many sterile eggs may be expected but if the percentage is at all high it would appear that the time spent on testing should be well worth while in the case of poultry breeders.

While discussing this subject, Henri Malhn adds that it is probably advantageous to arrange for eggs to be hatched while the moon is waxing as opposed to waning. I have heard the same

Chapter VI: MISCELLANEOUS EXPERIMENTS

I am indebted to Pietro Zampa and his book for the following few experiments which I will call “border-line” because some of them I find difficult to explain.

ORIENTATION WITHOUT A COMPASS

Let us suppose, for the purpose of this experiment, that we have lost our way in a thick fog and have no means of finding our way home, which we know is due South, if we only knew in which direction due South lay. Luckily we have our pendulum, which is held in the usual manner, and we think of what we want to find, the North and South line. After a short while the pendulum will swing on the line you require, but this does not tell you which is North and which is South. In order to find this you must have a piece of metal, and we will assume that you have a bunch of keys in your pocket.

Hold the keys in your left hand, which should be held away from and in front of the body to act as an aerial. Hold the pendulum in the right hand and turn slowly round; when the pendulum gyrates you are facing the South. Other metals respond to different points of the compass but they are not the same for everybody. Iron or a bunch of keys indicate the South to me and, I believe, to most people but not all, so I suggest you make a test before getting lost in a fog.

For this test the author suggests that a lead pendulum be used, but I am afraid I cannot assign any reason for this. The method is not unlike that adopted in the case of a medical diagnosis. Hold the pendulum over the engine, which must not be running, or over a diagram of the engine as supplied by the makers. While the pendulum is gyrating touch the various parts of the engine with the left hand, such as valves, plugs, carburettor, etc. When a faulty part is touched the pendulum will check in its gyrations and stop. I have never tried this as I have never owned a car since I came in contact with Radiesthesia.

ARITHMETICAL ERRORS

The best way to make this experiment is to get someone to make a number of calculations on separate pieces of paper: addition, subtraction, multiplication or division, some correct and some with an error or errors. Place the piece of paper, face downwards so that you cannot see the calculations. Apply your pendulum over each piece of paper in turn and you will find that it will gyrate positively (clockwise) over a correct calculation and anti-clockwise over those with an error. I have tried this many times with very satisfactory results, in fact I have found it most useful when adding up long columns of figures, a thing I have to do occasionally but, to be quite frank, I don't know how it comes about, unless it is a

case of harmony, or lack of it, between the figures. If you are asked to do this as a "parlour trick", as in the case of the cups of water and the salt, only do it once, because, if the pieces of paper are handled more than once, you will not get good results.

FORGERIES

In order to detect a forgery it is necessary to have a sample of the genuine article as well as the one under suspicion, be it a signature, coin or currency note. Place the two specimens on the table in front of you, about six inches apart. Hold your pendulum over a point mid-way between the two specimens; if it gyrates in a clockwise direction harmony exists, which indicates that it is not a case of forgery. On the other hand, if the pendulum oscillates forgery is indicated. I know of at least two stamp collectors who use this method.

HANDWRITING

On two occasions this method of determining character from handwriting has given me the information I required, once in Italy in the case of the Mess staff, and once since in the case of one of my own men; but I do not, for a moment, suggest that it is infallible. My Italian friend told me that he held quite an important Government position during the early days of Mussolini's rise to power and that he, in his official capacity, received a considerable number of anonymous letters, which I can readily understand. All these letters he tested by this method and he assured me that, when the writers of the letters were found, as they generally were, the character fitted in nine cases out of ten. Place the letter on the table in front of you, as if you were reading it, and hold the pendulum over it. If the pendulum oscillates perpendicularly across the writing, that is, away from your body, it indicates a character of a very high order. Strangely enough, I find this reaction very rare, in fact, I can only remember one case. If it oscillates along the writing, that is, from side to side, it indicates a normally good character; but if it eventually changes into an ellipse it signifies a somewhat confused mind. Negative (anti-clockwise) gyrations indicate idleness, lacking in conscience, but not necessarily evil; and positive gyrations everything that is bad. I do not recommend this except for an express purpose and certainly not amongst friends, even as a joke, as some outside influence might be the cause of the reaction, for example, that of some object that had been on the table for some time prior to the experiment.

Chapter VII: MEDICAL

There seems little doubt that the Medical profession, particularly in France and Italy, has, during the past twenty years, made considerable progress in Medical Radiesthesia. The French priests were the pioneers and we are indebted to them for some of the best books on the subject, but it spread to the medical faculty and now there are a number of works by French doctors as well as scientists.


The basis of Medical Radiesthesia is that the pendulum held over a healthy organ gives one reaction, whilst over an unhealthy one it gives the opposite reaction, which is, we might say, the diagnosis, just as we had the soil and the plant which were not in harmony. In order to correct the soil we tested a number of fertilisers until we found the right one, so in the case of the unhealthy organ drugs are tested in a similar manner with, of course, the same object in view. I do not suggest for a moment that anyone but a qualified person should attempt to prescribe any drug or cure for a patient, but I see no reason why a radiesthetist should not materially help a doctor by working in close co-operation with him, giving him a primary diagnosis which the doctor can check up by applying his medical knowledge. Should the radiesthetist's diagnosis be wrong, no harm has been done, but on the other hand, it might be the means of saving the patient's life. There is no reason why the doctor himself should not operate the pendulum, but there is the danger of autosuggestion. It would therefore seem better for the doctor to indicate to the radiesthetist the parts over which to try the pendulum without giving any reason for so doing, thereby eliminating the possibility of autosuggestion.

As I have had no medical training whatever, I am not in a position to pass an opinion on the various methods I am about to describe, although I have, in an amateurish way, been able to check up on some of them with, I may say, quite gratifying results; not to mention my experiences when I first started in Italy.

W. H. Trinder tells us how he does his own dental diagnosis and I will give it in some detail because, like his feather and egg test, it appears to be so logical. I will quote his own words. "I take my pendulum and place my forefinger against what I believe to be a sound tooth. I move my finger from tooth to tooth until, when it points at an unsound tooth, the pendulum immediately changes from gyration to oscillation." He also tells us of another case when he tested a friend's teeth. The pendulum gave a bad reaction over one tooth but the dentist could not confirm this, he didn't find anything wrong with it. X-ray, however, showed a shadow and when the tooth was opened up it proved to be in such a bad state that it might have caused a severe illness. Truly, a case of correct self-diagnosis and of the pendulum acting as an X-ray unit.


The late Abbe Mermet carried out his diagnosis in direct contact with his patient.

Using his left hand as a pointer he went over the body of the patient, the pendulum gyrating over healthy organs and changing to oscillation over an unhealthy organ. Others used samples, such as urine, blood, saliva, etc., taken from the patient, thereby enabling them to carry out their diagnosis at home. Apparently human urine gives the best results, and will cause reaction of the pendulum at some distance if taken from a healthy person, whereas a product of a sick person's will give different and smaller reactions according to various diseases.



BLOOD PRESSURE TESTING WITH PENDULUM

Mermet measured blood pressure by means of the pendulum and although it may appear a somewhat rough and ready method it would probably give a sufficiently accurate indication to call for, if necessary, a more precise test. The thumb and first finger of the left hand should be held wide apart, rather as if you were holding a tumbler of water. Hold the pendulum over the left hand; if it gyrates the blood pressure is high. Lower the pendulum until it is between the thumb and first finger; if it gyrates blood pressure is normal and if it gyrates when lowered below the left hand then blood pressure is low.




Radiesthetic Hand Analysis with Pendulum

Mermet also measured the nervous tension by applying the pendulum to the clenched fist, fingers uppermost. For a normal man the pendulum should give ten oscillations, but many more if he is depressed. In my case I do get ten oscillations but not over the back of the hand where as many as twenty occur. I'm afraid I cannot give any certain explanation for this difference.

The diagram of the human hand is given by Pietro Zampa as having been used by Bost. It will be noticed that he has assigned Roman numerals to the fingers in the following order: I, IV, II, III, excluding the thumb, and that the ordinary numerals denoting the joints of the fingers run consecutively in the same order. The numerals on the fingers and palm of the hand correspond to the various parts of the body which are, briefly, as follows: 1, head; 2, throat; 3, arms, hand,

shoulders; 4, chest; 5, stomach; 6, intestines; 7, kidneys, spine; 8, sexual organs; 9, thighs, anus; 10, knees; 11, legs, 12, feet; 13, liver, blood circulation; 14, bones, teeth; 15, heart; 16, nervous system; 17, muscles, nose, etc.; 18, stomach, chest; 19, throat, etc. The left hand should be used and it should be clean and without any rings. If the pendulum, when over the palm of the hand, gyrates positively (clockwise) the person should be in good health; but if the reverse occurs then the pendulum is applied to each numeral in turn, until the defective part is indicated by negative gyrations.



Astronomical Man Pendulum Chart

Pietro Zampa also gives us the next design, which is an astronomical man such as one, might see on an astrologer's chart. It was with this that I carried out my first, and apparently successful, experiment in Italy. Before commencing, care should be taken to orientate the diagram on the North-South line. The operator should hold the right hand of the person to be tested but if the person is unavailable then a suitable sample should be used. If an article such as a cigarette case, notebook, etc., is used it should have been recently handled by the person and nobody else. A letter, for example, is of little use as it has been handled by a number of people in the Post Office. Apply the pendulum in the usual manner; if the person is healthy it will not leave the centre disc but if, however, there is something wrong it will oscillate across the diagram "drawing" a little more in one direction than the other, thereby indicating the part of the body

that is unhealthy.

Dr. Brochenin uses a diagram closely resembling a compass card, divided into five-degree sectors. This somewhat elaborate chart deals with some 400 ailments to which the human body is prone. Each five degree sector indicates a disease or a group of diseases, varying from one to as many as a dozen. The pendulum swinging across the diagram, as in the previous example, determines the group and the number of gyrations made by the pendulum while over the sample determines the precise disease. These appear to vary from 11 to 80 gyrations, with some exceptions which are as high as 300. There are now several varieties of these charts, all continental. Copies can be obtained through the publishers of this book. They are, of course, in French or German.

I have previously suggested that neither trees, plants, nor human beings flourish over a subterranean stream due to the injurious rays or emanations issuing from the ground. This phenomenon appears to be accepted by the scientific world. W. H. Trinder in "Dowsing" mentions several cases of people suffering from nerves, sleeplessness and rheumatism due to underground streams. In all cases the sufferers were spending a large part of every twenty-four hours over the water, which was undoubtedly affecting their health as the bad effects disappeared directly steps were taken to avoid sleeping over the stream. Perhaps this has something to do with the "claw of the dragon" feared by the Chinese I mentioned in my opening paragraph. Apparently the injurious rays have great power of penetration and can traverse a house from foundations to attics. There is no known protection from these rays, the only remedy being to move the bed or office table to another position and the only reliable method of locating such streams is by means of the pendulum or divining rod.

In 1941 while quartered in a Nissen Hut Camp, being the C.O. I had a half hut to myself, I became a very sick man. The Medical Officer admitted he didn't know what was the matter with me and wanted to send me to hospital. Instead I took a fortnight's leave which I spent with friends, who lived nearby, where I quickly recovered. When I returned to duty the M.O. suggested that I should change the position of my bed as he said that the hut I was occupying was over a stream and couldn't be healthy. At the time I knew nothing about Radiesthesia and thought no more about it, but I moved my bed and kept quite fit thereafter. One repeatedly hears people say that a certain locality or house disagrees with them and that while there they are never really fit and so on. Knowing what I now know I often wonder whether it might not be a case of the house having an underground stream beneath it rather than the climatic conditions of the locality.

Radiesthesia should be of the greatest assistance to Veterinary Surgeons, as an animal cannot answer questions or render any help by explaining symptoms in

the same way that humans can. There seems little doubt that it is used extensively in France. Hector Mellin tells us of Dr. Martin, one of the pioneers of Radiesthetic Diagnosis in Veterinary Medicine, who, before a jury of three veterinary surgeons, tested forty cows and found thirty-nine of them to be tubercular.

As we spend about one-third of our lives in bed I feel that it is worthy of a little consideration. There seems to be little doubt that we have our own polarity and that if our bed is correctly oriented we derive the greatest benefit from our hours of sleep. Pietro Zampa tells us that for years he woke up feeling tired, notwithstanding a full night's sleep, but not necessarily rest, and that it was not until he put his bed in a North-South line that he awoke fully refreshed. Until quite recently I did a lot of travelling and my experience was that I slept better in a strange bed with the same orientation as my own than I did in one that was on a different line. I find that my polarity is South-West/North-East.

I feel that I may have left the impression that all the data we have has come from French priests, scientists and doctors, which is in reality far from the case, although they may have been the pioneers of this science, and been responsible for nearly all the books on the subject. Very considerable progress has been made both in this country and in America during the past ten years or so. I have just read a reprint of a paper read to the British Society of Dowisers by Major C. L. Cooper-Hunt, M.A., on "An Approach to Radionic Therapy" which, although somewhat above my head, I have found most interesting. The most recent developments in radiesthesia are the Radionic Diagnostic Instruments, which require the assistance of someone endowed with "well-developed extrasensory perception", which is, in plain English, a good radiesthetist, as well as "samples" from the patient such as a blood spot, lock of hair, specimen of handwriting, etc. A full and thorough diagnosis, or analysis, takes from three to four hours' close concentration, in which time a selection of physical treatment has been made, by finding out a combination of drugs and herbal remedies suited to the discovered condition of the patient. So we see that Radiesthesia has been brought to the scientific instrument stage, although the basic principles are the same as those used in the comparatively "rough and ready" methods described earlier.

Major Cooper-Hunt, towards the end of his address, while touching on the subject of Spiritual Healing, referred to a statement made by the late Dr. Oscar Brunler, while addressing the same society, that the brain radiation he obtained from the Holy Shroud in Turin gave a reading of 1 150 degrees biometric, the previous highest being that of Leonardo da Vinci, of 725. For comparison purposes, I believe the reading for an ordinary person is less than 400. Major Cooper-Hunt goes on to give a most astounding revelation, and I will quote his own words: "We have ourselves discovered through our Radionic Instrument that a picture of the Greatest Healer of all time carries a healing power of vast, though

hitherto unknown, potency. For this I can offer no explanation; I can only say that we have found it to be true and capable of instrumental demonstration under almost laboratory conditions”.

Now that Medical Radiesthesia has been advanced to the instrumental stage and can be called Radionic Therapy I feel that considerably more interest will be taken in it and in all probability it will, before many years, become a recognised method of medical and possibly veterinary diagnosis. These instruments are the outcome of years of scientific research but have not, as yet, reached the complete instrumental stage as a highly sensitive human being is still necessary to receive the rays, emanations or vibrations which are the fundamentals of Radiesthesia and therefore, I assume, of Radionic Therapy.

Since the publication of the first edition I have heard from a number of doctors using homeopathic remedies who say that now that they use the pendulum for diagnosis and selection of drugs they cannot understand how they ever managed without it. Detailed methods are ably described in “Health and the Pendulum” by W. V. Wethered, B.Sc.

Chapter VIII: SERIAL NUMBERS, COLOURS, ETC.

SERIAL NUMBERS, FUNDAMENTAL RAYS AND COLOURS

AS we have learnt something about the first principles of the use of the pendulum, we now come to the finer points of dowsing and radiesthesia. These finer points consist of finding the “serial numbers” and “fundamental rays” of the various substances and their affinity with certain colours and musical notes. I had previously asked you to accept as a fact that every substance or object, animate or inanimate, gives off emanations or vibrations. I have also shown how their fields of influence can be measured. Now we must go a step further so as to enable the operator to know to what substance or object (iron, gold, water) the pendulum has reacted. It is of little use if a radiesthetist knows that there is something hidden in the ground if he does not know what it is, or at least has not a very shrewd idea.

SERIAL NUMBERS

Every substance has a serial number by which it can be recognised but there are more substances than one with the same serial number so we must have a second check; but of that later. To make things even more difficult serial numbers cannot be taken from a book but must be found out because they are individual to each operator. Iron, for example, may have a serial number of 4 to me but 5 to my next door neighbour, although we have the satisfaction of knowing that they are constant once they have been established. If you have proved that 4 is your serial number for iron it will always be 4. The differences are not great and there are not many people who are abnormal, so that generally speaking iron is 4 for almost everyone. Nevertheless it is advisable to find out your own serial numbers for everything. This can only be done by practice and experiment although it is not a very long process once one has got the hang of it, and this is how it is done.

We will assume that you wish to find the serial number (and incidentally the “fundamental ray”) for iron. A bunch of keys will again serve as a sample. Hold the pendulum over the sample and when the pendulum is gyrating, stop it. This can be done by either taking the pendulum in the left hand or by touching the right hand with the left, this in some way short circuits the pendulum and makes it stop. Repeat the operation again and again until you find that the pendulum will not commence to gyrate at all, it has in fact reached a saturation point. Count the number of times it did begin to gyrate and you have the serial number of iron. For me, in the case of iron, the pendulum gyrates four times, that is to say, on four separate consecutive occasions. The number of gyrations on each occasion has nothing whatever to do.

FUNDAMENTAL RAYS

All objects give off fundamental rays and their direction, as we have already seen, is expressed in relation to the meridian, in fact, a reading from the compass. Generally speaking the fundamental ray is determined at the same time as the serial number, but if it is not you have to go through the same procedure or you can use the method, which I gave on page 27 of my book under the heading "Orientation without a compass". In this case we used iron in the form of a bunch of keys, which we held in our left hand in front of but away from the body. Holding the pendulum in the right hand, turn from right to left (if you are right handed and vice-versa if left handed). When the pendulum commences to rotate note the direction in which you are facing and you have the fundamental ray direction for iron. In my book I did not mention anything about being right or left handed because I did not think it sufficiently important, but a number of readers have written to me on the subject and I have come to the conclusion that the direction of the turn has considerable bearing on the result of the test.

I find that people, who use Radiesthesia for the selection of soil, etc., pay particular attention to the fundamental rays of the substances they have under test. If both rays are nearly the same, excellent results may be expected, but if they are more than 90 apart the soil and plant are incompatible. The method suggested is to use a 360-degree protractor with the 0 division at North. Place the sample of earth and plant, one at a time, in the centre of the arc of the protractor. Hold the pendulum over the sample and when it changes to oscillation read the angle off the protractor. This method is probably more accurate than using a homemade compass card.


Should you happen to try to test a substance, which is in any way radioactive, the pendulum will gyrate first one way and then the other.

BOTTLED RAYS

You may be somewhat surprised when I say that rays and emanations can be bottled and used instead of the actual sample from which they came, but it is nevertheless a fact. In order to bottle the rays from a piece of iron all one has to do is to hold the iron over the opening of the bottle and blow just as if you were blowing smoke from a cigarette into the bottle. True, only a very small amount goes into the bottle but there will be sufficient to show that it is there. Cork the bottle and you will find that the results will be for iron or copper or tin or whatever sample you decide to use, both in regard to serial numbers and fundamental rays. I suggest you try this for yourself because it certainly sounds fantastic at first.

COLOURS

Colours probably have a greater influence on our lives and wellbeing than we are inclined to believe. I know little or nothing about “colour therapy” so I will leave that to someone better equipped than I am to write about it but I am sure that there is a great deal in it. Henri Mager, one of the pioneers in this science, found that a simple mineral body, such as a piece of iron, when placed over different colours, stops vibratory manifestations but that the same mineral body placed over one colour, the right one, does not disturb the vibrations of that colour. He also found, by trial and error, the correct positions for certain colours and made what is now called the Mager Rosette (see diagram below) which I have superimposed for experiments. When dealing with colours it is essential that you use a black pendulum and it must be remembered that colours are also individual to operators so you may not necessarily agree with me, or anything else for that matter.



Mager Rosette Colour Compass

COLOURS AND COMPASS

Every colour has its own compass point or bearing. This is easily proved by trial and error. Place the compass card, correctly orientated, in the middle of your table. Now get a number of coloured objects such as books, boxes, or pieces of cloth and place them on the table. Hold the pendulum over the centre of the compass card and move each coloured object round until the pendulum swings

towards it. When all the colours have been correctly placed I fancy you will find that they will agree with the Mager rosette, that is to say red will be South, green East, and so on. But, however, you may be the exception to the rule so I suggest that you make your own experiments and do not accept the rosette as correct, for you. One is led to believe that colours and objects are visible to the human eye only by reason of the light they reflect. It is interesting to note that the test I have just mentioned can be successfully carried out in the dark.

SHADES

We have found that the fundamental ray for both iron and red is South so we must assume that iron and red are affinities in some way or another. In order to prove this we have only to place a piece of iron, or the bottle containing iron rays, in the red sector of the rosette. Apply the pendulum and you will get an immediate reaction, but when the piece of iron is placed on any other colour you will get no reaction. Now take a small piece of lead and try it on all the colours and you will find that the pendulum will give the strongest reaction when the lead is between grey and red, which means that the colour for lead is a mixture of red and grey.

Using shades of the principal colours gives us an almost indefinite range and it is interesting to see how the various shades work. As an example we will take coal and diamonds. These are both carbon and their place in the rosette is on the line, or near the line, between red and yellow, which gives us orange. So as to be able to carry this test a stage further make a range of shades of orange, say six or seven. Take a diamond in your hand with the pendulum and try it over each shade separately and note which causes the strongest reaction (gyration) and that will give you the shade for diamonds. Now do the same with a small piece of coal and you will find that the strongest reaction will be over a bright orange shade whereas the diamond only gave a rather dull shade. Once we have established the shades for coal and diamonds, these shades can be carried as samples instead of the actual substance which is a distinct advantage as although a small piece of coal is easily come by, the same cannot be said of a diamond and a diamond might get lost!

It is not a difficult matter to find the correct shade, or nearly correct shade, when the pendulum reacts over the dividing line between two colours. Move the sample first on one side of the line and then on the other; the change in the strength of the gyrations of the pendulum should indicate the approximate proportions of each colour by the distance from the dividing line, when the strongest reaction takes place. Some operators use different coloured pendulums and others small pieces of coloured ribbon. A correspondent of mine in New Zealand has a novel idea, he used small skeins of silk and if he requires a shade he makes up a skein of two or three different colour, which would, if they could be mixed like paint,

give the shade he requires. He claims that this method gives just as good results. He is a fruit farmer and has used radiesthesia extensively for the selection of types, soils, fertilisers, etc.

COLOURS AND MUSICAL NOTES

An interesting experiment to illustrate the existence of vibratory waves from colours is to take your pendulum and hold any colour you like with the pendulum, that is to say, in the same hand. Then get someone to strike the individual notes of the piano, sustaining each note for a while, commencing either with the bottom or top note of the piano and taking each note in turn. At one certain note the pendulum will begin to gyrate but if the next note is struck the pendulum will immediately stop. Thus we find that the note that caused the pendulum to turn is in sympathy with the colour held next to the pendulum thread. If you try this with other colours you will find that each one has a sympathetic note on the piano. Coloured pendulums can, of course, be used for this test.

It will be noticed that the colours in the Mager rosette are not the colours of the spectrum (rainbow) as they include black, white and grey. Although they are not colours in the accepted spectrum sense, nevertheless they have affinities for certain metals, black and silver for example. For comparison only I will give my serial numbers, etc., for some minerals.

<i>Mineral</i>	<i>Serial</i>	<i>Colour</i>	<i>Compass</i>
Water	2	Violet	N.N.W.
Iron	4	Red	South
Copper	5	Dark Violet	N.N.E.
Tin	8	White	N.N.W.
Gold	11	Green/Yellow	East
Lead	13	Red/Grey	S.S.W.

So we see that there is harmony between colours, substances and music, although it may quite conceivably be that two entirely different rays cause the harmony between colour and music and colour and substance. I have no doubt that the scientific investigation that is going on at present will, before long, investigation that is going on at present will, before long, throw some light on this subject.

“Enel” in his book on Therapeutic Radiesthesia dealt at some length with the question of the use of colours for diagnosis and treatment. He gave quite a new method of finding one’s personal colour, which seems to depend on the length of the pendulum thread or string. These lengths vary between white, which is the greatest length, and black which is the shortest. From top downwards the colours are violet, indigo, blue, green, yellow, orange and red, in fact the colours of the spectrum with white at one end and black at the other, not in any way connected with the Mager Rosette. The author stated that the pendulum should be

calibrated with the help of coloured ribbons and the colour of the individual found as follows. Hold the pendulum over the left hand and, palm upwards, then adjust the length of the thread until the pendulum gyrates clockwise, the mark on the string should then give the colour.

Chapter IX: MAPS AND PHOTOGRAPHS

The word Teleradiesthesia, or its French equivalent, was probably made up by the Abbe Mermet some time between the world wars to mean, as the name implies, the passing of information by means of radiesthesia, not only through the use of maps, plans and photographs but by receiving answers to questions of all kinds capable of being answered by "Yes" or "No", signified by positive or negative gyrations.

If this could be done with 100 per cent, infallibility then, for certain people, there would be no secrets: a truly terrifying thought paleing the atomic bomb into insignificance. Fortunately this is not the case, although certain good operators claim that they get 75 per cent, successes. This needs verification, but should this figure be correct there is still a considerable margin of error.

I have just read an extract from a French paper, "L'Est Republicain", which tells us that the Captain of Firemen of Livarot in Normandy, having lost his wallet, called in a friend, a radiesthetist, who discovered the missing wallet on the guilty person after an identity parade of the whole village. I have no means of checking the veracity of this statement and I give it merely to show that radiesthesia is in everyday use in France even if it is not in this country, although I have every reason to believe that more and more people, like myself, are taking a more than passing interest in it.

We, of course, hear of all the successes but none of the failures; that is the sceptic's first reaction to anything new or something he doesn't understand. His second reaction is to demand a public demonstration which, as far as radiesthesia is concerned, is doomed to failure due, to a great extent, to the extraneous influences exerted by the audience.

One can well imagine the reactions of a scientist working, shall we say, on atomic energy, if he were asked to demonstrate his highly sensitive instruments in a room full of whirring dynamos. He would, of course, refuse.

Teleradiesthesia, almost unheard of in 1930, had by 1940 become a matter of common knowledge in France. Whether it played any great part in the War seems doubtful, although an article appeared in the Italian press, prior to that country's entry into the war, that the British were using an instrument to locate accurately German gun positions, suggesting that it was something to do with radiesthesia and that this science was being taught in our Military Schools. About the same time a French Admiral claimed to be able to follow the track of a submarine and an Army Officer to be able to locate a battery of guns 15 miles distant. As no details were given it is not clear whether it was merely by means of charts or maps that they made their findings or whether they considered that it

was made possible by the metal in the submarines and guns, hence it is difficult to say whether they were cases for teleradiesthesia or just radiesthesia.

Teleradiesthesia and Radiesthesia are two entirely distinct faculties. The former belongs to the philosophy of Intuition and the latter to that of Sensation. This being the case they are not only distinct but actually opposed and do not appeal to the same intelligences although they both register the movements of the pendulum.

If we look up the word “intuition” in our dictionary we find that it means the immediate apprehension by the mind without reasoning’ or “the immediate and complete cognition without reasoning”, which, in plain English, means that “ideas come to us which arise in our minds without reasoning” and, very often, bring the solution of some problem which we have been trying to unravel. This happens to us all periodically, although we may not take much notice of it at the time, and it may perhaps be regarded as the highest of our faculties, varying in power according to the individual.

I find it somewhat difficult to know where to draw the, very pronounced, line between Radiesthesia and Teleradiesthesia, especially in the case of maps. For example, we may wish to trace a person from a map, having in our possession as a sample, a glove or something similar, recently handled by the person. The map we use cannot in any way be connected with the person and is in no way a sample, so it amounts to our using pure Radiesthesia helped by Teleradiesthesia as an “auxiliary”.

HOW A MAP CAN BE USED



Teleradiesthesia or Map Dowsing with Sample

As my first example I will take my own case in Italy when I, with some success only, followed the movements of the Padre. For this purpose I used my military map, scale one inch to the mile, and as a sample I used the Padre's Bible. Actually when I started I did not think it would be a very good test as I had, so I thought, a good idea where he was going and I was afraid that auto-suggestion would take a hand in it. My headquarters was on the lower slopes of Vesuvius and in order to get into Naples he had, firstly, to get down on to the main coast road, a matter of two miles, so I knew that I couldn't go wrong. Having orientated the map and holding the Padre's Bible in my left hand I held my pendulum over the only road he could take and it oscillated along the road as I had expected.

I was firmly convinced that at the road junction he would turn right as all the units of our group were situated in or around Naples, but, to my astonishment, my pendulum indicated that he had turned to the left and was proceeding along the Salerno road. I tried to rectify this but the pendulum stopped directly I moved it to the right of the road junction.

This somewhat disheartened me as I felt that I had gone hopelessly wrong from the very beginning. However, my pendulum was so persistent that the Padre was on his way South I decided to carry on. Some time later my pendulum passed from oscillation to gyration over a spot in the hills some 6 or 7 miles North of Salerno and continued to do so, whenever I applied my pendulum, for a matter of an hour and a half, when, quite suddenly, it began to swing again leading me into Salerno, where I lost all trace of the Padre. I tried several times during the afternoon but without success.

Thinking that my experiment had been a failure I decided to say nothing about it, but when I heard the Padre extolling the quality of the lunch he had had at the Officers' Club in Salerno I immediately asked him what had made him "tarry by the wayside" for an hour and a half. "Oh, I had engine trouble," was his reply, "but how do you know?" When I told him, I do not think he believed me; in fact, he suggested that I had got the information from his driver. Although my first serious attempt had only been about 50 per cent, right it was better than nothing.

My next success, after, I may say, so many utter failures that I was becoming despondent, was a similar case. One of our detachment officers came in to see me about something and after he had left I found his pocket book on my table. Using this as a sample I was able to follow him as far as the Central Station in Naples. Thinking that his detachment was still on the main airfield I was surprised when my pendulum made him turn off on the main Avellino Road and then some 6 or 7 miles along it when it changed to gyrations, over the airfield known as Pomigliano D'Arco. I found out later in the day that his detachment had been moved the previous evening to the second airfield.

The two cases I have quoted are the only ones which I can claim as having been of any material use, although they fell far short of the 100 per cent, mark; but it must be remembered that I was a comparative novice at that time and I have had few opportunities since.

There seems little doubt that the police to trace the bodies of missing people frequently calls in dowzers and in most cases they are successful, using as a sample some article of clothing recently worn or used by the missing person.

W. H. Trinder in his "Dowsing" gives us a very interesting case which appeared in the Journal of the British Society of Dowzers regarding a Mr. Clarke who, realising that a dead body had no future, turned his attention to tracing living persons. His technique was similar to that used by others, that is to say, a sample of some kind, such as a handkerchief, his pendulum and, I presume, a map, used in exactly the same way as when he was locating dead bodies. It is interesting to note that the radiations from a person enter anything which is in

close contact with them. These are constantly being given off and are exclusive to the person from whom they originally emanated, alive or dead. The same Mr. Clarke had been carrying out a series of successful experiments for the benefit of a sceptical friend, who finally suggested a further experiment, and I will give Mr. Clarke's own words as they appeared in the above-mentioned Journal.

"This time he brought a police sergeant with him. He asked the sergeant to write down a route for him to take in his car, to hand this to him without saying a word, so that I could have no idea of the direction given, while the sergeant stayed with me to watch the result.

"The pendulum showed, almost yard for yard, the route taken and, just as I was remarking that he should be back again, we heard his car at the door." This case is very similar to my own in Italy, but I can quite imagine the sceptic putting it down to some form of telepathy between the sergeant and Mr. Clarke.

So far the cases I have given can be explained, to some extent, by the fact that there have been samples, although there is no mention of one in the last case, but I have no doubt that Mr. Clarke's sceptical friend left something that could be used as such.

We now come to what I call borderline cases, by which I mean those in which no sample is used but the necessary information is obtained from a map only. This may at first sound fantastic and inexplicable but the fact remains that, with some people, it works, which is all that really matters even though it should be inexplicable.

Not being one of the lucky people who can get satisfactory results from this form of Radiesthesia, I am unable to give any personal experiences, but there are reliable records of a great many, some of which I propose to give as illustration of the immense and far-reaching possibilities of this science, particularly in the hands of a high-developed operator.

Henry de France tells of an interesting case. He received a plan of an area in France, in which a large lake is situated, from a geologist friend asking him to mark, on the plan, the underground streams flowing into the lake. His friend was apparently somewhat sceptical because he added that he was well acquainted with the position of the streams. Henry de France sent the plan to a well-known radiesthesist but they were returned, as he was too busy to deal with them, so he decided to run over the plans, with his pendulum by himself. Having marked the watercourses, a matter of five minutes work, he says, he returned the plan to his geologist friend. He received an enthusiastic letter telling him that the lines were quite correct and enclosing a second plan to be similarly dealt with. Henry de France took considerable trouble with the second plan but with pitiful results. He assumes that his mental attitude had changed; in the first case he had taken little trouble, in the second perhaps too much.

To Radiesthesia and Dowsing distance seems to make no difference when making use of maps for the purpose of tracing human beings or locating water and minerals. My Italian friend traced his son to India, a matter of several thousand miles, and W. H. Trinder in "Dowsing" tells us how, while on a fishing holiday in Scotland, he accurately marked the position of subterranean water in the Kalahari Desert from a map sent him by an official from South Africa. He also gives an instance of a lady dowser in British Columbia accurately finding water from a map of Alberta, Canada, in substantiation of which he gives a verbatim letter received by the lady from a Minister in the Parliament of Alberta.

In view of what can be achieved by a radiesthetist of a high order, it seems remarkable that the police do not make use of people with this gift for tracking criminals. Let us take, for example, the more or less recent case of the unknown man who shot a bank manager in Bristol. If I remember rightly he left behind a letter of some kind. With such a sample a good radiesthesist could probably do a lot towards finding the whereabouts of the writer. I have heard it argued that radiesthesia or dowsing could not be admitted as evidence, but even so, I suggest that an indication of a fugitive's movements would be of inestimable value to the police. As I have already said, radiesthesia and teleradiesthesia are far from infallible, and one might be accused of unintentionally misleading the police, but I suggest that they receive so much false information, which they are not slow to verify, one more case would not make much difference especially when one takes into consideration that it has probably a 75 per cent, chance of being right. I have, perhaps quite erroneously, assumed that the Police do not make use of this science, whereas, for all I know they may make full use of it when it is applicable.

THE USE OF PHOTOGRAPHS

Photographs are commonly used as samples chiefly on account of their ready availability, but I doubt very much whether they are as good as other articles of a more intimate nature. It must be borne in mind that, although a photograph may represent a person, alive or dead, it may never have been in actual contact with that person, having come direct from the photographers. I believe for Radio Therapy they have used reproductions of photographs, but results have not been as good as with the originals.

My Italian friend used photographs in preference to anything else when trying to keep track of his two sons during the war, even when the younger son was drowned at sea. Normally if you hold your pendulum over the photograph of a man it will gyrate clockwise and over that of a woman, anti-clockwise. The direction of these gyrations is reversed in the case of death. I have said "normally" because this reaction takes place with most people but W. H. Trinder

is apparently an exception as he appears to get the opposite in all cases, that is to say, where I get a clockwise gyration he gets anti-clockwise; but as long as it is constant, and it apparently is, it does not matter as long as the operator knows what to expect. I did a test only a few days ago over a number of snapshots placed on my table at random, and covered so that I could not see the subject matter of the photographs. With one exception I was correct in the matter of sex, the exception being a litter of pigs, when the pendulum gave no reaction one way or another. I am told that a painting of a person is not suitable as a sample, the emanations being those of the painter rather than the subject of the picture.

The Abbe Mermet had a method whereby he put an age and gave a name to the subject of a photograph or even a specimen of handwriting. In order to get the name it is necessary to have a set of the letters of the alphabet, similar to those used when teaching children to spell. It is a somewhat lengthy process, as the pendulum must be applied to each letter until it gyrates, thus indicating the correct letter. I have only tried this once and with rather extraordinary results. I borrowed, as a sample, a photograph of a girl to whom one of my officers was engaged to be married. I had no idea what her name was at the time and all I could get, after several attempts, were the letter M.O.P.S., each attempt giving the same result. When I returned the photograph I told the officer that I hadn't been able to make any headway. He told me the young lady's name and then added: "She is known as 'Mops' to her family on account of her mop of hair when a child." This may sound fantastic, but is nevertheless quite true.

Using figures or numerals the age or weight of a person is ascertained in the same way, but as I have never checked this method I cannot give an opinion, but my Italian friend certainly gave my age and approximate date of birth quickly and accurately.

Chapter X: TELERADIESTHESIA

I approach this somewhat obscure subject with diffidence because I have had so little experience in it and am still not at all sure that I shall ever be what might be called a good operator because there is little doubt that they are few and far between, as are musicians and artists. Henry de France writing on the subject makes the following remarks:

"Nowadays there are numerous psychic circles in which operators known as mediums, clairvoyants, etc., get results of the same kind as those in which our teleradiesthetists excel. I think I can say that although these mediums, or most of them, are genuine professionals, they are easily surpassed by teleradiesthetists, although they are mostly amateurs."

I have discussed this with a highly developed amateur medium and he was of opinion that teleradiesthesia is similar in many ways to what they term psychometry, with this very marked difference, that mediums can look into the future whereas teleradiesthetists are tied to the past and present. I am not in a position to say whether one is better than the other; both require a very special aptitude if satisfactory results are to be achieved and both must have some object as a "sample", the only difference being that the medium has no need to use a pendulum, although I believe that there are some teleradiesthetists who become so proficient that they can dispense with the pendulum. There is no doubt that some water diviners can detect water without the use of an instrument of any kind. This is certainly the case in India and I have recently read of a young South African who is able to see water, gold or coal as if they were actually on the surface and was very surprised when he found that other people couldn't do the same. Needless to say his services are in great demand in a country like South Africa.

Whether a sample is to be used by a radiesthetist or a medium it is essential that it should have been handled by as few people as possible, other than the original owner and the operator.

A short while ago I read a very interesting article in a magazine, which had carried out a test of a medium's power of psycho-metery. There were several samples: a walking stick, a watch and, I think, a bowler hat. There was a photograph of the medium, whose name I forget, seated at a table almost surrounded by people including the Editor, Sub-Editor, article writer and so on. The samples were on the table, which, I feel sure, had been handled by everyone in the room before they came into the possession of the medium. Needless to say the seance was not a great success in fact, far from it, but had the medium been allowed to carry out his test alone and the samples not handled by several people just prior to the test, I feel sure that the results would have been different, but of course wouldn't have made much of a story. A test carried out under such

conditions, in a crowded room, etc., is, to my mind, not unlike several programmes being sent out from a radio transmitter on the same wavelength and expecting a receiving set to pick out the required program.

I have proved, to my own satisfaction at any rate, that the influence of any person other than the owner remains after they have handled it, only for a short while. I did this in the following manner. I gave my cigarette case to a party of five people with the request that, while I was out of the room, one of them should hold the sample for five minutes. When I returned I found the case on the table and, with my pendulum, I was able to indicate the one that had held the cigarette case, but only once, after that the influence seemed to have gone. I have already sounded a word of warning regarding the handling of samples. It is, in my opinion, of the utmost importance in the case of radiesthesia as it is, I have no doubt, for mediums.

I have already explained that the teleradiesthetist obtains his information by asking a series of questions and obtaining an answer by the positive or negative gyrations of the pendulum.

As I have had no outstanding experiences myself I can but give instances culled from the many books I have read on the subject, the majority of which are French and Italian, and I have every reason to believe that they are genuine.

Henry de France tells an interesting story of a certain Doctor Alfred Roux of Vichy and how he, by chance, became a convert to radiesthesia. A friend of his lent him a pendulum and told him how to use it. The Doctor, more for amusement than anything else, tried the pendulum over a letter he had just received from an unknown client. He put a series of questions, such as a description of the new client, the state of her health, etc. Nearly all the answers proved to be correct with the result that Doctor Roux took up radiesthesia and had the reputation of being one of the best radiesthetic doctors in the country.

From the same author we get another story regarding a M. Treyve, a highly developed teleradiesthetist, and the manager of a large horticultural establishment near Moulins where a large number of men were employed. One day he saw one of the men getting over a fence and thinking that he was probably going to visit one of the numerous cafes in the town followed him with his pendulum. When the man returned an hour later, he sent for him and said: "You have been absent for an hour without leave and have visited such-and-such a cafe in the town. You ordered a litre of red wine and invited two friends, who happened to be passing, to share it with you." Apparently the man fled, saying that M. Treyve was a sorcerer, but it stopped absenteeism.

A rather more bloodthirsty story is told by Pietro Zampa about the Abbé Mermet. As a part of it is told in the Abbé's own words I will translate from the Italian as literally as possible:

"In October, 1933, at Montbovas, a boy of about 18 years of age, while returning to his home, disappeared without leaving any trace. Having lost all hope the boy's sister came to see me, bringing with her his photograph and a map of the district. My finding was as follows:—Your brother is dead. He went along this street and stopped here. At this point I find your brother, whose height is 1.55 metres, being carried, already a corpse, by a man whose height is 1.70 metres. Your brother has been stabbed with a knife near the heart. He has been thrown over the cliff and we shall find his body in the river Hongrin, not far from this spot in 4 metres of water. I suspect that robbery was the object of the assassin as I find neither gold nor silver on your brother's body."

Everything that the Abbé Mermet said proved to be quite correct in every detail and at a later date the boy's empty purse was found in the River Sarine, some miles away. He had at his disposal a photograph of the boy, as a sample, and a map as a guide. With these the Abbe was able to trace the boy's movements up to where he was killed and to where his body was thrown over the cliff, but the gaps in the story had to be filled in by means of questions. His method was to write each question on a separate piece of paper, each one being answerable by "yes" or "no". Some of the questions were as follows: Was the boy killed? Was the boy shot? Was the boy stabbed? Was the boy killed by a blow on the head? Was the boy dead when thrown into the river? Was his body carried in a vehicle? Was his body carried by the murderer? And so on. From the answers received he was able to build up his story. I have already explained how the height of the people concerned could have been determined, namely by the use of numerals, in this case representing metres. If one could operate one's pendulum as successfully as the Abbe one would be a veritable Sherlock Holmes and would not require the services of Doctor Watson.

I could give any number of similar cases but I feel that they will not serve any useful purpose, as they are all "success" stories built up by a combination of both Radiesthesia and Teleradiesthesia.

CONCLUSION

In conclusion I should like to say that I hope that I have made myself quite clear in explaining tests and experiments. Had I endeavoured to explain the theory of some of the reactions of the pendulum I should not only have bewildered my readers but also myself.

While making experiments you will have failures but please do not let it worry you unduly; we learn as much, if not more, from failures than we do from successes. It is very necessary to keep records of experiments, even if they are, or appear to be, failures, so that those, which do not appear to be “true”, can be eliminated. For some inexplicable reason the pendulum will sulk or give strange reactions. These are probably due to some condition existing at the time, which we have not noticed but may remember when we get a repetition of the strange behaviour of the pendulum.

I have already sounded a word of warning about carrying out tests and experiments in a crowded room and I sound it again. It is not fair on yourself or Radiesthesia because you are almost certain to fail and that might discourage you from further endeavour.

Some of my readers are sure to be the “exceptions to the rule” as regards the direction of gyrations and they will find that the pendulum does everything in the opposite direction to normal. It is not uncommon, about one in every four hundred I find, but the late W. H. Trinder was one and he was a truly wonderful Radiesthetist so there is no cause for any misgivings in that direction.

You may think that some of the things you have read about are fantastic, but what may appear to be fantastic today may be an accepted fact tomorrow.

Again, a word of advice about the care of your pendulum. Carry it about with you as much as possible. If it is put away see that it is not near any metal and do not lend it to anyone else.