



The BioGeometry Horizontal & Vertical Pendulum Set



Radiesthesia: A Historical Background

Radiesthesia is a word of Latin origin meaning sensitivity to radiation. It is the science of using man's sensitivity to subtle energy fields to obtain information from the energy levels that are not accessible to our five senses. Simple instruments are used as indicators to measure the quality of effect of minute vibrational interactions between energy fields in the environment and the body's own subtle energy field.

Radiesthesia has its roots in Ancient Egypt, where it was practiced as a precise science of qualitative interactions. Through the understanding of the laws of resonance within ancient science of Universal Harmonics, the Ancient Egyptians interacted with the whole universe as a unified information communicating system. The applications of this science were infinite. In medicine, for example, Radiesthesia enabled Ancient Egyptian surgeons to perform complex brain operations that now require highly sophisticated technology for brain mapping and detection. In geology, every gold mine that modern satellites have discovered in the largely uncharted Sinai and Western deserts turned out to have been found and mined in earlier millennia by the Ancient Egyptians.

Most striking, however, was the discovery that Ancient Egyptians used geometrical shapes to harness living subtle energy to achieve functional goals. The Great Pyramid of Cheops on the Giza plateau near Cairo is an example of the powerful geometrical energy emitters created by the ancient Egyptians, its impressive properties, about which hundreds of books have been written, continue to baffle researchers.

Some Ancient Egyptian reliefs show persons using pendulum instruments, and depict their Gods holding powerful energy emitters in the form of scepters. A profound understanding of a physics of energy quality behind the science of Radiesthesia is a prerequisite for the development of geometric energy emitters such as these, so we must conclude that the Ancient Egyptian knowledge was based on exact and precise scientific principles. The theories developed by the Greek philosophers such as Pythagoras, Plato and others in the field of Numbers and Sacred Geometry, are only fragments of the esoteric sciences that they were initiated into in Egypt. Unfortunately, these sciences have been lost, and only simplified, misunderstood fragments have survived as ancient folklore and magical practices.

The Ancient Egyptian Physics covered qualitative interactions to complement the quantitative aspects of modern physics. The qualitative aspects as found in Pythagorean Harmonics enabled access to subtle energy interactions in the multidimensional unity of the universe from which the laws of nature affecting every aspect of our lives emerge. They covered everything from the gross physical material world to the invisible spiritual realms in one holistic science. In the Ancient Egyptian worldview, the quantitative and qualitative sciences were seen as two sides of the same coin.

Radiesthesia was used by ancient cultures to locate sacred power spots on which the temples were built. In Roman times, 'Augures' used a special staff called the 'Lithus' to detect subtle energy qualities. This later became the 'Shepherd Staff' used by Christian saints who worked in spiritual aspects of church building in medieval times, such as Saint Liudger in Germany.

In modern times, the German army used Radiesthesia for mine detection during the First and Second World Wars, as did the American military in Vietnam. Today many institutions all over the world are researching different aspects of this science. Radiesthesia was the launching pad for such sciences as Psychotronics and Radionics.

In Egypt, the Science of BioGeometry®, founded by Dr. Ibrahim Karim in the early seventies, uses Physical Radiesthesia as an accurate means of measurement in research. To achieve this, Dr. Karim underwent a long thorough process of re-establishment and development of

Radiesthesia's lost scientific basis in a modern context, while keeping its Ancient paradigm. Based on a 'Physics of Quality', the science of Radiesthesia is preparing to take another long leap into the future but this time on stable scientific grounds through Dr. Karim's 40 years of research. New measurement instruments were developed to convert quantitative scales into qualitative ones, which contribute to the discovery of BioGeometry solutions to the life threatening dangers of modern technology, turning our modern civilization into a human friendly one. BioGeometry is the science of using the energy principles of shape to qualitatively balance biological energy systems and harmonize their interactions with the environment.

It is important at this point to differentiate between the science of Physical Radiesthesia and Dowsing. Although related in some aspects and using similar instruments, they are completely different methodologies. Dowsing is a method of using rods or pendulums to enter into a dialogue with the subconscious. Taken the depth and universality of information that the human subconscious levels can access, Dowsing can be a very valuable tool for human transformation and mapping the human psyche. It is also suitable for detection using psychic methods.

Dowsing works through a 'yes/no' indication of the pendulum or rod movement based on a programmed agreement with the subconscious. This falls into the field of automatisms (automatic body reactions) and autohypnosis.

While working with calibrated instruments within Physical Radiesthesia one should not ask questions as with Dowsing because these two methods rely on different functions in the brain. The abstract qualitative scales used in Physical Radiesthesia, interact with a conversion level of the effect of external vibration on the nerves that produces color, sound and other sensory effects before reaching the meaning level, where all the sensory effects are integrated to form our three-dimensional reality.

Asking questions while using a calibrated instrument of Physical Radiesthesia will override the calibration and the instrument will react according to conventional Dowsing methods. With experience one can separate between both methods. While Physical Radiesthesia is a very accurate instrument of research and can give deeper precise information in many fields such as earth radiation, electromagnetic stress, energy of shape, it will only give abstract quality information based on qualitative scales of measurement. Dowsing has all the possibilities of meaningful psychic activity it is however prone to some level of autosuggestion depending on the skills of the Dowser.

The Way to the BioGeometrical Radiesthesia Instruments

The French and German schools of Physical Radiesthesia mark the beginning of modern scientific Radiesthesia. BioGeometry integrated those systems of scientific Radiesthesia with cutting-edge physics, Universal Harmonics, Ancient Architecture, Sacred Geometry and energy aspects of other sciences and traditions to form a comprehensive system that led to the development of a Physics of Quality and BioGeometrical Radiesthesia.

French and German Radiesthesia have their roots in the use of rods and pendulums according to the law of similarities or sympathies between things. They found the lengths on the rods and pendulum strings that corresponded to the reaction to certain colors and used them for categorization of all things according to their color affinity or sympathy. This color calibration, according to the law of similarities, led to the development of Physical Radiesthesia. We find this law of similarities applied in the work with medicinal plants, minerals, astrology, and so on. In Medieval times, it was widely practiced by Jesuit herbal healers.

In France Leon Chaumery and Antoine de Belizal studied the energy of shapes in Ancient Egypt and discovered a dehydrating mummifying energy that did not fall into any of the visible color categories. They expanded the previously used color scale, by adding the Infrared, black, Grey, white and Ultra-violet colors to form a twelve color scale (Fig.1) Chaumery and de Belizal developed special




Fig.2

pendulums based on angles such as the 'Virtual Cone' range of pendulums that could be set to react to all

twelve colors (Fig.2). When detecting the colors on a horizontal circle they found the Green facing the North with violet to the East and red to the West. The grey was on the South so they called it 'Negative-Green'. Negative-Green has a highly penetrative quality that is found, for example, in electromagnetic radiation, x-rays, radioactivity and earth radiation. Based on the fact the electromagnetic waves have both electric and magnetic components, Chaumery and de Belizal

identified the quality of the vertical (electric) wave component of negative green as harmful and that of the horizontal (magnetic) component as beneficial. Vertical negative green is a quality found in many diseases (e.g. cancer) and poisonous plants. In general, all detrimental energies will have vertical negative green. In today's modern technological environment the occurrence of vertical negative green is not necessary an indication of




Fig.1

disease, as the body is exposed to electromagnetic radiation all the time and can get temporarily impregnated with it. To clear the body of environmental electromagnetic pollution, try raising one arm above your head for a few second.

The French Radiesthesists developed their pendulums with settings to detect and differentiate between both the horizontal and vertical wave components. The angles on the Virtual Cone Pendulum for vertical and horizontal components of colors are about one degree apart and is set by turning the disk upside down. Although this is an ingenious simple instrument, it is easy to confuse the vertical and horizontal components, especially if the string length is not properly fine-tuned.

The French found that the distribution of colors on a horizontal circle in relation to the Magnetic North could also be detected on a sphere where the direction of the sun becomes the main axis instead of the North (Fig. 3) With the discovery that a hemisphere shape fixed the polarity so that the Green was always on top while the Negative Green was always emanated from the middle of the base, they were able to create self-polarized shapes, independent of Magnetic North or the position of the sun. By putting four superimposed small hemispheres inside a larger sphere they created the self-polarized Universal Pendulum that is one of the most sophisticated pendulums of physical Radiesthesia. It separated the color distribution of the




Fig. 3

electric and magnetic components on different circles on the sphere. Unfortunately, the discovery and research with Negative Green emitters led to the death of Chaumery, who was found mummified in his lab. In their second book, Belizal and Morel, warn against working with Negative Green, to which Chaumery was a casualty. Many people who use the Universal Pendulum are not aware that it emits the harmful Vertical (electric) Negative Green. One of the main goals of BioGeometry was therefore to develop new instruments with harmless polarizers and a better, safer, differentiation between the Vertical (electric) and Horizontal (magnetic) components of colors. Extensive research led to the development of the BioGeometry polarizer, used in the Horizontal & Vertical Pendulum Set.

Dr. Karim developed new and accurate instruments that could be used for the detection of earth energy grids discovered by the Germans in the early nineties.. The German Radiesthesists discovered several earth energy grids on the earth's surface rising high into

the atmosphere. The most widely known are the Hartmann and Curry grids, as well as the Benker cube grid system, named after their discoverers:

The Hartmann grids are 20cm wide strips in a square running N-S/E-W pattern in the range of 2.00m-2.20m. The line width and grid dimension can vary with location.

The Curry grids are a diagonal grid pattern running NE-SW/NW-SE, found every 2.20m-3.50m depending on location.

Benker grids are large Hartmann zones, found every 10 meters. Moreover, it was Benker who discovered the cubic grid system, showing the existence of horizontal planes. This cubic concept can be applied to all grid systems. The subtle energy anatomy of the atmosphere is like a multi-story building.

According to Dr. Konstantyn Meyl, an authority on scalar waves, Earth Energy Grids are secondary compression waves that fall into the scalar wave category. Physicist Dr. Claude Swanson refers to them as Torsion waves. In general they are compression waves of different levels. Since the harmful grids emanate the vertical (electric) Negative Green with other components, we strongly advise against prolonged detection of such grids. Please note that Earth Energy Grid crossings under a bed are known to trigger cancer in the body area above them. On the other hand we find wider earth energy grid strips and Ley lines that have a beneficent harmonizing effect. Their crossings, superimposed on those of underground water streams, are usually found in sacred power spots with their sacred wells on which the monuments of ancient civilizations were built. In prehistoric times, they were marked by the erection of huge megalithic stones. The Ley lines connecting sacred power spots have become spiritual pilgrimage roads. The original plans of the capitols Washington, USA, Paris France, Rome Italy and Cairo, Egypt are based on larger aspects of such grids connecting sacred power spots. Beneficent ley lines and power spots do not emit the vertical component of Negative Green, they only emit the horizontal component. The German researchers developed a more elaborate instrument of Physical Radiesthesia by crossing the dowsing rod with the Lecher double antenna principle creating a very accurate device that can be calibrated to wavelengths. The German Lüdeling H3 and French Acmos Lecher antennas are the most popular.

One of the main goals of BioGeometry is to protect researchers from harmful radiations when measuring. While the BioGeometry polarizer was a good first step, Dr. Karim went further and

created a tool that is accurate enough to detect the earth energy grids, even when they are harmonized. Now, when we come to detect grids, we first use a BioGeometry solution to harmonize the earth energy grids by infusing the grids with a beneficent energy. By doing so, the grids will not harm anyone entering into resonance with them. One example of a BioGeometry solution that is commonly used, is the BioGeometry cube, which harmonizes earth energy grids in its surrounding. The Vertical Dial Pendulum is sensitive enough to detect the grids even when harmonized.

These new Radiesthesic instruments were developed mainly to serve the needs of the holistic multidimensional environmental science of BioGeometry and are the most accurate instruments of Physical Radiesthesia for the serious researcher. Due to the wider demand beyond the BioGeometry courses in which they were available for students, we offer this valuable instrument to the wider Radiesthesia and Dowsing community.

BioGeometry and Physical Radiesthesia

The Ancient Egyptians dealt with the energy of shape and location. The perfect example being the Pyramids of Giza, Egypt, each erected over a special power spot. The Giza plateau on which several pyramids were built was considered one of the most sacred areas showing several power spots on which the monuments were built. Dr. Ibrahim Karim discovered three special vibrational qualities that are inherent in all sacred power spots worldwide. These are: the Higher Harmonic of Gold, the Higher Harmonic of Ultra Violet, and Horizontal Negative Green. We refer to them as the BioGeometry3, or BG3 for short.

The invisible subtle 'Higher Harmonic of Gold', is an energy quality that is in resonance with physical gold. While physical Radiesthesia was used to detect gold veins in the earth using a real sample of pure gold, it was Dr. Karim who first used physical gold or its calibrations to detect its higher harmonics within the spiritual dimension. BioGeometry shows that the representation of spiritual energy through the gold color as used in art in many cultures is based on a vibrational resonant reality. The second component of BG3, the Higher Harmonic of Ultra-Violet, is a special energy quality that is found at dawn, which resonates with the angelic realm. It is not necessary present in all occurrences of ultra violet throughout the day. The final component of BG3 is the Horizontal Negative Green quality. The Russian researcher Scariatin, known as Enel, had previously discovered the Horizontal Negative Green inside the mummies of Christian saints in Egypt. Enel deducted that the amount of horizontal negative green in the body of a person whether living or dead corresponded to his level of spirituality.

Dr. Karim was able to identify this quality in earth and sky locations. He found that this quality, was present with the two others, in sacred power spots.

This BG3 energy quality is responsible for maintaining the energy structures of all living systems, including the balance of the different energy-qualities involved. Moreover, one can detect the BG3 quality, in the absolute center of a circle (which is in fact illusive, as in every center of a circle, you find another center), allowing the center to act as a gateway to the archetypal energy code balancing all the qualities around it. It is only when these 3 energy qualities are found together that we achieve a natural balancing “centering” effect in Energy systems.

The energy of shape is a very important field that if properly understood could open the door to the use of a new type of free energy in every aspect of our lives.

The BioGeometry Horizontal & Vertical Pendulum Set.

Dr. Ibrahim Karim, developed the BioGeometry Horizontal & Vertical Pendulum set, as one of the foundational research tools in BioGeometry. The Horizontal & Vertical Pendulum set includes two dial pendulums that measure the subtle energy quality of the vertical and horizontal wave components separately.

The Horizontal pendulum detects only the quality of the horizontal component of a wave, and is therefore used to detect beneficent energy qualities, allowing us to categorize any object in the universe with color energy quality that it is most in resonance with. A single polarized color is susceptible to the dosage effect found in modern medicine. What this means is that the presence of a horizontal color quality is not the only indication of whether the body needs it or not. For that you have to use a pendulum on a neutral setting, calibrated to your personal wavelength. An alternative would be to find your own personal color on the back of your hand, and with the color calibration, good objects should strengthen your personal color (even they are not emanating that color). The presence of BG3 overrides the problem of dosage, as it produces a centering effect.

The Vertical Pendulum measures only the quality of the vertical component of a wave and is therefore used to detect detrimental energies, such as polluted underground water, chemicals, pesticides, earth radiation, radioactivity, electromagnetic radiation, poisonous plants, and also human diseases.

This advanced pendulum set is an improvement on previous physical Radiesthesia pendulums such as the virtual cone because the radial setting is more accurate than the sliding disk on the shaft, there is a separate pendulum for each wave plane, the Vertical pendulum is sensitive enough to detect gridlines even when they have been harmonized, and has special attachments for Hartmann and Curry grid detection.

The development of the Horizontal & Vertical pendulum set is based on 6 principles:

Dr. Karim's discovery that energy quality is based on the total wave shape, expressed as the proportion of the wavelength to the amplitude, irrelevant of the single measurement of frequency or wavelength. This quality can also be expressed by the angle that the wave crosses the central axis. In this context the angle represents color quality similar to light going through a glass prism producing different angles for each color.

The presence of vertical (sometimes referred to as electric) and horizontal (sometimes referred to as magnetic) wave components as found in French Radiesthesia.

The distribution of colors around a circle in relationship to Magnetic North (or a self-polarized shape) as detected by French Radiesthesists. Note that on a vertical circle the distribution of the colors is reversed in comparison to a horizontal circle.


The BioGeometry "Physics of Quality", which further developed existing physical Radiesthesia principals through the laws of universal harmonics.

The BioGeometry fixed polarizer emitter, which allows the pendulums, and BioGeometry dial tools, to overcome the earth's magnetic fields from interacting with the emission of the BioGeometry dials by using a non-harmful negative green emission.


Earth energy grid phenomenon as detected and discovered by German Radiesthesists.

Pendulum Components

The Horizontal Dial Pendulum



The Vertical Dial Pendulum



***Please take care:**

...When screwing in dial locks, cone points, or antenna attachments, do not over-tighten as this can damage their delicate threading.

...Be careful not to lose components such as metal rods or cone points.

DIFFERENCE BETWEEN HORIZONTAL & VERTICAL DIALS

On the Horizontal pendulum dial Violet is located on the right and Red is located on the left.

On the Vertical pendulum dials the colors are inversed with Red located on the right and Violet located on the left.

SETTING THE PENDULUM DIALS TO MEASURE QUALITIES


The Horizontal & Vertical Pendulums contain the 12-band energy spectrum as it naturally occurs on a circle. On the Horizontal Pendulum the qualities in order beginning from the 12

O'clock position and moving clockwise are Green, Blue, Indigo, Violet, Ultra-Violet, White, Negative-Green, Black, Infra-Red, Red, Orange, and Yellow. On the Vertical Pendulum, the color arrangement is inversed (Starting at Green and moving clockwise: Y, O,R, IR, B, -G, W, UV, V, I, B. The indicated color points are the center of the desired color quality and in between the colors you find the different sub bands of the main colors. Therefore the sub bands combine the two colors in different proportions.


Horizontal Dial Pendulum Calibration




Loosen the dial lock. Now rotate the top dial disk until its Polarizer points to the desired color quality indicated on the base dial disk. Without over-tightening, turn the dial lock so it locks the disks in place. Examples:



Red



Blue




Ultra-Violet


Important note:

*When setting the pendulum to measure Green (G), the polarizer needs to be placed slightly offset as show below, in order to have two axis of measurement to produce an angle.


*When setting the pendulum to Negative Green (-G), the Polarizer also needs to be placed slightly offset as shown below, in order to avoid cancelling the primary -G carrier wave emission



Green (slightly offset to the right)



Negative Green (slightly offset to the right)




Neutral position (no emission)


Setting the Horizontal Dial Pendulum to Detect BG3

You can use the Horizontal Dial Pendulum to detect BG3 by testing for each of the components separately. In order to detect the Higher Harmonic of Gold you must make two separate measure, one for Indigo and one for Orange. Accordingly, to find BG3 use 4 separate measurements. Set it on O and then I (2 separate measurements) for Higher Harmonic of Gold (HHG), on UV for Higher Harmonic of Ultra-Violet (HHUV), and on -G for Horizontal Negative Green. (Remember to slightly offset the pointer when testing for Negative Green.) While, in BioGeometry we have pendulums that are pre-calibrated to BG3, this method is the most precise.


In the appendix, you will find a BG3 pattern that you can use to practice your BG3 measurements.




Orange
(to detect the Higher Harmic of Gold)



Indigo
(to detect the Higher Harmic of Gold)



Ultra-Violet
(to detect the Higher Harmonic of Ultra-Violet)



Negative Green
(Universal Carrier Quality)

Calibrating String Length for the Horizontal Pendulum

String length is a secondary calibration that allows for even more accuracy in detection when using the Horizontal & Vertical Pendulum Set. The calibrated string length for the horizontal pendulum is 6cm from the top disk of the pendulum (not from the top of the attachment).

To fine tune this string length:



Get a sheet of red paper (It is always best to start with primary color)

Set the dial to the Red position, and dangle the pendulum at the string length shown over the paper, concentrating on the center of the paper (as on the periphery you might find the complementary color).

*Important note: Natural objects may contain different color qualities, so it is best to do your calibration with a colored paper.

Give your pendulum a push so it swings forwards and backwards (this is referred to as a neutral swing position or a search position). If the length is correct, the pendulum then enters into resonance with the red color quality of the paper and starts a clockwise rotation. If you do not get a clockwise pull, or if you get a counter-clock wise pull instead, let the string slide through your fingertips until the pendulum gives you a clockwise rotation.

*The reason we are giving the pendulum a push is so that it does not pull energy from your own field in order to begin moving as this can begin to deplete you after many measurements.

Fine-tune the length within this range until you find the point at which the pendulum gives the maximum rotation.

Repeat the above with a second primary color (Blue) and make sure that you are getting a clockwise rotation with the Blue setting.

While adjusted on a color quality, measure on a different color sheet to make sure that the pendulum does not rotate clockwise on the other color. This is an indication that you need to re-calibrate.

When you are confident of this calibration (with practice), you can tie a knot at this place so you will not have to calibrate the pendulum each time.

Not getting a rotation? Some common beginner problems...

Too much tension in the fingers, wrist or arm. One should be relaxed so that energy flows freely.

Tap your arms or raise one hand above your head to release any static impregnation.

Not giving the pendulum an initial push, and waiting for it to “pull” energy from your own system will slow the reaction and deplete your energy with prolonged use.



Holding on mentally. Eliminate vested interest, just relax and don't concentrate too hard! Just concentrate on the calibration and the object of measurement.

Incorrect color, dial setting, or cord length.

Calibrating on the periphery of the color sheet rather than the center might cause some resonance with the complementary color radiated around the main one.

Don't worry if it takes time, as sometimes the body needs time to acquire the necessary sensitivity. Remember “practice makes perfect” ☺

Vertical Dial Pendulum Calibration



Keep one dial on the vertical pendulum always set to -G, slightly offset to the right


When measuring earth radiation, radioactivity, and electromagnetic radiation with the Vertical Dial Pendulum, one dial on either side of pendulum body is always set to Negative Green (-G) slightly offset towards the Black (B) as the second color quality alone is not sufficient for detection.

The second dial can be set to whichever quality you wish to measure. As with the Horizontal Dial settings above, if you need to set to Green again place the Polarizer slightly offset to the right.

*It is advisable that you practice BG3 detection in your environment as much as possible before searching for detrimental earth radiation, so that your basic energy system programming is in resonance with beneficent energies. Try to limit your exposure when measuring detrimental energies, and always clear yourself after measuring by raising your hands above your head, and if necessary taking a salt water bath.


Hartmann & Benker Grid

- Set the first dial to Yellow (Y)
- As always, the second dial is set to -G (offset).
- Unscrew the cone bottom attachment and put it aside (careful not to lose it). **Attach the yellow 3.5cm metal antenna**




Curry Grid

- Set the first dial to Red (R).
- As always, the second dial is set to -G (offset).
- Unscrew the cone bottom attachment and put it aside (careful not to lose it). **Attach the red 4.5cm metal antenna**




General Sources of Detrimental Radiation (including underground water)

- Set the first dial to Negative Green (-G) offset to the right.
- As always, second dial is set to -G (offset).
- Set the first dial also to Negative Green (-G) offset to the right.
- Use the plexiglass cone bottom attachment.



Calibrating String Length for the Vertical Dial Pendulum



The calibrated string length for the Vertical Pendulum is 7cm from the top disk of the pendulum (not from the top of the attachment).

To fine tune this string length:

Get a sheet of red paper (It is always best to start with primary color)

Set both dials to the Red position, and dangle the pendulum at the string length shown over the paper, concentrating on the center of the paper (as on the periphery you might find the complementary color).

***Important note:** Natural objects may contain different color qualities and sometimes do not contain the vertical component, usually synthetic colors will have both so it is best to do your calibration with the colored paper provided in the appendix.

Give your pendulum a push so it swings forwards and backwards (this is referred to as a neutral swing position or a search position). If the length is correct, the pendulum then enters into resonance with the red color quality of the paper and starts a clockwise rotation. If you do not get a clockwise pull, or if you get a counter-clock wise pull instead, let the string slide through your fingertips until the pendulum gives you a clockwise rotation.

Fine-tune the length within this range until you find the point at which the pendulum gives the maximum rotation.

Repeat the above with a second primary color (Blue), switching both dials to the BU setting, and make sure that you are getting a clockwise rotation.

While adjusted on a color quality, measure on a different color sheet to make sure that the pendulum does not rotate clockwise on the other color. This is an indication that you need to re-calibrate.

When you are confident of this calibration (with practice), you can tie a knot at this place so you will not have to calibrate the pendulum each time.

SOME FURTHER APPLICATIONS AND USES OF THE DIAL PENDULUMS

Horizontal Dial Pendulum

BG3: You can detect BG3 by testing for each of the components separately using the Horizontal Pendulum. For highest accuracy use 4 separate calibrations (-G, UV, I, O).

Ley Lines, Power spots and beneficial earth energies. Checking for Horizontal Negative Green (-G) emitted by beneficial Earth Energy sites, including some underground water streams; Ley Lines; Power Spots; and other phenomena. The main criterion for Power Spots is BG3; however there can also be other secondary qualities, which can differentiate the effect of one Power Spot from the other. Ley Lines that connect Power Spots will usually also carry the BG3 quality. They have been used in history as spiritual pilgrimage and funerary paths. Many ancient roads were located on Ley lines or larger beneficent grids.

Emission of Negative Green from artifacts and designs. Many ancient symbols, artifacts, statues, designs and so on were intentionally created to manifest either BG3 as a whole, or just H-G. Some items have intrinsic H-G, or may have had BG3 or H-G imprinted into them through various means or from their original location in tombs or temples. Our own designs can also manifest either BG3 or just the H-G, based on our own skillful application of BioGeometry design principles. The proper application of BioGeometry in architecture, urban planning, furniture and industrial design should produce a high level of BG3 as the main criterion for a successful effective solution.

Negative Green in the human energy field. Measuring the intensity of H-G in human energy fields, although this is usually done using a special ruler. Again you can find either BG3, or just the H-G, when testing aspects of the human body and energy field. The center point of every chakra in the body will have BG3. This is especially useful when testing the energetics created by specific healing practices, meditative states, prayer, BG jewelry, and other energetic applications.

Checking color emissions. Discerning which color quality (or qualities) from the 12 bands shown on the Dial of the Horizontal Wave Pendulum is emitted from specific symbols, places, oils, stones, crystals, yoga/statue poses, mudras, chakras and so on. For example, elements conducive to healing will often emit BG3 but can also contain additional color qualities that will fine-tune their specific effect.

Fundamental Ray: According to French Radiesthesia, every element radiates a color ray at a certain angle to the North, which can be used to identify the element itself.

Colors and times of day: Over the course of a day, specific color qualities will get stronger. The length of the 'radiesthetic color hour' depends on the length of day. It begins with Violet in the morning, and reaches Red in the evening.

Detecting start and finish points of a design: When you draw a line, the beginning of every line will have Violet or Ultra-Violet, and the end of the line will have Red or Infra-Red. You can also detect a BG3 point at some distance before the beginning of a line, showing its origin.

Using the pendulum as an emitter of qualities. By deliberately rotating the pendulum clockwise over an object or a witness, you will be emitting a subtle emanation of the quality the Horizontal Wave Pendulum is set to. (Note that based on studies of the energy key found in BioGeometry, rotating the pendulum counter clockwise, will temporarily remove the color quality, but it will subsequently manifest again in a few minutes).

Using the Horizontal pendulum as a Neutral Pendulum. It is possible to use the Horizontal pendulum as a neutral by placing the second dial directly -G to cancel the primary emission from the main dial polarizer.

Vertical Dial Pendulum

Detecting detrimental Earth energies: testing for toxic Earth Energy Lines or zones around the place where people spend the most time (beds, desks, children's play areas, etc.) is one of the most important fundamental practices for BioGeometry Home Energy Balancing. One should be especially careful to avoid Hartmann and Curry grids and their crossings. If testing generally for detrimental vertical -G emanations from any Earth source (underground water, Radon gas, faults, radioactive elements or gases, unknown energy phenomena, etc.) then set the first dial to vertical -G, if you know the second color quality your are searching for, set it on the second dial. Otherwise set both vertical dials to -G.

Detecting electromagnetic radiation. Detecting vertical waves from electricity and electromagnetic radiation, including power lines, electrical circuits behind walls, appliances, etc. Set the first dial to V-G, and the Second dial to IR.

Checking detrimental building materials. Checking tiling, ceramic glazes, granites, parquet, and paints and so on for V-G, which is often emitted by VOCs (Volatile Organic Compounds), chemical toxins, radiation, and other toxicities in the material. Testing for V-G is the most essential practice. You can also check all the vertical wave settings (all 12 bands) for any detrimental vertical waves present. The safer the material, the less vertical wave emission you will detect.

Checking ingestible items for detrimental vertical waves. Test your water, drinks, food, supplements, etc. The most important thing to check for is V-G. If you find detrimental V-G (or other vertical waves in any band) then use BioGeometry techniques to eliminate / transmute them to beneficial qualities. One can also use BioGeometry products like trays, bottles, mats and others with all food and drink. We however strongly recommend that items with strong vertical wave qualities, especially V-G, should be avoided whenever possible.

Checking symbols or logos for V-G. Avoid using these symbols, and be careful of persons or organizations using symbols or logos, which have strong V-G.


*Important note: Never judge people by the amount of vertical negative green in their system as it could be due to environmental pollution, electromagnetic radiation, or health issues.

Radiesthesia and Dowsing Charts

There exists a wide variety of charts with pendulum string length or color settings and also wavelengths for Lecher antennas. They come mostly from French and German Radiesthesia. We however, strongly recommend that you keep a log of your color calibrations for different materials and build your own charts as you go along depending on your needs, as there can be discrepancies due to local conditions, different types of impregnation and Instrument type and calibration. We suggest that you always keep a log of your location, date, time of day or night, direction in relation to North and type of instrument and calibration used in order to produce the most accurate charts for further use.

For further information Please visit our website www.BioGeometry.com, BioGeometry Official English group and BioGeometry page on Facebook.

Appendix 1.1 BG3 “Carpet” Pattern



Appendix 1.2 Color Sheets for Calibration

