САНКТ-ПЕТЕРБУРГСКИЙ НАЦИОНАЛЬНЫЙ ИССЛЕДОВАТЕЛЬСКИЙ УНИВЕРСИТЕТ ИТМО

Дисциплина: Бэк-энд разработка

Отчет

Домашняя работа 1: Знакомство со средой Node.JS, пакетным менеджером прт

Выполнил:

Конев Антон

Группа К33402

Проверил: Добряков Д. И.

Санкт-Петербург

2023 г.

Задача

- Установка npm (8.1.0), node.js (16.13.0)
- Инициализация прт-пакета
- Установка express
- Удаление express/попытка его обновить
- Написание кастомной команды для npm, чтобы можно удалить express командой "npm run rme"

Ход работы

1. Проверка установленных прт и node.js на соответствие версий (версии новее указанных допустимы)

```
PS C:\Users\Ant\WebstormProjects\hw_1> npm --version
9.3.1
PS C:\Users\Ant\WebstormProjects\hw_1> node --version
v18.14.0
PS C:\Users\Ant\WebstormProjects\hw_1>
```

2. Инициализация прт-пакета

```
PS C:\Users\Ant\WebstormProjects\hw_1> npm init
This utility will walk you through creating a package.json file.
It only covers the most common items, and tries to guess sensible defaults.
See `npm help init` for definitive documentation on these fields
and exactly what they do.
Use `npm install <pkg>` afterwards to install a package and
save it as a dependency in the package.json file.
Press ^C at any time to quit.
package name: (hw_1)
version: (1.0.0)
git repository:
keywords:
author:
license: (ISC)
About to write to C:\Users\Ant\WebstormProjects\hw_1\package.json:
 "name": "hw_1",
  "version": "1.0.0",
  "description": "homework 1 backend",
  "scripts": {
    "test": "echo \"Error: no test specified\" && exit 1"
  "author": "",
Is this OK? (yes)
```

3. Установка express

```
PS C:\Users\Ant\WebstormProjects\hw_1> npm i express

added 57 packages, and audited 58 packages in 926ms

7 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities
```

4. Попытка обновления express

```
PS C:\Users\Ant\WebstormProjects\hw_1> npm :

up to date, audited 58 packages in 495ms

7 packages are looking for funding
 run `npm fund` for details

found 0 vulnerabilities
```

5. Удаление express

```
PS C:\Users\Ant\WebstormProjects\hw_1> <a href="mailto:npm">npm</a> uninstall express removed 57 packages, and audited 1 package in 173ms found 0 vulnerabilities
```

6. Написание кастомной команды для npm, чтобы можно удалить express командой "npm run rme"

Написание команды в файл package.json

```
"name": "hw_1",
"version": "1.0.0",
"description": "homework 1 backend",
"main": "index.js",
"scripts": {
   "test": "echo \"Error: no test specified\" && exit 1",
   "rme": "npm uninstall express"
},
"author": "",
"license": "ISC"
```

Проверка скрипта

```
PS C:\Users\Ant\WebstormProjects\hw_1> npm i express
added 57 packages, and audited 58 packages in 1s
7 packages are looking for funding
   run `npm fund` for details

found 0 vulnerabilities
PS C:\Users\Ant\WebstormProjects\hw_1> npm run rme

> hw_1@1.0.0 rme
> npm uninstall express

removed 57 packages, and audited 1 package in 171ms

found 0 vulnerabilities
```

Вывод

В ходе домашней работы были изучены команды для работы с npm, а также был написан скрипт для удаления express.