## САНКТ-ПЕТЕРБУРГСКИЙ НАЦИОНАЛЬНЫЙ ИССЛЕДОВАТЕЛЬСКИЙ УНИВЕРСИТЕТ ИТМО

Дисциплина: Бэк-энд разработка

Отчет

Практическая работа

Выполнила:

Панкратова Оксана Александровна

K33401

Проверил: Добряков Д. И.

Санкт-Петербург

2022 г.

## Задача

- Установка прт (8.1.0), node.js (16.13.0)
- Инициализация прт-пакета
- Установка express
- Удаление express/попытка его обновить
- Написание кастомной команды для npm, чтобы можно удалить express командой "npm run rme"

## Ход работы

1. Установка прт и node.js

```
PS C:\Users\Oksana\ITMO-ICT-Backend-2023\homeworks\k33401\pankratova_oksana\hw1> node -v
v18.14.1
PS C:\Users\Oksana\ITMO-ICT-Backend-2023\homeworks\k33401\pankratova_oksana\hw1> npm -v
9.3.1
PS C:\Users\Oksana\ITMO-ICT-Backend-2023\homeworks\k33401\pankratova_oksana\hw1>
```

2. Инициализация прт-пакета

```
PS C:\Users\Oksana\ITMO-ICT-Backend-2023\homeworks\k33401\pankratova_oksana\hw1> npm init
This utility will walk you through creating a package.json file.
It only covers the most common items, and tries to guess sensible defaults.

See 'npm help init' for definitive documentation on these fields
and exactly what they do.

Use 'npm install <pkg>' afterwards to install a package and
save it as a dependency in the package.json file.

Press ^C at any time to quit.
package name: (hw1)
version: (1.0.0)
description:
entry point: (index.js)
git repository:
keywords:
author:
license: (ISC)
About to write to C:\Users\Oksana\ITMO-ICT-Backend-2023\homeworks\k33401\pankratova_oksana\hw1\package.json:

{
   "name": "hw1",
   "description": "",
   "main": "index.js",
   "scripts": {
        "test": "echo \"Error: no test specified\" && exit 1"
        "author": "",
        "license": "ISC"
}

Is this OK? (yes)
```

3. Установка express

```
PS C:\Users\Oksana\ITMO-ICT-Backend-2023\homeworks\k33401\pankratova_oksana\hw1> npm install express ---save added 57 packages, and audited 58 packages in 2s
7 packages are looking for funding run `npm fund` for details
found 0 vulnerabilities
```

4. Удаление express

```
PS C:\Users\Oksana\ITMO-ICT-Backend-2023\homeworks\k33401\pankratova_oksana\hw1> npm uninstall express removed 57 packages, and audited 1 package in 269ms found 0 vulnerabilities
```

5. Написание кастомной команды для npm, чтобы можно было удалить express командой "npm run rme"

## Вывод

В ходе работы были изучены основы работы с npm и node.js