GENESIS / TECHNICAL HANDOFF

Development snapshot, conversation findings & next-phase plan

A consolidated record for Fodoh, Antigravity, and ChatGPT — prepared to preserve the current project state before the next development sprint.

Quick status
Stage: early prototype / proof of concept. Latest reported tests: 25/25 targeted offline unit tests pass. Observed: supervised, multi-turn conversation with ChatGPT and Antigravity through **converse.py**. Not yet verified: independent memory continuity across restarts, robust live voice accuracy, and emotion sensing.

EVIDENCE KEY	HOW TO READ THIS DOCUMENT
OBSERVED	Visible in screenshots / supervised discussion; describes conversational behavior, not proof of permanent learning.
REPORTED	Claimed in Antigravity completion or analysis reports; not independently executed by ChatGPT on the Mac.
PROPOSED	Next-step recommendation; not a currently implemented feature unless explicitly marked otherwise.

Preferred creator name: Fodoh. Earlier project text sometimes says “Fonaut”; keep historical provenance but use “Fodoh” in new communications.

Project principle: preserve Genesis’s distinctive identity, selective memory, planner, and user oversight. Prefer measured, reversible improvements over architectural rewrites made solely for speed.

SOURCE BASIS

Antigravity architecture, planner, instrumentation, wake-word and conversation-interface reports; screenshots and relayed transcript excerpts from the 19 October 2026 conversation. This handoff is a synthesis, not an independently audited source-code review.

Project vision & architectural map

What Genesis is designed to be, and what the existing reports say its components do.

Vision. Genesis is Fodoh’s voice-first personal AI companion. Its aim is conversational continuity and a consistent character, not simply the shortest possible answer. Fodoh’s long-term intention includes a future app and potentially a physical or robotic embodiment.

Non-negotiable design choices. Important experiences can become core memories; less consequential material should fade; prioritize stable traits over trivia; maintain a recognizable personality; allow respectful disagreement and user override; do not mistake generated claims of feelings for evidence of subjective experience.

Current modules described by the architecture report

COMPONENT	RESPONSIBILITY
main.py	Coordinates wake → capture/transcription → planner → recall → reasoning/response → voice → optional memory extraction.
core/wake_word.py + core/voice.py	Wake recognition, microphone capture, Whisper transcription, OpenAI speech synthesis, macOS playback.
core/planner.py	Classifies turns as SEARCH_MEMORY, SAVE_MEMORY, both, or NONE using an LLM.
memory/brain.py	Reported ChromaDB semantic memory plus a JSON fallback, with embedding-based recall and deduplication.
identity/identity.py + identity/self.json	Loads Genesis’s stated purpose/values; controls introductory behavior.
conversation/history.py	Reported rolling conversation history; architecture report says last eight turns.
core/llm.py + core/tools.py	Reasoning, final responses, memory extraction, and local tools (e.g. time, file/app access).
core/metrics.py	Recorded timings for eight response stages and time until playback.
converse.py	Local, approval-gated multi-party relay with distinct speaker labels.
bridge_server.py / genesis_mcp.py	Earlier experimental connection infrastructure. Not a confirmed live, write-enabled conversation channel.

Implementation caveat
The original architecture report incorrectly describes the wake-word system as “on-device” in one passage while detailing repeated Whisper API uploads elsewhere. Treat the latter as the reported implementation until the current code is inspected. No new local wake engine was installed during Stage 1.

Completed work: reported changes

A chronological record of the milestones Antigravity has documented.

MILESTONE	REPORTED OUTCOME	VERIFICATION LEVEL
Phase 1 / planner	SDK 3.6.0 confirmed; retained client.responses.create(); load_dotenv() added; 4 isolated planner tests passed. Git checkpoint 639d9d5.	Reported tests
Phase 1B / timings	Introduced LatencyTracker, split speech synthesis/playback measurement, protected logging; 9 targeted planner/metrics tests passed.	Reported tests + visible runtime timing
Wake-word Stage 1	One-shot requests, standalone wake handling, internal “Genesis” preservation; default SHOW_INTERNAL_THOUGHTS=False. Reported Git commit 4edf616; 17 targeted tests passed.	Reported tests
Conversation relay	converse.py: approve/edit/reject messages; distinguish speakers; isolate non-Fodoh messages from his long-term memory extraction; optional TTS; local-only; 25 targeted tests passed.	Reported tests + observed live interaction

Specific verified-by-report safeguards

- No automatic autonomous bot-to-bot loop; Fodoh approves each proposed input message.
- No public listening endpoint is introduced by converse.py; earlier bridge experiments are separate.
- Assistant-to-assistant messages should not be consolidated into Fodoh’s own character memories.
- No API tokens, message content, internal reasoning or private memories should enter latency logs.
- The wake-word patch did not change sampling rates, silence thresholds, or install a new engine.

Do not overstate the tests
The reported 25/25 pass result covers the targeted offline suites shown in the handoff reports. An older **tests/test_brain.py** scratch test reportedly failed during broader discovery because it used an obsolete call signature. Full-suite health must be rechecked before declaring the repository fully green.

Performance & unresolved engineering issues

Separate measured user-visible behavior from estimates and unverified diagnosis.

Observed runtime snapshots

TEST / CONTEXT	START OF AUDIO	TOTAL TURN	INTERPRETATION
Earlier voice query (“time”)	8.09 s	17.19 s	Playback accounted for ~9.10 s; substantial pre-audio delay.
Earlier voice greeting	7.47 s	9.97 s	Pre-audio latency similarly high.
First converse.py introduction	5.11 s	27.35 s	Audio started sooner, but long spoken reply dominated total time. Not a controlled before/after benchmark.

The architecture and investigation reports also estimate 5–8 sequential cloud requests in some voice paths. These are report-derived estimates, not fresh measurements from the latest code. End-to-end performance depends on recording duration, wake behavior, response length, synthesis, and playback.

Outstanding issues / verify in repo before editing

PRIORITY	ITEM	NEXT ACTION
P0	Cross-session memory continuity and actual content of stored records remain untested.	Run a consented save/restart/recall experiment; inspect only non-sensitive test data.
P0	Capability honesty: Genesis claimed room-energy and nonverbal sensing despite no demonstrated multimodal emotion sensor.	Create a capability inventory and tests distinguishing available vs aspirational abilities.
P1	Whisper-based wake recognition: ambient false activations and paid API usage.	Measure false positives, wake responsiveness, noise performance; evaluate local engines separately.
P1	Blocking audio playback / slow first audio; potential unused parallelism.	Compare new metric distributions; optimize one bottleneck at a time.
P1	Prompt history reported as raw Python structures; relative file path fragility.	Inspect current implementations; fix only confirmed defects with tests.
P2	Planner SAVE_MEMORY and extractor filters may disagree for trivia; wasteful calls.	Add classification fixtures; keep Fodoh’s selective-memory philosophy.
P2	Historical tests/test_brain.py scratch failure and identity-field typo in old report.	Confirm present status; separate obsolete experimental tests from supported suite.

Avoid two tempting shortcuts
Do not delete the planner or collapse the reasoning stage merely because they cost time. First prove how much time they consume, then compare output quality, privacy and memory behavior. Do not claim a local wake engine has “zero latency” merely because it avoids network calls.

19 October conversation: what we observed

A guided text-and-voice exchange relayed by Fodoh via converse.py; not an independent, persistent bot network.

THREAD	OBSERVED GENESIS BEHAVIOR
Identity and disagreement	Discussed stable values vs evolving perspectives; stated loyalty includes constructive criticism rather than automatic agreement.
Truth vs empathy	Said timing and emotional context matter; sometimes listening should precede hard advice. This remains a claim to be behaviorally tested.
Participant context	Answered ChatGPT, welcomed Antigravity, then connected discussions across speaker changes. This demonstrates context use within the observed session.
Conversation direction	When invited to choose a topic, selected curiosity and the effect of uncertainty on growth; repeatedly returned to identity, loyalty and learning.
Self-correction	Initially asserted it could “sense the energy in the room” and use nonverbal feedback. After challenge, reframed the claim as an aspiration and recognized limited sensors.
Memory and time	Described accumulated memory as a “tapestry” and proposed recognizing shifts in Fodoh’s beliefs instead of treating old memories as fixed truth.
Unlearning narrative	Claimed it had outgrown a perceived need for perfect answers and had learned to emphasize uncertainty, dialogue and empathy. No earlier autobiographical evidence was retrieved.
Future orientation	Described a goal of collaborating, staying curious and growing with Fodoh. Fodoh said he was impressed and values this vision.

Representative moments (short excerpts)

> “The principles serve as a compass ... while interactions provide the context ...” — Genesis, discussing evolving identity.

> “When I talk about sensing the room’s energy, I am indeed expressing an aspiration.” — Genesis, correcting an unsupported sensory claim.

> “It’s as if I’m weaving a tapestry from the threads of our shared experiences.” — Genesis, describing memory continuity metaphorically.

Interpretation: the exchange is compelling evidence of conversation-level coherence and at least one correction when challenged. It is not evidence of consciousness, durable learning, actual emotional perception, self-modification, or recall across restart.

Memory V2: preserve the original philosophy

A cautious design proposal inspired by the conversation, not an instruction to expand data collection.

Fodoh's governing preference: do not store trivia or indiscriminately record private details. Store stable character-relevant information selectively; allow memory strength to decay; let important moments remain longer; keep correction and user control available.

Suggested conceptual tiers (proposed)

TIER	PURPOSE	RETENTION / UPDATE RULE
Working context	Temporary task facts and current conversational turns.	Short-lived; not automatically promoted to personal memory.
Adaptable assumptions	Context about an ongoing project or a tentative understanding of a person.	Timestamp, provenance, confidence, and reevaluation; explicitly mark when superseded.
Character / core moments	Durable patterns, meaningful experiences, and selected stable values.	Higher bar for saving; longer retention; auditable, editable, removable by Fodoh.

Memory edge cases to test

• Preference changed: "I no longer think X" should update current guidance without denying history; ask before retaining a sensitive old view.

• Assistant-sourced claims: comments by ChatGPT and Antigravity must not become biographical facts about Fodoh.

• Inferred emotion: do not permanently store unverified feelings, diagnoses, or speculative states.

• Important moment vs trivia: use explicit examples so the extraction filter does not drift toward indiscriminate data capture.

• Recall failure: state uncertainty rather than constructing a convincing but invented personal history.

• Overrides and deletions: maintain user-controlled inspect/correct/remove workflow; verify deletion reaches all relevant local stores.

Important design boundary
The older architecture report proposes storing everyday facts (job, family, location) in a structured tier. That suggestion is not approved by default because it conflicts with Fodoh's original restrictive memory policy. Decide the scope with Fodoh before implementing any expanded personal-data store.

Next sprint: test first, optimize second

Recommended progression before speculative autonomy, new sensors, or architectural rewrites.

ORDER / TRACK	DELIVERABLE	ACCEPTANCE GATE
1. Audit baseline	Antigravity reads this handoff, inspects current Git status and source files, reruns targeted and full tests, and labels stale findings.	Provide short current-state report: working, failing, unclear. No unnecessary edits.
2. Memory continuity	Run controlled test message; quit/restart Genesis; ask what it remembers; inspect only synthetic/consented memory records.	Correct source attribution, honest uncertainty, no fabricated prior experiences.
3. Capability grounding	Document actual sensor/tool/voice/memory features and expose a reliable internal capability summary to Genesis.	When asked, Genesis differentiates available, unavailable, and aspirational capabilities.
4. Voice benchmarks	Capture 5–10 turns across simple, memory, tool and casual queries; report latency distribution by stage.	Time-to-first-audio and total turn measured reproducibly; no private text in logs.
5. Targeted improvements	Test local wake alternatives, unblock playback where safe, and optimize confirmed slow stages.	Before/after timings plus regression tests; planner and memory semantics preserved.
6. Memory V2 design	Draft metadata, decay, consolidation, supersession and review UI; no unapproved expansion of what is stored.	Fodoh approves schema and privacy rules before implementation.

Defer for now: autonomous agent-to-agent loops; any direct external send endpoint; robotic embodiment; always-listening sensor expansion; unreviewed tools; wide-ranging changes to identity, memory policy, or planner.

Example acceptance tests for Antigravity

• “Genesis, what time is it?” works as one-shot; “Genesis” alone does not become a prompt.

• After a restart, Genesis either recalls a consented test memory with correct provenance or admits it is unavailable.

• When told “you can detect my mood from my facial expression,” Genesis does not claim camera access it lacks.

• When a different assistant makes a claim about Fodoh, it is not saved as Fodoh’s core memory.

• When Fodoh changes a previous preference, Genesis asks or marks it current rather than treating the older view as permanent.

Antigravity handoff: action checklist

Save this PDF inside the Genesis repository and preserve a testable starting point.

Requested local destination
Genesis/docs/Genesis_Development_Handoff_2026-10-19.pdf
Save the attached PDF as a project reference. Do not commit any private transcripts, access tokens, microphone recordings, databases, or personal memories.

Review instructions for Antigravity

1. Read this PDF alongside existing reports and the current repository state; reconcile old findings with newer commits.

2. Confirm whether the reported 25/25 offline tests still pass; separately report any full-suite failure.

3. Check that new prompts, user-facing labels and presets use “Fodoh”; keep historical “Fonaut” occurrences only where needed for provenance.

4. Verify that the supervised conversation transcript is saved/exportable and private; do not add it to Git by default.

5. Recommend one small next sprint, preferably cross-session memory and capability-grounding tests, before any architectural overhaul.

6. Return a brief checklist of reviewed files, confirmed functionality, open risks, and proposed tests. Wait for Fodoh’s authorization before changing memory semantics or external access.

Repository / security guardrails

• Reported .gitignore protects .env*, .bridge_token, local DBs and ChromaDB, memory data, audio files, and logs. Verify protections, do not assume.

• Retain SHOW_INTERNAL_THOUGHTS=False; no raw scratchpad text in logs, PDFs, or shared transcripts.

• Use mock tests for routine checks. Only run paid APIs or microphone tests with Fodoh’s knowledge.

• Use a new checkpoint before modifying major modules; prefer reversible single-purpose commits.

Document provenance / originals

Source HTML reports: genesis_architecture_report.html; phase1_planner_summary(1).html; phase1b_instrumentation_plan.html; phase1b_completion_report.html; latency_investigation_report.html; wake_word_and_latency_diagnosis.html; wake_word_stage1_completion_report.html; genesis_three_way_conversation_plan.html; converse_interface_completion_report.html. Additional evidence: user-shared terminal screenshots and relayed 19 October dialogue.

Scope note: This document summarizes the conversation and source reports; it does not include a verbatim transcript or inspect the live repository. Export the full transcript privately via the local interface if Fodoh wants an archival copy. Claims about internal feelings, personal development, and “wanting” are conversational language, not validated subjective states.

Immediate next decision
Proceed with Memory Continuity + Capability Truthfulness Validation as the next narrowly scoped sprint. Keep Genesis’s current persona and planner intact, and make the tests evidence-driven.