

Welcome to Slidew

Presentation slides for developers

Press Space for next page →



What is Slidev?

Slidev is a slides maker and presenter designed for developers, consist of the following features

-  **Text-based** - focus on the content with Markdown, and then style them later
-  **Themable** - themes can be shared and re-used as npm packages
-  **Developer Friendly** - code highlighting, live coding with autocompletion
-  **Interactive** - embed Vue components to enhance your expressions
-  **Recording** - built-in recording and camera view
-  **Portable** - export to PDF, PPTX, PNGs, or even a hostable SPA
-  **Hackable** - virtually anything that's possible on a webpage is possible in Slidev

Read more about [Why Slidev?](#)

Navigation

Hover on the bottom-left corner to see the navigation's controls panel, learn more

Keyboard Shortcuts

right / space	next animation or slide
left / shift space	previous animation or slide
up	previous slide
down	next slide

Here!

Table of contents

You can use the `Toc` component to generate a table of contents for your slides:

```
<Toc minDepth="1" maxDepth="1" />
```

The title will be inferred from your slide content, or you can override it with `title` and `level` in your frontmatter.

1. Welcome to Sliderv
2. What is Sliderv?
 1. Navigation
3. Table of contents
4. Code
 1. Shiki Magic Move
5. Components
6. Themes
7. Clicks Animations
8. Motions
9. ~~L~~A~~T~~E~~X~~
10. Diagrams
11. Draggable Elements
12. Imported Slides
13. Monaco Editor
14. Learn More

Code

Use code snippets and get the highlighting directly, and even types hover!

```
filename-example.ts

// TwoSlash enables TypeScript hover information
// and errors in markdown code blocks
// More at https://shiki.style/packages/twoslash
import { computed, ref } from 'vue'

const count = ref(0)
const doubled = computed(() => count.value * 2)

doubled.value = 2
Cannot assign to 'value' because it is a read-only property

// Inside ./snippets/external.ts
export function emptyArray<T>(length: number) {
  return Array.from<T>({ length })
}
```

Learn more



Shiki Magic Move

Powered by shiki-magic-move, Slidev supports animations across multiple code snippets.

Add multiple code blocks and wrap them with `````md magic-move` (four backticks) to enable the magic move. For example:

```
1 <!-- step 4 -->
2 <script setup>
3 const author = {
4   name: 'John Doe',
5   books: [
6     'Vue 2 - Advanced Guide',
7     'Vue 3 - Basic Guide',
8     'Vue 4 - The Mystery'
9   ]
10 }
11 </script>
```

Components

You can use Vue components directly inside your slides.

We have provided a few built-in components like

`<Tweet />`, `<BlueSky />`, and `<Youtube />` that you can use directly. And adding your custom components is also super easy.

```
<Tweet id="1390115482657726468" />
```

```
<Counter :count="10" />
```

-	10	+
---	----	---


Check out the [guides](#) for more.

Themes

Slidev comes with powerful theming support. Themes can provide styles, layouts, components, or even configurations for tools. Switching between themes by just **one edit** in your frontmatter:

```
---  
theme: default  
---
```

```
---  
theme: script  
---
```



Read more about [How to use a theme and check out the Awesome Themes Gallery.](#)

Clicks Animations

You can add `v-click` to elements to add a click animation.

This shows up when you press `space` or `right`, or click outside the slide on the right.

```
<div v-click>This shows up when you trigger a click animation.</div>
```

You can also add modifiers to change the animation:

<code>v-click.up</code> Slide from bottom	<code>v-click.fade-in</code> Fade in	<code>v-click.fade</code> Dim (0.5 opacity)	<code>v-click.fade.right.scale</code> Composed	<code>v-click.none</code> No transition
--	---	--	---	--

The `v-mark` directive also allows you to add inline marks, powered by Rough Notation:


```
<span v-mark.underline.orange>inline markers</span>
```

Learn more

Motions

Motion animations are powered by @vueuse/motion, triggered by `v-motion` directive.

```
<div
  v-motion
  :initial="{ x: -80 }"
  :enter="{ x: 0 }"
  :click-3="{ x: 80 }"
  :leave="{ x: 1000 }"
>
  Slidev
</div>
```



Slidev

Learn more

L^AT_EX

L^AT_EX is supported out-of-box. Powered by K^AT_EX.

Inline $\sqrt{3x-1}+(1+x)^2$

Block

$$\nabla\cdot\vec{E}=\frac{\rho}{\varepsilon_0}$$

$$\nabla\cdot\vec{B}=0$$





$$\nabla\times\vec{E}=-\frac{\partial\vec{B}}{\partial t}$$

$$\nabla\times\vec{B}=\mu_0\vec{J}+\mu_0\varepsilon_0\frac{\partial\vec{E}}{\partial t}$$

Learn more

Diagrams

You can create diagrams / graphs from textual descriptions, directly in your Markdown.



Learn more: [Mermaid Diagrams](#) and [PlantUML Diagrams](#)

Draggable Elements

Double-click on the draggable elements to edit their positions.

DIRECTIVE USAGE

```

```

COMPONENT USAGE

```
<v-drag text-3xl>
```


```
<div class="i-carbon:arrow-up" />
```

Use the `v-drag` component to have a draggable container!

```
</v-drag>
```

DRAGGABLE ARROW

```
<v-drag-arrow two-way />
```



Imported Slides

You can split your slides.md into multiple files and organize them as you want using the `src` attribute.

slides.md

```
# Page 1

Page 2 from main entry.

---

## src: ./subpage.md
```

subpage.md

```
# Page 2

Page 2 from another file.
```

Learn more

Monaco Editor

Sliddev provides built-in Monaco Editor support.

Add `{monaco}` to the code block to turn it into an editor:

```
import { ref } from 'vue'
import { emptyArray } from './external'

const arr = ref(emptyArray(10))
```

Use `{monaco-run}` to create an editor that can execute the code directly in the slide:

```
import { version } from 'vue'
import { emptyArray, sayHello } from './external'

sayHello()
console.log(`vue ${version}`)
console.log(emptyArray<number>(10).reduce(fib => [...fib, fib.at(-1)! + fib.at(-2)!], [1, 1]))

vue 3.5.43
[1, 1, 2, 3, 5, 8, 13, 21, 34, 55, 89, 144]
```

Learn More

Documentation · GitHub · Showcases

Powered by  slidev