

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by text input ▼ ☐ css

```

<!doctype html>
<html lang="en">
  <head>
    <title>BidBay - Search</title>
    <link rel='shortcut icon' type='image/x-icon'
href='http://localhost:8000/images/icon.png' />
    <!-- Required meta tags -->
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no">

    <!-- CSRF Token -->
    <meta name="csrf-token"
content="9T0TDLkF5zuKT4vj2Gv9lxtt4m1AAI17BWBpLK50">

```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```

1.  ↵
2.  <!doctype html>↵
3.  <html lang="en">↵
4.    <head>↵
5.      <title>BidBay - Search</title>↵
6.      <link rel='shortcut icon' type='image/x-icon'
href='http://localhost:8000/images/icon.png' />↵
7.      <!-- Required meta tags -->↵
8.      <meta charset="utf-8">↵
9.      <meta name="viewport" content="width=device-width, initial-
scale=1, shrink-to-fit=no">↵
10. ↵
11.      <!-- CSRF Token -->↵
12.      <meta name="csrf-token"
content="9T0TDLkF5zuKT4vj2Gv9lxtt4m1AAI17BWBpLK50">↵
13. ↵
14.      <!-- Bootstrap -->↵
15. <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min

```

```

.CSS"↵
16. integrity="sha384-
Gn5384xqQ1aowXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
crossorigin="anonymous">↵
17. ↵
18. <script src="https://code.jquery.com/jquery-3.3.1.min.js"↵
19. integrity="sha256-
FgpCb/KJQlLLNfOu91ta32o/NMZxltwRo8QtmkMRdAu8="↵
20. crossorigin="anonymous"></script>↵
21. <script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popper
.min.js"↵
22. integrity="sha384-
ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
crossorigin="anonymous"↵
23. defer></script>↵
24. <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.j
s"↵
25. integrity="sha384-
JZR6Spejh4U02d8j0t6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmYl"
crossorigin="anonymous"↵
26. defer></script>↵
27. <!-- awesome fonts -->↵
28. <link href="https://use.fontawesome.com/releases/v5.0.6/css/all.css"
rel="stylesheet">↵
29. <!-- bootswatch flatly theme -->↵
30. <link href="https://bootswatch.com/4/flatly/bootstrap.min.css"
rel="stylesheet">↵
31. <!-- links -->↵
32. <script
src="http://localhost:8000/js/common.js" async></script>↵
33. <script src="http://localhost:8000/js/polling.js" defer>
</script>↵
34. <script src="http://localhost:8000/js/header.js" defer>
</script>↵
35. <link rel="stylesheet"
href="http://localhost:8000/css/header.css">↵
36. <link rel="stylesheet"
href="http://localhost:8000/css/footer.css">↵
37. ↵
38. <script src="http://localhost:8000/js/search.js" defer></script>↵
39. <link rel="stylesheet"
href="http://localhost:8000/css/advanced_search.css">↵
40. </head>↵
41. <body class="website-body">↵
42. ↵
43. <!-- header -->↵
44. <nav class="navbar navbar-light bg-light sticky-top navbar-expand-sm
justify-content-around" id="header">↵
45. <nav aria-label="breadcrumb" hidden>↵
46. <ol class="breadcrumb">↵
47. <li class="breadcrumb-item"><a
href="http://localhost:8000/landing">Home</a></li>↵
48. <li class="breadcrumb-item"><a
href="http://localhost:8000/about">About</a></li>↵
49. <li class="breadcrumb-item"><a
href="http://localhost:8000/faq">FAQ's</a></li>↵
50. <li class="breadcrumb-item"><a
href="http://localhost:8000/search">Search</a></li>↵
51. <li class="breadcrumb-item"><a
href="http://localhost:8000/profile/9">Profile</a></li>↵
52. <li class="breadcrumb-item"><a
href="http://localhost:8000/messages">Messages</a></li>↵
53. </ol>↵
54. </nav>↵
55. <!-- logo -->↵
56. <a id="logo-link" href="http://localhost:8000/landing_page"
class="navbar-brand">↵
57. ↵
58. </a>↵
59. <!-- search bar -->↵
60. <form action="http://localhost:8000/search" enctype="application/x-
www-form-urlencoded" method="get" class="px-2" id="search-bar">↵

```

```

61.         <fieldset>↵
62.             <legend hidden>Search</legend>↵
63.             <div class="d-flex">↵
64.                 <label for="search-input" hidden>Search:</label>↵
65.                 <input class="form-control rounded-1" name="search-
input" type="search" placeholder="Search" aria-label="Search" value=""
id="search-input">↵
66.                 <label for="search-categories" hidden>Search
Categories:</label>↵
67.                 <select class="form-control rounded-1 col-2"
name="category" id="search-categories">↵
68.                     <option value="ALL" > All Categories</option>↵
69.                     <option value="1"
>Car</option>↵
70.                     <option value="2"
>Laptop</option>↵
71.                     <option value="3"
>Smartphone</option>↵
72.                     <option value="4"
>Headphones</option>↵
73.                     <option value="5"
>Motorcycle</option>↵
74.                     <option value="6"
>Computer</option>↵
75.                     <option value="7"
>Monitor</option>↵
76.                     <option value="8"
>Television</option>↵
77.                 </select>↵
78.                 <button class="btn btn-dark rounded-1 " type="submit"
title="Search"><i class="fas fa-search"></i></button>↵
79.             </div>↵
80.         </fieldset>↵
81.     </form>↵
82.     <a class="fa-stack fa-3x" id="mail-icon" href="/messages">↵
83.         <i class="far fa-envelope fa-stack-2x"></i>↵
84.         <strong id="num-messages" class="fa-stack-1x calendar-text got-
messages mail-icon-number">↵
85.             0↵
86.         </strong>↵
87.         <input type="hidden" id="header-user-id" value="9">↵
88.     </a>↵
89.     <div class="dropdown" id="authentication">↵
90.         <a href="#" class="dropdown-toggle nav-link" data-
toggle="dropdown" role="button" aria-expanded="false" aria-
haspopup="true">↵
91.             guest <span class="caret"></span>↵
92.         </a>↵
93.         <div class="dropdown-menu dropdown-menu-right" id="header-
dropdown"↵
94.             role="menu">↵
95.                 <a class="dropdown-item"
href="http://localhost:8000/auctions/create">New Auction</a>↵
96.                 <a class="dropdown-item"
href="http://localhost:8000/profile/9">Profile</a>↵
97.                 <a class="dropdown-item" href="/messages">Messages</a>↵
98.                 <a class="dropdown-item"
href="http://localhost:8000/logout"↵
99.                     onclick="event.preventDefault();
document.getElementById('logout-form').submit();">↵
100.                     Logout↵
101.                 </a>↵
102.         ↵
103.         <form id="logout-form"
action="http://localhost:8000/logout" method="POST" style="display:
none;">↵
104.             <input type="hidden" name=" token"
value="9T0TDLkF5zuKT4vj2Gv9lxtt4m1AAI17BWBpLK50">↵
105.             <fieldset>↵
106.                 <legend hidden>Logout</legend>↵
107.             </fieldset>↵
108.         </form>↵
109.     </div>↵
110. </div>↵
111. </nav>↵

```

```

112.     <div class="d-flex" id="page-body-section">↵
113.         ↵
114.     <form id="sidebar" class="sidebar-nav ">↵
115.         <fieldset>↵
116.             <legend>Search</legend>↵
117.         ↵
118.             <div class="price">↵
119.                 <h5> Price (EUR) </h5>↵
120.                 <div class="price">↵
121.                     <input id="min-price" type="number" min="0"
placeholder="Min" name="min-price">↵
122.                     <input type="number" min="0" placeholder="Max"
name="max-price">↵
123.                 </div>↵
124.             </div>↵
125.         ↵
126.             <div class="location">↵
127.                 <h5> Item Location </h5>↵
128.                 <label for="country">Country:</label>↵
129.                 <select class="form-control" id="country"
name="country">↵
130.                     <option value="ANY" selected> All Countries
</option>↵
131.                     <option
value="3">Brazil</option>↵
132.                     <option
value="14">Canada</option>↵
133.                     <option
value="10">China</option>↵
134.                     <option
value="11">Finland</option>↵
135.                     <option
value="7">France</option>↵
136.                     <option
value="6">Germany</option>↵
137.                     <option
value="12">Japan</option>↵
138.                     <option
value="9">Mali</option>↵
139.                     <option
value="1">Portugal</option>↵
140.                     <option
value="8">Russia</option>↵
141.                     <option value="13">Russian
Federation</option>↵
142.                     <option
value="5">Syria</option>↵
143.                     <option value="4">United
Arab Emirates</option>↵
144.                     <option value="2">United
States</option>↵
145.                 </select>↵
146.             </div>↵
147.         </fieldset>↵
148.     </form>↵
149. ↵
150. ↵
151.     <div id="main">↵
152.         <ul id="search-auctions-container">↵
153.             <li class="auction-item">↵
154.                 <a href="http://localhost:8000/auctions/3" class="d-flex">↵
155.                     <div>↵
156.                         ↵
157.                     </div>↵
158.                     <div class="auction-text">↵
159.                         <h4> Samsung S8 </h4>↵
160.                         <p class="d-flex justify-content-between">↵
161.                             <span>↵
162.                                 <b>EUR 1.2,</b>↵
163.                                 <span class="text-muted">2 Bids </span>↵
164.                             </span>↵
165.                             <span class="text-muted"> 1 month left </span>↵
166.                         </p>↵

```

```

167.         <p></p>↵
168.     </div>↵
169. </a>↵
170. </li>         <li class="auction-item">↵
171.     <a href="http://localhost:8000/auctions/17" class="d-flex">↵
172.         <div>↵
173.             ↵
174.         </div>↵
175.         <div class="auction-text">↵
176.             <h4> sd </h4>↵
177.             <p class="d-flex justify-content-between">↵
178.                 <span>↵
179.                     <b>EUR 4,</b>↵
180.                     <span class="text-muted">0 Bids </span>↵
181.                 </span>↵
182.                 <span class="text-muted"> 15 hours left </span>↵
183.             </p>↵
184.             <p>SAF</p>↵
185.         </div>↵
186.     </a>↵
187. </li>         <li class="auction-item">↵
188.     <a href="http://localhost:8000/auctions/1" class="d-flex">↵
189.         <div>↵
190.             ↵
191.         </div>↵
192.         <div class="auction-text">↵
193.             <h4> Orange Volkswagen Polo </h4>↵
194.             <p class="d-flex justify-content-between">↵
195.                 <span>↵
196.                     <b>EUR 124,</b>↵
197.                     <span class="text-muted">2 Bids </span>↵
198.                 </span>↵
199.                 <span class="text-muted"> 1 day left </span>↵
200.             </p>↵
201.             <p>The Volkswagen Polo is a car produced by the German
manufacturer Volkswagen since 1975. It is sold in Europe and other
markets worldwide in hatchback, ...</p>↵
202.         </div>↵
203.     </a>↵
204. </li>         <li class="auction-item">↵
205.     <a href="http://localhost:8000/auctions/18" class="d-flex">↵
206.         <div>↵
207.             ↵
208.         </div>↵
209.         <div class="auction-text">↵
210.             <h4> Laptop </h4>↵
211.             <p class="d-flex justify-content-between">↵
212.                 <span>↵
213.                     <b>EUR 133,</b>↵
214.                     <span class="text-muted">0 Bids </span>↵
215.                 </span>↵
216.                 <span class="text-muted"> 14 hours left </span>↵
217.             </p>↵
218.             <p>White</p>↵
219.         </div>↵
220.     </a>↵
221. </li>         <li class="auction-item">↵
222.     <a href="http://localhost:8000/auctions/20" class="d-flex">↵
223.         <div>↵
224.             ↵
225.         </div>↵
226.         <div class="auction-text">↵
227.             <h4> Gfasds </h4>↵
228.             <p class="d-flex justify-content-between">↵
229.                 <span>↵
230.                     <b>EUR 21,</b>↵
231.                     <span class="text-muted">0 Bids </span>↵

```

```
232.         </span><br>
233.         <span class="text-muted"> 14 hours left </span><br>
234.     </p><br>
235.     <p>IMAX 3D</p><br>
236. </div><br>
237. </a><br>
238. </li>         </ul><br>
239. <br>
240.         <div id="load-more-div"><br>
241.             <button id="load-more" type="button" class="btn btn-
outline-primary">Load More</button><br>
242.             <p id="no-more-auctions" class="text-danger">No more
auctions found. </p><br>
243.         </div><br>
244.     </div><br>
245. <br>
246. <br>
247.         </div><br>
248. <br>
249.         <!-- footer --><br>
250. <nav class="navbar navbar-light bg-dark d-flex justify-content-between
py-0" id="footer"><br>
251.     <ul class="nav d-flex justify-content-center"><br>
252.         <li class="nav-item active"><br>
253.             <a class="nav-link text-white"
href="http://localhost:8000/landing_page">Home </a><br>
254.         </li><br>
255.         <li class="nav-item"><br>
256.             <a class="nav-link text-white"
href="http://localhost:8000/about">About</a><br>
257.         </li><br>
258.         <li class="nav-item"><br>
259.             <a class="nav-link text-white"
href="http://localhost:8000/faq">FAQs</a><br>
260.         </li><br>
261.     </ul><br>
262.     <ul class="nav navbar-nav ml-auto justify-content-end mr-3 d-none
d-sm-block d-xs-block" id="authentication-nav"><br>
263.         <li class="nav-item"><br>
264.             <span class="align-middle text-white">Website created by
group 64 for LBAW</span><br>
265.         </li><br>
266.     </ul><br>
267. </nav>         </body><br>
268. <br>
269. </html>
```

Used the HTML parser.

Total execution time 25 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 18.5.21