

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by text input ▼ ☐ CSS

```

<!doctype html>
<html lang="en">
  <head>
    <title>BidBay - Samsung S8</title>
    <link rel='shortcut icon' type='image/x-icon'
href='http://localhost:8000/images/icon.png' />
    <!-- Required meta tags -->
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no">

    <!-- CSRF Token -->
    <meta name="csrf-token"
content="9T0TDLkF5zuKT4vj2Gv9lxtt4m1AAI17WBpLK50">

```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Warning

The date input type is not supported in all browsers. Please be sure to test, and consider using a polyfill.

[From line 300, column 37; to line 300, column 115](#)

```

      <input type="date" class="form-control mb-2" name="duration"
id="ban_duration">↵

```

Document checking completed.

Source

```

1. ↵
2. <!doctype html>↵
3. <html lang="en">↵
4.   <head>↵
5.     <title>BidBay - Samsung S8</title>↵
6.     <link rel='shortcut icon' type='image/x-icon'
href='http://localhost:8000/images/icon.png' />↵
7.     <!-- Required meta tags -->↵

```

```
8.      <meta charset="utf-8">↵
9.      <meta name="viewport" content="width=device-width, initial-
scale=1, shrink-to-fit=no">↵
10. ↵
11.      <!-- CSRF Token -->↵
12.      <meta name="csrf-token"
content="9T0TDLkF5zuKT4vj2Gv9lxtt4m1AAI17BWBpLK50">↵
13. ↵
14.      <!-- Bootstrap -->↵
15. <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.
css"↵
16.      integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
crossorigin="anonymous">↵
17. ↵
18. <script src="https://code.jquery.com/jquery-3.3.1.min.js"↵
19.      integrity="sha256-
FgpCb/KJQlLNfOu91ta32o/NMZxlthwRo8QtmkMRdAu8="↵
20.      crossorigin="anonymous"></script>↵
21. <script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popper.
min.js"↵
22.      integrity="sha384-
ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
crossorigin="anonymous"↵
23.      defer></script>↵
24. <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js
"↵
25.      integrity="sha384-
JZR6Spejh4U02d8j0t6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmYl"
crossorigin="anonymous"↵
26.      defer></script>↵
27. <!-- awesome fonts -->↵
28. <link href="https://use.fontawesome.com/releases/v5.0.6/css/all.css"
rel="stylesheet">↵
29. <!-- bootswatch flatly theme -->↵
30. <link href="https://bootswatch.com/4/flatly/bootstrap.min.css"
rel="stylesheet">↵
31.      <!-- links -->↵
32.      <script src="http://localhost:8000/js/common.js"
async></script>↵
33.      <script src="http://localhost:8000/js/polling.js" defer>
</script>↵
34.      <script src="http://localhost:8000/js/header.js" defer>
</script>↵
35.      <link rel="stylesheet"
href="http://localhost:8000/css/header.css">↵
36.      <link rel="stylesheet"
href="http://localhost:8000/css/footer.css">↵
37. ↵
38.      <link rel="stylesheet"
href="http://localhost:8000/css/auction.css">↵
39.      <link rel="stylesheet"
href="http://localhost:8000/css/carousel.css">↵
40.      <script src="http://localhost:8000/js/auction.js" defer></script>↵
41.    </head>↵
42.    <body class="website-body">↵
43. ↵
44.      <!-- header -->↵
45. <nav class="navbar navbar-light bg-light sticky-top navbar-expand-sm
justify-content-around" id="header">↵
46.   <nav aria-label="breadcrumb" hidden>↵
47.     <ol class="breadcrumb">↵
48.       <li class="breadcrumb-item"><a
href="http://localhost:8000/landing">Home</a></li>↵
49.       <li class="breadcrumb-item"><a
href="http://localhost:8000/about">About</a></li>↵
50.       <li class="breadcrumb-item"><a
href="http://localhost:8000/faq">FAQ's</a></li>↵
51.       <li class="breadcrumb-item"><a
href="http://localhost:8000/search">Search</a></li>↵
52.     </ol>↵
53.   </nav>↵
54.   <!-- logo -->↵
```

```

55.     <a id="logo-link" href="http://localhost:8000/landing_page"
class="navbar-brand">↵
56.         ↵
57.     </a>↵
58.     <!-- search bar -->↵
59.     <form action="http://localhost:8000/search" enctype="application/x-
www-form-urlencoded" method="get" class="px-2" id="search-bar">↵
60.         <fieldset>↵
61.             <legend hidden>Search</legend>↵
62.             <div class="d-flex">↵
63.                 <label for="search-input" hidden>Search:</label>↵
64.                 <input class="form-control rounded-1" name="search-
input" type="search" placeholder="Search" aria-label="Search" value=""
id="search-input">↵
65.                 <label for="search-categories" hidden>Search Categories:
</label>↵
66.                 <select class="form-control rounded-1 col-2"
name="category" id="search-categories">↵
67.                     <option value="ALL" selected > All
Categories</option>↵
68.                     <option value="1"
>Car</option>↵
69.                     <option value="2"
>Laptop</option>↵
70.                     <option value="3"
>Smartphone</option>↵
71.                     <option value="4"
>Headphones</option>↵
72.                     <option value="5"
>Motorcycle</option>↵
73.                     <option value="6"
>Computer</option>↵
74.                     <option value="7"
>Monitor</option>↵
75.                     <option value="8"
>Television</option>↵
76.                 </select>↵
77.                 <button class="btn btn-dark rounded-1 " type="submit"
title="Search"><i class="fas fa-search"></i></button>↵
78.             </div>↵
79.         </fieldset>↵
80.     </form>↵
81.     ↵
82.     <!-- mobile authentication button -->↵
83.     <button class="navbar-toggler" type="button" data-toggle="collapse"
data-target="#authentication">↵
84.         <span class="navbar-toggler-icon"></span>↵
85.     </button>↵
86.     <!-- authentication links -->↵
87.     <div class="navbar-collapse collapse justify-content-end"
id="authentication">↵
88.         <ul class="nav navbar-nav">↵
89.             <li class="nav-item">↵
90.                 <a class="nav-link text-right"
href=" ../login">Login</a>↵
91.             </li>↵
92.             <li class="nav-item">↵
93.                 <a class="nav-link text-right"
href=" ../register">Register</a>↵
94.             </li>↵
95.         </ul>↵
96.     </div>↵
97. </nav>↵
98.     <div class="container mb-5 " id="page-body-section">↵
99.         <div class="row mt-5">↵
100.     ↵
101.     ↵
102.         <div class="col-md-9">↵
103.             <div class="row">↵
104.                 </div>↵
105.                 <div class="row">↵
106.                     <div class="col-md-12 text-align-center mobile-text-
center">↵
107.     ↵
108.         <!-- auctions carousel -->↵

```

```
109. <div id="carouselAuctions" class="carousel slide mt-4 mx-auto" data-  
ride="carousel">↵  
110.     <div class="carousel-inner">↵  
111.         <div class="carousel-item active">↵  
112.             ↵  
113.             </div>↵  
114.         </div>↵  
115.     </div>↵     <span class="display-4 title">Samsung  
S8</span>↵  
116.         <span class="badge badge-  
primary">smartphone</span>↵  
117.         <span class="badge badge-info">Used</span>↵  
118.         </div>↵  
119.     </div><!-- end row -->↵  
120. </div>↵  
121. ↵  
122.     ↵  
123.     <div class="col-md-3 ">↵  
124.         <div class="card text-align-center mobile-text-center"  
style="width: 20rem;">↵  
125.             ↵  
127.             ↵  
128.             ↵  
129.                 <div class="card-block mb-3">↵  
130.                     <h4 class="card-title"><a  
href="http://localhost:8000/profile/2">Mads9</a></h4>↵  
131.                         <span class="fas fa-star"  
aria-hidden="true"></span>↵  
132.                             <span  
class="fas fa-star" aria-hidden="true"></span>↵  
133.                             <span  
class="far fa-star" aria-hidden="true"></span>↵  
134.                             <span  
class="far fa-star" aria-hidden="true"></span>↵  
135.                             <span  
class="far fa-star" aria-hidden="true"></span>↵  
136.                             <span class="badge badge-  
success">40</span>↵  
137.                             <p class="card-text">Mick.Byrnes5@telfort.cc</p>↵  
138.                             ↵  
139.                         </div>↵  
140.                     </div>↵  
141.                 </div>↵  
142.             </div>↵  
143.             ↵  
144.             <nav class="navbar navbar-toggleable-md navbar-light bg-faded">↵  
145.                 <ul class="nav nav-tabs" role="tablist">↵  
146.                     <li class="nav-item">↵  
147.                         <a class="nav-link active" id="details-tab" data-  
toggle="tab" href="#details" role="tab" ↵  
148.                         aria-controls="details" aria-selected="true">Bid  
Details</a>↵  
149.                     </li>↵  
150.                     <li class="nav-item">↵  
151.                         <a class="nav-link" id="shippingAndPayment-tab" data-  
toggle="tab" href="#shippingAndPayment" role="tab" ↵  
152.                         aria-controls="shippingAndPayment" aria-  
selected="true">Shipping and Payment</a>↵  
153.                     </li>↵  
154.                     <li class="nav-item">↵  
155.                         <a class="nav-link" id="qa-tab" data-toggle="tab"  
href="#qa" role="tab" aria-controls="qa" ↵  
156.                         aria-selected="true">Q&A</a>↵  
157.                     </li>↵  
158.                     <li class="nav-item">↵  
159.                         <a class="nav-link" id="review-tab" data-toggle="tab"  
href="#reviews" role="tab" aria-controls="reviews" ↵  
160.                         aria-selected="true">Auctioneer Reviews</a>↵  
161.                     </li>↵  
162.                 </ul>↵  
163.             </nav>↵  
164.             ↵
```

```

165.     <!-- Tab panes -->
166.     <div class="tab-content" id="myTabContent">
167.         <div class="tab-pane fade show active" id="details"
168.             role="tabpanel" aria-labelledby="details-tab">
169.             <dl class="row">
170.                 <dt class="col-sm-2 text-align-
171.                     center mobile-text-center">Current Bid</dt>
172.                 <dd class="col-sm-
173.                     10" id="current-auction-price">1.2€ </dd>
174.                 <dt class="col-sm-2 text-align-center mobile-text-
175.                     center">Time Left</dt>
176.                 <dd class="col-sm-10"
177.                     id="current-auction-time">Ending in 1 month</dd>
178.                 <dt class="col-sm-2 text-align-center mobile-text-
179.                     center">Description</dt>
180.                 <dd class="col-sm-10"></dd>
181.             </dl>
182.             <div class="tab-pane fade" id="shippingAndPayment"
183.                 role="tabpanel" aria-labelledby="shippingAndPayment-tab">
184.                 <dl class="row">
185.                     <dt class="col-sm-2 text-align-center mobile-text-
186.                         center">Shipping Cost</dt>
187.                     <dd class="col-sm-10">269.93€</dd>
188.                     <dt class="col-sm-2 text-align-center mobile-text-
189.                         center">Item location</dt>
190.                     <dd class="col-sm-10">Porto</dd>
191.                     <dt class="col-sm-2 text-align-center mobile-text-
192.                         center">Payments</dt>
193.                     <dd class="col-sm-10">PayPal</dd>
194.                 </dl>
195.             <div class="tab-pane fade" id="qa" role="tabpanel" aria-
196.                 labelledby="qa-tab">
197.                 <dl class="row">
198.                     <dt
199.                         class="col-sm-8 mobile-text-
200.                         center">bEfgYqkriLX0aypAYrkaWAPxgAaEcWM0Nfga5u5jPWj?</dt>
201.                     <dd class="col-sm-
202.                         8">J23duGx40axM7tpzQyDVwdgfwRpKHSqafibQKITo0Tjkr5yyNRCrWxRB2oCWVw7Wz</dd>
203.                 </dl>
204.             </div>
205.             <div class="tab-pane fade" id="reviews" role="tabpanel">
206.                 <div class="review-block">
207.                     <div
208.                         class="row">
209.                             <div class="col-sm-2 text-align-center
210.                                 mobile-text-center">
211.                                 

```

```

216. <span class="far fa-star" aria-hidden="true"></span>↵
217. </div>↵
218. <div class="review-block">Description
number 3028653</div>↵
219. </div>↵
220. </div>↵
221. </div>↵
222. </div>↵
223. <div class="modal fade" id="cancelModal" tabindex="-1"
role="dialog" ↵
224.   aria-labelledby="cancelModalLabel" aria-hidden="true">↵
225.   <div class="modal-dialog" role="document">↵
226.     <div class="modal-content">↵
227.       <div class="modal-header">↵
228.         <h5 class="modal-title"
id="cancelModalLabel">Remove Content </h5>↵
229.         <button type="button" class="close" data-
dismiss="modal" aria-label="Close">↵
230.           <span aria-hidden="true">&times;</span>↵
231.         </button>↵
232.       </div>↵
233.       <div class="modal-body">↵
234.         <form>↵
235.           <fieldset>↵
236.             <legend hidden>Motive</legend>↵
237.             <div class="form-group">↵
238.               <div>↵
239.                 <h5 style="color:brown">
Motive</h5>↵
240.                 <div class="radio">↵
241.                   <label><input type="radio">↵
242.                     name="behaviour"> Abusive behaviour </label>↵
243.                   </div>↵
244.                   <div class="radio">↵
245.                     <label><input type="radio"
name="content"> Spam </label>↵
246.                   </div>↵
247.                 </div>↵
248.               </div>↵
249.               <div class="form-group">↵
250.                 <label for="message-text-remove"
class="col-form-label">Message:</label>↵
251.                 <textarea class="form-control"
id="message-text-remove"></textarea>↵
252.               </div>↵
253.               <label for="admin-pass" class="col-form-
label">Password:</label>↵
254.               <input type="password" class="form-
control" id="admin-pass">↵
255.             </fieldset>↵
256.           </form>↵
257.         </div>↵
258.         <div class="modal-footer">↵
259.           <button type="button" class="btn btn-
secondary">↵
260.             data-dismiss="modal">Close↵
261.           </button>↵
262.           <button type="button" class="btn btn-danger
report">Remove</button>↵
263.         </div>↵
264.       </div>↵
265.     </div>↵
266.   </div>↵
267.   <div class="modal fade" id="banModal" tabindex="-1"
role="dialog" ↵
268.     aria-labelledby="banModal" aria-hidden="true">↵
269.     <div class="modal-dialog" role="document">↵
270.       <div class="modal-content">↵
271.         <div class="modal-header">↵
272.           <h5 class="modal-title" id="banModalLabel">Ban
Account </h5>↵

```



```

273.         <button type="button" class="close" data-
dismiss="modal" aria-label="Close"><
274.             <span aria-hidden="true">&times;</span><
275.         </button><
276.     </div><
277.     <div class="modal-body"><
278.         <form><
279.             <fieldset><
280.                 <legend hidden>Motive</legend><
281.                 <div class="form-group"><
282.                     <div><
283.                         <h5 style="color:brown">
Motive</h5><
284.                             <div class="radio"><
285.                                 <label><input type="radio"
286. name="behaviour">Abusive behaviour</label><
287.                                     </div><
288.                                     <div class="radio"><
289.                                         <label><input type="radio"
name="content">Spam</label><
290.                                             </div><
291.                                             <div class="radio"><
292.                                                 <label><input type="radio"
name="content">Troll</label><
293.                                                     </div><
294.                                                 </div><
295.                                             </div><
296.                                     <div class="form-group"><
297.                                         <label for="ban_duration"
298. class="col-form-label">Ban Duration:</label><
299.                                             <span><
300.                                                 <input type="date" class="form-
control mb-2" name="duration" id="ban_duration"><
301.                                                     </span><
302.                                     <span class="radio"><
303.                                         <label><input type="radio"
304. name="duration">Permanent</label><
305.                                             </span><
306.                                     </div><
307.                                     <div class="form-group"><
308.                                         <label for="message-text_ban"
309. class="col-form-label">Message:</label><
310.                                             <textarea class="form-control"
id="message-text_ban"></textarea><
311.                                                 </div><
312.                                                 <label for="admin-pass_ban" class="col-
form-label">Password:</label><
313.                                                     <input type="password" class="form-
control" id="admin-pass_ban"><
314.                                                         </fieldset><
315.                                                         </form><
316.                                                         </div><
317.                                                         <div class="modal-footer"><
318.                                                             <button type="button" class="btn btn-danger
report">Ban Account</button><
319.                                                                 <button type="button" class="btn btn-
secondary"
data-dismiss="modal">Close<
320.                                                                     </button><
321.                                                                 </div><
322.                                                         </div><
323.                                                         </div><
324.                                                         </div><
325.                                                         </div><
326.                                                         <div class="alert alert-danger" role="alert"><
327.                                                             <strong>Hey you! </strong> Sign up in our website to be
328. able to bid. <i class="fas fa-exclamation"></i><
329.                                                                 </div><
330.                                                                 </div><
331.                                                         <script><
332.                                                             $( "#sub" ).click(function(e){<
333.

```

```

334.         e.preventDefault();↵
335.         var $form = $("#userForm");↵
336.         console.log ("NAO GOSTO DISTO " );↵
337.         if (document.getElementById("1").checked) {↵
338.             var rate_value = document.getElementById("1").value;↵
339.         } else if (document.getElementById("2").checked){↵
340.             var rate_value = document.getElementById("2").value;↵
341.         } else if (document.getElementById("3").checked) {↵
342.             var rate_value = document.getElementById("3").value;↵
343.         } else if (document.getElementById("4").checked){↵
344.             var rate_value = $("#reason").val();↵
345.         }↵
346.         var message = $("#message").val();↵
347.         var url = window.location.href;↵
348.         var auctionID=url.split("/").pop();↵
349.         var userId = $("#reporter").val();↵
350.         $.ajax({↵
351.             type: $form.attr('method'),↵
352.             url: $form.attr('action'),↵
353.             data: {msg: message, sub:rate_value, user_id: userId,
auction_id: auctionID, is user: false, },↵
354.             success: function (data) {↵
355.                 if(data.error){↵
356.                     return;↵
357.                 }↵
358.                 alert(data.success); // THis is success message↵
359.                 $('#exampleModal').modal('hide'); // Your modal
Id↵
360.                 window.location.reload(true);↵
361.             },↵
362.             error: function () {↵
363.                 ↵
364.             });↵
365.         });↵
366.     </script>↵
367. ↵
368. ↵
369. ↵
370.     <script>↵
371.         $("#report").click(function(e){↵
372.             e.preventDefault();↵
373.             var $form = $("#userReport");↵
374.             if (document.getElementById("5").checked) {↵
375.                 var value = document.getElementById("5").value;↵
376.             } else if (document.getElementById("6").checked){↵
377.                 var value = document.getElementById("6").value;↵
378.             } else if (document.getElementById("7").checked) {↵
379.                 var value = document.getElementById("7").value;↵
380.             } else if (document.getElementById("8").checked){↵
381.                 var value = $("#reason1").val();↵
382.             }↵
383.             var message = $("#message-text").val();↵
384.             var url = window.location.href;↵
385.             var reportedUser = 5;
//MUDAR ISTO↵
386.             var userId = $("#reporter").val();↵
387.             $.ajax({↵
388.                 type: $form.attr('method'),↵
389.                 url: $form.attr('action'),↵
390.                 data: {msg: message, sub:value, user_id: userId,
reported_user: reportedUser, is user: true, },↵
391.                 success: function (data) {↵
392.                     if(data.error){↵
393.                         return;↵
394.                     }↵
395.                     alert(data.success); // THis is success message↵
396.                     $('#exampleModal').modal('hide'); // Your modal
Id↵
397.                     window.location.reload(true);↵
398.                 },↵
399.                 error: function (result) {↵
400.                     ↵
401.                 });↵
402.             });↵
403.     </script>↵
404. ↵

```



```
405.         </div>↵
406. ↵
407.         <!-- footer -->↵
408. <nav class="navbar navbar-light bg-dark d-flex justify-content-between
py-0" id="footer">↵
409.     <ul class="nav d-flex justify-content-center">↵
410.         <li class="nav-item active">↵
411.             <a class="nav-link text-white"
href="http://localhost:8000/landing_page">Home </a>↵
412.         </li>↵
413.         <li class="nav-item">↵
414.             <a class="nav-link text-white"
href="http://localhost:8000/about">About</a>↵
415.         </li>↵
416.         <li class="nav-item">↵
417.             <a class="nav-link text-white"
href="http://localhost:8000/faq">FAQs</a>↵
418.         </li>↵
419.     </ul>↵
420.     <ul class="nav navbar-nav ml-auto justify-content-end mr-3 d-none d-
sm-block d-xs-block" id="authentication-nav">↵
421.         <li class="nav-item">↵
422.             <span class="align-middle text-white">Website created by
group 64 for LBAW</span>↵
423.         </li>↵
424.     </ul>↵
425. </nav>     </body>↵
426. ↵
427. </html>
```

Used the HTML parser.

Total execution time 151 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 18.5.21