

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by text input ▼ ☐ CSS

```

<!doctype html>
<html lang="en">
  <head>
    <title>BidBay - </title>
    <link rel='shortcut icon' type='image/x-icon'
href='http://localhost:8000/images/icon.png' />
    <!-- Required meta tags -->
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no">

    <!-- CSRF Token -->
    <meta name="csrf-token"
content="jLLXukcmWAF7UehXkFRBq3W0q4fS4pIUuxlDZ96">

```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Error** Attribute `route` not allowed on element `form` at this point.

[From line 165, column 33; to line 165, column 122](#)

```
<form route="http://localhost:8000/messages" method="POST"
id="userForm" class="userForm">
```

Attributes for element `form`:

[Global attributes](#)

[accept-charset](#) - Character encodings to use for [§4.10.21 Form submission](#)

[action](#) - [URL](#) to use for [§4.10.21 Form submission](#)

[autocomplete](#) - Default setting for autofill feature for controls in the form

[enctype](#) - Form data set encoding type to use for [§4.10.21 Form submission](#)

[method](#) - HTTP method to use for [§4.10.21 Form submission](#)

[name](#) - Name of form to use in the [document.forms](#) API

[novalidate](#) - Bypass form control validation for [§4.10.21 Form submission](#)

[target](#) - [browsing context](#) for [§4.10.21 Form submission](#)

Document checking completed.

Source

```

1.  <
2.  <!doctype html><
3.  <html lang="en"><
4.      <head><
5.          <title>BidBay - </title><
6.          <link rel='shortcut icon' type='image/x-icon'
href='http://localhost:8000/images/icon.png' /><
7.          <!-- Required meta tags --><
8.          <meta charset="utf-8"><
9.          <meta name="viewport" content="width=device-width, initial-
scale=1, shrink-to-fit=no"><
10. <
11.          <!-- CSRF Token --><
12.          <meta name="csrf-token"
content="jllLXukcmWaf7UehXkFRBq3W0q4fS4pIUuxlDZ96"><
13. <
14.          <!-- Bootstrap --><
15. <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.
css"><
16.          integrity="sha384-
Gn5384xqQ1laowXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
crossorigin="anonymous"><
17. <
18. <script src="https://code.jquery.com/jquery-3.3.1.min.js"><
19.          integrity="sha256-
FgpCb/KJQlLNfOu91ta32o/NMZxltwRo8QtmkMRdAu8="><
20.          crossorigin="anonymous"></script><
21. <script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popper.
min.js"><
22.          integrity="sha384-
ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
crossorigin="anonymous"><
23.          defer></script><
24. <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js
"><
25.          integrity="sha384-
JZR6Spejh4U02d8j0t6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmYl"
crossorigin="anonymous"><
26.          defer></script><
27. <!-- awesome fonts --><
28. <link href="https://use.fontawesome.com/releases/v5.0.6/css/all.css"
rel="stylesheet"><
29. <!-- bootswatch flatly theme --><
30. <link href="https://bootswatch.com/4/flatly/bootstrap.min.css"
rel="stylesheet"><
31. <!-- links --><
32.          <script src="http://localhost:8000/js/common.js"
async></script><
33.          <script src="http://localhost:8000/js/polling.js" defer>
</script><
34.          <script src="http://localhost:8000/js/header.js" defer>
</script><
35.          <link rel="stylesheet"
href="http://localhost:8000/css/header.css"><
36.          <link rel="stylesheet"
href="http://localhost:8000/css/footer.css"><
37. <
38.          <link rel="stylesheet" href="http://localhost:8000/css/chat.css"><
39. </head><
40. <body class="website-body"><
41. <
42.          <!-- header --><
43. <nav class="navbar navbar-light bg-light sticky-top navbar-expand-sm
justify-content-around" id="header"><
44.     <nav aria-label="breadcrumb" hidden><

```

```

45.         <ol class="breadcrumb">↵
46.             <li class="breadcrumb-item"><a
href="http://localhost:8000/landing">Home</a></li>↵
47.             <li class="breadcrumb-item"><a
href="http://localhost:8000/about">About</a></li>↵
48.             <li class="breadcrumb-item"><a
href="http://localhost:8000/faq">FAQ's</a></li>↵
49.             <li class="breadcrumb-item"><a
href="http://localhost:8000/search">Search</a></li>↵
50.             <li class="breadcrumb-item"><a
href="http://localhost:8000/profile/2">Profile</a></li>↵
51.             <li class="breadcrumb-item"><a
href="http://localhost:8000/messages">Messages</a></li>↵
52.         </ol>↵
53.     </nav>↵
54.     <!-- logo -->↵
55.     <a id="logo-link" href="http://localhost:8000/landing_page"
class="navbar-brand">↵
56.         ↵
57.     </a>↵
58.     <!-- search bar -->↵
59.     <form action="http://localhost:8000/search" enctype="application/x-
www-form-urlencoded" method="get" class="px-2" id="search-bar">↵
60.         <fieldset>↵
61.             <legend hidden>Search</legend>↵
62.             <div class="d-flex">↵
63.                 <label for="search-input" hidden>Search:</label>↵
64.                 <input class="form-control rounded-1" name="search-
input" type="search" placeholder="Search" aria-label="Search" value=""
id="search-input">↵
65.                 <label for="search-categories" hidden>Search Categories:
</label>↵
66.                 <select class="form-control rounded-1 col-2"
name="category" id="search-categories">↵
67.                     <option value="ALL" selected > All
Categories</option>↵
68.                     <option value="1"
>Car</option>↵
69.                     <option value="2"
>Laptop</option>↵
70.                     <option value="3"
>Smartphone</option>↵
71.                     <option value="4"
>Headphones</option>↵
72.                     <option value="5"
>Motorcycle</option>↵
73.                     <option value="6"
>Computer</option>↵
74.                     <option value="7"
>Monitor</option>↵
75.                     <option value="8"
>Television</option>↵
76.                 </select>↵
77.                 <button class="btn btn-dark rounded-1" type="submit"
title="Search"><i class="fas fa-search"></i></button>↵
78.             </div>↵
79.         </fieldset>↵
80.     </form>↵
81.     <a class="fa-stack fa-3x" id="mail-icon" href="/messages">↵
82.         <i class="far fa-envelope fa-stack-2x"></i>↵
83.         <strong id="num-messages" class="fa-stack-1x calendar-text got-
messages mail-icon-number">↵
84.             0↵
85.         </strong>↵
86.         <input type="hidden" id="header-user-id" value="2">↵
87.     </a>↵
88.     <div class="dropdown" id="authentication">↵
89.         <a href="#" class="dropdown-toggle nav-link" data-
toggle="dropdown" role="button" aria-expanded="false" aria-
haspopup="true">↵
90.             Mads9 <span class="caret"></span>↵
91.         </a>↵
92.         <div class="dropdown-menu dropdown-menu-right" id="header-
dropdown"↵
93.             role="menu">↵

```

```

94.         <a class="dropdown-item"
href="http://localhost:8000/auctions/create">New Auction</a>↵
95.         <a class="dropdown-item"
href="http://localhost:8000/profile/2">Profile</a>↵
96.         <a class="dropdown-item" href="/messages">Messages</a>↵
97.         <a class="dropdown-item"
href="http://localhost:8000/logout"↵
98.         onclick="event.preventDefault();
document.getElementById('logout-form').submit();">↵
99.         Logout↵
100.     </a>↵
101. ↵
102.     <form id="logout-form" action="http://localhost:8000/logout"
method="POST" style="display: none;">↵
103.         <input type="hidden" name=" token"
value="jllLXukcmWaf7UehXkFRBq3W0q4fS4pIUuxlDZ96">↵
104.         <fieldset>↵
105.             <legend hidden>Logout</legend>↵
106.         </fieldset>↵
107.     </form>↵
108. </div>↵
109. </div>↵
110. </nav>↵
111.     <div class="container mb-5 " id="page-body-section">↵
112.         <div class="container">↵
113.             <div class="mt-4">↵
114.                 <nav class="navbar navbar-expand-sm navbar-light bg-faded"
style="background-color: powderblue">↵
115.                     <button class="navbar-toggler" type="button" data-
toggle="collapse" data-target="#navbarNavAltMarkup" aria-
controls="navbarNavAltMarkup"↵
116.                     aria-expanded="false" aria-label="Toggle
navigation">↵
117.                         <span class="navbar-toggler-icon"></span>↵
118.                     </button>↵
119.                     <div class="collapse navbar-collapse"
id="navbarNavAltMarkup">↵
120.                         <div class="col-8">↵
121.                             <div class="navbar-nav row">↵
122.                                 <a class="nav-item nav-link active"
href="/messages">Inbox</a>↵
123.                                 <a class="nav-item nav-link"
href="/messages_sent">Sent</a>↵
124.                             </div>↵
125.                         </div>↵
126. ↵
127. ↵
128.                         <div class="col-4">↵
129.                             <button id="sendmsg" type="button" class="btn btn-
success d-inline-block" data-toggle="modal" data-
target="#exampleModal"↵
130.                             data-whatever="@getbootstrap"> New Message
&nbsp; </button> &nbsp; &nbsp;↵
131.                             ↵
132.                             <button id="delete-all" type="button" class="btn
btn-danger d-inline-block" data-toggle="modal" data-target="#alert"↵
133.                             data-whatever="@getbootstrap"> Delete All
&nbsp; &nbsp; &nbsp; <i class="fas fa-trash-alt"></i></button>↵
134.                             ↵
135.                             <div class="modal fade" id="alert">↵
136.                                 <div class="modal-dialog">↵
137.                                     <div class="modal-content">↵
138.                                         <div class="modal-header">↵
139.                                             </div>↵
140.                                         <div class="modal-body">↵
141.                                             <p>Are you sure, you want to delete
all messages?</p>↵
142.                                         </div>↵
143.                                         <form method="POST"
action="http://localhost:8000/messages" accept-charset="UTF-8"><input
name=" token" type="hidden"
value="jllLXukcmWaf7UehXkFRBq3W0q4fS4pIUuxlDZ96">↵
144.                                             <div class="modal-footer">↵
145.                                                 <button type="button" class="btn
btn-primary" id="closebtn" data-dismiss="modal">Cancel</button>↵

```

```

146. <button type="submit" class="btn
    btn-danger" id ="danger">OK</button>↵
147. </div>↵
148. <input name="_method" type="hidden"
    value="DELETE">↵
149. </form>↵
150. </div>↵
151. </div>↵
152. </div>↵
153. ↵
154. ↵
155. ↵
156. <div class="modal fade" id="exampleModal"
    tabindex="-1" role="dialog" aria-labelledby="exampleModalLabel" aria-
    hidden="true">↵
157. <div class="modal-dialog modal-lg"
    role="document">↵
158. <div class="modal-content">↵
159. <div class="modal-header">↵
160. <h5 class="modal-title"
    id="exampleModalLabel">New message</h5>↵
161. <button type="button" class="close"
    data-dismiss="modal" aria-label="Close">↵
162. <span aria-hidden="true">&times;
    </span>↵
163. </button>↵
164. </div>↵
165. <form
    route="http://localhost:8000/messages" method="POST" id="userForm"
    class="userForm">↵
166. <input type="hidden" name="_token"
    value="jLLLXukcmWaf7UehXkFRBq3W0q4fS4pIUuxlDZ96">↵
167. <fieldset>↵
168. <legend
    hidden>Message</legend>↵
169. <div class="modal-body">↵
170. <div class="form-group">↵
171. <label for="recipient-
    name" class="form-control-label">To:</label>↵
172. <input type="text"
    class="form-control" id="recipient-name" name="recipient-name"
    maxlength="50">↵
173. </div>↵
174. <div class="form-group">↵
175. <label for="item-name"
    class="form-control-label">Subject:</label>↵
176. <input type="text"
    class="form-control" id="item-name" name="item-name" maxlength="50">↵
177. </div>↵
178. <div class="form-group">↵
179. <label for="message-
    text" class="form-control-label">Message:</label>↵
180. <textarea class="form-
    control" id="message-text" name="message-text"></textarea>↵
181. </div>↵
182. </div>↵
183. <div class="modal-footer">↵
184. <button type="button"
    id="closebtn-m" class="btn btn-success" data-
    dismiss="modal">Close</button>↵
185. <button id="bew" class="btn
    btn-success">Send message</button>↵
186. </div>↵
187. </fieldset>↵
188. </form>↵
189. </div>↵
190. </div>↵
191. </div>↵
192. </div>↵
193. </div>↵
194. </nav>↵
195. </div>↵
196. </div>↵
197. ↵
198. <!-- messages -->↵
199. <div class="container">↵

```

```

200.     <table id = "table" class="table mt-2 table-hover">↵
201.         <thead class="thead-inverse " style="color:#18bc9c; background-
color:#464242">↵
202.             <tr>↵
203.                 <th scope="col"></th>↵
204.                 <th scope="col">From</th>↵
205.                 <th scope="col">Subject</th>↵
206.                 <th scope="col">Date</th>↵
207.                 <th scope="col"></th>↵
208.                 <th scope="col"></th>↵
209.                 <th scope="col"></th>↵
210.             </tr>↵
211.         </thead>↵
212.         <tbody>↵
213.             <tr class="">↵
214.                 <th scope="row">↵
215.                 </th>↵
216.                 <td class="clickable-row" data-
href="/messages/8">Richard889</td>↵
217.                 <td class="clickable-row" data-
href="/messages/8">nsnstr0E1YX2YCeCvVgtRvnIF3df3tYttlwJ3gFsulqgUWWH2Rr07
q2Hcsku2y6iYVxLfRoLppRUfNKbK3ZZCQ5aF3YHpH8Z5ylH86Fhe6qsYs5CtGj4g3UfzPQq0
3VkuRngRm8R2jxnhl6gVjyFthVrzoY257lHns0vzzdR4QsoeWhJlo</td>↵
218.                 <td class="clickable-row" data-href="/messages/8">2000-10-18
02:05:00</td>↵
219.                 <td></td>↵
220.                 <td></td>↵
221.                 <td>↵
222.                 <form method="POST"
action="http://localhost:8000/messages/8" accept-charset="UTF-8"><input
name="token" type="hidden"
value="jllLXukcmWaf7UehXkFRBq3W0q4fS4pIUuxlDZ96">↵
223.                 <button class="btn btn-danger btn-sm" id ="delete"
type="submit">Delete</button>↵
224.                 <input name="_method" type="hidden" value="DELETE">↵
225.                 </form>↵
226.             </td>↵
227.         </tr>↵
228.         </tbody>↵
229.     </table>↵
230. </div>↵
231. ↵
232. <div class="row">↵
233.     <div class="col-5">↵
234.     </div>↵
235.     <div class="col-7">↵
236.     ↵
237.     </div>↵
238. </div>↵
239. ↵
240. <script>↵
241.     $(document).ready(function ($) {↵
242.         $('.clickable-row').click(function () {↵
243.             window.document.location = $(this).data("href");↵
244.         });↵
245.     });↵
246. </script>↵
247. ↵
248. <script src="/vendor/unisharp/laravel-ckeditor/ckeditor.js"></script>↵
249. <script>↵
250.     var editor = CKEDITOR.replace( 'message-text' );↵
251. </script>↵
252. ↵
253. <script>↵
254.     $("#bew").click(function(e){↵
255.         e.preventDefault();↵
256.         var $form = $("#userForm");↵
257.         ↵
258.         var message = editor.getData();↵
259.         console.log("message" , message);↵
260.         var subject = $("#item-name").val();↵
261.         console.log("sub" , subject);↵
262.         var receiver_id = $("#recipient-name").val();↵
263.         console.log("id" , receiver_id);↵
264.         $.ajax({↵
265.             type: $form.attr('method'),↵

```



```

266.         url: $form.attr('route'),↵
267.         data: {msg: message, sub:subject, id:receiver_id},↵
268.         success: function (data) {↵
269.             if(data.error){↵
270.                 return;↵
271.             }↵
272.             alert(data.success); // This is success message↵
273.             $('#exampleModal').modal('hide'); // Your modal Id↵
274.             window.location.reload(true);↵
275.         },↵
276.         error: function (result) {↵
277.             ↵
278.         });↵
279.     });↵
280. </script>↵
281. ↵
282.     </div>↵
283. ↵
284.     <!-- footer -->↵
285. <nav class="navbar navbar-light bg-dark d-flex justify-content-between
py-0" id="footer">↵
286.     <ul class="nav d-flex justify-content-center">↵
287.         <li class="nav-item active">↵
288.             <a class="nav-link text-white"
href="http://localhost:8000/landing_page">Home </a>↵
289.         </li>↵
290.         <li class="nav-item">↵
291.             <a class="nav-link text-white"
href="http://localhost:8000/about">About</a>↵
292.         </li>↵
293.         <li class="nav-item">↵
294.             <a class="nav-link text-white"
href="http://localhost:8000/faq">FAQs</a>↵
295.         </li>↵
296.     </ul>↵
297.     <ul class="nav navbar-nav ml-auto justify-content-end mr-3 d-none d-
sm-block d-xs-block" id="authentication-nav">↵
298.         <li class="nav-item">↵
299.             <span class="align-middle text-white">Website created by
group 64 for LBAW</span>↵
300.         </li>↵
301.     </ul>↵
302. </nav>     </body>↵
303. ↵
304. </html>

```

Used the HTML parser.

Total execution time 146 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 18.5.21