

ICPSR 34581

**Uniform Crime Reporting Program
Data: Arrests by Age, Sex, and
Race, Summarized Yearly, 2011**

*United States Department of Justice.
Federal Bureau of Investigation*

Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/34581/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

TABLE OF CONTENTS

Study Description	4
Citation	4
Study Scope	4
Subject Information.....	4
Abstract	4
Summary Data Description.....	5
Notes	5
Methodology and Processing	5
Data Collection Methodology.....	5
Data Access	5
Dataset Availability	5
Data Use Statement	5
Other Study Description Materials.....	6
Related Publication(s).....	6
File Description	7
da34581-0001.txt	7
File Description	7
Notes	7
Variable Description.....	9
Variable Groups.....	10
Codebook	13

Study Description

Citation

Title Statement

Title: Uniform Crime Reporting Program Data: Arrests by Age, Sex, and Race, Summarized Yearly, 2011

Alternative Title: ASR Yearly, 2011

Identification No.: 34581

Responsibility Statement

Authoring Entity: United States Department of Justice. Federal Bureau of Investigation

Production Statement

Producer: Inter-university Consortium for Political and Social Research

Place of Production: Ann Arbor, MI: Inter-university Consortium for Political and Social Research

Funding Agency: United States Department of Justice. Bureau of Justice Statistics

Distribution Statement

Distributor: Inter-university Consortium for Political and Social Research

Series Statement

Series Name: Uniform Crime Reporting Program Data Series

Series Information: Since 1930, the Federal Bureau of Investigation (FBI) has compiled the Uniform Crime Reports (UCR) to serve as periodic nationwide assessments of reported crimes not available elsewhere in the criminal justice system. With the 1977 data, the title was expanded to Uniform Crime Reporting Program Data. Each year, participating law enforcement agencies contribute reports to the FBI either directly or through their state reporting programs. ICPSR archives the UCR data as five separate components: (1) summary data, (2) county-level data, (3) incident-level data (National Incident-Based Reporting System [NIBRS]), (4) hate crime data, and (5) various, mostly nonrecurring, data collections. Summary data are reported in four types of files: (a) Offenses Known and Clearances by Arrest, (b) Property Stolen and Recovered, (c) Supplementary Homicide Reports (SHR), and (d) Police Employee (LEOKA) Data (Law Enforcement Officers Killed or Assaulted). The county-level data provide counts of arrests and offenses aggregated to the county level. County populations are also reported. In the late 1970s, new ways to look at crime were studied. The UCR program was subsequently expanded to capture incident-level data with the implementation of the National Incident-Based Reporting System. The NIBRS data focus on various aspects of a crime incident. The gathering of hate crime data by the UCR program was begun in 1990. Hate crimes are defined as crimes that manifest evidence of prejudice based on race, religion, sexual orientation, or ethnicity. In September 1994, disabilities, both physical and mental, were added to the list. The fifth component of ICPSR's UCR holdings is comprised of various collections, many of which are nonrecurring and prepared by individual researchers. These collections go beyond the scope of the standard UCR collections provided by the FBI, either by including data for a range of years or by focusing on other aspects of analysis.

Study Scope

Subject Information

Keyword(s): arrest records, arrests, crime rates, crime reporting, crime statistics, drug abuse, illegal gambling, larceny, law enforcement, offenders, offenses, Uniform Crime Reports, violent crime

Topic Classification(s): Social Institutions and Behavior, Crime and the Criminal Justice System, Official Statistics

Abstract

- Study 34581 -

These data provide information on the number of arrests reported to the Federal Bureau of Investigation's Uniform Crime Reporting (UCR) Program each year by police agencies in the United States. These arrest reports provide data on 43 offenses including violent crime, drug use, gambling, and larceny. The data received by ICPSR were structured as a hierarchical file containing, per reporting police agency: an agency header record, and 1 to 43 detail offense records containing the counts of arrests by age, sex, and race for a particular offense. ICPSR restructured the original data to logical record length format with the agency header record variables copied onto the detail records. Consequently, each record contains arrest counts for a particular agency-offense.

Summary Data Description

Time Period: 2011

Date(s) of Collection: 2011

Country: United States

Geographic Coverage: United States

Geographic Unit: US states, counties, cities

Unit of Analysis: Arrest counts

Universe: Arrests reported by law enforcement agencies to the Federal Bureau of Investigation's Uniform Crime Reporting program.

Kind of Data: Aggregate data

Notes

The UCR program is voluntary on the part of police agencies across the country. On occasion, therefore, some agencies may not report arrest data.

Methodology and Processing

Data Collection Methodology

Time Method: Cross-section

Data Collector: United States Department of Commerce. Federal Bureau of Investigation

Frequency of Data Collection: Monthly

Characteristics of Data Collection Situation: The data for the Uniform Crime Reports are submitted voluntarily by city, county, and state law enforcement agencies. Some agencies receive forms directly from the FBI and return them directly to the FBI. Many others receive forms from state collecting programs and return the reports to those programs. The state programs, in turn, forward the reports to the FBI. Reports are sent out and collected on a monthly basis.

Control Operations: Once received, the FBI checks the agencies' reports for completeness and arithmetical accuracy. If an unusual fluctuation is detected in an agency's crime count, the FBI compares those counts with counts from previous reports or compares the frequencies to those of agencies similar to the agency in question. When necessary, law enforcement agencies are contacted to correct or explain the figures.

Data Access

Dataset Availability

Location: Inter-university Consortium for Political and Social Research

Data Use Statement:

- Study 34581 -

Citation Requirement: Publications based on ICPSR data collections should acknowledge those sources by means of bibliographic citations. To ensure that such source attributions are captured for social science bibliographic utilities, citations must appear in footnotes or in the reference section of publications.

Deposit Requirement: To provide funding agencies with essential information about use of archival resources and to facilitate the exchange of information about ICPSR participants' research activities, users of ICPSR data are requested to send to ICPSR bibliographic citations for each completed manuscript or thesis abstract. Visit the ICPSR Web site for more information on submitting citations.

Other Study Description Materials

Related Publication(s)

Federal Bureau of Investigation. Crime in the United States, 2011: Uniform Crime Reports. Washington, D.C.: U.S. Government Printing Office, annual [2011].

Data Files Description

File-by-File Description

File Name: da34581-0001.txt

Contents of Files:

The data received by ICPSR were structured as a hierarchical file containing, per reporting police agency, an agency header record, and 0 to 43 detail offense records containing the counts of arrests by age-sex and race for a particular offense. ICPSR restructured the original data to logical record length format with the agency header record variables copied onto the detail records. Consequently, each record contains arrest counts for a particular agency-offense.

A record in the file corresponds to arrests per agency-offense. For example, if an agency reports arrests for three separate offenses, murder, rape, and robbery, there will be 3 records in the data for that agency. The first record will list arrests for murder. The second record will list arrests for rape. The third record will list arrests for robbery. Each record details the number of persons, by age, sex, and race, arrested by that agency for a specific offense.

Agencies do not necessarily report arrests in every month, nor do they report all offenses. Consequently, agencies will have different numbers of records in the file.

File Dimensions:

- No. of Cases: 260,548
- No. of Variables: 78
- Record Length: 418
- Records per Case: 1
- Overall No. of Records: 260,548

Type of File: ASCII data file

Data Format: Logical record length

Place of File Production: Ann Arbor, MI: Inter-university Consortium for Political and Social Research

Extent of Processing Checks: The data collection was processed according to standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were resolved or recoded to missing data. No consistency checks were performed.

Missing Data: Users should note that blanks and missing data may have a substantive meaning under the FBI coding scheme. Users should refer to the documentation for explanation of individual variables.

Notes

DETERMINING ARREST COUNTS

The number of records listed in the data file is NOT the number of arrests reported for that year. Each record lists counts of arrests for a particular agency and offense. Determining total arrests is a two step process. First, it is necessary to sum across the detail categories of age, sex, and or race for each record. This gives total arrests for that agency-month- offense. Then, the aggregate total across all records must be calculated. This gives total arrests.

Below is an example of SPSS code that will compute total homicide arrests by state. Note that arrest totals may differ depending on whether they are calculated using age-sex or race. The differences should be small, and they are due to incomplete information on some records.

- Study 34581 -

Published arrest numbers will not necessarily agree with those calculated directly from the data. Published numbers are often prepared before the most complete arrest information has been made available by reporting agencies. Consequently, they may be based on estimated or incomplete data.

* READ THE ARRESTS DATA FILE SAVED AS AN SPSS SYSTEM FILE.

get file = "arrests.sav".

* SELECT ARRESTS FOR HOMICIDE.

select if (offense eq `011').

* COMPUTE THE SUMS ACROSS VARIABLES FOR EACH RECORD.

* PREFIX rt MEANS RECORD TOTAL.

* COMPUTE RECORD TOTAL FOR ALL MALES AND FEMALES.

compute rtsex=sum(m0_9 to f65).

* COMPUTE RECORD TOTALS FOR RACE.

compute rtrace=sum(jw to an).

* COMPUTE STATE TOTALS (SUMS ACROSS RECORDS).

aggregate outfile = *

/presorted

/break=state

/gtsex = sum(rtsex) /gtrace = sum(rtrace).

* LIST THE RESULTS.

list vars=all.

ICPSR 34581

Uniform Crime Reporting Program Data: Arrests by Age, Sex, and Race, Summarized Yearly, 2011

da34581-0001.txt

Variable Description

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Uniform Crime Reporting Program Data: Arrests by Age, Sex, and Race, Summarized Yearly, 2011

da34581-0001.txt

Variable Groups

Variable Groups Containing Variables

<i>Variable Group Name</i>	<i>Variable Group Label</i>	<i>Page</i>
VG1	ADMINISTRATIVE AND GEOGRAPHIC VARIABLES	10
VG2	OFFENSE CODE	11
VG3	ARREST COUNTS BY AGE AND SEX - MALES	11
VG4	ARREST COUNTS BY AGE AND SEX - FEMALES	11
VG5	ARREST COUNTS BY RACE - JUVENILES	12
VG6	ARREST COUNTS BY ETHNIC ORIGIN - JUVENILES	12
VG7	ARREST COUNTS BY RACE - ADULTS	12
VG8	ARREST COUNTS BY ETHNIC ORIGIN - ADULTS	12

VG1 - ADMINISTRATIVE AND GEOGRAPHIC VARIABLES

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
ASR_ID	IDENTIFIER CODE FOR THE ASR MASTER FILE	13
CONTENTS	RECORD CONTENTS	13
STATE	NUMERIC STATE CODE (UCR CODE)	13
ORI	ORIGINATING AGENCY IDENTIFIER CODE	14
GROUP	GROUP	14
DIV	GEOGRAPHIC DIVISION OF STATE	15
YEAR	YEAR	16
MSA	METROPOLITAN STATISTICAL AREA OF CITY (UCR CODE)	16
SUB	SUBURBAN	16
REPORT	REPORT INDICATION	16
ADJUST	ADJUSTMENT	16
SEQNO	SEQUENCE NUMBER (5-DIGIT)	17
COUNTY	COUNTY (3-DIGIT UCR CODE)	17
CORE	CORE CITY	17
POP	CURRENT POPULATION	17
AGENCNT	AGENCY COUNT	17
AGENCY	AGENCY NAME	17
STNAME	STATE NAME	17
CARD1	CARD 1 INDICATOR	17
CARD2	CARD 2 INDICATOR	18
CARD3	CARD 3 INDICATOR	18

- Study 34581 -

VG2 - OFFENSE CODE

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
OFFENSE	OFFENSE CODE	18

VG3 - ARREST COUNTS BY AGE AND SEX - MALES

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
M0_9	MALE UNDER 10	19
M10_12	MALE 10-12	19
M13_14	MALE 13-14	20
M15	MALE 15	20
M16	MALE 16	20
M17	MALE 17	20
M18	MALE 18	20
M19	MALE 19	21
M20	MALE 20	21
M21	MALE 21	21
M22	MALE 22	21
M23	MALE 23	21
M24	MALE 24	21
M25_29	MALE 25-29	22
M30_34	MALE 30-34	22
M35_39	MALE 35-39	22
M40_44	MALE 40-44	22
M45_49	MALE 45-49	22
M50_54	MALE 50-54	23
M55_59	MALE 55-59	23
M60_64	MALE 60-64	23
M65	MALE OVER 64	23

VG4 - ARREST COUNTS BY AGE AND SEX - FEMALES

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
F0_9	FEMALE UNDER 10	23
F10_12	FEMALE 10-12	23
F13_14	FEMALE 13-14	24
F15	FEMALE 15	24
F16	FEMALE 16	24
F17	FEMALE 17	24
F18	FEMALE 18	24
F19	FEMALE 19	25

- Study 34581 -

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
F20	FEMALE 20	25
F21	FEMALE 21	25
F22	FEMALE 22	25
F23	FEMALE 23	25
F24	FEMALE 24	25
F25_29	FEMALE 25-29	26
F30_34	FEMALE 30-34	26
F35_39	FEMALE 35-39	26
F40_44	FEMALE 40-44	26
F45_49	FEMALE 45-49	26
F50_54	FEMALE 50-54	27
F55_59	FEMALE 55-59	27
F60_64	FEMALE 60-64	27
F65	FEMALE OVER 64	27

VG5 - ARREST COUNTS BY RACE - JUVENILES

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
JW	JUVENILE-WHITE	27
JB	JUVENILE-BLACK	27
JI	JUVENILE-INDIAN	28
JA	JUVENILE ASIAN	28

VG6 - ARREST COUNTS BY ETHNIC ORIGIN - JUVENILES

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
JH	JUVENILE-HISPANIC	28
JN	JUVENILE-NON-HISPANIC	28

VG7 - ARREST COUNTS BY RACE - ADULTS

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
AW	ADULT-WHITE	28
AB	ADULT-BLACK	29
AI	ADULT-INDIAN	29
AA	ADULT-ASIAN	29

VG8 - ARREST COUNTS BY ETHNIC ORIGIN - ADULTS

- Study 34581 -

Variables within this Variable Group

<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
AH	ADULT-HISPANIC	29
AN	ADULT-NON-HISPANIC	29

ASR_ID - IDENTIFIER CODE FOR THE ASR MASTER FILE

Location: 1-1 (width: 1; decimal: 0)

Variable Type: numeric

CONTENTS - RECORD CONTENTS

Location: 2-2 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
1	Agency header only
2	Detail record

STATE - NUMERIC STATE CODE (UCR CODE)

Location: 3-4 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
1	Alabama
2	Arizona
3	Arkansas
4	California
5	Colorado
6	Connecticut
7	Delaware
8	District of Columbia
9	Florida
10	Georgia
11	Idaho
12	Illinois
13	Indiana
14	Iowa
15	Kansas
16	Kentucky
17	Louisiana
18	Maine
19	Maryland
20	Massachusetts
21	Michigan

- Study 34581 -

<i>Value</i>	<i>Label</i>
22	Minnesota
23	Mississippi
24	Missouri
25	Montana
26	Nebraska
27	Nevada
28	New Hampshire
29	New Jersey
30	New Mexico
31	New York
32	North Carolina
33	North Dakota
34	Ohio
35	Oklahoma
36	Oregon
37	Pennsylvania
38	Rhode Island
39	South Carolina
40	South Dakota
41	Tennessee
42	Texas
43	Utah
44	Vermont
45	Virginia
46	Washington
47	West Virginia
48	Wisconsin
49	Wyoming
50	Alaska
51	Hawaii
52	Canal Zone
53	Puerto Rico
54	American Samoa
55	Guam
62	Virgin Islands

ORI - ORIGINATING AGENCY IDENTIFIER CODE

Location: 5-11 (width: 7; decimal: 0)

Variable Type: character

GROUP - GROUP

- Study 34581 -

Location: 12-13 (width: 2; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
0	Possessions
1	Cities 250,000 or over
1A	Cities 1,000,000 or over
1B	Cities 500,000-999,999
1C	Cities 250,000-499,999
2	Cities 100,000-249,999
3	Cities 50,000-99,999
4	Cities 25,000-49,999
5	Cities 10,000-24,999
6	Cities 2,500-9,999
7	Cities under 2,500
8	Non-MSA Cnty:
8A	Non-MSA Cnty 100,000 or over
8B	Non-MSA Cnty 25,000-99,999
8C	Non-MSA Cnty 10,000-24,999
8D	Non-MSA Cnty under 10,000
8E	Non-MSA State Police
9	MSA Cnty:
9A	MSA Cnty 100,000 or over
9B	MSA Cnty 25,000-99,999
9C	MSA Cnty 10,000-24,999
9D	MSA Cnty under 10,000
9E	MSA State Police

DIV - GEOGRAPHIC DIVISION OF STATE

Location: 14-14 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
0	Possessions
1	New England
2	Middle Atlantic
3	East North Central
4	West North Central
5	South Atlantic
6	East South Central
7	West South Central
8	Mountain
9	Pacific

YEAR - YEAR

Location: 15-18 (width: 4; decimal: 0)

Variable Type: numeric

MSA - METROPOLITAN STATISTICAL AREA OF CITY (UCR CODE)

Location: 19-22 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9998

<i>Value</i>	<i>Label</i>
9998 (M)	Not applicable

SUB - SUBURBAN

Location: 23-23 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
0	Non-suburban
1	Suburban

REPORT - REPORT INDICATION

Location: 24-24 (width: 1; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>
0	Juvenile and adult reported
1	Juvenile only reported
2	Adult only reported
3	Not reported

ADJUST - ADJUSTMENT

Location: 25-25 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>
0	Age, race, and ethnic origin reported
1	No age reported
2	No race reported
3	No ethnic origin reported
4	No race or ethnic origin reported
5	No age or ethnic origin reported
6	No age or race reported

<i>Value</i>	<i>Label</i>
9 (M)	Blank

SEQNO - SEQUENCE NUMBER (5-DIGIT)

Location: 26-30 (width: 5; decimal: 0)

Variable Type: numeric

COUNTY - COUNTY (3-DIGIT UCR CODE)

Location: 31-33 (width: 3; decimal: 0)

Variable Type: numeric

CORE - CORE CITY

Location: 34-34 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
N	Agency not core city
Y	Agency is core city

POP - CURRENT POPULATION

Location: 35-44 (width: 10; decimal: 0)

Variable Type: numeric

AGENCNT - AGENCY COUNT

Location: 45-45 (width: 1; decimal: 0)

Variable Type: numeric

AGENCY - AGENCY NAME

Location: 46-70 (width: 25; decimal: 0)

Variable Type: character

STNAME - STATE NAME

Location: 71-76 (width: 6; decimal: 0)

Variable Type: character

CARD1 - CARD 1 INDICATOR

Location: 77-77 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 8

<i>Value</i>	<i>Label</i>
0	No adult male reported
1	Adult male reported

<i>Value</i>	<i>Label</i>
8 (M)	Not applicable

CARD2 - CARD 2 INDICATOR

Location: 78-78 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 8

<i>Value</i>	<i>Label</i>
0	No adult female reported
1	Adult female reported
8 (M)	Not applicable

CARD3 - CARD 3 INDICATOR

Location: 79-79 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 8

<i>Value</i>	<i>Label</i>
0	No juvenile reported
1	Juvenile reported
8 (M)	Not applicable

OFFENSE - OFFENSE CODE

Location: 80-82 (width: 3; decimal: 0)

Variable Type: character

Range of Missing Values (M): 998

<i>Value</i>	<i>Label</i>
000	HEADER Record
011	Murder and non-negligent manslaughter
012	Manslaughter by negligence
020	Forcible rape
030	Robbery
040	Aggravated assault
050	Burglary-breaking or entering
060	Larceny-theft (not motor vehicle)
070	Motor vehicle theft
080	Other assaults
090	Arson
100	Forgery and counterfeiting
110	Fraud
120	Embezzlement

- Study 34581 -

<i>Value</i>	<i>Label</i>
130	Stolen property-buy, receive, poss.
140	Vandalism
150	Weapons-carry, posses, etc.
160	Prostitution and commercialized vice
170	Sex offenses (not rape or prostitution)
18	Total drug abuse violations
180	Sale/manufacture (subtotal)
181	Sale: Opium, coke, and their derivatives
182	Sale: Marijuana
183	Sale: Truly addicting synthetic narcotics
184	Sale: Other dangerous non-narc drugs
185	Possession (subtotal)
186	Possession: Opium, coke, and their derivatives
187	Possession: Marijuana
188	Possession: Truly addicting synthetic narcotics
189	Possession: Other dangerous non-narc drugs
190	Gambling (total)
191	Bookmaking (horse and sports)
192	Number and lottery
193	All other gambling
200	Offenses against family and children
210	Driving under the influence
220	Liquor laws
230	Drunkenness
240	Disorderly conduct
250	Vagrancy
260	All other offenses (not traffic)
270	Suspicion
280	Curfew and loitering violations
290	Runaways
998 (M)	Not applicable

M0_9 - MALE UNDER 10

Location: 83-88 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

M10_12 - MALE 10-12

Location: 89-94 (width: 6; decimal: 0)

- Study 34581 -

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

M13_14 - MALE 13-14

Location: 95-100 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

M15 - MALE 15

Location: 101-106 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

M16 - MALE 16

Location: 107-112 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

M17 - MALE 17

Location: 113-118 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

M18 - MALE 18

Location: 119-124 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

M19 - MALE 19

Location: 125-130 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

M20 - MALE 20

Location: 131-136 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

M21 - MALE 21

Location: 137-142 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

M22 - MALE 22

Location: 143-148 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

M23 - MALE 23

Location: 149-154 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

M24 - MALE 24

- Study 34581 -

Location: 155-160 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

M25_29 - MALE 25-29

Location: 161-166 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

M30_34 - MALE 30-34

Location: 167-172 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

M35_39 - MALE 35-39

Location: 173-178 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

M40_44 - MALE 40-44

Location: 179-184 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

M45_49 - MALE 45-49

Location: 185-190 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

- Study 34581 -

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

M50_54 - MALE 50-54

Location: 191-196 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

M55_59 - MALE 55-59

Location: 197-202 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

M60_64 - MALE 60-64

Location: 203-208 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

M65 - MALE OVER 64

Location: 209-214 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

F0_9 - FEMALE UNDER 10

Location: 215-220 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

F10_12 - FEMALE 10-12

- Study 34581 -

Location: 221-226 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

F13_14 - FEMALE 13-14

Location: 227-232 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

F15 - FEMALE 15

Location: 233-238 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

F16 - FEMALE 16

Location: 239-244 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

F17 - FEMALE 17

Location: 245-250 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

F18 - FEMALE 18

Location: 251-256 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

F19 - FEMALE 19

Location: 257-262 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

F20 - FEMALE 20

Location: 263-268 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

F21 - FEMALE 21

Location: 269-274 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

F22 - FEMALE 22

Location: 275-280 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

F23 - FEMALE 23

Location: 281-286 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

F24 - FEMALE 24

- Study 34581 -

Location: 287-292 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

F25_29 - FEMALE 25-29

Location: 293-298 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

F30_34 - FEMALE 30-34

Location: 299-304 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

F35_39 - FEMALE 35-39

Location: 305-310 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

F40_44 - FEMALE 40-44

Location: 311-316 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

F45_49 - FEMALE 45-49

Location: 317-322 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

- Study 34581 -

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

F50_54 - FEMALE 50-54

Location: 323-328 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

F55_59 - FEMALE 55-59

Location: 329-334 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

F60_64 - FEMALE 60-64

Location: 335-340 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

F65 - FEMALE OVER 64

Location: 341-346 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

JW - JUVENILE-WHITE

Location: 347-352 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

JB - JUVENILE-BLACK

- Study 34581 -

Location: 353-358 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

JI - JUVENILE-INDIAN

Location: 359-364 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

JA - JUVENILE ASIAN

Location: 365-370 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

JH - JUVENILE-HISPANIC

Location: 371-376 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

JN - JUVENILE-NON-HISPANIC

Location: 377-382 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

AW - ADULT-WHITE

Location: 383-388 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

AB - ADULT-BLACK

Location: 389-394 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

AI - ADULT-INDIAN

Location: 395-400 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

AA - ADULT-ASIAN

Location: 401-406 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

AH - ADULT-HISPANIC

Location: 407-412 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

AN - ADULT-NON-HISPANIC

Location: 413-418 (width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable