

ICPSR 38741

**Uniform Crime Reporting Program
Data: Arrests by Age, Sex, and
Race, Summarized Yearly, United
States, 2017**

*United States. Federal Bureau of
Investigation*

ICPSR Codebook for Six or More Months
Dataset

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/web/ICPSR/studies/38741/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #38741

Uniform Crime Reporting Program Data: Arrests by Age, Sex, and Race, Summarized Yearly, United States, 2017

DS 1: Six or More Months Dataset

1. **Changes in Methodology:** As of calendar year 2022, the Uniform Crime Reporting (UCR) Program has begun consolidating its data quality review and management practices to reduce differences between publication tables and the data displayed on the FBI website via the [Crime Data Explorer](#).
2. **Discrepancy in Collection:** This study contains data from two master files available on the [Crime Data Explorer](#): 2017_ASR6MON_NATIONAL_MASTER_FILE.txt and 2017_ASR12MON_NATIONAL_MASTER_FILE.txt. In previous years of this collection only one master file was curated. The data contained in this dataset are taken from:
 - a. 2017_ASR6MON_NATIONAL_MASTER_FILE.txt.

No additional information was provided.

3. **Stata Limitations:** Due to Stata limitations, the variables **ORI**, **GROUP**, **CORE**, and **OFFENSE** do not contain value labels for non-integer values within the Stata files.
4. **Undocumented Codes:** The variable **REPORT** contains an undocumented value which ICPSR has labeled “UNDOCUMENTED CODE”. No additional information was provided.
5. **Data Discrepancies:**
 - a. Several cases are inconsistent with the description of the data in the codebook.
 - b. There are reporting agencies (**AGENCY**) which use the same 7-digit Originating Agency Identifier (**ORI**). For these agencies, ICPSR has converted the 7-digit ORI to the agency’s unique 9-digit ORI.
 - c. There are cases where a unique Header record has an associated Detail record with “000” in the **OFFENSE** variable, which is the code reserved for Header records. ICPSR has included these records as Detail records and preserved the “000” code in **OFFENSE** with the value label “HEADER Record”.
 - d. The variables **MSA** and **SEQNO** do not contain any valid responses.

No additional information was provided.

6. **Additional Information:** These studies are “static data snapshots” of the data available on the FBI website via the [Crime Data Explorer](#), which is continuously updated. For additional information on the Uniform Crime Reporting (UCR) Program, please visit the [UCR](#) website.

ICPSR 38741

Uniform Crime Reporting Program Data: Arrests by Age, Sex, and Race, Summarized Yearly, United States, 2017

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Six or More Months Dataset

ASR_ID: IDENTIFIER CODE FOR THE ASR MASTER FILE

Value	Label	Unweighted Frequency	%
3	-	294622	100.0 %
	Missing Data		
.	-	45	0.0 %
	Total	294,667	100%

Based upon 294,622 valid cases out of 294,667 total cases.

- Mean: 3.00
- Median: 3.00
- Mode: 3.00
- Minimum: 3.00
- Maximum: 3.00
- Standard Deviation: 0.00

Location: 1-1 (width: 1; decimal: 0)

Variable Type: numeric

CONTENTS: RECORD CONTENTS

Value	Label	Unweighted Frequency	%
1	Agency header only	5906	2.0 %
2	Detail record	288761	98.0 %
	Total	294,667	100%

Based upon 294,667 valid cases out of 294,667 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2-2 (width: 1; decimal: 0)

Variable Type: numeric

STATE: NUMERIC STATE CODE (UCR CODE)

Range is 01-62. Data records are in order by ORI code within numeric state code.

Value	Label	Unweighted Frequency	%
1	Alabama	6285	2.1 %
2	Arizona	2938	1.0 %
3	Arkansas	5098	1.7 %
4	California	17326	5.9 %
5	Colorado	3971	1.3 %

Value	Label	Unweighted Frequency	%
6	Connecticut	2462	0.8 %
7	Delaware	1102	0.4 %
8	District of Columbia	37	0.0 %
9	Florida	741	0.3 %
10	Georgia	9760	3.3 %
11	Idaho	2106	0.7 %
12	Illinois	978	0.3 %
13	Indiana	6421	2.2 %
14	Iowa	4239	1.4 %
15	Kansas	4572	1.6 %
16	Kentucky	6806	2.3 %
17	Louisiana	4160	1.4 %
18	Maine	2898	1.0 %
19	Maryland	5084	1.7 %
20	Massachusetts	6066	2.1 %
21	Michigan	11268	3.8 %
22	Minnesota	6791	2.3 %
23	Mississippi	2285	0.8 %
24	Missouri	9485	3.2 %
25	Montana	1701	0.6 %
26	Nebraska	2360	0.8 %
27	Nevada	1999	0.7 %
28	New Hampshire	3438	1.2 %
29	New Jersey	11547	3.9 %
30	New Mexico	1920	0.7 %
31	New York	9853	3.3 %
32	North Carolina	7894	2.7 %
33	North Dakota	1660	0.6 %
34	Ohio	9947	3.4 %
35	Oklahoma	6125	2.1 %
36	Oregon	3683	1.2 %
37	Pennsylvania	21162	7.2 %
38	Rhode Island	1090	0.4 %
39	South Carolina	5723	1.9 %
40	South Dakota	1611	0.5 %
41	Tennessee	8555	2.9 %
42	Texas	40020	13.6 %
43	Utah	2709	0.9 %
44	Vermont	1265	0.4 %

Value	Label	Unweighted Frequency	%
45	Virginia	7270	2.5 %
46	Washington	4541	1.5 %
47	West Virginia	3762	1.3 %
48	Wisconsin	8432	2.9 %
49	Wyoming	1545	0.5 %
50	Alaska	1515	0.5 %
	Missing Data		
.	-	45	0.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 294,622 valid cases out of 294,667 total cases.

- Minimum: 1.00
- Maximum: 99.00

Location: 3-4 (width: 2; decimal: 0)

Variable Type: numeric

ORI: ORIGINATING AGENCY IDENTIFIER CODE

Originating Agency Identifier. Labels for ORIs are provided in the data file.

Value	Label	Unweighted Frequency	%
AK00101	ANCHORAGE	-	-
AK00102	FAIRBANKS	-	-
AK00103	JUNEAU	-	-
AK00104	KETCHIKAN	-	-
AK00105	KODIAK	-	-
AK00106	NOME	-	-
AK00107	PETERSBURG	-	-
AK00108	SEWARD	-	-
AK00109	SITKA	-	-
AK00110	SKAGWAY	-	-
AK00111	WRANGELL	-	-
AK00112	VALDEZ	-	-
AK00113	BETHEL	-	-
AK00114	CORDOVA	-	-
AK00116	KOTZEBUE	-	-
AK00117	PALMER	-	-
AK00118	NORTH SLOPE BOROUGH	-	-

Value	Label	Unweighted Frequency	%
AK00119	SELDOVIA	-	-
AK00120	SOLDOTNA	-	-
AK00121	HAINES	-	-
AK00122	HOMER	-	-
AK00123	KENAI	-	-
AK00125	METLAKATLA TRIBAL	-	-
AK00126	FAIRBANKS INTRNL AIRPORT	-	-
AK00127	TED STEVENS ANCHORAGE INT	-	-
AK00128	WHITTIER	-	-
AK00130	DILLINGHAM	-	-
AK00131	HOONAH	-	-
AK00132	NORTH POLE	-	-
AK00133	UNALASKA	-	-
AK00135	KLAWOCK	-	-
AK00142	UNIV OF AK: FAIRBANKS	-	-
AK00143	UNIV OF AK: ANCHORAGE	-	-
AK00145	CRAIG	-	-
AK00146	BRISTOL BAY BOROUGH	-	-
AK00150	ST. PAUL	-	-
AK00152	SAND POINT	-	-
AK00156	WASILLA	-	-
AKAST00	STATE TROOPERS, JUNEAU	-	-
AKAST01	ALASKA STATE TROOPERS	-	-
AKAST06	STATE TROOPERS, BETHEL	-	-
AKAST15	STATE TROOPERS HQS, ANCHO	-	-
AKATF02	BUREAU OF ATF ANCHORAGE	-	-
AKFBIAN	FBI, ANCHORAGE	-	-
AL00100	JEFFERSON	-	-
AL00101	BESSEMER	-	-
AL00102	BIRMINGHAM	-	-
AL00103	MOUNTAIN BROOK	-	-
AL00104	FAIRFIELD	-	-
AL00105	GARDENDALE	-	-
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 294,667 valid cases out of 294,667 total cases.

Location: 5-13 (width: 9; decimal: 0)

Variable Type: character

GROUP: GROUP

Group 0 is possessions; 1-7 are cities, 8-9 are counties. Sub-Group (position 12) is blank when not used. All populations are inclusive.

Value	Label	Unweighted Frequency	%
-		45	0.0 %
0	Possessions	32	0.0 %
1	Cities 250,000 or over	0	0.0 %
1A	Cities 1,000,000 or over	391	0.1 %
1B	Cities 500,000-999,999	882	0.3 %
1C	Cities 250,000-499,999	1649	0.6 %
2	Cities 100,000-249,999	7007	2.4 %
3	Cities 50,000-99,999	14375	4.9 %
4	Cities 25,000-49,999	23574	8.0 %
5	Cities 10,000-24,999	44298	15.0 %
6	Cities 2,500-9,999	71853	24.4 %
7	Cities under 2,500	50777	17.2 %
8	Non-MSA Cnty:	0	0.0 %
8A	Non-MSA Cnty 100,000 or over	166	0.1 %
8B	Non-MSA Cnty 25,000-99,999	7328	2.5 %
8C	Non-MSA Cnty 10,000-24,999	13320	4.5 %
8D	Non-MSA Cnty under 10,000	21301	7.2 %
8E	Non-MSA State Police	1253	0.4 %
9	MSA Cnty:	0	0.0 %
9A	MSA Cnty 100,000 or over	5067	1.7 %
9B	MSA Cnty 25,000-99,999	13453	4.6 %
9C	MSA Cnty 10,000-24,999	6220	2.1 %
9D	MSA Cnty under 10,000	11247	3.8 %
9E	MSA State Police	429	0.1 %
	Total	294,667	100%

Based upon 294,667 valid cases out of 294,667 total cases.

Location: 14-15 (width: 2; decimal: 0)

Variable Type: character

DIV: GEOGRAPHIC DIVISION OF STATE

Geographic division in which the state is located (from 1 thru 9). Possessions are coded "0."

Value	Label	Unweighted Frequency	%
0	Possessions	40	0.0 %

Value	Label	Unweighted Frequency	%
1	New England	17219	5.8 %
2	Middle Atlantic	42562	14.4 %
3	East North Central	37046	12.6 %
4	West North Central	30718	10.4 %
5	South Atlantic	41373	14.0 %
6	East South Central	23931	8.1 %
7	West South Central	55403	18.8 %
8	Mountain	18889	6.4 %
9	Pacific	27441	9.3 %
	Missing Data		
.	-	45	0.0 %
	Total	294,667	100%

Based upon 294,622 valid cases out of 294,667 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 16-16 (width: 1; decimal: 0)

Variable Type: numeric

YEAR: YEAR

The year the data reflects.

Value	Label	Unweighted Frequency	%
2017	-	294622	100.0 %
	Missing Data		
.	-	45	0.0 %
	Total	294,667	100%

Based upon 294,622 valid cases out of 294,667 total cases.

- Mean: 2017.00
- Median: 2017.00
- Mode: 2017.00
- Minimum: 2017.00
- Maximum: 2017.00
- Standard Deviation: 0.00

Location: 17-20 (width: 4; decimal: 0)

Variable Type: numeric

MSA: METROPOLITAN STATISTICAL AREA OF CITY (UCR CODE)

Metropolitan Statistical Area (MSA) number in which the city is located, if any.
Blank if not used.

Note: Blank values have been recoded to 9998 "Not applicable".

Value	Label	Unweighted Frequency	%
	Missing Data		
9998	Not applicable	294667	100.0 %
	Total	294,667	100%

Based upon 0 valid cases out of 294,667 total cases.

Location: 21-24 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9998

SUB: SUBURBAN

A "suburban" agency is an MSA city with less than 50,000 population (groups 4 - 7) together with MSA counties (group 9).

Value	Label	Unweighted Frequency	%
0	Non-suburban	136892	46.5 %
1	Suburban	157730	53.5 %
	Missing Data		
.	-	45	0.0 %
	Total	294,667	100%

Based upon 294,622 valid cases out of 294,667 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 25-25 (width: 1; decimal: 0)

Variable Type: numeric

REPORT: REPORT INDICATION

Value	Label	Unweighted Frequency	%
0	Juvenile and adult reported	277720	94.2 %
1	Juvenile only reported	21	0.0 %
2	Adult only reported	12573	4.3 %
3	Not reported	0	0.0 %
5	UNDOCUMENTED CODE	4308	1.5 %
	Missing Data		
.	-	45	0.0 %
	Total	294,667	100%

Based upon 294,622 valid cases out of 294,667 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 26-26 (width: 1; decimal: 0)

Variable Type: numeric

ADJUST: ADJUSTMENT

Value	Label	Unweighted Frequency	%
0	Age, race, and ethnic origin reported	289620	98.3 %
1	No age reported	0	0.0 %
2	No race reported	0	0.0 %
3	No ethnic origin reported	5002	1.7 %
4	No race or ethnic origin reported	0	0.0 %
5	No age or ethnic origin reported	0	0.0 %
6	No age or race reported	0	0.0 %
	Missing Data		
9	Blank	45	0.0 %
	Total	294,667	100%

Based upon 294,622 valid cases out of 294,667 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 27-27 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 9

SEQNO: SEQUENCE NUMBER (5-DIGIT)

A five-digit number which places all cities in alphabetic order, regardless of state. This field is blank for groups 0, 8, and 9.

Value	Label	Unweighted Frequency	%
0	-	294622	100.0 %
	Missing Data		
.	-	45	0.0 %
	Total	294,667	100%

Based upon 294,622 valid cases out of 294,667 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00

- Standard Deviation: 0.00

Location: 28-28 (width: 1; decimal: 0)

Variable Type: numeric

COUNTY: COUNTY (3-DIGIT UCR CODE)

Three-digit numeric code for the county in which the agency is located.

Value	Label	Unweighted Frequency	%
0	-	9729	3.3 %
1	-	5684	1.9 %
2	-	8825	3.0 %
3	-	5794	2.0 %
4	-	5339	1.8 %
5	-	4885	1.7 %
6	-	4508	1.5 %
7	-	5982	2.0 %
8	-	4669	1.6 %
9	-	5454	1.9 %
10	-	4532	1.5 %
11	-	4377	1.5 %
12	-	3391	1.2 %
13	-	4989	1.7 %
14	-	5249	1.8 %
15	-	5784	2.0 %
16	-	4420	1.5 %
17	-	3131	1.1 %
18	-	4213	1.4 %
19	-	6088	2.1 %
20	-	3548	1.2 %
21	-	2976	1.0 %
22	-	2955	1.0 %
23	-	3618	1.2 %
24	-	2862	1.0 %
25	-	3852	1.3 %
26	-	2356	0.8 %
27	-	3545	1.2 %
28	-	2739	0.9 %
29	-	2318	0.8 %
30	-	3533	1.2 %
31	-	3844	1.3 %

Value	Label	Unweighted Frequency	%
32	-	2171	0.7 %
33	-	3051	1.0 %
34	-	2763	0.9 %
35	-	2241	0.8 %
36	-	4442	1.5 %
37	-	3132	1.1 %
38	-	1854	0.6 %
39	-	2480	0.8 %
40	-	3272	1.1 %
41	-	2438	0.8 %
42	-	2271	0.8 %
43	-	3346	1.1 %
44	-	2224	0.8 %
45	-	2697	0.9 %
46	-	3200	1.1 %
47	-	2268	0.8 %
48	-	2636	0.9 %
49	-	2388	0.8 %
	Missing Data		
.	-	45	0.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 294,622 valid cases out of 294,667 total cases.

- Mean: 45.66
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 48.19

Location: 29-31 (width: 3; decimal: 0)

Variable Type: numeric

CORE: CORE CITY

Value	Label	Unweighted Frequency	%
	-	45	0.0 %
N	Agency not core city	275231	93.4 %
Y	Agency is core city	19391	6.6 %
	Total	294,667	100%

Based upon 294,667 valid cases out of 294,667 total cases.

Location: 32-32 (width: 1; decimal: 0)

Variable Type: character

POP: CURRENT POPULATION

Total population for the agency for the year reported.

Based upon 294,622 valid cases out of 294,667 total cases.

- Mean: 29675.36
- Minimum: 0.00
- Maximum: 8616333.00
- Standard Deviation: 103105.45

Location: 33-39 (width: 7; decimal: 0)

Variable Type: numeric

AGENCNT: AGENCY COUNT

Used to accumulate "agencies used" totals in various tabulations. This field is normally "1" but will be "0" for the U.S. Park Police and all State Police agencies whose ORI code ends in "SP" (or "99" in California).

Value	Label	Unweighted Frequency	%
1	-	294622	100.0 %
	Missing Data		
.	-	45	0.0 %
	Total	294,667	100%

Based upon 294,622 valid cases out of 294,667 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

Location: 40-40 (width: 1; decimal: 0)

Variable Type: numeric

AGENCY: AGENCY NAME

Based upon 294,667 valid cases out of 294,667 total cases.

Location: 41-65 (width: 25; decimal: 0)

Variable Type: character

STNAME: STATE NAME

Value	Label	Unweighted Frequency	%
-		45	0.0 %

Value	Label	Unweighted Frequency	%
ALABAMA	-	6285	2.1 %
ALASKA	-	1515	0.5 %
AMERICA	-	1	0.0 %
ARIZONA	-	2938	1.0 %
ARKANSAS	-	5098	1.7 %
CALIFORNIA	-	17326	5.9 %
CANAL	-	1	0.0 %
COLORADO	-	3971	1.3 %
CONNECTICUT	-	2462	0.8 %
DELAWARE	-	1102	0.4 %
DISTRICT OF COLUMBIA	-	37	0.0 %
FEDERAL GOVERNMENT	-	16	0.0 %
FLORIDA	-	741	0.3 %
GEORGIA	-	9760	3.3 %
GUAM	-	4	0.0 %
HAWAII	-	187	0.1 %
IDAHO	-	2106	0.7 %
ILLINOIS	-	978	0.3 %
INDIANA	-	6421	2.2 %
IOWA	-	4239	1.4 %
KANSAS	-	4572	1.6 %
KENTUCKY	-	6806	2.3 %
LOUISIANA	-	4160	1.4 %
MAINE	-	2898	1.0 %
MARIANA ISLANDS	-	1	0.0 %
MARYLAND	-	5084	1.7 %

Value	Label	Unweighted Frequency	%
MASS AC	-	6066	2.1 %
MICHI G	-	11268	3.8 %
MINNE S	-	6791	2.3 %
MISSIS	-	2285	0.8 %
MISSO U	-	9485	3.2 %
MONT AN	-	1701	0.6 %
NEBR AS	-	2360	0.8 %
NEVAD A	-	1999	0.7 %
NEW HA	-	3438	1.2 %
NEW JE	-	11547	3.9 %
NEW ME	-	1920	0.7 %
NEW YO	-	9853	3.3 %
NORT H	-	9554	3.2 %
OHIO	-	9947	3.4 %
OKLAH O	-	6125	2.1 %
OREG ON	-	3683	1.2 %
OTHE R	-	173	0.1 %
PENN SY	-	21162	7.2 %
PUERT O	-	29	0.0 %
RHOD E	-	1090	0.4 %
SOUT H	-	7334	2.5 %
TENNE S	-	8555	2.9 %
TEXAS	-	40020	13.6 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 294,667 valid cases out of 294,667 total cases.

Location: 66-71 (width: 6; decimal: 0)

Variable Type: character

CARD1: CARD 1 INDICATOR

Value	Label	Unweighted Frequency	%
0	No adult male reported	38995	13.2 %
1	Adult male reported	249766	84.8 %
	Missing Data		
8	Not applicable	5906	2.0 %
	Total	294,667	100%

Based upon 288,761 valid cases out of 294,667 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 72-72 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

CARD2: CARD 2 INDICATOR

Value	Label	Unweighted Frequency	%
0	No adult female reported	75278	25.5 %
1	Adult female reported	213483	72.4 %
	Missing Data		
8	Not applicable	5906	2.0 %
	Total	294,667	100%

Based upon 288,761 valid cases out of 294,667 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 73-73 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

CARD3: CARD 3 INDICATOR

Value	Label	Unweighted Frequency	%
0	No juvenile reported	115789	39.3 %
1	Juvenile reported	172972	58.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
8	Not applicable	5906	2.0 %
	Total	294,667	100%

Based upon 288,761 valid cases out of 294,667 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 74-74 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

OFFENSE: OFFENSE CODE

Value	Label	Unweighted Frequency	%
000	HEADER Record	38	0.0 %
011	Murder and non-negligent manslaughter	3136	1.1 %
012	Manslaughter by negligence	1512	0.5 %
020	Forcible rape	5191	1.8 %
030	Robbery	5629	1.9 %
040	Aggravated assault	10367	3.5 %
050	Burglary-breaking or entering	9165	3.1 %
060	Larceny-theft (not motor vehicle)	11088	3.8 %
070	Motor vehicle theft	7314	2.5 %
080	Other assaults	11872	4.0 %
090	Arson	3409	1.2 %
100	Forgery and counterfeiting	6638	2.3 %
110	Fraud	8416	2.9 %
120	Embezzlement	3344	1.1 %
130	Stolen property-buy, receive, poss.	7290	2.5 %
140	Vandalism	9213	3.1 %
150	Weapons-carry, posses, etc.	8712	3.0 %
160	Prostitution and commercialized vice	2437	0.8 %
161	Prostitution and commercialized vice - Prostitution	1634	0.6 %
162	Prostitution and commercialized vice - Assisting or Promoting Prostitution	1290	0.4 %
163	Prostitution and commercialized vice - Purchasing Prostitution	1129	0.4 %
170	Sex offenses (not rape or prostitution)	6432	2.2 %
18	Total drug abuse violations	12288	4.2 %
180	Sale/manufacture (subtotal)	8955	3.0 %
181	Sale: Opium, coke, and their derivatives	5271	1.8 %
182	Sale: Marijuana	6745	2.3 %

Value	Label	Unweighted Frequency	%
183	Sale: Truly addicting synthetic narcotics	3143	1.1 %
184	Sale: Other dangerous non-narc drugs	6022	2.0 %
185	Possession (subtotal)	12129	4.1 %
186	Possession: Opium, coke, and their derivatives	8351	2.8 %
187	Possession: Marijuana	10924	3.7 %
188	Possession: Truly addicting synthetic narcotics	6057	2.1 %
189	Possession: Other dangerous non-narc drugs	9808	3.3 %
19	Gambling (total)	1293	0.4 %
190	Gambling (total)	0	0.0 %
191	Bookmaking (horse and sports)	1079	0.4 %
192	Number and lottery	1049	0.4 %
193	All other gambling	1194	0.4 %
200	Offenses against family and children	6110	2.1 %
210	Driving under the influence	11960	4.1 %
220	Liquor laws	8202	2.8 %
230	Drunkenness	6424	2.2 %
240	Disorderly conduct	10049	3.4 %
250	Vagrancy	2117	0.7 %
260	All other offenses (not traffic)	12738	4.3 %
270	Suspicion	1023	0.3 %
280	Curfew and loitering violations	2305	0.8 %
290	Runaways	2309	0.8 %
301	Human Trafficking - Commercial Sex Acts	1117	0.4 %
302	Human Trafficking - Involuntary Servitude	1053	0.4 %
	Missing Data		
998	Not applicable	5906	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,761 valid cases out of 294,667 total cases.

Location: 75-77 (width: 3; decimal: 0)

Variable Type: character

(Range of) Missing Values: 998

MO_9: MALE UNDER 10

Value	Label	Unweighted Frequency	%
0	-	286411	97.2 %
1	-	1671	0.6 %

Value	Label	Unweighted Frequency	%
2	-	413	0.1 %
3	-	138	0.0 %
4	-	60	0.0 %
5	-	34	0.0 %
6	-	17	0.0 %
7	-	14	0.0 %
8	-	8	0.0 %
9	-	7	0.0 %
10	-	5	0.0 %
11	-	5	0.0 %
12	-	2	0.0 %
13	-	2	0.0 %
16	-	3	0.0 %
17	-	1	0.0 %
19	-	3	0.0 %
20	-	3	0.0 %
23	-	1	0.0 %
27	-	1	0.0 %
56	-	1	0.0 %
137	-	1	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 137.00
- Standard Deviation: 0.36

Location: 78-83 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M10_12: MALE 10-12

Value	Label	Unweighted Frequency	%
0	-	274432	93.1 %
1	-	8218	2.8 %
2	-	2653	0.9 %

Value	Label	Unweighted Frequency	%
3	-	1249	0.4 %
4	-	657	0.2 %
5	-	442	0.1 %
6	-	250	0.1 %
7	-	174	0.1 %
8	-	139	0.0 %
9	-	99	0.0 %
10	-	83	0.0 %
11	-	73	0.0 %
12	-	44	0.0 %
13	-	41	0.0 %
14	-	26	0.0 %
15	-	24	0.0 %
16	-	20	0.0 %
17	-	23	0.0 %
18	-	23	0.0 %
19	-	17	0.0 %
20	-	11	0.0 %
21	-	7	0.0 %
22	-	9	0.0 %
23	-	7	0.0 %
24	-	4	0.0 %
25	-	7	0.0 %
26	-	5	0.0 %
27	-	7	0.0 %
28	-	4	0.0 %
29	-	3	0.0 %
30	-	3	0.0 %
31	-	6	0.0 %
32	-	4	0.0 %
33	-	1	0.0 %
34	-	1	0.0 %
35	-	2	0.0 %
36	-	1	0.0 %
37	-	3	0.0 %
38	-	1	0.0 %
39	-	2	0.0 %
40	-	2	0.0 %
43	-	4	0.0 %

Value	Label	Unweighted Frequency	%
45	-	1	0.0 %
47	-	1	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
51	-	1	0.0 %
52	-	1	0.0 %
53	-	1	0.0 %
54	-	1	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 469.00
- Standard Deviation: 1.42

Location: 84-89 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M13_14: MALE 13-14

Value	Label	Unweighted Frequency	%
0	-	254743	86.5 %
1	-	16805	5.7 %
2	-	6533	2.2 %
3	-	3144	1.1 %
4	-	1840	0.6 %
5	-	1217	0.4 %
6	-	842	0.3 %
7	-	621	0.2 %
8	-	443	0.2 %
9	-	367	0.1 %
10	-	294	0.1 %
11	-	249	0.1 %
12	-	182	0.1 %

Value	Label	Unweighted Frequency	%
13	-	182	0.1 %
14	-	136	0.0 %
15	-	106	0.0 %
16	-	99	0.0 %
17	-	95	0.0 %
18	-	73	0.0 %
19	-	72	0.0 %
20	-	50	0.0 %
21	-	52	0.0 %
22	-	47	0.0 %
23	-	41	0.0 %
24	-	42	0.0 %
25	-	37	0.0 %
26	-	25	0.0 %
27	-	26	0.0 %
28	-	29	0.0 %
29	-	19	0.0 %
30	-	22	0.0 %
31	-	24	0.0 %
32	-	16	0.0 %
33	-	18	0.0 %
34	-	14	0.0 %
35	-	19	0.0 %
36	-	14	0.0 %
37	-	18	0.0 %
38	-	15	0.0 %
39	-	21	0.0 %
40	-	11	0.0 %
41	-	10	0.0 %
42	-	9	0.0 %
43	-	10	0.0 %
44	-	8	0.0 %
45	-	4	0.0 %
46	-	5	0.0 %
47	-	5	0.0 %
48	-	5	0.0 %
49	-	6	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %

Value	Label	Unweighted Frequency	%
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 0.41
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 958.00
- Standard Deviation: 3.17

Location: 90-95 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M15: MALE 15

Value	Label	Unweighted Frequency	%
0	-	253347	86.0 %
1	-	18548	6.3 %
2	-	6768	2.3 %
3	-	3252	1.1 %
4	-	1765	0.6 %
5	-	1138	0.4 %
6	-	769	0.3 %
7	-	587	0.2 %
8	-	442	0.1 %
9	-	286	0.1 %
10	-	270	0.1 %
11	-	227	0.1 %
12	-	148	0.1 %
13	-	153	0.1 %
14	-	108	0.0 %
15	-	107	0.0 %
16	-	69	0.0 %
17	-	70	0.0 %
18	-	59	0.0 %
19	-	56	0.0 %
20	-	50	0.0 %
21	-	37	0.0 %
22	-	43	0.0 %

Value	Label	Unweighted Frequency	%
23	-	53	0.0 %
24	-	31	0.0 %
25	-	19	0.0 %
26	-	24	0.0 %
27	-	27	0.0 %
28	-	25	0.0 %
29	-	23	0.0 %
30	-	21	0.0 %
31	-	19	0.0 %
32	-	17	0.0 %
33	-	12	0.0 %
34	-	16	0.0 %
35	-	14	0.0 %
36	-	15	0.0 %
37	-	7	0.0 %
38	-	7	0.0 %
39	-	10	0.0 %
40	-	10	0.0 %
41	-	6	0.0 %
42	-	10	0.0 %
43	-	5	0.0 %
44	-	7	0.0 %
45	-	5	0.0 %
46	-	3	0.0 %
47	-	8	0.0 %
48	-	6	0.0 %
49	-	5	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 0.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 839.00
- Standard Deviation: 2.76

Location: 96-101 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M16: MALE 16

Value	Label	Unweighted Frequency	%
0	-	242929	82.4 %
1	-	23158	7.9 %
2	-	8452	2.9 %
3	-	4340	1.5 %
4	-	2555	0.9 %
5	-	1682	0.6 %
6	-	1218	0.4 %
7	-	790	0.3 %
8	-	563	0.2 %
9	-	426	0.1 %
10	-	347	0.1 %
11	-	311	0.1 %
12	-	245	0.1 %
13	-	202	0.1 %
14	-	169	0.1 %
15	-	141	0.0 %
16	-	131	0.0 %
17	-	104	0.0 %
18	-	78	0.0 %
19	-	94	0.0 %
20	-	61	0.0 %
21	-	58	0.0 %
22	-	43	0.0 %
23	-	49	0.0 %
24	-	34	0.0 %
25	-	31	0.0 %
26	-	45	0.0 %
27	-	34	0.0 %
28	-	18	0.0 %
29	-	24	0.0 %
30	-	30	0.0 %
31	-	18	0.0 %
32	-	24	0.0 %
33	-	23	0.0 %
34	-	17	0.0 %

Value	Label	Unweighted Frequency	%
35	-	19	0.0 %
36	-	17	0.0 %
37	-	9	0.0 %
38	-	18	0.0 %
39	-	16	0.0 %
40	-	15	0.0 %
41	-	9	0.0 %
42	-	11	0.0 %
43	-	17	0.0 %
44	-	16	0.0 %
45	-	13	0.0 %
46	-	8	0.0 %
47	-	10	0.0 %
48	-	5	0.0 %
49	-	7	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 0.52
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1107.00
- Standard Deviation: 3.53

Location: 102-107 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M17: MALE 17

Value	Label	Unweighted Frequency	%
0	-	232329	78.8 %
1	-	28057	9.5 %
2	-	10239	3.5 %
3	-	5101	1.7 %
4	-	3154	1.1 %
5	-	2112	0.7 %

Value	Label	Unweighted Frequency	%
6	-	1458	0.5 %
7	-	1106	0.4 %
8	-	821	0.3 %
9	-	652	0.2 %
10	-	525	0.2 %
11	-	420	0.1 %
12	-	337	0.1 %
13	-	293	0.1 %
14	-	254	0.1 %
15	-	191	0.1 %
16	-	189	0.1 %
17	-	133	0.0 %
18	-	108	0.0 %
19	-	112	0.0 %
20	-	77	0.0 %
21	-	106	0.0 %
22	-	67	0.0 %
23	-	68	0.0 %
24	-	53	0.0 %
25	-	56	0.0 %
26	-	39	0.0 %
27	-	34	0.0 %
28	-	35	0.0 %
29	-	49	0.0 %
30	-	38	0.0 %
31	-	33	0.0 %
32	-	30	0.0 %
33	-	23	0.0 %
34	-	30	0.0 %
35	-	21	0.0 %
36	-	13	0.0 %
37	-	21	0.0 %
38	-	24	0.0 %
39	-	9	0.0 %
40	-	20	0.0 %
41	-	14	0.0 %
42	-	10	0.0 %
43	-	16	0.0 %
44	-	14	0.0 %

Value	Label	Unweighted Frequency	%
45	-	12	0.0 %
46	-	9	0.0 %
47	-	9	0.0 %
48	-	3	0.0 %
49	-	8	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 0.69
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 962.00
- Standard Deviation: 4.03

Location: 108-113 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M18: MALE 18

Value	Label	Unweighted Frequency	%
0	-	216939	73.6 %
1	-	33969	11.5 %
2	-	12858	4.4 %
3	-	6710	2.3 %
4	-	4149	1.4 %
5	-	2724	0.9 %
6	-	1968	0.7 %
7	-	1512	0.5 %
8	-	1177	0.4 %
9	-	928	0.3 %
10	-	690	0.2 %
11	-	603	0.2 %
12	-	515	0.2 %
13	-	410	0.1 %
14	-	377	0.1 %
15	-	296	0.1 %

Value	Label	Unweighted Frequency	%
16	-	238	0.1 %
17	-	258	0.1 %
18	-	176	0.1 %
19	-	192	0.1 %
20	-	142	0.0 %
21	-	129	0.0 %
22	-	127	0.0 %
23	-	130	0.0 %
24	-	103	0.0 %
25	-	122	0.0 %
26	-	78	0.0 %
27	-	86	0.0 %
28	-	69	0.0 %
29	-	62	0.0 %
30	-	51	0.0 %
31	-	50	0.0 %
32	-	49	0.0 %
33	-	46	0.0 %
34	-	27	0.0 %
35	-	33	0.0 %
36	-	44	0.0 %
37	-	32	0.0 %
38	-	25	0.0 %
39	-	40	0.0 %
40	-	19	0.0 %
41	-	26	0.0 %
42	-	18	0.0 %
43	-	26	0.0 %
44	-	20	0.0 %
45	-	24	0.0 %
46	-	29	0.0 %
47	-	25	0.0 %
48	-	15	0.0 %
49	-	18	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 1.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 13006.00
- Standard Deviation: 24.77

Location: 114-119 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M19: MALE 19

Value	Label	Unweighted Frequency	%
0	-	214638	72.8 %
1	-	35186	11.9 %
2	-	13062	4.4 %
3	-	6821	2.3 %
4	-	4204	1.4 %
5	-	2914	1.0 %
6	-	2036	0.7 %
7	-	1487	0.5 %
8	-	1155	0.4 %
9	-	943	0.3 %
10	-	721	0.2 %
11	-	585	0.2 %
12	-	567	0.2 %
13	-	413	0.1 %
14	-	372	0.1 %
15	-	337	0.1 %
16	-	309	0.1 %
17	-	243	0.1 %
18	-	218	0.1 %
19	-	224	0.1 %
20	-	168	0.1 %
21	-	168	0.1 %
22	-	134	0.0 %
23	-	130	0.0 %
24	-	122	0.0 %
25	-	88	0.0 %

Value	Label	Unweighted Frequency	%
26	-	86	0.0 %
27	-	73	0.0 %
28	-	73	0.0 %
29	-	66	0.0 %
30	-	73	0.0 %
31	-	55	0.0 %
32	-	61	0.0 %
33	-	43	0.0 %
34	-	45	0.0 %
35	-	49	0.0 %
36	-	36	0.0 %
37	-	39	0.0 %
38	-	32	0.0 %
39	-	41	0.0 %
40	-	24	0.0 %
41	-	30	0.0 %
42	-	34	0.0 %
43	-	28	0.0 %
44	-	26	0.0 %
45	-	27	0.0 %
46	-	19	0.0 %
47	-	23	0.0 %
48	-	15	0.0 %
49	-	16	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 1.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 762.00
- Standard Deviation: 5.97

Location: 120-125 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M20: MALE 20

Value	Label	Unweighted Frequency	%
0	-	215912	73.3 %
1	-	34702	11.8 %
2	-	13182	4.5 %
3	-	6637	2.3 %
4	-	4166	1.4 %
5	-	2758	0.9 %
6	-	1932	0.7 %
7	-	1513	0.5 %
8	-	1112	0.4 %
9	-	854	0.3 %
10	-	694	0.2 %
11	-	558	0.2 %
12	-	448	0.2 %
13	-	399	0.1 %
14	-	345	0.1 %
15	-	344	0.1 %
16	-	246	0.1 %
17	-	229	0.1 %
18	-	225	0.1 %
19	-	197	0.1 %
20	-	175	0.1 %
21	-	157	0.1 %
22	-	142	0.0 %
23	-	136	0.0 %
24	-	124	0.0 %
25	-	100	0.0 %
26	-	72	0.0 %
27	-	88	0.0 %
28	-	82	0.0 %
29	-	74	0.0 %
30	-	61	0.0 %
31	-	52	0.0 %
32	-	49	0.0 %
33	-	55	0.0 %
34	-	45	0.0 %
35	-	31	0.0 %
36	-	35	0.0 %

Value	Label	Unweighted Frequency	%
37	-	27	0.0 %
38	-	37	0.0 %
39	-	30	0.0 %
40	-	32	0.0 %
41	-	33	0.0 %
42	-	42	0.0 %
43	-	21	0.0 %
44	-	25	0.0 %
45	-	25	0.0 %
46	-	12	0.0 %
47	-	16	0.0 %
48	-	16	0.0 %
49	-	17	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 1.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 795.00
- Standard Deviation: 6.07

Location: 126-131 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M21: MALE 21

Value	Label	Unweighted Frequency	%
0	-	217005	73.6 %
1	-	34561	11.7 %
2	-	12802	4.3 %
3	-	6537	2.2 %
4	-	4130	1.4 %
5	-	2674	0.9 %
6	-	1856	0.6 %
7	-	1391	0.5 %

Value	Label	Unweighted Frequency	%
8	-	1075	0.4 %
9	-	841	0.3 %
10	-	647	0.2 %
11	-	577	0.2 %
12	-	513	0.2 %
13	-	427	0.1 %
14	-	331	0.1 %
15	-	299	0.1 %
16	-	258	0.1 %
17	-	208	0.1 %
18	-	191	0.1 %
19	-	167	0.1 %
20	-	165	0.1 %
21	-	161	0.1 %
22	-	139	0.0 %
23	-	121	0.0 %
24	-	104	0.0 %
25	-	81	0.0 %
26	-	85	0.0 %
27	-	84	0.0 %
28	-	68	0.0 %
29	-	74	0.0 %
30	-	57	0.0 %
31	-	64	0.0 %
32	-	44	0.0 %
33	-	48	0.0 %
34	-	58	0.0 %
35	-	46	0.0 %
36	-	50	0.0 %
37	-	29	0.0 %
38	-	40	0.0 %
39	-	35	0.0 %
40	-	26	0.0 %
41	-	27	0.0 %
42	-	18	0.0 %
43	-	19	0.0 %
44	-	32	0.0 %
45	-	31	0.0 %
46	-	18	0.0 %

Value	Label	Unweighted Frequency	%
47	-	17	0.0 %
48	-	18	0.0 %
49	-	15	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 1.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 723.00
- Standard Deviation: 6.21

Location: 132-137 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M22: MALE 22

Value	Label	Unweighted Frequency	%
0	-	217743	73.9 %
1	-	34024	11.5 %
2	-	12779	4.3 %
3	-	6484	2.2 %
4	-	3933	1.3 %
5	-	2702	0.9 %
6	-	1911	0.6 %
7	-	1357	0.5 %
8	-	1063	0.4 %
9	-	850	0.3 %
10	-	687	0.2 %
11	-	551	0.2 %
12	-	471	0.2 %
13	-	393	0.1 %
14	-	379	0.1 %
15	-	287	0.1 %
16	-	228	0.1 %
17	-	196	0.1 %

Value	Label	Unweighted Frequency	%
18	-	203	0.1 %
19	-	190	0.1 %
20	-	181	0.1 %
21	-	141	0.0 %
22	-	136	0.0 %
23	-	106	0.0 %
24	-	96	0.0 %
25	-	103	0.0 %
26	-	101	0.0 %
27	-	74	0.0 %
28	-	80	0.0 %
29	-	84	0.0 %
30	-	69	0.0 %
31	-	56	0.0 %
32	-	60	0.0 %
33	-	44	0.0 %
34	-	39	0.0 %
35	-	35	0.0 %
36	-	36	0.0 %
37	-	40	0.0 %
38	-	35	0.0 %
39	-	38	0.0 %
40	-	38	0.0 %
41	-	28	0.0 %
42	-	39	0.0 %
43	-	22	0.0 %
44	-	37	0.0 %
45	-	22	0.0 %
46	-	25	0.0 %
47	-	19	0.0 %
48	-	15	0.0 %
49	-	17	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 1.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 699.00
- Standard Deviation: 6.40

Location: 138-143 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M23: MALE 23

Value	Label	Unweighted Frequency	%
0	-	217794	73.9 %
1	-	34299	11.6 %
2	-	12549	4.3 %
3	-	6452	2.2 %
4	-	3900	1.3 %
5	-	2525	0.9 %
6	-	1905	0.6 %
7	-	1379	0.5 %
8	-	1096	0.4 %
9	-	861	0.3 %
10	-	697	0.2 %
11	-	556	0.2 %
12	-	473	0.2 %
13	-	395	0.1 %
14	-	337	0.1 %
15	-	306	0.1 %
16	-	239	0.1 %
17	-	250	0.1 %
18	-	190	0.1 %
19	-	158	0.1 %
20	-	156	0.1 %
21	-	146	0.0 %
22	-	142	0.0 %
23	-	115	0.0 %
24	-	106	0.0 %
25	-	108	0.0 %
26	-	106	0.0 %
27	-	89	0.0 %
28	-	71	0.0 %
29	-	80	0.0 %

Value	Label	Unweighted Frequency	%
30	-	44	0.0 %
31	-	54	0.0 %
32	-	50	0.0 %
33	-	68	0.0 %
34	-	52	0.0 %
35	-	46	0.0 %
36	-	51	0.0 %
37	-	43	0.0 %
38	-	43	0.0 %
39	-	39	0.0 %
40	-	38	0.0 %
41	-	38	0.0 %
42	-	26	0.0 %
43	-	20	0.0 %
44	-	19	0.0 %
45	-	21	0.0 %
46	-	16	0.0 %
47	-	29	0.0 %
48	-	21	0.0 %
49	-	27	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 1.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 697.00
- Standard Deviation: 6.70

Location: 144-149 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M24: MALE 24

Value	Label	Unweighted Frequency	%
0	-	217184	73.7 %

Value	Label	Unweighted Frequency	%
1	-	34422	11.7 %
2	-	12788	4.3 %
3	-	6550	2.2 %
4	-	4021	1.4 %
5	-	2537	0.9 %
6	-	1919	0.7 %
7	-	1329	0.5 %
8	-	1112	0.4 %
9	-	863	0.3 %
10	-	688	0.2 %
11	-	580	0.2 %
12	-	482	0.2 %
13	-	456	0.2 %
14	-	336	0.1 %
15	-	308	0.1 %
16	-	240	0.1 %
17	-	215	0.1 %
18	-	185	0.1 %
19	-	203	0.1 %
20	-	130	0.0 %
21	-	137	0.0 %
22	-	130	0.0 %
23	-	114	0.0 %
24	-	110	0.0 %
25	-	99	0.0 %
26	-	90	0.0 %
27	-	77	0.0 %
28	-	75	0.0 %
29	-	85	0.0 %
30	-	52	0.0 %
31	-	66	0.0 %
32	-	53	0.0 %
33	-	41	0.0 %
34	-	52	0.0 %
35	-	59	0.0 %
36	-	46	0.0 %
37	-	38	0.0 %
38	-	33	0.0 %
39	-	41	0.0 %

Value	Label	Unweighted Frequency	%
40	-	28	0.0 %
41	-	37	0.0 %
42	-	33	0.0 %
43	-	30	0.0 %
44	-	29	0.0 %
45	-	19	0.0 %
46	-	26	0.0 %
47	-	17	0.0 %
48	-	18	0.0 %
49	-	14	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 1.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 599.00
- Standard Deviation: 6.68

Location: 150-155 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M25_29: MALE 25-29

Value	Label	Unweighted Frequency	%
0	-	150014	50.9 %
1	-	47444	16.1 %
2	-	21695	7.4 %
3	-	12865	4.4 %
4	-	8784	3.0 %
5	-	6297	2.1 %
6	-	4929	1.7 %
7	-	3696	1.3 %
8	-	3126	1.1 %
9	-	2748	0.9 %
10	-	2143	0.7 %

Value	Label	Unweighted Frequency	%
11	-	1868	0.6 %
12	-	1639	0.6 %
13	-	1455	0.5 %
14	-	1236	0.4 %
15	-	1166	0.4 %
16	-	986	0.3 %
17	-	901	0.3 %
18	-	836	0.3 %
19	-	767	0.3 %
20	-	683	0.2 %
21	-	616	0.2 %
22	-	590	0.2 %
23	-	535	0.2 %
24	-	507	0.2 %
25	-	475	0.2 %
26	-	431	0.1 %
27	-	407	0.1 %
28	-	413	0.1 %
29	-	383	0.1 %
30	-	314	0.1 %
31	-	318	0.1 %
32	-	276	0.1 %
33	-	253	0.1 %
34	-	237	0.1 %
35	-	242	0.1 %
36	-	215	0.1 %
37	-	204	0.1 %
38	-	207	0.1 %
39	-	184	0.1 %
40	-	216	0.1 %
41	-	186	0.1 %
42	-	184	0.1 %
43	-	187	0.1 %
44	-	146	0.0 %
45	-	152	0.1 %
46	-	136	0.0 %
47	-	132	0.0 %
48	-	135	0.0 %
49	-	121	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 5.15
- Minimum: 0.00
- Maximum: 3284.00
- Standard Deviation: 32.21

Location: 156-161 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M30_34: MALE 30-34

Value	Label	Unweighted Frequency	%
0	-	159293	54.1 %
1	-	46826	15.9 %
2	-	21024	7.1 %
3	-	12058	4.1 %
4	-	8056	2.7 %
5	-	5842	2.0 %
6	-	4357	1.5 %
7	-	3544	1.2 %
8	-	2751	0.9 %
9	-	2374	0.8 %
10	-	1921	0.7 %
11	-	1687	0.6 %
12	-	1428	0.5 %
13	-	1265	0.4 %
14	-	1107	0.4 %
15	-	984	0.3 %
16	-	844	0.3 %
17	-	794	0.3 %
18	-	699	0.2 %
19	-	595	0.2 %
20	-	558	0.2 %
21	-	550	0.2 %
22	-	480	0.2 %

Value	Label	Unweighted Frequency	%
23	-	458	0.2 %
24	-	448	0.2 %
25	-	390	0.1 %
26	-	351	0.1 %
27	-	344	0.1 %
28	-	288	0.1 %
29	-	285	0.1 %
30	-	260	0.1 %
31	-	250	0.1 %
32	-	220	0.1 %
33	-	233	0.1 %
34	-	207	0.1 %
35	-	180	0.1 %
36	-	193	0.1 %
37	-	176	0.1 %
38	-	177	0.1 %
39	-	168	0.1 %
40	-	140	0.0 %
41	-	161	0.1 %
42	-	137	0.0 %
43	-	123	0.0 %
44	-	112	0.0 %
45	-	113	0.0 %
46	-	114	0.0 %
47	-	100	0.0 %
48	-	97	0.0 %
49	-	110	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 4.14
- Minimum: 0.00
- Maximum: 2981.00
- Standard Deviation: 26.07

Location: 162-167 (width: 6; decimal: 0)

Variable Type: numeric

M35_39: MALE 35-39

Value	Label	Unweighted Frequency	%
0	-	169877	57.7 %
1	-	45503	15.4 %
2	-	19358	6.6 %
3	-	11215	3.8 %
4	-	7433	2.5 %
5	-	5241	1.8 %
6	-	4031	1.4 %
7	-	3110	1.1 %
8	-	2444	0.8 %
9	-	2016	0.7 %
10	-	1740	0.6 %
11	-	1396	0.5 %
12	-	1232	0.4 %
13	-	1037	0.4 %
14	-	978	0.3 %
15	-	848	0.3 %
16	-	721	0.2 %
17	-	641	0.2 %
18	-	567	0.2 %
19	-	530	0.2 %
20	-	462	0.2 %
21	-	432	0.1 %
22	-	421	0.1 %
23	-	341	0.1 %
24	-	325	0.1 %
25	-	305	0.1 %
26	-	295	0.1 %
27	-	228	0.1 %
28	-	273	0.1 %
29	-	238	0.1 %
30	-	214	0.1 %
31	-	206	0.1 %
32	-	175	0.1 %
33	-	140	0.0 %
34	-	187	0.1 %
35	-	170	0.1 %

Value	Label	Unweighted Frequency	%
36	-	153	0.1 %
37	-	130	0.0 %
38	-	125	0.0 %
39	-	134	0.0 %
40	-	97	0.0 %
41	-	109	0.0 %
42	-	84	0.0 %
43	-	103	0.0 %
44	-	96	0.0 %
45	-	97	0.0 %
46	-	80	0.0 %
47	-	84	0.0 %
48	-	94	0.0 %
49	-	81	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 3.31
- Minimum: 0.00
- Maximum: 2736.00
- Standard Deviation: 21.20

Location: 168-173 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M40_44: MALE 40-44

Value	Label	Unweighted Frequency	%
0	-	189789	64.4 %
1	-	41250	14.0 %
2	-	16925	5.7 %
3	-	9358	3.2 %
4	-	6041	2.1 %
5	-	4136	1.4 %
6	-	3114	1.1 %
7	-	2377	0.8 %
8	-	1861	0.6 %

Value	Label	Unweighted Frequency	%
9	-	1500	0.5 %
10	-	1215	0.4 %
11	-	1022	0.3 %
12	-	886	0.3 %
13	-	797	0.3 %
14	-	647	0.2 %
15	-	555	0.2 %
16	-	508	0.2 %
17	-	456	0.2 %
18	-	389	0.1 %
19	-	368	0.1 %
20	-	320	0.1 %
21	-	299	0.1 %
22	-	270	0.1 %
23	-	256	0.1 %
24	-	224	0.1 %
25	-	198	0.1 %
26	-	173	0.1 %
27	-	156	0.1 %
28	-	159	0.1 %
29	-	140	0.0 %
30	-	133	0.0 %
31	-	129	0.0 %
32	-	122	0.0 %
33	-	108	0.0 %
34	-	91	0.0 %
35	-	92	0.0 %
36	-	89	0.0 %
37	-	82	0.0 %
38	-	97	0.0 %
39	-	91	0.0 %
40	-	77	0.0 %
41	-	68	0.0 %
42	-	68	0.0 %
43	-	62	0.0 %
44	-	64	0.0 %
45	-	65	0.0 %
46	-	75	0.0 %
47	-	54	0.0 %

Value	Label	Unweighted Frequency	%
48	-	49	0.0 %
49	-	45	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 2.20
- Minimum: 0.00
- Maximum: 1868.00
- Standard Deviation: 14.83

Location: 174-179 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M45_49: MALE 45-49

Value	Label	Unweighted Frequency	%
0	-	198268	67.3 %
1	-	39262	13.3 %
2	-	15743	5.3 %
3	-	8578	2.9 %
4	-	5220	1.8 %
5	-	3716	1.3 %
6	-	2632	0.9 %
7	-	2084	0.7 %
8	-	1648	0.6 %
9	-	1258	0.4 %
10	-	996	0.3 %
11	-	911	0.3 %
12	-	762	0.3 %
13	-	617	0.2 %
14	-	564	0.2 %
15	-	498	0.2 %
16	-	429	0.1 %
17	-	350	0.1 %
18	-	317	0.1 %
19	-	283	0.1 %
20	-	283	0.1 %

Value	Label	Unweighted Frequency	%
21	-	251	0.1 %
22	-	225	0.1 %
23	-	198	0.1 %
24	-	193	0.1 %
25	-	160	0.1 %
26	-	165	0.1 %
27	-	139	0.0 %
28	-	137	0.0 %
29	-	94	0.0 %
30	-	134	0.0 %
31	-	108	0.0 %
32	-	104	0.0 %
33	-	75	0.0 %
34	-	81	0.0 %
35	-	70	0.0 %
36	-	77	0.0 %
37	-	69	0.0 %
38	-	65	0.0 %
39	-	69	0.0 %
40	-	61	0.0 %
41	-	57	0.0 %
42	-	58	0.0 %
43	-	52	0.0 %
44	-	57	0.0 %
45	-	54	0.0 %
46	-	48	0.0 %
47	-	54	0.0 %
48	-	45	0.0 %
49	-	43	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 1.87
- Minimum: 0.00
- Maximum: 1765.00
- Standard Deviation: 13.24

Location: 180-185 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M50_54: MALE 50-54

Value	Label	Unweighted Frequency	%
0	-	207905	70.6 %
1	-	36792	12.5 %
2	-	14009	4.8 %
3	-	7482	2.5 %
4	-	4833	1.6 %
5	-	3202	1.1 %
6	-	2247	0.8 %
7	-	1690	0.6 %
8	-	1318	0.4 %
9	-	1087	0.4 %
10	-	852	0.3 %
11	-	697	0.2 %
12	-	649	0.2 %
13	-	439	0.1 %
14	-	437	0.1 %
15	-	381	0.1 %
16	-	339	0.1 %
17	-	277	0.1 %
18	-	259	0.1 %
19	-	222	0.1 %
20	-	231	0.1 %
21	-	179	0.1 %
22	-	180	0.1 %
23	-	155	0.1 %
24	-	164	0.1 %
25	-	133	0.0 %
26	-	126	0.0 %
27	-	99	0.0 %
28	-	101	0.0 %
29	-	100	0.0 %
30	-	88	0.0 %
31	-	77	0.0 %
32	-	70	0.0 %
33	-	83	0.0 %
34	-	65	0.0 %

Value	Label	Unweighted Frequency	%
35	-	63	0.0 %
36	-	64	0.0 %
37	-	66	0.0 %
38	-	75	0.0 %
39	-	54	0.0 %
40	-	60	0.0 %
41	-	47	0.0 %
42	-	45	0.0 %
43	-	51	0.0 %
44	-	39	0.0 %
45	-	40	0.0 %
46	-	32	0.0 %
47	-	32	0.0 %
48	-	37	0.0 %
49	-	31	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 1.53
- Minimum: 0.00
- Maximum: 1724.00
- Standard Deviation: 11.75

Location: 186-191 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M55_59: MALE 55-59

Value	Label	Unweighted Frequency	%
0	-	221207	75.1 %
1	-	32953	11.2 %
2	-	12142	4.1 %
3	-	6059	2.1 %
4	-	3671	1.2 %
5	-	2430	0.8 %
6	-	1728	0.6 %
7	-	1280	0.4 %

Value	Label	Unweighted Frequency	%
8	-	977	0.3 %
9	-	717	0.2 %
10	-	583	0.2 %
11	-	513	0.2 %
12	-	436	0.1 %
13	-	386	0.1 %
14	-	312	0.1 %
15	-	251	0.1 %
16	-	236	0.1 %
17	-	224	0.1 %
18	-	197	0.1 %
19	-	167	0.1 %
20	-	141	0.0 %
21	-	122	0.0 %
22	-	115	0.0 %
23	-	110	0.0 %
24	-	91	0.0 %
25	-	85	0.0 %
26	-	72	0.0 %
27	-	78	0.0 %
28	-	72	0.0 %
29	-	67	0.0 %
30	-	61	0.0 %
31	-	69	0.0 %
32	-	48	0.0 %
33	-	41	0.0 %
34	-	46	0.0 %
35	-	43	0.0 %
36	-	46	0.0 %
37	-	37	0.0 %
38	-	27	0.0 %
39	-	28	0.0 %
40	-	40	0.0 %
41	-	33	0.0 %
42	-	28	0.0 %
43	-	27	0.0 %
44	-	32	0.0 %
45	-	29	0.0 %
46	-	30	0.0 %

Value	Label	Unweighted Frequency	%
47	-	16	0.0 %
48	-	23	0.0 %
49	-	27	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 1.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1233.00
- Standard Deviation: 8.67

Location: 192-197 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M60_64: MALE 60-64

Value	Label	Unweighted Frequency	%
0	-	243060	82.5 %
1	-	25656	8.7 %
2	-	8105	2.8 %
3	-	3791	1.3 %
4	-	2113	0.7 %
5	-	1329	0.5 %
6	-	832	0.3 %
7	-	660	0.2 %
8	-	475	0.2 %
9	-	370	0.1 %
10	-	292	0.1 %
11	-	231	0.1 %
12	-	192	0.1 %
13	-	166	0.1 %
14	-	150	0.1 %
15	-	114	0.0 %
16	-	94	0.0 %
17	-	84	0.0 %

Value	Label	Unweighted Frequency	%
18	-	71	0.0 %
19	-	92	0.0 %
20	-	68	0.0 %
21	-	60	0.0 %
22	-	50	0.0 %
23	-	46	0.0 %
24	-	38	0.0 %
25	-	41	0.0 %
26	-	26	0.0 %
27	-	32	0.0 %
28	-	30	0.0 %
29	-	24	0.0 %
30	-	28	0.0 %
31	-	25	0.0 %
32	-	17	0.0 %
33	-	29	0.0 %
34	-	12	0.0 %
35	-	19	0.0 %
36	-	9	0.0 %
37	-	12	0.0 %
38	-	17	0.0 %
39	-	16	0.0 %
40	-	12	0.0 %
41	-	13	0.0 %
42	-	9	0.0 %
43	-	15	0.0 %
44	-	3	0.0 %
45	-	10	0.0 %
46	-	12	0.0 %
47	-	6	0.0 %
48	-	4	0.0 %
49	-	7	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 0.52
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 698.00
- Standard Deviation: 4.50

Location: 198-203 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M65: MALE OVER 64

Value	Label	Unweighted Frequency	%
0	-	252889	85.8 %
1	-	21465	7.3 %
2	-	6410	2.2 %
3	-	2694	0.9 %
4	-	1500	0.5 %
5	-	941	0.3 %
6	-	637	0.2 %
7	-	418	0.1 %
8	-	310	0.1 %
9	-	224	0.1 %
10	-	193	0.1 %
11	-	144	0.0 %
12	-	103	0.0 %
13	-	87	0.0 %
14	-	76	0.0 %
15	-	66	0.0 %
16	-	55	0.0 %
17	-	46	0.0 %
18	-	36	0.0 %
19	-	36	0.0 %
20	-	37	0.0 %
21	-	40	0.0 %
22	-	21	0.0 %
23	-	29	0.0 %
24	-	20	0.0 %
25	-	15	0.0 %
26	-	18	0.0 %
27	-	12	0.0 %
28	-	19	0.0 %
29	-	17	0.0 %

Value	Label	Unweighted Frequency	%
30	-	18	0.0 %
31	-	6	0.0 %
32	-	12	0.0 %
33	-	4	0.0 %
34	-	7	0.0 %
35	-	10	0.0 %
36	-	8	0.0 %
37	-	8	0.0 %
38	-	10	0.0 %
39	-	5	0.0 %
40	-	8	0.0 %
41	-	7	0.0 %
42	-	7	0.0 %
43	-	7	0.0 %
44	-	3	0.0 %
45	-	7	0.0 %
46	-	3	0.0 %
47	-	4	0.0 %
48	-	5	0.0 %
49	-	4	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 525.00
- Standard Deviation: 2.96

Location: 204-209 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F0_9: FEMALE UNDER 10

Value	Label	Unweighted Frequency	%
0	-	288124	97.8 %

Value	Label	Unweighted Frequency	%
1	-	548	0.2 %
2	-	72	0.0 %
3	-	31	0.0 %
4	-	10	0.0 %
5	-	3	0.0 %
6	-	3	0.0 %
7	-	2	0.0 %
8	-	2	0.0 %
9	-	1	0.0 %
12	-	1	0.0 %
15	-	1	0.0 %
18	-	1	0.0 %
20	-	1	0.0 %
13000	-	1	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 13000.00
- Standard Deviation: 24.19

Location: 210-215 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F10_12: FEMALE 10-12

Value	Label	Unweighted Frequency	%
0	-	282115	95.7 %
1	-	4164	1.4 %
2	-	1253	0.4 %
3	-	487	0.2 %
4	-	256	0.1 %
5	-	138	0.0 %
6	-	90	0.0 %
7	-	67	0.0 %
8	-	49	0.0 %

Value	Label	Unweighted Frequency	%
9	-	31	0.0 %
10	-	24	0.0 %
11	-	23	0.0 %
12	-	12	0.0 %
13	-	12	0.0 %
14	-	8	0.0 %
15	-	12	0.0 %
16	-	7	0.0 %
17	-	7	0.0 %
18	-	11	0.0 %
19	-	3	0.0 %
20	-	2	0.0 %
21	-	2	0.0 %
23	-	2	0.0 %
26	-	1	0.0 %
27	-	3	0.0 %
28	-	1	0.0 %
29	-	3	0.0 %
33	-	1	0.0 %
34	-	3	0.0 %
35	-	1	0.0 %
37	-	2	0.0 %
39	-	2	0.0 %
40	-	1	0.0 %
45	-	1	0.0 %
47	-	1	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %
65	-	1	0.0 %
71	-	1	0.0 %
81	-	1	0.0 %
106	-	1	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 0.05
- Median: 0.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 106.00
- Standard Deviation: 0.62

Location: 216-221 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F13_14: FEMALE 13-14

Value	Label	Unweighted Frequency	%
0	-	270403	91.8 %
1	-	9946	3.4 %
2	-	3359	1.1 %
3	-	1566	0.5 %
4	-	956	0.3 %
5	-	547	0.2 %
6	-	356	0.1 %
7	-	283	0.1 %
8	-	207	0.1 %
9	-	147	0.0 %
10	-	141	0.0 %
11	-	138	0.0 %
12	-	94	0.0 %
13	-	83	0.0 %
14	-	50	0.0 %
15	-	49	0.0 %
16	-	58	0.0 %
17	-	43	0.0 %
18	-	30	0.0 %
19	-	29	0.0 %
20	-	31	0.0 %
21	-	23	0.0 %
22	-	18	0.0 %
23	-	17	0.0 %
24	-	17	0.0 %
25	-	17	0.0 %
26	-	15	0.0 %
27	-	14	0.0 %
28	-	13	0.0 %
29	-	14	0.0 %
30	-	6	0.0 %

Value	Label	Unweighted Frequency	%
31	-	4	0.0 %
32	-	12	0.0 %
33	-	12	0.0 %
34	-	7	0.0 %
35	-	2	0.0 %
36	-	6	0.0 %
37	-	9	0.0 %
38	-	5	0.0 %
39	-	1	0.0 %
40	-	2	0.0 %
41	-	5	0.0 %
42	-	7	0.0 %
43	-	2	0.0 %
44	-	5	0.0 %
45	-	2	0.0 %
47	-	1	0.0 %
48	-	1	0.0 %
49	-	3	0.0 %
50	-	3	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 271.00
- Standard Deviation: 1.85

Location: 222-227 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F15: FEMALE 15

Value	Label	Unweighted Frequency	%
0	-	270310	91.7 %
1	-	10690	3.6 %

Value	Label	Unweighted Frequency	%
2	-	3298	1.1 %
3	-	1489	0.5 %
4	-	843	0.3 %
5	-	532	0.2 %
6	-	344	0.1 %
7	-	250	0.1 %
8	-	166	0.1 %
9	-	153	0.1 %
10	-	97	0.0 %
11	-	93	0.0 %
12	-	76	0.0 %
13	-	63	0.0 %
14	-	41	0.0 %
15	-	41	0.0 %
16	-	33	0.0 %
17	-	33	0.0 %
18	-	19	0.0 %
19	-	17	0.0 %
20	-	25	0.0 %
21	-	19	0.0 %
22	-	13	0.0 %
23	-	13	0.0 %
24	-	7	0.0 %
25	-	10	0.0 %
26	-	12	0.0 %
27	-	13	0.0 %
28	-	5	0.0 %
29	-	7	0.0 %
30	-	4	0.0 %
31	-	4	0.0 %
32	-	5	0.0 %
33	-	2	0.0 %
34	-	13	0.0 %
35	-	2	0.0 %
36	-	5	0.0 %
37	-	7	0.0 %
38	-	1	0.0 %
39	-	2	0.0 %
40	-	1	0.0 %

Value	Label	Unweighted Frequency	%
42	-	3	0.0 %
43	-	3	0.0 %
44	-	3	0.0 %
45	-	3	0.0 %
46	-	3	0.0 %
47	-	1	0.0 %
48	-	2	0.0 %
49	-	4	0.0 %
53	-	1	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 218.00
- Standard Deviation: 1.48

Location: 228-233 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F16: FEMALE 16

Value	Label	Unweighted Frequency	%
0	-	265813	90.2 %
1	-	13278	4.5 %
2	-	4057	1.4 %
3	-	1980	0.7 %
4	-	1021	0.3 %
5	-	611	0.2 %
6	-	427	0.1 %
7	-	321	0.1 %
8	-	214	0.1 %
9	-	158	0.1 %
10	-	135	0.0 %
11	-	100	0.0 %

Value	Label	Unweighted Frequency	%
12	-	87	0.0 %
13	-	65	0.0 %
14	-	78	0.0 %
15	-	63	0.0 %
16	-	52	0.0 %
17	-	37	0.0 %
18	-	26	0.0 %
19	-	33	0.0 %
20	-	23	0.0 %
21	-	22	0.0 %
22	-	14	0.0 %
23	-	12	0.0 %
24	-	13	0.0 %
25	-	14	0.0 %
26	-	11	0.0 %
27	-	6	0.0 %
28	-	4	0.0 %
29	-	11	0.0 %
30	-	9	0.0 %
31	-	7	0.0 %
32	-	5	0.0 %
33	-	6	0.0 %
34	-	6	0.0 %
35	-	3	0.0 %
36	-	6	0.0 %
37	-	8	0.0 %
38	-	3	0.0 %
40	-	3	0.0 %
41	-	4	0.0 %
42	-	3	0.0 %
43	-	2	0.0 %
44	-	4	0.0 %
45	-	4	0.0 %
46	-	2	0.0 %
47	-	1	0.0 %
48	-	2	0.0 %
49	-	2	0.0 %
50	-	2	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 275.00
- Standard Deviation: 1.68

Location: 234-239 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F17: FEMALE 17

Value	Label	Unweighted Frequency	%
0	-	260716	88.5 %
1	-	16289	5.5 %
2	-	4993	1.7 %
3	-	2312	0.8 %
4	-	1255	0.4 %
5	-	770	0.3 %
6	-	480	0.2 %
7	-	407	0.1 %
8	-	294	0.1 %
9	-	199	0.1 %
10	-	170	0.1 %
11	-	129	0.0 %
12	-	104	0.0 %
13	-	95	0.0 %
14	-	75	0.0 %
15	-	63	0.0 %
16	-	55	0.0 %
17	-	44	0.0 %
18	-	32	0.0 %
19	-	36	0.0 %
20	-	27	0.0 %
21	-	22	0.0 %

Value	Label	Unweighted Frequency	%
22	-	17	0.0 %
23	-	12	0.0 %
24	-	10	0.0 %
25	-	15	0.0 %
26	-	15	0.0 %
27	-	11	0.0 %
28	-	5	0.0 %
29	-	12	0.0 %
30	-	8	0.0 %
31	-	9	0.0 %
32	-	8	0.0 %
33	-	6	0.0 %
34	-	4	0.0 %
35	-	6	0.0 %
36	-	10	0.0 %
37	-	8	0.0 %
38	-	2	0.0 %
39	-	4	0.0 %
40	-	3	0.0 %
41	-	2	0.0 %
42	-	7	0.0 %
43	-	3	0.0 %
44	-	2	0.0 %
45	-	2	0.0 %
46	-	5	0.0 %
47	-	3	0.0 %
48	-	1	0.0 %
49	-	4	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 224.00

• Standard Deviation: 1.67

Location: 240-245 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F18: FEMALE 18

Value	Label	Unweighted Frequency	%
0	-	252573	85.7 %
1	-	20385	6.9 %
2	-	6607	2.2 %
3	-	3103	1.1 %
4	-	1643	0.6 %
5	-	1036	0.4 %
6	-	709	0.2 %
7	-	498	0.2 %
8	-	410	0.1 %
9	-	310	0.1 %
10	-	230	0.1 %
11	-	138	0.0 %
12	-	161	0.1 %
13	-	102	0.0 %
14	-	107	0.0 %
15	-	75	0.0 %
16	-	71	0.0 %
17	-	67	0.0 %
18	-	50	0.0 %
19	-	49	0.0 %
20	-	44	0.0 %
21	-	33	0.0 %
22	-	29	0.0 %
23	-	27	0.0 %
24	-	36	0.0 %
25	-	20	0.0 %
26	-	22	0.0 %
27	-	26	0.0 %
28	-	16	0.0 %
29	-	19	0.0 %
30	-	16	0.0 %
31	-	16	0.0 %
32	-	13	0.0 %

Value	Label	Unweighted Frequency	%
33	-	12	0.0 %
34	-	10	0.0 %
35	-	9	0.0 %
36	-	5	0.0 %
37	-	7	0.0 %
38	-	3	0.0 %
39	-	6	0.0 %
40	-	8	0.0 %
41	-	9	0.0 %
42	-	5	0.0 %
43	-	4	0.0 %
44	-	6	0.0 %
45	-	1	0.0 %
46	-	2	0.0 %
47	-	4	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 263.00
- Standard Deviation: 2.01

Location: 246-251 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F19: FEMALE 19

Value	Label	Unweighted Frequency	%
0	-	249923	84.8 %
1	-	21637	7.3 %
2	-	6920	2.3 %
3	-	3434	1.2 %

Value	Label	Unweighted Frequency	%
4	-	1831	0.6 %
5	-	1252	0.4 %
6	-	790	0.3 %
7	-	570	0.2 %
8	-	424	0.1 %
9	-	296	0.1 %
10	-	256	0.1 %
11	-	200	0.1 %
12	-	157	0.1 %
13	-	128	0.0 %
14	-	104	0.0 %
15	-	83	0.0 %
16	-	73	0.0 %
17	-	66	0.0 %
18	-	44	0.0 %
19	-	51	0.0 %
20	-	48	0.0 %
21	-	38	0.0 %
22	-	27	0.0 %
23	-	31	0.0 %
24	-	35	0.0 %
25	-	40	0.0 %
26	-	36	0.0 %
27	-	28	0.0 %
28	-	22	0.0 %
29	-	23	0.0 %
30	-	16	0.0 %
31	-	12	0.0 %
32	-	7	0.0 %
33	-	15	0.0 %
34	-	14	0.0 %
35	-	14	0.0 %
36	-	8	0.0 %
37	-	4	0.0 %
38	-	10	0.0 %
39	-	2	0.0 %
40	-	3	0.0 %
41	-	6	0.0 %
42	-	8	0.0 %

Value	Label	Unweighted Frequency	%
43	-	5	0.0 %
44	-	7	0.0 %
45	-	3	0.0 %
46	-	5	0.0 %
47	-	3	0.0 %
48	-	6	0.0 %
49	-	3	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 0.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 288.00
- Standard Deviation: 2.19

Location: 252-257 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F20: FEMALE 20

Value	Label	Unweighted Frequency	%
0	-	249669	84.7 %
1	-	22152	7.5 %
2	-	7118	2.4 %
3	-	3225	1.1 %
4	-	1802	0.6 %
5	-	1132	0.4 %
6	-	758	0.3 %
7	-	581	0.2 %
8	-	397	0.1 %
9	-	297	0.1 %
10	-	238	0.1 %
11	-	197	0.1 %
12	-	143	0.0 %
13	-	113	0.0 %

Value	Label	Unweighted Frequency	%
14	-	123	0.0 %
15	-	82	0.0 %
16	-	76	0.0 %
17	-	66	0.0 %
18	-	50	0.0 %
19	-	35	0.0 %
20	-	34	0.0 %
21	-	36	0.0 %
22	-	30	0.0 %
23	-	44	0.0 %
24	-	29	0.0 %
25	-	18	0.0 %
26	-	43	0.0 %
27	-	18	0.0 %
28	-	17	0.0 %
29	-	17	0.0 %
30	-	12	0.0 %
31	-	20	0.0 %
32	-	16	0.0 %
33	-	13	0.0 %
34	-	11	0.0 %
35	-	7	0.0 %
36	-	6	0.0 %
37	-	10	0.0 %
38	-	13	0.0 %
39	-	15	0.0 %
40	-	4	0.0 %
41	-	5	0.0 %
42	-	7	0.0 %
43	-	10	0.0 %
44	-	7	0.0 %
45	-	1	0.0 %
46	-	3	0.0 %
47	-	4	0.0 %
48	-	1	0.0 %
49	-	3	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 0.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 265.00
- Standard Deviation: 2.28

Location: 258-263 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F21: FEMALE 21

Value	Label	Unweighted Frequency	%
0	-	250553	85.0 %
1	-	21720	7.4 %
2	-	6917	2.3 %
3	-	3198	1.1 %
4	-	1795	0.6 %
5	-	1118	0.4 %
6	-	740	0.3 %
7	-	462	0.2 %
8	-	428	0.1 %
9	-	279	0.1 %
10	-	248	0.1 %
11	-	179	0.1 %
12	-	118	0.0 %
13	-	132	0.0 %
14	-	101	0.0 %
15	-	92	0.0 %
16	-	75	0.0 %
17	-	55	0.0 %
18	-	56	0.0 %
19	-	39	0.0 %
20	-	46	0.0 %
21	-	35	0.0 %
22	-	30	0.0 %
23	-	24	0.0 %
24	-	30	0.0 %
25	-	26	0.0 %

Value	Label	Unweighted Frequency	%
26	-	12	0.0 %
27	-	17	0.0 %
28	-	14	0.0 %
29	-	13	0.0 %
30	-	17	0.0 %
31	-	9	0.0 %
32	-	8	0.0 %
33	-	11	0.0 %
34	-	10	0.0 %
35	-	16	0.0 %
36	-	6	0.0 %
37	-	7	0.0 %
38	-	17	0.0 %
39	-	10	0.0 %
40	-	8	0.0 %
41	-	8	0.0 %
42	-	7	0.0 %
43	-	6	0.0 %
44	-	6	0.0 %
45	-	5	0.0 %
46	-	8	0.0 %
47	-	2	0.0 %
48	-	8	0.0 %
49	-	5	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 291.00
- Standard Deviation: 2.28

Location: 264-269 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F22: FEMALE 22

Value	Label	Unweighted Frequency	%
0	-	250232	84.9 %
1	-	22301	7.6 %
2	-	6671	2.3 %
3	-	3252	1.1 %
4	-	1721	0.6 %
5	-	1092	0.4 %
6	-	706	0.2 %
7	-	536	0.2 %
8	-	376	0.1 %
9	-	310	0.1 %
10	-	203	0.1 %
11	-	180	0.1 %
12	-	158	0.1 %
13	-	134	0.0 %
14	-	110	0.0 %
15	-	84	0.0 %
16	-	63	0.0 %
17	-	65	0.0 %
18	-	59	0.0 %
19	-	39	0.0 %
20	-	45	0.0 %
21	-	39	0.0 %
22	-	27	0.0 %
23	-	18	0.0 %
24	-	23	0.0 %
25	-	28	0.0 %
26	-	16	0.0 %
27	-	12	0.0 %
28	-	20	0.0 %
29	-	20	0.0 %
30	-	14	0.0 %
31	-	15	0.0 %
32	-	14	0.0 %
33	-	14	0.0 %
34	-	16	0.0 %
35	-	11	0.0 %
36	-	13	0.0 %

Value	Label	Unweighted Frequency	%
37	-	11	0.0 %
38	-	9	0.0 %
39	-	4	0.0 %
40	-	7	0.0 %
41	-	6	0.0 %
42	-	8	0.0 %
43	-	6	0.0 %
44	-	4	0.0 %
45	-	4	0.0 %
46	-	3	0.0 %
47	-	2	0.0 %
48	-	8	0.0 %
49	-	4	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 357.00
- Standard Deviation: 2.36

Location: 270-275 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F23: FEMALE 23

Value	Label	Unweighted Frequency	%
0	-	249539	84.7 %
1	-	22431	7.6 %
2	-	6957	2.4 %
3	-	3169	1.1 %
4	-	1827	0.6 %
5	-	1167	0.4 %
6	-	750	0.3 %
7	-	514	0.2 %

Value	Label	Unweighted Frequency	%
8	-	389	0.1 %
9	-	299	0.1 %
10	-	277	0.1 %
11	-	189	0.1 %
12	-	161	0.1 %
13	-	145	0.0 %
14	-	105	0.0 %
15	-	99	0.0 %
16	-	56	0.0 %
17	-	87	0.0 %
18	-	51	0.0 %
19	-	42	0.0 %
20	-	42	0.0 %
21	-	39	0.0 %
22	-	34	0.0 %
23	-	28	0.0 %
24	-	31	0.0 %
25	-	20	0.0 %
26	-	25	0.0 %
27	-	29	0.0 %
28	-	13	0.0 %
29	-	26	0.0 %
30	-	15	0.0 %
31	-	10	0.0 %
32	-	11	0.0 %
33	-	6	0.0 %
34	-	9	0.0 %
35	-	6	0.0 %
36	-	11	0.0 %
37	-	15	0.0 %
38	-	10	0.0 %
39	-	7	0.0 %
40	-	11	0.0 %
41	-	6	0.0 %
42	-	6	0.0 %
43	-	6	0.0 %
44	-	9	0.0 %
45	-	4	0.0 %
46	-	4	0.0 %

Value	Label	Unweighted Frequency	%
47	-	6	0.0 %
48	-	9	0.0 %
49	-	4	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 0.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 382.00
- Standard Deviation: 2.49

Location: 276-281 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F24: FEMALE 24

Value	Label	Unweighted Frequency	%
0	-	248859	84.5 %
1	-	22593	7.7 %
2	-	7233	2.5 %
3	-	3325	1.1 %
4	-	1784	0.6 %
5	-	1132	0.4 %
6	-	772	0.3 %
7	-	554	0.2 %
8	-	427	0.1 %
9	-	311	0.1 %
10	-	236	0.1 %
11	-	203	0.1 %
12	-	175	0.1 %
13	-	128	0.0 %
14	-	119	0.0 %
15	-	106	0.0 %
16	-	72	0.0 %
17	-	100	0.0 %

Value	Label	Unweighted Frequency	%
18	-	65	0.0 %
19	-	43	0.0 %
20	-	40	0.0 %
21	-	30	0.0 %
22	-	29	0.0 %
23	-	34	0.0 %
24	-	28	0.0 %
25	-	32	0.0 %
26	-	22	0.0 %
27	-	28	0.0 %
28	-	16	0.0 %
29	-	16	0.0 %
30	-	14	0.0 %
31	-	20	0.0 %
32	-	8	0.0 %
33	-	9	0.0 %
34	-	13	0.0 %
35	-	10	0.0 %
36	-	13	0.0 %
37	-	15	0.0 %
38	-	8	0.0 %
39	-	10	0.0 %
40	-	5	0.0 %
41	-	8	0.0 %
42	-	8	0.0 %
43	-	10	0.0 %
44	-	10	0.0 %
45	-	10	0.0 %
46	-	3	0.0 %
47	-	7	0.0 %
48	-	3	0.0 %
49	-	6	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 0.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 435.00
- Standard Deviation: 2.58

Location: 282-287 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F25_29: FEMALE 25-29

Value	Label	Unweighted Frequency	%
0	-	197960	67.2 %
1	-	37989	12.9 %
2	-	15453	5.2 %
3	-	8447	2.9 %
4	-	5522	1.9 %
5	-	3779	1.3 %
6	-	2722	0.9 %
7	-	2088	0.7 %
8	-	1714	0.6 %
9	-	1419	0.5 %
10	-	1127	0.4 %
11	-	1022	0.3 %
12	-	871	0.3 %
13	-	735	0.2 %
14	-	573	0.2 %
15	-	528	0.2 %
16	-	487	0.2 %
17	-	445	0.2 %
18	-	392	0.1 %
19	-	344	0.1 %
20	-	272	0.1 %
21	-	293	0.1 %
22	-	236	0.1 %
23	-	226	0.1 %
24	-	185	0.1 %
25	-	194	0.1 %
26	-	186	0.1 %
27	-	164	0.1 %
28	-	132	0.0 %
29	-	139	0.0 %

Value	Label	Unweighted Frequency	%
30	-	131	0.0 %
31	-	136	0.0 %
32	-	123	0.0 %
33	-	127	0.0 %
34	-	112	0.0 %
35	-	101	0.0 %
36	-	85	0.0 %
37	-	90	0.0 %
38	-	61	0.0 %
39	-	68	0.0 %
40	-	80	0.0 %
41	-	80	0.0 %
42	-	60	0.0 %
43	-	54	0.0 %
44	-	54	0.0 %
45	-	53	0.0 %
46	-	48	0.0 %
47	-	48	0.0 %
48	-	37	0.0 %
49	-	44	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 1.95
- Minimum: 0.00
- Maximum: 1715.00
- Standard Deviation: 12.30

Location: 288-293 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F30_34: FEMALE 30-34

Value	Label	Unweighted Frequency	%
0	-	204207	69.3 %
1	-	36962	12.5 %
2	-	14575	4.9 %

Value	Label	Unweighted Frequency	%
3	-	7841	2.7 %
4	-	4984	1.7 %
5	-	3334	1.1 %
6	-	2551	0.9 %
7	-	1944	0.7 %
8	-	1531	0.5 %
9	-	1241	0.4 %
10	-	990	0.3 %
11	-	833	0.3 %
12	-	762	0.3 %
13	-	606	0.2 %
14	-	557	0.2 %
15	-	468	0.2 %
16	-	378	0.1 %
17	-	337	0.1 %
18	-	294	0.1 %
19	-	250	0.1 %
20	-	217	0.1 %
21	-	214	0.1 %
22	-	199	0.1 %
23	-	189	0.1 %
24	-	166	0.1 %
25	-	182	0.1 %
26	-	140	0.0 %
27	-	139	0.0 %
28	-	121	0.0 %
29	-	100	0.0 %
30	-	117	0.0 %
31	-	104	0.0 %
32	-	81	0.0 %
33	-	92	0.0 %
34	-	79	0.0 %
35	-	84	0.0 %
36	-	83	0.0 %
37	-	70	0.0 %
38	-	73	0.0 %
39	-	65	0.0 %
40	-	60	0.0 %
41	-	60	0.0 %

Value	Label	Unweighted Frequency	%
42	-	58	0.0 %
43	-	46	0.0 %
44	-	48	0.0 %
45	-	39	0.0 %
46	-	50	0.0 %
47	-	39	0.0 %
48	-	39	0.0 %
49	-	32	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 1.62
- Minimum: 0.00
- Maximum: 1229.00
- Standard Deviation: 10.12

Location: 294-299 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F35_39: FEMALE 35-39

Value	Label	Unweighted Frequency	%
0	-	212169	72.0 %
1	-	34981	11.9 %
2	-	13542	4.6 %
3	-	6939	2.4 %
4	-	4549	1.5 %
5	-	3108	1.1 %
6	-	2126	0.7 %
7	-	1701	0.6 %
8	-	1243	0.4 %
9	-	958	0.3 %
10	-	828	0.3 %
11	-	628	0.2 %
12	-	584	0.2 %
13	-	470	0.2 %
14	-	421	0.1 %

Value	Label	Unweighted Frequency	%
15	-	354	0.1 %
16	-	327	0.1 %
17	-	272	0.1 %
18	-	263	0.1 %
19	-	206	0.1 %
20	-	193	0.1 %
21	-	165	0.1 %
22	-	153	0.1 %
23	-	167	0.1 %
24	-	138	0.0 %
25	-	100	0.0 %
26	-	120	0.0 %
27	-	120	0.0 %
28	-	124	0.0 %
29	-	90	0.0 %
30	-	82	0.0 %
31	-	88	0.0 %
32	-	83	0.0 %
33	-	62	0.0 %
34	-	49	0.0 %
35	-	69	0.0 %
36	-	52	0.0 %
37	-	47	0.0 %
38	-	50	0.0 %
39	-	47	0.0 %
40	-	41	0.0 %
41	-	33	0.0 %
42	-	39	0.0 %
43	-	36	0.0 %
44	-	32	0.0 %
45	-	21	0.0 %
46	-	31	0.0 %
47	-	23	0.0 %
48	-	35	0.0 %
49	-	27	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 1.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 947.00
- Standard Deviation: 7.92

Location: 300-305 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F40_44: FEMALE 40-44

Value	Label	Unweighted Frequency	%
0	-	227513	77.2 %
1	-	30343	10.3 %
2	-	11147	3.8 %
3	-	5503	1.9 %
4	-	3254	1.1 %
5	-	2217	0.8 %
6	-	1522	0.5 %
7	-	1163	0.4 %
8	-	867	0.3 %
9	-	672	0.2 %
10	-	566	0.2 %
11	-	460	0.2 %
12	-	409	0.1 %
13	-	319	0.1 %
14	-	258	0.1 %
15	-	225	0.1 %
16	-	191	0.1 %
17	-	166	0.1 %
18	-	147	0.0 %
19	-	120	0.0 %
20	-	124	0.0 %
21	-	117	0.0 %
22	-	110	0.0 %
23	-	95	0.0 %
24	-	80	0.0 %
25	-	92	0.0 %

Value	Label	Unweighted Frequency	%
26	-	61	0.0 %
27	-	65	0.0 %
28	-	58	0.0 %
29	-	64	0.0 %
30	-	33	0.0 %
31	-	33	0.0 %
32	-	31	0.0 %
33	-	32	0.0 %
34	-	32	0.0 %
35	-	27	0.0 %
36	-	21	0.0 %
37	-	32	0.0 %
38	-	18	0.0 %
39	-	32	0.0 %
40	-	23	0.0 %
41	-	25	0.0 %
42	-	28	0.0 %
43	-	19	0.0 %
44	-	21	0.0 %
45	-	14	0.0 %
46	-	13	0.0 %
47	-	14	0.0 %
48	-	21	0.0 %
49	-	19	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 0.82
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 567.00
- Standard Deviation: 5.10

Location: 306-311 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F45_49: FEMALE 45-49

Value	Label	Unweighted Frequency	%
0	-	234853	79.7 %
1	-	27936	9.5 %
2	-	9719	3.3 %
3	-	4799	1.6 %
4	-	2775	0.9 %
5	-	1830	0.6 %
6	-	1270	0.4 %
7	-	1011	0.3 %
8	-	671	0.2 %
9	-	518	0.2 %
10	-	449	0.2 %
11	-	316	0.1 %
12	-	304	0.1 %
13	-	249	0.1 %
14	-	208	0.1 %
15	-	200	0.1 %
16	-	153	0.1 %
17	-	134	0.0 %
18	-	105	0.0 %
19	-	107	0.0 %
20	-	88	0.0 %
21	-	82	0.0 %
22	-	61	0.0 %
23	-	63	0.0 %
24	-	58	0.0 %
25	-	49	0.0 %
26	-	53	0.0 %
27	-	31	0.0 %
28	-	36	0.0 %
29	-	34	0.0 %
30	-	23	0.0 %
31	-	24	0.0 %
32	-	28	0.0 %
33	-	25	0.0 %
34	-	21	0.0 %
35	-	33	0.0 %
36	-	24	0.0 %

Value	Label	Unweighted Frequency	%
37	-	18	0.0 %
38	-	29	0.0 %
39	-	20	0.0 %
40	-	16	0.0 %
41	-	19	0.0 %
42	-	12	0.0 %
43	-	12	0.0 %
44	-	14	0.0 %
45	-	13	0.0 %
46	-	9	0.0 %
47	-	14	0.0 %
48	-	5	0.0 %
49	-	6	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 0.65
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 448.00
- Standard Deviation: 4.18

Location: 312-317 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F50_54: FEMALE 50-54

Value	Label	Unweighted Frequency	%
0	-	243793	82.7 %
1	-	24568	8.3 %
2	-	8072	2.7 %
3	-	3891	1.3 %
4	-	2210	0.7 %
5	-	1417	0.5 %
6	-	1010	0.3 %
7	-	655	0.2 %

Value	Label	Unweighted Frequency	%
8	-	519	0.2 %
9	-	397	0.1 %
10	-	306	0.1 %
11	-	261	0.1 %
12	-	185	0.1 %
13	-	160	0.1 %
14	-	148	0.1 %
15	-	125	0.0 %
16	-	98	0.0 %
17	-	98	0.0 %
18	-	78	0.0 %
19	-	70	0.0 %
20	-	51	0.0 %
21	-	42	0.0 %
22	-	46	0.0 %
23	-	46	0.0 %
24	-	35	0.0 %
25	-	30	0.0 %
26	-	32	0.0 %
27	-	20	0.0 %
28	-	26	0.0 %
29	-	26	0.0 %
30	-	25	0.0 %
31	-	25	0.0 %
32	-	17	0.0 %
33	-	18	0.0 %
34	-	20	0.0 %
35	-	10	0.0 %
36	-	10	0.0 %
37	-	7	0.0 %
38	-	5	0.0 %
39	-	10	0.0 %
40	-	7	0.0 %
41	-	16	0.0 %
42	-	11	0.0 %
43	-	8	0.0 %
44	-	6	0.0 %
45	-	5	0.0 %
46	-	10	0.0 %

Value	Label	Unweighted Frequency	%
47	-	10	0.0 %
48	-	5	0.0 %
49	-	7	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 0.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 376.00
- Standard Deviation: 3.16

Location: 318-323 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F55_59: FEMALE 55-59

Value	Label	Unweighted Frequency	%
0	-	255758	86.8 %
1	-	19890	6.7 %
2	-	5768	2.0 %
3	-	2567	0.9 %
4	-	1398	0.5 %
5	-	871	0.3 %
6	-	569	0.2 %
7	-	406	0.1 %
8	-	276	0.1 %
9	-	192	0.1 %
10	-	146	0.0 %
11	-	140	0.0 %
12	-	90	0.0 %
13	-	73	0.0 %
14	-	78	0.0 %
15	-	63	0.0 %
16	-	49	0.0 %
17	-	46	0.0 %

Value	Label	Unweighted Frequency	%
18	-	35	0.0 %
19	-	36	0.0 %
20	-	23	0.0 %
21	-	31	0.0 %
22	-	31	0.0 %
23	-	27	0.0 %
24	-	12	0.0 %
25	-	15	0.0 %
26	-	11	0.0 %
27	-	13	0.0 %
28	-	8	0.0 %
29	-	10	0.0 %
30	-	8	0.0 %
31	-	10	0.0 %
32	-	10	0.0 %
33	-	3	0.0 %
34	-	5	0.0 %
35	-	7	0.0 %
36	-	8	0.0 %
37	-	5	0.0 %
38	-	6	0.0 %
39	-	8	0.0 %
40	-	7	0.0 %
41	-	6	0.0 %
42	-	2	0.0 %
43	-	6	0.0 %
44	-	8	0.0 %
45	-	3	0.0 %
46	-	1	0.0 %
47	-	2	0.0 %
48	-	2	0.0 %
49	-	3	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 240.00
- Standard Deviation: 1.99

Location: 324-329 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F60_64: FEMALE 60-64

Value	Label	Unweighted Frequency	%
0	-	270565	91.8 %
1	-	12219	4.1 %
2	-	3081	1.0 %
3	-	1198	0.4 %
4	-	587	0.2 %
5	-	323	0.1 %
6	-	178	0.1 %
7	-	136	0.0 %
8	-	94	0.0 %
9	-	62	0.0 %
10	-	60	0.0 %
11	-	46	0.0 %
12	-	30	0.0 %
13	-	38	0.0 %
14	-	31	0.0 %
15	-	19	0.0 %
16	-	17	0.0 %
17	-	15	0.0 %
18	-	12	0.0 %
19	-	5	0.0 %
20	-	9	0.0 %
21	-	5	0.0 %
22	-	5	0.0 %
23	-	2	0.0 %
24	-	5	0.0 %
25	-	6	0.0 %
26	-	6	0.0 %
27	-	4	0.0 %
28	-	4	0.0 %
30	-	2	0.0 %

Value	Label	Unweighted Frequency	%
32	-	1	0.0 %
33	-	2	0.0 %
34	-	6	0.0 %
35	-	3	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
41	-	1	0.0 %
42	-	1	0.0 %
43	-	2	0.0 %
46	-	1	0.0 %
48	-	2	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %
52	-	1	0.0 %
64	-	2	0.0 %
68	-	1	0.0 %
71	-	1	0.0 %
76	-	1	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 143.00
- Standard Deviation: 1.01

Location: 330-335 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F65: FEMALE OVER 64

Value	Label	Unweighted Frequency	%
0	-	276137	93.7 %

Value	Label	Unweighted Frequency	%
1	-	8876	3.0 %
2	-	1975	0.7 %
3	-	768	0.3 %
4	-	365	0.1 %
5	-	201	0.1 %
6	-	121	0.0 %
7	-	75	0.0 %
8	-	57	0.0 %
9	-	55	0.0 %
10	-	31	0.0 %
11	-	18	0.0 %
12	-	19	0.0 %
13	-	3	0.0 %
14	-	9	0.0 %
15	-	9	0.0 %
16	-	13	0.0 %
17	-	9	0.0 %
18	-	2	0.0 %
19	-	5	0.0 %
20	-	5	0.0 %
21	-	4	0.0 %
22	-	2	0.0 %
23	-	3	0.0 %
24	-	3	0.0 %
25	-	5	0.0 %
26	-	1	0.0 %
27	-	1	0.0 %
28	-	2	0.0 %
29	-	1	0.0 %
30	-	6	0.0 %
32	-	2	0.0 %
34	-	1	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
39	-	1	0.0 %
40	-	3	0.0 %
41	-	1	0.0 %
42	-	1	0.0 %
44	-	1	0.0 %

Value	Label	Unweighted Frequency	%
50	-	1	0.0 %
54	-	1	0.0 %
62	-	1	0.0 %
63	-	1	0.0 %
69	-	1	0.0 %
73	-	1	0.0 %
85	-	1	0.0 %
138	-	1	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 138.00
- Standard Deviation: 0.74

Location: 336-341 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JW: JUVENILE-WHITE

Value	Label	Unweighted Frequency	%
0	-	203854	69.2 %
1	-	31697	10.8 %
2	-	14418	4.9 %
3	-	8204	2.8 %
4	-	5469	1.9 %
5	-	3931	1.3 %
6	-	2957	1.0 %
7	-	2335	0.8 %
8	-	1957	0.7 %
9	-	1556	0.5 %
10	-	1281	0.4 %
11	-	1050	0.4 %
12	-	886	0.3 %
13	-	771	0.3 %
14	-	695	0.2 %

Value	Label	Unweighted Frequency	%
15	-	607	0.2 %
16	-	529	0.2 %
17	-	467	0.2 %
18	-	417	0.1 %
19	-	335	0.1 %
20	-	339	0.1 %
21	-	285	0.1 %
22	-	270	0.1 %
23	-	266	0.1 %
24	-	229	0.1 %
25	-	216	0.1 %
26	-	179	0.1 %
27	-	158	0.1 %
28	-	156	0.1 %
29	-	161	0.1 %
30	-	117	0.0 %
31	-	125	0.0 %
32	-	131	0.0 %
33	-	105	0.0 %
34	-	105	0.0 %
35	-	101	0.0 %
36	-	98	0.0 %
37	-	83	0.0 %
38	-	93	0.0 %
39	-	82	0.0 %
40	-	66	0.0 %
41	-	61	0.0 %
42	-	58	0.0 %
43	-	68	0.0 %
44	-	68	0.0 %
45	-	54	0.0 %
46	-	61	0.0 %
47	-	55	0.0 %
48	-	49	0.0 %
49	-	43	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 1.96
- Minimum: 0.00
- Maximum: 13092.00
- Standard Deviation: 26.38

Location: 342-347 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JB: JUVENILE-BLACK

Value	Label	Unweighted Frequency	%
0	-	247169	83.9 %
1	-	18266	6.2 %
2	-	7039	2.4 %
3	-	3691	1.3 %
4	-	2262	0.8 %
5	-	1710	0.6 %
6	-	1163	0.4 %
7	-	907	0.3 %
8	-	743	0.3 %
9	-	572	0.2 %
10	-	469	0.2 %
11	-	401	0.1 %
12	-	370	0.1 %
13	-	300	0.1 %
14	-	254	0.1 %
15	-	225	0.1 %
16	-	220	0.1 %
17	-	198	0.1 %
18	-	172	0.1 %
19	-	129	0.0 %
20	-	141	0.0 %
21	-	137	0.0 %
22	-	94	0.0 %
23	-	111	0.0 %
24	-	111	0.0 %
25	-	106	0.0 %
26	-	75	0.0 %
27	-	70	0.0 %

Value	Label	Unweighted Frequency	%
28	-	56	0.0 %
29	-	65	0.0 %
30	-	83	0.0 %
31	-	52	0.0 %
32	-	53	0.0 %
33	-	43	0.0 %
34	-	40	0.0 %
35	-	44	0.0 %
36	-	46	0.0 %
37	-	32	0.0 %
38	-	51	0.0 %
39	-	34	0.0 %
40	-	48	0.0 %
41	-	35	0.0 %
42	-	28	0.0 %
43	-	34	0.0 %
44	-	35	0.0 %
45	-	26	0.0 %
46	-	22	0.0 %
47	-	21	0.0 %
48	-	19	0.0 %
49	-	19	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 0.95
- Minimum: 0.00
- Maximum: 4341.00
- Standard Deviation: 11.84

Location: 348-353 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

Jl: JUVENILE-INDIAN

Value	Label	Unweighted Frequency	%
0	-	283667	96.3 %

Value	Label	Unweighted Frequency	%
1	-	2856	1.0 %
2	-	799	0.3 %
3	-	408	0.1 %
4	-	216	0.1 %
5	-	169	0.1 %
6	-	103	0.0 %
7	-	100	0.0 %
8	-	62	0.0 %
9	-	46	0.0 %
10	-	45	0.0 %
11	-	33	0.0 %
12	-	32	0.0 %
13	-	25	0.0 %
14	-	18	0.0 %
15	-	18	0.0 %
16	-	9	0.0 %
17	-	12	0.0 %
18	-	6	0.0 %
19	-	9	0.0 %
20	-	14	0.0 %
21	-	12	0.0 %
22	-	6	0.0 %
23	-	8	0.0 %
24	-	9	0.0 %
25	-	8	0.0 %
26	-	3	0.0 %
27	-	6	0.0 %
28	-	7	0.0 %
29	-	7	0.0 %
30	-	6	0.0 %
31	-	4	0.0 %
33	-	5	0.0 %
34	-	1	0.0 %
35	-	5	0.0 %
36	-	3	0.0 %
37	-	4	0.0 %
38	-	3	0.0 %
40	-	3	0.0 %
41	-	1	0.0 %

Value	Label	Unweighted Frequency	%
43	-	2	0.0 %
44	-	2	0.0 %
45	-	2	0.0 %
46	-	2	0.0 %
47	-	3	0.0 %
48	-	4	0.0 %
49	-	1	0.0 %
50	-	3	0.0 %
51	-	2	0.0 %
52	-	2	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 257.00
- Standard Deviation: 1.31

Location: 354-359 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JA: JUVENILE ASIAN

Value	Label	Unweighted Frequency	%
0	-	283282	96.1 %
1	-	3846	1.3 %
2	-	831	0.3 %
3	-	338	0.1 %
4	-	137	0.0 %
5	-	86	0.0 %
6	-	64	0.0 %
7	-	43	0.0 %
8	-	33	0.0 %
9	-	23	0.0 %
10	-	17	0.0 %

Value	Label	Unweighted Frequency	%
11	-	13	0.0 %
12	-	5	0.0 %
13	-	7	0.0 %
14	-	9	0.0 %
15	-	3	0.0 %
17	-	3	0.0 %
18	-	7	0.0 %
19	-	6	0.0 %
20	-	6	0.0 %
21	-	2	0.0 %
22	-	4	0.0 %
23	-	1	0.0 %
24	-	1	0.0 %
26	-	2	0.0 %
29	-	1	0.0 %
36	-	1	0.0 %
37	-	2	0.0 %
38	-	1	0.0 %
39	-	4	0.0 %
41	-	2	0.0 %
42	-	2	0.0 %
48	-	1	0.0 %
55	-	1	0.0 %
59	-	1	0.0 %
60	-	1	0.0 %
67	-	1	0.0 %
77	-	1	0.0 %
91	-	1	0.0 %
92	-	1	0.0 %
103	-	1	0.0 %
111	-	1	0.0 %
119	-	1	0.0 %
120	-	1	0.0 %
136	-	1	0.0 %
138	-	1	0.0 %
147	-	1	0.0 %
212	-	1	0.0 %
240	-	1	0.0 %
260	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 303.00
- Standard Deviation: 1.28

Location: 360-365 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JH: JUVENILE-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	260416	88.4 %
1	-	12870	4.4 %
2	-	4859	1.6 %
3	-	2586	0.9 %
4	-	1587	0.5 %
5	-	1070	0.4 %
6	-	809	0.3 %
7	-	650	0.2 %
8	-	489	0.2 %
9	-	380	0.1 %
10	-	313	0.1 %
11	-	291	0.1 %
12	-	204	0.1 %
13	-	187	0.1 %
14	-	148	0.1 %
15	-	130	0.0 %
16	-	133	0.0 %
17	-	114	0.0 %
18	-	79	0.0 %
19	-	71	0.0 %
20	-	98	0.0 %

Value	Label	Unweighted Frequency	%
21	-	70	0.0 %
22	-	65	0.0 %
23	-	58	0.0 %
24	-	52	0.0 %
25	-	54	0.0 %
26	-	45	0.0 %
27	-	46	0.0 %
28	-	39	0.0 %
29	-	40	0.0 %
30	-	30	0.0 %
31	-	26	0.0 %
32	-	20	0.0 %
33	-	23	0.0 %
34	-	33	0.0 %
35	-	20	0.0 %
36	-	36	0.0 %
37	-	19	0.0 %
38	-	25	0.0 %
39	-	14	0.0 %
40	-	20	0.0 %
41	-	15	0.0 %
42	-	9	0.0 %
43	-	21	0.0 %
44	-	26	0.0 %
45	-	10	0.0 %
46	-	18	0.0 %
47	-	18	0.0 %
48	-	11	0.0 %
49	-	10	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 0.54
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 704.00
- Standard Deviation: 5.30

Location: 366-371 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JN: JUVENILE-NON-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	215383	73.1 %
1	-	27114	9.2 %
2	-	12101	4.1 %
3	-	6969	2.4 %
4	-	4676	1.6 %
5	-	3387	1.1 %
6	-	2573	0.9 %
7	-	1992	0.7 %
8	-	1622	0.6 %
9	-	1344	0.5 %
10	-	1130	0.4 %
11	-	940	0.3 %
12	-	861	0.3 %
13	-	670	0.2 %
14	-	558	0.2 %
15	-	484	0.2 %
16	-	479	0.2 %
17	-	426	0.1 %
18	-	387	0.1 %
19	-	333	0.1 %
20	-	316	0.1 %
21	-	288	0.1 %
22	-	230	0.1 %
23	-	248	0.1 %
24	-	214	0.1 %
25	-	179	0.1 %
26	-	180	0.1 %
27	-	159	0.1 %
28	-	167	0.1 %
29	-	146	0.0 %
30	-	136	0.0 %
31	-	133	0.0 %
32	-	119	0.0 %

Value	Label	Unweighted Frequency	%
33	-	106	0.0 %
34	-	104	0.0 %
35	-	95	0.0 %
36	-	110	0.0 %
37	-	99	0.0 %
38	-	81	0.0 %
39	-	94	0.0 %
40	-	72	0.0 %
41	-	73	0.0 %
42	-	68	0.0 %
43	-	69	0.0 %
44	-	60	0.0 %
45	-	48	0.0 %
46	-	56	0.0 %
47	-	55	0.0 %
48	-	57	0.0 %
49	-	43	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 1.88
- Minimum: 0.00
- Maximum: 5186.00
- Standard Deviation: 15.31

Location: 372-377 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AW: ADULT-WHITE

Value	Label	Unweighted Frequency	%
0	-	59662	20.2 %
1	-	48841	16.6 %
2	-	27474	9.3 %
3	-	18143	6.2 %
4	-	13460	4.6 %
5	-	10312	3.5 %

Value	Label	Unweighted Frequency	%
6	-	8259	2.8 %
7	-	6978	2.4 %
8	-	5815	2.0 %
9	-	5066	1.7 %
10	-	4424	1.5 %
11	-	3845	1.3 %
12	-	3553	1.2 %
13	-	3205	1.1 %
14	-	2773	0.9 %
15	-	2801	1.0 %
16	-	2380	0.8 %
17	-	2158	0.7 %
18	-	1988	0.7 %
19	-	1918	0.7 %
20	-	1757	0.6 %
21	-	1687	0.6 %
22	-	1533	0.5 %
23	-	1473	0.5 %
24	-	1377	0.5 %
25	-	1288	0.4 %
26	-	1272	0.4 %
27	-	1212	0.4 %
28	-	1110	0.4 %
29	-	1069	0.4 %
30	-	1020	0.3 %
31	-	971	0.3 %
32	-	982	0.3 %
33	-	889	0.3 %
34	-	865	0.3 %
35	-	783	0.3 %
36	-	763	0.3 %
37	-	776	0.3 %
38	-	701	0.2 %
39	-	655	0.2 %
40	-	654	0.2 %
41	-	657	0.2 %
42	-	618	0.2 %
43	-	593	0.2 %
44	-	576	0.2 %

Value	Label	Unweighted Frequency	%
45	-	546	0.2 %
46	-	526	0.2 %
47	-	541	0.2 %
48	-	545	0.2 %
49	-	495	0.2 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 25.83
- Minimum: 0.00
- Maximum: 15795.00
- Standard Deviation: 147.21

Location: 378-383 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AB: ADULT-BLACK

Value	Label	Unweighted Frequency	%
0	-	157664	53.5 %
1	-	40163	13.6 %
2	-	18796	6.4 %
3	-	11114	3.8 %
4	-	7708	2.6 %
5	-	5838	2.0 %
6	-	4507	1.5 %
7	-	3523	1.2 %
8	-	3059	1.0 %
9	-	2458	0.8 %
10	-	2164	0.7 %
11	-	1920	0.7 %
12	-	1730	0.6 %
13	-	1488	0.5 %
14	-	1317	0.4 %
15	-	1190	0.4 %
16	-	1027	0.3 %
17	-	960	0.3 %

Value	Label	Unweighted Frequency	%
18	-	869	0.3 %
19	-	808	0.3 %
20	-	810	0.3 %
21	-	682	0.2 %
22	-	618	0.2 %
23	-	628	0.2 %
24	-	577	0.2 %
25	-	545	0.2 %
26	-	542	0.2 %
27	-	465	0.2 %
28	-	428	0.1 %
29	-	441	0.1 %
30	-	419	0.1 %
31	-	401	0.1 %
32	-	367	0.1 %
33	-	329	0.1 %
34	-	333	0.1 %
35	-	322	0.1 %
36	-	299	0.1 %
37	-	269	0.1 %
38	-	260	0.1 %
39	-	256	0.1 %
40	-	235	0.1 %
41	-	219	0.1 %
42	-	230	0.1 %
43	-	215	0.1 %
44	-	186	0.1 %
45	-	233	0.1 %
46	-	191	0.1 %
47	-	190	0.1 %
48	-	183	0.1 %
49	-	166	0.1 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 9.91
- Minimum: 0.00
- Maximum: 14017.00
- Standard Deviation: 93.63

Location: 384-389 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AI: ADULT-INDIAN

Value	Label	Unweighted Frequency	%
0	-	264411	89.7 %
1	-	12190	4.1 %
2	-	3782	1.3 %
3	-	1886	0.6 %
4	-	1095	0.4 %
5	-	794	0.3 %
6	-	588	0.2 %
7	-	432	0.1 %
8	-	331	0.1 %
9	-	300	0.1 %
10	-	239	0.1 %
11	-	192	0.1 %
12	-	174	0.1 %
13	-	151	0.1 %
14	-	141	0.0 %
15	-	123	0.0 %
16	-	95	0.0 %
17	-	103	0.0 %
18	-	73	0.0 %
19	-	94	0.0 %
20	-	71	0.0 %
21	-	54	0.0 %
22	-	50	0.0 %
23	-	51	0.0 %
24	-	48	0.0 %
25	-	38	0.0 %
26	-	44	0.0 %
27	-	33	0.0 %
28	-	35	0.0 %
29	-	31	0.0 %
30	-	35	0.0 %

Value	Label	Unweighted Frequency	%
31	-	24	0.0 %
32	-	31	0.0 %
33	-	24	0.0 %
34	-	31	0.0 %
35	-	30	0.0 %
36	-	14	0.0 %
37	-	27	0.0 %
38	-	19	0.0 %
39	-	21	0.0 %
40	-	27	0.0 %
41	-	25	0.0 %
42	-	6	0.0 %
43	-	21	0.0 %
44	-	19	0.0 %
45	-	17	0.0 %
46	-	11	0.0 %
47	-	15	0.0 %
48	-	12	0.0 %
49	-	22	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 0.84
- Minimum: 0.00
- Maximum: 14378.00
- Standard Deviation: 33.00

Location: 390-395 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AA: ADULT-ASIAN

Value	Label	Unweighted Frequency	%
0	-	258517	87.7 %
1	-	16050	5.4 %
2	-	5127	1.7 %
3	-	2436	0.8 %

Value	Label	Unweighted Frequency	%
4	-	1439	0.5 %
5	-	956	0.3 %
6	-	676	0.2 %
7	-	480	0.2 %
8	-	428	0.1 %
9	-	313	0.1 %
10	-	239	0.1 %
11	-	214	0.1 %
12	-	163	0.1 %
13	-	157	0.1 %
14	-	122	0.0 %
15	-	100	0.0 %
16	-	80	0.0 %
17	-	93	0.0 %
18	-	71	0.0 %
19	-	69	0.0 %
20	-	67	0.0 %
21	-	60	0.0 %
22	-	54	0.0 %
23	-	46	0.0 %
24	-	43	0.0 %
25	-	33	0.0 %
26	-	37	0.0 %
27	-	28	0.0 %
28	-	35	0.0 %
29	-	37	0.0 %
30	-	18	0.0 %
31	-	25	0.0 %
32	-	27	0.0 %
33	-	29	0.0 %
34	-	19	0.0 %
35	-	18	0.0 %
36	-	20	0.0 %
37	-	20	0.0 %
38	-	16	0.0 %
39	-	17	0.0 %
40	-	12	0.0 %
41	-	8	0.0 %
42	-	13	0.0 %

Value	Label	Unweighted Frequency	%
43	-	13	0.0 %
44	-	7	0.0 %
45	-	13	0.0 %
46	-	11	0.0 %
47	-	5	0.0 %
48	-	3	0.0 %
49	-	10	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 0.50
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2526.00
- Standard Deviation: 9.17

Location: 396-401 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AH: ADULT-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	206008	69.9 %
1	-	28594	9.7 %
2	-	12365	4.2 %
3	-	6994	2.4 %
4	-	4752	1.6 %
5	-	3322	1.1 %
6	-	2662	0.9 %
7	-	2046	0.7 %
8	-	1721	0.6 %
9	-	1517	0.5 %
10	-	1224	0.4 %
11	-	1005	0.3 %
12	-	922	0.3 %
13	-	787	0.3 %

Value	Label	Unweighted Frequency	%
14	-	736	0.2 %
15	-	669	0.2 %
16	-	614	0.2 %
17	-	548	0.2 %
18	-	519	0.2 %
19	-	478	0.2 %
20	-	480	0.2 %
21	-	384	0.1 %
22	-	372	0.1 %
23	-	321	0.1 %
24	-	296	0.1 %
25	-	297	0.1 %
26	-	253	0.1 %
27	-	248	0.1 %
28	-	244	0.1 %
29	-	224	0.1 %
30	-	232	0.1 %
31	-	202	0.1 %
32	-	218	0.1 %
33	-	192	0.1 %
34	-	182	0.1 %
35	-	174	0.1 %
36	-	149	0.1 %
37	-	162	0.1 %
38	-	139	0.0 %
39	-	136	0.0 %
40	-	126	0.0 %
41	-	108	0.0 %
42	-	125	0.0 %
43	-	117	0.0 %
44	-	128	0.0 %
45	-	113	0.0 %
46	-	135	0.0 %
47	-	93	0.0 %
48	-	101	0.0 %
49	-	87	0.0 %
	Missing Data		
999998	Not applicable	5866	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,801 valid cases out of 294,667 total cases.

- Mean: 5.36
- Minimum: 0.00
- Maximum: 9570.00
- Standard Deviation: 59.43

Location: 402-407 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AN: ADULT-NON-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	92166	31.3 %
1	-	41887	14.2 %
2	-	23058	7.8 %
3	-	15356	5.2 %
4	-	11020	3.7 %
5	-	8708	3.0 %
6	-	7040	2.4 %
7	-	5874	2.0 %
8	-	4916	1.7 %
9	-	4364	1.5 %
10	-	3724	1.3 %
11	-	3346	1.1 %
12	-	3065	1.0 %
13	-	2717	0.9 %
14	-	2511	0.9 %
15	-	2326	0.8 %
16	-	2046	0.7 %
17	-	1908	0.6 %
18	-	1748	0.6 %
19	-	1662	0.6 %
20	-	1556	0.5 %
21	-	1363	0.5 %
22	-	1335	0.5 %
23	-	1311	0.4 %
24	-	1142	0.4 %
25	-	1125	0.4 %
26	-	1066	0.4 %
27	-	1056	0.4 %

Value	Label	Unweighted Frequency	%
28	-	982	0.3 %
29	-	906	0.3 %
30	-	850	0.3 %
31	-	845	0.3 %
32	-	825	0.3 %
33	-	778	0.3 %
34	-	710	0.2 %
35	-	720	0.2 %
36	-	651	0.2 %
37	-	667	0.2 %
38	-	568	0.2 %
39	-	613	0.2 %
40	-	588	0.2 %
41	-	606	0.2 %
42	-	514	0.2 %
43	-	493	0.2 %
44	-	478	0.2 %
45	-	490	0.2 %
46	-	462	0.2 %
47	-	440	0.1 %
48	-	428	0.1 %
49	-	410	0.1 %
	Missing Data		
999998	Not applicable	5906	2.0 %
	Total	294,667	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 288,761 valid cases out of 294,667 total cases.

- Mean: 25.22
- Minimum: 0.00
- Maximum: 23730.00
- Standard Deviation: 170.83

Location: 408-413 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998