

ICPSR 38741

**Uniform Crime Reporting Program
Data: Arrests by Age, Sex, and
Race, Summarized Yearly, United
States, 2017**

*United States. Federal Bureau of
Investigation*

ICPSR Codebook for Twelve Months Dataset

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/web/ICPSR/studies/38741/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #38741

Uniform Crime Reporting Program Data: Arrests by Age, Sex, and Race, Summarized Yearly, United States, 2017

DS 2: Twelve Months Dataset

1. **Changes in Methodology:** As of calendar year 2022, the Uniform Crime Reporting (UCR) Program has begun consolidating its data quality review and management practices to reduce differences between publication tables and the data displayed on the FBI website via the [Crime Data Explorer](#).
2. **Discrepancy in Collection:** This study contains data from two master files available on the [Crime Data Explorer](#): 2017_ASR6MON_NATIONAL_MASTER_FILE.txt and 2017_ASR12MON_NATIONAL_MASTER_FILE.txt. In previous years of this collection only one master file was curated. The data contained in this dataset are taken from:
 - a. 2017_ASR12MON_NATIONAL_MASTER_FILE.txt.

No additional information was provided.

3. **Stata Limitations:** Due to Stata limitations, the variables **ORI**, **GROUP**, **CORE**, and **OFFENSE** do not contain value labels for non-integer values within the Stata files.
4. **Data Discrepancies:**
 - a. There are reporting agencies (**AGENCY**) which use the same 7-digit Originating Agency Identifier (**ORI**). For these agencies, ICPSR has converted the 7-digit ORI to the agency's unique 9-digit ORI.
 - b. There are cases where a unique Header record has an associated Detail record with "000" in the **OFFENSE** variable, which is the code reserved for Header records. ICPSR has included these records as Detail records and preserved the "000" code in **OFFENSE** with the value label "HEADER Record".
 - c. The variables **MSA** and **SEQNO** do not contain any valid responses.

No additional information was provided.

5. **Additional Information:** These studies are "static data snapshots" of the data available on the FBI website via the [Crime Data Explorer](#), which is continuously updated. For additional information on the Uniform Crime Reporting (UCR) Program, please visit the [UCR](#) website.

ICPSR 38741

Uniform Crime Reporting Program Data: Arrests by Age, Sex, and Race, Summarized Yearly, United States, 2017

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Twelve Months Dataset

ASR_ID: IDENTIFIER CODE FOR THE ASR MASTER FILE

Value	Label	Unweighted Frequency	%
3	-	257356	100.0 %
	Missing Data		
.	-	5	0.0 %
	Total	257,361	100%

Based upon 257,356 valid cases out of 257,361 total cases.

- Mean: 3.00
- Median: 3.00
- Mode: 3.00
- Minimum: 3.00
- Maximum: 3.00
- Standard Deviation: 0.00

Location: 1-1 (width: 1; decimal: 0)

Variable Type: numeric

CONTENTS: RECORD CONTENTS

Value	Label	Unweighted Frequency	%
1	Agency header only	3693	1.4 %
2	Detail record	253668	98.6 %
	Total	257,361	100%

Based upon 257,361 valid cases out of 257,361 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2-2 (width: 1; decimal: 0)

Variable Type: numeric

STATE: NUMERIC STATE CODE (UCR CODE)

Range is 01-62. Data records are in order by ORI code within numeric state code.

Value	Label	Unweighted Frequency	%
1	Alabama	5043	2.0 %
2	Arizona	2577	1.0 %
3	Arkansas	5003	1.9 %
4	California	16715	6.5 %
5	Colorado	3884	1.5 %

Value	Label	Unweighted Frequency	%
6	Connecticut	2440	0.9 %
7	Delaware	1095	0.4 %
8	District of Columbia	29	0.0 %
9	Florida	608	0.2 %
10	Georgia	8134	3.2 %
11	Idaho	2074	0.8 %
12	Illinois	39	0.0 %
13	Indiana	5269	2.0 %
14	Iowa	4095	1.6 %
15	Kansas	3926	1.5 %
16	Kentucky	6601	2.6 %
17	Louisiana	3257	1.3 %
18	Maine	2444	0.9 %
19	Maryland	4272	1.7 %
20	Massachusetts	5805	2.3 %
21	Michigan	11072	4.3 %
22	Minnesota	5851	2.3 %
23	Mississippi	1730	0.7 %
24	Missouri	8342	3.2 %
25	Montana	1593	0.6 %
26	Nebraska	1969	0.8 %
27	Nevada	1653	0.6 %
28	New Hampshire	3415	1.3 %
29	New Jersey	10838	4.2 %
30	New Mexico	573	0.2 %
31	New York	8410	3.3 %
32	North Carolina	5742	2.2 %
33	North Dakota	1624	0.6 %
34	Ohio	9182	3.6 %
35	Oklahoma	5908	2.3 %
36	Oregon	3333	1.3 %
37	Pennsylvania	17689	6.9 %
38	Rhode Island	1083	0.4 %
39	South Carolina	5473	2.1 %
40	South Dakota	1416	0.6 %
41	Tennessee	8503	3.3 %
42	Texas	29391	11.4 %
43	Utah	2571	1.0 %
44	Vermont	1208	0.5 %

Value	Label	Unweighted Frequency	%
45	Virginia	7186	2.8 %
46	Washington	4374	1.7 %
47	West Virginia	3385	1.3 %
48	Wisconsin	7869	3.1 %
49	Wyoming	1345	0.5 %
50	Alaska	1090	0.4 %
	Missing Data		
.	-	5	0.0 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 257,356 valid cases out of 257,361 total cases.

- Minimum: 1.00
- Maximum: 98.00

Location: 3-4 (width: 2; decimal: 0)

Variable Type: numeric

ORI: ORIGINATING AGENCY IDENTIFIER CODE

Originating Agency Identifier. Labels for ORIs are provided in the data file.

Value	Label	Unweighted Frequency	%
AK00101	ANCHORAGE	-	-
AK00102	FAIRBANKS	-	-
AK00103	JUNEAU	-	-
AK00104	KETCHIKAN	-	-
AK00105	KODIAK	-	-
AK00106	NOME	-	-
AK00107	PETERSBURG	-	-
AK00108	SEWARD	-	-
AK00109	SITKA	-	-
AK00110	SKAGWAY	-	-
AK00111	WRANGELL	-	-
AK00112	VALDEZ	-	-
AK00113	BETHEL	-	-
AK00114	CORDOVA	-	-
AK00116	KOTZEBUE	-	-
AK00117	PALMER	-	-
AK00118	NORTH SLOPE BOROUGH	-	-

Value	Label	Unweighted Frequency	%
AK00120	SOLDOTNA	-	-
AK00121	HAINES	-	-
AK00122	HOMER	-	-
AK00123	KENAI	-	-
AK00126	FAIRBANKS INTRNL AIRPORT	-	-
AK00127	TED STEVENS ANCHORAGE INT	-	-
AK00130	DILLINGHAM	-	-
AK00132	NORTH POLE	-	-
AK00133	UNALASKA	-	-
AK00142	UNIV OF AK: FAIRBANKS	-	-
AK00143	UNIV OF AK: ANCHORAGE	-	-
AK00145	CRAIG	-	-
AK00146	BRISTOL BAY BOROUGH	-	-
AK00156	WASILLA	-	-
AKAST01	ALASKA STATE TROOPERS	-	-
AL00100	JEFFERSON	-	-
AL00101	BESSEMER	-	-
AL00102	BIRMINGHAM	-	-
AL00103	MOUNTAIN BROOK	-	-
AL00104	FAIRFIELD	-	-
AL00105	GARDENDALE	-	-
AL00106	LEEDS	-	-
AL00107	MIDFIELD	-	-
AL00108	TARRANT	-	-
AL00109	VESTAVIA HILLS	-	-
AL00110	HOMEWOOD	-	-
AL00111	FULTONDALE	-	-
AL00112	HOOVER	-	-
AL00113	IRONDALE	-	-
AL00114	PLEASANT GROVE	-	-
AL00119	HUEYTOWN	-	-
AL00120	LIPSCOMB	-	-
AL00121	TRUSSVILLE	-	-
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 257,361 valid cases out of 257,361 total cases.

Location: 5-13 (width: 9; decimal: 0)

Variable Type: character

GROUP: GROUP

Group 0 is possessions; 1-7 are cities, 8-9 are counties. Sub-Group (position 12) is blank when not used. All populations are inclusive.

Value	Label	Unweighted Frequency	%
-		5	0.0 %
0	Possessions	0	0.0 %
1	Cities 250,000 or over	0	0.0 %
1A	Cities 1,000,000 or over	390	0.2 %
1B	Cities 500,000-999,999	881	0.3 %
1C	Cities 250,000-499,999	1590	0.6 %
2	Cities 100,000-249,999	6702	2.6 %
3	Cities 50,000-99,999	14184	5.5 %
4	Cities 25,000-49,999	23053	9.0 %
5	Cities 10,000-24,999	42550	16.5 %
6	Cities 2,500-9,999	64212	25.0 %
7	Cities under 2,500	32796	12.7 %
8	Non-MSA Cnty:	0	0.0 %
8A	Non-MSA Cnty 100,000 or over	166	0.1 %
8B	Non-MSA Cnty 25,000-99,999	6784	2.6 %
8C	Non-MSA Cnty 10,000-24,999	12218	4.7 %
8D	Non-MSA Cnty under 10,000	17746	6.9 %
8E	Non-MSA State Police	1074	0.4 %
9	MSA Cnty:	0	0.0 %
9A	MSA Cnty 100,000 or over	4919	1.9 %
9B	MSA Cnty 25,000-99,999	12477	4.8 %
9C	MSA Cnty 10,000-24,999	5789	2.2 %
9D	MSA Cnty under 10,000	9663	3.8 %
9E	MSA State Police	162	0.1 %
	Total	257,361	100%

Based upon 257,361 valid cases out of 257,361 total cases.

Location: 14-15 (width: 2; decimal: 0)

Variable Type: character

DIV: GEOGRAPHIC DIVISION OF STATE

Geographic division in which the state is located (from 1 thru 9). Possessions are coded "0."

Value	Label	Unweighted Frequency	%
0	Possessions	0	0.0 %

Value	Label	Unweighted Frequency	%
1	New England	16395	6.4 %
2	Middle Atlantic	36937	14.4 %
3	East North Central	33431	13.0 %
4	West North Central	27223	10.6 %
5	South Atlantic	35924	14.0 %
6	East South Central	21877	8.5 %
7	West South Central	43559	16.9 %
8	Mountain	16270	6.3 %
9	Pacific	25740	10.0 %
	Missing Data		
.	-	5	0.0 %
	Total	257,361	100%

Based upon 257,356 valid cases out of 257,361 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 16-16 (width: 1; decimal: 0)

Variable Type: numeric

YEAR: YEAR

The year the data reflects.

Value	Label	Unweighted Frequency	%
2017	-	257356	100.0 %
	Missing Data		
.	-	5	0.0 %
	Total	257,361	100%

Based upon 257,356 valid cases out of 257,361 total cases.

- Mean: 2017.00
- Median: 2017.00
- Mode: 2017.00
- Minimum: 2017.00
- Maximum: 2017.00
- Standard Deviation: 0.00

Location: 17-20 (width: 4; decimal: 0)

Variable Type: numeric

MSA: METROPOLITAN STATISTICAL AREA OF CITY (UCR CODE)

Metropolitan Statistical Area (MSA) number in which the city is located, if any.
Blank if not used.

Note: Blank values have been recoded to 9998 "Not applicable".

Value	Label	Unweighted Frequency	%
	Missing Data		
9998	Not applicable	257361	100.0 %
	Total	257,361	100%

Based upon 0 valid cases out of 257,361 total cases.

Location: 21-24 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9998

SUB: SUBURBAN

A "suburban" agency is an MSA city with less than 50,000 population (groups 4 - 7) together with MSA counties (group 9).

Value	Label	Unweighted Frequency	%
0	Non-suburban	119588	46.5 %
1	Suburban	137768	53.5 %
	Missing Data		
.	-	5	0.0 %
	Total	257,361	100%

Based upon 257,356 valid cases out of 257,361 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 25-25 (width: 1; decimal: 0)

Variable Type: numeric

REPORT: REPORT INDICATION

Value	Label	Unweighted Frequency	%
0	Juvenile and adult reported	245912	95.6 %
1	Juvenile only reported	10	0.0 %
2	Adult only reported	11434	4.4 %
3	Not reported	0	0.0 %
	Missing Data		
.	-	5	0.0 %
	Total	257,361	100%

Based upon 257,356 valid cases out of 257,361 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 26-26 (width: 1; decimal: 0)

Variable Type: numeric

ADJUST: ADJUSTMENT

Value	Label	Unweighted Frequency	%
0	Age, race, and ethnic origin reported	252597	98.1 %
1	No age reported	0	0.0 %
2	No race reported	0	0.0 %
3	No ethnic origin reported	4759	1.8 %
4	No race or ethnic origin reported	0	0.0 %
5	No age or ethnic origin reported	0	0.0 %
6	No age or race reported	0	0.0 %
	Missing Data		
9	Blank	5	0.0 %
	Total	257,361	100%

Based upon 257,356 valid cases out of 257,361 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 27-27 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9

SEQNO: SEQUENCE NUMBER (5-DIGIT)

A five-digit number which places all cities in alphabetic order, regardless of state. This field is blank for groups 0, 8, and 9.

Value	Label	Unweighted Frequency	%
0	-	257356	100.0 %
	Missing Data		
.	-	5	0.0 %
	Total	257,361	100%

Based upon 257,356 valid cases out of 257,361 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00

- Standard Deviation: 0.00

Location: 28-28 (width: 1; decimal: 0)

Variable Type: numeric

COUNTY: COUNTY (3-DIGIT UCR CODE)

Three-digit numeric code for the county in which the agency is located.

Value	Label	Unweighted Frequency	%
0	-	7558	2.9 %
1	-	5311	2.1 %
2	-	8151	3.2 %
3	-	5277	2.1 %
4	-	4777	1.9 %
5	-	4390	1.7 %
6	-	3999	1.6 %
7	-	5457	2.1 %
8	-	4164	1.6 %
9	-	4999	1.9 %
10	-	4068	1.6 %
11	-	3749	1.5 %
12	-	3135	1.2 %
13	-	4428	1.7 %
14	-	4709	1.8 %
15	-	4934	1.9 %
16	-	3746	1.5 %
17	-	2791	1.1 %
18	-	3939	1.5 %
19	-	5568	2.2 %
20	-	3020	1.2 %
21	-	2706	1.1 %
22	-	2379	0.9 %
23	-	3300	1.3 %
24	-	2634	1.0 %
25	-	3537	1.4 %
26	-	2055	0.8 %
27	-	3348	1.3 %
28	-	2416	0.9 %
29	-	2122	0.8 %
30	-	3283	1.3 %
31	-	3330	1.3 %

Value	Label	Unweighted Frequency	%
32	-	1897	0.7 %
33	-	2744	1.1 %
34	-	2523	1.0 %
35	-	2019	0.8 %
36	-	3996	1.6 %
37	-	2829	1.1 %
38	-	1615	0.6 %
39	-	2354	0.9 %
40	-	2883	1.1 %
41	-	2252	0.9 %
42	-	2000	0.8 %
43	-	2861	1.1 %
44	-	1937	0.8 %
45	-	2331	0.9 %
46	-	2883	1.1 %
47	-	1967	0.8 %
48	-	2401	0.9 %
49	-	2222	0.9 %
	Missing Data		
.	-	5	0.0 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 257,356 valid cases out of 257,361 total cases.

- Mean: 43.74
- Minimum: 0.00
- Maximum: 300.00
- Standard Deviation: 45.87

Location: 29-31 (width: 3; decimal: 0)

Variable Type: numeric

CORE: CORE CITY

Value	Label	Unweighted Frequency	%
	-	5	0.0 %
N	Agency not core city	238469	92.7 %
Y	Agency is core city	18887	7.3 %
	Total	257,361	100%

Based upon 257,361 valid cases out of 257,361 total cases.

Location: 32-32 (width: 1; decimal: 0)

Variable Type: character

POP: CURRENT POPULATION

Total population for the agency for the year reported.

Based upon 257,356 valid cases out of 257,361 total cases.

- Mean: 32693.80
- Minimum: 0.00
- Maximum: 4007147.00
- Standard Deviation: 107993.69

Location: 33-39 (width: 7; decimal: 0)

Variable Type: numeric

AGENCNT: AGENCY COUNT

Used to accumulate "agencies used" totals in various tabulations. This field is normally "1" but will be "0" for the U.S. Park Police and all State Police agencies whose ORI code ends in "SP" (or "99" in California).

Value	Label	Unweighted Frequency	%
1	-	257356	100.0 %
	Missing Data		
.	-	5	0.0 %
	Total	257,361	100%

Based upon 257,356 valid cases out of 257,361 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

Location: 40-40 (width: 1; decimal: 0)

Variable Type: numeric

AGENCY: AGENCY NAME

Based upon 257,361 valid cases out of 257,361 total cases.

Location: 41-65 (width: 25; decimal: 0)

Variable Type: character

STNAME: STATE NAME

Value	Label	Unweighted Frequency	%
-		5	0.0 %

Value	Label	Unweighted Frequency	%
ALABA M	-	5043	2.0 %
ALASK A	-	1090	0.4 %
ARIZO N	-	2577	1.0 %
ARKA NS	-	5003	1.9 %
CALIF O	-	16715	6.5 %
COLO RA	-	3884	1.5 %
CONN EC	-	2440	0.9 %
DELA WA	-	1095	0.4 %
DISTRI	-	29	0.0 %
FEDER A	-	45	0.0 %
FLORI D	-	608	0.2 %
GEOR GI	-	8134	3.2 %
HAWAI I	-	183	0.1 %
IDAHO	-	2074	0.8 %
ILLINO	-	39	0.0 %
INDIAN	-	5269	2.0 %
IOWA	-	4095	1.6 %
KANSA S	-	3926	1.5 %
KENTU C	-	6601	2.6 %
LOUISI	-	3257	1.3 %
MAINE	-	2444	0.9 %
MARY LA	-	4272	1.7 %
MASS AC	-	5805	2.3 %
MICHI G	-	11072	4.3 %
MINNE S	-	5851	2.3 %
MISSIS	-	1730	0.7 %

Value	Label	Unweighted Frequency	%
MIS SOUR	-	8342	3.2 %
MONT GOMERY	-	1593	0.6 %
NEBR ASKA	-	1969	0.8 %
NEVAD ADA	-	1653	0.6 %
NEW HAMPSHIRE	-	3415	1.3 %
NEW JERSEY	-	10838	4.2 %
NEW MEXICO	-	573	0.2 %
NEW YORK	-	8410	3.3 %
NORT DACOTA	-	7366	2.9 %
OHIO	-	9182	3.6 %
OKLAH OMA	-	5908	2.3 %
OREG ON	-	3333	1.3 %
PENN SYLVANIA	-	17689	6.9 %
RHOD ISLAND	-	1083	0.4 %
SOUT DAKOTA	-	6889	2.7 %
TENNE SSSEE	-	8503	3.3 %
TEXAS	-	29391	11.4 %
UTAH	-	2571	1.0 %
VERM ONT	-	1208	0.5 %
VIRGI NIA	-	7186	2.8 %
WASHI NGTON	-	4374	1.7 %
WEST VIRGINIA	-	3385	1.3 %
WISCO NSIN	-	7869	3.1 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 257,361 valid cases out of 257,361 total cases.

Location: 66-71 (width: 6; decimal: 0)

Variable Type: character

CARD1: CARD 1 INDICATOR

Value	Label	Unweighted Frequency	%
0	No adult male reported	27409	10.7 %
1	Adult male reported	226259	87.9 %
	Missing Data		
8	Not applicable	3693	1.4 %
	Total	257,361	100%

Based upon 253,668 valid cases out of 257,361 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 72-72 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

CARD2: CARD 2 INDICATOR

Value	Label	Unweighted Frequency	%
0	No adult female reported	56213	21.8 %
1	Adult female reported	197455	76.7 %
	Missing Data		
8	Not applicable	3693	1.4 %
	Total	257,361	100%

Based upon 253,668 valid cases out of 257,361 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 73-73 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

CARD3: CARD 3 INDICATOR

Value	Label	Unweighted Frequency	%
0	No juvenile reported	89442	34.8 %
1	Juvenile reported	164226	63.8 %

Value	Label	Unweighted Frequency	%
	Missing Data		
8	Not applicable	3693	1.4 %
	Total	257,361	100%

Based upon 253,668 valid cases out of 257,361 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 74-74 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

OFFENSE: OFFENSE CODE

Value	Label	Unweighted Frequency	%
000	HEADER Record	19	0.0 %
011	Murder and non-negligent manslaughter	2736	1.1 %
012	Manslaughter by negligence	1225	0.5 %
020	Forcible rape	4703	1.8 %
030	Robbery	5095	2.0 %
040	Aggravated assault	9167	3.6 %
050	Burglary-breaking or entering	8203	3.2 %
060	Larceny-theft (not motor vehicle)	9671	3.8 %
070	Motor vehicle theft	6600	2.6 %
080	Other assaults	10300	4.0 %
090	Arson	3020	1.2 %
100	Forgery and counterfeiting	6006	2.3 %
110	Fraud	7576	2.9 %
120	Embezzlement	2967	1.2 %
130	Stolen property-buy, receive, poss.	6546	2.5 %
140	Vandalism	8258	3.2 %
150	Weapons-carry, posses, etc.	7858	3.1 %
160	Prostitution and commercialized vice	2113	0.8 %
161	Prostitution and commercialized vice - Prostitution	1359	0.5 %
162	Prostitution and commercialized vice - Assisting or Promoting Prostitution	1022	0.4 %
163	Prostitution and commercialized vice - Purchasing Prostitution	863	0.3 %
170	Sex offenses (not rape or prostitution)	5771	2.2 %
18	Total drug abuse violations	10584	4.1 %
180	Sale/manufacture (subtotal)	8013	3.1 %
181	Sale: Opium, coke, and their derivatives	4719	1.8 %
182	Sale: Marijuana	6024	2.3 %

Value	Label	Unweighted Frequency	%
183	Sale: Truly addicting synthetic narcotics	2695	1.0 %
184	Sale: Other dangerous non-narc drugs	5465	2.1 %
185	Possession (subtotal)	10480	4.1 %
186	Possession: Opium, coke, and their derivatives	7521	2.9 %
187	Possession: Marijuana	9541	3.7 %
188	Possession: Truly addicting synthetic narcotics	5391	2.1 %
189	Possession: Other dangerous non-narc drugs	8768	3.4 %
19	Gambling (total)	1017	0.4 %
190	Gambling (total)	0	0.0 %
191	Bookmaking (horse and sports)	803	0.3 %
192	Number and lottery	777	0.3 %
193	All other gambling	910	0.4 %
200	Offenses against family and children	5394	2.1 %
210	Driving under the influence	10385	4.0 %
220	Liquor laws	7333	2.8 %
230	Drunkenness	5697	2.2 %
240	Disorderly conduct	8771	3.4 %
250	Vagrancy	1785	0.7 %
260	All other offenses (not traffic)	10889	4.2 %
270	Suspicion	755	0.3 %
280	Curfew and loitering violations	2000	0.8 %
290	Runaways	2022	0.8 %
301	Human Trafficking - Commercial Sex Acts	844	0.3 %
302	Human Trafficking - Involuntary Servitude	783	0.3 %
	Missing Data		
998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

Location: 75-77 (width: 3; decimal: 0)

Variable Type: character

(Range of) Missing Values: 998

MO_9: MALE UNDER 10

Value	Label	Unweighted Frequency	%
0	-	251446	97.7 %
1	-	1552	0.6 %

Value	Label	Unweighted Frequency	%
2	-	390	0.2 %
3	-	131	0.1 %
4	-	57	0.0 %
5	-	29	0.0 %
6	-	14	0.0 %
7	-	13	0.0 %
8	-	8	0.0 %
9	-	5	0.0 %
10	-	5	0.0 %
11	-	3	0.0 %
12	-	2	0.0 %
13	-	2	0.0 %
16	-	3	0.0 %
17	-	1	0.0 %
19	-	2	0.0 %
20	-	2	0.0 %
23	-	1	0.0 %
27	-	1	0.0 %
56	-	1	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 56.00
- Standard Deviation: 0.25

Location: 78-83 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M10_12: MALE 10-12

Value	Label	Unweighted Frequency	%
0	-	240066	93.3 %
1	-	7791	3.0 %
2	-	2540	1.0 %
3	-	1188	0.5 %

Value	Label	Unweighted Frequency	%
4	-	602	0.2 %
5	-	408	0.2 %
6	-	230	0.1 %
7	-	165	0.1 %
8	-	132	0.1 %
9	-	92	0.0 %
10	-	81	0.0 %
11	-	67	0.0 %
12	-	40	0.0 %
13	-	37	0.0 %
14	-	23	0.0 %
15	-	24	0.0 %
16	-	19	0.0 %
17	-	23	0.0 %
18	-	20	0.0 %
19	-	16	0.0 %
20	-	9	0.0 %
21	-	6	0.0 %
22	-	9	0.0 %
23	-	8	0.0 %
24	-	4	0.0 %
25	-	6	0.0 %
26	-	5	0.0 %
27	-	7	0.0 %
28	-	3	0.0 %
29	-	2	0.0 %
30	-	3	0.0 %
31	-	6	0.0 %
32	-	3	0.0 %
33	-	1	0.0 %
34	-	1	0.0 %
35	-	2	0.0 %
36	-	1	0.0 %
37	-	2	0.0 %
38	-	1	0.0 %
39	-	2	0.0 %
40	-	2	0.0 %
43	-	4	0.0 %
45	-	1	0.0 %

Value	Label	Unweighted Frequency	%
48	-	1	0.0 %
49	-	1	0.0 %
51	-	1	0.0 %
52	-	1	0.0 %
53	-	1	0.0 %
54	-	1	0.0 %
55	-	1	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 469.00
- Standard Deviation: 1.42

Location: 84-89 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M13_14: MALE 13-14

Value	Label	Unweighted Frequency	%
0	-	221330	86.0 %
1	-	15938	6.2 %
2	-	6197	2.4 %
3	-	2999	1.2 %
4	-	1750	0.7 %
5	-	1164	0.5 %
6	-	802	0.3 %
7	-	592	0.2 %
8	-	423	0.2 %
9	-	346	0.1 %
10	-	279	0.1 %
11	-	237	0.1 %
12	-	180	0.1 %
13	-	172	0.1 %

Value	Label	Unweighted Frequency	%
14	-	132	0.1 %
15	-	97	0.0 %
16	-	96	0.0 %
17	-	91	0.0 %
18	-	63	0.0 %
19	-	67	0.0 %
20	-	46	0.0 %
21	-	51	0.0 %
22	-	43	0.0 %
23	-	38	0.0 %
24	-	38	0.0 %
25	-	35	0.0 %
26	-	24	0.0 %
27	-	23	0.0 %
28	-	26	0.0 %
29	-	19	0.0 %
30	-	21	0.0 %
31	-	24	0.0 %
32	-	15	0.0 %
33	-	15	0.0 %
34	-	14	0.0 %
35	-	17	0.0 %
36	-	14	0.0 %
37	-	17	0.0 %
38	-	14	0.0 %
39	-	21	0.0 %
40	-	11	0.0 %
41	-	10	0.0 %
42	-	9	0.0 %
43	-	10	0.0 %
44	-	7	0.0 %
45	-	4	0.0 %
46	-	3	0.0 %
47	-	5	0.0 %
48	-	5	0.0 %
49	-	7	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 0.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 958.00
- Standard Deviation: 3.31

Location: 90-95 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M15: MALE 15

Value	Label	Unweighted Frequency	%
0	-	219960	85.5 %
1	-	17551	6.8 %
2	-	6480	2.5 %
3	-	3122	1.2 %
4	-	1685	0.7 %
5	-	1073	0.4 %
6	-	722	0.3 %
7	-	568	0.2 %
8	-	425	0.2 %
9	-	269	0.1 %
10	-	261	0.1 %
11	-	221	0.1 %
12	-	139	0.1 %
13	-	143	0.1 %
14	-	101	0.0 %
15	-	107	0.0 %
16	-	65	0.0 %
17	-	69	0.0 %
18	-	54	0.0 %
19	-	57	0.0 %
20	-	48	0.0 %
21	-	34	0.0 %
22	-	43	0.0 %
23	-	47	0.0 %
24	-	30	0.0 %
25	-	17	0.0 %

Value	Label	Unweighted Frequency	%
26	-	21	0.0 %
27	-	24	0.0 %
28	-	25	0.0 %
29	-	22	0.0 %
30	-	19	0.0 %
31	-	18	0.0 %
32	-	17	0.0 %
33	-	12	0.0 %
34	-	17	0.0 %
35	-	13	0.0 %
36	-	16	0.0 %
37	-	7	0.0 %
38	-	6	0.0 %
39	-	9	0.0 %
40	-	10	0.0 %
41	-	5	0.0 %
42	-	10	0.0 %
43	-	4	0.0 %
44	-	7	0.0 %
45	-	4	0.0 %
46	-	3	0.0 %
47	-	7	0.0 %
48	-	6	0.0 %
49	-	4	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 0.41
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 839.00
- Standard Deviation: 2.90

Location: 96-101 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M16: MALE 16

Value	Label	Unweighted Frequency	%
0	-	210113	81.6 %
1	-	21844	8.5 %
2	-	8028	3.1 %
3	-	4184	1.6 %
4	-	2455	1.0 %
5	-	1618	0.6 %
6	-	1173	0.5 %
7	-	766	0.3 %
8	-	533	0.2 %
9	-	401	0.2 %
10	-	336	0.1 %
11	-	296	0.1 %
12	-	230	0.1 %
13	-	192	0.1 %
14	-	156	0.1 %
15	-	136	0.1 %
16	-	122	0.0 %
17	-	95	0.0 %
18	-	75	0.0 %
19	-	90	0.0 %
20	-	57	0.0 %
21	-	55	0.0 %
22	-	38	0.0 %
23	-	48	0.0 %
24	-	33	0.0 %
25	-	30	0.0 %
26	-	44	0.0 %
27	-	34	0.0 %
28	-	18	0.0 %
29	-	24	0.0 %
30	-	29	0.0 %
31	-	18	0.0 %
32	-	24	0.0 %
33	-	20	0.0 %
34	-	17	0.0 %
35	-	21	0.0 %
36	-	15	0.0 %

Value	Label	Unweighted Frequency	%
37	-	8	0.0 %
38	-	17	0.0 %
39	-	15	0.0 %
40	-	15	0.0 %
41	-	8	0.0 %
42	-	9	0.0 %
43	-	16	0.0 %
44	-	14	0.0 %
45	-	12	0.0 %
46	-	8	0.0 %
47	-	9	0.0 %
48	-	3	0.0 %
49	-	6	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 0.57
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1107.00
- Standard Deviation: 3.72

Location: 102-107 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M17: MALE 17

Value	Label	Unweighted Frequency	%
0	-	200182	77.8 %
1	-	26305	10.2 %
2	-	9719	3.8 %
3	-	4907	1.9 %
4	-	3031	1.2 %
5	-	2026	0.8 %
6	-	1395	0.5 %
7	-	1052	0.4 %

Value	Label	Unweighted Frequency	%
8	-	789	0.3 %
9	-	639	0.2 %
10	-	511	0.2 %
11	-	405	0.2 %
12	-	313	0.1 %
13	-	280	0.1 %
14	-	248	0.1 %
15	-	188	0.1 %
16	-	185	0.1 %
17	-	125	0.0 %
18	-	106	0.0 %
19	-	104	0.0 %
20	-	77	0.0 %
21	-	100	0.0 %
22	-	63	0.0 %
23	-	64	0.0 %
24	-	50	0.0 %
25	-	56	0.0 %
26	-	37	0.0 %
27	-	31	0.0 %
28	-	33	0.0 %
29	-	46	0.0 %
30	-	34	0.0 %
31	-	31	0.0 %
32	-	30	0.0 %
33	-	25	0.0 %
34	-	29	0.0 %
35	-	21	0.0 %
36	-	14	0.0 %
37	-	19	0.0 %
38	-	22	0.0 %
39	-	8	0.0 %
40	-	19	0.0 %
41	-	12	0.0 %
42	-	9	0.0 %
43	-	16	0.0 %
44	-	12	0.0 %
45	-	11	0.0 %
46	-	10	0.0 %

Value	Label	Unweighted Frequency	%
47	-	8	0.0 %
48	-	3	0.0 %
49	-	7	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 0.75
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 962.00
- Standard Deviation: 4.26

Location: 108-113 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M18: MALE 18

Value	Label	Unweighted Frequency	%
0	-	186595	72.5 %
1	-	31209	12.1 %
2	-	12025	4.7 %
3	-	6366	2.5 %
4	-	3942	1.5 %
5	-	2591	1.0 %
6	-	1880	0.7 %
7	-	1448	0.6 %
8	-	1116	0.4 %
9	-	890	0.3 %
10	-	648	0.3 %
11	-	588	0.2 %
12	-	494	0.2 %
13	-	393	0.2 %
14	-	364	0.1 %
15	-	287	0.1 %
16	-	226	0.1 %
17	-	250	0.1 %

Value	Label	Unweighted Frequency	%
18	-	168	0.1 %
19	-	187	0.1 %
20	-	137	0.1 %
21	-	124	0.0 %
22	-	124	0.0 %
23	-	120	0.0 %
24	-	104	0.0 %
25	-	118	0.0 %
26	-	72	0.0 %
27	-	84	0.0 %
28	-	66	0.0 %
29	-	55	0.0 %
30	-	50	0.0 %
31	-	51	0.0 %
32	-	46	0.0 %
33	-	41	0.0 %
34	-	27	0.0 %
35	-	32	0.0 %
36	-	43	0.0 %
37	-	30	0.0 %
38	-	21	0.0 %
39	-	36	0.0 %
40	-	20	0.0 %
41	-	25	0.0 %
42	-	14	0.0 %
43	-	26	0.0 %
44	-	19	0.0 %
45	-	24	0.0 %
46	-	26	0.0 %
47	-	25	0.0 %
48	-	13	0.0 %
49	-	18	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 1.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 13006.00
- Standard Deviation: 26.41

Location: 114-119 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M19: MALE 19

Value	Label	Unweighted Frequency	%
0	-	184347	71.6 %
1	-	32373	12.6 %
2	-	12253	4.8 %
3	-	6470	2.5 %
4	-	4015	1.6 %
5	-	2771	1.1 %
6	-	1926	0.7 %
7	-	1433	0.6 %
8	-	1106	0.4 %
9	-	897	0.3 %
10	-	694	0.3 %
11	-	557	0.2 %
12	-	547	0.2 %
13	-	390	0.2 %
14	-	354	0.1 %
15	-	328	0.1 %
16	-	299	0.1 %
17	-	230	0.1 %
18	-	211	0.1 %
19	-	215	0.1 %
20	-	156	0.1 %
21	-	159	0.1 %
22	-	130	0.1 %
23	-	122	0.0 %
24	-	119	0.0 %
25	-	85	0.0 %
26	-	86	0.0 %
27	-	70	0.0 %
28	-	70	0.0 %
29	-	67	0.0 %

Value	Label	Unweighted Frequency	%
30	-	66	0.0 %
31	-	55	0.0 %
32	-	57	0.0 %
33	-	43	0.0 %
34	-	42	0.0 %
35	-	49	0.0 %
36	-	34	0.0 %
37	-	37	0.0 %
38	-	29	0.0 %
39	-	38	0.0 %
40	-	23	0.0 %
41	-	27	0.0 %
42	-	34	0.0 %
43	-	27	0.0 %
44	-	25	0.0 %
45	-	25	0.0 %
46	-	16	0.0 %
47	-	20	0.0 %
48	-	12	0.0 %
49	-	15	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 1.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 762.00
- Standard Deviation: 6.28

Location: 120-125 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M20: MALE 20

Value	Label	Unweighted Frequency	%
0	-	185291	72.0 %

Value	Label	Unweighted Frequency	%
1	-	32008	12.4 %
2	-	12426	4.8 %
3	-	6344	2.5 %
4	-	3984	1.5 %
5	-	2627	1.0 %
6	-	1837	0.7 %
7	-	1445	0.6 %
8	-	1074	0.4 %
9	-	815	0.3 %
10	-	665	0.3 %
11	-	536	0.2 %
12	-	434	0.2 %
13	-	389	0.2 %
14	-	329	0.1 %
15	-	337	0.1 %
16	-	238	0.1 %
17	-	226	0.1 %
18	-	213	0.1 %
19	-	186	0.1 %
20	-	170	0.1 %
21	-	150	0.1 %
22	-	136	0.1 %
23	-	132	0.1 %
24	-	122	0.0 %
25	-	100	0.0 %
26	-	73	0.0 %
27	-	85	0.0 %
28	-	79	0.0 %
29	-	72	0.0 %
30	-	57	0.0 %
31	-	48	0.0 %
32	-	43	0.0 %
33	-	54	0.0 %
34	-	40	0.0 %
35	-	29	0.0 %
36	-	33	0.0 %
37	-	26	0.0 %
38	-	38	0.0 %
39	-	30	0.0 %

Value	Label	Unweighted Frequency	%
40	-	31	0.0 %
41	-	33	0.0 %
42	-	39	0.0 %
43	-	21	0.0 %
44	-	24	0.0 %
45	-	25	0.0 %
46	-	12	0.0 %
47	-	16	0.0 %
48	-	14	0.0 %
49	-	12	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 1.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 795.00
- Standard Deviation: 6.43

Location: 126-131 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M21: MALE 21

Value	Label	Unweighted Frequency	%
0	-	186272	72.4 %
1	-	31892	12.4 %
2	-	12075	4.7 %
3	-	6221	2.4 %
4	-	3942	1.5 %
5	-	2571	1.0 %
6	-	1778	0.7 %
7	-	1331	0.5 %
8	-	1037	0.4 %
9	-	820	0.3 %
10	-	617	0.2 %

Value	Label	Unweighted Frequency	%
11	-	561	0.2 %
12	-	494	0.2 %
13	-	412	0.2 %
14	-	319	0.1 %
15	-	292	0.1 %
16	-	248	0.1 %
17	-	201	0.1 %
18	-	191	0.1 %
19	-	164	0.1 %
20	-	159	0.1 %
21	-	156	0.1 %
22	-	130	0.1 %
23	-	117	0.0 %
24	-	109	0.0 %
25	-	76	0.0 %
26	-	84	0.0 %
27	-	80	0.0 %
28	-	66	0.0 %
29	-	70	0.0 %
30	-	55	0.0 %
31	-	62	0.0 %
32	-	44	0.0 %
33	-	45	0.0 %
34	-	57	0.0 %
35	-	44	0.0 %
36	-	50	0.0 %
37	-	29	0.0 %
38	-	34	0.0 %
39	-	32	0.0 %
40	-	25	0.0 %
41	-	27	0.0 %
42	-	19	0.0 %
43	-	17	0.0 %
44	-	30	0.0 %
45	-	31	0.0 %
46	-	18	0.0 %
47	-	16	0.0 %
48	-	18	0.0 %
49	-	13	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 1.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 723.00
- Standard Deviation: 6.57

Location: 132-137 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M22: MALE 22

Value	Label	Unweighted Frequency	%
0	-	186847	72.6 %
1	-	31417	12.2 %
2	-	12050	4.7 %
3	-	6190	2.4 %
4	-	3796	1.5 %
5	-	2611	1.0 %
6	-	1842	0.7 %
7	-	1299	0.5 %
8	-	1038	0.4 %
9	-	805	0.3 %
10	-	654	0.3 %
11	-	535	0.2 %
12	-	458	0.2 %
13	-	388	0.2 %
14	-	370	0.1 %
15	-	272	0.1 %
16	-	221	0.1 %
17	-	192	0.1 %
18	-	201	0.1 %
19	-	186	0.1 %
20	-	181	0.1 %

Value	Label	Unweighted Frequency	%
21	-	136	0.1 %
22	-	131	0.1 %
23	-	104	0.0 %
24	-	93	0.0 %
25	-	103	0.0 %
26	-	99	0.0 %
27	-	70	0.0 %
28	-	77	0.0 %
29	-	79	0.0 %
30	-	67	0.0 %
31	-	54	0.0 %
32	-	57	0.0 %
33	-	42	0.0 %
34	-	33	0.0 %
35	-	34	0.0 %
36	-	33	0.0 %
37	-	41	0.0 %
38	-	35	0.0 %
39	-	38	0.0 %
40	-	36	0.0 %
41	-	28	0.0 %
42	-	37	0.0 %
43	-	22	0.0 %
44	-	36	0.0 %
45	-	21	0.0 %
46	-	24	0.0 %
47	-	16	0.0 %
48	-	15	0.0 %
49	-	18	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 1.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 699.00
- Standard Deviation: 6.78

Location: 138-143 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M23: MALE 23

Value	Label	Unweighted Frequency	%
0	-	186838	72.6 %
1	-	31724	12.3 %
2	-	11880	4.6 %
3	-	6183	2.4 %
4	-	3751	1.5 %
5	-	2422	0.9 %
6	-	1842	0.7 %
7	-	1320	0.5 %
8	-	1051	0.4 %
9	-	830	0.3 %
10	-	678	0.3 %
11	-	542	0.2 %
12	-	446	0.2 %
13	-	371	0.1 %
14	-	331	0.1 %
15	-	296	0.1 %
16	-	230	0.1 %
17	-	246	0.1 %
18	-	183	0.1 %
19	-	156	0.1 %
20	-	149	0.1 %
21	-	139	0.1 %
22	-	142	0.1 %
23	-	117	0.0 %
24	-	102	0.0 %
25	-	107	0.0 %
26	-	99	0.0 %
27	-	86	0.0 %
28	-	69	0.0 %
29	-	76	0.0 %
30	-	42	0.0 %
31	-	55	0.0 %
32	-	44	0.0 %

Value	Label	Unweighted Frequency	%
33	-	63	0.0 %
34	-	52	0.0 %
35	-	41	0.0 %
36	-	43	0.0 %
37	-	39	0.0 %
38	-	40	0.0 %
39	-	37	0.0 %
40	-	38	0.0 %
41	-	37	0.0 %
42	-	25	0.0 %
43	-	20	0.0 %
44	-	19	0.0 %
45	-	20	0.0 %
46	-	16	0.0 %
47	-	28	0.0 %
48	-	18	0.0 %
49	-	23	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 1.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 697.00
- Standard Deviation: 7.08

Location: 144-149 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M24: MALE 24

Value	Label	Unweighted Frequency	%
0	-	186166	72.3 %
1	-	31930	12.4 %
2	-	12147	4.7 %
3	-	6226	2.4 %

Value	Label	Unweighted Frequency	%
4	-	3862	1.5 %
5	-	2443	0.9 %
6	-	1845	0.7 %
7	-	1286	0.5 %
8	-	1075	0.4 %
9	-	822	0.3 %
10	-	659	0.3 %
11	-	558	0.2 %
12	-	469	0.2 %
13	-	443	0.2 %
14	-	328	0.1 %
15	-	300	0.1 %
16	-	230	0.1 %
17	-	206	0.1 %
18	-	177	0.1 %
19	-	201	0.1 %
20	-	127	0.0 %
21	-	132	0.1 %
22	-	126	0.0 %
23	-	109	0.0 %
24	-	105	0.0 %
25	-	99	0.0 %
26	-	86	0.0 %
27	-	79	0.0 %
28	-	73	0.0 %
29	-	77	0.0 %
30	-	51	0.0 %
31	-	66	0.0 %
32	-	51	0.0 %
33	-	38	0.0 %
34	-	48	0.0 %
35	-	55	0.0 %
36	-	42	0.0 %
37	-	38	0.0 %
38	-	32	0.0 %
39	-	39	0.0 %
40	-	28	0.0 %
41	-	34	0.0 %
42	-	31	0.0 %

Value	Label	Unweighted Frequency	%
43	-	28	0.0 %
44	-	30	0.0 %
45	-	19	0.0 %
46	-	22	0.0 %
47	-	16	0.0 %
48	-	15	0.0 %
49	-	12	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 1.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 599.00
- Standard Deviation: 7.07

Location: 150-155 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M25_29: MALE 25-29

Value	Label	Unweighted Frequency	%
0	-	124768	48.5 %
1	-	42595	16.6 %
2	-	19970	7.8 %
3	-	12024	4.7 %
4	-	8301	3.2 %
5	-	5942	2.3 %
6	-	4686	1.8 %
7	-	3528	1.4 %
8	-	2985	1.2 %
9	-	2627	1.0 %
10	-	2059	0.8 %
11	-	1805	0.7 %
12	-	1573	0.6 %
13	-	1402	0.5 %

Value	Label	Unweighted Frequency	%
14	-	1200	0.5 %
15	-	1128	0.4 %
16	-	967	0.4 %
17	-	875	0.3 %
18	-	810	0.3 %
19	-	738	0.3 %
20	-	658	0.3 %
21	-	592	0.2 %
22	-	568	0.2 %
23	-	513	0.2 %
24	-	484	0.2 %
25	-	455	0.2 %
26	-	412	0.2 %
27	-	393	0.2 %
28	-	404	0.2 %
29	-	367	0.1 %
30	-	305	0.1 %
31	-	300	0.1 %
32	-	271	0.1 %
33	-	243	0.1 %
34	-	226	0.1 %
35	-	228	0.1 %
36	-	207	0.1 %
37	-	189	0.1 %
38	-	206	0.1 %
39	-	175	0.1 %
40	-	211	0.1 %
41	-	179	0.1 %
42	-	179	0.1 %
43	-	176	0.1 %
44	-	143	0.1 %
45	-	145	0.1 %
46	-	128	0.0 %
47	-	126	0.0 %
48	-	127	0.0 %
49	-	119	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 5.64
- Minimum: 0.00
- Maximum: 3284.00
- Standard Deviation: 34.09

Location: 156-161 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M30_34: MALE 30-34

Value	Label	Unweighted Frequency	%
0	-	133091	51.7 %
1	-	42224	16.4 %
2	-	19547	7.6 %
3	-	11281	4.4 %
4	-	7646	3.0 %
5	-	5549	2.2 %
6	-	4133	1.6 %
7	-	3408	1.3 %
8	-	2649	1.0 %
9	-	2279	0.9 %
10	-	1843	0.7 %
11	-	1631	0.6 %
12	-	1388	0.5 %
13	-	1220	0.5 %
14	-	1052	0.4 %
15	-	949	0.4 %
16	-	814	0.3 %
17	-	761	0.3 %
18	-	678	0.3 %
19	-	569	0.2 %
20	-	541	0.2 %
21	-	532	0.2 %
22	-	461	0.2 %
23	-	446	0.2 %
24	-	428	0.2 %
25	-	372	0.1 %
26	-	353	0.1 %
27	-	335	0.1 %

Value	Label	Unweighted Frequency	%
28	-	273	0.1 %
29	-	274	0.1 %
30	-	250	0.1 %
31	-	234	0.1 %
32	-	212	0.1 %
33	-	220	0.1 %
34	-	201	0.1 %
35	-	178	0.1 %
36	-	184	0.1 %
37	-	169	0.1 %
38	-	174	0.1 %
39	-	160	0.1 %
40	-	131	0.1 %
41	-	156	0.1 %
42	-	128	0.0 %
43	-	120	0.0 %
44	-	107	0.0 %
45	-	106	0.0 %
46	-	113	0.0 %
47	-	99	0.0 %
48	-	95	0.0 %
49	-	107	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 4.53
- Minimum: 0.00
- Maximum: 2981.00
- Standard Deviation: 27.58

Location: 162-167 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M35_39: MALE 35-39

Value	Label	Unweighted Frequency	%
0	-	142576	55.4 %

Value	Label	Unweighted Frequency	%
1	-	41350	16.1 %
2	-	18072	7.0 %
3	-	10549	4.1 %
4	-	7088	2.8 %
5	-	4987	1.9 %
6	-	3861	1.5 %
7	-	2982	1.2 %
8	-	2358	0.9 %
9	-	1935	0.8 %
10	-	1684	0.7 %
11	-	1349	0.5 %
12	-	1181	0.5 %
13	-	1001	0.4 %
14	-	942	0.4 %
15	-	822	0.3 %
16	-	687	0.3 %
17	-	618	0.2 %
18	-	558	0.2 %
19	-	501	0.2 %
20	-	442	0.2 %
21	-	417	0.2 %
22	-	408	0.2 %
23	-	324	0.1 %
24	-	314	0.1 %
25	-	299	0.1 %
26	-	284	0.1 %
27	-	220	0.1 %
28	-	266	0.1 %
29	-	221	0.1 %
30	-	208	0.1 %
31	-	198	0.1 %
32	-	175	0.1 %
33	-	131	0.1 %
34	-	182	0.1 %
35	-	162	0.1 %
36	-	147	0.1 %
37	-	130	0.1 %
38	-	120	0.0 %
39	-	129	0.1 %

Value	Label	Unweighted Frequency	%
40	-	95	0.0 %
41	-	105	0.0 %
42	-	80	0.0 %
43	-	100	0.0 %
44	-	94	0.0 %
45	-	93	0.0 %
46	-	78	0.0 %
47	-	79	0.0 %
48	-	92	0.0 %
49	-	81	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 3.62
- Minimum: 0.00
- Maximum: 2736.00
- Standard Deviation: 22.42

Location: 168-173 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M40_44: MALE 40-44

Value	Label	Unweighted Frequency	%
0	-	160853	62.5 %
1	-	37782	14.7 %
2	-	15889	6.2 %
3	-	8915	3.5 %
4	-	5778	2.2 %
5	-	3958	1.5 %
6	-	2994	1.2 %
7	-	2269	0.9 %
8	-	1788	0.7 %
9	-	1449	0.6 %
10	-	1169	0.5 %
11	-	985	0.4 %
12	-	846	0.3 %

Value	Label	Unweighted Frequency	%
13	-	778	0.3 %
14	-	616	0.2 %
15	-	528	0.2 %
16	-	485	0.2 %
17	-	441	0.2 %
18	-	378	0.1 %
19	-	357	0.1 %
20	-	312	0.1 %
21	-	283	0.1 %
22	-	256	0.1 %
23	-	251	0.1 %
24	-	218	0.1 %
25	-	194	0.1 %
26	-	164	0.1 %
27	-	153	0.1 %
28	-	155	0.1 %
29	-	131	0.1 %
30	-	129	0.1 %
31	-	123	0.0 %
32	-	120	0.0 %
33	-	105	0.0 %
34	-	90	0.0 %
35	-	91	0.0 %
36	-	85	0.0 %
37	-	79	0.0 %
38	-	95	0.0 %
39	-	87	0.0 %
40	-	73	0.0 %
41	-	70	0.0 %
42	-	66	0.0 %
43	-	61	0.0 %
44	-	58	0.0 %
45	-	58	0.0 %
46	-	72	0.0 %
47	-	51	0.0 %
48	-	46	0.0 %
49	-	45	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %

Value	Label	Unweighted Frequency	%
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 2.41
- Minimum: 0.00
- Maximum: 1868.00
- Standard Deviation: 15.70

Location: 174-179 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M45_49: MALE 45-49

Value	Label	Unweighted Frequency	%
0	-	168589	65.5 %
1	-	36193	14.1 %
2	-	14866	5.8 %
3	-	8108	3.2 %
4	-	4966	1.9 %
5	-	3554	1.4 %
6	-	2551	1.0 %
7	-	2010	0.8 %
8	-	1586	0.6 %
9	-	1218	0.5 %
10	-	960	0.4 %
11	-	869	0.3 %
12	-	740	0.3 %
13	-	595	0.2 %
14	-	545	0.2 %
15	-	485	0.2 %
16	-	416	0.2 %
17	-	336	0.1 %
18	-	301	0.1 %
19	-	269	0.1 %
20	-	274	0.1 %
21	-	243	0.1 %
22	-	218	0.1 %
23	-	191	0.1 %
24	-	191	0.1 %

Value	Label	Unweighted Frequency	%
25	-	158	0.1 %
26	-	162	0.1 %
27	-	134	0.1 %
28	-	131	0.1 %
29	-	90	0.0 %
30	-	129	0.1 %
31	-	104	0.0 %
32	-	96	0.0 %
33	-	71	0.0 %
34	-	78	0.0 %
35	-	68	0.0 %
36	-	77	0.0 %
37	-	67	0.0 %
38	-	58	0.0 %
39	-	65	0.0 %
40	-	62	0.0 %
41	-	56	0.0 %
42	-	56	0.0 %
43	-	51	0.0 %
44	-	53	0.0 %
45	-	52	0.0 %
46	-	44	0.0 %
47	-	48	0.0 %
48	-	46	0.0 %
49	-	42	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 2.04
- Minimum: 0.00
- Maximum: 1765.00
- Standard Deviation: 14.02

Location: 180-185 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M50_54: MALE 50-54

Value	Label	Unweighted Frequency	%
0	-	177554	69.0 %
1	-	33901	13.2 %
2	-	13251	5.1 %
3	-	7129	2.8 %
4	-	4665	1.8 %
5	-	3080	1.2 %
6	-	2177	0.8 %
7	-	1639	0.6 %
8	-	1272	0.5 %
9	-	1056	0.4 %
10	-	810	0.3 %
11	-	674	0.3 %
12	-	624	0.2 %
13	-	423	0.2 %
14	-	421	0.2 %
15	-	358	0.1 %
16	-	328	0.1 %
17	-	271	0.1 %
18	-	254	0.1 %
19	-	216	0.1 %
20	-	225	0.1 %
21	-	177	0.1 %
22	-	172	0.1 %
23	-	151	0.1 %
24	-	159	0.1 %
25	-	127	0.0 %
26	-	116	0.0 %
27	-	98	0.0 %
28	-	97	0.0 %
29	-	97	0.0 %
30	-	86	0.0 %
31	-	74	0.0 %
32	-	70	0.0 %
33	-	82	0.0 %
34	-	62	0.0 %
35	-	62	0.0 %
36	-	56	0.0 %

Value	Label	Unweighted Frequency	%
37	-	66	0.0 %
38	-	70	0.0 %
39	-	52	0.0 %
40	-	55	0.0 %
41	-	47	0.0 %
42	-	43	0.0 %
43	-	51	0.0 %
44	-	33	0.0 %
45	-	41	0.0 %
46	-	30	0.0 %
47	-	31	0.0 %
48	-	35	0.0 %
49	-	30	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 1.68
- Minimum: 0.00
- Maximum: 1724.00
- Standard Deviation: 12.45

Location: 186-191 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M55_59: MALE 55-59

Value	Label	Unweighted Frequency	%
0	-	189913	73.8 %
1	-	30572	11.9 %
2	-	11512	4.5 %
3	-	5796	2.3 %
4	-	3550	1.4 %
5	-	2330	0.9 %
6	-	1673	0.7 %
7	-	1226	0.5 %
8	-	945	0.4 %
9	-	698	0.3 %

Value	Label	Unweighted Frequency	%
10	-	561	0.2 %
11	-	494	0.2 %
12	-	423	0.2 %
13	-	381	0.1 %
14	-	302	0.1 %
15	-	243	0.1 %
16	-	224	0.1 %
17	-	213	0.1 %
18	-	190	0.1 %
19	-	161	0.1 %
20	-	140	0.1 %
21	-	120	0.0 %
22	-	108	0.0 %
23	-	104	0.0 %
24	-	89	0.0 %
25	-	80	0.0 %
26	-	72	0.0 %
27	-	78	0.0 %
28	-	68	0.0 %
29	-	63	0.0 %
30	-	60	0.0 %
31	-	67	0.0 %
32	-	46	0.0 %
33	-	37	0.0 %
34	-	44	0.0 %
35	-	43	0.0 %
36	-	43	0.0 %
37	-	35	0.0 %
38	-	26	0.0 %
39	-	28	0.0 %
40	-	39	0.0 %
41	-	29	0.0 %
42	-	27	0.0 %
43	-	25	0.0 %
44	-	30	0.0 %
45	-	29	0.0 %
46	-	29	0.0 %
47	-	15	0.0 %
48	-	23	0.0 %

Value	Label	Unweighted Frequency	%
49	-	25	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 1.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1233.00
- Standard Deviation: 9.19

Location: 192-197 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M60_64: MALE 60-64

Value	Label	Unweighted Frequency	%
0	-	210355	81.7 %
1	-	24029	9.3 %
2	-	7734	3.0 %
3	-	3640	1.4 %
4	-	2042	0.8 %
5	-	1282	0.5 %
6	-	798	0.3 %
7	-	633	0.2 %
8	-	466	0.2 %
9	-	353	0.1 %
10	-	280	0.1 %
11	-	222	0.1 %
12	-	189	0.1 %
13	-	157	0.1 %
14	-	144	0.1 %
15	-	110	0.0 %
16	-	91	0.0 %
17	-	83	0.0 %
18	-	68	0.0 %
19	-	90	0.0 %

Value	Label	Unweighted Frequency	%
20	-	66	0.0 %
21	-	59	0.0 %
22	-	48	0.0 %
23	-	46	0.0 %
24	-	37	0.0 %
25	-	39	0.0 %
26	-	26	0.0 %
27	-	31	0.0 %
28	-	29	0.0 %
29	-	23	0.0 %
30	-	27	0.0 %
31	-	24	0.0 %
32	-	18	0.0 %
33	-	24	0.0 %
34	-	14	0.0 %
35	-	19	0.0 %
36	-	8	0.0 %
37	-	12	0.0 %
38	-	15	0.0 %
39	-	15	0.0 %
40	-	12	0.0 %
41	-	13	0.0 %
42	-	9	0.0 %
43	-	15	0.0 %
44	-	3	0.0 %
45	-	10	0.0 %
46	-	12	0.0 %
47	-	6	0.0 %
48	-	4	0.0 %
49	-	7	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 0.57
- Median: 0.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 698.00
- Standard Deviation: 4.77

Location: 198-203 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M65: MALE OVER 64

Value	Label	Unweighted Frequency	%
0	-	219699	85.4 %
1	-	20156	7.8 %
2	-	6100	2.4 %
3	-	2580	1.0 %
4	-	1446	0.6 %
5	-	902	0.4 %
6	-	607	0.2 %
7	-	394	0.2 %
8	-	302	0.1 %
9	-	215	0.1 %
10	-	180	0.1 %
11	-	135	0.1 %
12	-	101	0.0 %
13	-	82	0.0 %
14	-	72	0.0 %
15	-	59	0.0 %
16	-	57	0.0 %
17	-	46	0.0 %
18	-	35	0.0 %
19	-	36	0.0 %
20	-	35	0.0 %
21	-	40	0.0 %
22	-	21	0.0 %
23	-	28	0.0 %
24	-	20	0.0 %
25	-	15	0.0 %
26	-	18	0.0 %
27	-	13	0.0 %
28	-	18	0.0 %
29	-	17	0.0 %
30	-	18	0.0 %

Value	Label	Unweighted Frequency	%
31	-	6	0.0 %
32	-	12	0.0 %
33	-	3	0.0 %
34	-	7	0.0 %
35	-	9	0.0 %
36	-	8	0.0 %
37	-	8	0.0 %
38	-	10	0.0 %
39	-	5	0.0 %
40	-	8	0.0 %
41	-	8	0.0 %
42	-	7	0.0 %
43	-	6	0.0 %
44	-	3	0.0 %
45	-	7	0.0 %
46	-	3	0.0 %
47	-	4	0.0 %
48	-	5	0.0 %
49	-	4	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 525.00
- Standard Deviation: 3.14

Location: 204-209 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F0_9: FEMALE UNDER 10

Value	Label	Unweighted Frequency	%
0	-	253045	98.3 %
1	-	503	0.2 %

Value	Label	Unweighted Frequency	%
2	-	68	0.0 %
3	-	28	0.0 %
4	-	10	0.0 %
5	-	3	0.0 %
6	-	3	0.0 %
7	-	2	0.0 %
8	-	2	0.0 %
9	-	1	0.0 %
12	-	1	0.0 %
18	-	1	0.0 %
20	-	1	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 0.10

Location: 210-215 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F10_12: FEMALE 10-12

Value	Label	Unweighted Frequency	%
0	-	247331	96.1 %
1	-	3972	1.5 %
2	-	1170	0.5 %
3	-	461	0.2 %
4	-	241	0.1 %
5	-	127	0.0 %
6	-	86	0.0 %
7	-	63	0.0 %
8	-	47	0.0 %
9	-	31	0.0 %
10	-	23	0.0 %
11	-	22	0.0 %

Value	Label	Unweighted Frequency	%
12	-	9	0.0 %
13	-	11	0.0 %
14	-	8	0.0 %
15	-	10	0.0 %
16	-	7	0.0 %
17	-	7	0.0 %
18	-	11	0.0 %
19	-	3	0.0 %
20	-	1	0.0 %
21	-	2	0.0 %
23	-	2	0.0 %
26	-	1	0.0 %
27	-	3	0.0 %
28	-	1	0.0 %
29	-	3	0.0 %
34	-	3	0.0 %
35	-	1	0.0 %
37	-	2	0.0 %
39	-	2	0.0 %
40	-	1	0.0 %
45	-	1	0.0 %
47	-	1	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %
81	-	1	0.0 %
106	-	1	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 106.00
- Standard Deviation: 0.62

Location: 216-221 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F13_14: FEMALE 13-14

Value	Label	Unweighted Frequency	%
0	-	236201	91.8 %
1	-	9430	3.7 %
2	-	3199	1.2 %
3	-	1478	0.6 %
4	-	916	0.4 %
5	-	527	0.2 %
6	-	344	0.1 %
7	-	266	0.1 %
8	-	193	0.1 %
9	-	136	0.1 %
10	-	133	0.1 %
11	-	133	0.1 %
12	-	83	0.0 %
13	-	79	0.0 %
14	-	49	0.0 %
15	-	48	0.0 %
16	-	55	0.0 %
17	-	42	0.0 %
18	-	29	0.0 %
19	-	27	0.0 %
20	-	27	0.0 %
21	-	23	0.0 %
22	-	18	0.0 %
23	-	16	0.0 %
24	-	15	0.0 %
25	-	16	0.0 %
26	-	15	0.0 %
27	-	14	0.0 %
28	-	13	0.0 %
29	-	12	0.0 %
30	-	7	0.0 %
31	-	4	0.0 %
32	-	12	0.0 %
33	-	10	0.0 %
34	-	7	0.0 %
35	-	2	0.0 %
36	-	6	0.0 %

Value	Label	Unweighted Frequency	%
37	-	9	0.0 %
38	-	4	0.0 %
39	-	1	0.0 %
40	-	2	0.0 %
41	-	4	0.0 %
42	-	7	0.0 %
43	-	2	0.0 %
44	-	5	0.0 %
45	-	2	0.0 %
47	-	1	0.0 %
49	-	2	0.0 %
50	-	3	0.0 %
52	-	5	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 271.00
- Standard Deviation: 1.92

Location: 222-227 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F15: FEMALE 15

Value	Label	Unweighted Frequency	%
0	-	236085	91.7 %
1	-	10145	3.9 %
2	-	3138	1.2 %
3	-	1420	0.6 %
4	-	808	0.3 %
5	-	516	0.2 %
6	-	322	0.1 %
7	-	241	0.1 %

Value	Label	Unweighted Frequency	%
8	-	159	0.1 %
9	-	148	0.1 %
10	-	88	0.0 %
11	-	89	0.0 %
12	-	73	0.0 %
13	-	61	0.0 %
14	-	35	0.0 %
15	-	40	0.0 %
16	-	30	0.0 %
17	-	32	0.0 %
18	-	17	0.0 %
19	-	17	0.0 %
20	-	23	0.0 %
21	-	19	0.0 %
22	-	13	0.0 %
23	-	13	0.0 %
24	-	6	0.0 %
25	-	9	0.0 %
26	-	12	0.0 %
27	-	13	0.0 %
28	-	5	0.0 %
29	-	7	0.0 %
30	-	3	0.0 %
31	-	4	0.0 %
32	-	5	0.0 %
33	-	1	0.0 %
34	-	13	0.0 %
35	-	2	0.0 %
36	-	3	0.0 %
37	-	7	0.0 %
38	-	1	0.0 %
39	-	2	0.0 %
40	-	1	0.0 %
42	-	4	0.0 %
43	-	3	0.0 %
44	-	2	0.0 %
45	-	4	0.0 %
46	-	3	0.0 %
47	-	1	0.0 %

Value	Label	Unweighted Frequency	%
48	-	2	0.0 %
49	-	4	0.0 %
53	-	1	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 218.00
- Standard Deviation: 1.54

Location: 228-233 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F16: FEMALE 16

Value	Label	Unweighted Frequency	%
0	-	231847	90.1 %
1	-	12541	4.9 %
2	-	3893	1.5 %
3	-	1881	0.7 %
4	-	980	0.4 %
5	-	580	0.2 %
6	-	405	0.2 %
7	-	305	0.1 %
8	-	204	0.1 %
9	-	156	0.1 %
10	-	127	0.0 %
11	-	95	0.0 %
12	-	87	0.0 %
13	-	59	0.0 %
14	-	76	0.0 %
15	-	60	0.0 %
16	-	44	0.0 %
17	-	36	0.0 %

Value	Label	Unweighted Frequency	%
18	-	23	0.0 %
19	-	33	0.0 %
20	-	23	0.0 %
21	-	22	0.0 %
22	-	13	0.0 %
23	-	12	0.0 %
24	-	12	0.0 %
25	-	13	0.0 %
26	-	11	0.0 %
27	-	5	0.0 %
28	-	4	0.0 %
29	-	11	0.0 %
30	-	8	0.0 %
31	-	6	0.0 %
32	-	4	0.0 %
33	-	6	0.0 %
34	-	6	0.0 %
35	-	3	0.0 %
36	-	7	0.0 %
37	-	7	0.0 %
38	-	3	0.0 %
40	-	3	0.0 %
41	-	4	0.0 %
42	-	3	0.0 %
44	-	4	0.0 %
45	-	3	0.0 %
46	-	3	0.0 %
47	-	1	0.0 %
48	-	2	0.0 %
49	-	2	0.0 %
50	-	2	0.0 %
51	-	1	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 275.00
- Standard Deviation: 1.77

Location: 234-239 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F17: FEMALE 17

Value	Label	Unweighted Frequency	%
0	-	226968	88.2 %
1	-	15388	6.0 %
2	-	4768	1.9 %
3	-	2222	0.9 %
4	-	1193	0.5 %
5	-	742	0.3 %
6	-	473	0.2 %
7	-	396	0.2 %
8	-	283	0.1 %
9	-	192	0.1 %
10	-	163	0.1 %
11	-	125	0.0 %
12	-	100	0.0 %
13	-	91	0.0 %
14	-	72	0.0 %
15	-	61	0.0 %
16	-	55	0.0 %
17	-	42	0.0 %
18	-	30	0.0 %
19	-	29	0.0 %
20	-	28	0.0 %
21	-	22	0.0 %
22	-	17	0.0 %
23	-	12	0.0 %
24	-	10	0.0 %
25	-	15	0.0 %
26	-	16	0.0 %
27	-	11	0.0 %
28	-	5	0.0 %
29	-	10	0.0 %

Value	Label	Unweighted Frequency	%
30	-	8	0.0 %
31	-	9	0.0 %
32	-	7	0.0 %
33	-	6	0.0 %
34	-	3	0.0 %
35	-	4	0.0 %
36	-	10	0.0 %
37	-	8	0.0 %
38	-	2	0.0 %
39	-	4	0.0 %
40	-	3	0.0 %
41	-	2	0.0 %
42	-	7	0.0 %
43	-	2	0.0 %
44	-	2	0.0 %
45	-	2	0.0 %
46	-	5	0.0 %
47	-	3	0.0 %
48	-	1	0.0 %
49	-	4	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 0.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 224.00
- Standard Deviation: 1.75

Location: 240-245 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F18: FEMALE 18

Value	Label	Unweighted Frequency	%
0	-	219529	85.3 %

Value	Label	Unweighted Frequency	%
1	-	19095	7.4 %
2	-	6231	2.4 %
3	-	2976	1.2 %
4	-	1554	0.6 %
5	-	998	0.4 %
6	-	681	0.3 %
7	-	476	0.2 %
8	-	397	0.2 %
9	-	297	0.1 %
10	-	218	0.1 %
11	-	130	0.1 %
12	-	157	0.1 %
13	-	88	0.0 %
14	-	103	0.0 %
15	-	71	0.0 %
16	-	59	0.0 %
17	-	64	0.0 %
18	-	50	0.0 %
19	-	48	0.0 %
20	-	39	0.0 %
21	-	28	0.0 %
22	-	28	0.0 %
23	-	25	0.0 %
24	-	29	0.0 %
25	-	19	0.0 %
26	-	21	0.0 %
27	-	23	0.0 %
28	-	17	0.0 %
29	-	18	0.0 %
30	-	16	0.0 %
31	-	16	0.0 %
32	-	13	0.0 %
33	-	12	0.0 %
34	-	10	0.0 %
35	-	9	0.0 %
36	-	5	0.0 %
37	-	7	0.0 %
38	-	3	0.0 %
39	-	5	0.0 %

Value	Label	Unweighted Frequency	%
40	-	8	0.0 %
41	-	8	0.0 %
42	-	5	0.0 %
43	-	3	0.0 %
44	-	4	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %
47	-	4	0.0 %
48	-	1	0.0 %
50	-	3	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 263.00
- Standard Deviation: 2.11

Location: 246-251 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F19: FEMALE 19

Value	Label	Unweighted Frequency	%
0	-	216985	84.3 %
1	-	20292	7.9 %
2	-	6524	2.5 %
3	-	3287	1.3 %
4	-	1756	0.7 %
5	-	1202	0.5 %
6	-	752	0.3 %
7	-	545	0.2 %
8	-	410	0.2 %
9	-	281	0.1 %
10	-	246	0.1 %

Value	Label	Unweighted Frequency	%
11	-	189	0.1 %
12	-	152	0.1 %
13	-	124	0.0 %
14	-	94	0.0 %
15	-	77	0.0 %
16	-	69	0.0 %
17	-	65	0.0 %
18	-	39	0.0 %
19	-	49	0.0 %
20	-	45	0.0 %
21	-	36	0.0 %
22	-	24	0.0 %
23	-	28	0.0 %
24	-	32	0.0 %
25	-	36	0.0 %
26	-	33	0.0 %
27	-	27	0.0 %
28	-	22	0.0 %
29	-	22	0.0 %
30	-	16	0.0 %
31	-	9	0.0 %
32	-	6	0.0 %
33	-	15	0.0 %
34	-	14	0.0 %
35	-	13	0.0 %
36	-	9	0.0 %
37	-	4	0.0 %
38	-	7	0.0 %
39	-	2	0.0 %
40	-	3	0.0 %
41	-	7	0.0 %
42	-	8	0.0 %
43	-	5	0.0 %
44	-	5	0.0 %
45	-	3	0.0 %
46	-	6	0.0 %
47	-	3	0.0 %
48	-	6	0.0 %
49	-	2	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 0.41
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 288.00
- Standard Deviation: 2.30

Location: 252-257 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F20: FEMALE 20

Value	Label	Unweighted Frequency	%
0	-	216598	84.2 %
1	-	20823	8.1 %
2	-	6783	2.6 %
3	-	3091	1.2 %
4	-	1712	0.7 %
5	-	1105	0.4 %
6	-	724	0.3 %
7	-	554	0.2 %
8	-	387	0.2 %
9	-	284	0.1 %
10	-	231	0.1 %
11	-	194	0.1 %
12	-	137	0.1 %
13	-	105	0.0 %
14	-	119	0.0 %
15	-	81	0.0 %
16	-	72	0.0 %
17	-	64	0.0 %
18	-	46	0.0 %
19	-	34	0.0 %
20	-	32	0.0 %

Value	Label	Unweighted Frequency	%
21	-	34	0.0 %
22	-	27	0.0 %
23	-	42	0.0 %
24	-	29	0.0 %
25	-	18	0.0 %
26	-	37	0.0 %
27	-	17	0.0 %
28	-	17	0.0 %
29	-	16	0.0 %
30	-	11	0.0 %
31	-	19	0.0 %
32	-	15	0.0 %
33	-	10	0.0 %
34	-	11	0.0 %
35	-	7	0.0 %
36	-	6	0.0 %
37	-	10	0.0 %
38	-	14	0.0 %
39	-	15	0.0 %
40	-	3	0.0 %
41	-	5	0.0 %
42	-	7	0.0 %
43	-	10	0.0 %
44	-	7	0.0 %
45	-	1	0.0 %
46	-	3	0.0 %
47	-	4	0.0 %
48	-	1	0.0 %
49	-	3	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 0.41
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 265.00
- Standard Deviation: 2.41

Location: 258-263 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F21: FEMALE 21

Value	Label	Unweighted Frequency	%
0	-	217394	84.5 %
1	-	20404	7.9 %
2	-	6630	2.6 %
3	-	3078	1.2 %
4	-	1718	0.7 %
5	-	1074	0.4 %
6	-	719	0.3 %
7	-	436	0.2 %
8	-	421	0.2 %
9	-	274	0.1 %
10	-	236	0.1 %
11	-	173	0.1 %
12	-	114	0.0 %
13	-	125	0.0 %
14	-	98	0.0 %
15	-	87	0.0 %
16	-	71	0.0 %
17	-	50	0.0 %
18	-	54	0.0 %
19	-	35	0.0 %
20	-	42	0.0 %
21	-	30	0.0 %
22	-	26	0.0 %
23	-	26	0.0 %
24	-	28	0.0 %
25	-	26	0.0 %
26	-	12	0.0 %
27	-	17	0.0 %
28	-	14	0.0 %
29	-	13	0.0 %
30	-	16	0.0 %
31	-	9	0.0 %
32	-	8	0.0 %

Value	Label	Unweighted Frequency	%
33	-	11	0.0 %
34	-	10	0.0 %
35	-	15	0.0 %
36	-	5	0.0 %
37	-	7	0.0 %
38	-	17	0.0 %
39	-	10	0.0 %
40	-	8	0.0 %
41	-	8	0.0 %
42	-	6	0.0 %
43	-	7	0.0 %
44	-	5	0.0 %
45	-	4	0.0 %
46	-	8	0.0 %
47	-	2	0.0 %
48	-	8	0.0 %
49	-	4	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 0.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 291.00
- Standard Deviation: 2.40

Location: 264-269 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F22: FEMALE 22

Value	Label	Unweighted Frequency	%
0	-	217068	84.3 %
1	-	20972	8.1 %
2	-	6384	2.5 %
3	-	3136	1.2 %

Value	Label	Unweighted Frequency	%
4	-	1647	0.6 %
5	-	1053	0.4 %
6	-	681	0.3 %
7	-	520	0.2 %
8	-	364	0.1 %
9	-	295	0.1 %
10	-	200	0.1 %
11	-	169	0.1 %
12	-	152	0.1 %
13	-	129	0.1 %
14	-	109	0.0 %
15	-	80	0.0 %
16	-	60	0.0 %
17	-	61	0.0 %
18	-	58	0.0 %
19	-	37	0.0 %
20	-	41	0.0 %
21	-	39	0.0 %
22	-	24	0.0 %
23	-	19	0.0 %
24	-	21	0.0 %
25	-	28	0.0 %
26	-	16	0.0 %
27	-	11	0.0 %
28	-	21	0.0 %
29	-	20	0.0 %
30	-	14	0.0 %
31	-	13	0.0 %
32	-	13	0.0 %
33	-	14	0.0 %
34	-	15	0.0 %
35	-	10	0.0 %
36	-	13	0.0 %
37	-	10	0.0 %
38	-	7	0.0 %
39	-	5	0.0 %
40	-	8	0.0 %
41	-	7	0.0 %
42	-	6	0.0 %

Value	Label	Unweighted Frequency	%
43	-	6	0.0 %
44	-	4	0.0 %
45	-	4	0.0 %
46	-	3	0.0 %
47	-	2	0.0 %
48	-	8	0.0 %
49	-	4	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 0.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 357.00
- Standard Deviation: 2.49

Location: 270-275 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F23: FEMALE 23

Value	Label	Unweighted Frequency	%
0	-	216350	84.1 %
1	-	21135	8.2 %
2	-	6673	2.6 %
3	-	3047	1.2 %
4	-	1777	0.7 %
5	-	1122	0.4 %
6	-	724	0.3 %
7	-	496	0.2 %
8	-	375	0.1 %
9	-	282	0.1 %
10	-	267	0.1 %
11	-	183	0.1 %
12	-	157	0.1 %
13	-	138	0.1 %

Value	Label	Unweighted Frequency	%
14	-	99	0.0 %
15	-	93	0.0 %
16	-	54	0.0 %
17	-	81	0.0 %
18	-	48	0.0 %
19	-	36	0.0 %
20	-	43	0.0 %
21	-	39	0.0 %
22	-	31	0.0 %
23	-	29	0.0 %
24	-	25	0.0 %
25	-	22	0.0 %
26	-	24	0.0 %
27	-	29	0.0 %
28	-	12	0.0 %
29	-	24	0.0 %
30	-	15	0.0 %
31	-	9	0.0 %
32	-	11	0.0 %
33	-	5	0.0 %
34	-	9	0.0 %
35	-	6	0.0 %
36	-	11	0.0 %
37	-	14	0.0 %
38	-	8	0.0 %
39	-	8	0.0 %
40	-	11	0.0 %
41	-	6	0.0 %
42	-	6	0.0 %
43	-	7	0.0 %
44	-	7	0.0 %
45	-	4	0.0 %
46	-	4	0.0 %
47	-	6	0.0 %
48	-	9	0.0 %
49	-	4	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 0.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 382.00
- Standard Deviation: 2.63

Location: 276-281 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F24: FEMALE 24

Value	Label	Unweighted Frequency	%
0	-	215710	83.8 %
1	-	21324	8.3 %
2	-	6911	2.7 %
3	-	3207	1.2 %
4	-	1707	0.7 %
5	-	1096	0.4 %
6	-	730	0.3 %
7	-	533	0.2 %
8	-	410	0.2 %
9	-	298	0.1 %
10	-	229	0.1 %
11	-	194	0.1 %
12	-	169	0.1 %
13	-	124	0.0 %
14	-	115	0.0 %
15	-	105	0.0 %
16	-	66	0.0 %
17	-	94	0.0 %
18	-	60	0.0 %
19	-	41	0.0 %
20	-	38	0.0 %
21	-	27	0.0 %
22	-	28	0.0 %
23	-	30	0.0 %
24	-	27	0.0 %
25	-	31	0.0 %

Value	Label	Unweighted Frequency	%
26	-	22	0.0 %
27	-	28	0.0 %
28	-	14	0.0 %
29	-	16	0.0 %
30	-	14	0.0 %
31	-	19	0.0 %
32	-	8	0.0 %
33	-	9	0.0 %
34	-	13	0.0 %
35	-	10	0.0 %
36	-	13	0.0 %
37	-	15	0.0 %
38	-	8	0.0 %
39	-	9	0.0 %
40	-	5	0.0 %
41	-	8	0.0 %
42	-	8	0.0 %
43	-	9	0.0 %
44	-	9	0.0 %
45	-	11	0.0 %
46	-	3	0.0 %
47	-	7	0.0 %
48	-	3	0.0 %
49	-	6	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 0.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 435.00
- Standard Deviation: 2.72

Location: 282-287 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F25_29: FEMALE 25-29

Value	Label	Unweighted Frequency	%
0	-	168414	65.4 %
1	-	34915	13.6 %
2	-	14525	5.6 %
3	-	8025	3.1 %
4	-	5280	2.1 %
5	-	3613	1.4 %
6	-	2612	1.0 %
7	-	1990	0.8 %
8	-	1657	0.6 %
9	-	1361	0.5 %
10	-	1085	0.4 %
11	-	984	0.4 %
12	-	847	0.3 %
13	-	707	0.3 %
14	-	557	0.2 %
15	-	519	0.2 %
16	-	468	0.2 %
17	-	428	0.2 %
18	-	376	0.1 %
19	-	332	0.1 %
20	-	257	0.1 %
21	-	283	0.1 %
22	-	223	0.1 %
23	-	215	0.1 %
24	-	177	0.1 %
25	-	192	0.1 %
26	-	173	0.1 %
27	-	162	0.1 %
28	-	125	0.0 %
29	-	131	0.1 %
30	-	124	0.0 %
31	-	132	0.1 %
32	-	121	0.0 %
33	-	122	0.0 %
34	-	113	0.0 %
35	-	95	0.0 %
36	-	85	0.0 %

Value	Label	Unweighted Frequency	%
37	-	83	0.0 %
38	-	61	0.0 %
39	-	67	0.0 %
40	-	73	0.0 %
41	-	75	0.0 %
42	-	57	0.0 %
43	-	54	0.0 %
44	-	52	0.0 %
45	-	49	0.0 %
46	-	45	0.0 %
47	-	46	0.0 %
48	-	35	0.0 %
49	-	42	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 2.13
- Minimum: 0.00
- Maximum: 1715.00
- Standard Deviation: 12.98

Location: 288-293 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F30_34: FEMALE 30-34

Value	Label	Unweighted Frequency	%
0	-	173969	67.6 %
1	-	34182	13.3 %
2	-	13766	5.3 %
3	-	7488	2.9 %
4	-	4772	1.9 %
5	-	3206	1.2 %
6	-	2463	1.0 %
7	-	1868	0.7 %
8	-	1487	0.6 %
9	-	1193	0.5 %

Value	Label	Unweighted Frequency	%
10	-	957	0.4 %
11	-	809	0.3 %
12	-	732	0.3 %
13	-	580	0.2 %
14	-	533	0.2 %
15	-	453	0.2 %
16	-	360	0.1 %
17	-	329	0.1 %
18	-	285	0.1 %
19	-	242	0.1 %
20	-	213	0.1 %
21	-	203	0.1 %
22	-	188	0.1 %
23	-	185	0.1 %
24	-	161	0.1 %
25	-	171	0.1 %
26	-	136	0.1 %
27	-	135	0.1 %
28	-	119	0.0 %
29	-	96	0.0 %
30	-	113	0.0 %
31	-	100	0.0 %
32	-	77	0.0 %
33	-	87	0.0 %
34	-	79	0.0 %
35	-	79	0.0 %
36	-	80	0.0 %
37	-	69	0.0 %
38	-	70	0.0 %
39	-	64	0.0 %
40	-	58	0.0 %
41	-	59	0.0 %
42	-	53	0.0 %
43	-	45	0.0 %
44	-	46	0.0 %
45	-	37	0.0 %
46	-	50	0.0 %
47	-	37	0.0 %
48	-	37	0.0 %

Value	Label	Unweighted Frequency	%
49	-	33	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 1.77
- Minimum: 0.00
- Maximum: 1229.00
- Standard Deviation: 10.67

Location: 294-299 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F35_39: FEMALE 35-39

Value	Label	Unweighted Frequency	%
0	-	181400	70.5 %
1	-	32453	12.6 %
2	-	12819	5.0 %
3	-	6680	2.6 %
4	-	4359	1.7 %
5	-	2974	1.2 %
6	-	2016	0.8 %
7	-	1632	0.6 %
8	-	1191	0.5 %
9	-	910	0.4 %
10	-	810	0.3 %
11	-	605	0.2 %
12	-	563	0.2 %
13	-	458	0.2 %
14	-	415	0.2 %
15	-	345	0.1 %
16	-	313	0.1 %
17	-	263	0.1 %
18	-	254	0.1 %
19	-	192	0.1 %
20	-	188	0.1 %
21	-	159	0.1 %

Value	Label	Unweighted Frequency	%
22	-	149	0.1 %
23	-	163	0.1 %
24	-	135	0.1 %
25	-	96	0.0 %
26	-	110	0.0 %
27	-	115	0.0 %
28	-	121	0.0 %
29	-	85	0.0 %
30	-	77	0.0 %
31	-	85	0.0 %
32	-	82	0.0 %
33	-	57	0.0 %
34	-	49	0.0 %
35	-	68	0.0 %
36	-	50	0.0 %
37	-	46	0.0 %
38	-	48	0.0 %
39	-	43	0.0 %
40	-	39	0.0 %
41	-	33	0.0 %
42	-	37	0.0 %
43	-	37	0.0 %
44	-	30	0.0 %
45	-	22	0.0 %
46	-	28	0.0 %
47	-	22	0.0 %
48	-	32	0.0 %
49	-	26	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 1.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 947.00

• Standard Deviation: 8.35

Location: 300-305 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F40_44: FEMALE 40-44

Value	Label	Unweighted Frequency	%
0	-	195747	76.1 %
1	-	28275	11.0 %
2	-	10589	4.1 %
3	-	5295	2.1 %
4	-	3142	1.2 %
5	-	2121	0.8 %
6	-	1475	0.6 %
7	-	1119	0.4 %
8	-	836	0.3 %
9	-	633	0.2 %
10	-	542	0.2 %
11	-	447	0.2 %
12	-	399	0.2 %
13	-	308	0.1 %
14	-	246	0.1 %
15	-	211	0.1 %
16	-	189	0.1 %
17	-	162	0.1 %
18	-	143	0.1 %
19	-	118	0.0 %
20	-	115	0.0 %
21	-	114	0.0 %
22	-	105	0.0 %
23	-	90	0.0 %
24	-	79	0.0 %
25	-	87	0.0 %
26	-	56	0.0 %
27	-	62	0.0 %
28	-	53	0.0 %
29	-	61	0.0 %
30	-	31	0.0 %
31	-	33	0.0 %
32	-	30	0.0 %

Value	Label	Unweighted Frequency	%
33	-	32	0.0 %
34	-	31	0.0 %
35	-	27	0.0 %
36	-	19	0.0 %
37	-	32	0.0 %
38	-	18	0.0 %
39	-	32	0.0 %
40	-	24	0.0 %
41	-	25	0.0 %
42	-	27	0.0 %
43	-	17	0.0 %
44	-	21	0.0 %
45	-	14	0.0 %
46	-	12	0.0 %
47	-	13	0.0 %
48	-	21	0.0 %
49	-	19	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 0.90
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 567.00
- Standard Deviation: 5.38

Location: 306-311 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F45_49: FEMALE 45-49

Value	Label	Unweighted Frequency	%
0	-	202569	78.7 %
1	-	26120	10.1 %
2	-	9273	3.6 %
3	-	4600	1.8 %

Value	Label	Unweighted Frequency	%
4	-	2676	1.0 %
5	-	1762	0.7 %
6	-	1232	0.5 %
7	-	984	0.4 %
8	-	656	0.3 %
9	-	501	0.2 %
10	-	431	0.2 %
11	-	313	0.1 %
12	-	286	0.1 %
13	-	237	0.1 %
14	-	200	0.1 %
15	-	193	0.1 %
16	-	145	0.1 %
17	-	129	0.1 %
18	-	100	0.0 %
19	-	99	0.0 %
20	-	87	0.0 %
21	-	80	0.0 %
22	-	59	0.0 %
23	-	61	0.0 %
24	-	56	0.0 %
25	-	48	0.0 %
26	-	53	0.0 %
27	-	30	0.0 %
28	-	35	0.0 %
29	-	32	0.0 %
30	-	23	0.0 %
31	-	21	0.0 %
32	-	25	0.0 %
33	-	22	0.0 %
34	-	21	0.0 %
35	-	32	0.0 %
36	-	25	0.0 %
37	-	17	0.0 %
38	-	29	0.0 %
39	-	20	0.0 %
40	-	16	0.0 %
41	-	19	0.0 %
42	-	11	0.0 %

Value	Label	Unweighted Frequency	%
43	-	12	0.0 %
44	-	13	0.0 %
45	-	13	0.0 %
46	-	9	0.0 %
47	-	13	0.0 %
48	-	5	0.0 %
49	-	5	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 0.71
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 448.00
- Standard Deviation: 4.41

Location: 312-317 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F50_54: FEMALE 50-54

Value	Label	Unweighted Frequency	%
0	-	210979	82.0 %
1	-	23022	8.9 %
2	-	7720	3.0 %
3	-	3741	1.5 %
4	-	2137	0.8 %
5	-	1373	0.5 %
6	-	981	0.4 %
7	-	637	0.2 %
8	-	498	0.2 %
9	-	383	0.1 %
10	-	298	0.1 %
11	-	243	0.1 %
12	-	181	0.1 %
13	-	152	0.1 %

Value	Label	Unweighted Frequency	%
14	-	145	0.1 %
15	-	126	0.0 %
16	-	90	0.0 %
17	-	97	0.0 %
18	-	77	0.0 %
19	-	70	0.0 %
20	-	47	0.0 %
21	-	41	0.0 %
22	-	43	0.0 %
23	-	46	0.0 %
24	-	33	0.0 %
25	-	29	0.0 %
26	-	32	0.0 %
27	-	21	0.0 %
28	-	25	0.0 %
29	-	25	0.0 %
30	-	23	0.0 %
31	-	25	0.0 %
32	-	16	0.0 %
33	-	18	0.0 %
34	-	20	0.0 %
35	-	9	0.0 %
36	-	10	0.0 %
37	-	7	0.0 %
38	-	4	0.0 %
39	-	10	0.0 %
40	-	7	0.0 %
41	-	15	0.0 %
42	-	11	0.0 %
43	-	8	0.0 %
44	-	5	0.0 %
45	-	5	0.0 %
46	-	10	0.0 %
47	-	10	0.0 %
48	-	5	0.0 %
49	-	7	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 0.52
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 376.00
- Standard Deviation: 3.34

Location: 318-323 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F55_59: FEMALE 55-59

Value	Label	Unweighted Frequency	%
0	-	222182	86.3 %
1	-	18802	7.3 %
2	-	5542	2.2 %
3	-	2483	1.0 %
4	-	1349	0.5 %
5	-	843	0.3 %
6	-	549	0.2 %
7	-	393	0.2 %
8	-	264	0.1 %
9	-	182	0.1 %
10	-	141	0.1 %
11	-	139	0.1 %
12	-	86	0.0 %
13	-	71	0.0 %
14	-	76	0.0 %
15	-	60	0.0 %
16	-	48	0.0 %
17	-	44	0.0 %
18	-	36	0.0 %
19	-	34	0.0 %
20	-	24	0.0 %
21	-	30	0.0 %
22	-	30	0.0 %
23	-	27	0.0 %
24	-	12	0.0 %
25	-	15	0.0 %

Value	Label	Unweighted Frequency	%
26	-	10	0.0 %
27	-	13	0.0 %
28	-	8	0.0 %
29	-	10	0.0 %
30	-	8	0.0 %
31	-	9	0.0 %
32	-	10	0.0 %
33	-	3	0.0 %
34	-	5	0.0 %
35	-	7	0.0 %
36	-	8	0.0 %
37	-	5	0.0 %
38	-	6	0.0 %
39	-	8	0.0 %
40	-	7	0.0 %
41	-	6	0.0 %
42	-	2	0.0 %
43	-	6	0.0 %
44	-	7	0.0 %
45	-	2	0.0 %
46	-	1	0.0 %
47	-	2	0.0 %
48	-	2	0.0 %
49	-	3	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 0.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 240.00
- Standard Deviation: 2.10

Location: 324-329 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F60_64: FEMALE 60-64

Value	Label	Unweighted Frequency	%
0	-	236241	91.8 %
1	-	11607	4.5 %
2	-	2978	1.2 %
3	-	1163	0.5 %
4	-	559	0.2 %
5	-	305	0.1 %
6	-	179	0.1 %
7	-	133	0.1 %
8	-	91	0.0 %
9	-	61	0.0 %
10	-	60	0.0 %
11	-	46	0.0 %
12	-	29	0.0 %
13	-	36	0.0 %
14	-	29	0.0 %
15	-	19	0.0 %
16	-	17	0.0 %
17	-	15	0.0 %
18	-	12	0.0 %
19	-	5	0.0 %
20	-	8	0.0 %
21	-	4	0.0 %
22	-	5	0.0 %
23	-	2	0.0 %
24	-	5	0.0 %
25	-	6	0.0 %
26	-	6	0.0 %
27	-	4	0.0 %
28	-	4	0.0 %
30	-	2	0.0 %
32	-	1	0.0 %
33	-	2	0.0 %
34	-	6	0.0 %
35	-	3	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %
38	-	1	0.0 %

Value	Label	Unweighted Frequency	%
39	-	1	0.0 %
41	-	1	0.0 %
42	-	1	0.0 %
43	-	2	0.0 %
46	-	1	0.0 %
48	-	2	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %
52	-	1	0.0 %
64	-	2	0.0 %
68	-	1	0.0 %
71	-	1	0.0 %
76	-	1	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 143.00
- Standard Deviation: 1.07

Location: 330-335 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F65: FEMALE OVER 64

Value	Label	Unweighted Frequency	%
0	-	241632	93.9 %
1	-	8390	3.3 %
2	-	1898	0.7 %
3	-	743	0.3 %
4	-	349	0.1 %
5	-	194	0.1 %
6	-	112	0.0 %
7	-	72	0.0 %

Value	Label	Unweighted Frequency	%
8	-	54	0.0 %
9	-	53	0.0 %
10	-	31	0.0 %
11	-	18	0.0 %
12	-	19	0.0 %
13	-	3	0.0 %
14	-	9	0.0 %
15	-	10	0.0 %
16	-	13	0.0 %
17	-	8	0.0 %
18	-	2	0.0 %
19	-	5	0.0 %
20	-	5	0.0 %
21	-	4	0.0 %
22	-	2	0.0 %
23	-	3	0.0 %
24	-	3	0.0 %
25	-	5	0.0 %
26	-	1	0.0 %
27	-	1	0.0 %
28	-	2	0.0 %
29	-	1	0.0 %
30	-	6	0.0 %
32	-	2	0.0 %
34	-	1	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
39	-	1	0.0 %
40	-	3	0.0 %
41	-	1	0.0 %
42	-	1	0.0 %
44	-	1	0.0 %
50	-	1	0.0 %
54	-	1	0.0 %
62	-	1	0.0 %
63	-	1	0.0 %
69	-	1	0.0 %
73	-	1	0.0 %
85	-	1	0.0 %

Value	Label	Unweighted Frequency	%
138	-	1	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 138.00
- Standard Deviation: 0.78

Location: 336-341 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JW: JUVENILE-WHITE

Value	Label	Unweighted Frequency	%
0	-	173710	67.5 %
1	-	29315	11.4 %
2	-	13492	5.2 %
3	-	7790	3.0 %
4	-	5183	2.0 %
5	-	3749	1.5 %
6	-	2846	1.1 %
7	-	2231	0.9 %
8	-	1886	0.7 %
9	-	1510	0.6 %
10	-	1237	0.5 %
11	-	999	0.4 %
12	-	857	0.3 %
13	-	747	0.3 %
14	-	676	0.3 %
15	-	586	0.2 %
16	-	511	0.2 %
17	-	446	0.2 %
18	-	409	0.2 %
19	-	316	0.1 %
20	-	328	0.1 %
21	-	281	0.1 %

Value	Label	Unweighted Frequency	%
22	-	269	0.1 %
23	-	252	0.1 %
24	-	216	0.1 %
25	-	206	0.1 %
26	-	173	0.1 %
27	-	155	0.1 %
28	-	151	0.1 %
29	-	155	0.1 %
30	-	116	0.0 %
31	-	120	0.0 %
32	-	127	0.0 %
33	-	103	0.0 %
34	-	100	0.0 %
35	-	93	0.0 %
36	-	92	0.0 %
37	-	85	0.0 %
38	-	92	0.0 %
39	-	77	0.0 %
40	-	56	0.0 %
41	-	60	0.0 %
42	-	57	0.0 %
43	-	65	0.0 %
44	-	62	0.0 %
45	-	54	0.0 %
46	-	58	0.0 %
47	-	51	0.0 %
48	-	46	0.0 %
49	-	42	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 2.13
- Minimum: 0.00
- Maximum: 13092.00
- Standard Deviation: 28.06

Location: 342-347 (width: 6; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: 999998

JB: JUVENILE-BLACK

Value	Label	Unweighted Frequency	%
0	-	214214	83.2 %
1	-	17209	6.7 %
2	-	6655	2.6 %
3	-	3519	1.4 %
4	-	2174	0.8 %
5	-	1624	0.6 %
6	-	1117	0.4 %
7	-	870	0.3 %
8	-	708	0.3 %
9	-	545	0.2 %
10	-	450	0.2 %
11	-	381	0.1 %
12	-	354	0.1 %
13	-	289	0.1 %
14	-	244	0.1 %
15	-	210	0.1 %
16	-	206	0.1 %
17	-	190	0.1 %
18	-	169	0.1 %
19	-	129	0.1 %
20	-	133	0.1 %
21	-	135	0.1 %
22	-	91	0.0 %
23	-	105	0.0 %
24	-	105	0.0 %
25	-	104	0.0 %
26	-	72	0.0 %
27	-	66	0.0 %
28	-	53	0.0 %
29	-	62	0.0 %
30	-	75	0.0 %
31	-	51	0.0 %
32	-	49	0.0 %
33	-	40	0.0 %
34	-	40	0.0 %

Value	Label	Unweighted Frequency	%
35	-	41	0.0 %
36	-	44	0.0 %
37	-	30	0.0 %
38	-	49	0.0 %
39	-	31	0.0 %
40	-	41	0.0 %
41	-	36	0.0 %
42	-	27	0.0 %
43	-	34	0.0 %
44	-	32	0.0 %
45	-	22	0.0 %
46	-	17	0.0 %
47	-	22	0.0 %
48	-	20	0.0 %
49	-	17	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 1.03
- Minimum: 0.00
- Maximum: 4341.00
- Standard Deviation: 12.43

Location: 348-353 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JJ: JUVENILE-INDIAN

Value	Label	Unweighted Frequency	%
0	-	248999	96.8 %
1	-	2641	1.0 %
2	-	715	0.3 %
3	-	368	0.1 %
4	-	201	0.1 %
5	-	152	0.1 %
6	-	85	0.0 %
7	-	89	0.0 %

Value	Label	Unweighted Frequency	%
8	-	49	0.0 %
9	-	39	0.0 %
10	-	40	0.0 %
11	-	32	0.0 %
12	-	26	0.0 %
13	-	22	0.0 %
14	-	18	0.0 %
15	-	16	0.0 %
16	-	9	0.0 %
17	-	11	0.0 %
18	-	6	0.0 %
19	-	9	0.0 %
20	-	12	0.0 %
21	-	12	0.0 %
22	-	5	0.0 %
23	-	8	0.0 %
24	-	7	0.0 %
25	-	7	0.0 %
26	-	2	0.0 %
27	-	5	0.0 %
28	-	5	0.0 %
29	-	4	0.0 %
30	-	5	0.0 %
31	-	4	0.0 %
33	-	5	0.0 %
34	-	1	0.0 %
35	-	4	0.0 %
36	-	1	0.0 %
37	-	3	0.0 %
38	-	2	0.0 %
40	-	1	0.0 %
41	-	1	0.0 %
43	-	2	0.0 %
44	-	2	0.0 %
45	-	1	0.0 %
46	-	2	0.0 %
47	-	2	0.0 %
48	-	4	0.0 %
49	-	1	0.0 %

Value	Label	Unweighted Frequency	%
50	-	3	0.0 %
51	-	1	0.0 %
52	-	2	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 257.00
- Standard Deviation: 1.32

Location: 354-359 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JA: JUVENILE ASIAN

Value	Label	Unweighted Frequency	%
0	-	248319	96.5 %
1	-	3721	1.4 %
2	-	806	0.3 %
3	-	326	0.1 %
4	-	132	0.1 %
5	-	85	0.0 %
6	-	59	0.0 %
7	-	45	0.0 %
8	-	34	0.0 %
9	-	23	0.0 %
10	-	17	0.0 %
11	-	13	0.0 %
12	-	5	0.0 %
13	-	7	0.0 %
14	-	9	0.0 %
15	-	3	0.0 %
17	-	3	0.0 %
18	-	7	0.0 %

Value	Label	Unweighted Frequency	%
19	-	6	0.0 %
20	-	6	0.0 %
21	-	2	0.0 %
22	-	4	0.0 %
23	-	1	0.0 %
24	-	1	0.0 %
26	-	2	0.0 %
29	-	1	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %
38	-	1	0.0 %
39	-	4	0.0 %
41	-	2	0.0 %
42	-	2	0.0 %
48	-	1	0.0 %
55	-	1	0.0 %
59	-	1	0.0 %
60	-	1	0.0 %
67	-	1	0.0 %
77	-	1	0.0 %
91	-	1	0.0 %
92	-	1	0.0 %
103	-	1	0.0 %
111	-	1	0.0 %
119	-	1	0.0 %
120	-	1	0.0 %
136	-	1	0.0 %
138	-	1	0.0 %
147	-	1	0.0 %
212	-	1	0.0 %
240	-	1	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 303.00
- Standard Deviation: 1.37

Location: 360-365 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JH: JUVENILE-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	226304	87.9 %
1	-	12315	4.8 %
2	-	4715	1.8 %
3	-	2516	1.0 %
4	-	1543	0.6 %
5	-	1049	0.4 %
6	-	787	0.3 %
7	-	632	0.2 %
8	-	471	0.2 %
9	-	378	0.1 %
10	-	308	0.1 %
11	-	276	0.1 %
12	-	199	0.1 %
13	-	177	0.1 %
14	-	148	0.1 %
15	-	123	0.0 %
16	-	128	0.0 %
17	-	107	0.0 %
18	-	75	0.0 %
19	-	70	0.0 %
20	-	93	0.0 %
21	-	68	0.0 %
22	-	61	0.0 %
23	-	56	0.0 %
24	-	53	0.0 %
25	-	52	0.0 %
26	-	40	0.0 %
27	-	44	0.0 %
28	-	38	0.0 %
29	-	39	0.0 %

Value	Label	Unweighted Frequency	%
30	-	29	0.0 %
31	-	26	0.0 %
32	-	16	0.0 %
33	-	22	0.0 %
34	-	33	0.0 %
35	-	20	0.0 %
36	-	35	0.0 %
37	-	19	0.0 %
38	-	24	0.0 %
39	-	12	0.0 %
40	-	19	0.0 %
41	-	16	0.0 %
42	-	8	0.0 %
43	-	22	0.0 %
44	-	24	0.0 %
45	-	10	0.0 %
46	-	15	0.0 %
47	-	17	0.0 %
48	-	11	0.0 %
49	-	10	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 0.59
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 704.00
- Standard Deviation: 5.55

Location: 366-371 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JN: JUVENILE-NON-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	184272	71.6 %

Value	Label	Unweighted Frequency	%
1	-	25152	9.8 %
2	-	11357	4.4 %
3	-	6615	2.6 %
4	-	4453	1.7 %
5	-	3235	1.3 %
6	-	2486	1.0 %
7	-	1916	0.7 %
8	-	1571	0.6 %
9	-	1279	0.5 %
10	-	1105	0.4 %
11	-	921	0.4 %
12	-	842	0.3 %
13	-	647	0.3 %
14	-	546	0.2 %
15	-	474	0.2 %
16	-	469	0.2 %
17	-	418	0.2 %
18	-	376	0.1 %
19	-	323	0.1 %
20	-	308	0.1 %
21	-	279	0.1 %
22	-	228	0.1 %
23	-	246	0.1 %
24	-	207	0.1 %
25	-	166	0.1 %
26	-	170	0.1 %
27	-	157	0.1 %
28	-	163	0.1 %
29	-	142	0.1 %
30	-	130	0.1 %
31	-	127	0.0 %
32	-	116	0.0 %
33	-	105	0.0 %
34	-	104	0.0 %
35	-	90	0.0 %
36	-	106	0.0 %
37	-	95	0.0 %
38	-	78	0.0 %
39	-	92	0.0 %

Value	Label	Unweighted Frequency	%
40	-	70	0.0 %
41	-	69	0.0 %
42	-	67	0.0 %
43	-	67	0.0 %
44	-	56	0.0 %
45	-	46	0.0 %
46	-	54	0.0 %
47	-	53	0.0 %
48	-	57	0.0 %
49	-	41	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 2.06
- Minimum: 0.00
- Maximum: 5186.00
- Standard Deviation: 16.16

Location: 372-377 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AW: ADULT-WHITE

Value	Label	Unweighted Frequency	%
0	-	45667	17.7 %
1	-	41938	16.3 %
2	-	24013	9.3 %
3	-	16083	6.2 %
4	-	12093	4.7 %
5	-	9323	3.6 %
6	-	7547	2.9 %
7	-	6356	2.5 %
8	-	5358	2.1 %
9	-	4653	1.8 %
10	-	4103	1.6 %
11	-	3573	1.4 %
12	-	3309	1.3 %

Value	Label	Unweighted Frequency	%
13	-	2997	1.2 %
14	-	2607	1.0 %
15	-	2613	1.0 %
16	-	2239	0.9 %
17	-	2032	0.8 %
18	-	1858	0.7 %
19	-	1806	0.7 %
20	-	1643	0.6 %
21	-	1587	0.6 %
22	-	1448	0.6 %
23	-	1410	0.5 %
24	-	1306	0.5 %
25	-	1203	0.5 %
26	-	1198	0.5 %
27	-	1162	0.5 %
28	-	1065	0.4 %
29	-	1013	0.4 %
30	-	983	0.4 %
31	-	944	0.4 %
32	-	942	0.4 %
33	-	846	0.3 %
34	-	816	0.3 %
35	-	749	0.3 %
36	-	734	0.3 %
37	-	731	0.3 %
38	-	676	0.3 %
39	-	630	0.2 %
40	-	621	0.2 %
41	-	630	0.2 %
42	-	598	0.2 %
43	-	567	0.2 %
44	-	557	0.2 %
45	-	522	0.2 %
46	-	494	0.2 %
47	-	526	0.2 %
48	-	518	0.2 %
49	-	478	0.2 %
	Missing Data		
999998	Not applicable	3693	1.4 %

Value	Label	Unweighted Frequency	%
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 28.30
- Minimum: 0.00
- Maximum: 15795.00
- Standard Deviation: 155.73

Location: 378-383 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AB: ADULT-BLACK

Value	Label	Unweighted Frequency	%
0	-	132245	51.4 %
1	-	36247	14.1 %
2	-	17191	6.7 %
3	-	10321	4.0 %
4	-	7156	2.8 %
5	-	5472	2.1 %
6	-	4197	1.6 %
7	-	3302	1.3 %
8	-	2886	1.1 %
9	-	2325	0.9 %
10	-	2022	0.8 %
11	-	1805	0.7 %
12	-	1612	0.6 %
13	-	1400	0.5 %
14	-	1242	0.5 %
15	-	1135	0.4 %
16	-	980	0.4 %
17	-	915	0.4 %
18	-	823	0.3 %
19	-	771	0.3 %
20	-	763	0.3 %
21	-	644	0.3 %
22	-	599	0.2 %
23	-	599	0.2 %
24	-	548	0.2 %

Value	Label	Unweighted Frequency	%
25	-	522	0.2 %
26	-	512	0.2 %
27	-	449	0.2 %
28	-	414	0.2 %
29	-	409	0.2 %
30	-	403	0.2 %
31	-	383	0.1 %
32	-	338	0.1 %
33	-	322	0.1 %
34	-	319	0.1 %
35	-	301	0.1 %
36	-	284	0.1 %
37	-	259	0.1 %
38	-	254	0.1 %
39	-	249	0.1 %
40	-	226	0.1 %
41	-	205	0.1 %
42	-	220	0.1 %
43	-	208	0.1 %
44	-	175	0.1 %
45	-	225	0.1 %
46	-	188	0.1 %
47	-	174	0.1 %
48	-	172	0.1 %
49	-	164	0.1 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 10.82
- Minimum: 0.00
- Maximum: 14017.00
- Standard Deviation: 98.90

Location: 384-389 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AI: ADULT-INDIAN

Value	Label	Unweighted Frequency	%
0	-	231079	89.8 %
1	-	11332	4.4 %
2	-	3492	1.4 %
3	-	1756	0.7 %
4	-	1028	0.4 %
5	-	736	0.3 %
6	-	543	0.2 %
7	-	406	0.2 %
8	-	298	0.1 %
9	-	284	0.1 %
10	-	221	0.1 %
11	-	179	0.1 %
12	-	162	0.1 %
13	-	138	0.1 %
14	-	129	0.1 %
15	-	116	0.0 %
16	-	88	0.0 %
17	-	94	0.0 %
18	-	65	0.0 %
19	-	87	0.0 %
20	-	61	0.0 %
21	-	50	0.0 %
22	-	46	0.0 %
23	-	49	0.0 %
24	-	44	0.0 %
25	-	38	0.0 %
26	-	39	0.0 %
27	-	25	0.0 %
28	-	33	0.0 %
29	-	29	0.0 %
30	-	27	0.0 %
31	-	20	0.0 %
32	-	29	0.0 %
33	-	21	0.0 %
34	-	26	0.0 %
35	-	28	0.0 %
36	-	13	0.0 %

Value	Label	Unweighted Frequency	%
37	-	25	0.0 %
38	-	17	0.0 %
39	-	18	0.0 %
40	-	21	0.0 %
41	-	25	0.0 %
42	-	6	0.0 %
43	-	21	0.0 %
44	-	16	0.0 %
45	-	14	0.0 %
46	-	7	0.0 %
47	-	15	0.0 %
48	-	8	0.0 %
49	-	19	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 0.86
- Minimum: 0.00
- Maximum: 14378.00
- Standard Deviation: 34.78

Location: 390-395 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AA: ADULT-ASIAN

Value	Label	Unweighted Frequency	%
0	-	224553	87.3 %
1	-	15241	5.9 %
2	-	4944	1.9 %
3	-	2363	0.9 %
4	-	1413	0.5 %
5	-	929	0.4 %
6	-	663	0.3 %
7	-	468	0.2 %
8	-	417	0.2 %
9	-	312	0.1 %

Value	Label	Unweighted Frequency	%
10	-	235	0.1 %
11	-	213	0.1 %
12	-	160	0.1 %
13	-	160	0.1 %
14	-	120	0.0 %
15	-	100	0.0 %
16	-	79	0.0 %
17	-	92	0.0 %
18	-	71	0.0 %
19	-	67	0.0 %
20	-	66	0.0 %
21	-	63	0.0 %
22	-	54	0.0 %
23	-	46	0.0 %
24	-	42	0.0 %
25	-	32	0.0 %
26	-	35	0.0 %
27	-	27	0.0 %
28	-	35	0.0 %
29	-	35	0.0 %
30	-	17	0.0 %
31	-	27	0.0 %
32	-	27	0.0 %
33	-	29	0.0 %
34	-	19	0.0 %
35	-	18	0.0 %
36	-	20	0.0 %
37	-	20	0.0 %
38	-	16	0.0 %
39	-	17	0.0 %
40	-	12	0.0 %
41	-	8	0.0 %
42	-	13	0.0 %
43	-	12	0.0 %
44	-	8	0.0 %
45	-	13	0.0 %
46	-	11	0.0 %
47	-	5	0.0 %
48	-	3	0.0 %

Value	Label	Unweighted Frequency	%
49	-	10	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 0.56
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2526.00
- Standard Deviation: 9.78

Location: 396-401 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AH: ADULT-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	175456	68.2 %
1	-	26387	10.3 %
2	-	11550	4.5 %
3	-	6616	2.6 %
4	-	4502	1.7 %
5	-	3183	1.2 %
6	-	2548	1.0 %
7	-	1962	0.8 %
8	-	1659	0.6 %
9	-	1441	0.6 %
10	-	1177	0.5 %
11	-	967	0.4 %
12	-	906	0.4 %
13	-	761	0.3 %
14	-	705	0.3 %
15	-	647	0.3 %
16	-	601	0.2 %
17	-	530	0.2 %
18	-	500	0.2 %
19	-	466	0.2 %

Value	Label	Unweighted Frequency	%
20	-	473	0.2 %
21	-	377	0.1 %
22	-	362	0.1 %
23	-	309	0.1 %
24	-	293	0.1 %
25	-	289	0.1 %
26	-	249	0.1 %
27	-	242	0.1 %
28	-	236	0.1 %
29	-	225	0.1 %
30	-	226	0.1 %
31	-	196	0.1 %
32	-	209	0.1 %
33	-	191	0.1 %
34	-	175	0.1 %
35	-	170	0.1 %
36	-	150	0.1 %
37	-	156	0.1 %
38	-	132	0.1 %
39	-	133	0.1 %
40	-	120	0.0 %
41	-	107	0.0 %
42	-	122	0.0 %
43	-	114	0.0 %
44	-	129	0.1 %
45	-	112	0.0 %
46	-	128	0.0 %
47	-	92	0.0 %
48	-	97	0.0 %
49	-	86	0.0 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 5.99
- Minimum: 0.00

- Maximum: 9570.00
- Standard Deviation: 63.22

Location: 402-407 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AN: ADULT-NON-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	73627	28.6 %
1	-	36378	14.1 %
2	-	20334	7.9 %
3	-	13754	5.3 %
4	-	10005	3.9 %
5	-	7909	3.1 %
6	-	6430	2.5 %
7	-	5408	2.1 %
8	-	4564	1.8 %
9	-	4043	1.6 %
10	-	3459	1.3 %
11	-	3137	1.2 %
12	-	2871	1.1 %
13	-	2533	1.0 %
14	-	2377	0.9 %
15	-	2178	0.8 %
16	-	1934	0.8 %
17	-	1810	0.7 %
18	-	1661	0.6 %
19	-	1592	0.6 %
20	-	1495	0.6 %
21	-	1297	0.5 %
22	-	1262	0.5 %
23	-	1249	0.5 %
24	-	1087	0.4 %
25	-	1065	0.4 %
26	-	1026	0.4 %
27	-	1019	0.4 %
28	-	944	0.4 %
29	-	878	0.3 %
30	-	818	0.3 %
31	-	806	0.3 %
32	-	788	0.3 %

Value	Label	Unweighted Frequency	%
33	-	737	0.3 %
34	-	677	0.3 %
35	-	697	0.3 %
36	-	633	0.2 %
37	-	644	0.3 %
38	-	542	0.2 %
39	-	594	0.2 %
40	-	581	0.2 %
41	-	587	0.2 %
42	-	503	0.2 %
43	-	470	0.2 %
44	-	456	0.2 %
45	-	470	0.2 %
46	-	452	0.2 %
47	-	424	0.2 %
48	-	405	0.2 %
49	-	402	0.2 %
	Missing Data		
999998	Not applicable	3693	1.4 %
	Total	257,361	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 253,668 valid cases out of 257,361 total cases.

- Mean: 27.84
- Minimum: 0.00
- Maximum: 23730.00
- Standard Deviation: 181.10

Location: 408-413 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998