

ICPSR 38744

**Uniform Crime Reporting Program
Data: Arrests by Age, Sex, and
Race, Summarized Yearly, United
States, 2018**

*United States. Federal Bureau of
Investigation*

ICPSR Codebook for Six or More Months
Dataset

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/web/ICPSR/studies/38744/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #38744

Uniform Crime Reporting Program Data: Arrests by Age, Sex, and Race, Summarized Yearly, United States, 2018

DS 1: Six or More Months Dataset

1. **Changes in Methodology:** As of calendar year 2022, the Uniform Crime Reporting (UCR) Program has begun consolidating its data quality review and management practices to reduce differences between publication tables and the data displayed on the FBI website via the [Crime Data Explorer](#).
2. **Discrepancy in Collection:** This study contains data from two master files available on the [Crime Data Explorer](#): 2018_ASR6MON_NATIONAL_MASTER_FILE.txt and 2018_ASR12MON_NATIONAL_MASTER_FILE.txt. In previous years of this collection only one master file was curated. The data contained in this dataset are taken from:
 - a. 2018_ASR6MON_NATIONAL_MASTER_FILE.txt.

No additional information was provided.

3. **Stata Limitations:** Due to Stata limitations, the variables **ORI**, **GROUP**, **CORE**, and **OFFENSE** do not contain value labels for non-integer values within the Stata files.
4. **Undocumented Codes:** The variable **REPORT** contains an undocumented value which ICPSR has labeled “UNDOCUMENTED CODE”. No additional information was provided.
5. **Data Discrepancies:**
 - a. Several cases are inconsistent with the description of the data in the codebook.
 - b. There are reporting agencies (**AGENCY**) which use the same 7-digit Originating Agency Identifier (**ORI**). For these agencies, ICPSR has converted the 7-digit ORI to the agency’s unique 9-digit ORI.
 - c. There are cases where a unique Header record has an associated Detail record with “000” in the **OFFENSE** variable, which is the code reserved for Header records. ICPSR has included these records as Detail records and preserved the “000” code in **OFFENSE** with the value label “HEADER Record”.
 - d. The variables **MSA** and **SEQNO** do not contain any valid responses.

No additional information was provided.

6. **Additional Information:** These studies are “static data snapshots” of the data available on the FBI website via the [Crime Data Explorer](#), which is continuously updated. For additional information on the Uniform Crime Reporting (UCR) Program, please visit the [UCR](#) website.

ICPSR 38744

Uniform Crime Reporting Program Data: Arrests by Age, Sex, and Race, Summarized Yearly, United States, 2018

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Six or More Months Dataset

ASR_ID: IDENTIFIER CODE FOR THE ASR MASTER FILE

Value	Label	Unweighted Frequency	%
3	-	270607	100.0 %
	Missing Data		
.	-	77	0.0 %
	Total	270,684	100%

Based upon 270,607 valid cases out of 270,684 total cases.

- Mean: 3.00
- Median: 3.00
- Mode: 3.00
- Minimum: 3.00
- Maximum: 3.00
- Standard Deviation: 0.00

Location: 1-1 (width: 1; decimal: 0)

Variable Type: numeric

CONTENTS: RECORD CONTENTS

Value	Label	Unweighted Frequency	%
1	Agency header only	6116	2.3 %
2	Detail record	264568	97.7 %
	Total	270,684	100%

Based upon 270,684 valid cases out of 270,684 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2-2 (width: 1; decimal: 0)

Variable Type: numeric

STATE: NUMERIC STATE CODE (UCR CODE)

Range is 01-62. Data records are in order by ORI code within numeric state code.

Value	Label	Unweighted Frequency	%
1	Alabama	6107	2.3 %
2	Arizona	2904	1.1 %
3	Arkansas	4958	1.8 %
4	California	17210	6.4 %
5	Colorado	3950	1.5 %

Value	Label	Unweighted Frequency	%
6	Connecticut	2454	0.9 %
7	Delaware	1070	0.4 %
8	District of Columbia	39	0.0 %
9	Florida	692	0.3 %
10	Georgia	9389	3.5 %
11	Idaho	2174	0.8 %
12	Illinois	979	0.4 %
13	Indiana	5537	2.0 %
14	Iowa	3852	1.4 %
15	Kansas	3464	1.3 %
16	Kentucky	6711	2.5 %
17	Louisiana	4293	1.6 %
18	Maine	2777	1.0 %
19	Maryland	3706	1.4 %
20	Massachusetts	5694	2.1 %
21	Michigan	11060	4.1 %
22	Minnesota	7006	2.6 %
23	Mississippi	2194	0.8 %
24	Missouri	9010	3.3 %
25	Montana	1577	0.6 %
26	Nebraska	2740	1.0 %
27	Nevada	1710	0.6 %
28	New Hampshire	3267	1.2 %
29	New Jersey	11347	4.2 %
30	New Mexico	1856	0.7 %
31	New York	9627	3.6 %
32	North Carolina	12416	4.6 %
33	North Dakota	1611	0.6 %
34	Ohio	9715	3.6 %
35	Oklahoma	6283	2.3 %
36	Oregon	3771	1.4 %
37	Pennsylvania	20636	7.6 %
38	Rhode Island	1095	0.4 %
39	South Carolina	5776	2.1 %
40	South Dakota	1655	0.6 %
41	Tennessee	8292	3.1 %
42	Texas	19185	7.1 %
43	Utah	2806	1.0 %
44	Vermont	1208	0.4 %

Value	Label	Unweighted Frequency	%
45	Virginia	7289	2.7 %
46	Washington	4470	1.7 %
47	West Virginia	3451	1.3 %
48	Wisconsin	8307	3.1 %
49	Wyoming	1414	0.5 %
50	Alaska	1469	0.5 %
	Missing Data		
.	-	77	0.0 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 270,607 valid cases out of 270,684 total cases.

- Minimum: 1.00
- Maximum: 99.00

Location: 3-4 (width: 2; decimal: 0)

Variable Type: numeric

ORI: ORIGINATING AGENCY IDENTIFIER CODE

Originating Agency Identifier. Labels for ORIs are provided in the data file.

Value	Label	Unweighted Frequency	%
AK00101	ANCHORAGE	-	-
AK00102	FAIRBANKS	-	-
AK00103	JUNEAU	-	-
AK00104	KETCHIKAN	-	-
AK00105	KODIAK	-	-
AK00106	NOME	-	-
AK00107	PETERSBURG	-	-
AK00108	SEWARD	-	-
AK00109	SITKA	-	-
AK00110	SKAGWAY	-	-
AK00111	WRANGELL	-	-
AK00112	VALDEZ	-	-
AK00113	BETHEL	-	-
AK00114	CORDOVA	-	-
AK00116	KOTZEBUE	-	-
AK00117	PALMER	-	-
AK00118	NORTH SLOPE BOROUGH	-	-

Value	Label	Unweighted Frequency	%
AK00119	SELDOVIA	-	-
AK00120	SOLDOTNA	-	-
AK00121	HAINES	-	-
AK00122	HOMER	-	-
AK00123	KENAI	-	-
AK00125	METLAKATLA TRIBAL	-	-
AK00126	FAIRBANKS INTRNL AIRPORT	-	-
AK00127	TED STEVENS ANCHORAGE INT	-	-
AK00128	WHITTIER	-	-
AK00130	DILLINGHAM	-	-
AK00131	HOONAH	-	-
AK00132	NORTH POLE	-	-
AK00133	UNALASKA	-	-
AK00135	KLAWOCK	-	-
AK00142	UNIV OF AK: FAIRBANKS	-	-
AK00143	UNIV OF AK: ANCHORAGE	-	-
AK00145	CRAIG	-	-
AK00146	BRISTOL BAY BOROUGH	-	-
AK00150	ST. PAUL	-	-
AK00152	SAND POINT	-	-
AK00156	WASILLA	-	-
AKAST00	STATE TROOPERS, JUNEAU	-	-
AKAST01	ALASKA STATE TROOPERS	-	-
AKAST06	STATE TROOPERS, BETHEL	-	-
AKAST15	STATE TROOPERS HQS, ANCHO	-	-
AKATF02	BUREAU OF ATF ANCHORAGE	-	-
AKFBIAN	FBI, ANCHORAGE	-	-
AL00100	JEFFERSON	-	-
AL00101	BESSEMER	-	-
AL00102	BIRMINGHAM	-	-
AL00103	MOUNTAIN BROOK	-	-
AL00104	FAIRFIELD	-	-
AL00105	GARDENDALE	-	-
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 270,684 valid cases out of 270,684 total cases.

Location: 5-13 (width: 9; decimal: 0)

Variable Type: character

GROUP: GROUP

Group 0 is possessions; 1-7 are cities, 8-9 are counties. Sub-Group (position 12) is blank when not used. All populations are inclusive.

Value	Label	Unweighted Frequency	%
-		77	0.0 %
0	Possessions	53	0.0 %
1	Cities 250,000 or over	0	0.0 %
1A	Cities 1,000,000 or over	365	0.1 %
1B	Cities 500,000-999,999	934	0.3 %
1C	Cities 250,000-499,999	1630	0.6 %
2	Cities 100,000-249,999	6821	2.5 %
3	Cities 50,000-99,999	14068	5.2 %
4	Cities 25,000-49,999	22641	8.4 %
5	Cities 10,000-24,999	41202	15.2 %
6	Cities 2,500-9,999	65071	24.0 %
7	Cities under 2,500	43913	16.2 %
8	Non-MSA Cnty:	0	0.0 %
8A	Non-MSA Cnty 100,000 or over	125	0.0 %
8B	Non-MSA Cnty 25,000-99,999	6975	2.6 %
8C	Non-MSA Cnty 10,000-24,999	12394	4.6 %
8D	Non-MSA Cnty under 10,000	17980	6.6 %
8E	Non-MSA State Police	1263	0.5 %
9	MSA Cnty:	0	0.0 %
9A	MSA Cnty 100,000 or over	5015	1.9 %
9B	MSA Cnty 25,000-99,999	12912	4.8 %
9C	MSA Cnty 10,000-24,999	5866	2.2 %
9D	MSA Cnty under 10,000	10961	4.0 %
9E	MSA State Police	418	0.2 %
	Total	270,684	100%

Based upon 270,684 valid cases out of 270,684 total cases.

Location: 14-15 (width: 2; decimal: 0)

Variable Type: character

DIV: GEOGRAPHIC DIVISION OF STATE

Geographic division in which the state is located (from 1 thru 9). Possessions are coded "0."

Value	Label	Unweighted Frequency	%
0	Possessions	61	0.0 %

Value	Label	Unweighted Frequency	%
1	New England	16495	6.1 %
2	Middle Atlantic	41610	15.4 %
3	East North Central	35598	13.2 %
4	West North Central	29338	10.8 %
5	South Atlantic	43828	16.2 %
6	East South Central	23304	8.6 %
7	West South Central	34719	12.8 %
8	Mountain	18391	6.8 %
9	Pacific	27263	10.1 %
	Missing Data		
.	-	77	0.0 %
	Total	270,684	100%

Based upon 270,607 valid cases out of 270,684 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 16-16 (width: 1; decimal: 0)

Variable Type: numeric

YEAR: YEAR

The year the data reflects.

Value	Label	Unweighted Frequency	%
2018	-	270607	100.0 %
	Missing Data		
.	-	77	0.0 %
	Total	270,684	100%

Based upon 270,607 valid cases out of 270,684 total cases.

- Mean: 2018.00
- Median: 2018.00
- Mode: 2018.00
- Minimum: 2018.00
- Maximum: 2018.00
- Standard Deviation: 0.00

Location: 17-20 (width: 4; decimal: 0)

Variable Type: numeric

MSA: METROPOLITAN STATISTICAL AREA OF CITY (UCR CODE)

Metropolitan Statistical Area (MSA) number in which the city is located, if any. Blank if not used.

Value	Label	Unweighted Frequency	%
	Missing Data		
9998	Not applicable	270684	100.0 %
	Total	270,684	100%

Based upon 0 valid cases out of 270,684 total cases.

Location: 21-24 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9998

SUB: SUBURBAN

A "suburban" agency is an MSA city with less than 50,000 population (groups 4 - 7) together with MSA counties (group 9).

Value	Label	Unweighted Frequency	%
0	Non-suburban	125904	46.5 %
1	Suburban	144703	53.5 %
	Missing Data		
.	-	77	0.0 %
	Total	270,684	100%

Based upon 270,607 valid cases out of 270,684 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 25-25 (width: 1; decimal: 0)

Variable Type: numeric

REPORT: REPORT INDICATION

Value	Label	Unweighted Frequency	%
0	Juvenile and adult reported	251906	93.1 %
1	Juvenile only reported	37	0.0 %
2	Adult only reported	13657	5.0 %
3	Not reported	0	0.0 %
5	UNDOCUMENTED CODE	5007	1.8 %
	Missing Data		
.	-	77	0.0 %
	Total	270,684	100%

Based upon 270,607 valid cases out of 270,684 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 26-26 (width: 1; decimal: 0)

Variable Type: numeric

ADJUST: ADJUSTMENT

Value	Label	Unweighted Frequency	%
0	Age, race, and ethnic origin reported	264932	97.9 %
1	No age reported	0	0.0 %
2	No race reported	0	0.0 %
3	No ethnic origin reported	5675	2.1 %
4	No race or ethnic origin reported	0	0.0 %
5	No age or ethnic origin reported	0	0.0 %
6	No age or race reported	0	0.0 %
	Missing Data		
9	Blank	77	0.0 %
	Total	270,684	100%

Based upon 270,607 valid cases out of 270,684 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 27-27 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9

SEQNO: SEQUENCE NUMBER (5-DIGIT)

A five-digit number which places all cities in alphabetic order, regardless of state. This field is blank for groups 0, 8, and 9.

Value	Label	Unweighted Frequency	%
0	-	270607	100.0 %
	Missing Data		
.	-	77	0.0 %
	Total	270,684	100%

Based upon 270,607 valid cases out of 270,684 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 28-28 (width: 1; decimal: 0)

Variable Type: numeric

COUNTY: COUNTY (3-DIGIT UCR CODE)

Three-digit numeric code for the county in which the agency is located.

Value	Label	Unweighted Frequency	%
0	-	9570	3.5 %
1	-	5612	2.1 %
2	-	8374	3.1 %
3	-	5365	2.0 %
4	-	5261	1.9 %
5	-	4682	1.7 %
6	-	4223	1.6 %
7	-	5759	2.1 %
8	-	4522	1.7 %
9	-	5166	1.9 %
10	-	4507	1.7 %
11	-	4094	1.5 %
12	-	3292	1.2 %
13	-	4756	1.8 %
14	-	4802	1.8 %
15	-	5023	1.9 %
16	-	4149	1.5 %
17	-	3033	1.1 %
18	-	3984	1.5 %
19	-	5733	2.1 %
20	-	3019	1.1 %
21	-	2933	1.1 %
22	-	2633	1.0 %
23	-	3640	1.3 %
24	-	2837	1.0 %
25	-	3755	1.4 %
26	-	2399	0.9 %
27	-	3617	1.3 %
28	-	2780	1.0 %
29	-	2293	0.8 %
30	-	3370	1.2 %
31	-	3269	1.2 %
32	-	2035	0.8 %
33	-	2939	1.1 %
34	-	2656	1.0 %
35	-	2170	0.8 %
36	-	4486	1.7 %

Value	Label	Unweighted Frequency	%
37	-	2994	1.1 %
38	-	1844	0.7 %
39	-	2516	0.9 %
40	-	3301	1.2 %
41	-	2468	0.9 %
42	-	2257	0.8 %
43	-	2968	1.1 %
44	-	2108	0.8 %
45	-	2614	1.0 %
46	-	2996	1.1 %
47	-	2126	0.8 %
48	-	2554	0.9 %
49	-	2491	0.9 %
	Missing Data		
.	-	77	0.0 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 270,607 valid cases out of 270,684 total cases.

- Mean: 40.58
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 40.82

Location: 29-31 (width: 3; decimal: 0)

Variable Type: numeric

CORE: CORE CITY

Value	Label	Unweighted Frequency	%
	-	77	0.0 %
N	Agency not core city	251478	92.9 %
Y	Agency is core city	19129	7.1 %
	Total	270,684	100%

Based upon 270,684 valid cases out of 270,684 total cases.

Location: 32-32 (width: 1; decimal: 0)

Variable Type: character

POP: CURRENT POPULATION

Total population for the agency for the year reported.

Based upon 270,607 valid cases out of 270,684 total cases.

- Mean: 31138.94
- Minimum: 0.00
- Maximum: 8523171.00
- Standard Deviation: 106043.21

Location: 33-39 (width: 7; decimal: 0)

Variable Type: numeric

AGENCNT: AGENCY COUNT

Used to accumulate "agencies used" totals in various tabulations. This field is normally "1" but will be "0" for the U.S. Park Police and all State Police agencies whose ORI code ends in "SP" (or "99" in California).

Value	Label	Unweighted Frequency	%
1	-	270607	100.0 %
	Missing Data		
.	-	77	0.0 %
	Total	270,684	100%

Based upon 270,607 valid cases out of 270,684 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

Location: 40-40 (width: 1; decimal: 0)

Variable Type: numeric

AGENCY: AGENCY NAME

Based upon 270,684 valid cases out of 270,684 total cases.

Location: 41-65 (width: 25; decimal: 0)

Variable Type: character

STNAME: STATE NAME

Value	Label	Unweighted Frequency	%
	-	77	0.0 %
ALABAMA	-	6107	2.3 %
ALASKA	-	1469	0.5 %
AMERICA	-	1	0.0 %

Value	Label	Unweighted Frequency	%
ARIZO N	-	2904	1.1 %
ARKA NS	-	4958	1.8 %
CALIF O	-	17210	6.4 %
CANAL	-	1	0.0 %
COLO RA	-	3950	1.5 %
CONN EC	-	2454	0.9 %
DELA WA	-	1070	0.4 %
DISTRI	-	39	0.0 %
FEDER A	-	20	0.0 %
FLORI D	-	692	0.3 %
GEOR GI	-	9389	3.5 %
GUAM	-	4	0.0 %
HAWAI I	-	150	0.1 %
IDAHO	-	2174	0.8 %
ILLINO	-	979	0.4 %
INDIAN	-	5537	2.0 %
IOWA	-	3852	1.4 %
KANSA S	-	3464	1.3 %
KENTU C	-	6711	2.5 %
LOUISI	-	4293	1.6 %
MAINE	-	2777	1.0 %
MARIA N	-	1	0.0 %
MARY LA	-	3706	1.4 %
MASS AC	-	5694	2.1 %
MICHI G	-	11060	4.1 %
MINNE S	-	7006	2.6 %
MISSIS	-	2194	0.8 %

Value	Label	Unweighted Frequency	%
MIS SOUR	-	9010	3.3 %
MONT ANA	-	1577	0.6 %
NEBR ASK	-	2740	1.0 %
NEVAD A	-	1710	0.6 %
NEW HAMP	-	3267	1.2 %
NEW JERSEY	-	11347	4.2 %
NEW MEXICO	-	1856	0.7 %
NEW YORK	-	9627	3.6 %
NORTH CAROLINA	-	14027	5.2 %
OHIO	-	9715	3.6 %
OKLAH OMA	-	6283	2.3 %
OREG ON	-	3771	1.4 %
OTHE R	-	173	0.1 %
PENN SYLVANIA	-	20636	7.6 %
PUERT RICO	-	29	0.0 %
RHOD E ISLAND	-	1095	0.4 %
SOUTH CAROLINA	-	7431	2.7 %
TENNE SSSEE	-	8292	3.1 %
TEXAS	-	19185	7.1 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 270,684 valid cases out of 270,684 total cases.

Location: 66-71 (width: 6; decimal: 0)

Variable Type: character

CARD1: CARD 1 INDICATOR

Value	Label	Unweighted Frequency	%
0	No adult male reported	19899	7.4 %
1	Adult male reported	244669	90.4 %
	Missing Data		
8	Not applicable	6116	2.3 %
	Total	270,684	100%

Based upon 264,568 valid cases out of 270,684 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 72-72 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

CARD2: CARD 2 INDICATOR

Value	Label	Unweighted Frequency	%
0	No adult female reported	54310	20.1 %
1	Adult female reported	210258	77.7 %
	Missing Data		
8	Not applicable	6116	2.3 %
	Total	270,684	100%

Based upon 264,568 valid cases out of 270,684 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 73-73 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

CARD3: CARD 3 INDICATOR

Value	Label	Unweighted Frequency	%
0	No juvenile reported	96317	35.6 %
1	Juvenile reported	168251	62.2 %
	Missing Data		
8	Not applicable	6116	2.3 %
	Total	270,684	100%

Based upon 264,568 valid cases out of 270,684 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 74-74 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

OFFENSE: OFFENSE CODE

Value	Label	Unweighted Frequency	%
000	HEADER Record	93	0.0 %
011	Murder and non-negligent manslaughter	2566	0.9 %
012	Manslaughter by negligence	938	0.3 %
020	Forcible rape	4850	1.8 %
030	Robbery	4981	1.8 %
040	Aggravated assault	10120	3.7 %
050	Burglary-breaking or entering	8653	3.2 %
060	Larceny-theft (not motor vehicle)	10648	3.9 %
070	Motor vehicle theft	6983	2.6 %
080	Other assaults	11664	4.3 %
090	Arson	2817	1.0 %
100	Forgery and counterfeiting	6102	2.3 %
110	Fraud	7860	2.9 %
120	Embezzlement	2550	0.9 %
130	Stolen property-buy, receive, poss.	6460	2.4 %
140	Vandalism	8715	3.2 %
150	Weapons-carry, posses, etc.	8515	3.1 %
160	Prostitution and commercialized vice	1461	0.5 %
161	Prostitution and commercialized vice - Prostitution	1013	0.4 %
162	Prostitution and commercialized vice - Assisting or Promoting Prostitution	674	0.2 %
163	Prostitution and commercialized vice - Purchasing Prostitution	509	0.2 %
170	Sex offenses (not rape or prostitution)	5984	2.2 %
18	Total drug abuse violations	12206	4.5 %
180	Sale/manufacture (subtotal)	8526	3.1 %
181	Sale: Opium, coke, and their derivatives	4705	1.7 %
182	Sale: Marijuana	6072	2.2 %
183	Sale: Truly addicting synthetic narcotics	2548	0.9 %
184	Sale: Other dangerous non-narc drugs	5433	2.0 %
185	Possession (subtotal)	12024	4.4 %
186	Possession: Opium, coke, and their derivatives	8043	3.0 %
187	Possession: Marijuana	10634	3.9 %
188	Possession: Truly addicting synthetic narcotics	5663	2.1 %
189	Possession: Other dangerous non-narc drugs	9622	3.6 %
19	Gambling (total)	719	0.3 %
190	Gambling (total)	0	0.0 %

Value	Label	Unweighted Frequency	%
191	Bookmaking (horse and sports)	464	0.2 %
192	Number and lottery	446	0.2 %
193	All other gambling	609	0.2 %
200	Offenses against family and children	5738	2.1 %
210	Driving under the influence	11825	4.4 %
220	Liquor laws	7511	2.8 %
230	Drunkenness	6131	2.3 %
240	Disorderly conduct	9700	3.6 %
250	Vagrancy	1531	0.6 %
260	All other offenses (not traffic)	12641	4.7 %
270	Suspicion	248	0.1 %
280	Curfew and loitering violations	1590	0.6 %
290	Runaways	1547	0.6 %
301	Human Trafficking - Commercial Sex Acts	266	0.1 %
302	Human Trafficking - Involuntary Servitude	204	0.1 %
	Missing Data		
998	Not applicable	6116	2.3 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,568 valid cases out of 270,684 total cases.

Location: 75-77 (width: 3; decimal: 0)

Variable Type: character

(Range of) Missing Values: 998

MO_9: MALE UNDER 10

Value	Label	Unweighted Frequency	%
0	-	262489	97.0 %
1	-	1554	0.6 %
2	-	328	0.1 %
3	-	136	0.1 %
4	-	54	0.0 %
5	-	27	0.0 %
6	-	16	0.0 %
7	-	9	0.0 %
8	-	9	0.0 %
9	-	4	0.0 %
10	-	3	0.0 %

Value	Label	Unweighted Frequency	%
11	-	5	0.0 %
12	-	2	0.0 %
13	-	2	0.0 %
15	-	1	0.0 %
16	-	1	0.0 %
17	-	1	0.0 %
18	-	1	0.0 %
24	-	1	0.0 %
44	-	1	0.0 %
53	-	1	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 53.00
- Standard Deviation: 0.24

Location: 78-83 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M10_12: MALE 10-12

Value	Label	Unweighted Frequency	%
0	-	251124	92.8 %
1	-	7867	2.9 %
2	-	2517	0.9 %
3	-	1067	0.4 %
4	-	642	0.2 %
5	-	354	0.1 %
6	-	276	0.1 %
7	-	177	0.1 %
8	-	104	0.0 %
9	-	88	0.0 %
10	-	59	0.0 %
11	-	53	0.0 %
12	-	47	0.0 %

Value	Label	Unweighted Frequency	%
13	-	39	0.0 %
14	-	29	0.0 %
15	-	19	0.0 %
16	-	17	0.0 %
17	-	17	0.0 %
18	-	17	0.0 %
19	-	10	0.0 %
20	-	10	0.0 %
21	-	10	0.0 %
22	-	11	0.0 %
23	-	8	0.0 %
24	-	9	0.0 %
25	-	5	0.0 %
26	-	4	0.0 %
27	-	7	0.0 %
28	-	3	0.0 %
29	-	6	0.0 %
30	-	3	0.0 %
31	-	4	0.0 %
32	-	2	0.0 %
33	-	1	0.0 %
34	-	4	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
37	-	3	0.0 %
39	-	2	0.0 %
42	-	1	0.0 %
43	-	1	0.0 %
44	-	2	0.0 %
45	-	2	0.0 %
47	-	1	0.0 %
48	-	1	0.0 %
50	-	1	0.0 %
52	-	1	0.0 %
53	-	1	0.0 %
54	-	1	0.0 %
56	-	1	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %

Value	Label	Unweighted Frequency	%
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 371.00
- Standard Deviation: 1.29

Location: 84-89 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M13_14: MALE 13-14

Value	Label	Unweighted Frequency	%
0	-	232794	86.0 %
1	-	15982	5.9 %
2	-	6008	2.2 %
3	-	2981	1.1 %
4	-	1695	0.6 %
5	-	1085	0.4 %
6	-	768	0.3 %
7	-	529	0.2 %
8	-	436	0.2 %
9	-	305	0.1 %
10	-	275	0.1 %
11	-	219	0.1 %
12	-	177	0.1 %
13	-	126	0.0 %
14	-	122	0.0 %
15	-	130	0.0 %
16	-	99	0.0 %
17	-	63	0.0 %
18	-	73	0.0 %
19	-	57	0.0 %
20	-	58	0.0 %
21	-	38	0.0 %
22	-	45	0.0 %

Value	Label	Unweighted Frequency	%
23	-	37	0.0 %
24	-	46	0.0 %
25	-	33	0.0 %
26	-	42	0.0 %
27	-	32	0.0 %
28	-	32	0.0 %
29	-	21	0.0 %
30	-	25	0.0 %
31	-	22	0.0 %
32	-	12	0.0 %
33	-	23	0.0 %
34	-	14	0.0 %
35	-	17	0.0 %
36	-	14	0.0 %
37	-	11	0.0 %
38	-	11	0.0 %
39	-	10	0.0 %
40	-	10	0.0 %
41	-	7	0.0 %
42	-	10	0.0 %
43	-	8	0.0 %
44	-	3	0.0 %
45	-	9	0.0 %
46	-	1	0.0 %
47	-	3	0.0 %
48	-	8	0.0 %
49	-	7	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 0.41
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 674.00
- Standard Deviation: 2.94

Location: 90-95 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M15: MALE 15

Value	Label	Unweighted Frequency	%
0	-	232164	85.8 %
1	-	17516	6.5 %
2	-	5919	2.2 %
3	-	2842	1.0 %
4	-	1647	0.6 %
5	-	1028	0.4 %
6	-	683	0.3 %
7	-	481	0.2 %
8	-	391	0.1 %
9	-	289	0.1 %
10	-	201	0.1 %
11	-	171	0.1 %
12	-	139	0.1 %
13	-	131	0.0 %
14	-	111	0.0 %
15	-	91	0.0 %
16	-	82	0.0 %
17	-	67	0.0 %
18	-	53	0.0 %
19	-	60	0.0 %
20	-	46	0.0 %
21	-	52	0.0 %
22	-	42	0.0 %
23	-	36	0.0 %
24	-	40	0.0 %
25	-	26	0.0 %
26	-	21	0.0 %
27	-	15	0.0 %
28	-	13	0.0 %
29	-	20	0.0 %
30	-	19	0.0 %
31	-	13	0.0 %
32	-	23	0.0 %
33	-	12	0.0 %
34	-	17	0.0 %

Value	Label	Unweighted Frequency	%
35	-	7	0.0 %
36	-	5	0.0 %
37	-	8	0.0 %
38	-	9	0.0 %
39	-	10	0.0 %
40	-	7	0.0 %
41	-	6	0.0 %
42	-	6	0.0 %
43	-	5	0.0 %
44	-	6	0.0 %
45	-	6	0.0 %
46	-	6	0.0 %
47	-	1	0.0 %
48	-	6	0.0 %
49	-	4	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 641.00
- Standard Deviation: 2.55

Location: 96-101 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M16: MALE 16

Value	Label	Unweighted Frequency	%
0	-	223558	82.6 %
1	-	21362	7.9 %
2	-	7400	2.7 %
3	-	3818	1.4 %
4	-	2218	0.8 %
5	-	1408	0.5 %

Value	Label	Unweighted Frequency	%
6	-	946	0.3 %
7	-	710	0.3 %
8	-	560	0.2 %
9	-	357	0.1 %
10	-	315	0.1 %
11	-	256	0.1 %
12	-	165	0.1 %
13	-	183	0.1 %
14	-	141	0.1 %
15	-	130	0.0 %
16	-	104	0.0 %
17	-	76	0.0 %
18	-	90	0.0 %
19	-	69	0.0 %
20	-	72	0.0 %
21	-	72	0.0 %
22	-	44	0.0 %
23	-	35	0.0 %
24	-	40	0.0 %
25	-	32	0.0 %
26	-	35	0.0 %
27	-	18	0.0 %
28	-	20	0.0 %
29	-	14	0.0 %
30	-	17	0.0 %
31	-	27	0.0 %
32	-	17	0.0 %
33	-	15	0.0 %
34	-	16	0.0 %
35	-	12	0.0 %
36	-	25	0.0 %
37	-	8	0.0 %
38	-	18	0.0 %
39	-	12	0.0 %
40	-	12	0.0 %
41	-	11	0.0 %
42	-	16	0.0 %
43	-	10	0.0 %
44	-	12	0.0 %

Value	Label	Unweighted Frequency	%
45	-	6	0.0 %
46	-	12	0.0 %
47	-	1	0.0 %
48	-	12	0.0 %
49	-	6	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 0.50
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 790.00
- Standard Deviation: 3.11

Location: 102-107 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M17: MALE 17

Value	Label	Unweighted Frequency	%
0	-	213281	78.8 %
1	-	25879	9.6 %
2	-	9462	3.5 %
3	-	4732	1.7 %
4	-	2884	1.1 %
5	-	1845	0.7 %
6	-	1251	0.5 %
7	-	862	0.3 %
8	-	675	0.2 %
9	-	560	0.2 %
10	-	429	0.2 %
11	-	369	0.1 %
12	-	289	0.1 %
13	-	228	0.1 %
14	-	210	0.1 %
15	-	151	0.1 %

Value	Label	Unweighted Frequency	%
16	-	139	0.1 %
17	-	128	0.0 %
18	-	106	0.0 %
19	-	106	0.0 %
20	-	95	0.0 %
21	-	76	0.0 %
22	-	61	0.0 %
23	-	70	0.0 %
24	-	39	0.0 %
25	-	52	0.0 %
26	-	40	0.0 %
27	-	44	0.0 %
28	-	41	0.0 %
29	-	34	0.0 %
30	-	30	0.0 %
31	-	28	0.0 %
32	-	35	0.0 %
33	-	23	0.0 %
34	-	19	0.0 %
35	-	24	0.0 %
36	-	17	0.0 %
37	-	15	0.0 %
38	-	21	0.0 %
39	-	15	0.0 %
40	-	7	0.0 %
41	-	10	0.0 %
42	-	9	0.0 %
43	-	7	0.0 %
44	-	12	0.0 %
45	-	5	0.0 %
46	-	7	0.0 %
47	-	5	0.0 %
48	-	13	0.0 %
49	-	7	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 0.65
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 689.00
- Standard Deviation: 3.62

Location: 108-113 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M18: MALE 18

Value	Label	Unweighted Frequency	%
0	-	198574	73.4 %
1	-	32091	11.9 %
2	-	11867	4.4 %
3	-	6174	2.3 %
4	-	3702	1.4 %
5	-	2476	0.9 %
6	-	1810	0.7 %
7	-	1269	0.5 %
8	-	967	0.4 %
9	-	803	0.3 %
10	-	598	0.2 %
11	-	503	0.2 %
12	-	423	0.2 %
13	-	349	0.1 %
14	-	267	0.1 %
15	-	255	0.1 %
16	-	200	0.1 %
17	-	207	0.1 %
18	-	174	0.1 %
19	-	151	0.1 %
20	-	133	0.0 %
21	-	120	0.0 %
22	-	114	0.0 %
23	-	93	0.0 %
24	-	93	0.0 %
25	-	80	0.0 %

Value	Label	Unweighted Frequency	%
26	-	60	0.0 %
27	-	67	0.0 %
28	-	47	0.0 %
29	-	60	0.0 %
30	-	54	0.0 %
31	-	38	0.0 %
32	-	38	0.0 %
33	-	49	0.0 %
34	-	37	0.0 %
35	-	23	0.0 %
36	-	27	0.0 %
37	-	23	0.0 %
38	-	27	0.0 %
39	-	21	0.0 %
40	-	32	0.0 %
41	-	19	0.0 %
42	-	21	0.0 %
43	-	13	0.0 %
44	-	25	0.0 %
45	-	12	0.0 %
46	-	21	0.0 %
47	-	17	0.0 %
48	-	10	0.0 %
49	-	11	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 0.98
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1546.00
- Standard Deviation: 7.03

Location: 114-119 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M19: MALE 19

Value	Label	Unweighted Frequency	%
0	-	196616	72.6 %
1	-	32528	12.0 %
2	-	12378	4.6 %
3	-	6347	2.3 %
4	-	3752	1.4 %
5	-	2581	1.0 %
6	-	1822	0.7 %
7	-	1317	0.5 %
8	-	1030	0.4 %
9	-	805	0.3 %
10	-	672	0.2 %
11	-	511	0.2 %
12	-	418	0.2 %
13	-	409	0.2 %
14	-	338	0.1 %
15	-	286	0.1 %
16	-	247	0.1 %
17	-	217	0.1 %
18	-	170	0.1 %
19	-	176	0.1 %
20	-	149	0.1 %
21	-	131	0.0 %
22	-	113	0.0 %
23	-	115	0.0 %
24	-	100	0.0 %
25	-	81	0.0 %
26	-	86	0.0 %
27	-	74	0.0 %
28	-	49	0.0 %
29	-	41	0.0 %
30	-	50	0.0 %
31	-	50	0.0 %
32	-	48	0.0 %
33	-	48	0.0 %
34	-	51	0.0 %
35	-	30	0.0 %
36	-	48	0.0 %

Value	Label	Unweighted Frequency	%
37	-	51	0.0 %
38	-	34	0.0 %
39	-	27	0.0 %
40	-	29	0.0 %
41	-	21	0.0 %
42	-	25	0.0 %
43	-	19	0.0 %
44	-	15	0.0 %
45	-	19	0.0 %
46	-	21	0.0 %
47	-	15	0.0 %
48	-	12	0.0 %
49	-	19	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 1.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 526.00
- Standard Deviation: 5.65

Location: 120-125 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M20: MALE 20

Value	Label	Unweighted Frequency	%
0	-	196925	72.8 %
1	-	33012	12.2 %
2	-	12051	4.5 %
3	-	6307	2.3 %
4	-	3805	1.4 %
5	-	2452	0.9 %
6	-	1741	0.6 %
7	-	1379	0.5 %

Value	Label	Unweighted Frequency	%
8	-	986	0.4 %
9	-	760	0.3 %
10	-	628	0.2 %
11	-	521	0.2 %
12	-	445	0.2 %
13	-	354	0.1 %
14	-	308	0.1 %
15	-	237	0.1 %
16	-	222	0.1 %
17	-	207	0.1 %
18	-	183	0.1 %
19	-	162	0.1 %
20	-	133	0.0 %
21	-	127	0.0 %
22	-	112	0.0 %
23	-	99	0.0 %
24	-	75	0.0 %
25	-	76	0.0 %
26	-	71	0.0 %
27	-	78	0.0 %
28	-	77	0.0 %
29	-	65	0.0 %
30	-	53	0.0 %
31	-	55	0.0 %
32	-	45	0.0 %
33	-	58	0.0 %
34	-	34	0.0 %
35	-	28	0.0 %
36	-	20	0.0 %
37	-	32	0.0 %
38	-	27	0.0 %
39	-	29	0.0 %
40	-	28	0.0 %
41	-	18	0.0 %
42	-	26	0.0 %
43	-	24	0.0 %
44	-	20	0.0 %
45	-	18	0.0 %
46	-	14	0.0 %

Value	Label	Unweighted Frequency	%
47	-	15	0.0 %
48	-	18	0.0 %
49	-	8	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 1.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 511.00
- Standard Deviation: 5.79

Location: 126-131 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M21: MALE 21

Value	Label	Unweighted Frequency	%
0	-	197491	73.0 %
1	-	33029	12.2 %
2	-	11850	4.4 %
3	-	6114	2.3 %
4	-	3771	1.4 %
5	-	2358	0.9 %
6	-	1761	0.7 %
7	-	1280	0.5 %
8	-	996	0.4 %
9	-	718	0.3 %
10	-	688	0.3 %
11	-	504	0.2 %
12	-	406	0.1 %
13	-	355	0.1 %
14	-	301	0.1 %
15	-	266	0.1 %
16	-	210	0.1 %
17	-	189	0.1 %

Value	Label	Unweighted Frequency	%
18	-	161	0.1 %
19	-	157	0.1 %
20	-	140	0.1 %
21	-	128	0.0 %
22	-	113	0.0 %
23	-	89	0.0 %
24	-	88	0.0 %
25	-	88	0.0 %
26	-	81	0.0 %
27	-	87	0.0 %
28	-	65	0.0 %
29	-	69	0.0 %
30	-	63	0.0 %
31	-	46	0.0 %
32	-	47	0.0 %
33	-	38	0.0 %
34	-	37	0.0 %
35	-	38	0.0 %
36	-	36	0.0 %
37	-	33	0.0 %
38	-	32	0.0 %
39	-	35	0.0 %
40	-	21	0.0 %
41	-	22	0.0 %
42	-	28	0.0 %
43	-	18	0.0 %
44	-	26	0.0 %
45	-	26	0.0 %
46	-	23	0.0 %
47	-	22	0.0 %
48	-	10	0.0 %
49	-	18	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 1.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 476.00
- Standard Deviation: 5.98

Location: 132-137 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M22: MALE 22

Value	Label	Unweighted Frequency	%
0	-	197754	73.1 %
1	-	32659	12.1 %
2	-	11842	4.4 %
3	-	6075	2.2 %
4	-	3758	1.4 %
5	-	2455	0.9 %
6	-	1737	0.6 %
7	-	1336	0.5 %
8	-	967	0.4 %
9	-	782	0.3 %
10	-	597	0.2 %
11	-	511	0.2 %
12	-	453	0.2 %
13	-	361	0.1 %
14	-	315	0.1 %
15	-	237	0.1 %
16	-	216	0.1 %
17	-	213	0.1 %
18	-	174	0.1 %
19	-	154	0.1 %
20	-	127	0.0 %
21	-	126	0.0 %
22	-	96	0.0 %
23	-	89	0.0 %
24	-	97	0.0 %
25	-	84	0.0 %
26	-	63	0.0 %
27	-	74	0.0 %
28	-	77	0.0 %
29	-	61	0.0 %

Value	Label	Unweighted Frequency	%
30	-	50	0.0 %
31	-	47	0.0 %
32	-	66	0.0 %
33	-	46	0.0 %
34	-	49	0.0 %
35	-	39	0.0 %
36	-	42	0.0 %
37	-	30	0.0 %
38	-	32	0.0 %
39	-	33	0.0 %
40	-	20	0.0 %
41	-	27	0.0 %
42	-	29	0.0 %
43	-	25	0.0 %
44	-	20	0.0 %
45	-	24	0.0 %
46	-	26	0.0 %
47	-	25	0.0 %
48	-	12	0.0 %
49	-	14	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 1.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 501.00
- Standard Deviation: 6.03

Location: 138-143 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M23: MALE 23

Value	Label	Unweighted Frequency	%
0	-	197675	73.0 %

Value	Label	Unweighted Frequency	%
1	-	32540	12.0 %
2	-	12093	4.5 %
3	-	6083	2.2 %
4	-	3666	1.4 %
5	-	2383	0.9 %
6	-	1712	0.6 %
7	-	1259	0.5 %
8	-	965	0.4 %
9	-	811	0.3 %
10	-	637	0.2 %
11	-	553	0.2 %
12	-	434	0.2 %
13	-	376	0.1 %
14	-	298	0.1 %
15	-	248	0.1 %
16	-	231	0.1 %
17	-	219	0.1 %
18	-	190	0.1 %
19	-	161	0.1 %
20	-	154	0.1 %
21	-	123	0.0 %
22	-	145	0.1 %
23	-	79	0.0 %
24	-	108	0.0 %
25	-	100	0.0 %
26	-	77	0.0 %
27	-	64	0.0 %
28	-	61	0.0 %
29	-	48	0.0 %
30	-	62	0.0 %
31	-	42	0.0 %
32	-	53	0.0 %
33	-	36	0.0 %
34	-	48	0.0 %
35	-	38	0.0 %
36	-	39	0.0 %
37	-	35	0.0 %
38	-	35	0.0 %
39	-	35	0.0 %

Value	Label	Unweighted Frequency	%
40	-	18	0.0 %
41	-	19	0.0 %
42	-	29	0.0 %
43	-	27	0.0 %
44	-	20	0.0 %
45	-	23	0.0 %
46	-	23	0.0 %
47	-	17	0.0 %
48	-	18	0.0 %
49	-	11	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 1.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 512.00
- Standard Deviation: 6.23

Location: 144-149 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M24: MALE 24

Value	Label	Unweighted Frequency	%
0	-	196946	72.8 %
1	-	32842	12.1 %
2	-	12043	4.4 %
3	-	6151	2.3 %
4	-	3778	1.4 %
5	-	2473	0.9 %
6	-	1788	0.7 %
7	-	1281	0.5 %
8	-	971	0.4 %
9	-	802	0.3 %
10	-	633	0.2 %

Value	Label	Unweighted Frequency	%
11	-	547	0.2 %
12	-	441	0.2 %
13	-	365	0.1 %
14	-	318	0.1 %
15	-	274	0.1 %
16	-	239	0.1 %
17	-	197	0.1 %
18	-	187	0.1 %
19	-	149	0.1 %
20	-	160	0.1 %
21	-	125	0.0 %
22	-	120	0.0 %
23	-	111	0.0 %
24	-	103	0.0 %
25	-	85	0.0 %
26	-	86	0.0 %
27	-	71	0.0 %
28	-	54	0.0 %
29	-	68	0.0 %
30	-	71	0.0 %
31	-	54	0.0 %
32	-	52	0.0 %
33	-	43	0.0 %
34	-	44	0.0 %
35	-	34	0.0 %
36	-	35	0.0 %
37	-	36	0.0 %
38	-	32	0.0 %
39	-	42	0.0 %
40	-	38	0.0 %
41	-	32	0.0 %
42	-	25	0.0 %
43	-	27	0.0 %
44	-	20	0.0 %
45	-	24	0.0 %
46	-	17	0.0 %
47	-	17	0.0 %
48	-	15	0.0 %
49	-	13	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 1.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 564.00
- Standard Deviation: 6.55

Location: 150-155 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M25_29: MALE 25-29

Value	Label	Unweighted Frequency	%
0	-	128707	47.5 %
1	-	46951	17.3 %
2	-	21200	7.8 %
3	-	12531	4.6 %
4	-	8498	3.1 %
5	-	6172	2.3 %
6	-	4667	1.7 %
7	-	3707	1.4 %
8	-	3074	1.1 %
9	-	2527	0.9 %
10	-	2133	0.8 %
11	-	1846	0.7 %
12	-	1557	0.6 %
13	-	1398	0.5 %
14	-	1243	0.5 %
15	-	1139	0.4 %
16	-	1032	0.4 %
17	-	881	0.3 %
18	-	836	0.3 %
19	-	727	0.3 %
20	-	657	0.2 %

Value	Label	Unweighted Frequency	%
21	-	631	0.2 %
22	-	600	0.2 %
23	-	533	0.2 %
24	-	463	0.2 %
25	-	445	0.2 %
26	-	422	0.2 %
27	-	360	0.1 %
28	-	363	0.1 %
29	-	360	0.1 %
30	-	323	0.1 %
31	-	319	0.1 %
32	-	273	0.1 %
33	-	258	0.1 %
34	-	230	0.1 %
35	-	233	0.1 %
36	-	247	0.1 %
37	-	213	0.1 %
38	-	214	0.1 %
39	-	204	0.1 %
40	-	177	0.1 %
41	-	150	0.1 %
42	-	161	0.1 %
43	-	145	0.1 %
44	-	153	0.1 %
45	-	145	0.1 %
46	-	124	0.0 %
47	-	120	0.0 %
48	-	144	0.1 %
49	-	119	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 5.50
- Minimum: 0.00
- Maximum: 3643.00
- Standard Deviation: 33.13

Location: 156-161 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M30_34: MALE 30-34

Value	Label	Unweighted Frequency	%
0	-	136432	50.4 %
1	-	46529	17.2 %
2	-	20350	7.5 %
3	-	12190	4.5 %
4	-	7903	2.9 %
5	-	5691	2.1 %
6	-	4285	1.6 %
7	-	3356	1.2 %
8	-	2754	1.0 %
9	-	2307	0.9 %
10	-	1996	0.7 %
11	-	1637	0.6 %
12	-	1475	0.5 %
13	-	1257	0.5 %
14	-	1142	0.4 %
15	-	963	0.4 %
16	-	917	0.3 %
17	-	771	0.3 %
18	-	689	0.3 %
19	-	644	0.2 %
20	-	568	0.2 %
21	-	527	0.2 %
22	-	480	0.2 %
23	-	460	0.2 %
24	-	416	0.2 %
25	-	380	0.1 %
26	-	334	0.1 %
27	-	314	0.1 %
28	-	295	0.1 %
29	-	295	0.1 %
30	-	269	0.1 %
31	-	249	0.1 %
32	-	245	0.1 %
33	-	207	0.1 %
34	-	212	0.1 %

Value	Label	Unweighted Frequency	%
35	-	200	0.1 %
36	-	180	0.1 %
37	-	204	0.1 %
38	-	163	0.1 %
39	-	155	0.1 %
40	-	156	0.1 %
41	-	153	0.1 %
42	-	144	0.1 %
43	-	135	0.0 %
44	-	127	0.0 %
45	-	102	0.0 %
46	-	100	0.0 %
47	-	98	0.0 %
48	-	104	0.0 %
49	-	86	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 4.54
- Minimum: 0.00
- Maximum: 3592.00
- Standard Deviation: 27.62

Location: 162-167 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M35_39: MALE 35-39

Value	Label	Unweighted Frequency	%
0	-	145735	53.8 %
1	-	45091	16.7 %
2	-	19212	7.1 %
3	-	11037	4.1 %
4	-	7461	2.8 %
5	-	5295	2.0 %
6	-	3880	1.4 %
7	-	3134	1.2 %

Value	Label	Unweighted Frequency	%
8	-	2545	0.9 %
9	-	2104	0.8 %
10	-	1744	0.6 %
11	-	1394	0.5 %
12	-	1283	0.5 %
13	-	1130	0.4 %
14	-	934	0.3 %
15	-	844	0.3 %
16	-	808	0.3 %
17	-	657	0.2 %
18	-	599	0.2 %
19	-	505	0.2 %
20	-	484	0.2 %
21	-	459	0.2 %
22	-	438	0.2 %
23	-	390	0.1 %
24	-	311	0.1 %
25	-	321	0.1 %
26	-	301	0.1 %
27	-	301	0.1 %
28	-	261	0.1 %
29	-	203	0.1 %
30	-	222	0.1 %
31	-	196	0.1 %
32	-	173	0.1 %
33	-	182	0.1 %
34	-	166	0.1 %
35	-	166	0.1 %
36	-	159	0.1 %
37	-	154	0.1 %
38	-	121	0.0 %
39	-	100	0.0 %
40	-	121	0.0 %
41	-	93	0.0 %
42	-	111	0.0 %
43	-	100	0.0 %
44	-	85	0.0 %
45	-	92	0.0 %
46	-	84	0.0 %

Value	Label	Unweighted Frequency	%
47	-	80	0.0 %
48	-	89	0.0 %
49	-	92	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 3.74
- Minimum: 0.00
- Maximum: 3177.00
- Standard Deviation: 22.92

Location: 168-173 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M40_44: MALE 40-44

Value	Label	Unweighted Frequency	%
0	-	164395	60.7 %
1	-	41565	15.4 %
2	-	16990	6.3 %
3	-	9288	3.4 %
4	-	6024	2.2 %
5	-	4282	1.6 %
6	-	3209	1.2 %
7	-	2442	0.9 %
8	-	1897	0.7 %
9	-	1533	0.6 %
10	-	1258	0.5 %
11	-	1056	0.4 %
12	-	897	0.3 %
13	-	809	0.3 %
14	-	699	0.3 %
15	-	577	0.2 %
16	-	526	0.2 %
17	-	477	0.2 %
18	-	449	0.2 %
19	-	394	0.1 %

Value	Label	Unweighted Frequency	%
20	-	327	0.1 %
21	-	302	0.1 %
22	-	280	0.1 %
23	-	237	0.1 %
24	-	232	0.1 %
25	-	209	0.1 %
26	-	173	0.1 %
27	-	175	0.1 %
28	-	173	0.1 %
29	-	153	0.1 %
30	-	137	0.1 %
31	-	143	0.1 %
32	-	115	0.0 %
33	-	130	0.0 %
34	-	90	0.0 %
35	-	111	0.0 %
36	-	91	0.0 %
37	-	111	0.0 %
38	-	87	0.0 %
39	-	76	0.0 %
40	-	78	0.0 %
41	-	78	0.0 %
42	-	61	0.0 %
43	-	65	0.0 %
44	-	75	0.0 %
45	-	65	0.0 %
46	-	79	0.0 %
47	-	76	0.0 %
48	-	57	0.0 %
49	-	39	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 2.50
- Minimum: 0.00

- Maximum: 2197.00
- Standard Deviation: 16.00

Location: 174-179 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M45_49: MALE 45-49

Value	Label	Unweighted Frequency	%
0	-	174906	64.6 %
1	-	38837	14.3 %
2	-	15441	5.7 %
3	-	8320	3.1 %
4	-	5328	2.0 %
5	-	3675	1.4 %
6	-	2743	1.0 %
7	-	1984	0.7 %
8	-	1613	0.6 %
9	-	1329	0.5 %
10	-	1092	0.4 %
11	-	861	0.3 %
12	-	750	0.3 %
13	-	661	0.2 %
14	-	548	0.2 %
15	-	485	0.2 %
16	-	424	0.2 %
17	-	371	0.1 %
18	-	292	0.1 %
19	-	290	0.1 %
20	-	254	0.1 %
21	-	261	0.1 %
22	-	215	0.1 %
23	-	198	0.1 %
24	-	179	0.1 %
25	-	175	0.1 %
26	-	176	0.1 %
27	-	141	0.1 %
28	-	136	0.1 %
29	-	119	0.0 %
30	-	95	0.0 %
31	-	111	0.0 %
32	-	95	0.0 %

Value	Label	Unweighted Frequency	%
33	-	103	0.0 %
34	-	97	0.0 %
35	-	81	0.0 %
36	-	67	0.0 %
37	-	86	0.0 %
38	-	90	0.0 %
39	-	49	0.0 %
40	-	63	0.0 %
41	-	63	0.0 %
42	-	65	0.0 %
43	-	62	0.0 %
44	-	56	0.0 %
45	-	55	0.0 %
46	-	37	0.0 %
47	-	49	0.0 %
48	-	51	0.0 %
49	-	46	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 2.03
- Minimum: 0.00
- Maximum: 1932.00
- Standard Deviation: 13.43

Location: 180-185 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M50_54: MALE 50-54

Value	Label	Unweighted Frequency	%
0	-	184417	68.1 %
1	-	36468	13.5 %
2	-	13849	5.1 %
3	-	7529	2.8 %
4	-	4665	1.7 %
5	-	3140	1.2 %

Value	Label	Unweighted Frequency	%
6	-	2234	0.8 %
7	-	1749	0.6 %
8	-	1367	0.5 %
9	-	1054	0.4 %
10	-	863	0.3 %
11	-	702	0.3 %
12	-	620	0.2 %
13	-	513	0.2 %
14	-	432	0.2 %
15	-	384	0.1 %
16	-	355	0.1 %
17	-	277	0.1 %
18	-	274	0.1 %
19	-	214	0.1 %
20	-	227	0.1 %
21	-	178	0.1 %
22	-	166	0.1 %
23	-	158	0.1 %
24	-	136	0.1 %
25	-	128	0.0 %
26	-	110	0.0 %
27	-	106	0.0 %
28	-	109	0.0 %
29	-	78	0.0 %
30	-	72	0.0 %
31	-	74	0.0 %
32	-	82	0.0 %
33	-	55	0.0 %
34	-	78	0.0 %
35	-	79	0.0 %
36	-	56	0.0 %
37	-	52	0.0 %
38	-	58	0.0 %
39	-	50	0.0 %
40	-	55	0.0 %
41	-	39	0.0 %
42	-	44	0.0 %
43	-	34	0.0 %
44	-	42	0.0 %

Value	Label	Unweighted Frequency	%
45	-	40	0.0 %
46	-	41	0.0 %
47	-	26	0.0 %
48	-	28	0.0 %
49	-	33	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 1.63
- Minimum: 0.00
- Maximum: 1904.00
- Standard Deviation: 11.72

Location: 186-191 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M55_59: MALE 55-59

Value	Label	Unweighted Frequency	%
0	-	196437	72.6 %
1	-	32703	12.1 %
2	-	12129	4.5 %
3	-	6255	2.3 %
4	-	3815	1.4 %
5	-	2494	0.9 %
6	-	1734	0.6 %
7	-	1358	0.5 %
8	-	940	0.3 %
9	-	806	0.3 %
10	-	650	0.2 %
11	-	521	0.2 %
12	-	450	0.2 %
13	-	393	0.1 %
14	-	329	0.1 %
15	-	300	0.1 %
16	-	272	0.1 %
17	-	220	0.1 %

Value	Label	Unweighted Frequency	%
18	-	186	0.1 %
19	-	173	0.1 %
20	-	154	0.1 %
21	-	131	0.0 %
22	-	121	0.0 %
23	-	102	0.0 %
24	-	101	0.0 %
25	-	102	0.0 %
26	-	87	0.0 %
27	-	67	0.0 %
28	-	75	0.0 %
29	-	67	0.0 %
30	-	74	0.0 %
31	-	56	0.0 %
32	-	56	0.0 %
33	-	49	0.0 %
34	-	39	0.0 %
35	-	54	0.0 %
36	-	36	0.0 %
37	-	47	0.0 %
38	-	45	0.0 %
39	-	31	0.0 %
40	-	31	0.0 %
41	-	35	0.0 %
42	-	26	0.0 %
43	-	34	0.0 %
44	-	33	0.0 %
45	-	27	0.0 %
46	-	20	0.0 %
47	-	28	0.0 %
48	-	23	0.0 %
49	-	20	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 1.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1319.00
- Standard Deviation: 8.92

Location: 192-197 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M60_64: MALE 60-64

Value	Label	Unweighted Frequency	%
0	-	216962	80.2 %
1	-	26146	9.7 %
2	-	8421	3.1 %
3	-	4000	1.5 %
4	-	2274	0.8 %
5	-	1466	0.5 %
6	-	1045	0.4 %
7	-	738	0.3 %
8	-	497	0.2 %
9	-	395	0.1 %
10	-	302	0.1 %
11	-	265	0.1 %
12	-	197	0.1 %
13	-	187	0.1 %
14	-	156	0.1 %
15	-	126	0.0 %
16	-	137	0.1 %
17	-	128	0.0 %
18	-	79	0.0 %
19	-	71	0.0 %
20	-	84	0.0 %
21	-	65	0.0 %
22	-	60	0.0 %
23	-	45	0.0 %
24	-	53	0.0 %
25	-	45	0.0 %
26	-	48	0.0 %
27	-	38	0.0 %
28	-	23	0.0 %
29	-	35	0.0 %

Value	Label	Unweighted Frequency	%
30	-	37	0.0 %
31	-	22	0.0 %
32	-	19	0.0 %
33	-	18	0.0 %
34	-	21	0.0 %
35	-	14	0.0 %
36	-	18	0.0 %
37	-	15	0.0 %
38	-	11	0.0 %
39	-	10	0.0 %
40	-	15	0.0 %
41	-	14	0.0 %
42	-	12	0.0 %
43	-	5	0.0 %
44	-	11	0.0 %
45	-	10	0.0 %
46	-	8	0.0 %
47	-	11	0.0 %
48	-	8	0.0 %
49	-	8	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 0.62
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 779.00
- Standard Deviation: 4.88

Location: 198-203 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M65: MALE OVER 64

Value	Label	Unweighted Frequency	%
0	-	227635	84.1 %

Value	Label	Unweighted Frequency	%
1	-	21801	8.1 %
2	-	6656	2.5 %
3	-	2840	1.0 %
4	-	1589	0.6 %
5	-	990	0.4 %
6	-	626	0.2 %
7	-	446	0.2 %
8	-	312	0.1 %
9	-	264	0.1 %
10	-	206	0.1 %
11	-	169	0.1 %
12	-	145	0.1 %
13	-	97	0.0 %
14	-	91	0.0 %
15	-	64	0.0 %
16	-	66	0.0 %
17	-	57	0.0 %
18	-	42	0.0 %
19	-	55	0.0 %
20	-	32	0.0 %
21	-	29	0.0 %
22	-	35	0.0 %
23	-	28	0.0 %
24	-	25	0.0 %
25	-	22	0.0 %
26	-	15	0.0 %
27	-	18	0.0 %
28	-	11	0.0 %
29	-	14	0.0 %
30	-	13	0.0 %
31	-	10	0.0 %
32	-	12	0.0 %
33	-	11	0.0 %
34	-	12	0.0 %
35	-	6	0.0 %
36	-	11	0.0 %
37	-	7	0.0 %
38	-	7	0.0 %
39	-	8	0.0 %

Value	Label	Unweighted Frequency	%
40	-	8	0.0 %
41	-	6	0.0 %
42	-	7	0.0 %
43	-	5	0.0 %
44	-	1	0.0 %
45	-	7	0.0 %
46	-	2	0.0 %
47	-	2	0.0 %
48	-	7	0.0 %
49	-	4	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 0.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 468.00
- Standard Deviation: 3.18

Location: 204-209 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F0_9: FEMALE UNDER 10

Value	Label	Unweighted Frequency	%
0	-	263996	97.5 %
1	-	519	0.2 %
2	-	79	0.0 %
3	-	32	0.0 %
4	-	5	0.0 %
5	-	2	0.0 %
6	-	1	0.0 %
7	-	2	0.0 %
8	-	2	0.0 %
9	-	3	0.0 %
10	-	1	0.0 %

Value	Label	Unweighted Frequency	%
13	-	1	0.0 %
14	-	1	0.0 %
16	-	1	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 16.00
- Standard Deviation: 0.10

Location: 210-215 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F10_12: FEMALE 10-12

Value	Label	Unweighted Frequency	%
0	-	258060	95.3 %
1	-	4076	1.5 %
2	-	1203	0.4 %
3	-	487	0.2 %
4	-	250	0.1 %
5	-	140	0.1 %
6	-	123	0.0 %
7	-	57	0.0 %
8	-	38	0.0 %
9	-	40	0.0 %
10	-	29	0.0 %
11	-	26	0.0 %
12	-	18	0.0 %
13	-	17	0.0 %
14	-	12	0.0 %
15	-	14	0.0 %
16	-	4	0.0 %
17	-	7	0.0 %
18	-	3	0.0 %
19	-	3	0.0 %

Value	Label	Unweighted Frequency	%
20	-	8	0.0 %
21	-	1	0.0 %
22	-	5	0.0 %
23	-	2	0.0 %
24	-	4	0.0 %
26	-	1	0.0 %
29	-	1	0.0 %
30	-	1	0.0 %
31	-	1	0.0 %
36	-	1	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	1	0.0 %
41	-	1	0.0 %
45	-	1	0.0 %
56	-	2	0.0 %
57	-	1	0.0 %
60	-	1	0.0 %
61	-	1	0.0 %
62	-	1	0.0 %
78	-	1	0.0 %
115	-	1	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 115.00
- Standard Deviation: 0.67

Location: 216-221 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F13_14: FEMALE 13-14

Value	Label	Unweighted Frequency	%
0	-	246610	91.1 %

Value	Label	Unweighted Frequency	%
1	-	9652	3.6 %
2	-	3347	1.2 %
3	-	1532	0.6 %
4	-	889	0.3 %
5	-	589	0.2 %
6	-	394	0.1 %
7	-	269	0.1 %
8	-	216	0.1 %
9	-	155	0.1 %
10	-	134	0.0 %
11	-	101	0.0 %
12	-	92	0.0 %
13	-	78	0.0 %
14	-	67	0.0 %
15	-	50	0.0 %
16	-	50	0.0 %
17	-	35	0.0 %
18	-	40	0.0 %
19	-	35	0.0 %
20	-	26	0.0 %
21	-	21	0.0 %
22	-	21	0.0 %
23	-	27	0.0 %
24	-	18	0.0 %
25	-	21	0.0 %
26	-	12	0.0 %
27	-	13	0.0 %
28	-	10	0.0 %
29	-	12	0.0 %
30	-	7	0.0 %
31	-	4	0.0 %
32	-	6	0.0 %
33	-	10	0.0 %
34	-	7	0.0 %
35	-	4	0.0 %
36	-	6	0.0 %
37	-	4	0.0 %
38	-	5	0.0 %
39	-	3	0.0 %

Value	Label	Unweighted Frequency	%
40	-	3	0.0 %
41	-	5	0.0 %
42	-	3	0.0 %
43	-	5	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
46	-	2	0.0 %
47	-	2	0.0 %
48	-	5	0.0 %
49	-	2	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 268.00
- Standard Deviation: 1.90

Location: 222-227 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F15: FEMALE 15

Value	Label	Unweighted Frequency	%
0	-	247684	91.5 %
1	-	9890	3.7 %
2	-	2993	1.1 %
3	-	1348	0.5 %
4	-	760	0.3 %
5	-	444	0.2 %
6	-	316	0.1 %
7	-	213	0.1 %
8	-	183	0.1 %
9	-	122	0.0 %
10	-	128	0.0 %

Value	Label	Unweighted Frequency	%
11	-	90	0.0 %
12	-	52	0.0 %
13	-	46	0.0 %
14	-	50	0.0 %
15	-	45	0.0 %
16	-	34	0.0 %
17	-	20	0.0 %
18	-	23	0.0 %
19	-	17	0.0 %
20	-	19	0.0 %
21	-	16	0.0 %
22	-	13	0.0 %
23	-	8	0.0 %
24	-	14	0.0 %
25	-	11	0.0 %
26	-	15	0.0 %
27	-	7	0.0 %
28	-	7	0.0 %
29	-	11	0.0 %
30	-	3	0.0 %
31	-	2	0.0 %
32	-	5	0.0 %
33	-	4	0.0 %
34	-	5	0.0 %
35	-	3	0.0 %
36	-	2	0.0 %
37	-	3	0.0 %
39	-	5	0.0 %
40	-	1	0.0 %
41	-	1	0.0 %
42	-	1	0.0 %
43	-	2	0.0 %
44	-	2	0.0 %
45	-	1	0.0 %
47	-	2	0.0 %
50	-	1	0.0 %
52	-	1	0.0 %
55	-	1	0.0 %
60	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 192.00
- Standard Deviation: 1.42

Location: 228-233 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F16: FEMALE 16

Value	Label	Unweighted Frequency	%
0	-	243920	90.1 %
1	-	12085	4.5 %
2	-	3738	1.4 %
3	-	1620	0.6 %
4	-	974	0.4 %
5	-	528	0.2 %
6	-	373	0.1 %
7	-	250	0.1 %
8	-	203	0.1 %
9	-	154	0.1 %
10	-	111	0.0 %
11	-	99	0.0 %
12	-	82	0.0 %
13	-	80	0.0 %
14	-	50	0.0 %
15	-	44	0.0 %
16	-	41	0.0 %
17	-	32	0.0 %
18	-	29	0.0 %
19	-	26	0.0 %
20	-	18	0.0 %

Value	Label	Unweighted Frequency	%
21	-	17	0.0 %
22	-	12	0.0 %
23	-	11	0.0 %
24	-	17	0.0 %
25	-	7	0.0 %
26	-	9	0.0 %
27	-	11	0.0 %
28	-	5	0.0 %
29	-	7	0.0 %
30	-	7	0.0 %
31	-	3	0.0 %
32	-	6	0.0 %
33	-	4	0.0 %
34	-	7	0.0 %
35	-	2	0.0 %
36	-	6	0.0 %
37	-	3	0.0 %
38	-	6	0.0 %
39	-	5	0.0 %
40	-	3	0.0 %
41	-	1	0.0 %
42	-	3	0.0 %
43	-	2	0.0 %
44	-	3	0.0 %
45	-	3	0.0 %
46	-	2	0.0 %
47	-	1	0.0 %
48	-	2	0.0 %
53	-	4	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 191.00
- Standard Deviation: 1.55

Location: 234-239 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F17: FEMALE 17

Value	Label	Unweighted Frequency	%
0	-	238965	88.3 %
1	-	14785	5.5 %
2	-	4701	1.7 %
3	-	2035	0.8 %
4	-	1253	0.5 %
5	-	732	0.3 %
6	-	504	0.2 %
7	-	348	0.1 %
8	-	234	0.1 %
9	-	186	0.1 %
10	-	135	0.0 %
11	-	117	0.0 %
12	-	108	0.0 %
13	-	77	0.0 %
14	-	52	0.0 %
15	-	48	0.0 %
16	-	45	0.0 %
17	-	28	0.0 %
18	-	29	0.0 %
19	-	29	0.0 %
20	-	29	0.0 %
21	-	19	0.0 %
22	-	15	0.0 %
23	-	21	0.0 %
24	-	12	0.0 %
25	-	8	0.0 %
26	-	9	0.0 %
27	-	10	0.0 %
28	-	5	0.0 %
29	-	4	0.0 %
30	-	4	0.0 %
31	-	13	0.0 %
32	-	5	0.0 %

Value	Label	Unweighted Frequency	%
33	-	12	0.0 %
34	-	3	0.0 %
35	-	1	0.0 %
36	-	6	0.0 %
37	-	6	0.0 %
38	-	6	0.0 %
39	-	3	0.0 %
40	-	1	0.0 %
41	-	4	0.0 %
42	-	1	0.0 %
43	-	2	0.0 %
44	-	2	0.0 %
45	-	4	0.0 %
46	-	3	0.0 %
48	-	2	0.0 %
49	-	1	0.0 %
50	-	2	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 159.00
- Standard Deviation: 1.52

Location: 240-245 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F18: FEMALE 18

Value	Label	Unweighted Frequency	%
0	-	230750	85.2 %
1	-	19328	7.1 %
2	-	6054	2.2 %
3	-	2785	1.0 %

Value	Label	Unweighted Frequency	%
4	-	1543	0.6 %
5	-	1011	0.4 %
6	-	681	0.3 %
7	-	474	0.2 %
8	-	317	0.1 %
9	-	273	0.1 %
10	-	207	0.1 %
11	-	174	0.1 %
12	-	123	0.0 %
13	-	116	0.0 %
14	-	86	0.0 %
15	-	93	0.0 %
16	-	72	0.0 %
17	-	49	0.0 %
18	-	54	0.0 %
19	-	40	0.0 %
20	-	45	0.0 %
21	-	39	0.0 %
22	-	34	0.0 %
23	-	19	0.0 %
24	-	17	0.0 %
25	-	26	0.0 %
26	-	14	0.0 %
27	-	11	0.0 %
28	-	12	0.0 %
29	-	17	0.0 %
30	-	4	0.0 %
31	-	9	0.0 %
32	-	7	0.0 %
33	-	8	0.0 %
34	-	13	0.0 %
35	-	6	0.0 %
36	-	9	0.0 %
37	-	4	0.0 %
38	-	6	0.0 %
39	-	4	0.0 %
40	-	10	0.0 %
41	-	2	0.0 %
42	-	10	0.0 %

Value	Label	Unweighted Frequency	%
43	-	3	0.0 %
44	-	4	0.0 %
45	-	7	0.0 %
46	-	2	0.0 %
47	-	3	0.0 %
48	-	2	0.0 %
49	-	2	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 0.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 464.00
- Standard Deviation: 2.55

Location: 246-251 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F19: FEMALE 19

Value	Label	Unweighted Frequency	%
0	-	228395	84.4 %
1	-	20251	7.5 %
2	-	6713	2.5 %
3	-	3017	1.1 %
4	-	1769	0.7 %
5	-	1032	0.4 %
6	-	701	0.3 %
7	-	533	0.2 %
8	-	380	0.1 %
9	-	285	0.1 %
10	-	242	0.1 %
11	-	166	0.1 %
12	-	151	0.1 %
13	-	114	0.0 %

Value	Label	Unweighted Frequency	%
14	-	99	0.0 %
15	-	83	0.0 %
16	-	69	0.0 %
17	-	71	0.0 %
18	-	50	0.0 %
19	-	35	0.0 %
20	-	38	0.0 %
21	-	44	0.0 %
22	-	34	0.0 %
23	-	26	0.0 %
24	-	32	0.0 %
25	-	24	0.0 %
26	-	16	0.0 %
27	-	10	0.0 %
28	-	19	0.0 %
29	-	23	0.0 %
30	-	16	0.0 %
31	-	14	0.0 %
32	-	17	0.0 %
33	-	6	0.0 %
34	-	11	0.0 %
35	-	7	0.0 %
36	-	9	0.0 %
37	-	7	0.0 %
38	-	4	0.0 %
39	-	8	0.0 %
40	-	9	0.0 %
41	-	4	0.0 %
42	-	5	0.0 %
43	-	3	0.0 %
44	-	6	0.0 %
45	-	5	0.0 %
46	-	4	0.0 %
47	-	7	0.0 %
48	-	7	0.0 %
49	-	2	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 0.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 184.00
- Standard Deviation: 2.14

Location: 252-257 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F20: FEMALE 20

Value	Label	Unweighted Frequency	%
0	-	227703	84.1 %
1	-	20868	7.7 %
2	-	6785	2.5 %
3	-	3061	1.1 %
4	-	1736	0.6 %
5	-	1078	0.4 %
6	-	692	0.3 %
7	-	499	0.2 %
8	-	357	0.1 %
9	-	275	0.1 %
10	-	222	0.1 %
11	-	196	0.1 %
12	-	151	0.1 %
13	-	104	0.0 %
14	-	102	0.0 %
15	-	93	0.0 %
16	-	78	0.0 %
17	-	64	0.0 %
18	-	42	0.0 %
19	-	47	0.0 %
20	-	31	0.0 %
21	-	40	0.0 %
22	-	33	0.0 %
23	-	27	0.0 %
24	-	25	0.0 %
25	-	26	0.0 %

Value	Label	Unweighted Frequency	%
26	-	12	0.0 %
27	-	16	0.0 %
28	-	16	0.0 %
29	-	12	0.0 %
30	-	10	0.0 %
31	-	20	0.0 %
32	-	16	0.0 %
33	-	11	0.0 %
34	-	11	0.0 %
35	-	12	0.0 %
36	-	5	0.0 %
37	-	8	0.0 %
38	-	13	0.0 %
39	-	10	0.0 %
40	-	5	0.0 %
41	-	13	0.0 %
42	-	7	0.0 %
43	-	9	0.0 %
44	-	7	0.0 %
45	-	9	0.0 %
46	-	2	0.0 %
47	-	3	0.0 %
48	-	2	0.0 %
49	-	4	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 0.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 212.00
- Standard Deviation: 2.22

Location: 258-263 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F21: FEMALE 21

Value	Label	Unweighted Frequency	%
0	-	228159	84.3 %
1	-	20907	7.7 %
2	-	6487	2.4 %
3	-	3060	1.1 %
4	-	1650	0.6 %
5	-	1045	0.4 %
6	-	687	0.3 %
7	-	526	0.2 %
8	-	369	0.1 %
9	-	255	0.1 %
10	-	211	0.1 %
11	-	174	0.1 %
12	-	131	0.0 %
13	-	125	0.0 %
14	-	75	0.0 %
15	-	93	0.0 %
16	-	76	0.0 %
17	-	46	0.0 %
18	-	52	0.0 %
19	-	44	0.0 %
20	-	33	0.0 %
21	-	34	0.0 %
22	-	28	0.0 %
23	-	29	0.0 %
24	-	18	0.0 %
25	-	19	0.0 %
26	-	24	0.0 %
27	-	13	0.0 %
28	-	21	0.0 %
29	-	10	0.0 %
30	-	16	0.0 %
31	-	10	0.0 %
32	-	12	0.0 %
33	-	19	0.0 %
34	-	9	0.0 %
35	-	9	0.0 %
36	-	12	0.0 %

Value	Label	Unweighted Frequency	%
37	-	9	0.0 %
38	-	9	0.0 %
39	-	13	0.0 %
40	-	5	0.0 %
41	-	9	0.0 %
42	-	5	0.0 %
43	-	2	0.0 %
44	-	10	0.0 %
45	-	3	0.0 %
46	-	7	0.0 %
47	-	2	0.0 %
48	-	3	0.0 %
49	-	3	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 0.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 320.00
- Standard Deviation: 2.31

Location: 264-269 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F22: FEMALE 22

Value	Label	Unweighted Frequency	%
0	-	228071	84.3 %
1	-	20972	7.7 %
2	-	6579	2.4 %
3	-	3044	1.1 %
4	-	1626	0.6 %
5	-	1038	0.4 %
6	-	697	0.3 %
7	-	517	0.2 %

Value	Label	Unweighted Frequency	%
8	-	358	0.1 %
9	-	295	0.1 %
10	-	208	0.1 %
11	-	159	0.1 %
12	-	131	0.0 %
13	-	113	0.0 %
14	-	76	0.0 %
15	-	73	0.0 %
16	-	59	0.0 %
17	-	51	0.0 %
18	-	41	0.0 %
19	-	41	0.0 %
20	-	47	0.0 %
21	-	35	0.0 %
22	-	30	0.0 %
23	-	26	0.0 %
24	-	30	0.0 %
25	-	23	0.0 %
26	-	20	0.0 %
27	-	17	0.0 %
28	-	10	0.0 %
29	-	21	0.0 %
30	-	10	0.0 %
31	-	7	0.0 %
32	-	14	0.0 %
33	-	14	0.0 %
34	-	13	0.0 %
35	-	10	0.0 %
36	-	12	0.0 %
37	-	7	0.0 %
38	-	12	0.0 %
39	-	6	0.0 %
40	-	7	0.0 %
41	-	5	0.0 %
42	-	5	0.0 %
43	-	3	0.0 %
44	-	6	0.0 %
45	-	6	0.0 %
46	-	7	0.0 %

Value	Label	Unweighted Frequency	%
47	-	11	0.0 %
48	-	5	0.0 %
49	-	4	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 329.00
- Standard Deviation: 2.32

Location: 270-275 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F23: FEMALE 23

Value	Label	Unweighted Frequency	%
0	-	227673	84.1 %
1	-	21334	7.9 %
2	-	6605	2.4 %
3	-	2987	1.1 %
4	-	1632	0.6 %
5	-	1054	0.4 %
6	-	675	0.2 %
7	-	517	0.2 %
8	-	401	0.1 %
9	-	276	0.1 %
10	-	172	0.1 %
11	-	174	0.1 %
12	-	138	0.1 %
13	-	107	0.0 %
14	-	95	0.0 %
15	-	88	0.0 %
16	-	74	0.0 %
17	-	51	0.0 %

Value	Label	Unweighted Frequency	%
18	-	48	0.0 %
19	-	38	0.0 %
20	-	45	0.0 %
21	-	47	0.0 %
22	-	32	0.0 %
23	-	25	0.0 %
24	-	23	0.0 %
25	-	28	0.0 %
26	-	23	0.0 %
27	-	13	0.0 %
28	-	10	0.0 %
29	-	15	0.0 %
30	-	17	0.0 %
31	-	16	0.0 %
32	-	8	0.0 %
33	-	7	0.0 %
34	-	10	0.0 %
35	-	14	0.0 %
36	-	13	0.0 %
37	-	9	0.0 %
38	-	4	0.0 %
39	-	3	0.0 %
40	-	8	0.0 %
41	-	10	0.0 %
42	-	6	0.0 %
43	-	2	0.0 %
44	-	4	0.0 %
45	-	10	0.0 %
46	-	6	0.0 %
47	-	8	0.0 %
48	-	2	0.0 %
49	-	4	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 0.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 386.00
- Standard Deviation: 2.42

Location: 276-281 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F24: FEMALE 24

Value	Label	Unweighted Frequency	%
0	-	226707	83.8 %
1	-	21544	8.0 %
2	-	6824	2.5 %
3	-	3137	1.2 %
4	-	1740	0.6 %
5	-	1100	0.4 %
6	-	742	0.3 %
7	-	528	0.2 %
8	-	357	0.1 %
9	-	287	0.1 %
10	-	239	0.1 %
11	-	192	0.1 %
12	-	170	0.1 %
13	-	138	0.1 %
14	-	94	0.0 %
15	-	91	0.0 %
16	-	71	0.0 %
17	-	53	0.0 %
18	-	43	0.0 %
19	-	44	0.0 %
20	-	46	0.0 %
21	-	35	0.0 %
22	-	35	0.0 %
23	-	28	0.0 %
24	-	41	0.0 %
25	-	23	0.0 %
26	-	23	0.0 %
27	-	12	0.0 %
28	-	16	0.0 %
29	-	20	0.0 %

Value	Label	Unweighted Frequency	%
30	-	16	0.0 %
31	-	14	0.0 %
32	-	10	0.0 %
33	-	7	0.0 %
34	-	11	0.0 %
35	-	8	0.0 %
36	-	13	0.0 %
37	-	9	0.0 %
38	-	7	0.0 %
39	-	10	0.0 %
40	-	9	0.0 %
41	-	12	0.0 %
42	-	4	0.0 %
43	-	4	0.0 %
44	-	3	0.0 %
45	-	2	0.0 %
46	-	5	0.0 %
47	-	3	0.0 %
48	-	4	0.0 %
49	-	6	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 0.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 403.00
- Standard Deviation: 2.54

Location: 282-287 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F25_29: FEMALE 25-29

Value	Label	Unweighted Frequency	%
0	-	176131	65.1 %

Value	Label	Unweighted Frequency	%
1	-	36903	13.6 %
2	-	14867	5.5 %
3	-	8256	3.1 %
4	-	5267	1.9 %
5	-	3727	1.4 %
6	-	2698	1.0 %
7	-	2133	0.8 %
8	-	1807	0.7 %
9	-	1376	0.5 %
10	-	1104	0.4 %
11	-	1000	0.4 %
12	-	801	0.3 %
13	-	708	0.3 %
14	-	561	0.2 %
15	-	518	0.2 %
16	-	473	0.2 %
17	-	433	0.2 %
18	-	338	0.1 %
19	-	335	0.1 %
20	-	326	0.1 %
21	-	298	0.1 %
22	-	261	0.1 %
23	-	242	0.1 %
24	-	209	0.1 %
25	-	207	0.1 %
26	-	164	0.1 %
27	-	168	0.1 %
28	-	140	0.1 %
29	-	130	0.0 %
30	-	130	0.0 %
31	-	112	0.0 %
32	-	110	0.0 %
33	-	137	0.1 %
34	-	97	0.0 %
35	-	83	0.0 %
36	-	106	0.0 %
37	-	94	0.0 %
38	-	60	0.0 %
39	-	61	0.0 %

Value	Label	Unweighted Frequency	%
40	-	62	0.0 %
41	-	63	0.0 %
42	-	53	0.0 %
43	-	63	0.0 %
44	-	56	0.0 %
45	-	57	0.0 %
46	-	43	0.0 %
47	-	44	0.0 %
48	-	57	0.0 %
49	-	44	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 2.09
- Minimum: 0.00
- Maximum: 2021.00
- Standard Deviation: 12.76

Location: 288-293 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F30_34: FEMALE 30-34

Value	Label	Unweighted Frequency	%
0	-	180405	66.6 %
1	-	36511	13.5 %
2	-	14322	5.3 %
3	-	7880	2.9 %
4	-	4807	1.8 %
5	-	3372	1.2 %
6	-	2579	1.0 %
7	-	1959	0.7 %
8	-	1526	0.6 %
9	-	1306	0.5 %
10	-	1032	0.4 %
11	-	831	0.3 %
12	-	704	0.3 %

Value	Label	Unweighted Frequency	%
13	-	593	0.2 %
14	-	553	0.2 %
15	-	473	0.2 %
16	-	406	0.1 %
17	-	388	0.1 %
18	-	344	0.1 %
19	-	326	0.1 %
20	-	250	0.1 %
21	-	222	0.1 %
22	-	232	0.1 %
23	-	197	0.1 %
24	-	179	0.1 %
25	-	159	0.1 %
26	-	168	0.1 %
27	-	129	0.0 %
28	-	134	0.0 %
29	-	104	0.0 %
30	-	99	0.0 %
31	-	120	0.0 %
32	-	90	0.0 %
33	-	104	0.0 %
34	-	74	0.0 %
35	-	82	0.0 %
36	-	79	0.0 %
37	-	73	0.0 %
38	-	67	0.0 %
39	-	63	0.0 %
40	-	63	0.0 %
41	-	56	0.0 %
42	-	51	0.0 %
43	-	51	0.0 %
44	-	47	0.0 %
45	-	52	0.0 %
46	-	38	0.0 %
47	-	45	0.0 %
48	-	43	0.0 %
49	-	33	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %

Value	Label	Unweighted Frequency	%
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 1.81
- Minimum: 0.00
- Maximum: 1366.00
- Standard Deviation: 10.71

Location: 294-299 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F35_39: FEMALE 35-39

Value	Label	Unweighted Frequency	%
0	-	187479	69.3 %
1	-	34906	12.9 %
2	-	13403	5.0 %
3	-	7099	2.6 %
4	-	4409	1.6 %
5	-	3034	1.1 %
6	-	2189	0.8 %
7	-	1679	0.6 %
8	-	1404	0.5 %
9	-	1064	0.4 %
10	-	920	0.3 %
11	-	702	0.3 %
12	-	584	0.2 %
13	-	504	0.2 %
14	-	409	0.2 %
15	-	343	0.1 %
16	-	335	0.1 %
17	-	292	0.1 %
18	-	253	0.1 %
19	-	241	0.1 %
20	-	217	0.1 %
21	-	203	0.1 %
22	-	194	0.1 %
23	-	163	0.1 %
24	-	153	0.1 %

Value	Label	Unweighted Frequency	%
25	-	130	0.0 %
26	-	107	0.0 %
27	-	102	0.0 %
28	-	116	0.0 %
29	-	95	0.0 %
30	-	87	0.0 %
31	-	81	0.0 %
32	-	81	0.0 %
33	-	62	0.0 %
34	-	59	0.0 %
35	-	79	0.0 %
36	-	53	0.0 %
37	-	68	0.0 %
38	-	57	0.0 %
39	-	46	0.0 %
40	-	47	0.0 %
41	-	44	0.0 %
42	-	39	0.0 %
43	-	30	0.0 %
44	-	45	0.0 %
45	-	40	0.0 %
46	-	31	0.0 %
47	-	29	0.0 %
48	-	43	0.0 %
49	-	39	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 1.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1127.00
- Standard Deviation: 8.66

Location: 300-305 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F40_44: FEMALE 40-44

Value	Label	Unweighted Frequency	%
0	-	202604	74.8 %
1	-	30369	11.2 %
2	-	11042	4.1 %
3	-	5543	2.0 %
4	-	3371	1.2 %
5	-	2273	0.8 %
6	-	1709	0.6 %
7	-	1205	0.4 %
8	-	921	0.3 %
9	-	776	0.3 %
10	-	557	0.2 %
11	-	444	0.2 %
12	-	415	0.2 %
13	-	330	0.1 %
14	-	286	0.1 %
15	-	261	0.1 %
16	-	214	0.1 %
17	-	181	0.1 %
18	-	147	0.1 %
19	-	111	0.0 %
20	-	120	0.0 %
21	-	127	0.0 %
22	-	107	0.0 %
23	-	105	0.0 %
24	-	83	0.0 %
25	-	94	0.0 %
26	-	65	0.0 %
27	-	49	0.0 %
28	-	61	0.0 %
29	-	55	0.0 %
30	-	61	0.0 %
31	-	46	0.0 %
32	-	51	0.0 %
33	-	39	0.0 %
34	-	41	0.0 %
35	-	32	0.0 %
36	-	29	0.0 %

Value	Label	Unweighted Frequency	%
37	-	27	0.0 %
38	-	29	0.0 %
39	-	27	0.0 %
40	-	28	0.0 %
41	-	22	0.0 %
42	-	28	0.0 %
43	-	17	0.0 %
44	-	17	0.0 %
45	-	14	0.0 %
46	-	20	0.0 %
47	-	17	0.0 %
48	-	18	0.0 %
49	-	9	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 0.95
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 657.00
- Standard Deviation: 5.65

Location: 306-311 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F45_49: FEMALE 45-49

Value	Label	Unweighted Frequency	%
0	-	210943	77.9 %
1	-	27441	10.1 %
2	-	9657	3.6 %
3	-	4870	1.8 %
4	-	2913	1.1 %
5	-	1749	0.6 %
6	-	1296	0.5 %
7	-	974	0.4 %

Value	Label	Unweighted Frequency	%
8	-	751	0.3 %
9	-	511	0.2 %
10	-	460	0.2 %
11	-	354	0.1 %
12	-	323	0.1 %
13	-	229	0.1 %
14	-	198	0.1 %
15	-	199	0.1 %
16	-	157	0.1 %
17	-	135	0.0 %
18	-	124	0.0 %
19	-	107	0.0 %
20	-	83	0.0 %
21	-	80	0.0 %
22	-	72	0.0 %
23	-	65	0.0 %
24	-	63	0.0 %
25	-	41	0.0 %
26	-	40	0.0 %
27	-	41	0.0 %
28	-	44	0.0 %
29	-	45	0.0 %
30	-	39	0.0 %
31	-	28	0.0 %
32	-	34	0.0 %
33	-	28	0.0 %
34	-	36	0.0 %
35	-	20	0.0 %
36	-	22	0.0 %
37	-	23	0.0 %
38	-	27	0.0 %
39	-	15	0.0 %
40	-	20	0.0 %
41	-	22	0.0 %
42	-	11	0.0 %
43	-	8	0.0 %
44	-	9	0.0 %
45	-	10	0.0 %
46	-	4	0.0 %

Value	Label	Unweighted Frequency	%
47	-	11	0.0 %
48	-	8	0.0 %
49	-	14	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 0.73
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 545.00
- Standard Deviation: 4.39

Location: 312-317 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F50_54: FEMALE 50-54

Value	Label	Unweighted Frequency	%
0	-	219917	81.2 %
1	-	24489	9.0 %
2	-	7975	2.9 %
3	-	3876	1.4 %
4	-	2178	0.8 %
5	-	1425	0.5 %
6	-	968	0.4 %
7	-	640	0.2 %
8	-	513	0.2 %
9	-	364	0.1 %
10	-	305	0.1 %
11	-	251	0.1 %
12	-	180	0.1 %
13	-	161	0.1 %
14	-	150	0.1 %
15	-	124	0.0 %
16	-	124	0.0 %
17	-	101	0.0 %

Value	Label	Unweighted Frequency	%
18	-	76	0.0 %
19	-	62	0.0 %
20	-	57	0.0 %
21	-	62	0.0 %
22	-	38	0.0 %
23	-	44	0.0 %
24	-	37	0.0 %
25	-	38	0.0 %
26	-	37	0.0 %
27	-	28	0.0 %
28	-	33	0.0 %
29	-	15	0.0 %
30	-	18	0.0 %
31	-	11	0.0 %
32	-	12	0.0 %
33	-	23	0.0 %
34	-	16	0.0 %
35	-	16	0.0 %
36	-	12	0.0 %
37	-	11	0.0 %
38	-	9	0.0 %
39	-	10	0.0 %
40	-	12	0.0 %
41	-	9	0.0 %
42	-	12	0.0 %
43	-	13	0.0 %
44	-	8	0.0 %
45	-	4	0.0 %
46	-	6	0.0 %
47	-	5	0.0 %
48	-	7	0.0 %
49	-	4	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 0.52
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 422.00
- Standard Deviation: 3.23

Location: 318-323 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F55_59: FEMALE 55-59

Value	Label	Unweighted Frequency	%
0	-	230448	85.1 %
1	-	20289	7.5 %
2	-	5863	2.2 %
3	-	2805	1.0 %
4	-	1529	0.6 %
5	-	926	0.3 %
6	-	607	0.2 %
7	-	392	0.1 %
8	-	317	0.1 %
9	-	250	0.1 %
10	-	163	0.1 %
11	-	149	0.1 %
12	-	128	0.0 %
13	-	95	0.0 %
14	-	70	0.0 %
15	-	52	0.0 %
16	-	51	0.0 %
17	-	50	0.0 %
18	-	44	0.0 %
19	-	36	0.0 %
20	-	38	0.0 %
21	-	25	0.0 %
22	-	18	0.0 %
23	-	13	0.0 %
24	-	23	0.0 %
25	-	18	0.0 %
26	-	18	0.0 %
27	-	10	0.0 %
28	-	14	0.0 %
29	-	12	0.0 %

Value	Label	Unweighted Frequency	%
30	-	10	0.0 %
31	-	8	0.0 %
32	-	3	0.0 %
33	-	14	0.0 %
34	-	8	0.0 %
35	-	8	0.0 %
36	-	6	0.0 %
37	-	7	0.0 %
38	-	11	0.0 %
39	-	7	0.0 %
40	-	10	0.0 %
41	-	6	0.0 %
43	-	1	0.0 %
44	-	5	0.0 %
45	-	4	0.0 %
46	-	2	0.0 %
47	-	4	0.0 %
48	-	4	0.0 %
49	-	7	0.0 %
50	-	2	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 256.00
- Standard Deviation: 2.19

Location: 324-329 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F60_64: FEMALE 60-64

Value	Label	Unweighted Frequency	%
0	-	245061	90.5 %

Value	Label	Unweighted Frequency	%
1	-	12794	4.7 %
2	-	3469	1.3 %
3	-	1323	0.5 %
4	-	733	0.3 %
5	-	338	0.1 %
6	-	202	0.1 %
7	-	153	0.1 %
8	-	116	0.0 %
9	-	90	0.0 %
10	-	63	0.0 %
11	-	42	0.0 %
12	-	31	0.0 %
13	-	26	0.0 %
14	-	21	0.0 %
15	-	19	0.0 %
16	-	17	0.0 %
17	-	10	0.0 %
18	-	9	0.0 %
19	-	12	0.0 %
20	-	12	0.0 %
21	-	12	0.0 %
22	-	11	0.0 %
23	-	6	0.0 %
24	-	5	0.0 %
25	-	3	0.0 %
26	-	5	0.0 %
27	-	3	0.0 %
28	-	7	0.0 %
29	-	2	0.0 %
30	-	1	0.0 %
31	-	2	0.0 %
32	-	3	0.0 %
33	-	4	0.0 %
34	-	3	0.0 %
35	-	3	0.0 %
36	-	3	0.0 %
37	-	1	0.0 %
38	-	2	0.0 %
39	-	1	0.0 %

Value	Label	Unweighted Frequency	%
40	-	1	0.0 %
41	-	1	0.0 %
44	-	2	0.0 %
45	-	3	0.0 %
46	-	1	0.0 %
47	-	2	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %
54	-	1	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 128.00
- Standard Deviation: 1.10

Location: 330-335 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F65: FEMALE OVER 64

Value	Label	Unweighted Frequency	%
0	-	251136	92.8 %
1	-	9462	3.5 %
2	-	2132	0.8 %
3	-	776	0.3 %
4	-	387	0.1 %
5	-	215	0.1 %
6	-	141	0.1 %
7	-	78	0.0 %
8	-	56	0.0 %
9	-	41	0.0 %
10	-	34	0.0 %

Value	Label	Unweighted Frequency	%
11	-	33	0.0 %
12	-	25	0.0 %
13	-	14	0.0 %
14	-	20	0.0 %
15	-	13	0.0 %
16	-	4	0.0 %
17	-	8	0.0 %
18	-	10	0.0 %
19	-	5	0.0 %
20	-	10	0.0 %
21	-	3	0.0 %
22	-	3	0.0 %
23	-	2	0.0 %
24	-	4	0.0 %
25	-	1	0.0 %
26	-	2	0.0 %
27	-	2	0.0 %
28	-	2	0.0 %
29	-	3	0.0 %
30	-	2	0.0 %
31	-	1	0.0 %
32	-	2	0.0 %
33	-	3	0.0 %
35	-	2	0.0 %
36	-	1	0.0 %
42	-	1	0.0 %
45	-	1	0.0 %
48	-	1	0.0 %
63	-	1	0.0 %
64	-	1	0.0 %
67	-	2	0.0 %
68	-	1	0.0 %
82	-	1	0.0 %
85	-	1	0.0 %
103	-	1	0.0 %
153	-	1	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 153.00
- Standard Deviation: 0.83

Location: 336-341 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JW: JUVENILE-WHITE

Value	Label	Unweighted Frequency	%
0	-	186603	68.9 %
1	-	30024	11.1 %
2	-	13387	4.9 %
3	-	7544	2.8 %
4	-	5030	1.9 %
5	-	3583	1.3 %
6	-	2609	1.0 %
7	-	1996	0.7 %
8	-	1617	0.6 %
9	-	1320	0.5 %
10	-	1104	0.4 %
11	-	998	0.4 %
12	-	807	0.3 %
13	-	672	0.2 %
14	-	613	0.2 %
15	-	513	0.2 %
16	-	476	0.2 %
17	-	385	0.1 %
18	-	353	0.1 %
19	-	351	0.1 %
20	-	315	0.1 %
21	-	233	0.1 %
22	-	214	0.1 %
23	-	220	0.1 %
24	-	198	0.1 %
25	-	175	0.1 %
26	-	156	0.1 %
27	-	149	0.1 %

Value	Label	Unweighted Frequency	%
28	-	126	0.0 %
29	-	120	0.0 %
30	-	128	0.0 %
31	-	101	0.0 %
32	-	107	0.0 %
33	-	75	0.0 %
34	-	86	0.0 %
35	-	81	0.0 %
36	-	81	0.0 %
37	-	85	0.0 %
38	-	65	0.0 %
39	-	77	0.0 %
40	-	73	0.0 %
41	-	58	0.0 %
42	-	64	0.0 %
43	-	35	0.0 %
44	-	47	0.0 %
45	-	56	0.0 %
46	-	39	0.0 %
47	-	51	0.0 %
48	-	37	0.0 %
49	-	39	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 1.85
- Minimum: 0.00
- Maximum: 1100.00
- Standard Deviation: 9.75

Location: 342-347 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JB: JUVENILE-BLACK

Value	Label	Unweighted Frequency	%
0	-	226042	83.5 %

Value	Label	Unweighted Frequency	%
1	-	16985	6.3 %
2	-	6472	2.4 %
3	-	3401	1.3 %
4	-	2240	0.8 %
5	-	1512	0.6 %
6	-	1078	0.4 %
7	-	827	0.3 %
8	-	661	0.2 %
9	-	551	0.2 %
10	-	508	0.2 %
11	-	340	0.1 %
12	-	341	0.1 %
13	-	303	0.1 %
14	-	252	0.1 %
15	-	209	0.1 %
16	-	176	0.1 %
17	-	163	0.1 %
18	-	162	0.1 %
19	-	141	0.1 %
20	-	128	0.0 %
21	-	143	0.1 %
22	-	108	0.0 %
23	-	95	0.0 %
24	-	75	0.0 %
25	-	69	0.0 %
26	-	74	0.0 %
27	-	62	0.0 %
28	-	71	0.0 %
29	-	48	0.0 %
30	-	60	0.0 %
31	-	62	0.0 %
32	-	52	0.0 %
33	-	51	0.0 %
34	-	42	0.0 %
35	-	50	0.0 %
36	-	37	0.0 %
37	-	36	0.0 %
38	-	34	0.0 %
39	-	36	0.0 %

Value	Label	Unweighted Frequency	%
40	-	25	0.0 %
41	-	25	0.0 %
42	-	21	0.0 %
43	-	22	0.0 %
44	-	22	0.0 %
45	-	27	0.0 %
46	-	25	0.0 %
47	-	17	0.0 %
48	-	13	0.0 %
49	-	22	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 0.93
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3383.00
- Standard Deviation: 10.72

Location: 348-353 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JJ: JUVENILE-INDIAN

Value	Label	Unweighted Frequency	%
0	-	259665	95.9 %
1	-	2868	1.1 %
2	-	746	0.3 %
3	-	355	0.1 %
4	-	199	0.1 %
5	-	139	0.1 %
6	-	128	0.0 %
7	-	76	0.0 %
8	-	49	0.0 %
9	-	50	0.0 %
10	-	48	0.0 %

Value	Label	Unweighted Frequency	%
11	-	47	0.0 %
12	-	27	0.0 %
13	-	24	0.0 %
14	-	19	0.0 %
15	-	15	0.0 %
16	-	12	0.0 %
17	-	18	0.0 %
18	-	9	0.0 %
19	-	6	0.0 %
20	-	11	0.0 %
21	-	6	0.0 %
22	-	9	0.0 %
23	-	5	0.0 %
24	-	13	0.0 %
25	-	4	0.0 %
26	-	5	0.0 %
27	-	5	0.0 %
28	-	3	0.0 %
29	-	6	0.0 %
30	-	1	0.0 %
31	-	3	0.0 %
32	-	2	0.0 %
33	-	2	0.0 %
34	-	2	0.0 %
35	-	4	0.0 %
36	-	6	0.0 %
37	-	2	0.0 %
38	-	1	0.0 %
39	-	2	0.0 %
40	-	3	0.0 %
42	-	1	0.0 %
43	-	2	0.0 %
44	-	3	0.0 %
45	-	2	0.0 %
46	-	3	0.0 %
47	-	3	0.0 %
48	-	3	0.0 %
49	-	2	0.0 %
51	-	3	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 123.00
- Standard Deviation: 1.15

Location: 354-359 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JA: JUVENILE ASIAN

Value	Label	Unweighted Frequency	%
0	-	259604	95.9 %
1	-	3528	1.3 %
2	-	795	0.3 %
3	-	283	0.1 %
4	-	122	0.0 %
5	-	73	0.0 %
6	-	45	0.0 %
7	-	37	0.0 %
8	-	21	0.0 %
9	-	20	0.0 %
10	-	20	0.0 %
11	-	8	0.0 %
12	-	8	0.0 %
13	-	13	0.0 %
14	-	7	0.0 %
15	-	4	0.0 %
16	-	6	0.0 %
17	-	3	0.0 %
18	-	3	0.0 %
19	-	1	0.0 %
20	-	3	0.0 %

Value	Label	Unweighted Frequency	%
21	-	2	0.0 %
23	-	5	0.0 %
24	-	1	0.0 %
25	-	2	0.0 %
26	-	1	0.0 %
29	-	3	0.0 %
30	-	1	0.0 %
31	-	1	0.0 %
32	-	2	0.0 %
34	-	1	0.0 %
35	-	1	0.0 %
38	-	2	0.0 %
40	-	1	0.0 %
41	-	1	0.0 %
47	-	1	0.0 %
53	-	2	0.0 %
65	-	1	0.0 %
74	-	1	0.0 %
85	-	1	0.0 %
91	-	1	0.0 %
92	-	1	0.0 %
94	-	1	0.0 %
96	-	1	0.0 %
122	-	1	0.0 %
138	-	1	0.0 %
146	-	1	0.0 %
149	-	1	0.0 %
159	-	1	0.0 %
191	-	1	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 244.00
- Standard Deviation: 1.09

Location: 360-365 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JH: JUVENILE-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	237633	87.8 %
1	-	12581	4.6 %
2	-	4584	1.7 %
3	-	2327	0.9 %
4	-	1546	0.6 %
5	-	1036	0.4 %
6	-	698	0.3 %
7	-	545	0.2 %
8	-	458	0.2 %
9	-	355	0.1 %
10	-	326	0.1 %
11	-	260	0.1 %
12	-	197	0.1 %
13	-	170	0.1 %
14	-	141	0.1 %
15	-	141	0.1 %
16	-	123	0.0 %
17	-	93	0.0 %
18	-	92	0.0 %
19	-	77	0.0 %
20	-	55	0.0 %
21	-	81	0.0 %
22	-	60	0.0 %
23	-	51	0.0 %
24	-	41	0.0 %
25	-	42	0.0 %
26	-	35	0.0 %
27	-	30	0.0 %
28	-	35	0.0 %
29	-	38	0.0 %
30	-	36	0.0 %
31	-	14	0.0 %
32	-	29	0.0 %

Value	Label	Unweighted Frequency	%
33	-	18	0.0 %
34	-	22	0.0 %
35	-	28	0.0 %
36	-	33	0.0 %
37	-	27	0.0 %
38	-	19	0.0 %
39	-	21	0.0 %
40	-	12	0.0 %
41	-	28	0.0 %
42	-	13	0.0 %
43	-	19	0.0 %
44	-	17	0.0 %
45	-	9	0.0 %
46	-	10	0.0 %
47	-	12	0.0 %
48	-	7	0.0 %
49	-	14	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 0.54
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 688.00
- Standard Deviation: 5.25

Location: 366-371 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JN: JUVENILE-NON-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	197102	72.8 %
1	-	25593	9.5 %
2	-	11148	4.1 %
3	-	6605	2.4 %

Value	Label	Unweighted Frequency	%
4	-	4248	1.6 %
5	-	2993	1.1 %
6	-	2322	0.9 %
7	-	1708	0.6 %
8	-	1486	0.5 %
9	-	1157	0.4 %
10	-	1028	0.4 %
11	-	814	0.3 %
12	-	660	0.2 %
13	-	612	0.2 %
14	-	544	0.2 %
15	-	430	0.2 %
16	-	373	0.1 %
17	-	364	0.1 %
18	-	325	0.1 %
19	-	285	0.1 %
20	-	276	0.1 %
21	-	218	0.1 %
22	-	225	0.1 %
23	-	214	0.1 %
24	-	178	0.1 %
25	-	196	0.1 %
26	-	155	0.1 %
27	-	154	0.1 %
28	-	146	0.1 %
29	-	142	0.1 %
30	-	137	0.1 %
31	-	118	0.0 %
32	-	106	0.0 %
33	-	122	0.0 %
34	-	116	0.0 %
35	-	93	0.0 %
36	-	102	0.0 %
37	-	91	0.0 %
38	-	69	0.0 %
39	-	72	0.0 %
40	-	56	0.0 %
41	-	61	0.0 %
42	-	58	0.0 %

Value	Label	Unweighted Frequency	%
43	-	49	0.0 %
44	-	54	0.0 %
45	-	45	0.0 %
46	-	52	0.0 %
47	-	47	0.0 %
48	-	43	0.0 %
49	-	48	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 1.83
- Minimum: 0.00
- Maximum: 3811.00
- Standard Deviation: 13.81

Location: 372-377 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AW: ADULT-WHITE

Value	Label	Unweighted Frequency	%
0	-	40929	15.1 %
1	-	48724	18.0 %
2	-	26623	9.8 %
3	-	18025	6.7 %
4	-	12920	4.8 %
5	-	10123	3.7 %
6	-	8033	3.0 %
7	-	6690	2.5 %
8	-	5626	2.1 %
9	-	4947	1.8 %
10	-	4173	1.5 %
11	-	3822	1.4 %
12	-	3308	1.2 %
13	-	3112	1.1 %
14	-	2794	1.0 %
15	-	2484	0.9 %

Value	Label	Unweighted Frequency	%
16	-	2320	0.9 %
17	-	2127	0.8 %
18	-	1952	0.7 %
19	-	1913	0.7 %
20	-	1762	0.7 %
21	-	1629	0.6 %
22	-	1529	0.6 %
23	-	1429	0.5 %
24	-	1347	0.5 %
25	-	1231	0.5 %
26	-	1229	0.5 %
27	-	1074	0.4 %
28	-	1076	0.4 %
29	-	1060	0.4 %
30	-	962	0.4 %
31	-	959	0.4 %
32	-	936	0.3 %
33	-	855	0.3 %
34	-	784	0.3 %
35	-	810	0.3 %
36	-	719	0.3 %
37	-	729	0.3 %
38	-	717	0.3 %
39	-	634	0.2 %
40	-	623	0.2 %
41	-	594	0.2 %
42	-	568	0.2 %
43	-	583	0.2 %
44	-	534	0.2 %
45	-	533	0.2 %
46	-	532	0.2 %
47	-	516	0.2 %
48	-	529	0.2 %
49	-	452	0.2 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 27.61
- Minimum: 0.00
- Maximum: 17190.00
- Standard Deviation: 153.81

Location: 378-383 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AB: ADULT-BLACK

Value	Label	Unweighted Frequency	%
0	-	135603	50.1 %
1	-	39435	14.6 %
2	-	18434	6.8 %
3	-	11207	4.1 %
4	-	7512	2.8 %
5	-	5736	2.1 %
6	-	4375	1.6 %
7	-	3504	1.3 %
8	-	2865	1.1 %
9	-	2489	0.9 %
10	-	2080	0.8 %
11	-	1920	0.7 %
12	-	1637	0.6 %
13	-	1411	0.5 %
14	-	1296	0.5 %
15	-	1149	0.4 %
16	-	1068	0.4 %
17	-	994	0.4 %
18	-	863	0.3 %
19	-	836	0.3 %
20	-	728	0.3 %
21	-	733	0.3 %
22	-	625	0.2 %
23	-	607	0.2 %
24	-	536	0.2 %
25	-	521	0.2 %
26	-	500	0.2 %
27	-	470	0.2 %

Value	Label	Unweighted Frequency	%
28	-	459	0.2 %
29	-	398	0.1 %
30	-	398	0.1 %
31	-	398	0.1 %
32	-	367	0.1 %
33	-	346	0.1 %
34	-	295	0.1 %
35	-	278	0.1 %
36	-	293	0.1 %
37	-	256	0.1 %
38	-	270	0.1 %
39	-	249	0.1 %
40	-	252	0.1 %
41	-	234	0.1 %
42	-	213	0.1 %
43	-	203	0.1 %
44	-	206	0.1 %
45	-	211	0.1 %
46	-	206	0.1 %
47	-	192	0.1 %
48	-	157	0.1 %
49	-	180	0.1 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 10.66
- Minimum: 0.00
- Maximum: 11572.00
- Standard Deviation: 90.77

Location: 384-389 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AI: ADULT-INDIAN

Value	Label	Unweighted Frequency	%
0	-	240701	88.9 %

Value	Label	Unweighted Frequency	%
1	-	11680	4.3 %
2	-	3796	1.4 %
3	-	1984	0.7 %
4	-	1126	0.4 %
5	-	746	0.3 %
6	-	572	0.2 %
7	-	483	0.2 %
8	-	331	0.1 %
9	-	297	0.1 %
10	-	237	0.1 %
11	-	173	0.1 %
12	-	167	0.1 %
13	-	168	0.1 %
14	-	129	0.0 %
15	-	108	0.0 %
16	-	106	0.0 %
17	-	88	0.0 %
18	-	78	0.0 %
19	-	80	0.0 %
20	-	52	0.0 %
21	-	54	0.0 %
22	-	63	0.0 %
23	-	69	0.0 %
24	-	55	0.0 %
25	-	45	0.0 %
26	-	61	0.0 %
27	-	32	0.0 %
28	-	34	0.0 %
29	-	32	0.0 %
30	-	22	0.0 %
31	-	18	0.0 %
32	-	22	0.0 %
33	-	25	0.0 %
34	-	18	0.0 %
35	-	20	0.0 %
36	-	27	0.0 %
37	-	19	0.0 %
38	-	22	0.0 %
39	-	16	0.0 %

Value	Label	Unweighted Frequency	%
40	-	21	0.0 %
41	-	24	0.0 %
42	-	18	0.0 %
43	-	12	0.0 %
44	-	16	0.0 %
45	-	13	0.0 %
46	-	22	0.0 %
47	-	20	0.0 %
48	-	13	0.0 %
49	-	15	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 0.86
- Minimum: 0.00
- Maximum: 10921.00
- Standard Deviation: 28.11

Location: 390-395 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AA: ADULT-ASIAN

Value	Label	Unweighted Frequency	%
0	-	235254	86.9 %
1	-	15404	5.7 %
2	-	5008	1.9 %
3	-	2500	0.9 %
4	-	1414	0.5 %
5	-	901	0.3 %
6	-	579	0.2 %
7	-	520	0.2 %
8	-	384	0.1 %
9	-	326	0.1 %
10	-	243	0.1 %
11	-	213	0.1 %
12	-	176	0.1 %

Value	Label	Unweighted Frequency	%
13	-	122	0.0 %
14	-	107	0.0 %
15	-	109	0.0 %
16	-	121	0.0 %
17	-	67	0.0 %
18	-	74	0.0 %
19	-	76	0.0 %
20	-	57	0.0 %
21	-	68	0.0 %
22	-	43	0.0 %
23	-	40	0.0 %
24	-	47	0.0 %
25	-	52	0.0 %
26	-	24	0.0 %
27	-	40	0.0 %
28	-	30	0.0 %
29	-	27	0.0 %
30	-	21	0.0 %
31	-	22	0.0 %
32	-	21	0.0 %
33	-	14	0.0 %
34	-	22	0.0 %
35	-	19	0.0 %
36	-	17	0.0 %
37	-	16	0.0 %
38	-	15	0.0 %
39	-	17	0.0 %
40	-	8	0.0 %
41	-	16	0.0 %
42	-	13	0.0 %
43	-	6	0.0 %
44	-	11	0.0 %
45	-	12	0.0 %
46	-	12	0.0 %
47	-	8	0.0 %
48	-	9	0.0 %
49	-	11	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %

Value	Label	Unweighted Frequency	%
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 0.55
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2400.00
- Standard Deviation: 9.74

Location: 396-401 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AH: ADULT-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	181268	67.0 %
1	-	28827	10.6 %
2	-	12264	4.5 %
3	-	7178	2.7 %
4	-	4744	1.8 %
5	-	3353	1.2 %
6	-	2669	1.0 %
7	-	2092	0.8 %
8	-	1814	0.7 %
9	-	1491	0.6 %
10	-	1212	0.4 %
11	-	1041	0.4 %
12	-	919	0.3 %
13	-	818	0.3 %
14	-	709	0.3 %
15	-	687	0.3 %
16	-	551	0.2 %
17	-	541	0.2 %
18	-	532	0.2 %
19	-	461	0.2 %
20	-	457	0.2 %
21	-	403	0.1 %
22	-	375	0.1 %

Value	Label	Unweighted Frequency	%
23	-	334	0.1 %
24	-	327	0.1 %
25	-	324	0.1 %
26	-	268	0.1 %
27	-	249	0.1 %
28	-	247	0.1 %
29	-	208	0.1 %
30	-	254	0.1 %
31	-	238	0.1 %
32	-	224	0.1 %
33	-	207	0.1 %
34	-	168	0.1 %
35	-	159	0.1 %
36	-	170	0.1 %
37	-	147	0.1 %
38	-	118	0.0 %
39	-	147	0.1 %
40	-	151	0.1 %
41	-	131	0.0 %
42	-	138	0.1 %
43	-	119	0.0 %
44	-	95	0.0 %
45	-	114	0.0 %
46	-	106	0.0 %
47	-	100	0.0 %
48	-	105	0.0 %
49	-	82	0.0 %
	Missing Data		
999998	Not applicable	6039	2.2 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,645 valid cases out of 270,684 total cases.

- Mean: 5.93
- Minimum: 0.00
- Maximum: 9195.00
- Standard Deviation: 63.32

Location: 402-407 (width: 6; decimal: 0)

Variable Type: numeric

AN: ADULT-NON-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	72165	26.7 %
1	-	41554	15.4 %
2	-	22543	8.3 %
3	-	15207	5.6 %
4	-	10915	4.0 %
5	-	8569	3.2 %
6	-	6902	2.5 %
7	-	5734	2.1 %
8	-	4740	1.8 %
9	-	4159	1.5 %
10	-	3679	1.4 %
11	-	3307	1.2 %
12	-	2891	1.1 %
13	-	2641	1.0 %
14	-	2303	0.9 %
15	-	2121	0.8 %
16	-	2072	0.8 %
17	-	1845	0.7 %
18	-	1695	0.6 %
19	-	1687	0.6 %
20	-	1493	0.6 %
21	-	1350	0.5 %
22	-	1278	0.5 %
23	-	1255	0.5 %
24	-	1167	0.4 %
25	-	1104	0.4 %
26	-	1003	0.4 %
27	-	905	0.3 %
28	-	887	0.3 %
29	-	862	0.3 %
30	-	821	0.3 %
31	-	799	0.3 %
32	-	816	0.3 %
33	-	747	0.3 %
34	-	692	0.3 %
35	-	745	0.3 %

Value	Label	Unweighted Frequency	%
36	-	660	0.2 %
37	-	599	0.2 %
38	-	581	0.2 %
39	-	560	0.2 %
40	-	566	0.2 %
41	-	567	0.2 %
42	-	495	0.2 %
43	-	506	0.2 %
44	-	476	0.2 %
45	-	451	0.2 %
46	-	460	0.2 %
47	-	417	0.2 %
48	-	410	0.2 %
49	-	395	0.1 %
	Missing Data		
999998	Not applicable	6116	2.3 %
	Total	270,684	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 264,568 valid cases out of 270,684 total cases.

- Mean: 27.04
- Minimum: 0.00
- Maximum: 26424.00
- Standard Deviation: 175.49

Location: 408-413 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998