

ICPSR 38744

**Uniform Crime Reporting Program
Data: Arrests by Age, Sex, and
Race, Summarized Yearly, United
States, 2018**

*United States. Federal Bureau of
Investigation*

ICPSR Codebook for Twelve Months Dataset

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/web/ICPSR/studies/38744/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #38744

Uniform Crime Reporting Program Data: Arrests by Age, Sex, and Race, Summarized Yearly, United States, 2018

DS 2: Twelve Months Dataset

1. **Changes in Methodology:** As of calendar year 2022, the Uniform Crime Reporting (UCR) Program has begun consolidating its data quality review and management practices to reduce differences between publication tables and the data displayed on the FBI website via the [Crime Data Explorer](#).
2. **Discrepancy in Collection:** This study contains data from two master files available on the [Crime Data Explorer](#): 2018_ASR6MON_NATIONAL_MASTER_FILE.txt and 2018_ASR12MON_NATIONAL_MASTER_FILE.txt. In previous years of this collection only one master file was curated. The data contained in this dataset are taken from:
 - a. 2018_ASR12MON_NATIONAL_MASTER_FILE.txt.

No additional information was provided.

3. **Stata Limitations:** Due to Stata limitations, the variables **ORI**, **GROUP**, **CORE**, and **OFFENSE** do not contain value labels for non-integer values within the Stata files.
4. **Data Discrepancies:**
 - a. There are reporting agencies (**AGENCY**) which use the same 7-digit Originating Agency Identifier (**ORI**). For these agencies, ICPSR has converted the 7-digit ORI to the agency's unique 9-digit ORI.
 - b. There are cases where a unique Header record has an associated Detail record with "000" in the **OFFENSE** variable, which is the code reserved for Header records. ICPSR has included these records as Detail records and preserved the "000" code in **OFFENSE** with the value label "HEADER Record".
 - c. The variables **MSA** and **SEQNO** do not contain any valid responses.

No additional information was provided.

5. **Additional Information:** These studies are "static data snapshots" of the data available on the FBI website via the [Crime Data Explorer](#), which is continuously updated. For additional information on the Uniform Crime Reporting (UCR) Program, please visit the [UCR](#) website.

ICPSR 38744

Uniform Crime Reporting Program Data: Arrests by Age, Sex, and Race, Summarized Yearly, United States, 2018

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Twelve Months Dataset

ASR_ID: IDENTIFIER CODE FOR THE ASR MASTER FILE

Value	Label	Unweighted Frequency	%
3	-	239862	100.0 %
	Total	239,862	100%

Based upon 239,862 valid cases out of 239,862 total cases.

- Mean: 3.00
- Median: 3.00
- Mode: 3.00
- Minimum: 3.00
- Maximum: 3.00
- Standard Deviation: 0.00

Location: 1-1 (width: 1; decimal: 0)

Variable Type: numeric

CONTENTS: RECORD CONTENTS

Value	Label	Unweighted Frequency	%
1	Agency header only	3164	1.3 %
2	Detail record	236698	98.7 %
	Total	239,862	100%

Based upon 239,862 valid cases out of 239,862 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2-2 (width: 1; decimal: 0)

Variable Type: numeric

STATE: NUMERIC STATE CODE (UCR CODE)

Range is 01-62. Data records are in order by ORI code within numeric state code.

Value	Label	Unweighted Frequency	%
1	Alabama	4951	2.1 %
2	Arizona	2515	1.0 %
3	Arkansas	4824	2.0 %
4	California	16471	6.9 %
5	Colorado	3831	1.6 %
6	Connecticut	2447	1.0 %
7	Delaware	1045	0.4 %

Value	Label	Unweighted Frequency	%
8	District of Columbia	31	0.0 %
9	Florida	22	0.0 %
10	Georgia	7605	3.2 %
11	Idaho	2144	0.9 %
12	Illinois	38	0.0 %
13	Indiana	4607	1.9 %
14	Iowa	3357	1.4 %
15	Kansas	2736	1.1 %
16	Kentucky	6582	2.7 %
17	Louisiana	3781	1.6 %
18	Maine	2456	1.0 %
19	Maryland	3391	1.4 %
20	Massachusetts	5525	2.3 %
21	Michigan	10829	4.5 %
22	Minnesota	6102	2.5 %
23	Mississippi	1584	0.7 %
24	Missouri	7466	3.1 %
25	Montana	1505	0.6 %
26	Nebraska	2008	0.8 %
27	Nevada	1445	0.6 %
28	New Hampshire	3251	1.4 %
29	New Jersey	10394	4.3 %
30	New Mexico	1408	0.6 %
31	New York	8052	3.4 %
32	North Carolina	8933	3.7 %
33	North Dakota	1474	0.6 %
34	Ohio	8935	3.7 %
35	Oklahoma	6073	2.5 %
36	Oregon	3630	1.5 %
37	Pennsylvania	17164	7.2 %
38	Rhode Island	1088	0.5 %
39	South Carolina	5591	2.3 %
40	South Dakota	1398	0.6 %
41	Tennessee	8243	3.4 %
42	Texas	16446	6.9 %
43	Utah	2537	1.1 %
44	Vermont	1163	0.5 %
45	Virginia	7268	3.0 %
46	Washington	4229	1.8 %

Value	Label	Unweighted Frequency	%
47	West Virginia	2902	1.2 %
48	Wisconsin	7673	3.2 %
49	Wyoming	1285	0.5 %
50	Alaska	1228	0.5 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 239,862 valid cases out of 239,862 total cases.

- Minimum: 1.00
- Maximum: 98.00

Location: 3-4 (width: 2; decimal: 0)

Variable Type: numeric

ORI: ORIGINATING AGENCY IDENTIFIER CODE

Originating Agency Identifier. Labels for ORIs are provided in the data file.

Value	Label	Unweighted Frequency	%
AK00101	ANCHORAGE	-	-
AK00102	FAIRBANKS	-	-
AK00103	JUNEAU	-	-
AK00104	KETCHIKAN	-	-
AK00105	KODIAK	-	-
AK00106	NOME	-	-
AK00107	PETERSBURG	-	-
AK00108	SEWARD	-	-
AK00109	SITKA	-	-
AK00110	SKAGWAY	-	-
AK00111	WRANGELL	-	-
AK00112	VALDEZ	-	-
AK00113	BETHEL	-	-
AK00114	CORDOVA	-	-
AK00116	KOTZEBUE	-	-
AK00117	PALMER	-	-
AK00118	NORTH SLOPE BOROUGH	-	-
AK00120	SOLDOTNA	-	-
AK00121	HAINES	-	-
AK00122	HOMER	-	-
AK00123	KENAI	-	-

Value	Label	Unweighted Frequency	%
AK00126	FAIRBANKS INTRNL AIRPORT	-	-
AK00127	TED STEVENS ANCHORAGE INT	-	-
AK00130	DILLINGHAM	-	-
AK00132	NORTH POLE	-	-
AK00133	UNALASKA	-	-
AK00142	UNIV OF AK: FAIRBANKS	-	-
AK00143	UNIV OF AK: ANCHORAGE	-	-
AK00145	CRAIG	-	-
AK00146	BRISTOL BAY BOROUGH	-	-
AK00156	WASILLA	-	-
AKAST01	ALASKA STATE TROOPERS	-	-
AL00100	JEFFERSON	-	-
AL00101	BESSEMER	-	-
AL00102	BIRMINGHAM	-	-
AL00103	MOUNTAIN BROOK	-	-
AL00104	FAIRFIELD	-	-
AL00105	GARDENDALE	-	-
AL00106	LEEDS	-	-
AL00107	MIDFIELD	-	-
AL00108	TARRANT	-	-
AL00109	VESTAVIA HILLS	-	-
AL00110	HOMEWOOD	-	-
AL00111	FULTONDALE	-	-
AL00112	HOOVER	-	-
AL00113	IRONDALE	-	-
AL00114	PLEASANT GROVE	-	-
AL00119	HUEYTOWN	-	-
AL00120	LIPSCOMB	-	-
AL00121	TRUSSVILLE	-	-
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 239,862 valid cases out of 239,862 total cases.

Location: 5-13 (width: 9; decimal: 0)

Variable Type: character

GROUP: GROUP

Group 0 is possessions; 1-7 are cities, 8-9 are counties. Sub-Group (position 12) is blank when not used. All populations are inclusive.

Value	Label	Unweighted Frequency	%
0	Possessions	1	0.0 %
1	Cities 250,000 or over	0	0.0 %
1A	Cities 1,000,000 or over	364	0.2 %
1B	Cities 500,000-999,999	932	0.4 %
1C	Cities 250,000-499,999	1621	0.7 %
2	Cities 100,000-249,999	6717	2.8 %
3	Cities 50,000-99,999	13813	5.8 %
4	Cities 25,000-49,999	22156	9.2 %
5	Cities 10,000-24,999	39651	16.5 %
6	Cities 2,500-9,999	58465	24.4 %
7	Cities under 2,500	29675	12.4 %
8	Non-MSA Cnty:	0	0.0 %
8A	Non-MSA Cnty 100,000 or over	125	0.1 %
8B	Non-MSA Cnty 25,000-99,999	6442	2.7 %
8C	Non-MSA Cnty 10,000-24,999	11595	4.8 %
8D	Non-MSA Cnty under 10,000	15347	6.4 %
8E	Non-MSA State Police	936	0.4 %
9	MSA Cnty:	0	0.0 %
9A	MSA Cnty 100,000 or over	4801	2.0 %
9B	MSA Cnty 25,000-99,999	12203	5.1 %
9C	MSA Cnty 10,000-24,999	5537	2.3 %
9D	MSA Cnty under 10,000	9314	3.9 %
9E	MSA State Police	167	0.1 %
	Total	239,862	100%

Based upon 239,862 valid cases out of 239,862 total cases.

Location: 14-15 (width: 2; decimal: 0)

Variable Type: character

DIV: GEOGRAPHIC DIVISION OF STATE

Geographic division in which the state is located (from 1 thru 9). Possessions are coded "0."

Value	Label	Unweighted Frequency	%
0	Possessions	1	0.0 %
1	New England	15930	6.6 %
2	Middle Atlantic	35610	14.8 %
3	East North Central	32082	13.4 %

Value	Label	Unweighted Frequency	%
4	West North Central	24541	10.2 %
5	South Atlantic	36788	15.3 %
6	East South Central	21360	8.9 %
7	West South Central	31124	13.0 %
8	Mountain	16670	6.9 %
9	Pacific	25756	10.7 %
	Total	239,862	100%

Based upon 239,862 valid cases out of 239,862 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 16-16 (width: 1; decimal: 0)

Variable Type: numeric

YEAR: YEAR

The year the data reflects.

Value	Label	Unweighted Frequency	%
2018	-	239862	100.0 %
	Total	239,862	100%

Based upon 239,862 valid cases out of 239,862 total cases.

- Mean: 2018.00
- Median: 2018.00
- Mode: 2018.00
- Minimum: 2018.00
- Maximum: 2018.00
- Standard Deviation: 0.00

Location: 17-20 (width: 4; decimal: 0)

Variable Type: numeric

MSA: METROPOLITAN STATISTICAL AREA OF CITY (UCR CODE)

Metropolitan Statistical Area (MSA) number in which the city is located, if any. Blank if not used.

Value	Label	Unweighted Frequency	%
	Missing Data		
9998	Not applicable	239862	100.0 %
	Total	239,862	100%

Based upon 0 valid cases out of 239,862 total cases.

Location: 21-24 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: 9998

SUB: SUBURBAN

A "suburban" agency is an MSA city with less than 50,000 population (groups 4 - 7) together with MSA counties (group 9).

Value	Label	Unweighted Frequency	%
0	Non-suburban	111027	46.3 %
1	Suburban	128835	53.7 %
	Total	239,862	100%

Based upon 239,862 valid cases out of 239,862 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 25-25 (width: 1; decimal: 0)
Variable Type: numeric

REPORT: REPORT INDICATION

Value	Label	Unweighted Frequency	%
0	Juvenile and adult reported	227297	94.8 %
1	Juvenile only reported	29	0.0 %
2	Adult only reported	12536	5.2 %
3	Not reported	0	0.0 %
	Total	239,862	100%

Based upon 239,862 valid cases out of 239,862 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 26-26 (width: 1; decimal: 0)
Variable Type: numeric

ADJUST: ADJUSTMENT

Value	Label	Unweighted Frequency	%
0	Age, race, and ethnic origin reported	234450	97.7 %
1	No age reported	0	0.0 %
2	No race reported	0	0.0 %
3	No ethnic origin reported	5412	2.3 %
4	No race or ethnic origin reported	0	0.0 %
5	No age or ethnic origin reported	0	0.0 %
6	No age or race reported	0	0.0 %

Value	Label	Unweighted Frequency	%
	Total	239,862	100%

Based upon 239,862 valid cases out of 239,862 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 27-27 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9

SEQNO: SEQUENCE NUMBER (5-DIGIT)

A five-digit number which places all cities in alphabetic order, regardless of state. This field is blank for groups 0, 8, and 9.

Value	Label	Unweighted Frequency	%
0	-	239862	100.0 %
	Total	239,862	100%

Based upon 239,862 valid cases out of 239,862 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 28-28 (width: 1; decimal: 0)

Variable Type: numeric

COUNTY: COUNTY (3-DIGIT UCR CODE)

Three-digit numeric code for the county in which the agency is located.

Value	Label	Unweighted Frequency	%
0	-	6891	2.9 %
1	-	5341	2.2 %
2	-	7589	3.2 %
3	-	5079	2.1 %
4	-	4820	2.0 %
5	-	4226	1.8 %
6	-	3774	1.6 %
7	-	5327	2.2 %
8	-	4313	1.8 %
9	-	4829	2.0 %

Value	Label	Unweighted Frequency	%
10	-	3920	1.6 %
11	-	3449	1.4 %
12	-	3011	1.3 %
13	-	4296	1.8 %
14	-	4348	1.8 %
15	-	4385	1.8 %
16	-	3623	1.5 %
17	-	2721	1.1 %
18	-	3713	1.5 %
19	-	5422	2.3 %
20	-	2648	1.1 %
21	-	2696	1.1 %
22	-	2244	0.9 %
23	-	3360	1.4 %
24	-	2623	1.1 %
25	-	3272	1.4 %
26	-	2129	0.9 %
27	-	3390	1.4 %
28	-	2449	1.0 %
29	-	2215	0.9 %
30	-	3090	1.3 %
31	-	2787	1.2 %
32	-	1907	0.8 %
33	-	2748	1.1 %
34	-	2438	1.0 %
35	-	1891	0.8 %
36	-	3935	1.6 %
37	-	2703	1.1 %
38	-	1571	0.7 %
39	-	2264	0.9 %
40	-	2946	1.2 %
41	-	2327	1.0 %
42	-	1863	0.8 %
43	-	2627	1.1 %
44	-	1889	0.8 %
45	-	2190	0.9 %
46	-	2679	1.1 %
47	-	1880	0.8 %
48	-	2312	1.0 %

Value	Label	Unweighted Frequency	%
49	-	2195	0.9 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 239,862 valid cases out of 239,862 total cases.

- Mean: 40.06
- Median: 30.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 300.00
- Standard Deviation: 40.26

Location: 29-31 (width: 3; decimal: 0)

Variable Type: numeric

CORE: CORE CITY

Value	Label	Unweighted Frequency	%
N	Agency not core city	221050	92.2 %
Y	Agency is core city	18812	7.8 %
	Total	239,862	100%

Based upon 239,862 valid cases out of 239,862 total cases.

Location: 32-32 (width: 1; decimal: 0)

Variable Type: character

POP: CURRENT POPULATION

Total population for the agency for the year reported.

Based upon 239,862 valid cases out of 239,862 total cases.

- Mean: 34027.42
- Minimum: 0.00
- Maximum: 4029741.00
- Standard Deviation: 110381.26

Location: 33-39 (width: 7; decimal: 0)

Variable Type: numeric

AGENCNT: AGENCY COUNT

Used to accumulate "agencies used" totals in various tabulations. This field is normally "1" but will be "0" for the U.S. Park Police and all State Police agencies whose ORI code ends in "SP" (or "99" in California).

Value	Label	Unweighted Frequency	%
1	-	239862	100.0 %
	Total	239,862	100%

Based upon 239,862 valid cases out of 239,862 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

Location: 40-40 (width: 1; decimal: 0)

Variable Type: numeric

AGENCY: AGENCY NAME

Based upon 239,862 valid cases out of 239,862 total cases.

Location: 41-65 (width: 25; decimal: 0)

Variable Type: character

STNAME: STATE NAME

Value	Label	Unweighted Frequency	%
ALABA M	-	4951	2.1 %
ALASK A	-	1228	0.5 %
ARIZO N	-	2515	1.0 %
ARKA NS	-	4824	2.0 %
CALIF O	-	16471	6.9 %
COLO RA	-	3831	1.6 %
CONN EC	-	2447	1.0 %
DELA WA	-	1045	0.4 %
DISTRI	-	31	0.0 %
FEDER A	-	34	0.0 %
FLORI D	-	22	0.0 %
GEOR GI	-	7605	3.2 %

Value	Label	Unweighted Frequency	%
HAWAI I	-	164	0.1 %
IDAHO	-	2144	0.9 %
ILLINO	-	38	0.0 %
INDIAN	-	4607	1.9 %
IOWA	-	3357	1.4 %
KANSA S	-	2736	1.1 %
KENTU C	-	6582	2.7 %
LOUISI	-	3781	1.6 %
MAINE	-	2456	1.0 %
MARY LA	-	3391	1.4 %
MASS AC	-	5525	2.3 %
MICHI G	-	10829	4.5 %
MINNE S	-	6102	2.5 %
MISSIS	-	1584	0.7 %
MISSE U	-	7466	3.1 %
MONT AN	-	1505	0.6 %
NEBR AS	-	2008	0.8 %
NEVAD A	-	1445	0.6 %
NEW HA	-	3251	1.4 %
NEW JE	-	10394	4.3 %
NEW ME	-	1408	0.6 %
NEW YO	-	8052	3.4 %
NORT H	-	10407	4.3 %
OHIO	-	8935	3.7 %
OKLAH O	-	6073	2.5 %
OREG ON	-	3630	1.5 %

Value	Label	Unweighted Frequency	%
PENN SY	-	17164	7.2 %
RHOD E	-	1088	0.5 %
SOUT H	-	6989	2.9 %
TENNE S	-	8243	3.4 %
TEXAS	-	16446	6.9 %
U.S. V	-	1	0.0 %
UTAH	-	2537	1.1 %
VERM ON	-	1163	0.5 %
VIRGI N	-	7268	3.0 %
WASHI N	-	4229	1.8 %
WEST V	-	2902	1.2 %
WISCO N	-	7673	3.2 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 239,862 valid cases out of 239,862 total cases.

Location: 66-71 (width: 6; decimal: 0)

Variable Type: character

CARD1: CARD 1 INDICATOR

Value	Label	Unweighted Frequency	%
0	No adult male reported	15140	6.3 %
1	Adult male reported	221558	92.4 %
	Missing Data		
8	Not applicable	3164	1.3 %
	Total	239,862	100%

Based upon 236,698 valid cases out of 239,862 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 72-72 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

CARD2: CARD 2 INDICATOR

Value	Label	Unweighted Frequency	%
0	No adult female reported	42345	17.7 %
1	Adult female reported	194353	81.0 %
	Missing Data		
8	Not applicable	3164	1.3 %
	Total	239,862	100%

Based upon 236,698 valid cases out of 239,862 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 73-73 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

CARD3: CARD 3 INDICATOR

Value	Label	Unweighted Frequency	%
0	No juvenile reported	76979	32.1 %
1	Juvenile reported	159719	66.6 %
	Missing Data		
8	Not applicable	3164	1.3 %
	Total	239,862	100%

Based upon 236,698 valid cases out of 239,862 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 74-74 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

OFFENSE: OFFENSE CODE

Value	Label	Unweighted Frequency	%
000	HEADER Record	61	0.0 %
011	Murder and non-negligent manslaughter	2365	1.0 %
012	Manslaughter by negligence	826	0.3 %
020	Forcible rape	4518	1.9 %
030	Robbery	4658	1.9 %
040	Aggravated assault	9021	3.8 %
050	Burglary-breaking or entering	7850	3.3 %

Value	Label	Unweighted Frequency	%
060	Larceny-theft (not motor vehicle)	9397	3.9 %
070	Motor vehicle theft	6402	2.7 %
080	Other assaults	10141	4.2 %
090	Arson	2612	1.1 %
100	Forgery and counterfeiting	5663	2.4 %
110	Fraud	7242	3.0 %
120	Embezzlement	2385	1.0 %
130	Stolen property-buy, receive, poss.	5944	2.5 %
140	Vandalism	7950	3.3 %
150	Weapons-carry, posses, etc.	7733	3.2 %
160	Prostitution and commercialized vice	1391	0.6 %
161	Prostitution and commercialized vice - Prostitution	916	0.4 %
162	Prostitution and commercialized vice - Assisting or Promoting Prostitution	589	0.2 %
163	Prostitution and commercialized vice - Purchasing Prostitution	424	0.2 %
170	Sex offenses (not rape or prostitution)	5450	2.3 %
18	Total drug abuse violations	10482	4.4 %
180	Sale/manufacture (subtotal)	7697	3.2 %
181	Sale: Opium, coke, and their derivatives	4319	1.8 %
182	Sale: Marijuana	5510	2.3 %
183	Sale: Truly addicting synthetic narcotics	2287	1.0 %
184	Sale: Other dangerous non-narc drugs	5047	2.1 %
185	Possession (subtotal)	10346	4.3 %
186	Possession: Opium, coke, and their derivatives	7316	3.1 %
187	Possession: Marijuana	9248	3.9 %
188	Possession: Truly addicting synthetic narcotics	5102	2.1 %
189	Possession: Other dangerous non-narc drugs	8661	3.6 %
19	Gambling (total)	624	0.3 %
190	Gambling (total)	0	0.0 %
191	Bookmaking (horse and sports)	376	0.2 %
192	Number and lottery	361	0.2 %
193	All other gambling	511	0.2 %
200	Offenses against family and children	5163	2.2 %
210	Driving under the influence	10318	4.3 %
220	Liquor laws	6801	2.8 %
230	Drunkenness	5541	2.3 %
240	Disorderly conduct	8577	3.6 %
250	Vagrancy	1387	0.6 %
260	All other offenses (not traffic)	10824	4.5 %
270	Suspicion	201	0.1 %

Value	Label	Unweighted Frequency	%
280	Curfew and loitering violations	1450	0.6 %
290	Runaways	1446	0.6 %
301	Human Trafficking - Commercial Sex Acts	243	0.1 %
302	Human Trafficking - Involuntary Servitude	179	0.1 %
	Missing Data		
998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

Location: 75-77 (width: 3; decimal: 0)

Variable Type: character

(Range of) Missing Values: 998

M0_9: MALE UNDER 10

Value	Label	Unweighted Frequency	%
0	-	234702	97.8 %
1	-	1443	0.6 %
2	-	299	0.1 %
3	-	127	0.1 %
4	-	53	0.0 %
5	-	25	0.0 %
6	-	10	0.0 %
7	-	8	0.0 %
8	-	9	0.0 %
9	-	4	0.0 %
10	-	3	0.0 %
11	-	4	0.0 %
12	-	2	0.0 %
13	-	2	0.0 %
15	-	1	0.0 %
16	-	1	0.0 %
17	-	1	0.0 %
18	-	1	0.0 %
24	-	1	0.0 %
44	-	1	0.0 %
53	-	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 53.00
- Standard Deviation: 0.25

Location: 78-83 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M10_12: MALE 10-12

Value	Label	Unweighted Frequency	%
0	-	223883	93.3 %
1	-	7425	3.1 %
2	-	2372	1.0 %
3	-	1042	0.4 %
4	-	617	0.3 %
5	-	338	0.1 %
6	-	258	0.1 %
7	-	173	0.1 %
8	-	95	0.0 %
9	-	84	0.0 %
10	-	55	0.0 %
11	-	48	0.0 %
12	-	44	0.0 %
13	-	39	0.0 %
14	-	30	0.0 %
15	-	19	0.0 %
16	-	16	0.0 %
17	-	17	0.0 %
18	-	17	0.0 %
19	-	10	0.0 %
20	-	8	0.0 %
21	-	9	0.0 %
22	-	11	0.0 %
23	-	7	0.0 %

Value	Label	Unweighted Frequency	%
24	-	7	0.0 %
25	-	5	0.0 %
26	-	4	0.0 %
27	-	7	0.0 %
28	-	3	0.0 %
29	-	6	0.0 %
30	-	4	0.0 %
31	-	4	0.0 %
32	-	1	0.0 %
33	-	1	0.0 %
34	-	4	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
37	-	3	0.0 %
39	-	2	0.0 %
42	-	1	0.0 %
43	-	1	0.0 %
44	-	2	0.0 %
45	-	2	0.0 %
47	-	1	0.0 %
48	-	1	0.0 %
50	-	1	0.0 %
52	-	1	0.0 %
53	-	1	0.0 %
54	-	1	0.0 %
56	-	1	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 371.00
- Standard Deviation: 1.35

Location: 84-89 (width: 6; decimal: 0)

Variable Type: numeric

M13_14: MALE 13-14

Value	Label	Unweighted Frequency	%
0	-	206328	86.0 %
1	-	15132	6.3 %
2	-	5740	2.4 %
3	-	2887	1.2 %
4	-	1631	0.7 %
5	-	1032	0.4 %
6	-	732	0.3 %
7	-	510	0.2 %
8	-	421	0.2 %
9	-	291	0.1 %
10	-	263	0.1 %
11	-	214	0.1 %
12	-	168	0.1 %
13	-	123	0.1 %
14	-	118	0.0 %
15	-	120	0.1 %
16	-	95	0.0 %
17	-	64	0.0 %
18	-	67	0.0 %
19	-	58	0.0 %
20	-	55	0.0 %
21	-	39	0.0 %
22	-	42	0.0 %
23	-	36	0.0 %
24	-	46	0.0 %
25	-	30	0.0 %
26	-	41	0.0 %
27	-	29	0.0 %
28	-	32	0.0 %
29	-	21	0.0 %
30	-	25	0.0 %
31	-	20	0.0 %
32	-	13	0.0 %
33	-	23	0.0 %
34	-	14	0.0 %
35	-	15	0.0 %

Value	Label	Unweighted Frequency	%
36	-	14	0.0 %
37	-	13	0.0 %
38	-	10	0.0 %
39	-	10	0.0 %
40	-	10	0.0 %
41	-	7	0.0 %
42	-	10	0.0 %
43	-	8	0.0 %
44	-	2	0.0 %
45	-	10	0.0 %
46	-	1	0.0 %
47	-	3	0.0 %
48	-	8	0.0 %
49	-	7	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 0.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 674.00
- Standard Deviation: 3.09

Location: 90-95 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M15: MALE 15

Value	Label	Unweighted Frequency	%
0	-	205773	85.8 %
1	-	16528	6.9 %
2	-	5674	2.4 %
3	-	2721	1.1 %
4	-	1594	0.7 %
5	-	986	0.4 %
6	-	660	0.3 %

Value	Label	Unweighted Frequency	%
7	-	467	0.2 %
8	-	377	0.2 %
9	-	284	0.1 %
10	-	197	0.1 %
11	-	162	0.1 %
12	-	138	0.1 %
13	-	124	0.1 %
14	-	104	0.0 %
15	-	91	0.0 %
16	-	77	0.0 %
17	-	66	0.0 %
18	-	51	0.0 %
19	-	53	0.0 %
20	-	46	0.0 %
21	-	53	0.0 %
22	-	41	0.0 %
23	-	34	0.0 %
24	-	38	0.0 %
25	-	26	0.0 %
26	-	23	0.0 %
27	-	12	0.0 %
28	-	13	0.0 %
29	-	20	0.0 %
30	-	17	0.0 %
31	-	14	0.0 %
32	-	22	0.0 %
33	-	12	0.0 %
34	-	16	0.0 %
35	-	8	0.0 %
36	-	4	0.0 %
37	-	9	0.0 %
38	-	8	0.0 %
39	-	10	0.0 %
40	-	7	0.0 %
41	-	7	0.0 %
42	-	6	0.0 %
43	-	3	0.0 %
44	-	8	0.0 %
45	-	5	0.0 %

Value	Label	Unweighted Frequency	%
46	-	7	0.0 %
47	-	1	0.0 %
48	-	6	0.0 %
49	-	3	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 0.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 641.00
- Standard Deviation: 2.68

Location: 96-101 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M16: MALE 16

Value	Label	Unweighted Frequency	%
0	-	197661	82.4 %
1	-	20084	8.4 %
2	-	7072	2.9 %
3	-	3684	1.5 %
4	-	2123	0.9 %
5	-	1356	0.6 %
6	-	909	0.4 %
7	-	688	0.3 %
8	-	533	0.2 %
9	-	337	0.1 %
10	-	305	0.1 %
11	-	246	0.1 %
12	-	164	0.1 %
13	-	180	0.1 %
14	-	138	0.1 %
15	-	122	0.1 %
16	-	98	0.0 %

Value	Label	Unweighted Frequency	%
17	-	77	0.0 %
18	-	87	0.0 %
19	-	68	0.0 %
20	-	69	0.0 %
21	-	66	0.0 %
22	-	44	0.0 %
23	-	34	0.0 %
24	-	40	0.0 %
25	-	35	0.0 %
26	-	31	0.0 %
27	-	19	0.0 %
28	-	19	0.0 %
29	-	15	0.0 %
30	-	14	0.0 %
31	-	25	0.0 %
32	-	17	0.0 %
33	-	18	0.0 %
34	-	14	0.0 %
35	-	13	0.0 %
36	-	27	0.0 %
37	-	8	0.0 %
38	-	17	0.0 %
39	-	12	0.0 %
40	-	12	0.0 %
41	-	10	0.0 %
42	-	14	0.0 %
43	-	13	0.0 %
44	-	10	0.0 %
45	-	7	0.0 %
46	-	12	0.0 %
47	-	1	0.0 %
48	-	12	0.0 %
49	-	6	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 0.54
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 790.00
- Standard Deviation: 3.27

Location: 102-107 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M17: MALE 17

Value	Label	Unweighted Frequency	%
0	-	188038	78.4 %
1	-	24234	10.1 %
2	-	9004	3.8 %
3	-	4502	1.9 %
4	-	2762	1.2 %
5	-	1786	0.7 %
6	-	1217	0.5 %
7	-	829	0.3 %
8	-	659	0.3 %
9	-	543	0.2 %
10	-	418	0.2 %
11	-	351	0.1 %
12	-	276	0.1 %
13	-	217	0.1 %
14	-	203	0.1 %
15	-	147	0.1 %
16	-	135	0.1 %
17	-	125	0.1 %
18	-	101	0.0 %
19	-	105	0.0 %
20	-	95	0.0 %
21	-	71	0.0 %
22	-	61	0.0 %
23	-	70	0.0 %
24	-	38	0.0 %
25	-	50	0.0 %
26	-	43	0.0 %
27	-	43	0.0 %

Value	Label	Unweighted Frequency	%
28	-	43	0.0 %
29	-	34	0.0 %
30	-	30	0.0 %
31	-	25	0.0 %
32	-	36	0.0 %
33	-	21	0.0 %
34	-	19	0.0 %
35	-	24	0.0 %
36	-	17	0.0 %
37	-	15	0.0 %
38	-	21	0.0 %
39	-	15	0.0 %
40	-	8	0.0 %
41	-	9	0.0 %
42	-	9	0.0 %
43	-	6	0.0 %
44	-	11	0.0 %
45	-	6	0.0 %
46	-	6	0.0 %
47	-	5	0.0 %
48	-	13	0.0 %
49	-	7	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 0.71
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 689.00
- Standard Deviation: 3.80

Location: 108-113 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M18: MALE 18

Value	Label	Unweighted Frequency	%
0	-	174675	72.8 %
1	-	29674	12.4 %
2	-	11235	4.7 %
3	-	5801	2.4 %
4	-	3531	1.5 %
5	-	2368	1.0 %
6	-	1727	0.7 %
7	-	1223	0.5 %
8	-	927	0.4 %
9	-	773	0.3 %
10	-	579	0.2 %
11	-	494	0.2 %
12	-	401	0.2 %
13	-	331	0.1 %
14	-	266	0.1 %
15	-	248	0.1 %
16	-	190	0.1 %
17	-	202	0.1 %
18	-	165	0.1 %
19	-	148	0.1 %
20	-	129	0.1 %
21	-	116	0.0 %
22	-	108	0.0 %
23	-	96	0.0 %
24	-	92	0.0 %
25	-	85	0.0 %
26	-	56	0.0 %
27	-	61	0.0 %
28	-	45	0.0 %
29	-	54	0.0 %
30	-	54	0.0 %
31	-	37	0.0 %
32	-	35	0.0 %
33	-	48	0.0 %
34	-	35	0.0 %
35	-	25	0.0 %
36	-	26	0.0 %
37	-	20	0.0 %
38	-	30	0.0 %

Value	Label	Unweighted Frequency	%
39	-	20	0.0 %
40	-	31	0.0 %
41	-	19	0.0 %
42	-	18	0.0 %
43	-	12	0.0 %
44	-	27	0.0 %
45	-	12	0.0 %
46	-	18	0.0 %
47	-	16	0.0 %
48	-	9	0.0 %
49	-	11	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 1.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1546.00
- Standard Deviation: 7.39

Location: 114-119 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M19: MALE 19

Value	Label	Unweighted Frequency	%
0	-	172867	72.1 %
1	-	30017	12.5 %
2	-	11661	4.9 %
3	-	6055	2.5 %
4	-	3536	1.5 %
5	-	2458	1.0 %
6	-	1758	0.7 %
7	-	1274	0.5 %
8	-	1003	0.4 %
9	-	775	0.3 %

Value	Label	Unweighted Frequency	%
10	-	646	0.3 %
11	-	490	0.2 %
12	-	406	0.2 %
13	-	387	0.2 %
14	-	324	0.1 %
15	-	282	0.1 %
16	-	232	0.1 %
17	-	211	0.1 %
18	-	171	0.1 %
19	-	170	0.1 %
20	-	143	0.1 %
21	-	127	0.1 %
22	-	107	0.0 %
23	-	112	0.0 %
24	-	101	0.0 %
25	-	78	0.0 %
26	-	82	0.0 %
27	-	72	0.0 %
28	-	50	0.0 %
29	-	36	0.0 %
30	-	49	0.0 %
31	-	45	0.0 %
32	-	48	0.0 %
33	-	45	0.0 %
34	-	49	0.0 %
35	-	31	0.0 %
36	-	49	0.0 %
37	-	47	0.0 %
38	-	33	0.0 %
39	-	28	0.0 %
40	-	28	0.0 %
41	-	20	0.0 %
42	-	24	0.0 %
43	-	20	0.0 %
44	-	15	0.0 %
45	-	18	0.0 %
46	-	22	0.0 %
47	-	14	0.0 %
48	-	13	0.0 %

Value	Label	Unweighted Frequency	%
49	-	19	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 1.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 526.00
- Standard Deviation: 5.94

Location: 120-125 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M20: MALE 20

Value	Label	Unweighted Frequency	%
0	-	173129	72.2 %
1	-	30412	12.7 %
2	-	11360	4.7 %
3	-	5988	2.5 %
4	-	3646	1.5 %
5	-	2365	1.0 %
6	-	1678	0.7 %
7	-	1329	0.6 %
8	-	958	0.4 %
9	-	730	0.3 %
10	-	606	0.3 %
11	-	511	0.2 %
12	-	433	0.2 %
13	-	350	0.1 %
14	-	296	0.1 %
15	-	230	0.1 %
16	-	218	0.1 %
17	-	196	0.1 %
18	-	182	0.1 %
19	-	158	0.1 %

Value	Label	Unweighted Frequency	%
20	-	128	0.1 %
21	-	123	0.1 %
22	-	108	0.0 %
23	-	92	0.0 %
24	-	73	0.0 %
25	-	73	0.0 %
26	-	69	0.0 %
27	-	78	0.0 %
28	-	78	0.0 %
29	-	63	0.0 %
30	-	54	0.0 %
31	-	53	0.0 %
32	-	45	0.0 %
33	-	58	0.0 %
34	-	35	0.0 %
35	-	28	0.0 %
36	-	18	0.0 %
37	-	30	0.0 %
38	-	27	0.0 %
39	-	30	0.0 %
40	-	27	0.0 %
41	-	16	0.0 %
42	-	27	0.0 %
43	-	24	0.0 %
44	-	21	0.0 %
45	-	17	0.0 %
46	-	15	0.0 %
47	-	14	0.0 %
48	-	18	0.0 %
49	-	8	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 1.11
- Median: 0.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 511.00
- Standard Deviation: 6.09

Location: 126-131 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M21: MALE 21

Value	Label	Unweighted Frequency	%
0	-	173629	72.4 %
1	-	30453	12.7 %
2	-	11184	4.7 %
3	-	5830	2.4 %
4	-	3594	1.5 %
5	-	2276	0.9 %
6	-	1680	0.7 %
7	-	1243	0.5 %
8	-	964	0.4 %
9	-	687	0.3 %
10	-	678	0.3 %
11	-	482	0.2 %
12	-	393	0.2 %
13	-	348	0.1 %
14	-	296	0.1 %
15	-	259	0.1 %
16	-	204	0.1 %
17	-	187	0.1 %
18	-	157	0.1 %
19	-	156	0.1 %
20	-	133	0.1 %
21	-	127	0.1 %
22	-	106	0.0 %
23	-	87	0.0 %
24	-	88	0.0 %
25	-	86	0.0 %
26	-	78	0.0 %
27	-	82	0.0 %
28	-	65	0.0 %
29	-	68	0.0 %
30	-	59	0.0 %

Value	Label	Unweighted Frequency	%
31	-	47	0.0 %
32	-	50	0.0 %
33	-	38	0.0 %
34	-	33	0.0 %
35	-	37	0.0 %
36	-	34	0.0 %
37	-	34	0.0 %
38	-	33	0.0 %
39	-	34	0.0 %
40	-	21	0.0 %
41	-	22	0.0 %
42	-	28	0.0 %
43	-	19	0.0 %
44	-	25	0.0 %
45	-	25	0.0 %
46	-	25	0.0 %
47	-	20	0.0 %
48	-	10	0.0 %
49	-	17	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 1.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 476.00
- Standard Deviation: 6.27

Location: 132-137 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M22: MALE 22

Value	Label	Unweighted Frequency	%
0	-	173590	72.4 %
1	-	30252	12.6 %

Value	Label	Unweighted Frequency	%
2	-	11245	4.7 %
3	-	5801	2.4 %
4	-	3617	1.5 %
5	-	2373	1.0 %
6	-	1672	0.7 %
7	-	1287	0.5 %
8	-	939	0.4 %
9	-	760	0.3 %
10	-	588	0.2 %
11	-	490	0.2 %
12	-	443	0.2 %
13	-	345	0.1 %
14	-	309	0.1 %
15	-	238	0.1 %
16	-	207	0.1 %
17	-	209	0.1 %
18	-	168	0.1 %
19	-	156	0.1 %
20	-	120	0.1 %
21	-	122	0.1 %
22	-	91	0.0 %
23	-	87	0.0 %
24	-	97	0.0 %
25	-	81	0.0 %
26	-	62	0.0 %
27	-	70	0.0 %
28	-	75	0.0 %
29	-	62	0.0 %
30	-	49	0.0 %
31	-	47	0.0 %
32	-	64	0.0 %
33	-	47	0.0 %
34	-	46	0.0 %
35	-	39	0.0 %
36	-	41	0.0 %
37	-	32	0.0 %
38	-	32	0.0 %
39	-	33	0.0 %
40	-	21	0.0 %

Value	Label	Unweighted Frequency	%
41	-	27	0.0 %
42	-	28	0.0 %
43	-	24	0.0 %
44	-	20	0.0 %
45	-	24	0.0 %
46	-	26	0.0 %
47	-	25	0.0 %
48	-	12	0.0 %
49	-	13	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 1.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 501.00
- Standard Deviation: 6.34

Location: 138-143 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M23: MALE 23

Value	Label	Unweighted Frequency	%
0	-	173465	72.3 %
1	-	30179	12.6 %
2	-	11418	4.8 %
3	-	5819	2.4 %
4	-	3539	1.5 %
5	-	2321	1.0 %
6	-	1657	0.7 %
7	-	1235	0.5 %
8	-	939	0.4 %
9	-	784	0.3 %
10	-	623	0.3 %
11	-	532	0.2 %

Value	Label	Unweighted Frequency	%
12	-	420	0.2 %
13	-	370	0.2 %
14	-	290	0.1 %
15	-	242	0.1 %
16	-	221	0.1 %
17	-	217	0.1 %
18	-	179	0.1 %
19	-	158	0.1 %
20	-	154	0.1 %
21	-	120	0.1 %
22	-	147	0.1 %
23	-	77	0.0 %
24	-	109	0.0 %
25	-	97	0.0 %
26	-	75	0.0 %
27	-	62	0.0 %
28	-	62	0.0 %
29	-	48	0.0 %
30	-	61	0.0 %
31	-	42	0.0 %
32	-	52	0.0 %
33	-	34	0.0 %
34	-	48	0.0 %
35	-	36	0.0 %
36	-	40	0.0 %
37	-	33	0.0 %
38	-	35	0.0 %
39	-	36	0.0 %
40	-	18	0.0 %
41	-	20	0.0 %
42	-	28	0.0 %
43	-	27	0.0 %
44	-	19	0.0 %
45	-	24	0.0 %
46	-	21	0.0 %
47	-	17	0.0 %
48	-	18	0.0 %
49	-	10	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 1.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 512.00
- Standard Deviation: 6.56

Location: 144-149 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M24: MALE 24

Value	Label	Unweighted Frequency	%
0	-	172865	72.1 %
1	-	30402	12.7 %
2	-	11409	4.8 %
3	-	5876	2.4 %
4	-	3639	1.5 %
5	-	2380	1.0 %
6	-	1732	0.7 %
7	-	1249	0.5 %
8	-	938	0.4 %
9	-	780	0.3 %
10	-	629	0.3 %
11	-	523	0.2 %
12	-	415	0.2 %
13	-	361	0.2 %
14	-	305	0.1 %
15	-	263	0.1 %
16	-	234	0.1 %
17	-	190	0.1 %
18	-	185	0.1 %
19	-	146	0.1 %
20	-	154	0.1 %
21	-	122	0.1 %

Value	Label	Unweighted Frequency	%
22	-	117	0.0 %
23	-	108	0.0 %
24	-	100	0.0 %
25	-	84	0.0 %
26	-	82	0.0 %
27	-	67	0.0 %
28	-	52	0.0 %
29	-	73	0.0 %
30	-	65	0.0 %
31	-	54	0.0 %
32	-	52	0.0 %
33	-	42	0.0 %
34	-	46	0.0 %
35	-	33	0.0 %
36	-	33	0.0 %
37	-	33	0.0 %
38	-	30	0.0 %
39	-	45	0.0 %
40	-	35	0.0 %
41	-	33	0.0 %
42	-	24	0.0 %
43	-	25	0.0 %
44	-	22	0.0 %
45	-	24	0.0 %
46	-	17	0.0 %
47	-	17	0.0 %
48	-	15	0.0 %
49	-	13	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 1.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 564.00

• Standard Deviation: 6.89

Location: 150-155 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M25_29: MALE 25-29

Value	Label	Unweighted Frequency	%
0	-	110302	46.0 %
1	-	42265	17.6 %
2	-	19475	8.1 %
3	-	11695	4.9 %
4	-	8021	3.3 %
5	-	5861	2.4 %
6	-	4447	1.9 %
7	-	3535	1.5 %
8	-	2950	1.2 %
9	-	2391	1.0 %
10	-	2053	0.9 %
11	-	1768	0.7 %
12	-	1506	0.6 %
13	-	1351	0.6 %
14	-	1200	0.5 %
15	-	1109	0.5 %
16	-	986	0.4 %
17	-	856	0.4 %
18	-	804	0.3 %
19	-	703	0.3 %
20	-	639	0.3 %
21	-	600	0.3 %
22	-	573	0.2 %
23	-	507	0.2 %
24	-	452	0.2 %
25	-	428	0.2 %
26	-	407	0.2 %
27	-	352	0.1 %
28	-	348	0.1 %
29	-	356	0.1 %
30	-	320	0.1 %
31	-	308	0.1 %
32	-	268	0.1 %

Value	Label	Unweighted Frequency	%
33	-	246	0.1 %
34	-	224	0.1 %
35	-	224	0.1 %
36	-	237	0.1 %
37	-	206	0.1 %
38	-	210	0.1 %
39	-	195	0.1 %
40	-	169	0.1 %
41	-	143	0.1 %
42	-	153	0.1 %
43	-	145	0.1 %
44	-	150	0.1 %
45	-	143	0.1 %
46	-	127	0.1 %
47	-	113	0.0 %
48	-	141	0.1 %
49	-	118	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 5.96
- Minimum: 0.00
- Maximum: 3643.00
- Standard Deviation: 34.89

Location: 156-161 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M30_34: MALE 30-34

Value	Label	Unweighted Frequency	%
0	-	117338	48.9 %
1	-	41877	17.5 %
2	-	18858	7.9 %
3	-	11491	4.8 %
4	-	7429	3.1 %
5	-	5416	2.3 %

Value	Label	Unweighted Frequency	%
6	-	4079	1.7 %
7	-	3207	1.3 %
8	-	2638	1.1 %
9	-	2202	0.9 %
10	-	1927	0.8 %
11	-	1601	0.7 %
12	-	1430	0.6 %
13	-	1202	0.5 %
14	-	1104	0.5 %
15	-	933	0.4 %
16	-	898	0.4 %
17	-	736	0.3 %
18	-	657	0.3 %
19	-	625	0.3 %
20	-	540	0.2 %
21	-	511	0.2 %
22	-	470	0.2 %
23	-	456	0.2 %
24	-	404	0.2 %
25	-	362	0.2 %
26	-	323	0.1 %
27	-	298	0.1 %
28	-	288	0.1 %
29	-	285	0.1 %
30	-	266	0.1 %
31	-	246	0.1 %
32	-	232	0.1 %
33	-	199	0.1 %
34	-	205	0.1 %
35	-	187	0.1 %
36	-	181	0.1 %
37	-	202	0.1 %
38	-	155	0.1 %
39	-	145	0.1 %
40	-	159	0.1 %
41	-	149	0.1 %
42	-	148	0.1 %
43	-	124	0.1 %
44	-	126	0.1 %

Value	Label	Unweighted Frequency	%
45	-	97	0.0 %
46	-	96	0.0 %
47	-	98	0.0 %
48	-	98	0.0 %
49	-	85	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 4.92
- Minimum: 0.00
- Maximum: 3592.00
- Standard Deviation: 29.10

Location: 162-167 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M35_39: MALE 35-39

Value	Label	Unweighted Frequency	%
0	-	125664	52.4 %
1	-	40777	17.0 %
2	-	17899	7.5 %
3	-	10439	4.4 %
4	-	7113	3.0 %
5	-	5049	2.1 %
6	-	3733	1.6 %
7	-	2997	1.2 %
8	-	2447	1.0 %
9	-	2004	0.8 %
10	-	1688	0.7 %
11	-	1352	0.6 %
12	-	1234	0.5 %
13	-	1093	0.5 %
14	-	903	0.4 %
15	-	822	0.3 %
16	-	774	0.3 %
17	-	643	0.3 %

Value	Label	Unweighted Frequency	%
18	-	582	0.2 %
19	-	478	0.2 %
20	-	473	0.2 %
21	-	437	0.2 %
22	-	433	0.2 %
23	-	364	0.2 %
24	-	311	0.1 %
25	-	312	0.1 %
26	-	297	0.1 %
27	-	291	0.1 %
28	-	248	0.1 %
29	-	197	0.1 %
30	-	208	0.1 %
31	-	195	0.1 %
32	-	168	0.1 %
33	-	177	0.1 %
34	-	157	0.1 %
35	-	166	0.1 %
36	-	154	0.1 %
37	-	153	0.1 %
38	-	121	0.1 %
39	-	93	0.0 %
40	-	116	0.0 %
41	-	95	0.0 %
42	-	109	0.0 %
43	-	98	0.0 %
44	-	80	0.0 %
45	-	85	0.0 %
46	-	86	0.0 %
47	-	76	0.0 %
48	-	90	0.0 %
49	-	91	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 4.05
- Minimum: 0.00
- Maximum: 3177.00
- Standard Deviation: 24.13

Location: 168-173 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M40_44: MALE 40-44

Value	Label	Unweighted Frequency	%
0	-	142647	59.5 %
1	-	38055	15.9 %
2	-	15893	6.6 %
3	-	8854	3.7 %
4	-	5753	2.4 %
5	-	4087	1.7 %
6	-	3109	1.3 %
7	-	2336	1.0 %
8	-	1828	0.8 %
9	-	1483	0.6 %
10	-	1210	0.5 %
11	-	1004	0.4 %
12	-	882	0.4 %
13	-	779	0.3 %
14	-	685	0.3 %
15	-	558	0.2 %
16	-	516	0.2 %
17	-	457	0.2 %
18	-	436	0.2 %
19	-	377	0.2 %
20	-	305	0.1 %
21	-	302	0.1 %
22	-	278	0.1 %
23	-	232	0.1 %
24	-	224	0.1 %
25	-	205	0.1 %
26	-	172	0.1 %
27	-	168	0.1 %
28	-	165	0.1 %
29	-	155	0.1 %
30	-	139	0.1 %

Value	Label	Unweighted Frequency	%
31	-	144	0.1 %
32	-	110	0.0 %
33	-	126	0.1 %
34	-	85	0.0 %
35	-	107	0.0 %
36	-	87	0.0 %
37	-	109	0.0 %
38	-	84	0.0 %
39	-	72	0.0 %
40	-	77	0.0 %
41	-	79	0.0 %
42	-	60	0.0 %
43	-	64	0.0 %
44	-	71	0.0 %
45	-	59	0.0 %
46	-	79	0.0 %
47	-	74	0.0 %
48	-	55	0.0 %
49	-	37	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 2.71
- Minimum: 0.00
- Maximum: 2197.00
- Standard Deviation: 16.84

Location: 174-179 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M45_49: MALE 45-49

Value	Label	Unweighted Frequency	%
0	-	152284	63.5 %
1	-	35665	14.9 %
2	-	14587	6.1 %
3	-	7914	3.3 %

Value	Label	Unweighted Frequency	%
4	-	5126	2.1 %
5	-	3520	1.5 %
6	-	2665	1.1 %
7	-	1899	0.8 %
8	-	1569	0.7 %
9	-	1285	0.5 %
10	-	1068	0.4 %
11	-	826	0.3 %
12	-	729	0.3 %
13	-	637	0.3 %
14	-	526	0.2 %
15	-	468	0.2 %
16	-	420	0.2 %
17	-	353	0.1 %
18	-	280	0.1 %
19	-	283	0.1 %
20	-	249	0.1 %
21	-	257	0.1 %
22	-	207	0.1 %
23	-	194	0.1 %
24	-	174	0.1 %
25	-	172	0.1 %
26	-	172	0.1 %
27	-	139	0.1 %
28	-	131	0.1 %
29	-	116	0.0 %
30	-	95	0.0 %
31	-	106	0.0 %
32	-	91	0.0 %
33	-	101	0.0 %
34	-	93	0.0 %
35	-	81	0.0 %
36	-	68	0.0 %
37	-	83	0.0 %
38	-	82	0.0 %
39	-	51	0.0 %
40	-	62	0.0 %
41	-	64	0.0 %
42	-	61	0.0 %

Value	Label	Unweighted Frequency	%
43	-	60	0.0 %
44	-	53	0.0 %
45	-	53	0.0 %
46	-	37	0.0 %
47	-	48	0.0 %
48	-	50	0.0 %
49	-	43	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 2.20
- Minimum: 0.00
- Maximum: 1932.00
- Standard Deviation: 14.14

Location: 180-185 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M50_54: MALE 50-54

Value	Label	Unweighted Frequency	%
0	-	161091	67.2 %
1	-	33650	14.0 %
2	-	13068	5.4 %
3	-	7203	3.0 %
4	-	4494	1.9 %
5	-	3018	1.3 %
6	-	2147	0.9 %
7	-	1695	0.7 %
8	-	1338	0.6 %
9	-	1018	0.4 %
10	-	839	0.3 %
11	-	676	0.3 %
12	-	601	0.3 %
13	-	503	0.2 %
14	-	413	0.2 %
15	-	375	0.2 %

Value	Label	Unweighted Frequency	%
16	-	347	0.1 %
17	-	272	0.1 %
18	-	266	0.1 %
19	-	210	0.1 %
20	-	228	0.1 %
21	-	166	0.1 %
22	-	166	0.1 %
23	-	156	0.1 %
24	-	133	0.1 %
25	-	125	0.1 %
26	-	102	0.0 %
27	-	104	0.0 %
28	-	108	0.0 %
29	-	78	0.0 %
30	-	70	0.0 %
31	-	74	0.0 %
32	-	78	0.0 %
33	-	53	0.0 %
34	-	77	0.0 %
35	-	76	0.0 %
36	-	56	0.0 %
37	-	52	0.0 %
38	-	57	0.0 %
39	-	46	0.0 %
40	-	56	0.0 %
41	-	37	0.0 %
42	-	44	0.0 %
43	-	33	0.0 %
44	-	43	0.0 %
45	-	37	0.0 %
46	-	40	0.0 %
47	-	27	0.0 %
48	-	28	0.0 %
49	-	32	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 1.77
- Minimum: 0.00
- Maximum: 1904.00
- Standard Deviation: 12.34

Location: 186-191 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M55_59: MALE 55-59

Value	Label	Unweighted Frequency	%
0	-	172213	71.8 %
1	-	30311	12.6 %
2	-	11545	4.8 %
3	-	6001	2.5 %
4	-	3682	1.5 %
5	-	2409	1.0 %
6	-	1673	0.7 %
7	-	1306	0.5 %
8	-	913	0.4 %
9	-	794	0.3 %
10	-	632	0.3 %
11	-	506	0.2 %
12	-	437	0.2 %
13	-	382	0.2 %
14	-	326	0.1 %
15	-	294	0.1 %
16	-	272	0.1 %
17	-	212	0.1 %
18	-	181	0.1 %
19	-	170	0.1 %
20	-	151	0.1 %
21	-	126	0.1 %
22	-	119	0.0 %
23	-	103	0.0 %
24	-	97	0.0 %
25	-	100	0.0 %
26	-	83	0.0 %
27	-	65	0.0 %

Value	Label	Unweighted Frequency	%
28	-	71	0.0 %
29	-	66	0.0 %
30	-	76	0.0 %
31	-	55	0.0 %
32	-	56	0.0 %
33	-	47	0.0 %
34	-	38	0.0 %
35	-	52	0.0 %
36	-	37	0.0 %
37	-	47	0.0 %
38	-	44	0.0 %
39	-	32	0.0 %
40	-	29	0.0 %
41	-	36	0.0 %
42	-	28	0.0 %
43	-	31	0.0 %
44	-	32	0.0 %
45	-	25	0.0 %
46	-	22	0.0 %
47	-	29	0.0 %
48	-	21	0.0 %
49	-	19	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 1.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1319.00
- Standard Deviation: 9.40

Location: 192-197 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M60_64: MALE 60-64

Value	Label	Unweighted Frequency	%
0	-	191434	79.8 %
1	-	24527	10.2 %
2	-	8044	3.4 %
3	-	3818	1.6 %
4	-	2191	0.9 %
5	-	1430	0.6 %
6	-	1010	0.4 %
7	-	720	0.3 %
8	-	481	0.2 %
9	-	387	0.2 %
10	-	295	0.1 %
11	-	255	0.1 %
12	-	199	0.1 %
13	-	184	0.1 %
14	-	151	0.1 %
15	-	127	0.1 %
16	-	129	0.1 %
17	-	129	0.1 %
18	-	77	0.0 %
19	-	71	0.0 %
20	-	83	0.0 %
21	-	63	0.0 %
22	-	59	0.0 %
23	-	44	0.0 %
24	-	49	0.0 %
25	-	48	0.0 %
26	-	47	0.0 %
27	-	38	0.0 %
28	-	21	0.0 %
29	-	36	0.0 %
30	-	38	0.0 %
31	-	22	0.0 %
32	-	18	0.0 %
33	-	18	0.0 %
34	-	20	0.0 %
35	-	14	0.0 %
36	-	18	0.0 %
37	-	15	0.0 %
38	-	11	0.0 %

Value	Label	Unweighted Frequency	%
39	-	10	0.0 %
40	-	15	0.0 %
41	-	13	0.0 %
42	-	13	0.0 %
43	-	5	0.0 %
44	-	11	0.0 %
45	-	9	0.0 %
46	-	8	0.0 %
47	-	12	0.0 %
48	-	8	0.0 %
49	-	7	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 0.67
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 779.00
- Standard Deviation: 5.14

Location: 198-203 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M65: MALE OVER 64

Value	Label	Unweighted Frequency	%
0	-	201551	84.0 %
1	-	20472	8.5 %
2	-	6363	2.7 %
3	-	2750	1.1 %
4	-	1531	0.6 %
5	-	959	0.4 %
6	-	609	0.3 %
7	-	436	0.2 %
8	-	304	0.1 %
9	-	260	0.1 %

Value	Label	Unweighted Frequency	%
10	-	205	0.1 %
11	-	167	0.1 %
12	-	142	0.1 %
13	-	93	0.0 %
14	-	88	0.0 %
15	-	65	0.0 %
16	-	66	0.0 %
17	-	54	0.0 %
18	-	41	0.0 %
19	-	52	0.0 %
20	-	30	0.0 %
21	-	29	0.0 %
22	-	35	0.0 %
23	-	28	0.0 %
24	-	24	0.0 %
25	-	21	0.0 %
26	-	16	0.0 %
27	-	17	0.0 %
28	-	11	0.0 %
29	-	14	0.0 %
30	-	13	0.0 %
31	-	10	0.0 %
32	-	12	0.0 %
33	-	11	0.0 %
34	-	12	0.0 %
35	-	8	0.0 %
36	-	9	0.0 %
37	-	7	0.0 %
38	-	6	0.0 %
39	-	8	0.0 %
40	-	9	0.0 %
41	-	6	0.0 %
42	-	7	0.0 %
43	-	5	0.0 %
44	-	1	0.0 %
45	-	8	0.0 %
46	-	2	0.0 %
47	-	2	0.0 %
48	-	7	0.0 %

Value	Label	Unweighted Frequency	%
49	-	4	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 0.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 468.00
- Standard Deviation: 3.35

Location: 204-209 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F0_9: FEMALE UNDER 10

Value	Label	Unweighted Frequency	%
0	-	236094	98.4 %
1	-	488	0.2 %
2	-	70	0.0 %
3	-	27	0.0 %
4	-	5	0.0 %
5	-	2	0.0 %
6	-	1	0.0 %
7	-	2	0.0 %
8	-	2	0.0 %
9	-	3	0.0 %
10	-	1	0.0 %
13	-	1	0.0 %
14	-	1	0.0 %
16	-	1	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 0.00

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 16.00
- Standard Deviation: 0.10

Location: 210-215 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F10_12: FEMALE 10-12

Value	Label	Unweighted Frequency	%
0	-	230439	96.1 %
1	-	3876	1.6 %
2	-	1134	0.5 %
3	-	460	0.2 %
4	-	244	0.1 %
5	-	126	0.1 %
6	-	115	0.0 %
7	-	61	0.0 %
8	-	36	0.0 %
9	-	40	0.0 %
10	-	27	0.0 %
11	-	23	0.0 %
12	-	18	0.0 %
13	-	19	0.0 %
14	-	11	0.0 %
15	-	13	0.0 %
16	-	5	0.0 %
17	-	7	0.0 %
18	-	3	0.0 %
19	-	3	0.0 %
20	-	9	0.0 %
21	-	1	0.0 %
22	-	5	0.0 %
23	-	2	0.0 %
24	-	4	0.0 %
26	-	1	0.0 %
29	-	1	0.0 %
31	-	1	0.0 %
36	-	1	0.0 %
38	-	1	0.0 %

Value	Label	Unweighted Frequency	%
39	-	1	0.0 %
40	-	1	0.0 %
41	-	1	0.0 %
45	-	1	0.0 %
56	-	2	0.0 %
57	-	1	0.0 %
60	-	1	0.0 %
61	-	1	0.0 %
62	-	1	0.0 %
78	-	1	0.0 %
115	-	1	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 115.00
- Standard Deviation: 0.70

Location: 216-221 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F13_14: FEMALE 13-14

Value	Label	Unweighted Frequency	%
0	-	219556	91.5 %
1	-	9130	3.8 %
2	-	3184	1.3 %
3	-	1459	0.6 %
4	-	853	0.4 %
5	-	557	0.2 %
6	-	385	0.2 %
7	-	251	0.1 %
8	-	214	0.1 %
9	-	147	0.1 %
10	-	132	0.1 %
11	-	95	0.0 %

Value	Label	Unweighted Frequency	%
12	-	90	0.0 %
13	-	74	0.0 %
14	-	66	0.0 %
15	-	48	0.0 %
16	-	47	0.0 %
17	-	33	0.0 %
18	-	35	0.0 %
19	-	35	0.0 %
20	-	28	0.0 %
21	-	22	0.0 %
22	-	17	0.0 %
23	-	27	0.0 %
24	-	18	0.0 %
25	-	21	0.0 %
26	-	12	0.0 %
27	-	13	0.0 %
28	-	10	0.0 %
29	-	12	0.0 %
30	-	6	0.0 %
31	-	5	0.0 %
32	-	5	0.0 %
33	-	10	0.0 %
34	-	7	0.0 %
35	-	4	0.0 %
36	-	6	0.0 %
37	-	3	0.0 %
38	-	4	0.0 %
39	-	3	0.0 %
40	-	2	0.0 %
41	-	5	0.0 %
42	-	4	0.0 %
43	-	5	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
46	-	2	0.0 %
47	-	2	0.0 %
48	-	6	0.0 %
49	-	2	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 268.00
- Standard Deviation: 1.99

Location: 222-227 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F15: FEMALE 15

Value	Label	Unweighted Frequency	%
0	-	220507	91.9 %
1	-	9431	3.9 %
2	-	2830	1.2 %
3	-	1295	0.5 %
4	-	737	0.3 %
5	-	429	0.2 %
6	-	294	0.1 %
7	-	204	0.1 %
8	-	177	0.1 %
9	-	119	0.0 %
10	-	129	0.1 %
11	-	85	0.0 %
12	-	52	0.0 %
13	-	42	0.0 %
14	-	49	0.0 %
15	-	44	0.0 %
16	-	33	0.0 %
17	-	19	0.0 %
18	-	21	0.0 %
19	-	16	0.0 %
20	-	19	0.0 %
21	-	15	0.0 %

Value	Label	Unweighted Frequency	%
22	-	13	0.0 %
23	-	5	0.0 %
24	-	15	0.0 %
25	-	11	0.0 %
26	-	15	0.0 %
27	-	7	0.0 %
28	-	7	0.0 %
29	-	11	0.0 %
30	-	3	0.0 %
31	-	2	0.0 %
32	-	5	0.0 %
33	-	4	0.0 %
34	-	6	0.0 %
35	-	3	0.0 %
36	-	2	0.0 %
37	-	3	0.0 %
39	-	5	0.0 %
41	-	1	0.0 %
42	-	2	0.0 %
43	-	2	0.0 %
44	-	2	0.0 %
45	-	1	0.0 %
47	-	1	0.0 %
48	-	1	0.0 %
50	-	1	0.0 %
52	-	1	0.0 %
55	-	1	0.0 %
60	-	1	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 195.00

• Standard Deviation: 1.50

Location: 228-233 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F16: FEMALE 16

Value	Label	Unweighted Frequency	%
0	-	216930	90.4 %
1	-	11468	4.8 %
2	-	3573	1.5 %
3	-	1536	0.6 %
4	-	942	0.4 %
5	-	515	0.2 %
6	-	358	0.1 %
7	-	238	0.1 %
8	-	197	0.1 %
9	-	154	0.1 %
10	-	110	0.0 %
11	-	92	0.0 %
12	-	83	0.0 %
13	-	79	0.0 %
14	-	48	0.0 %
15	-	42	0.0 %
16	-	40	0.0 %
17	-	32	0.0 %
18	-	29	0.0 %
19	-	25	0.0 %
20	-	17	0.0 %
21	-	18	0.0 %
22	-	12	0.0 %
23	-	10	0.0 %
24	-	17	0.0 %
25	-	9	0.0 %
26	-	9	0.0 %
27	-	11	0.0 %
28	-	5	0.0 %
29	-	7	0.0 %
30	-	7	0.0 %
31	-	3	0.0 %
32	-	6	0.0 %

Value	Label	Unweighted Frequency	%
33	-	4	0.0 %
34	-	7	0.0 %
35	-	2	0.0 %
36	-	6	0.0 %
37	-	3	0.0 %
38	-	6	0.0 %
39	-	5	0.0 %
40	-	3	0.0 %
41	-	1	0.0 %
42	-	3	0.0 %
43	-	3	0.0 %
44	-	2	0.0 %
45	-	3	0.0 %
46	-	2	0.0 %
47	-	1	0.0 %
48	-	2	0.0 %
53	-	3	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 191.00
- Standard Deviation: 1.63

Location: 234-239 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F17: FEMALE 17

Value	Label	Unweighted Frequency	%
0	-	212169	88.5 %
1	-	14031	5.8 %
2	-	4484	1.9 %
3	-	1969	0.8 %

Value	Label	Unweighted Frequency	%
4	-	1216	0.5 %
5	-	712	0.3 %
6	-	485	0.2 %
7	-	334	0.1 %
8	-	229	0.1 %
9	-	185	0.1 %
10	-	131	0.1 %
11	-	113	0.0 %
12	-	107	0.0 %
13	-	76	0.0 %
14	-	49	0.0 %
15	-	47	0.0 %
16	-	43	0.0 %
17	-	26	0.0 %
18	-	29	0.0 %
19	-	29	0.0 %
20	-	29	0.0 %
21	-	19	0.0 %
22	-	15	0.0 %
23	-	21	0.0 %
24	-	12	0.0 %
25	-	8	0.0 %
26	-	9	0.0 %
27	-	10	0.0 %
28	-	6	0.0 %
29	-	4	0.0 %
30	-	3	0.0 %
31	-	13	0.0 %
32	-	5	0.0 %
33	-	12	0.0 %
34	-	3	0.0 %
35	-	1	0.0 %
36	-	7	0.0 %
37	-	5	0.0 %
38	-	6	0.0 %
39	-	3	0.0 %
40	-	1	0.0 %
41	-	4	0.0 %
42	-	1	0.0 %

Value	Label	Unweighted Frequency	%
43	-	2	0.0 %
44	-	1	0.0 %
45	-	4	0.0 %
46	-	3	0.0 %
48	-	3	0.0 %
49	-	1	0.0 %
50	-	2	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 162.00
- Standard Deviation: 1.60

Location: 240-245 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F18: FEMALE 18

Value	Label	Unweighted Frequency	%
0	-	204704	85.3 %
1	-	18079	7.5 %
2	-	5746	2.4 %
3	-	2661	1.1 %
4	-	1461	0.6 %
5	-	972	0.4 %
6	-	663	0.3 %
7	-	447	0.2 %
8	-	303	0.1 %
9	-	269	0.1 %
10	-	199	0.1 %
11	-	170	0.1 %
12	-	124	0.1 %
13	-	112	0.0 %

Value	Label	Unweighted Frequency	%
14	-	86	0.0 %
15	-	86	0.0 %
16	-	71	0.0 %
17	-	47	0.0 %
18	-	51	0.0 %
19	-	42	0.0 %
20	-	45	0.0 %
21	-	38	0.0 %
22	-	27	0.0 %
23	-	22	0.0 %
24	-	16	0.0 %
25	-	27	0.0 %
26	-	13	0.0 %
27	-	12	0.0 %
28	-	11	0.0 %
29	-	15	0.0 %
30	-	5	0.0 %
31	-	9	0.0 %
32	-	6	0.0 %
33	-	10	0.0 %
34	-	13	0.0 %
35	-	5	0.0 %
36	-	8	0.0 %
37	-	5	0.0 %
38	-	5	0.0 %
39	-	5	0.0 %
40	-	9	0.0 %
41	-	3	0.0 %
42	-	8	0.0 %
43	-	3	0.0 %
44	-	4	0.0 %
45	-	6	0.0 %
46	-	2	0.0 %
47	-	2	0.0 %
48	-	3	0.0 %
49	-	1	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 0.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 464.00
- Standard Deviation: 2.68

Location: 246-251 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F19: FEMALE 19

Value	Label	Unweighted Frequency	%
0	-	202360	84.4 %
1	-	18998	7.9 %
2	-	6384	2.7 %
3	-	2902	1.2 %
4	-	1704	0.7 %
5	-	997	0.4 %
6	-	674	0.3 %
7	-	505	0.2 %
8	-	364	0.2 %
9	-	276	0.1 %
10	-	226	0.1 %
11	-	166	0.1 %
12	-	147	0.1 %
13	-	115	0.0 %
14	-	98	0.0 %
15	-	78	0.0 %
16	-	68	0.0 %
17	-	70	0.0 %
18	-	49	0.0 %
19	-	37	0.0 %
20	-	38	0.0 %
21	-	42	0.0 %
22	-	34	0.0 %
23	-	26	0.0 %
24	-	30	0.0 %
25	-	25	0.0 %

Value	Label	Unweighted Frequency	%
26	-	18	0.0 %
27	-	10	0.0 %
28	-	17	0.0 %
29	-	20	0.0 %
30	-	16	0.0 %
31	-	14	0.0 %
32	-	18	0.0 %
33	-	6	0.0 %
34	-	10	0.0 %
35	-	9	0.0 %
36	-	6	0.0 %
37	-	8	0.0 %
38	-	4	0.0 %
39	-	8	0.0 %
40	-	9	0.0 %
41	-	4	0.0 %
42	-	5	0.0 %
43	-	3	0.0 %
44	-	5	0.0 %
45	-	6	0.0 %
46	-	3	0.0 %
47	-	7	0.0 %
48	-	6	0.0 %
49	-	2	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 0.41
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 184.00
- Standard Deviation: 2.24

Location: 252-257 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F20: FEMALE 20

Value	Label	Unweighted Frequency	%
0	-	201759	84.1 %
1	-	19483	8.1 %
2	-	6486	2.7 %
3	-	2925	1.2 %
4	-	1690	0.7 %
5	-	1031	0.4 %
6	-	663	0.3 %
7	-	488	0.2 %
8	-	358	0.1 %
9	-	259	0.1 %
10	-	214	0.1 %
11	-	190	0.1 %
12	-	148	0.1 %
13	-	104	0.0 %
14	-	99	0.0 %
15	-	90	0.0 %
16	-	75	0.0 %
17	-	62	0.0 %
18	-	42	0.0 %
19	-	47	0.0 %
20	-	30	0.0 %
21	-	40	0.0 %
22	-	32	0.0 %
23	-	26	0.0 %
24	-	26	0.0 %
25	-	26	0.0 %
26	-	12	0.0 %
27	-	15	0.0 %
28	-	15	0.0 %
29	-	11	0.0 %
30	-	12	0.0 %
31	-	17	0.0 %
32	-	17	0.0 %
33	-	14	0.0 %
34	-	10	0.0 %
35	-	12	0.0 %
36	-	5	0.0 %

Value	Label	Unweighted Frequency	%
37	-	9	0.0 %
38	-	11	0.0 %
39	-	11	0.0 %
40	-	6	0.0 %
41	-	12	0.0 %
42	-	5	0.0 %
43	-	10	0.0 %
44	-	7	0.0 %
45	-	7	0.0 %
46	-	3	0.0 %
47	-	3	0.0 %
48	-	2	0.0 %
49	-	4	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 0.41
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 212.00
- Standard Deviation: 2.32

Location: 258-263 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F21: FEMALE 21

Value	Label	Unweighted Frequency	%
0	-	202072	84.2 %
1	-	19611	8.2 %
2	-	6212	2.6 %
3	-	2948	1.2 %
4	-	1595	0.7 %
5	-	1016	0.4 %
6	-	672	0.3 %
7	-	504	0.2 %

Value	Label	Unweighted Frequency	%
8	-	358	0.1 %
9	-	240	0.1 %
10	-	207	0.1 %
11	-	166	0.1 %
12	-	125	0.1 %
13	-	122	0.1 %
14	-	74	0.0 %
15	-	92	0.0 %
16	-	74	0.0 %
17	-	47	0.0 %
18	-	50	0.0 %
19	-	45	0.0 %
20	-	34	0.0 %
21	-	34	0.0 %
22	-	27	0.0 %
23	-	29	0.0 %
24	-	18	0.0 %
25	-	19	0.0 %
26	-	24	0.0 %
27	-	12	0.0 %
28	-	20	0.0 %
29	-	10	0.0 %
30	-	17	0.0 %
31	-	10	0.0 %
32	-	11	0.0 %
33	-	19	0.0 %
34	-	9	0.0 %
35	-	9	0.0 %
36	-	11	0.0 %
37	-	10	0.0 %
38	-	9	0.0 %
39	-	13	0.0 %
40	-	5	0.0 %
41	-	9	0.0 %
42	-	4	0.0 %
43	-	2	0.0 %
44	-	10	0.0 %
45	-	1	0.0 %
46	-	7	0.0 %

Value	Label	Unweighted Frequency	%
47	-	2	0.0 %
48	-	4	0.0 %
49	-	4	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 0.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 320.00
- Standard Deviation: 2.42

Location: 264-269 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F22: FEMALE 22

Value	Label	Unweighted Frequency	%
0	-	201919	84.2 %
1	-	19723	8.2 %
2	-	6296	2.6 %
3	-	2938	1.2 %
4	-	1573	0.7 %
5	-	1006	0.4 %
6	-	682	0.3 %
7	-	505	0.2 %
8	-	356	0.1 %
9	-	279	0.1 %
10	-	199	0.1 %
11	-	153	0.1 %
12	-	132	0.1 %
13	-	114	0.0 %
14	-	76	0.0 %
15	-	72	0.0 %
16	-	57	0.0 %
17	-	50	0.0 %

Value	Label	Unweighted Frequency	%
18	-	38	0.0 %
19	-	42	0.0 %
20	-	47	0.0 %
21	-	35	0.0 %
22	-	27	0.0 %
23	-	27	0.0 %
24	-	32	0.0 %
25	-	21	0.0 %
26	-	17	0.0 %
27	-	18	0.0 %
28	-	9	0.0 %
29	-	21	0.0 %
30	-	9	0.0 %
31	-	6	0.0 %
32	-	14	0.0 %
33	-	14	0.0 %
34	-	13	0.0 %
35	-	9	0.0 %
36	-	14	0.0 %
37	-	7	0.0 %
38	-	11	0.0 %
39	-	6	0.0 %
40	-	7	0.0 %
41	-	5	0.0 %
42	-	5	0.0 %
43	-	3	0.0 %
44	-	4	0.0 %
45	-	7	0.0 %
46	-	7	0.0 %
47	-	11	0.0 %
48	-	5	0.0 %
49	-	4	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 0.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 329.00
- Standard Deviation: 2.44

Location: 270-275 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F23: FEMALE 23

Value	Label	Unweighted Frequency	%
0	-	201532	84.0 %
1	-	20135	8.4 %
2	-	6296	2.6 %
3	-	2872	1.2 %
4	-	1578	0.7 %
5	-	1023	0.4 %
6	-	648	0.3 %
7	-	500	0.2 %
8	-	390	0.2 %
9	-	266	0.1 %
10	-	165	0.1 %
11	-	168	0.1 %
12	-	136	0.1 %
13	-	100	0.0 %
14	-	94	0.0 %
15	-	89	0.0 %
16	-	72	0.0 %
17	-	50	0.0 %
18	-	50	0.0 %
19	-	36	0.0 %
20	-	43	0.0 %
21	-	46	0.0 %
22	-	31	0.0 %
23	-	27	0.0 %
24	-	23	0.0 %
25	-	26	0.0 %
26	-	23	0.0 %
27	-	14	0.0 %
28	-	10	0.0 %
29	-	14	0.0 %

Value	Label	Unweighted Frequency	%
30	-	16	0.0 %
31	-	16	0.0 %
32	-	7	0.0 %
33	-	8	0.0 %
34	-	10	0.0 %
35	-	13	0.0 %
36	-	13	0.0 %
37	-	7	0.0 %
38	-	3	0.0 %
39	-	4	0.0 %
40	-	9	0.0 %
41	-	9	0.0 %
42	-	7	0.0 %
43	-	3	0.0 %
44	-	5	0.0 %
45	-	8	0.0 %
46	-	6	0.0 %
47	-	8	0.0 %
48	-	2	0.0 %
49	-	3	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 0.41
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 386.00
- Standard Deviation: 2.54

Location: 276-281 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F24: FEMALE 24

Value	Label	Unweighted Frequency	%
0	-	200557	83.6 %

Value	Label	Unweighted Frequency	%
1	-	20300	8.5 %
2	-	6574	2.7 %
3	-	3024	1.3 %
4	-	1687	0.7 %
5	-	1065	0.4 %
6	-	714	0.3 %
7	-	509	0.2 %
8	-	345	0.1 %
9	-	284	0.1 %
10	-	231	0.1 %
11	-	191	0.1 %
12	-	162	0.1 %
13	-	131	0.1 %
14	-	93	0.0 %
15	-	91	0.0 %
16	-	71	0.0 %
17	-	50	0.0 %
18	-	43	0.0 %
19	-	42	0.0 %
20	-	47	0.0 %
21	-	34	0.0 %
22	-	32	0.0 %
23	-	27	0.0 %
24	-	39	0.0 %
25	-	24	0.0 %
26	-	25	0.0 %
27	-	11	0.0 %
28	-	14	0.0 %
29	-	18	0.0 %
30	-	17	0.0 %
31	-	14	0.0 %
32	-	9	0.0 %
33	-	6	0.0 %
34	-	10	0.0 %
35	-	8	0.0 %
36	-	15	0.0 %
37	-	9	0.0 %
38	-	7	0.0 %
39	-	9	0.0 %

Value	Label	Unweighted Frequency	%
40	-	9	0.0 %
41	-	12	0.0 %
42	-	4	0.0 %
43	-	4	0.0 %
44	-	3	0.0 %
45	-	2	0.0 %
46	-	5	0.0 %
47	-	3	0.0 %
48	-	4	0.0 %
49	-	7	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 0.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 403.00
- Standard Deviation: 2.67

Location: 282-287 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F25_29: FEMALE 25-29

Value	Label	Unweighted Frequency	%
0	-	153483	64.0 %
1	-	33863	14.1 %
2	-	13982	5.8 %
3	-	7875	3.3 %
4	-	5049	2.1 %
5	-	3573	1.5 %
6	-	2622	1.1 %
7	-	2065	0.9 %
8	-	1740	0.7 %
9	-	1326	0.6 %
10	-	1069	0.4 %

Value	Label	Unweighted Frequency	%
11	-	959	0.4 %
12	-	772	0.3 %
13	-	678	0.3 %
14	-	536	0.2 %
15	-	486	0.2 %
16	-	458	0.2 %
17	-	430	0.2 %
18	-	334	0.1 %
19	-	332	0.1 %
20	-	314	0.1 %
21	-	285	0.1 %
22	-	260	0.1 %
23	-	232	0.1 %
24	-	201	0.1 %
25	-	197	0.1 %
26	-	161	0.1 %
27	-	161	0.1 %
28	-	135	0.1 %
29	-	128	0.1 %
30	-	125	0.1 %
31	-	109	0.0 %
32	-	108	0.0 %
33	-	129	0.1 %
34	-	96	0.0 %
35	-	79	0.0 %
36	-	107	0.0 %
37	-	87	0.0 %
38	-	64	0.0 %
39	-	59	0.0 %
40	-	62	0.0 %
41	-	64	0.0 %
42	-	50	0.0 %
43	-	59	0.0 %
44	-	55	0.0 %
45	-	58	0.0 %
46	-	42	0.0 %
47	-	41	0.0 %
48	-	54	0.0 %
49	-	44	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 2.27
- Minimum: 0.00
- Maximum: 2021.00
- Standard Deviation: 13.42

Location: 288-293 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F30_34: FEMALE 30-34

Value	Label	Unweighted Frequency	%
0	-	157433	65.6 %
1	-	33656	14.0 %
2	-	13507	5.6 %
3	-	7478	3.1 %
4	-	4592	1.9 %
5	-	3267	1.4 %
6	-	2478	1.0 %
7	-	1895	0.8 %
8	-	1469	0.6 %
9	-	1241	0.5 %
10	-	990	0.4 %
11	-	804	0.3 %
12	-	673	0.3 %
13	-	586	0.2 %
14	-	539	0.2 %
15	-	464	0.2 %
16	-	392	0.2 %
17	-	365	0.2 %
18	-	335	0.1 %
19	-	311	0.1 %
20	-	238	0.1 %
21	-	220	0.1 %
22	-	216	0.1 %

Value	Label	Unweighted Frequency	%
23	-	201	0.1 %
24	-	171	0.1 %
25	-	160	0.1 %
26	-	164	0.1 %
27	-	127	0.1 %
28	-	131	0.1 %
29	-	95	0.0 %
30	-	98	0.0 %
31	-	118	0.0 %
32	-	91	0.0 %
33	-	104	0.0 %
34	-	73	0.0 %
35	-	76	0.0 %
36	-	77	0.0 %
37	-	71	0.0 %
38	-	66	0.0 %
39	-	58	0.0 %
40	-	62	0.0 %
41	-	56	0.0 %
42	-	50	0.0 %
43	-	48	0.0 %
44	-	46	0.0 %
45	-	52	0.0 %
46	-	34	0.0 %
47	-	42	0.0 %
48	-	43	0.0 %
49	-	31	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 1.96
- Minimum: 0.00
- Maximum: 1366.00
- Standard Deviation: 11.26

Location: 294-299 (width: 6; decimal: 0)

Variable Type: numeric

F35_39: FEMALE 35-39

Value	Label	Unweighted Frequency	%
0	-	164104	68.4 %
1	-	32175	13.4 %
2	-	12601	5.3 %
3	-	6817	2.8 %
4	-	4229	1.8 %
5	-	2902	1.2 %
6	-	2116	0.9 %
7	-	1625	0.7 %
8	-	1345	0.6 %
9	-	1019	0.4 %
10	-	900	0.4 %
11	-	683	0.3 %
12	-	554	0.2 %
13	-	484	0.2 %
14	-	402	0.2 %
15	-	330	0.1 %
16	-	333	0.1 %
17	-	284	0.1 %
18	-	247	0.1 %
19	-	222	0.1 %
20	-	215	0.1 %
21	-	197	0.1 %
22	-	192	0.1 %
23	-	158	0.1 %
24	-	153	0.1 %
25	-	124	0.1 %
26	-	103	0.0 %
27	-	102	0.0 %
28	-	113	0.0 %
29	-	93	0.0 %
30	-	83	0.0 %
31	-	82	0.0 %
32	-	79	0.0 %
33	-	59	0.0 %
34	-	56	0.0 %
35	-	77	0.0 %

Value	Label	Unweighted Frequency	%
36	-	50	0.0 %
37	-	66	0.0 %
38	-	54	0.0 %
39	-	46	0.0 %
40	-	46	0.0 %
41	-	41	0.0 %
42	-	40	0.0 %
43	-	31	0.0 %
44	-	44	0.0 %
45	-	38	0.0 %
46	-	32	0.0 %
47	-	28	0.0 %
48	-	43	0.0 %
49	-	40	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 1.59
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1127.00
- Standard Deviation: 9.10

Location: 300-305 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F40_44: FEMALE 40-44

Value	Label	Unweighted Frequency	%
0	-	177992	74.2 %
1	-	28265	11.8 %
2	-	10509	4.4 %
3	-	5319	2.2 %
4	-	3250	1.4 %
5	-	2179	0.9 %
6	-	1664	0.7 %

Value	Label	Unweighted Frequency	%
7	-	1156	0.5 %
8	-	896	0.4 %
9	-	755	0.3 %
10	-	538	0.2 %
11	-	430	0.2 %
12	-	401	0.2 %
13	-	321	0.1 %
14	-	286	0.1 %
15	-	254	0.1 %
16	-	205	0.1 %
17	-	179	0.1 %
18	-	145	0.1 %
19	-	110	0.0 %
20	-	119	0.0 %
21	-	123	0.1 %
22	-	105	0.0 %
23	-	105	0.0 %
24	-	79	0.0 %
25	-	92	0.0 %
26	-	62	0.0 %
27	-	48	0.0 %
28	-	59	0.0 %
29	-	54	0.0 %
30	-	58	0.0 %
31	-	46	0.0 %
32	-	49	0.0 %
33	-	38	0.0 %
34	-	39	0.0 %
35	-	31	0.0 %
36	-	26	0.0 %
37	-	24	0.0 %
38	-	30	0.0 %
39	-	28	0.0 %
40	-	27	0.0 %
41	-	22	0.0 %
42	-	26	0.0 %
43	-	16	0.0 %
44	-	18	0.0 %
45	-	14	0.0 %

Value	Label	Unweighted Frequency	%
46	-	19	0.0 %
47	-	18	0.0 %
48	-	18	0.0 %
49	-	9	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 1.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 657.00
- Standard Deviation: 5.93

Location: 306-311 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F45_49: FEMALE 45-49

Value	Label	Unweighted Frequency	%
0	-	185860	77.5 %
1	-	25553	10.7 %
2	-	9228	3.8 %
3	-	4691	2.0 %
4	-	2779	1.2 %
5	-	1677	0.7 %
6	-	1268	0.5 %
7	-	948	0.4 %
8	-	731	0.3 %
9	-	496	0.2 %
10	-	446	0.2 %
11	-	343	0.1 %
12	-	316	0.1 %
13	-	227	0.1 %
14	-	190	0.1 %
15	-	202	0.1 %
16	-	153	0.1 %

Value	Label	Unweighted Frequency	%
17	-	131	0.1 %
18	-	126	0.1 %
19	-	102	0.0 %
20	-	82	0.0 %
21	-	77	0.0 %
22	-	68	0.0 %
23	-	64	0.0 %
24	-	63	0.0 %
25	-	39	0.0 %
26	-	39	0.0 %
27	-	42	0.0 %
28	-	41	0.0 %
29	-	43	0.0 %
30	-	40	0.0 %
31	-	26	0.0 %
32	-	35	0.0 %
33	-	28	0.0 %
34	-	36	0.0 %
35	-	20	0.0 %
36	-	20	0.0 %
37	-	24	0.0 %
38	-	26	0.0 %
39	-	16	0.0 %
40	-	20	0.0 %
41	-	22	0.0 %
42	-	11	0.0 %
43	-	7	0.0 %
44	-	9	0.0 %
45	-	8	0.0 %
46	-	3	0.0 %
47	-	12	0.0 %
48	-	6	0.0 %
49	-	15	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 0.79
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 545.00
- Standard Deviation: 4.62

Location: 312-317 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F50_54: FEMALE 50-54

Value	Label	Unweighted Frequency	%
0	-	194174	81.0 %
1	-	22975	9.6 %
2	-	7618	3.2 %
3	-	3760	1.6 %
4	-	2096	0.9 %
5	-	1377	0.6 %
6	-	942	0.4 %
7	-	635	0.3 %
8	-	503	0.2 %
9	-	358	0.1 %
10	-	298	0.1 %
11	-	243	0.1 %
12	-	177	0.1 %
13	-	162	0.1 %
14	-	143	0.1 %
15	-	126	0.1 %
16	-	121	0.1 %
17	-	98	0.0 %
18	-	75	0.0 %
19	-	59	0.0 %
20	-	57	0.0 %
21	-	60	0.0 %
22	-	40	0.0 %
23	-	41	0.0 %
24	-	39	0.0 %
25	-	38	0.0 %
26	-	35	0.0 %
27	-	28	0.0 %

Value	Label	Unweighted Frequency	%
28	-	33	0.0 %
29	-	15	0.0 %
30	-	18	0.0 %
31	-	11	0.0 %
32	-	11	0.0 %
33	-	22	0.0 %
34	-	16	0.0 %
35	-	16	0.0 %
36	-	11	0.0 %
37	-	12	0.0 %
38	-	8	0.0 %
39	-	9	0.0 %
40	-	12	0.0 %
41	-	9	0.0 %
42	-	11	0.0 %
43	-	14	0.0 %
44	-	8	0.0 %
45	-	5	0.0 %
46	-	6	0.0 %
47	-	5	0.0 %
48	-	7	0.0 %
49	-	4	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 0.56
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 422.00
- Standard Deviation: 3.40

Location: 318-323 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F55_59: FEMALE 55-59

Value	Label	Unweighted Frequency	%
0	-	204109	85.1 %
1	-	19121	8.0 %
2	-	5614	2.3 %
3	-	2733	1.1 %
4	-	1478	0.6 %
5	-	905	0.4 %
6	-	591	0.2 %
7	-	386	0.2 %
8	-	312	0.1 %
9	-	244	0.1 %
10	-	163	0.1 %
11	-	142	0.1 %
12	-	125	0.1 %
13	-	96	0.0 %
14	-	69	0.0 %
15	-	51	0.0 %
16	-	52	0.0 %
17	-	49	0.0 %
18	-	41	0.0 %
19	-	39	0.0 %
20	-	37	0.0 %
21	-	25	0.0 %
22	-	17	0.0 %
23	-	14	0.0 %
24	-	23	0.0 %
25	-	17	0.0 %
26	-	17	0.0 %
27	-	10	0.0 %
28	-	15	0.0 %
29	-	11	0.0 %
30	-	11	0.0 %
31	-	8	0.0 %
32	-	3	0.0 %
33	-	14	0.0 %
34	-	8	0.0 %
35	-	8	0.0 %
36	-	6	0.0 %
37	-	7	0.0 %
38	-	11	0.0 %

Value	Label	Unweighted Frequency	%
39	-	7	0.0 %
40	-	10	0.0 %
41	-	5	0.0 %
43	-	1	0.0 %
44	-	5	0.0 %
45	-	4	0.0 %
46	-	2	0.0 %
47	-	4	0.0 %
48	-	4	0.0 %
49	-	7	0.0 %
50	-	2	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 256.00
- Standard Deviation: 2.30

Location: 324-329 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F60_64: FEMALE 60-64

Value	Label	Unweighted Frequency	%
0	-	217890	90.8 %
1	-	12183	5.1 %
2	-	3378	1.4 %
3	-	1281	0.5 %
4	-	717	0.3 %
5	-	333	0.1 %
6	-	202	0.1 %
7	-	149	0.1 %
8	-	115	0.0 %
9	-	88	0.0 %

Value	Label	Unweighted Frequency	%
10	-	62	0.0 %
11	-	41	0.0 %
12	-	31	0.0 %
13	-	24	0.0 %
14	-	21	0.0 %
15	-	18	0.0 %
16	-	18	0.0 %
17	-	9	0.0 %
18	-	10	0.0 %
19	-	12	0.0 %
20	-	12	0.0 %
21	-	12	0.0 %
22	-	11	0.0 %
23	-	6	0.0 %
24	-	5	0.0 %
25	-	3	0.0 %
26	-	5	0.0 %
27	-	3	0.0 %
28	-	7	0.0 %
29	-	2	0.0 %
30	-	1	0.0 %
31	-	2	0.0 %
32	-	3	0.0 %
33	-	4	0.0 %
34	-	3	0.0 %
35	-	3	0.0 %
36	-	3	0.0 %
37	-	1	0.0 %
38	-	2	0.0 %
39	-	1	0.0 %
40	-	1	0.0 %
41	-	1	0.0 %
44	-	2	0.0 %
45	-	3	0.0 %
46	-	1	0.0 %
47	-	2	0.0 %
49	-	2	0.0 %
50	-	1	0.0 %
54	-	1	0.0 %

Value	Label	Unweighted Frequency	%
56	-	2	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 128.00
- Standard Deviation: 1.16

Location: 330-335 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F65: FEMALE OVER 64

Value	Label	Unweighted Frequency	%
0	-	223749	93.3 %
1	-	9007	3.8 %
2	-	2060	0.9 %
3	-	759	0.3 %
4	-	383	0.2 %
5	-	211	0.1 %
6	-	139	0.1 %
7	-	78	0.0 %
8	-	55	0.0 %
9	-	41	0.0 %
10	-	32	0.0 %
11	-	30	0.0 %
12	-	25	0.0 %
13	-	15	0.0 %
14	-	21	0.0 %
15	-	10	0.0 %
16	-	5	0.0 %
17	-	8	0.0 %
18	-	10	0.0 %
19	-	5	0.0 %

Value	Label	Unweighted Frequency	%
20	-	10	0.0 %
21	-	4	0.0 %
22	-	2	0.0 %
23	-	2	0.0 %
24	-	4	0.0 %
25	-	1	0.0 %
26	-	2	0.0 %
27	-	2	0.0 %
28	-	2	0.0 %
29	-	3	0.0 %
30	-	2	0.0 %
31	-	1	0.0 %
32	-	2	0.0 %
33	-	3	0.0 %
35	-	2	0.0 %
36	-	1	0.0 %
42	-	1	0.0 %
45	-	1	0.0 %
48	-	1	0.0 %
63	-	1	0.0 %
64	-	1	0.0 %
67	-	2	0.0 %
68	-	1	0.0 %
82	-	1	0.0 %
85	-	1	0.0 %
103	-	1	0.0 %
153	-	1	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 153.00
- Standard Deviation: 0.88

Location: 336-341 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JW: JUVENILE-WHITE

Value	Label	Unweighted Frequency	%
0	-	163174	68.0 %
1	-	27716	11.6 %
2	-	12548	5.2 %
3	-	7120	3.0 %
4	-	4813	2.0 %
5	-	3435	1.4 %
6	-	2488	1.0 %
7	-	1949	0.8 %
8	-	1561	0.7 %
9	-	1278	0.5 %
10	-	1071	0.4 %
11	-	971	0.4 %
12	-	774	0.3 %
13	-	660	0.3 %
14	-	593	0.2 %
15	-	506	0.2 %
16	-	462	0.2 %
17	-	378	0.2 %
18	-	338	0.1 %
19	-	334	0.1 %
20	-	311	0.1 %
21	-	222	0.1 %
22	-	205	0.1 %
23	-	218	0.1 %
24	-	196	0.1 %
25	-	173	0.1 %
26	-	151	0.1 %
27	-	146	0.1 %
28	-	124	0.1 %
29	-	110	0.0 %
30	-	122	0.1 %
31	-	102	0.0 %
32	-	104	0.0 %
33	-	71	0.0 %
34	-	83	0.0 %
35	-	79	0.0 %
36	-	78	0.0 %

Value	Label	Unweighted Frequency	%
37	-	82	0.0 %
38	-	66	0.0 %
39	-	75	0.0 %
40	-	73	0.0 %
41	-	55	0.0 %
42	-	64	0.0 %
43	-	32	0.0 %
44	-	45	0.0 %
45	-	56	0.0 %
46	-	39	0.0 %
47	-	51	0.0 %
48	-	36	0.0 %
49	-	35	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 2.00
- Minimum: 0.00
- Maximum: 1107.00
- Standard Deviation: 10.19

Location: 342-347 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JB: JUVENILE-BLACK

Value	Label	Unweighted Frequency	%
0	-	200067	83.4 %
1	-	15923	6.6 %
2	-	6154	2.6 %
3	-	3240	1.4 %
4	-	2126	0.9 %
5	-	1444	0.6 %
6	-	1045	0.4 %
7	-	801	0.3 %
8	-	639	0.3 %
9	-	533	0.2 %

Value	Label	Unweighted Frequency	%
10	-	489	0.2 %
11	-	322	0.1 %
12	-	326	0.1 %
13	-	294	0.1 %
14	-	244	0.1 %
15	-	205	0.1 %
16	-	169	0.1 %
17	-	155	0.1 %
18	-	153	0.1 %
19	-	135	0.1 %
20	-	130	0.1 %
21	-	136	0.1 %
22	-	104	0.0 %
23	-	95	0.0 %
24	-	75	0.0 %
25	-	67	0.0 %
26	-	77	0.0 %
27	-	57	0.0 %
28	-	68	0.0 %
29	-	44	0.0 %
30	-	61	0.0 %
31	-	56	0.0 %
32	-	52	0.0 %
33	-	51	0.0 %
34	-	37	0.0 %
35	-	50	0.0 %
36	-	38	0.0 %
37	-	33	0.0 %
38	-	37	0.0 %
39	-	36	0.0 %
40	-	25	0.0 %
41	-	24	0.0 %
42	-	21	0.0 %
43	-	23	0.0 %
44	-	20	0.0 %
45	-	27	0.0 %
46	-	21	0.0 %
47	-	18	0.0 %
48	-	13	0.0 %

Value	Label	Unweighted Frequency	%
49	-	23	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 1.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3383.00
- Standard Deviation: 11.30

Location: 348-353 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

Jl: JUVENILE-INDIAN

Value	Label	Unweighted Frequency	%
0	-	232287	96.8 %
1	-	2635	1.1 %
2	-	656	0.3 %
3	-	311	0.1 %
4	-	162	0.1 %
5	-	122	0.1 %
6	-	102	0.0 %
7	-	66	0.0 %
8	-	41	0.0 %
9	-	36	0.0 %
10	-	44	0.0 %
11	-	37	0.0 %
12	-	19	0.0 %
13	-	15	0.0 %
14	-	16	0.0 %
15	-	9	0.0 %
16	-	10	0.0 %
17	-	13	0.0 %
18	-	8	0.0 %
19	-	4	0.0 %

Value	Label	Unweighted Frequency	%
20	-	7	0.0 %
21	-	4	0.0 %
22	-	6	0.0 %
23	-	4	0.0 %
24	-	7	0.0 %
25	-	4	0.0 %
26	-	3	0.0 %
27	-	4	0.0 %
28	-	2	0.0 %
29	-	5	0.0 %
31	-	3	0.0 %
32	-	2	0.0 %
33	-	2	0.0 %
34	-	1	0.0 %
35	-	4	0.0 %
36	-	4	0.0 %
37	-	1	0.0 %
39	-	2	0.0 %
40	-	2	0.0 %
42	-	1	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
46	-	3	0.0 %
47	-	1	0.0 %
48	-	3	0.0 %
49	-	2	0.0 %
51	-	3	0.0 %
52	-	4	0.0 %
55	-	1	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 0.06
- Median: 0.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 123.00
- Standard Deviation: 1.06

Location: 354-359 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JA: JUVENILE ASIAN

Value	Label	Unweighted Frequency	%
0	-	231814	96.6 %
1	-	3395	1.4 %
2	-	781	0.3 %
3	-	276	0.1 %
4	-	120	0.1 %
5	-	71	0.0 %
6	-	48	0.0 %
7	-	33	0.0 %
8	-	19	0.0 %
9	-	20	0.0 %
10	-	19	0.0 %
11	-	8	0.0 %
12	-	9	0.0 %
13	-	12	0.0 %
14	-	10	0.0 %
15	-	4	0.0 %
16	-	6	0.0 %
17	-	2	0.0 %
18	-	5	0.0 %
19	-	1	0.0 %
20	-	3	0.0 %
21	-	1	0.0 %
23	-	4	0.0 %
24	-	1	0.0 %
25	-	2	0.0 %
26	-	1	0.0 %
29	-	3	0.0 %
31	-	2	0.0 %
32	-	3	0.0 %
34	-	3	0.0 %
35	-	1	0.0 %

Value	Label	Unweighted Frequency	%
38	-	1	0.0 %
40	-	1	0.0 %
41	-	1	0.0 %
47	-	1	0.0 %
53	-	1	0.0 %
61	-	1	0.0 %
65	-	1	0.0 %
74	-	2	0.0 %
85	-	1	0.0 %
91	-	1	0.0 %
92	-	1	0.0 %
94	-	1	0.0 %
96	-	1	0.0 %
122	-	1	0.0 %
138	-	1	0.0 %
146	-	1	0.0 %
149	-	1	0.0 %
191	-	1	0.0 %
244	-	1	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 288.00
- Standard Deviation: 1.26

Location: 360-365 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JH: JUVENILE-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	210775	87.9 %
1	-	12011	5.0 %

Value	Label	Unweighted Frequency	%
2	-	4413	1.8 %
3	-	2236	0.9 %
4	-	1497	0.6 %
5	-	995	0.4 %
6	-	688	0.3 %
7	-	538	0.2 %
8	-	445	0.2 %
9	-	347	0.1 %
10	-	310	0.1 %
11	-	241	0.1 %
12	-	186	0.1 %
13	-	165	0.1 %
14	-	136	0.1 %
15	-	138	0.1 %
16	-	121	0.1 %
17	-	84	0.0 %
18	-	95	0.0 %
19	-	69	0.0 %
20	-	52	0.0 %
21	-	78	0.0 %
22	-	56	0.0 %
23	-	50	0.0 %
24	-	41	0.0 %
25	-	40	0.0 %
26	-	35	0.0 %
27	-	29	0.0 %
28	-	35	0.0 %
29	-	38	0.0 %
30	-	35	0.0 %
31	-	14	0.0 %
32	-	26	0.0 %
33	-	20	0.0 %
34	-	20	0.0 %
35	-	27	0.0 %
36	-	29	0.0 %
37	-	25	0.0 %
38	-	18	0.0 %
39	-	21	0.0 %
40	-	10	0.0 %

Value	Label	Unweighted Frequency	%
41	-	29	0.0 %
42	-	13	0.0 %
43	-	18	0.0 %
44	-	16	0.0 %
45	-	8	0.0 %
46	-	9	0.0 %
47	-	11	0.0 %
48	-	7	0.0 %
49	-	11	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 0.59
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 689.00
- Standard Deviation: 5.47

Location: 366-371 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JN: JUVENILE-NON-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	173259	72.2 %
1	-	23545	9.8 %
2	-	10437	4.4 %
3	-	6201	2.6 %
4	-	4027	1.7 %
5	-	2844	1.2 %
6	-	2232	0.9 %
7	-	1627	0.7 %
8	-	1437	0.6 %
9	-	1126	0.5 %
10	-	998	0.4 %
11	-	772	0.3 %

Value	Label	Unweighted Frequency	%
12	-	642	0.3 %
13	-	584	0.2 %
14	-	541	0.2 %
15	-	422	0.2 %
16	-	365	0.2 %
17	-	354	0.1 %
18	-	311	0.1 %
19	-	278	0.1 %
20	-	265	0.1 %
21	-	213	0.1 %
22	-	216	0.1 %
23	-	200	0.1 %
24	-	169	0.1 %
25	-	188	0.1 %
26	-	142	0.1 %
27	-	148	0.1 %
28	-	144	0.1 %
29	-	143	0.1 %
30	-	133	0.1 %
31	-	117	0.0 %
32	-	105	0.0 %
33	-	119	0.0 %
34	-	108	0.0 %
35	-	91	0.0 %
36	-	100	0.0 %
37	-	88	0.0 %
38	-	69	0.0 %
39	-	74	0.0 %
40	-	51	0.0 %
41	-	58	0.0 %
42	-	54	0.0 %
43	-	50	0.0 %
44	-	52	0.0 %
45	-	43	0.0 %
46	-	45	0.0 %
47	-	45	0.0 %
48	-	41	0.0 %
49	-	48	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 1.98
- Minimum: 0.00
- Maximum: 3811.00
- Standard Deviation: 14.54

Location: 372-377 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AW: ADULT-WHITE

Value	Label	Unweighted Frequency	%
0	-	33514	14.0 %
1	-	41772	17.4 %
2	-	23379	9.7 %
3	-	15953	6.7 %
4	-	11528	4.8 %
5	-	9111	3.8 %
6	-	7276	3.0 %
7	-	6127	2.6 %
8	-	5193	2.2 %
9	-	4576	1.9 %
10	-	3867	1.6 %
11	-	3535	1.5 %
12	-	3092	1.3 %
13	-	2890	1.2 %
14	-	2667	1.1 %
15	-	2314	1.0 %
16	-	2165	0.9 %
17	-	2016	0.8 %
18	-	1852	0.8 %
19	-	1817	0.8 %
20	-	1674	0.7 %
21	-	1535	0.6 %
22	-	1457	0.6 %
23	-	1350	0.6 %

Value	Label	Unweighted Frequency	%
24	-	1268	0.5 %
25	-	1161	0.5 %
26	-	1175	0.5 %
27	-	1019	0.4 %
28	-	1028	0.4 %
29	-	1039	0.4 %
30	-	913	0.4 %
31	-	922	0.4 %
32	-	891	0.4 %
33	-	806	0.3 %
34	-	758	0.3 %
35	-	762	0.3 %
36	-	693	0.3 %
37	-	715	0.3 %
38	-	673	0.3 %
39	-	618	0.3 %
40	-	594	0.2 %
41	-	572	0.2 %
42	-	552	0.2 %
43	-	563	0.2 %
44	-	516	0.2 %
45	-	520	0.2 %
46	-	518	0.2 %
47	-	486	0.2 %
48	-	508	0.2 %
49	-	436	0.2 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 29.93
- Minimum: 0.00
- Maximum: 17190.00
- Standard Deviation: 161.73

Location: 378-383 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AB: ADULT-BLACK

Value	Label	Unweighted Frequency	%
0	-	116965	48.8 %
1	-	35618	14.8 %
2	-	16905	7.0 %
3	-	10373	4.3 %
4	-	7022	2.9 %
5	-	5325	2.2 %
6	-	4084	1.7 %
7	-	3304	1.4 %
8	-	2677	1.1 %
9	-	2330	1.0 %
10	-	1962	0.8 %
11	-	1826	0.8 %
12	-	1561	0.7 %
13	-	1333	0.6 %
14	-	1226	0.5 %
15	-	1080	0.5 %
16	-	1018	0.4 %
17	-	936	0.4 %
18	-	839	0.3 %
19	-	790	0.3 %
20	-	688	0.3 %
21	-	710	0.3 %
22	-	603	0.3 %
23	-	568	0.2 %
24	-	516	0.2 %
25	-	503	0.2 %
26	-	477	0.2 %
27	-	438	0.2 %
28	-	441	0.2 %
29	-	391	0.2 %
30	-	383	0.2 %
31	-	388	0.2 %
32	-	340	0.1 %
33	-	333	0.1 %
34	-	284	0.1 %
35	-	269	0.1 %
36	-	279	0.1 %

Value	Label	Unweighted Frequency	%
37	-	246	0.1 %
38	-	259	0.1 %
39	-	237	0.1 %
40	-	251	0.1 %
41	-	231	0.1 %
42	-	200	0.1 %
43	-	197	0.1 %
44	-	193	0.1 %
45	-	202	0.1 %
46	-	199	0.1 %
47	-	193	0.1 %
48	-	150	0.1 %
49	-	177	0.1 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 11.59
- Minimum: 0.00
- Maximum: 11572.00
- Standard Deviation: 95.74

Location: 384-389 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AI: ADULT-INDIAN

Value	Label	Unweighted Frequency	%
0	-	214793	89.5 %
1	-	10853	4.5 %
2	-	3511	1.5 %
3	-	1808	0.8 %
4	-	1025	0.4 %
5	-	675	0.3 %
6	-	515	0.2 %
7	-	423	0.2 %
8	-	305	0.1 %
9	-	274	0.1 %

Value	Label	Unweighted Frequency	%
10	-	216	0.1 %
11	-	160	0.1 %
12	-	144	0.1 %
13	-	155	0.1 %
14	-	115	0.0 %
15	-	102	0.0 %
16	-	87	0.0 %
17	-	79	0.0 %
18	-	69	0.0 %
19	-	67	0.0 %
20	-	52	0.0 %
21	-	46	0.0 %
22	-	57	0.0 %
23	-	56	0.0 %
24	-	48	0.0 %
25	-	35	0.0 %
26	-	56	0.0 %
27	-	31	0.0 %
28	-	31	0.0 %
29	-	29	0.0 %
30	-	16	0.0 %
31	-	17	0.0 %
32	-	18	0.0 %
33	-	20	0.0 %
34	-	15	0.0 %
35	-	14	0.0 %
36	-	25	0.0 %
37	-	17	0.0 %
38	-	18	0.0 %
39	-	14	0.0 %
40	-	16	0.0 %
41	-	18	0.0 %
42	-	15	0.0 %
43	-	10	0.0 %
44	-	15	0.0 %
45	-	10	0.0 %
46	-	18	0.0 %
47	-	15	0.0 %
48	-	11	0.0 %

Value	Label	Unweighted Frequency	%
49	-	12	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 0.80
- Minimum: 0.00
- Maximum: 10921.00
- Standard Deviation: 28.77

Location: 390-395 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AA: ADULT-ASIAN

Value	Label	Unweighted Frequency	%
0	-	208468	86.9 %
1	-	14611	6.1 %
2	-	4825	2.0 %
3	-	2425	1.0 %
4	-	1394	0.6 %
5	-	874	0.4 %
6	-	570	0.2 %
7	-	499	0.2 %
8	-	382	0.2 %
9	-	319	0.1 %
10	-	238	0.1 %
11	-	213	0.1 %
12	-	174	0.1 %
13	-	119	0.0 %
14	-	105	0.0 %
15	-	109	0.0 %
16	-	119	0.0 %
17	-	62	0.0 %
18	-	77	0.0 %
19	-	77	0.0 %
20	-	54	0.0 %
21	-	68	0.0 %

Value	Label	Unweighted Frequency	%
22	-	40	0.0 %
23	-	37	0.0 %
24	-	50	0.0 %
25	-	52	0.0 %
26	-	25	0.0 %
27	-	37	0.0 %
28	-	30	0.0 %
29	-	26	0.0 %
30	-	22	0.0 %
31	-	22	0.0 %
32	-	18	0.0 %
33	-	15	0.0 %
34	-	21	0.0 %
35	-	18	0.0 %
36	-	15	0.0 %
37	-	16	0.0 %
38	-	16	0.0 %
39	-	17	0.0 %
40	-	10	0.0 %
41	-	14	0.0 %
42	-	13	0.0 %
43	-	7	0.0 %
44	-	12	0.0 %
45	-	12	0.0 %
46	-	12	0.0 %
47	-	8	0.0 %
48	-	9	0.0 %
49	-	11	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 0.61
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2400.00

• Standard Deviation: 10.36

Location: 396-401 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AH: ADULT-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	158433	66.1 %
1	-	26398	11.0 %
2	-	11382	4.7 %
3	-	6679	2.8 %
4	-	4494	1.9 %
5	-	3167	1.3 %
6	-	2525	1.1 %
7	-	1984	0.8 %
8	-	1730	0.7 %
9	-	1400	0.6 %
10	-	1172	0.5 %
11	-	1011	0.4 %
12	-	890	0.4 %
13	-	795	0.3 %
14	-	685	0.3 %
15	-	675	0.3 %
16	-	521	0.2 %
17	-	524	0.2 %
18	-	517	0.2 %
19	-	450	0.2 %
20	-	442	0.2 %
21	-	387	0.2 %
22	-	369	0.2 %
23	-	317	0.1 %
24	-	325	0.1 %
25	-	320	0.1 %
26	-	260	0.1 %
27	-	244	0.1 %
28	-	243	0.1 %
29	-	204	0.1 %
30	-	249	0.1 %
31	-	222	0.1 %
32	-	220	0.1 %

Value	Label	Unweighted Frequency	%
33	-	202	0.1 %
34	-	169	0.1 %
35	-	162	0.1 %
36	-	166	0.1 %
37	-	144	0.1 %
38	-	112	0.0 %
39	-	145	0.1 %
40	-	148	0.1 %
41	-	133	0.1 %
42	-	129	0.1 %
43	-	116	0.0 %
44	-	101	0.0 %
45	-	112	0.0 %
46	-	105	0.0 %
47	-	99	0.0 %
48	-	106	0.0 %
49	-	79	0.0 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 6.52
- Minimum: 0.00
- Maximum: 9195.00
- Standard Deviation: 66.91

Location: 402-407 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AN: ADULT-NON-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	61585	25.7 %
1	-	35961	15.0 %
2	-	19828	8.3 %
3	-	13529	5.6 %
4	-	9725	4.1 %
5	-	7744	3.2 %

Value	Label	Unweighted Frequency	%
6	-	6271	2.6 %
7	-	5239	2.2 %
8	-	4367	1.8 %
9	-	3836	1.6 %
10	-	3391	1.4 %
11	-	3063	1.3 %
12	-	2670	1.1 %
13	-	2468	1.0 %
14	-	2193	0.9 %
15	-	1994	0.8 %
16	-	1944	0.8 %
17	-	1731	0.7 %
18	-	1618	0.7 %
19	-	1592	0.7 %
20	-	1407	0.6 %
21	-	1278	0.5 %
22	-	1225	0.5 %
23	-	1184	0.5 %
24	-	1108	0.5 %
25	-	1027	0.4 %
26	-	949	0.4 %
27	-	864	0.4 %
28	-	847	0.4 %
29	-	824	0.3 %
30	-	773	0.3 %
31	-	768	0.3 %
32	-	781	0.3 %
33	-	710	0.3 %
34	-	659	0.3 %
35	-	697	0.3 %
36	-	628	0.3 %
37	-	574	0.2 %
38	-	548	0.2 %
39	-	527	0.2 %
40	-	561	0.2 %
41	-	549	0.2 %
42	-	477	0.2 %
43	-	489	0.2 %
44	-	459	0.2 %

Value	Label	Unweighted Frequency	%
45	-	419	0.2 %
46	-	434	0.2 %
47	-	403	0.2 %
48	-	397	0.2 %
49	-	379	0.2 %
	Missing Data		
999998	Not applicable	3164	1.3 %
	Total	239,862	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 236,698 valid cases out of 239,862 total cases.

- Mean: 29.25
- Minimum: 0.00
- Maximum: 26424.00
- Standard Deviation: 184.55

Location: 408-413 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998