

ICPSR 38780

**Uniform Crime Reporting Program
Data: Arrests by Age, Sex, and
Race, Summarized Yearly, United
States, 2019**

*United States. Federal Bureau of
Investigation*

ICPSR Codebook for Six or More Months
Dataset

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/web/ICPSR/studies/38780/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #38780

Uniform Crime Reporting Program Data: Arrests by Age, Sex, and Race, Summarized Yearly, United States, 2019

DS 1: Six or More Months Dataset

1. **Changes in Methodology:** As of calendar year 2022, the Uniform Crime Reporting (UCR) Program has begun consolidating its data quality review and management practices to reduce differences between publication tables and the data displayed on the FBI website via the [Crime Data Explorer](#).
2. **Discrepancy in Collection:** This study contains data from two master files available on the [Crime Data Explorer](#): 2019_ASR6MON_NATIONAL_MASTER_FILE_STATIC.txt and 2019_ASR12MON_NATIONAL_MASTER_FILE.txt. In previous years of this collection only one master file was curated. The data contained in this dataset are taken from:
 - a. 2019_ASR6MON_NATIONAL_MASTER_FILE_STATIC.txt

No additional information was provided.

3. **Stata Limitations:** Due to Stata limitations, the variables **ORI**, **GROUP**, **CORE**, and **OFFENSE** do not contain value labels for non-integer values within the Stata files.
4. **Undocumented Codes:** The variable **REPORT** contains an undocumented value which ICPSR has labeled “UNDOCUMENTED CODE”. No additional information was provided.
5. **Data Discrepancies:**
 - a. Several cases are inconsistent with the description of the data in the codebook.
 - b. There are reporting agencies (**AGENCY**) which use the same 7-digit Originating Agency Identifier (**ORI**). For these agencies, ICPSR has converted the 7-digit ORI to the agency’s unique 9-digit ORI.
 - c. There are cases where a unique Header record has an associated Detail record with “000” in the **OFFENSE** variable, which is the code reserved for Header records. ICPSR has included these records as Detail records and preserved the “000” code in **OFFENSE** with the value label “HEADER Record”.
 - d. The data in the variable **SEQNO** are inconsistent with the description of the variable in the codebook.
 - e. The variable **MSA** does not contain any valid responses.

No additional information was provided.

6. **Additional Information:** These studies are “static data snapshots” of the data available on the FBI website via the [Crime Data Explorer](#), which is continuously updated. For additional information on the Uniform Crime Reporting (UCR) Program, please visit the [UCR](#) website.

ICPSR 38780

Uniform Crime Reporting Program Data: Arrests by Age, Sex, and Race, Summarized Yearly, United States, 2019

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Six or More Months Dataset

ASR_ID: IDENTIFIER CODE FOR THE ASR MASTER FILE

Value	Label	Unweighted Frequency	%
3	-	257942	100.0 %
	Missing Data		
.	-	44	0.0 %
	Total	257,986	100%

Based upon 257,942 valid cases out of 257,986 total cases.

- Mean: 3.00
- Median: 3.00
- Mode: 3.00
- Minimum: 3.00
- Maximum: 3.00
- Standard Deviation: 0.00

Location: 1-1 (width: 1; decimal: 0)

Variable Type: numeric

CONTENTS: RECORD CONTENTS

Value	Label	Unweighted Frequency	%
1	Agency header only	6486	2.5 %
2	Detail record	251500	97.5 %
	Total	257,986	100%

Based upon 257,986 valid cases out of 257,986 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2-2 (width: 1; decimal: 0)

Variable Type: numeric

STATE: NUMERIC STATE CODE (UCR CODE)

Range is 01-62. Data records are in order by ORI code within numeric state code.

Value	Label	Unweighted Frequency	%
1	Alabama	4703	1.8 %
2	Arizona	2809	1.1 %
3	Arkansas	4841	1.9 %
4	California	17109	6.6 %
5	Colorado	3904	1.5 %

Value	Label	Unweighted Frequency	%
6	Connecticut	2437	0.9 %
7	Delaware	1036	0.4 %
8	District of Columbia	37	0.0 %
9	Florida	792	0.3 %
10	Georgia	7975	3.1 %
11	Idaho	1895	0.7 %
12	Illinois	982	0.4 %
13	Indiana	5260	2.0 %
14	Iowa	4050	1.6 %
15	Kansas	4455	1.7 %
16	Kentucky	6859	2.7 %
17	Louisiana	4218	1.6 %
18	Maine	3145	1.2 %
19	Maryland	6544	2.5 %
20	Massachusetts	5543	2.1 %
21	Michigan	10050	3.9 %
22	Minnesota	7046	2.7 %
23	Mississippi	2193	0.9 %
24	Missouri	8184	3.2 %
25	Montana	1527	0.6 %
26	Nebraska	2712	1.1 %
27	Nevada	1638	0.6 %
28	New Hampshire	3136	1.2 %
29	New Jersey	11432	4.4 %
30	New Mexico	1905	0.7 %
31	New York	9173	3.6 %
32	North Carolina	6566	2.5 %
33	North Dakota	1539	0.6 %
34	Ohio	8932	3.5 %
35	Oklahoma	6068	2.4 %
36	Oregon	3554	1.4 %
37	Pennsylvania	18518	7.2 %
38	Rhode Island	1079	0.4 %
39	South Carolina	5443	2.1 %
40	South Dakota	1612	0.6 %
41	Tennessee	7952	3.1 %
42	Texas	18723	7.3 %
43	Utah	2703	1.0 %
44	Vermont	1169	0.5 %

Value	Label	Unweighted Frequency	%
45	Virginia	7296	2.8 %
46	Washington	4540	1.8 %
47	West Virginia	3221	1.2 %
48	Wisconsin	7977	3.1 %
49	Wyoming	1620	0.6 %
50	Alaska	1469	0.6 %
	Missing Data		
.	-	44	0.0 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 257,942 valid cases out of 257,986 total cases.

- Minimum: 1.00
- Maximum: 99.00

Location: 3-4 (width: 2; decimal: 0)

Variable Type: numeric

ORI: ORIGINATING AGENCY IDENTIFIER CODE

Originating Agency Identifier. Labels for ORIs are provided in the data file.

Value	Label	Unweighted Frequency	%
AK00101	ANCHORAGE	-	-
AK00102	FAIRBANKS	-	-
AK00103	JUNEAU	-	-
AK00104	KETCHIKAN	-	-
AK00105	KODIAK	-	-
AK00106	NOME	-	-
AK00107	PETERSBURG	-	-
AK00108	SEWARD	-	-
AK00109	SITKA	-	-
AK00110	SKAGWAY	-	-
AK00111	WRANGELL	-	-
AK00112	VALDEZ	-	-
AK00113	BETHEL	-	-
AK00114	CORDOVA	-	-
AK00116	KOTZEBUE	-	-
AK00117	PALMER	-	-
AK00118	NORTH SLOPE BOROUGH	-	-

Value	Label	Unweighted Frequency	%
AK00119	SELDOVIA	-	-
AK00120	SOLDOTNA	-	-
AK00121	HAINES	-	-
AK00122	HOMER	-	-
AK00123	KENAI	-	-
AK00125	METLAKATLA TRIBAL	-	-
AK00126	FAIRBANKS INTRNL AIRPORT	-	-
AK00127	TED STEVENS ANCHORAGE INT	-	-
AK00128	WHITTIER	-	-
AK00130	DILLINGHAM	-	-
AK00131	HOONAH	-	-
AK00132	NORTH POLE	-	-
AK00133	UNALASKA	-	-
AK00135	KLAWOCK	-	-
AK00142	UNIV OF AK: FAIRBANKS	-	-
AK00143	UNIV OF AK: ANCHORAGE	-	-
AK00145	CRAIG	-	-
AK00146	BRISTOL BAY BOROUGH	-	-
AK00150	ST. PAUL	-	-
AK00152	SAND POINT	-	-
AK00156	WASILLA	-	-
AKAST00	STATE TROOPERS, JUNEAU	-	-
AKAST01	ALASKA STATE TROOPERS	-	-
AKAST06	STATE TROOPERS, BETHEL	-	-
AKAST15	STATE TROOPERS HQS, ANCHO	-	-
AKATF02	BUREAU OF ATF ANCHORAGE	-	-
AKFBIAN	FBI, ANCHORAGE	-	-
AL00100	JEFFERSON	-	-
AL00101	BESSEMER	-	-
AL00102	BIRMINGHAM	-	-
AL00103	MOUNTAIN BROOK	-	-
AL00104	FAIRFIELD	-	-
AL00105	GARDENDALE	-	-
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 257,986 valid cases out of 257,986 total cases.

Location: 5-13 (width: 9; decimal: 0)

Variable Type: character

GROUP: GROUP

Group 0 is possessions; 1-7 are cities, 8-9 are counties. Sub-Group (position 12) is blank when not used. All populations are inclusive.

Value	Label	Unweighted Frequency	%
-		44	0.0 %
0	Possessions (Puerto Rico, Guam, Canal Zone, Virgin Islands, and American Samoa)	32	0.0 %
1	All cities 250,000 or over:	0	0.0 %
1A	Cities 1,000,000 or over	352	0.1 %
1B	Cities from 500,000 thru 999,999	944	0.4 %
1C	Cities from 250,000 thru 499,999	1653	0.6 %
2	Cities from 100,000 thru 249,000	6757	2.6 %
3	Cities from 50,000 thru 99,000	13818	5.4 %
4	Cities from 25,000 thru 49,999	22264	8.6 %
5	Cities from 10,000 thru 24,999	39764	15.4 %
6	Cities from 2,500 thru 9,999	60756	23.6 %
7	Cities under 2,500	40947	15.9 %
8	Non-MSA Counties:	0	0.0 %
8A	Non-MSA counties 100,000 or over	86	0.0 %
8B	Non-MSA counties from 25,000 thru 99,999	6484	2.5 %
8C	Non-MSA counties from 10,000 thru 24,999	11664	4.5 %
8D	Non-MSA counties under 10,000	17592	6.8 %
8E	Non-MSA State Police	1027	0.4 %
9	MSA Counties:	0	0.0 %
9A	MSA counties 100,000 or over	4825	1.9 %
9B	MSA counties from 25,000 thru 99,999	11992	4.6 %
9C	MSA counties from 10,000 thru 24,999	5493	2.1 %
9D	MSA counties under 10,000	11152	4.3 %
9E	MSA State Police	340	0.1 %
	Total	257,986	100%

Based upon 257,986 valid cases out of 257,986 total cases.

Location: 14-15 (width: 2; decimal: 0)

Variable Type: character

DIV: GEOGRAPHIC DIVISION OF STATE

Geographic division in which the state is located (from 1 thru 9). Possessions are coded "0."

Value	Label	Unweighted Frequency	%
0	Possessions	40	0.0 %

Value	Label	Unweighted Frequency	%
1	New England	16509	6.4 %
2	Middle Atlantic	39123	15.2 %
3	East North Central	33201	12.9 %
4	West North Central	29598	11.5 %
5	South Atlantic	38910	15.1 %
6	East South Central	21707	8.4 %
7	West South Central	33850	13.1 %
8	Mountain	18001	7.0 %
9	Pacific	27003	10.5 %
	Missing Data		
.	-	44	0.0 %
	Total	257,986	100%

Based upon 257,942 valid cases out of 257,986 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 16-16 (width: 1; decimal: 0)

Variable Type: numeric

YEAR: YEAR

The year the data reflects.

Value	Label	Unweighted Frequency	%
2019	-	257942	100.0 %
	Missing Data		
.	-	44	0.0 %
	Total	257,986	100%

Based upon 257,942 valid cases out of 257,986 total cases.

- Mean: 2019.00
- Median: 2019.00
- Mode: 2019.00
- Minimum: 2019.00
- Maximum: 2019.00
- Standard Deviation: 0.00

Location: 17-20 (width: 4; decimal: 0)

Variable Type: numeric

MSA: METROPOLITAN STATISTICAL AREA OF CITY (UCR CODE)

Metropolitan Statistical Area (MSA) number in which the city is located, if any. Blank if not used.

Value	Label	Unweighted Frequency	%
	Missing Data		
9998	Not applicable	257986	100.0 %
	Total	257,986	100%

Based upon 0 valid cases out of 257,986 total cases.

Location: 21-24 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9998

SUB: SUBURBAN

A "suburban" agency is an MSA city with less than 50,000 population (groups 4 - 7) together with MSA counties (group 9).

Value	Label	Unweighted Frequency	%
0	Non-suburban	119606	46.4 %
1	Suburban	138336	53.6 %
	Missing Data		
.	-	44	0.0 %
	Total	257,986	100%

Based upon 257,942 valid cases out of 257,986 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 25-25 (width: 1; decimal: 0)

Variable Type: numeric

REPORT: REPORT INDICATION

Value	Label	Unweighted Frequency	%
0	Juvenile and adult reported	237601	92.1 %
1	Juvenile only reported	33	0.0 %
2	Adult only reported	15599	6.0 %
3	Not reported	0	0.0 %
5	UNDOCUMENTED CODE	4709	1.8 %
	Missing Data		
.	-	44	0.0 %
	Total	257,986	100%

Based upon 257,942 valid cases out of 257,986 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 26-26 (width: 1; decimal: 0)

Variable Type: numeric

ADJUST: ADJUSTMENT

Value	Label	Unweighted Frequency	%
0	Age, race, and ethnic origin reported	252105	97.7 %
1	No age reported	0	0.0 %
2	No race reported	0	0.0 %
3	No ethnic origin reported	5837	2.3 %
4	No race or ethnic origin reported	0	0.0 %
5	No age or ethnic origin reported	0	0.0 %
6	No age or race reported	0	0.0 %
	Missing Data		
9	Blank	44	0.0 %
	Total	257,986	100%

Based upon 257,942 valid cases out of 257,986 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 27-27 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9

SEQNO: SEQUENCE NUMBER (5-DIGIT)

A five-digit number which places all cities in alphabetic order, regardless of state. This field is blank for groups 0, 8, and 9.

Value	Label	Unweighted Frequency	%
0	-	257942	100.0 %
	Missing Data		
.	-	44	0.0 %
	Total	257,986	100%

Based upon 257,942 valid cases out of 257,986 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 28-28 (width: 1; decimal: 0)

Variable Type: numeric

COUNTY: COUNTY (3-DIGIT UCR CODE)

Three-digit numeric code for the county in which the agency is located.

Value	Label	Unweighted Frequency	%
0	-	9559	3.7 %
1	-	5557	2.2 %
2	-	8130	3.2 %
3	-	5454	2.1 %
4	-	5113	2.0 %
5	-	4622	1.8 %
6	-	4341	1.7 %
7	-	5630	2.2 %
8	-	4383	1.7 %
9	-	5128	2.0 %
10	-	4320	1.7 %
11	-	3910	1.5 %
12	-	3360	1.3 %
13	-	4688	1.8 %
14	-	4866	1.9 %
15	-	4931	1.9 %
16	-	4375	1.7 %
17	-	3123	1.2 %
18	-	3961	1.5 %
19	-	5650	2.2 %
20	-	2933	1.1 %
21	-	2871	1.1 %
22	-	2618	1.0 %
23	-	3494	1.4 %
24	-	2685	1.0 %
25	-	3580	1.4 %
26	-	2249	0.9 %
27	-	3376	1.3 %
28	-	2584	1.0 %
29	-	2122	0.8 %
30	-	3308	1.3 %
31	-	3085	1.2 %
32	-	1934	0.7 %
33	-	2759	1.1 %
34	-	2530	1.0 %
35	-	2012	0.8 %
36	-	3942	1.5 %

Value	Label	Unweighted Frequency	%
37	-	2817	1.1 %
38	-	1702	0.7 %
39	-	2327	0.9 %
40	-	3018	1.2 %
41	-	2356	0.9 %
42	-	2143	0.8 %
43	-	2772	1.1 %
44	-	1882	0.7 %
45	-	2364	0.9 %
46	-	2873	1.1 %
47	-	1931	0.7 %
48	-	2421	0.9 %
49	-	2338	0.9 %
	Missing Data		
.	-	44	0.0 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 257,942 valid cases out of 257,986 total cases.

- Mean: 39.84
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 41.14

Location: 29-31 (width: 3; decimal: 0)

Variable Type: numeric

CORE: CORE CITY

Value	Label	Unweighted Frequency	%
	-	44	0.0 %
N	Agency not core city	239506	92.8 %
Y	Agency is core city	18436	7.1 %
	Total	257,986	100%

Based upon 257,986 valid cases out of 257,986 total cases.

Location: 32-32 (width: 1; decimal: 0)

Variable Type: character

POP: CURRENT POPULATION

Total population for the agency for the year reported.

Based upon 257,942 valid cases out of 257,986 total cases.

- Mean: 31733.94
- Minimum: 0.00
- Maximum: 8379043.00
- Standard Deviation: 107353.75

Location: 33-39 (width: 7; decimal: 0)

Variable Type: numeric

AGENCNT: AGENCY COUNT

Used to accumulate "agencies used" totals in various tabulations. This field is normally "1" but will be "0" for the U.S. Park Police and all State Police agencies whose ORI code ends in "SP" (or "99" in California).

Value	Label	Unweighted Frequency	%
1	-	257942	100.0 %
	Missing Data		
.	-	44	0.0 %
	Total	257,986	100%

Based upon 257,942 valid cases out of 257,986 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

Location: 40-40 (width: 1; decimal: 0)

Variable Type: numeric

AGENCY: AGENCY NAME

Based upon 257,986 valid cases out of 257,986 total cases.

Location: 41-65 (width: 25; decimal: 0)

Variable Type: character

STNAME: STATE NAME

Value	Label	Unweighted Frequency	%
	-	44	0.0 %
ALABAMA	-	4703	1.8 %
ALASKA	-	1469	0.6 %
AMERICA	-	1	0.0 %

Value	Label	Unweighted Frequency	%
ARIZO N	-	2809	1.1 %
ARKA NS	-	4841	1.9 %
CALIF O	-	17109	6.6 %
CANAL	-	1	0.0 %
COLO RA	-	3904	1.5 %
CONN EC	-	2437	0.9 %
DELA WA	-	1036	0.4 %
DISTRI	-	37	0.0 %
FEDER A	-	73	0.0 %
FLORI D	-	792	0.3 %
GEOR GI	-	7975	3.1 %
GUAM	-	4	0.0 %
HAWAI I	-	85	0.0 %
IDAHO	-	1895	0.7 %
ILLINO	-	982	0.4 %
INDIAN	-	5260	2.0 %
IOWA	-	4050	1.6 %
KANSA S	-	4455	1.7 %
KENTU C	-	6859	2.7 %
LOUISI	-	4218	1.6 %
MAINE	-	3145	1.2 %
MARIA N	-	1	0.0 %
MARY LA	-	6544	2.5 %
MASS AC	-	5543	2.1 %
MICHI G	-	10050	3.9 %
MINNE S	-	7046	2.7 %
MISSIS	-	2193	0.9 %

Value	Label	Unweighted Frequency	%
MIS SOUR	-	8184	3.2 %
MONT ANA	-	1527	0.6 %
NEBR ASK	-	2712	1.1 %
NEVAD A	-	1638	0.6 %
NEW HAMP	-	3136	1.2 %
NEW JERSEY	-	11432	4.4 %
NEW MEXICO	-	1905	0.7 %
NEW YORK	-	9173	3.6 %
NORTH CAROLINA	-	8105	3.1 %
OHIO	-	8932	3.5 %
OKLAH OMA	-	6068	2.4 %
OREG ON	-	3554	1.4 %
OTHE R	-	173	0.1 %
PENN SYLVANIA	-	18518	7.2 %
PUERT RICO	-	29	0.0 %
RHOD E ISLAND	-	1079	0.4 %
SOUTH CAROLINA	-	7055	2.7 %
TENNE SSSEE	-	7952	3.1 %
TEXAS	-	18723	7.3 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 257,986 valid cases out of 257,986 total cases.

Location: 66-71 (width: 6; decimal: 0)

Variable Type: character

CARD1: CARD 1 INDICATOR

Value	Label	Unweighted Frequency	%
0	No adult male reported	17097	6.6 %
1	Adult male reported	234403	90.9 %
	Missing Data		
8	Not applicable	6486	2.5 %
	Total	257,986	100%

Based upon 251,500 valid cases out of 257,986 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 72-72 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

CARD2: CARD 2 INDICATOR

Value	Label	Unweighted Frequency	%
0	No adult female reported	45888	17.8 %
1	Adult female reported	205612	79.7 %
	Missing Data		
8	Not applicable	6486	2.5 %
	Total	257,986	100%

Based upon 251,500 valid cases out of 257,986 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 73-73 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

CARD3: CARD 3 INDICATOR

Value	Label	Unweighted Frequency	%
0	No juvenile reported	80940	31.4 %
1	Juvenile reported	170560	66.1 %
	Missing Data		
8	Not applicable	6486	2.5 %
	Total	257,986	100%

Based upon 251,500 valid cases out of 257,986 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 74-74 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

OFFENSE: OFFENSE CODE

Value	Label	Unweighted Frequency	%
000	HEADER Record	64	0.0 %
011	Murder and non-negligent manslaughter	2426	0.9 %
012	Manslaughter by negligence	828	0.3 %
020	Forcible rape	4548	1.8 %
030	Robbery	4579	1.8 %
040	Aggravated assault	9822	3.8 %
050	Burglary-breaking or entering	8254	3.2 %
060	Larceny-theft (not motor vehicle)	10345	4.0 %
070	Motor vehicle theft	6661	2.6 %
080	Other assaults	11457	4.4 %
090	Arson	2546	1.0 %
100	Forgery and counterfeiting	5833	2.3 %
110	Fraud	7483	2.9 %
120	Embezzlement	2365	0.9 %
130	Stolen property-buy, receive, poss.	6209	2.4 %
140	Vandalism	8483	3.3 %
150	Weapons-carry, posses, etc.	8040	3.1 %
160	Prostitution and commercialized vice	1501	0.6 %
161	Prostitution and commercialized vice - Prostitution	913	0.4 %
162	Prostitution and commercialized vice - Assisting or Promoting Prostitution	604	0.2 %
163	Prostitution and commercialized vice - Purchasing Prostitution	391	0.2 %
170	Sex offenses (not rape or prostitution)	5452	2.1 %
18	Total drug abuse violations	11758	4.6 %
180	Sale/manufacture (subtotal)	7942	3.1 %
181	Sale: Opium, coke, and their derivatives	4454	1.7 %
182	Sale: Marijuana	5278	2.0 %
183	Sale: Truly addicting synthetic narcotics	2284	0.9 %
184	Sale: Other dangerous non-narc drugs	5246	2.0 %
185	Possession (subtotal)	11574	4.5 %
186	Possession: Opium, coke, and their derivatives	7726	3.0 %
187	Possession: Marijuana	9917	3.8 %
188	Possession: Truly addicting synthetic narcotics	5298	2.1 %
189	Possession: Other dangerous non-narc drugs	9496	3.7 %
19	Gambling (total)	595	0.2 %
191	Bookmaking (horse and sports)	342	0.1 %

Value	Label	Unweighted Frequency	%
192	Number and lottery	317	0.1 %
193	All other gambling	480	0.2 %
200	Offenses against family and children	5415	2.1 %
210	Driving under the influence	11444	4.4 %
220	Liquor laws	6863	2.7 %
230	Drunkenness	6197	2.4 %
240	Disorderly conduct	9188	3.6 %
250	Vagrancy	1348	0.5 %
260	All other offenses (not traffic)	12317	4.8 %
270	Suspicion	351	0.1 %
280	Curfew and loitering violations	1402	0.5 %
290	Runaways	1426	0.6 %
301	Human Trafficking - Commercial Sex Acts	417	0.2 %
302	Human Trafficking - Involuntary Servitude	356	0.1 %
990	Juvenile Disposition Data	3265	1.3 %
	Missing Data		
998	Not applicable	6486	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,500 valid cases out of 257,986 total cases.

Location: 75-77 (width: 3; decimal: 0)

Variable Type: character

(Range of) Missing Values: 998

MO_9: MALE UNDER 10

Value	Label	Unweighted Frequency	%
-1	-	1	0.0 %
0	-	249929	96.9 %
1	-	1153	0.4 %
2	-	261	0.1 %
3	-	77	0.0 %
4	-	43	0.0 %
5	-	18	0.0 %
6	-	14	0.0 %
7	-	10	0.0 %
8	-	3	0.0 %
9	-	2	0.0 %

Value	Label	Unweighted Frequency	%
10	-	1	0.0 %
11	-	4	0.0 %
12	-	3	0.0 %
13	-	2	0.0 %
14	-	2	0.0 %
16	-	2	0.0 %
19	-	1	0.0 %
21	-	1	0.0 %
28	-	1	0.0 %
39	-	1	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: -1.00
- Maximum: 39.00
- Standard Deviation: 0.21

Location: 78-83 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M10_12: MALE 10-12

Value	Label	Unweighted Frequency	%
0	-	238619	92.5 %
1	-	7530	2.9 %
2	-	2340	0.9 %
3	-	1124	0.4 %
4	-	540	0.2 %
5	-	319	0.1 %
6	-	261	0.1 %
7	-	157	0.1 %
8	-	117	0.0 %
9	-	95	0.0 %
10	-	57	0.0 %
11	-	54	0.0 %
12	-	46	0.0 %

Value	Label	Unweighted Frequency	%
13	-	33	0.0 %
14	-	26	0.0 %
15	-	21	0.0 %
16	-	23	0.0 %
17	-	21	0.0 %
18	-	18	0.0 %
19	-	12	0.0 %
20	-	8	0.0 %
21	-	11	0.0 %
22	-	5	0.0 %
23	-	7	0.0 %
24	-	6	0.0 %
25	-	3	0.0 %
26	-	7	0.0 %
27	-	4	0.0 %
28	-	7	0.0 %
29	-	6	0.0 %
30	-	3	0.0 %
31	-	1	0.0 %
32	-	2	0.0 %
33	-	2	0.0 %
34	-	1	0.0 %
35	-	1	0.0 %
36	-	3	0.0 %
37	-	2	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	3	0.0 %
42	-	1	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	2	0.0 %
46	-	1	0.0 %
48	-	2	0.0 %
49	-	1	0.0 %
51	-	1	0.0 %
52	-	2	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %

Value	Label	Unweighted Frequency	%
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 229.00
- Standard Deviation: 1.22

Location: 84-89 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M13_14: MALE 13-14

Value	Label	Unweighted Frequency	%
0	-	220867	85.6 %
1	-	15359	6.0 %
2	-	5623	2.2 %
3	-	2819	1.1 %
4	-	1673	0.6 %
5	-	1043	0.4 %
6	-	802	0.3 %
7	-	559	0.2 %
8	-	380	0.1 %
9	-	335	0.1 %
10	-	283	0.1 %
11	-	230	0.1 %
12	-	175	0.1 %
13	-	135	0.1 %
14	-	129	0.1 %
15	-	95	0.0 %
16	-	99	0.0 %
17	-	72	0.0 %
18	-	79	0.0 %
19	-	58	0.0 %
20	-	52	0.0 %
21	-	56	0.0 %
22	-	49	0.0 %

Value	Label	Unweighted Frequency	%
23	-	43	0.0 %
24	-	40	0.0 %
25	-	39	0.0 %
26	-	37	0.0 %
27	-	25	0.0 %
28	-	35	0.0 %
29	-	21	0.0 %
30	-	22	0.0 %
31	-	15	0.0 %
32	-	19	0.0 %
33	-	19	0.0 %
34	-	8	0.0 %
35	-	9	0.0 %
36	-	19	0.0 %
37	-	8	0.0 %
38	-	10	0.0 %
39	-	16	0.0 %
40	-	13	0.0 %
41	-	9	0.0 %
42	-	6	0.0 %
43	-	7	0.0 %
44	-	7	0.0 %
45	-	7	0.0 %
46	-	7	0.0 %
47	-	5	0.0 %
48	-	6	0.0 %
49	-	1	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 0.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 451.00
- Standard Deviation: 2.87

Location: 90-95 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M15: MALE 15

Value	Label	Unweighted Frequency	%
0	-	220737	85.6 %
1	-	16496	6.4 %
2	-	5686	2.2 %
3	-	2641	1.0 %
4	-	1564	0.6 %
5	-	983	0.4 %
6	-	673	0.3 %
7	-	503	0.2 %
8	-	349	0.1 %
9	-	279	0.1 %
10	-	236	0.1 %
11	-	203	0.1 %
12	-	142	0.1 %
13	-	102	0.0 %
14	-	98	0.0 %
15	-	99	0.0 %
16	-	75	0.0 %
17	-	57	0.0 %
18	-	49	0.0 %
19	-	54	0.0 %
20	-	45	0.0 %
21	-	39	0.0 %
22	-	26	0.0 %
23	-	37	0.0 %
24	-	34	0.0 %
25	-	30	0.0 %
26	-	18	0.0 %
27	-	16	0.0 %
28	-	13	0.0 %
29	-	21	0.0 %
30	-	17	0.0 %
31	-	13	0.0 %
32	-	13	0.0 %
33	-	8	0.0 %
34	-	8	0.0 %

Value	Label	Unweighted Frequency	%
35	-	10	0.0 %
36	-	7	0.0 %
37	-	10	0.0 %
38	-	13	0.0 %
39	-	5	0.0 %
40	-	11	0.0 %
41	-	2	0.0 %
42	-	6	0.0 %
43	-	3	0.0 %
44	-	5	0.0 %
45	-	4	0.0 %
46	-	3	0.0 %
47	-	8	0.0 %
48	-	3	0.0 %
49	-	1	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 440.00
- Standard Deviation: 2.42

Location: 96-101 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M16: MALE 16

Value	Label	Unweighted Frequency	%
0	-	214585	83.2 %
1	-	19432	7.5 %
2	-	6963	2.7 %
3	-	3202	1.2 %
4	-	1901	0.7 %
5	-	1264	0.5 %

Value	Label	Unweighted Frequency	%
6	-	737	0.3 %
7	-	578	0.2 %
8	-	493	0.2 %
9	-	382	0.1 %
10	-	273	0.1 %
11	-	216	0.1 %
12	-	160	0.1 %
13	-	147	0.1 %
14	-	142	0.1 %
15	-	116	0.0 %
16	-	95	0.0 %
17	-	84	0.0 %
18	-	65	0.0 %
19	-	70	0.0 %
20	-	51	0.0 %
21	-	45	0.0 %
22	-	40	0.0 %
23	-	35	0.0 %
24	-	29	0.0 %
25	-	30	0.0 %
26	-	27	0.0 %
27	-	39	0.0 %
28	-	18	0.0 %
29	-	15	0.0 %
30	-	24	0.0 %
31	-	13	0.0 %
32	-	9	0.0 %
33	-	19	0.0 %
34	-	10	0.0 %
35	-	16	0.0 %
36	-	9	0.0 %
37	-	13	0.0 %
38	-	11	0.0 %
39	-	7	0.0 %
40	-	5	0.0 %
41	-	8	0.0 %
42	-	10	0.0 %
43	-	8	0.0 %
44	-	7	0.0 %

Value	Label	Unweighted Frequency	%
45	-	6	0.0 %
46	-	6	0.0 %
47	-	4	0.0 %
48	-	6	0.0 %
49	-	2	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 0.46
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 560.00
- Standard Deviation: 2.84

Location: 102-107 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M17: MALE 17

Value	Label	Unweighted Frequency	%
0	-	206321	80.0 %
1	-	23618	9.2 %
2	-	8281	3.2 %
3	-	4150	1.6 %
4	-	2395	0.9 %
5	-	1497	0.6 %
6	-	1098	0.4 %
7	-	721	0.3 %
8	-	535	0.2 %
9	-	456	0.2 %
10	-	288	0.1 %
11	-	278	0.1 %
12	-	233	0.1 %
13	-	159	0.1 %
14	-	158	0.1 %
15	-	145	0.1 %

Value	Label	Unweighted Frequency	%
16	-	126	0.0 %
17	-	104	0.0 %
18	-	88	0.0 %
19	-	105	0.0 %
20	-	71	0.0 %
21	-	59	0.0 %
22	-	44	0.0 %
23	-	44	0.0 %
24	-	43	0.0 %
25	-	40	0.0 %
26	-	35	0.0 %
27	-	35	0.0 %
28	-	30	0.0 %
29	-	16	0.0 %
30	-	11	0.0 %
31	-	21	0.0 %
32	-	14	0.0 %
33	-	15	0.0 %
34	-	10	0.0 %
35	-	25	0.0 %
36	-	12	0.0 %
37	-	13	0.0 %
38	-	14	0.0 %
39	-	5	0.0 %
40	-	6	0.0 %
41	-	10	0.0 %
42	-	5	0.0 %
43	-	9	0.0 %
44	-	10	0.0 %
45	-	5	0.0 %
46	-	7	0.0 %
47	-	9	0.0 %
48	-	7	0.0 %
49	-	2	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 0.56
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 518.00
- Standard Deviation: 3.12

Location: 108-113 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M18: MALE 18

Value	Label	Unweighted Frequency	%
0	-	193375	75.0 %
1	-	29272	11.3 %
2	-	10566	4.1 %
3	-	5389	2.1 %
4	-	3123	1.2 %
5	-	2038	0.8 %
6	-	1484	0.6 %
7	-	1054	0.4 %
8	-	772	0.3 %
9	-	647	0.3 %
10	-	483	0.2 %
11	-	411	0.2 %
12	-	345	0.1 %
13	-	272	0.1 %
14	-	209	0.1 %
15	-	205	0.1 %
16	-	161	0.1 %
17	-	139	0.1 %
18	-	131	0.1 %
19	-	114	0.0 %
20	-	90	0.0 %
21	-	89	0.0 %
22	-	87	0.0 %
23	-	77	0.0 %
24	-	73	0.0 %
25	-	63	0.0 %

Value	Label	Unweighted Frequency	%
26	-	60	0.0 %
27	-	45	0.0 %
28	-	41	0.0 %
29	-	35	0.0 %
30	-	30	0.0 %
31	-	33	0.0 %
32	-	40	0.0 %
33	-	16	0.0 %
34	-	28	0.0 %
35	-	30	0.0 %
36	-	27	0.0 %
37	-	21	0.0 %
38	-	28	0.0 %
39	-	20	0.0 %
40	-	20	0.0 %
41	-	23	0.0 %
42	-	14	0.0 %
43	-	18	0.0 %
44	-	4	0.0 %
45	-	15	0.0 %
46	-	14	0.0 %
47	-	9	0.0 %
48	-	8	0.0 %
49	-	7	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 0.81
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 342.00
- Standard Deviation: 4.14

Location: 114-119 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M19: MALE 19

Value	Label	Unweighted Frequency	%
0	-	190973	74.0 %
1	-	30406	11.8 %
2	-	10858	4.2 %
3	-	5521	2.1 %
4	-	3158	1.2 %
5	-	2209	0.9 %
6	-	1589	0.6 %
7	-	1103	0.4 %
8	-	802	0.3 %
9	-	658	0.3 %
10	-	522	0.2 %
11	-	409	0.2 %
12	-	361	0.1 %
13	-	280	0.1 %
14	-	241	0.1 %
15	-	203	0.1 %
16	-	196	0.1 %
17	-	168	0.1 %
18	-	179	0.1 %
19	-	149	0.1 %
20	-	102	0.0 %
21	-	115	0.0 %
22	-	74	0.0 %
23	-	96	0.0 %
24	-	74	0.0 %
25	-	52	0.0 %
26	-	76	0.0 %
27	-	60	0.0 %
28	-	65	0.0 %
29	-	38	0.0 %
30	-	33	0.0 %
31	-	34	0.0 %
32	-	30	0.0 %
33	-	27	0.0 %
34	-	22	0.0 %
35	-	35	0.0 %
36	-	17	0.0 %

Value	Label	Unweighted Frequency	%
37	-	25	0.0 %
38	-	19	0.0 %
39	-	29	0.0 %
40	-	23	0.0 %
41	-	29	0.0 %
42	-	21	0.0 %
43	-	28	0.0 %
44	-	16	0.0 %
45	-	12	0.0 %
46	-	13	0.0 %
47	-	16	0.0 %
48	-	13	0.0 %
49	-	9	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 0.91
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1465.00
- Standard Deviation: 6.57

Location: 120-125 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M20: MALE 20

Value	Label	Unweighted Frequency	%
0	-	190815	74.0 %
1	-	30887	12.0 %
2	-	10808	4.2 %
3	-	5330	2.1 %
4	-	3283	1.3 %
5	-	2145	0.8 %
6	-	1502	0.6 %
7	-	1075	0.4 %

Value	Label	Unweighted Frequency	%
8	-	782	0.3 %
9	-	672	0.3 %
10	-	527	0.2 %
11	-	471	0.2 %
12	-	322	0.1 %
13	-	296	0.1 %
14	-	240	0.1 %
15	-	225	0.1 %
16	-	197	0.1 %
17	-	184	0.1 %
18	-	146	0.1 %
19	-	110	0.0 %
20	-	124	0.0 %
21	-	94	0.0 %
22	-	73	0.0 %
23	-	78	0.0 %
24	-	73	0.0 %
25	-	64	0.0 %
26	-	50	0.0 %
27	-	42	0.0 %
28	-	58	0.0 %
29	-	56	0.0 %
30	-	39	0.0 %
31	-	31	0.0 %
32	-	34	0.0 %
33	-	37	0.0 %
34	-	28	0.0 %
35	-	25	0.0 %
36	-	24	0.0 %
37	-	22	0.0 %
38	-	20	0.0 %
39	-	24	0.0 %
40	-	22	0.0 %
41	-	20	0.0 %
42	-	20	0.0 %
43	-	21	0.0 %
44	-	16	0.0 %
45	-	11	0.0 %
46	-	16	0.0 %

Value	Label	Unweighted Frequency	%
47	-	8	0.0 %
48	-	10	0.0 %
49	-	3	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 0.89
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 409.00
- Standard Deviation: 4.85

Location: 126-131 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M21: MALE 21

Value	Label	Unweighted Frequency	%
0	-	191130	74.1 %
1	-	30431	11.8 %
2	-	10838	4.2 %
3	-	5515	2.1 %
4	-	3265	1.3 %
5	-	2053	0.8 %
6	-	1363	0.5 %
7	-	1059	0.4 %
8	-	876	0.3 %
9	-	679	0.3 %
10	-	528	0.2 %
11	-	451	0.2 %
12	-	355	0.1 %
13	-	313	0.1 %
14	-	246	0.1 %
15	-	218	0.1 %
16	-	183	0.1 %
17	-	158	0.1 %

Value	Label	Unweighted Frequency	%
18	-	130	0.1 %
19	-	116	0.0 %
20	-	129	0.1 %
21	-	121	0.0 %
22	-	91	0.0 %
23	-	77	0.0 %
24	-	84	0.0 %
25	-	65	0.0 %
26	-	39	0.0 %
27	-	52	0.0 %
28	-	50	0.0 %
29	-	42	0.0 %
30	-	57	0.0 %
31	-	35	0.0 %
32	-	33	0.0 %
33	-	34	0.0 %
34	-	34	0.0 %
35	-	29	0.0 %
36	-	24	0.0 %
37	-	25	0.0 %
38	-	24	0.0 %
39	-	31	0.0 %
40	-	26	0.0 %
41	-	13	0.0 %
42	-	14	0.0 %
43	-	19	0.0 %
44	-	17	0.0 %
45	-	12	0.0 %
46	-	18	0.0 %
47	-	15	0.0 %
48	-	11	0.0 %
49	-	16	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 0.91
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 403.00
- Standard Deviation: 5.23

Location: 132-137 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M22: MALE 22

Value	Label	Unweighted Frequency	%
0	-	192048	74.4 %
1	-	30097	11.7 %
2	-	10453	4.1 %
3	-	5323	2.1 %
4	-	3149	1.2 %
5	-	2090	0.8 %
6	-	1505	0.6 %
7	-	1088	0.4 %
8	-	836	0.3 %
9	-	651	0.3 %
10	-	509	0.2 %
11	-	420	0.2 %
12	-	326	0.1 %
13	-	296	0.1 %
14	-	243	0.1 %
15	-	184	0.1 %
16	-	182	0.1 %
17	-	185	0.1 %
18	-	149	0.1 %
19	-	133	0.1 %
20	-	123	0.0 %
21	-	107	0.0 %
22	-	92	0.0 %
23	-	94	0.0 %
24	-	83	0.0 %
25	-	69	0.0 %
26	-	56	0.0 %
27	-	62	0.0 %
28	-	57	0.0 %
29	-	49	0.0 %

Value	Label	Unweighted Frequency	%
30	-	58	0.0 %
31	-	28	0.0 %
32	-	30	0.0 %
33	-	30	0.0 %
34	-	31	0.0 %
35	-	35	0.0 %
36	-	31	0.0 %
37	-	28	0.0 %
38	-	27	0.0 %
39	-	18	0.0 %
40	-	26	0.0 %
41	-	18	0.0 %
42	-	19	0.0 %
43	-	24	0.0 %
44	-	14	0.0 %
45	-	12	0.0 %
46	-	16	0.0 %
47	-	9	0.0 %
48	-	14	0.0 %
49	-	11	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 0.91
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 401.00
- Standard Deviation: 5.23

Location: 138-143 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M23: MALE 23

Value	Label	Unweighted Frequency	%
0	-	191918	74.4 %

Value	Label	Unweighted Frequency	%
1	-	29972	11.6 %
2	-	10421	4.0 %
3	-	5365	2.1 %
4	-	3216	1.2 %
5	-	2155	0.8 %
6	-	1478	0.6 %
7	-	1079	0.4 %
8	-	840	0.3 %
9	-	661	0.3 %
10	-	522	0.2 %
11	-	417	0.2 %
12	-	361	0.1 %
13	-	316	0.1 %
14	-	236	0.1 %
15	-	220	0.1 %
16	-	213	0.1 %
17	-	169	0.1 %
18	-	149	0.1 %
19	-	145	0.1 %
20	-	107	0.0 %
21	-	86	0.0 %
22	-	81	0.0 %
23	-	79	0.0 %
24	-	81	0.0 %
25	-	70	0.0 %
26	-	77	0.0 %
27	-	55	0.0 %
28	-	58	0.0 %
29	-	64	0.0 %
30	-	48	0.0 %
31	-	40	0.0 %
32	-	39	0.0 %
33	-	39	0.0 %
34	-	31	0.0 %
35	-	24	0.0 %
36	-	32	0.0 %
37	-	28	0.0 %
38	-	15	0.0 %
39	-	35	0.0 %

Value	Label	Unweighted Frequency	%
40	-	23	0.0 %
41	-	33	0.0 %
42	-	26	0.0 %
43	-	11	0.0 %
44	-	17	0.0 %
45	-	11	0.0 %
46	-	18	0.0 %
47	-	12	0.0 %
48	-	16	0.0 %
49	-	11	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 0.93
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 490.00
- Standard Deviation: 5.43

Location: 144-149 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M24: MALE 24

Value	Label	Unweighted Frequency	%
0	-	190661	73.9 %
1	-	30624	11.9 %
2	-	10747	4.2 %
3	-	5406	2.1 %
4	-	3213	1.2 %
5	-	2125	0.8 %
6	-	1477	0.6 %
7	-	1116	0.4 %
8	-	870	0.3 %
9	-	662	0.3 %
10	-	556	0.2 %

Value	Label	Unweighted Frequency	%
11	-	464	0.2 %
12	-	385	0.1 %
13	-	295	0.1 %
14	-	239	0.1 %
15	-	228	0.1 %
16	-	221	0.1 %
17	-	182	0.1 %
18	-	180	0.1 %
19	-	136	0.1 %
20	-	116	0.0 %
21	-	97	0.0 %
22	-	83	0.0 %
23	-	87	0.0 %
24	-	91	0.0 %
25	-	63	0.0 %
26	-	61	0.0 %
27	-	69	0.0 %
28	-	58	0.0 %
29	-	59	0.0 %
30	-	48	0.0 %
31	-	63	0.0 %
32	-	45	0.0 %
33	-	31	0.0 %
34	-	34	0.0 %
35	-	26	0.0 %
36	-	30	0.0 %
37	-	29	0.0 %
38	-	37	0.0 %
39	-	17	0.0 %
40	-	26	0.0 %
41	-	20	0.0 %
42	-	16	0.0 %
43	-	27	0.0 %
44	-	20	0.0 %
45	-	12	0.0 %
46	-	18	0.0 %
47	-	14	0.0 %
48	-	10	0.0 %
49	-	15	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 0.96
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 610.00
- Standard Deviation: 5.61

Location: 150-155 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M25_29: MALE 25-29

Value	Label	Unweighted Frequency	%
0	-	125615	48.7 %
1	-	44597	17.3 %
2	-	19735	7.6 %
3	-	11826	4.6 %
4	-	7708	3.0 %
5	-	5678	2.2 %
6	-	4256	1.6 %
7	-	3371	1.3 %
8	-	2752	1.1 %
9	-	2405	0.9 %
10	-	1921	0.7 %
11	-	1620	0.6 %
12	-	1458	0.6 %
13	-	1245	0.5 %
14	-	1143	0.4 %
15	-	1022	0.4 %
16	-	833	0.3 %
17	-	789	0.3 %
18	-	735	0.3 %
19	-	653	0.3 %
20	-	595	0.2 %

Value	Label	Unweighted Frequency	%
21	-	538	0.2 %
22	-	482	0.2 %
23	-	441	0.2 %
24	-	422	0.2 %
25	-	409	0.2 %
26	-	377	0.1 %
27	-	334	0.1 %
28	-	300	0.1 %
29	-	311	0.1 %
30	-	254	0.1 %
31	-	252	0.1 %
32	-	266	0.1 %
33	-	260	0.1 %
34	-	182	0.1 %
35	-	231	0.1 %
36	-	206	0.1 %
37	-	181	0.1 %
38	-	195	0.1 %
39	-	201	0.1 %
40	-	170	0.1 %
41	-	172	0.1 %
42	-	135	0.1 %
43	-	123	0.0 %
44	-	133	0.1 %
45	-	135	0.1 %
46	-	128	0.0 %
47	-	123	0.0 %
48	-	113	0.0 %
49	-	105	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 5.10
- Minimum: 0.00
- Maximum: 4103.00
- Standard Deviation: 30.55

Location: 156-161 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M30_34: MALE 30-34

Value	Label	Unweighted Frequency	%
0	-	130695	50.7 %
1	-	44091	17.1 %
2	-	19490	7.6 %
3	-	11221	4.3 %
4	-	7558	2.9 %
5	-	5253	2.0 %
6	-	4017	1.6 %
7	-	3240	1.3 %
8	-	2520	1.0 %
9	-	2152	0.8 %
10	-	1810	0.7 %
11	-	1574	0.6 %
12	-	1326	0.5 %
13	-	1135	0.4 %
14	-	1103	0.4 %
15	-	908	0.4 %
16	-	768	0.3 %
17	-	752	0.3 %
18	-	649	0.3 %
19	-	577	0.2 %
20	-	492	0.2 %
21	-	498	0.2 %
22	-	446	0.2 %
23	-	418	0.2 %
24	-	403	0.2 %
25	-	332	0.1 %
26	-	340	0.1 %
27	-	322	0.1 %
28	-	286	0.1 %
29	-	265	0.1 %
30	-	246	0.1 %
31	-	234	0.1 %
32	-	213	0.1 %
33	-	200	0.1 %
34	-	219	0.1 %

Value	Label	Unweighted Frequency	%
35	-	170	0.1 %
36	-	162	0.1 %
37	-	183	0.1 %
38	-	142	0.1 %
39	-	172	0.1 %
40	-	144	0.1 %
41	-	120	0.0 %
42	-	128	0.0 %
43	-	121	0.0 %
44	-	107	0.0 %
45	-	117	0.0 %
46	-	104	0.0 %
47	-	95	0.0 %
48	-	118	0.0 %
49	-	103	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 4.47
- Minimum: 0.00
- Maximum: 4532.00
- Standard Deviation: 27.37

Location: 162-167 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M35_39: MALE 35-39

Value	Label	Unweighted Frequency	%
0	-	138538	53.7 %
1	-	42808	16.6 %
2	-	18636	7.2 %
3	-	10525	4.1 %
4	-	7002	2.7 %
5	-	5046	2.0 %
6	-	3658	1.4 %
7	-	2953	1.1 %

Value	Label	Unweighted Frequency	%
8	-	2339	0.9 %
9	-	1962	0.8 %
10	-	1567	0.6 %
11	-	1349	0.5 %
12	-	1241	0.5 %
13	-	1039	0.4 %
14	-	861	0.3 %
15	-	778	0.3 %
16	-	679	0.3 %
17	-	647	0.3 %
18	-	553	0.2 %
19	-	492	0.2 %
20	-	445	0.2 %
21	-	420	0.2 %
22	-	377	0.1 %
23	-	348	0.1 %
24	-	311	0.1 %
25	-	330	0.1 %
26	-	261	0.1 %
27	-	271	0.1 %
28	-	240	0.1 %
29	-	237	0.1 %
30	-	216	0.1 %
31	-	190	0.1 %
32	-	165	0.1 %
33	-	159	0.1 %
34	-	171	0.1 %
35	-	159	0.1 %
36	-	144	0.1 %
37	-	163	0.1 %
38	-	123	0.0 %
39	-	132	0.1 %
40	-	119	0.0 %
41	-	122	0.0 %
42	-	107	0.0 %
43	-	107	0.0 %
44	-	102	0.0 %
45	-	111	0.0 %
46	-	88	0.0 %

Value	Label	Unweighted Frequency	%
47	-	81	0.0 %
48	-	80	0.0 %
49	-	71	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 3.72
- Minimum: 0.00
- Maximum: 4165.00
- Standard Deviation: 22.88

Location: 168-173 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M40_44: MALE 40-44

Value	Label	Unweighted Frequency	%
0	-	154680	60.0 %
1	-	39918	15.5 %
2	-	16271	6.3 %
3	-	9131	3.5 %
4	-	5874	2.3 %
5	-	4103	1.6 %
6	-	3036	1.2 %
7	-	2342	0.9 %
8	-	1792	0.7 %
9	-	1456	0.6 %
10	-	1214	0.5 %
11	-	1074	0.4 %
12	-	897	0.3 %
13	-	721	0.3 %
14	-	694	0.3 %
15	-	582	0.2 %
16	-	494	0.2 %
17	-	465	0.2 %
18	-	398	0.2 %
19	-	394	0.2 %

Value	Label	Unweighted Frequency	%
20	-	318	0.1 %
21	-	291	0.1 %
22	-	305	0.1 %
23	-	246	0.1 %
24	-	211	0.1 %
25	-	220	0.1 %
26	-	195	0.1 %
27	-	165	0.1 %
28	-	190	0.1 %
29	-	147	0.1 %
30	-	138	0.1 %
31	-	148	0.1 %
32	-	139	0.1 %
33	-	131	0.1 %
34	-	121	0.0 %
35	-	95	0.0 %
36	-	91	0.0 %
37	-	111	0.0 %
38	-	91	0.0 %
39	-	76	0.0 %
40	-	83	0.0 %
41	-	65	0.0 %
42	-	82	0.0 %
43	-	71	0.0 %
44	-	64	0.0 %
45	-	70	0.0 %
46	-	50	0.0 %
47	-	53	0.0 %
48	-	46	0.0 %
49	-	61	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 2.61
- Minimum: 0.00

- Maximum: 3236.00
- Standard Deviation: 16.77

Location: 174-179 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M45_49: MALE 45-49

Value	Label	Unweighted Frequency	%
0	-	167123	64.8 %
1	-	37111	14.4 %
2	-	14338	5.6 %
3	-	7751	3.0 %
4	-	4965	1.9 %
5	-	3425	1.3 %
6	-	2559	1.0 %
7	-	1939	0.8 %
8	-	1462	0.6 %
9	-	1182	0.5 %
10	-	987	0.4 %
11	-	835	0.3 %
12	-	686	0.3 %
13	-	586	0.2 %
14	-	501	0.2 %
15	-	421	0.2 %
16	-	400	0.2 %
17	-	372	0.1 %
18	-	302	0.1 %
19	-	306	0.1 %
20	-	239	0.1 %
21	-	254	0.1 %
22	-	206	0.1 %
23	-	175	0.1 %
24	-	147	0.1 %
25	-	170	0.1 %
26	-	153	0.1 %
27	-	141	0.1 %
28	-	113	0.0 %
29	-	101	0.0 %
30	-	107	0.0 %
31	-	107	0.0 %
32	-	75	0.0 %

Value	Label	Unweighted Frequency	%
33	-	94	0.0 %
34	-	75	0.0 %
35	-	73	0.0 %
36	-	68	0.0 %
37	-	58	0.0 %
38	-	66	0.0 %
39	-	78	0.0 %
40	-	65	0.0 %
41	-	49	0.0 %
42	-	57	0.0 %
43	-	44	0.0 %
44	-	52	0.0 %
45	-	38	0.0 %
46	-	36	0.0 %
47	-	44	0.0 %
48	-	33	0.0 %
49	-	36	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 1.96
- Minimum: 0.00
- Maximum: 2598.00
- Standard Deviation: 13.07

Location: 180-185 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M50_54: MALE 50-54

Value	Label	Unweighted Frequency	%
0	-	176604	68.5 %
1	-	34297	13.3 %
2	-	13073	5.1 %
3	-	6804	2.6 %
4	-	4250	1.6 %
5	-	2988	1.2 %

Value	Label	Unweighted Frequency	%
6	-	2059	0.8 %
7	-	1596	0.6 %
8	-	1230	0.5 %
9	-	1009	0.4 %
10	-	766	0.3 %
11	-	654	0.3 %
12	-	573	0.2 %
13	-	444	0.2 %
14	-	438	0.2 %
15	-	375	0.1 %
16	-	327	0.1 %
17	-	248	0.1 %
18	-	242	0.1 %
19	-	204	0.1 %
20	-	173	0.1 %
21	-	185	0.1 %
22	-	156	0.1 %
23	-	150	0.1 %
24	-	127	0.0 %
25	-	121	0.0 %
26	-	107	0.0 %
27	-	110	0.0 %
28	-	77	0.0 %
29	-	95	0.0 %
30	-	95	0.0 %
31	-	82	0.0 %
32	-	62	0.0 %
33	-	71	0.0 %
34	-	75	0.0 %
35	-	60	0.0 %
36	-	72	0.0 %
37	-	51	0.0 %
38	-	46	0.0 %
39	-	51	0.0 %
40	-	38	0.0 %
41	-	55	0.0 %
42	-	43	0.0 %
43	-	48	0.0 %
44	-	45	0.0 %

Value	Label	Unweighted Frequency	%
45	-	45	0.0 %
46	-	28	0.0 %
47	-	32	0.0 %
48	-	26	0.0 %
49	-	26	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 1.59
- Minimum: 0.00
- Maximum: 2557.00
- Standard Deviation: 11.42

Location: 186-191 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M55_59: MALE 55-59

Value	Label	Unweighted Frequency	%
0	-	185755	72.0 %
1	-	31727	12.3 %
2	-	11518	4.5 %
3	-	6020	2.3 %
4	-	3640	1.4 %
5	-	2390	0.9 %
6	-	1666	0.6 %
7	-	1281	0.5 %
8	-	990	0.4 %
9	-	786	0.3 %
10	-	616	0.2 %
11	-	514	0.2 %
12	-	446	0.2 %
13	-	384	0.1 %
14	-	323	0.1 %
15	-	233	0.1 %
16	-	216	0.1 %
17	-	226	0.1 %

Value	Label	Unweighted Frequency	%
18	-	173	0.1 %
19	-	156	0.1 %
20	-	145	0.1 %
21	-	121	0.0 %
22	-	111	0.0 %
23	-	117	0.0 %
24	-	119	0.0 %
25	-	93	0.0 %
26	-	79	0.0 %
27	-	95	0.0 %
28	-	87	0.0 %
29	-	68	0.0 %
30	-	59	0.0 %
31	-	71	0.0 %
32	-	46	0.0 %
33	-	46	0.0 %
34	-	45	0.0 %
35	-	52	0.0 %
36	-	41	0.0 %
37	-	48	0.0 %
38	-	45	0.0 %
39	-	47	0.0 %
40	-	25	0.0 %
41	-	28	0.0 %
42	-	25	0.0 %
43	-	28	0.0 %
44	-	31	0.0 %
45	-	26	0.0 %
46	-	16	0.0 %
47	-	25	0.0 %
48	-	18	0.0 %
49	-	19	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 1.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1841.00
- Standard Deviation: 9.09

Location: 192-197 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M60_64: MALE 60-64

Value	Label	Unweighted Frequency	%
0	-	204705	79.3 %
1	-	25480	9.9 %
2	-	8251	3.2 %
3	-	3957	1.5 %
4	-	2292	0.9 %
5	-	1390	0.5 %
6	-	1015	0.4 %
7	-	724	0.3 %
8	-	563	0.2 %
9	-	429	0.2 %
10	-	339	0.1 %
11	-	216	0.1 %
12	-	237	0.1 %
13	-	173	0.1 %
14	-	147	0.1 %
15	-	143	0.1 %
16	-	123	0.0 %
17	-	110	0.0 %
18	-	94	0.0 %
19	-	78	0.0 %
20	-	56	0.0 %
21	-	76	0.0 %
22	-	51	0.0 %
23	-	44	0.0 %
24	-	59	0.0 %
25	-	32	0.0 %
26	-	34	0.0 %
27	-	38	0.0 %
28	-	36	0.0 %
29	-	33	0.0 %

Value	Label	Unweighted Frequency	%
30	-	21	0.0 %
31	-	28	0.0 %
32	-	28	0.0 %
33	-	28	0.0 %
34	-	29	0.0 %
35	-	15	0.0 %
36	-	18	0.0 %
37	-	26	0.0 %
38	-	18	0.0 %
39	-	11	0.0 %
40	-	10	0.0 %
41	-	16	0.0 %
42	-	13	0.0 %
43	-	8	0.0 %
44	-	18	0.0 %
45	-	16	0.0 %
46	-	7	0.0 %
47	-	9	0.0 %
48	-	11	0.0 %
49	-	8	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 0.65
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1042.00
- Standard Deviation: 5.08

Location: 198-203 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M65: MALE OVER 64

Value	Label	Unweighted Frequency	%
-1	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0	-	214911	83.3 %
1	-	21422	8.3 %
2	-	6336	2.5 %
3	-	2950	1.1 %
4	-	1616	0.6 %
5	-	1032	0.4 %
6	-	698	0.3 %
7	-	465	0.2 %
8	-	328	0.1 %
9	-	240	0.1 %
10	-	212	0.1 %
11	-	167	0.1 %
12	-	130	0.1 %
13	-	120	0.0 %
14	-	96	0.0 %
15	-	82	0.0 %
16	-	54	0.0 %
17	-	56	0.0 %
18	-	47	0.0 %
19	-	44	0.0 %
20	-	39	0.0 %
21	-	30	0.0 %
22	-	39	0.0 %
23	-	18	0.0 %
24	-	22	0.0 %
25	-	19	0.0 %
26	-	22	0.0 %
27	-	18	0.0 %
28	-	22	0.0 %
29	-	12	0.0 %
30	-	18	0.0 %
31	-	12	0.0 %
32	-	9	0.0 %
33	-	13	0.0 %
34	-	11	0.0 %
35	-	6	0.0 %
36	-	15	0.0 %
37	-	7	0.0 %
38	-	11	0.0 %

Value	Label	Unweighted Frequency	%
39	-	6	0.0 %
40	-	11	0.0 %
41	-	7	0.0 %
42	-	7	0.0 %
43	-	7	0.0 %
44	-	6	0.0 %
45	-	4	0.0 %
46	-	10	0.0 %
47	-	7	0.0 %
48	-	3	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 0.41
- Median: 0.00
- Mode: 0.00
- Minimum: -1.00
- Maximum: 543.00
- Standard Deviation: 3.34

Location: 204-209 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F0_9: FEMALE UNDER 10

Value	Label	Unweighted Frequency	%
0	-	251075	97.3 %
1	-	352	0.1 %
2	-	64	0.0 %
3	-	19	0.0 %
4	-	7	0.0 %
5	-	2	0.0 %
6	-	3	0.0 %
8	-	1	0.0 %
10	-	4	0.0 %
13	-	1	0.0 %
20	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 0.09

Location: 210-215 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F10_12: FEMALE 10-12

Value	Label	Unweighted Frequency	%
0	-	244790	94.9 %
1	-	4139	1.6 %
2	-	1189	0.5 %
3	-	526	0.2 %
4	-	263	0.1 %
5	-	160	0.1 %
6	-	118	0.0 %
7	-	82	0.0 %
8	-	50	0.0 %
9	-	42	0.0 %
10	-	26	0.0 %
11	-	21	0.0 %
12	-	19	0.0 %
13	-	8	0.0 %
14	-	13	0.0 %
15	-	8	0.0 %
16	-	10	0.0 %
17	-	1	0.0 %
18	-	8	0.0 %
19	-	4	0.0 %
20	-	9	0.0 %
21	-	6	0.0 %
22	-	2	0.0 %

Value	Label	Unweighted Frequency	%
23	-	2	0.0 %
24	-	3	0.0 %
26	-	1	0.0 %
27	-	4	0.0 %
28	-	1	0.0 %
30	-	2	0.0 %
33	-	1	0.0 %
35	-	1	0.0 %
36	-	2	0.0 %
37	-	1	0.0 %
38	-	1	0.0 %
42	-	1	0.0 %
43	-	1	0.0 %
45	-	3	0.0 %
49	-	2	0.0 %
52	-	2	0.0 %
54	-	1	0.0 %
62	-	1	0.0 %
67	-	1	0.0 %
68	-	1	0.0 %
73	-	1	0.0 %
82	-	1	0.0 %
115	-	1	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 115.00
- Standard Deviation: 0.75

Location: 216-221 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F13_14: FEMALE 13-14

Value	Label	Unweighted Frequency	%
0	-	234189	90.8 %
1	-	9303	3.6 %
2	-	3165	1.2 %
3	-	1516	0.6 %
4	-	880	0.3 %
5	-	541	0.2 %
6	-	345	0.1 %
7	-	279	0.1 %
8	-	212	0.1 %
9	-	155	0.1 %
10	-	105	0.0 %
11	-	117	0.0 %
12	-	93	0.0 %
13	-	67	0.0 %
14	-	68	0.0 %
15	-	51	0.0 %
16	-	49	0.0 %
17	-	25	0.0 %
18	-	37	0.0 %
19	-	40	0.0 %
20	-	20	0.0 %
21	-	29	0.0 %
22	-	13	0.0 %
23	-	14	0.0 %
24	-	19	0.0 %
25	-	16	0.0 %
26	-	13	0.0 %
27	-	15	0.0 %
28	-	9	0.0 %
29	-	10	0.0 %
30	-	8	0.0 %
31	-	4	0.0 %
32	-	5	0.0 %
33	-	10	0.0 %
34	-	6	0.0 %
35	-	5	0.0 %
36	-	3	0.0 %
37	-	4	0.0 %
38	-	4	0.0 %

Value	Label	Unweighted Frequency	%
39	-	9	0.0 %
40	-	1	0.0 %
41	-	2	0.0 %
42	-	3	0.0 %
43	-	7	0.0 %
45	-	2	0.0 %
47	-	2	0.0 %
48	-	2	0.0 %
49	-	2	0.0 %
50	-	3	0.0 %
51	-	1	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 225.00
- Standard Deviation: 2.00

Location: 222-227 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F15: FEMALE 15

Value	Label	Unweighted Frequency	%
0	-	235556	91.3 %
1	-	9203	3.6 %
2	-	2901	1.1 %
3	-	1243	0.5 %
4	-	719	0.3 %
5	-	461	0.2 %
6	-	323	0.1 %
7	-	203	0.1 %
8	-	172	0.1 %
9	-	133	0.1 %

Value	Label	Unweighted Frequency	%
10	-	99	0.0 %
11	-	87	0.0 %
12	-	65	0.0 %
13	-	52	0.0 %
14	-	42	0.0 %
15	-	32	0.0 %
16	-	29	0.0 %
17	-	19	0.0 %
18	-	24	0.0 %
19	-	15	0.0 %
20	-	16	0.0 %
21	-	12	0.0 %
22	-	14	0.0 %
23	-	6	0.0 %
24	-	7	0.0 %
25	-	6	0.0 %
26	-	11	0.0 %
27	-	4	0.0 %
28	-	4	0.0 %
29	-	7	0.0 %
30	-	5	0.0 %
31	-	5	0.0 %
34	-	3	0.0 %
35	-	2	0.0 %
36	-	2	0.0 %
37	-	2	0.0 %
38	-	2	0.0 %
39	-	3	0.0 %
40	-	3	0.0 %
41	-	2	0.0 %
42	-	2	0.0 %
43	-	1	0.0 %
44	-	3	0.0 %
45	-	2	0.0 %
47	-	2	0.0 %
49	-	2	0.0 %
50	-	2	0.0 %
53	-	1	0.0 %
54	-	1	0.0 %

Value	Label	Unweighted Frequency	%
59	-	1	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 204.00
- Standard Deviation: 1.47

Location: 228-233 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F16: FEMALE 16

Value	Label	Unweighted Frequency	%
0	-	233042	90.3 %
1	-	10913	4.2 %
2	-	3289	1.3 %
3	-	1484	0.6 %
4	-	823	0.3 %
5	-	472	0.2 %
6	-	322	0.1 %
7	-	236	0.1 %
8	-	168	0.1 %
9	-	125	0.0 %
10	-	101	0.0 %
11	-	67	0.0 %
12	-	72	0.0 %
13	-	52	0.0 %
14	-	41	0.0 %
15	-	43	0.0 %
16	-	28	0.0 %
17	-	37	0.0 %
18	-	24	0.0 %
19	-	16	0.0 %

Value	Label	Unweighted Frequency	%
20	-	23	0.0 %
21	-	16	0.0 %
22	-	11	0.0 %
23	-	15	0.0 %
24	-	5	0.0 %
25	-	13	0.0 %
26	-	7	0.0 %
27	-	1	0.0 %
28	-	7	0.0 %
29	-	6	0.0 %
30	-	1	0.0 %
31	-	7	0.0 %
32	-	2	0.0 %
33	-	10	0.0 %
34	-	1	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
37	-	4	0.0 %
38	-	2	0.0 %
39	-	3	0.0 %
40	-	2	0.0 %
41	-	4	0.0 %
42	-	1	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %
47	-	1	0.0 %
48	-	2	0.0 %
50	-	1	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 0.18
- Median: 0.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 219.00
- Standard Deviation: 1.50

Location: 234-239 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F17: FEMALE 17

Value	Label	Unweighted Frequency	%
0	-	229159	88.8 %
1	-	13310	5.2 %
2	-	3971	1.5 %
3	-	1845	0.7 %
4	-	992	0.4 %
5	-	574	0.2 %
6	-	344	0.1 %
7	-	290	0.1 %
8	-	207	0.1 %
9	-	152	0.1 %
10	-	111	0.0 %
11	-	86	0.0 %
12	-	83	0.0 %
13	-	55	0.0 %
14	-	43	0.0 %
15	-	37	0.0 %
16	-	37	0.0 %
17	-	15	0.0 %
18	-	17	0.0 %
19	-	20	0.0 %
20	-	15	0.0 %
21	-	13	0.0 %
22	-	13	0.0 %
23	-	17	0.0 %
24	-	6	0.0 %
25	-	11	0.0 %
26	-	8	0.0 %
27	-	7	0.0 %
28	-	5	0.0 %
29	-	4	0.0 %
30	-	3	0.0 %

Value	Label	Unweighted Frequency	%
31	-	4	0.0 %
32	-	7	0.0 %
33	-	4	0.0 %
34	-	3	0.0 %
35	-	7	0.0 %
36	-	2	0.0 %
37	-	4	0.0 %
38	-	2	0.0 %
39	-	3	0.0 %
40	-	4	0.0 %
41	-	1	0.0 %
42	-	1	0.0 %
43	-	2	0.0 %
44	-	2	0.0 %
45	-	2	0.0 %
46	-	2	0.0 %
48	-	4	0.0 %
49	-	2	0.0 %
50	-	1	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 140.00
- Standard Deviation: 1.43

Location: 240-245 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F18: FEMALE 18

Value	Label	Unweighted Frequency	%
0	-	222022	86.1 %
1	-	17220	6.7 %

Value	Label	Unweighted Frequency	%
2	-	5349	2.1 %
3	-	2372	0.9 %
4	-	1268	0.5 %
5	-	817	0.3 %
6	-	554	0.2 %
7	-	375	0.1 %
8	-	274	0.1 %
9	-	200	0.1 %
10	-	177	0.1 %
11	-	124	0.0 %
12	-	97	0.0 %
13	-	84	0.0 %
14	-	66	0.0 %
15	-	72	0.0 %
16	-	57	0.0 %
17	-	34	0.0 %
18	-	34	0.0 %
19	-	36	0.0 %
20	-	28	0.0 %
21	-	17	0.0 %
22	-	20	0.0 %
23	-	17	0.0 %
24	-	20	0.0 %
25	-	22	0.0 %
26	-	16	0.0 %
27	-	13	0.0 %
28	-	6	0.0 %
29	-	4	0.0 %
30	-	9	0.0 %
31	-	9	0.0 %
32	-	7	0.0 %
33	-	7	0.0 %
34	-	9	0.0 %
35	-	10	0.0 %
36	-	6	0.0 %
37	-	5	0.0 %
38	-	7	0.0 %
39	-	2	0.0 %
40	-	1	0.0 %

Value	Label	Unweighted Frequency	%
41	-	1	0.0 %
42	-	1	0.0 %
43	-	1	0.0 %
44	-	3	0.0 %
45	-	3	0.0 %
46	-	3	0.0 %
47	-	9	0.0 %
48	-	4	0.0 %
49	-	3	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 0.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 188.00
- Standard Deviation: 1.75

Location: 246-251 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F19: FEMALE 19

Value	Label	Unweighted Frequency	%
0	-	219442	85.1 %
1	-	18591	7.2 %
2	-	5566	2.2 %
3	-	2702	1.0 %
4	-	1499	0.6 %
5	-	914	0.4 %
6	-	581	0.2 %
7	-	401	0.2 %
8	-	320	0.1 %
9	-	258	0.1 %
10	-	174	0.1 %
11	-	159	0.1 %

Value	Label	Unweighted Frequency	%
12	-	125	0.0 %
13	-	113	0.0 %
14	-	79	0.0 %
15	-	73	0.0 %
16	-	51	0.0 %
17	-	41	0.0 %
18	-	37	0.0 %
19	-	31	0.0 %
20	-	33	0.0 %
21	-	30	0.0 %
22	-	32	0.0 %
23	-	12	0.0 %
24	-	18	0.0 %
25	-	15	0.0 %
26	-	13	0.0 %
27	-	19	0.0 %
28	-	14	0.0 %
29	-	11	0.0 %
30	-	7	0.0 %
31	-	8	0.0 %
32	-	13	0.0 %
33	-	7	0.0 %
34	-	7	0.0 %
35	-	7	0.0 %
36	-	10	0.0 %
37	-	6	0.0 %
38	-	4	0.0 %
39	-	5	0.0 %
40	-	7	0.0 %
41	-	5	0.0 %
42	-	1	0.0 %
43	-	4	0.0 %
44	-	5	0.0 %
45	-	4	0.0 %
46	-	7	0.0 %
47	-	3	0.0 %
48	-	3	0.0 %
49	-	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 457.00
- Standard Deviation: 2.43

Location: 252-257 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F20: FEMALE 20

Value	Label	Unweighted Frequency	%
0	-	218747	84.8 %
1	-	19100	7.4 %
2	-	5929	2.3 %
3	-	2657	1.0 %
4	-	1467	0.6 %
5	-	880	0.3 %
6	-	588	0.2 %
7	-	399	0.2 %
8	-	283	0.1 %
9	-	253	0.1 %
10	-	192	0.1 %
11	-	141	0.1 %
12	-	99	0.0 %
13	-	97	0.0 %
14	-	56	0.0 %
15	-	64	0.0 %
16	-	50	0.0 %
17	-	53	0.0 %
18	-	45	0.0 %
19	-	27	0.0 %
20	-	30	0.0 %
21	-	28	0.0 %

Value	Label	Unweighted Frequency	%
22	-	36	0.0 %
23	-	21	0.0 %
24	-	23	0.0 %
25	-	17	0.0 %
26	-	18	0.0 %
27	-	11	0.0 %
28	-	18	0.0 %
29	-	16	0.0 %
30	-	17	0.0 %
31	-	11	0.0 %
32	-	6	0.0 %
33	-	7	0.0 %
34	-	4	0.0 %
35	-	6	0.0 %
36	-	7	0.0 %
37	-	11	0.0 %
38	-	6	0.0 %
39	-	4	0.0 %
40	-	6	0.0 %
41	-	3	0.0 %
42	-	5	0.0 %
43	-	6	0.0 %
44	-	2	0.0 %
45	-	6	0.0 %
46	-	3	0.0 %
47	-	3	0.0 %
48	-	3	0.0 %
49	-	1	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 200.00

• Standard Deviation: 2.04

Location: 258-263 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F21: FEMALE 21

Value	Label	Unweighted Frequency	%
0	-	218572	84.7 %
1	-	19154	7.4 %
2	-	5935	2.3 %
3	-	2665	1.0 %
4	-	1548	0.6 %
5	-	845	0.3 %
6	-	633	0.2 %
7	-	423	0.2 %
8	-	309	0.1 %
9	-	179	0.1 %
10	-	192	0.1 %
11	-	139	0.1 %
12	-	107	0.0 %
13	-	116	0.0 %
14	-	78	0.0 %
15	-	79	0.0 %
16	-	51	0.0 %
17	-	46	0.0 %
18	-	50	0.0 %
19	-	33	0.0 %
20	-	31	0.0 %
21	-	25	0.0 %
22	-	21	0.0 %
23	-	14	0.0 %
24	-	14	0.0 %
25	-	18	0.0 %
26	-	15	0.0 %
27	-	15	0.0 %
28	-	13	0.0 %
29	-	9	0.0 %
30	-	9	0.0 %
31	-	11	0.0 %
32	-	14	0.0 %

Value	Label	Unweighted Frequency	%
33	-	16	0.0 %
34	-	14	0.0 %
35	-	13	0.0 %
36	-	5	0.0 %
37	-	6	0.0 %
38	-	8	0.0 %
39	-	5	0.0 %
40	-	5	0.0 %
41	-	5	0.0 %
42	-	5	0.0 %
43	-	3	0.0 %
44	-	2	0.0 %
45	-	3	0.0 %
46	-	2	0.0 %
47	-	4	0.0 %
48	-	3	0.0 %
49	-	5	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 219.00
- Standard Deviation: 2.08

Location: 264-269 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F22: FEMALE 22

Value	Label	Unweighted Frequency	%
0	-	218789	84.8 %
1	-	19087	7.4 %
2	-	5878	2.3 %
3	-	2606	1.0 %

Value	Label	Unweighted Frequency	%
4	-	1468	0.6 %
5	-	887	0.3 %
6	-	579	0.2 %
7	-	455	0.2 %
8	-	288	0.1 %
9	-	234	0.1 %
10	-	187	0.1 %
11	-	141	0.1 %
12	-	150	0.1 %
13	-	84	0.0 %
14	-	66	0.0 %
15	-	67	0.0 %
16	-	44	0.0 %
17	-	53	0.0 %
18	-	43	0.0 %
19	-	46	0.0 %
20	-	25	0.0 %
21	-	27	0.0 %
22	-	22	0.0 %
23	-	26	0.0 %
24	-	15	0.0 %
25	-	19	0.0 %
26	-	20	0.0 %
27	-	15	0.0 %
28	-	9	0.0 %
29	-	14	0.0 %
30	-	12	0.0 %
31	-	8	0.0 %
32	-	8	0.0 %
33	-	6	0.0 %
34	-	11	0.0 %
35	-	4	0.0 %
36	-	9	0.0 %
37	-	8	0.0 %
38	-	6	0.0 %
39	-	7	0.0 %
40	-	8	0.0 %
41	-	4	0.0 %
42	-	5	0.0 %

Value	Label	Unweighted Frequency	%
43	-	5	0.0 %
44	-	4	0.0 %
45	-	3	0.0 %
46	-	1	0.0 %
47	-	6	0.0 %
48	-	3	0.0 %
49	-	4	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 387.00
- Standard Deviation: 2.18

Location: 270-275 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F23: FEMALE 23

Value	Label	Unweighted Frequency	%
0	-	218428	84.7 %
1	-	19312	7.5 %
2	-	5937	2.3 %
3	-	2593	1.0 %
4	-	1478	0.6 %
5	-	931	0.4 %
6	-	560	0.2 %
7	-	439	0.2 %
8	-	320	0.1 %
9	-	235	0.1 %
10	-	172	0.1 %
11	-	168	0.1 %
12	-	115	0.0 %
13	-	104	0.0 %

Value	Label	Unweighted Frequency	%
14	-	84	0.0 %
15	-	68	0.0 %
16	-	52	0.0 %
17	-	47	0.0 %
18	-	39	0.0 %
19	-	29	0.0 %
20	-	31	0.0 %
21	-	33	0.0 %
22	-	33	0.0 %
23	-	26	0.0 %
24	-	25	0.0 %
25	-	22	0.0 %
26	-	18	0.0 %
27	-	15	0.0 %
28	-	11	0.0 %
29	-	15	0.0 %
30	-	17	0.0 %
31	-	14	0.0 %
32	-	12	0.0 %
33	-	8	0.0 %
34	-	7	0.0 %
35	-	8	0.0 %
36	-	3	0.0 %
37	-	5	0.0 %
38	-	7	0.0 %
39	-	4	0.0 %
40	-	6	0.0 %
41	-	10	0.0 %
42	-	6	0.0 %
43	-	1	0.0 %
44	-	2	0.0 %
45	-	1	0.0 %
47	-	1	0.0 %
48	-	5	0.0 %
49	-	3	0.0 %
50	-	2	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 0.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 419.00
- Standard Deviation: 2.24

Location: 276-281 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F24: FEMALE 24

Value	Label	Unweighted Frequency	%
0	-	218309	84.6 %
1	-	19293	7.5 %
2	-	5877	2.3 %
3	-	2783	1.1 %
4	-	1432	0.6 %
5	-	916	0.4 %
6	-	620	0.2 %
7	-	415	0.2 %
8	-	298	0.1 %
9	-	226	0.1 %
10	-	216	0.1 %
11	-	168	0.1 %
12	-	131	0.1 %
13	-	90	0.0 %
14	-	77	0.0 %
15	-	67	0.0 %
16	-	54	0.0 %
17	-	56	0.0 %
18	-	38	0.0 %
19	-	39	0.0 %
20	-	37	0.0 %
21	-	19	0.0 %
22	-	30	0.0 %
23	-	23	0.0 %
24	-	20	0.0 %
25	-	19	0.0 %

Value	Label	Unweighted Frequency	%
26	-	16	0.0 %
27	-	12	0.0 %
28	-	17	0.0 %
29	-	14	0.0 %
30	-	11	0.0 %
31	-	9	0.0 %
32	-	12	0.0 %
33	-	15	0.0 %
34	-	10	0.0 %
35	-	7	0.0 %
36	-	9	0.0 %
37	-	9	0.0 %
38	-	7	0.0 %
39	-	6	0.0 %
40	-	7	0.0 %
41	-	4	0.0 %
42	-	7	0.0 %
43	-	6	0.0 %
44	-	5	0.0 %
45	-	2	0.0 %
46	-	6	0.0 %
47	-	4	0.0 %
48	-	5	0.0 %
49	-	5	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 0.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 382.00
- Standard Deviation: 2.29

Location: 282-287 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F25_29: FEMALE 25-29

Value	Label	Unweighted Frequency	%
0	-	169596	65.7 %
1	-	34978	13.6 %
2	-	13778	5.3 %
3	-	7554	2.9 %
4	-	4822	1.9 %
5	-	3423	1.3 %
6	-	2530	1.0 %
7	-	1866	0.7 %
8	-	1494	0.6 %
9	-	1261	0.5 %
10	-	1061	0.4 %
11	-	808	0.3 %
12	-	730	0.3 %
13	-	638	0.2 %
14	-	529	0.2 %
15	-	477	0.2 %
16	-	432	0.2 %
17	-	328	0.1 %
18	-	336	0.1 %
19	-	334	0.1 %
20	-	299	0.1 %
21	-	280	0.1 %
22	-	218	0.1 %
23	-	244	0.1 %
24	-	170	0.1 %
25	-	160	0.1 %
26	-	138	0.1 %
27	-	145	0.1 %
28	-	135	0.1 %
29	-	137	0.1 %
30	-	125	0.0 %
31	-	92	0.0 %
32	-	108	0.0 %
33	-	90	0.0 %
34	-	88	0.0 %
35	-	67	0.0 %
36	-	65	0.0 %

Value	Label	Unweighted Frequency	%
37	-	77	0.0 %
38	-	66	0.0 %
39	-	68	0.0 %
40	-	53	0.0 %
41	-	62	0.0 %
42	-	66	0.0 %
43	-	49	0.0 %
44	-	45	0.0 %
45	-	36	0.0 %
46	-	48	0.0 %
47	-	47	0.0 %
48	-	40	0.0 %
49	-	32	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 1.94
- Minimum: 0.00
- Maximum: 2155.00
- Standard Deviation: 11.89

Location: 288-293 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F30_34: FEMALE 30-34

Value	Label	Unweighted Frequency	%
0	-	171967	66.7 %
1	-	34466	13.4 %
2	-	13726	5.3 %
3	-	7358	2.9 %
4	-	4634	1.8 %
5	-	3247	1.3 %
6	-	2436	0.9 %
7	-	1766	0.7 %
8	-	1392	0.5 %
9	-	1211	0.5 %

Value	Label	Unweighted Frequency	%
10	-	949	0.4 %
11	-	789	0.3 %
12	-	705	0.3 %
13	-	591	0.2 %
14	-	513	0.2 %
15	-	447	0.2 %
16	-	392	0.2 %
17	-	350	0.1 %
18	-	328	0.1 %
19	-	265	0.1 %
20	-	253	0.1 %
21	-	202	0.1 %
22	-	189	0.1 %
23	-	179	0.1 %
24	-	168	0.1 %
25	-	153	0.1 %
26	-	133	0.1 %
27	-	127	0.0 %
28	-	121	0.0 %
29	-	117	0.0 %
30	-	98	0.0 %
31	-	102	0.0 %
32	-	98	0.0 %
33	-	88	0.0 %
34	-	67	0.0 %
35	-	63	0.0 %
36	-	72	0.0 %
37	-	67	0.0 %
38	-	50	0.0 %
39	-	68	0.0 %
40	-	55	0.0 %
41	-	48	0.0 %
42	-	52	0.0 %
43	-	55	0.0 %
44	-	40	0.0 %
45	-	40	0.0 %
46	-	41	0.0 %
47	-	30	0.0 %
48	-	34	0.0 %

Value	Label	Unweighted Frequency	%
49	-	28	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 1.77
- Minimum: 0.00
- Maximum: 1870.00
- Standard Deviation: 10.64

Location: 294-299 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F35_39: FEMALE 35-39

Value	Label	Unweighted Frequency	%
0	-	177934	69.0 %
1	-	33321	12.9 %
2	-	12573	4.9 %
3	-	6636	2.6 %
4	-	4437	1.7 %
5	-	2812	1.1 %
6	-	2171	0.8 %
7	-	1638	0.6 %
8	-	1231	0.5 %
9	-	1026	0.4 %
10	-	834	0.3 %
11	-	663	0.3 %
12	-	593	0.2 %
13	-	470	0.2 %
14	-	454	0.2 %
15	-	360	0.1 %
16	-	319	0.1 %
17	-	302	0.1 %
18	-	297	0.1 %
19	-	225	0.1 %
20	-	216	0.1 %
21	-	208	0.1 %

Value	Label	Unweighted Frequency	%
22	-	152	0.1 %
23	-	152	0.1 %
24	-	125	0.0 %
25	-	128	0.0 %
26	-	119	0.0 %
27	-	106	0.0 %
28	-	108	0.0 %
29	-	94	0.0 %
30	-	82	0.0 %
31	-	66	0.0 %
32	-	82	0.0 %
33	-	58	0.0 %
34	-	75	0.0 %
35	-	64	0.0 %
36	-	55	0.0 %
37	-	50	0.0 %
38	-	51	0.0 %
39	-	39	0.0 %
40	-	38	0.0 %
41	-	42	0.0 %
42	-	41	0.0 %
43	-	40	0.0 %
44	-	32	0.0 %
45	-	46	0.0 %
46	-	35	0.0 %
47	-	36	0.0 %
48	-	23	0.0 %
49	-	26	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 1.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1395.00

• Standard Deviation: 8.77

Location: 300-305 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F40_44: FEMALE 40-44

Value	Label	Unweighted Frequency	%
0	-	191477	74.2 %
1	-	29391	11.4 %
2	-	10549	4.1 %
3	-	5397	2.1 %
4	-	3302	1.3 %
5	-	2251	0.9 %
6	-	1571	0.6 %
7	-	1112	0.4 %
8	-	959	0.4 %
9	-	695	0.3 %
10	-	573	0.2 %
11	-	452	0.2 %
12	-	383	0.1 %
13	-	329	0.1 %
14	-	295	0.1 %
15	-	240	0.1 %
16	-	199	0.1 %
17	-	187	0.1 %
18	-	139	0.1 %
19	-	148	0.1 %
20	-	139	0.1 %
21	-	123	0.0 %
22	-	107	0.0 %
23	-	98	0.0 %
24	-	70	0.0 %
25	-	82	0.0 %
26	-	69	0.0 %
27	-	60	0.0 %
28	-	64	0.0 %
29	-	59	0.0 %
30	-	56	0.0 %
31	-	39	0.0 %
32	-	36	0.0 %

Value	Label	Unweighted Frequency	%
33	-	39	0.0 %
34	-	42	0.0 %
35	-	35	0.0 %
36	-	31	0.0 %
37	-	33	0.0 %
38	-	26	0.0 %
39	-	27	0.0 %
40	-	26	0.0 %
41	-	27	0.0 %
42	-	17	0.0 %
43	-	23	0.0 %
44	-	17	0.0 %
45	-	21	0.0 %
46	-	24	0.0 %
47	-	19	0.0 %
48	-	12	0.0 %
49	-	19	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 0.98
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 929.00
- Standard Deviation: 5.79

Location: 306-311 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F45_49: FEMALE 45-49

Value	Label	Unweighted Frequency	%
0	-	201146	78.0 %
1	-	26064	10.1 %
2	-	8902	3.5 %
3	-	4514	1.7 %

Value	Label	Unweighted Frequency	%
4	-	2599	1.0 %
5	-	1788	0.7 %
6	-	1238	0.5 %
7	-	882	0.3 %
8	-	672	0.3 %
9	-	524	0.2 %
10	-	420	0.2 %
11	-	344	0.1 %
12	-	257	0.1 %
13	-	248	0.1 %
14	-	176	0.1 %
15	-	159	0.1 %
16	-	145	0.1 %
17	-	100	0.0 %
18	-	130	0.1 %
19	-	83	0.0 %
20	-	92	0.0 %
21	-	65	0.0 %
22	-	70	0.0 %
23	-	59	0.0 %
24	-	54	0.0 %
25	-	46	0.0 %
26	-	45	0.0 %
27	-	29	0.0 %
28	-	28	0.0 %
29	-	37	0.0 %
30	-	29	0.0 %
31	-	38	0.0 %
32	-	42	0.0 %
33	-	26	0.0 %
34	-	19	0.0 %
35	-	26	0.0 %
36	-	17	0.0 %
37	-	17	0.0 %
38	-	17	0.0 %
39	-	16	0.0 %
40	-	18	0.0 %
41	-	13	0.0 %
42	-	7	0.0 %

Value	Label	Unweighted Frequency	%
43	-	15	0.0 %
44	-	11	0.0 %
45	-	12	0.0 %
46	-	18	0.0 %
47	-	16	0.0 %
48	-	9	0.0 %
49	-	7	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 0.70
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 737.00
- Standard Deviation: 4.24

Location: 312-317 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F50_54: FEMALE 50-54

Value	Label	Unweighted Frequency	%
0	-	209715	81.3 %
1	-	22710	8.8 %
2	-	7567	2.9 %
3	-	3699	1.4 %
4	-	1984	0.8 %
5	-	1352	0.5 %
6	-	901	0.3 %
7	-	644	0.2 %
8	-	454	0.2 %
9	-	390	0.2 %
10	-	291	0.1 %
11	-	237	0.1 %
12	-	176	0.1 %
13	-	154	0.1 %

Value	Label	Unweighted Frequency	%
14	-	119	0.0 %
15	-	118	0.0 %
16	-	84	0.0 %
17	-	75	0.0 %
18	-	82	0.0 %
19	-	69	0.0 %
20	-	62	0.0 %
21	-	51	0.0 %
22	-	42	0.0 %
23	-	42	0.0 %
24	-	31	0.0 %
25	-	31	0.0 %
26	-	23	0.0 %
27	-	24	0.0 %
28	-	26	0.0 %
29	-	21	0.0 %
30	-	16	0.0 %
31	-	19	0.0 %
32	-	12	0.0 %
33	-	16	0.0 %
34	-	20	0.0 %
35	-	11	0.0 %
36	-	15	0.0 %
37	-	14	0.0 %
38	-	10	0.0 %
39	-	13	0.0 %
40	-	8	0.0 %
41	-	9	0.0 %
42	-	10	0.0 %
43	-	8	0.0 %
44	-	8	0.0 %
45	-	7	0.0 %
46	-	6	0.0 %
47	-	4	0.0 %
48	-	10	0.0 %
49	-	7	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 0.51
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 556.00
- Standard Deviation: 3.16

Location: 318-323 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F55_59: FEMALE 55-59

Value	Label	Unweighted Frequency	%
0	-	218370	84.6 %
1	-	19463	7.5 %
2	-	5880	2.3 %
3	-	2599	1.0 %
4	-	1516	0.6 %
5	-	929	0.4 %
6	-	623	0.2 %
7	-	419	0.2 %
8	-	325	0.1 %
9	-	223	0.1 %
10	-	162	0.1 %
11	-	150	0.1 %
12	-	101	0.0 %
13	-	85	0.0 %
14	-	82	0.0 %
15	-	71	0.0 %
16	-	48	0.0 %
17	-	47	0.0 %
18	-	42	0.0 %
19	-	36	0.0 %
20	-	28	0.0 %
21	-	25	0.0 %
22	-	24	0.0 %
23	-	24	0.0 %
24	-	13	0.0 %
25	-	13	0.0 %

Value	Label	Unweighted Frequency	%
26	-	19	0.0 %
27	-	12	0.0 %
28	-	14	0.0 %
29	-	13	0.0 %
30	-	9	0.0 %
31	-	10	0.0 %
32	-	9	0.0 %
33	-	4	0.0 %
34	-	12	0.0 %
35	-	6	0.0 %
36	-	4	0.0 %
37	-	7	0.0 %
38	-	5	0.0 %
39	-	2	0.0 %
40	-	4	0.0 %
41	-	4	0.0 %
42	-	9	0.0 %
43	-	6	0.0 %
44	-	4	0.0 %
45	-	5	0.0 %
46	-	1	0.0 %
47	-	1	0.0 %
48	-	1	0.0 %
49	-	6	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 344.00
- Standard Deviation: 2.20

Location: 324-329 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F60_64: FEMALE 60-64

Value	Label	Unweighted Frequency	%
0	-	231300	89.7 %
1	-	13341	5.2 %
2	-	3401	1.3 %
3	-	1398	0.5 %
4	-	717	0.3 %
5	-	356	0.1 %
6	-	231	0.1 %
7	-	161	0.1 %
8	-	113	0.0 %
9	-	97	0.0 %
10	-	75	0.0 %
11	-	60	0.0 %
12	-	36	0.0 %
13	-	30	0.0 %
14	-	21	0.0 %
15	-	20	0.0 %
16	-	10	0.0 %
17	-	15	0.0 %
18	-	17	0.0 %
19	-	12	0.0 %
20	-	13	0.0 %
21	-	12	0.0 %
22	-	10	0.0 %
23	-	9	0.0 %
24	-	8	0.0 %
25	-	6	0.0 %
26	-	6	0.0 %
27	-	1	0.0 %
28	-	2	0.0 %
29	-	3	0.0 %
30	-	3	0.0 %
31	-	4	0.0 %
32	-	3	0.0 %
33	-	1	0.0 %
37	-	5	0.0 %
38	-	2	0.0 %
39	-	1	0.0 %

Value	Label	Unweighted Frequency	%
40	-	2	0.0 %
41	-	2	0.0 %
42	-	1	0.0 %
44	-	2	0.0 %
46	-	2	0.0 %
47	-	4	0.0 %
50	-	3	0.0 %
52	-	1	0.0 %
53	-	1	0.0 %
58	-	1	0.0 %
62	-	1	0.0 %
63	-	1	0.0 %
66	-	1	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 165.00
- Standard Deviation: 1.15

Location: 330-335 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F65: FEMALE OVER 64

Value	Label	Unweighted Frequency	%
0	-	237814	92.2 %
1	-	9512	3.7 %
2	-	2109	0.8 %
3	-	880	0.3 %
4	-	415	0.2 %
5	-	225	0.1 %
6	-	145	0.1 %
7	-	97	0.0 %

Value	Label	Unweighted Frequency	%
8	-	64	0.0 %
9	-	48	0.0 %
10	-	34	0.0 %
11	-	32	0.0 %
12	-	21	0.0 %
13	-	19	0.0 %
14	-	14	0.0 %
15	-	12	0.0 %
16	-	8	0.0 %
17	-	9	0.0 %
18	-	9	0.0 %
19	-	7	0.0 %
20	-	10	0.0 %
21	-	5	0.0 %
22	-	4	0.0 %
23	-	1	0.0 %
24	-	1	0.0 %
25	-	1	0.0 %
26	-	5	0.0 %
27	-	1	0.0 %
28	-	1	0.0 %
29	-	3	0.0 %
31	-	3	0.0 %
32	-	2	0.0 %
34	-	3	0.0 %
35	-	1	0.0 %
38	-	1	0.0 %
41	-	1	0.0 %
45	-	1	0.0 %
50	-	1	0.0 %
53	-	1	0.0 %
58	-	1	0.0 %
70	-	1	0.0 %
79	-	1	0.0 %
85	-	1	0.0 %
87	-	1	0.0 %
97	-	1	0.0 %
104	-	1	0.0 %
114	-	1	0.0 %

Value	Label	Unweighted Frequency	%
158	-	1	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 158.00
- Standard Deviation: 0.91

Location: 336-341 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JW: JUVENILE-WHITE

Value	Label	Unweighted Frequency	%
0	-	179989	69.8 %
1	-	28486	11.0 %
2	-	12090	4.7 %
3	-	6905	2.7 %
4	-	4446	1.7 %
5	-	3146	1.2 %
6	-	2455	1.0 %
7	-	1887	0.7 %
8	-	1372	0.5 %
9	-	1206	0.5 %
10	-	948	0.4 %
11	-	816	0.3 %
12	-	644	0.2 %
13	-	634	0.2 %
14	-	540	0.2 %
15	-	457	0.2 %
16	-	382	0.1 %
17	-	328	0.1 %
18	-	347	0.1 %
19	-	287	0.1 %
20	-	226	0.1 %
21	-	229	0.1 %

Value	Label	Unweighted Frequency	%
22	-	209	0.1 %
23	-	179	0.1 %
24	-	148	0.1 %
25	-	137	0.1 %
26	-	129	0.1 %
27	-	126	0.0 %
28	-	136	0.1 %
29	-	112	0.0 %
30	-	98	0.0 %
31	-	103	0.0 %
32	-	93	0.0 %
33	-	85	0.0 %
34	-	85	0.0 %
35	-	91	0.0 %
36	-	70	0.0 %
37	-	64	0.0 %
38	-	63	0.0 %
39	-	65	0.0 %
40	-	67	0.0 %
41	-	52	0.0 %
42	-	53	0.0 %
43	-	65	0.0 %
44	-	48	0.0 %
45	-	52	0.0 %
46	-	52	0.0 %
47	-	51	0.0 %
48	-	35	0.0 %
49	-	43	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 1.75
- Minimum: 0.00
- Maximum: 933.00
- Standard Deviation: 9.51

Location: 342-347 (width: 6; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: 999998

JB: JUVENILE-BLACK

Value	Label	Unweighted Frequency	%
0	-	215555	83.6 %
1	-	16023	6.2 %
2	-	6083	2.4 %
3	-	3224	1.2 %
4	-	1970	0.8 %
5	-	1405	0.5 %
6	-	1033	0.4 %
7	-	809	0.3 %
8	-	555	0.2 %
9	-	557	0.2 %
10	-	383	0.1 %
11	-	332	0.1 %
12	-	291	0.1 %
13	-	259	0.1 %
14	-	207	0.1 %
15	-	181	0.1 %
16	-	182	0.1 %
17	-	145	0.1 %
18	-	142	0.1 %
19	-	116	0.0 %
20	-	104	0.0 %
21	-	122	0.0 %
22	-	95	0.0 %
23	-	95	0.0 %
24	-	75	0.0 %
25	-	85	0.0 %
26	-	72	0.0 %
27	-	63	0.0 %
28	-	55	0.0 %
29	-	57	0.0 %
30	-	56	0.0 %
31	-	41	0.0 %
32	-	44	0.0 %
33	-	46	0.0 %
34	-	38	0.0 %

Value	Label	Unweighted Frequency	%
35	-	42	0.0 %
36	-	32	0.0 %
37	-	34	0.0 %
38	-	34	0.0 %
39	-	23	0.0 %
40	-	31	0.0 %
41	-	26	0.0 %
42	-	24	0.0 %
43	-	29	0.0 %
44	-	26	0.0 %
45	-	25	0.0 %
46	-	9	0.0 %
47	-	18	0.0 %
48	-	13	0.0 %
49	-	19	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 0.89
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2392.00
- Standard Deviation: 9.69

Location: 348-353 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JJ: JUVENILE-INDIAN

Value	Label	Unweighted Frequency	%
0	-	246973	95.7 %
1	-	2522	1.0 %
2	-	782	0.3 %
3	-	338	0.1 %
4	-	193	0.1 %
5	-	138	0.1 %

Value	Label	Unweighted Frequency	%
6	-	87	0.0 %
7	-	92	0.0 %
8	-	51	0.0 %
9	-	44	0.0 %
10	-	40	0.0 %
11	-	26	0.0 %
12	-	21	0.0 %
13	-	17	0.0 %
14	-	17	0.0 %
15	-	14	0.0 %
16	-	14	0.0 %
17	-	14	0.0 %
18	-	12	0.0 %
19	-	14	0.0 %
20	-	12	0.0 %
21	-	9	0.0 %
22	-	6	0.0 %
23	-	8	0.0 %
24	-	6	0.0 %
25	-	5	0.0 %
26	-	2	0.0 %
27	-	6	0.0 %
28	-	4	0.0 %
29	-	4	0.0 %
30	-	3	0.0 %
31	-	2	0.0 %
32	-	1	0.0 %
33	-	4	0.0 %
34	-	1	0.0 %
35	-	2	0.0 %
36	-	3	0.0 %
37	-	2	0.0 %
38	-	3	0.0 %
39	-	3	0.0 %
40	-	1	0.0 %
41	-	1	0.0 %
42	-	1	0.0 %
43	-	1	0.0 %
44	-	5	0.0 %

Value	Label	Unweighted Frequency	%
45	-	2	0.0 %
46	-	2	0.0 %
47	-	1	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 160.00
- Standard Deviation: 1.06

Location: 354-359 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JA: JUVENILE ASIAN

Value	Label	Unweighted Frequency	%
0	-	247037	95.8 %
1	-	3133	1.2 %
2	-	710	0.3 %
3	-	281	0.1 %
4	-	130	0.1 %
5	-	63	0.0 %
6	-	39	0.0 %
7	-	18	0.0 %
8	-	20	0.0 %
9	-	14	0.0 %
10	-	14	0.0 %
11	-	7	0.0 %
12	-	4	0.0 %
13	-	2	0.0 %
14	-	5	0.0 %
15	-	6	0.0 %

Value	Label	Unweighted Frequency	%
16	-	1	0.0 %
17	-	5	0.0 %
18	-	4	0.0 %
19	-	5	0.0 %
20	-	2	0.0 %
21	-	1	0.0 %
22	-	1	0.0 %
23	-	1	0.0 %
24	-	1	0.0 %
25	-	1	0.0 %
26	-	1	0.0 %
27	-	1	0.0 %
29	-	1	0.0 %
32	-	1	0.0 %
35	-	1	0.0 %
36	-	2	0.0 %
41	-	1	0.0 %
42	-	1	0.0 %
45	-	1	0.0 %
52	-	1	0.0 %
53	-	2	0.0 %
63	-	1	0.0 %
65	-	1	0.0 %
70	-	1	0.0 %
80	-	1	0.0 %
94	-	1	0.0 %
109	-	1	0.0 %
113	-	1	0.0 %
119	-	1	0.0 %
147	-	1	0.0 %
213	-	1	0.0 %
220	-	1	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 0.04
- Median: 0.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 220.00
- Standard Deviation: 0.96

Location: 360-365 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JH: JUVENILE-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	224542	87.0 %
1	-	12754	4.9 %
2	-	4516	1.8 %
3	-	2298	0.9 %
4	-	1579	0.6 %
5	-	953	0.4 %
6	-	748	0.3 %
7	-	544	0.2 %
8	-	432	0.2 %
9	-	349	0.1 %
10	-	293	0.1 %
11	-	273	0.1 %
12	-	209	0.1 %
13	-	155	0.1 %
14	-	151	0.1 %
15	-	111	0.0 %
16	-	81	0.0 %
17	-	100	0.0 %
18	-	89	0.0 %
19	-	86	0.0 %
20	-	86	0.0 %
21	-	61	0.0 %
22	-	45	0.0 %
23	-	55	0.0 %
24	-	43	0.0 %
25	-	46	0.0 %
26	-	39	0.0 %
27	-	51	0.0 %
28	-	40	0.0 %
29	-	41	0.0 %
30	-	40	0.0 %

Value	Label	Unweighted Frequency	%
31	-	30	0.0 %
32	-	18	0.0 %
33	-	20	0.0 %
34	-	23	0.0 %
35	-	24	0.0 %
36	-	26	0.0 %
37	-	23	0.0 %
38	-	27	0.0 %
39	-	23	0.0 %
40	-	16	0.0 %
41	-	19	0.0 %
42	-	21	0.0 %
43	-	14	0.0 %
44	-	17	0.0 %
45	-	13	0.0 %
46	-	6	0.0 %
47	-	13	0.0 %
48	-	8	0.0 %
49	-	11	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 0.56
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 678.00
- Standard Deviation: 5.39

Location: 366-371 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JN: JUVENILE-NON-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	187884	72.8 %
1	-	24682	9.6 %

Value	Label	Unweighted Frequency	%
2	-	10751	4.2 %
3	-	6175	2.4 %
4	-	3874	1.5 %
5	-	2852	1.1 %
6	-	2094	0.8 %
7	-	1611	0.6 %
8	-	1357	0.5 %
9	-	1073	0.4 %
10	-	875	0.3 %
11	-	691	0.3 %
12	-	637	0.2 %
13	-	525	0.2 %
14	-	462	0.2 %
15	-	440	0.2 %
16	-	364	0.1 %
17	-	335	0.1 %
18	-	261	0.1 %
19	-	279	0.1 %
20	-	254	0.1 %
21	-	196	0.1 %
22	-	188	0.1 %
23	-	168	0.1 %
24	-	193	0.1 %
25	-	136	0.1 %
26	-	156	0.1 %
27	-	133	0.1 %
28	-	146	0.1 %
29	-	114	0.0 %
30	-	114	0.0 %
31	-	95	0.0 %
32	-	78	0.0 %
33	-	97	0.0 %
34	-	90	0.0 %
35	-	74	0.0 %
36	-	79	0.0 %
37	-	68	0.0 %
38	-	75	0.0 %
39	-	67	0.0 %
40	-	74	0.0 %

Value	Label	Unweighted Frequency	%
41	-	57	0.0 %
42	-	51	0.0 %
43	-	52	0.0 %
44	-	59	0.0 %
45	-	46	0.0 %
46	-	44	0.0 %
47	-	50	0.0 %
48	-	37	0.0 %
49	-	36	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 1.75
- Minimum: 0.00
- Maximum: 2746.00
- Standard Deviation: 12.93

Location: 372-377 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AW: ADULT-WHITE

Value	Label	Unweighted Frequency	%
0	-	38889	15.1 %
1	-	48255	18.7 %
2	-	26135	10.1 %
3	-	17014	6.6 %
4	-	12301	4.8 %
5	-	9437	3.7 %
6	-	7700	3.0 %
7	-	6262	2.4 %
8	-	5320	2.1 %
9	-	4558	1.8 %
10	-	4089	1.6 %
11	-	3525	1.4 %
12	-	3195	1.2 %
13	-	2854	1.1 %

Value	Label	Unweighted Frequency	%
14	-	2528	1.0 %
15	-	2385	0.9 %
16	-	2179	0.8 %
17	-	2019	0.8 %
18	-	1844	0.7 %
19	-	1752	0.7 %
20	-	1541	0.6 %
21	-	1478	0.6 %
22	-	1390	0.5 %
23	-	1346	0.5 %
24	-	1219	0.5 %
25	-	1108	0.4 %
26	-	1142	0.4 %
27	-	1012	0.4 %
28	-	1014	0.4 %
29	-	1015	0.4 %
30	-	957	0.4 %
31	-	863	0.3 %
32	-	816	0.3 %
33	-	794	0.3 %
34	-	711	0.3 %
35	-	703	0.3 %
36	-	649	0.3 %
37	-	658	0.3 %
38	-	649	0.3 %
39	-	602	0.2 %
40	-	586	0.2 %
41	-	565	0.2 %
42	-	512	0.2 %
43	-	507	0.2 %
44	-	519	0.2 %
45	-	514	0.2 %
46	-	450	0.2 %
47	-	448	0.2 %
48	-	448	0.2 %
49	-	437	0.2 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 26.38
- Minimum: 0.00
- Maximum: 21752.00
- Standard Deviation: 148.27

Location: 378-383 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AB: ADULT-BLACK

Value	Label	Unweighted Frequency	%
0	-	128593	49.8 %
1	-	38623	15.0 %
2	-	17913	6.9 %
3	-	10576	4.1 %
4	-	7107	2.8 %
5	-	5318	2.1 %
6	-	4187	1.6 %
7	-	3306	1.3 %
8	-	2823	1.1 %
9	-	2296	0.9 %
10	-	2032	0.8 %
11	-	1773	0.7 %
12	-	1472	0.6 %
13	-	1363	0.5 %
14	-	1173	0.5 %
15	-	1040	0.4 %
16	-	952	0.4 %
17	-	930	0.4 %
18	-	782	0.3 %
19	-	707	0.3 %
20	-	694	0.3 %
21	-	674	0.3 %
22	-	559	0.2 %
23	-	556	0.2 %
24	-	517	0.2 %
25	-	505	0.2 %
26	-	468	0.2 %
27	-	461	0.2 %

Value	Label	Unweighted Frequency	%
28	-	428	0.2 %
29	-	369	0.1 %
30	-	359	0.1 %
31	-	370	0.1 %
32	-	316	0.1 %
33	-	296	0.1 %
34	-	264	0.1 %
35	-	267	0.1 %
36	-	261	0.1 %
37	-	251	0.1 %
38	-	246	0.1 %
39	-	231	0.1 %
40	-	234	0.1 %
41	-	213	0.1 %
42	-	198	0.1 %
43	-	205	0.1 %
44	-	196	0.1 %
45	-	177	0.1 %
46	-	204	0.1 %
47	-	162	0.1 %
48	-	170	0.1 %
49	-	163	0.1 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 10.12
- Minimum: 0.00
- Maximum: 13960.00
- Standard Deviation: 84.67

Location: 384-389 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AI: ADULT-INDIAN

Value	Label	Unweighted Frequency	%
0	-	228402	88.5 %

Value	Label	Unweighted Frequency	%
1	-	11551	4.5 %
2	-	3689	1.4 %
3	-	1764	0.7 %
4	-	1076	0.4 %
5	-	761	0.3 %
6	-	595	0.2 %
7	-	454	0.2 %
8	-	306	0.1 %
9	-	252	0.1 %
10	-	199	0.1 %
11	-	173	0.1 %
12	-	136	0.1 %
13	-	147	0.1 %
14	-	128	0.0 %
15	-	93	0.0 %
16	-	88	0.0 %
17	-	92	0.0 %
18	-	82	0.0 %
19	-	71	0.0 %
20	-	55	0.0 %
21	-	48	0.0 %
22	-	61	0.0 %
23	-	33	0.0 %
24	-	41	0.0 %
25	-	45	0.0 %
26	-	37	0.0 %
27	-	24	0.0 %
28	-	41	0.0 %
29	-	30	0.0 %
30	-	42	0.0 %
31	-	24	0.0 %
32	-	30	0.0 %
33	-	24	0.0 %
34	-	22	0.0 %
35	-	26	0.0 %
36	-	21	0.0 %
37	-	22	0.0 %
38	-	21	0.0 %
39	-	13	0.0 %

Value	Label	Unweighted Frequency	%
40	-	20	0.0 %
41	-	22	0.0 %
42	-	19	0.0 %
43	-	17	0.0 %
44	-	13	0.0 %
45	-	13	0.0 %
46	-	14	0.0 %
47	-	10	0.0 %
48	-	12	0.0 %
49	-	13	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 0.82
- Minimum: 0.00
- Maximum: 9658.00
- Standard Deviation: 26.29

Location: 390-395 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AA: ADULT-ASIAN

Value	Label	Unweighted Frequency	%
0	-	222844	86.4 %
1	-	15295	5.9 %
2	-	4801	1.9 %
3	-	2339	0.9 %
4	-	1286	0.5 %
5	-	875	0.3 %
6	-	636	0.2 %
7	-	508	0.2 %
8	-	342	0.1 %
9	-	277	0.1 %
10	-	235	0.1 %
11	-	202	0.1 %
12	-	179	0.1 %

Value	Label	Unweighted Frequency	%
13	-	152	0.1 %
14	-	131	0.1 %
15	-	120	0.0 %
16	-	97	0.0 %
17	-	87	0.0 %
18	-	63	0.0 %
19	-	69	0.0 %
20	-	60	0.0 %
21	-	54	0.0 %
22	-	51	0.0 %
23	-	44	0.0 %
24	-	44	0.0 %
25	-	30	0.0 %
26	-	44	0.0 %
27	-	24	0.0 %
28	-	31	0.0 %
29	-	23	0.0 %
30	-	19	0.0 %
31	-	26	0.0 %
32	-	25	0.0 %
33	-	19	0.0 %
34	-	15	0.0 %
35	-	15	0.0 %
36	-	15	0.0 %
37	-	18	0.0 %
38	-	14	0.0 %
39	-	13	0.0 %
40	-	12	0.0 %
41	-	11	0.0 %
42	-	17	0.0 %
43	-	9	0.0 %
44	-	12	0.0 %
45	-	13	0.0 %
46	-	8	0.0 %
47	-	9	0.0 %
48	-	6	0.0 %
49	-	7	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %

Value	Label	Unweighted Frequency	%
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 0.55
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2341.00
- Standard Deviation: 9.54

Location: 396-401 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AH: ADULT-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	167675	65.0 %
1	-	29607	11.5 %
2	-	12499	4.8 %
3	-	6968	2.7 %
4	-	4703	1.8 %
5	-	3405	1.3 %
6	-	2639	1.0 %
7	-	2162	0.8 %
8	-	1743	0.7 %
9	-	1422	0.6 %
10	-	1202	0.5 %
11	-	1109	0.4 %
12	-	884	0.3 %
13	-	762	0.3 %
14	-	740	0.3 %
15	-	690	0.3 %
16	-	588	0.2 %
17	-	535	0.2 %
18	-	534	0.2 %
19	-	427	0.2 %
20	-	434	0.2 %
21	-	372	0.1 %
22	-	369	0.1 %

Value	Label	Unweighted Frequency	%
23	-	336	0.1 %
24	-	306	0.1 %
25	-	304	0.1 %
26	-	298	0.1 %
27	-	277	0.1 %
28	-	261	0.1 %
29	-	214	0.1 %
30	-	210	0.1 %
31	-	205	0.1 %
32	-	201	0.1 %
33	-	158	0.1 %
34	-	171	0.1 %
35	-	166	0.1 %
36	-	197	0.1 %
37	-	156	0.1 %
38	-	149	0.1 %
39	-	151	0.1 %
40	-	119	0.0 %
41	-	137	0.1 %
42	-	120	0.0 %
43	-	105	0.0 %
44	-	114	0.0 %
45	-	111	0.0 %
46	-	101	0.0 %
47	-	97	0.0 %
48	-	108	0.0 %
49	-	93	0.0 %
	Missing Data		
999998	Not applicable	6457	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,529 valid cases out of 257,986 total cases.

- Mean: 6.02
- Minimum: 0.00
- Maximum: 10022.00
- Standard Deviation: 62.01

Location: 402-407 (width: 6; decimal: 0)

Variable Type: numeric

AN: ADULT-NON-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	62819	24.3 %
1	-	42354	16.4 %
2	-	22884	8.9 %
3	-	14780	5.7 %
4	-	10851	4.2 %
5	-	8262	3.2 %
6	-	6617	2.6 %
7	-	5546	2.1 %
8	-	4701	1.8 %
9	-	4026	1.6 %
10	-	3612	1.4 %
11	-	3203	1.2 %
12	-	2774	1.1 %
13	-	2640	1.0 %
14	-	2297	0.9 %
15	-	2099	0.8 %
16	-	1935	0.8 %
17	-	1740	0.7 %
18	-	1543	0.6 %
19	-	1554	0.6 %
20	-	1397	0.5 %
21	-	1345	0.5 %
22	-	1229	0.5 %
23	-	1220	0.5 %
24	-	1211	0.5 %
25	-	1055	0.4 %
26	-	972	0.4 %
27	-	921	0.4 %
28	-	886	0.3 %
29	-	810	0.3 %
30	-	830	0.3 %
31	-	794	0.3 %
32	-	747	0.3 %
33	-	679	0.3 %
34	-	679	0.3 %
35	-	698	0.3 %

Value	Label	Unweighted Frequency	%
36	-	610	0.2 %
37	-	577	0.2 %
38	-	560	0.2 %
39	-	540	0.2 %
40	-	532	0.2 %
41	-	550	0.2 %
42	-	493	0.2 %
43	-	458	0.2 %
44	-	452	0.2 %
45	-	406	0.2 %
46	-	378	0.1 %
47	-	414	0.2 %
48	-	360	0.1 %
49	-	347	0.1 %
	Missing Data		
999998	Not applicable	6486	2.5 %
	Total	257,986	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 251,500 valid cases out of 257,986 total cases.

- Mean: 26.28
- Minimum: 0.00
- Maximum: 33696.00
- Standard Deviation: 168.80

Location: 408-413 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998