

ICPSR 38780

**Uniform Crime Reporting Program
Data: Arrests by Age, Sex, and
Race, Summarized Yearly, United
States, 2019**

*United States. Federal Bureau of
Investigation*

ICPSR Codebook for Twelve Months Dataset

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/web/ICPSR/studies/38780/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #38780

Uniform Crime Reporting Program Data: Arrests by Age, Sex, and Race, Summarized Yearly, United States, 2019

DS 2: Twelve Months Dataset

1. **Changes in Methodology:** As of calendar year 2022, the Uniform Crime Reporting (UCR) Program has begun consolidating its data quality review and management practices to reduce differences between publication tables and the data displayed on the FBI website via the [Crime Data Explorer](#).
2. **Discrepancy in Collection:** This study contains data from two master files available on the [Crime Data Explorer](#): 2019_ASR6MON_NATIONAL_MASTER_FILE_STATIC.txt and 2019_ASR12MON_NATIONAL_MASTER_FILE.txt. In previous years of this collection only one master file was curated. The data contained in this dataset are taken from:
 - a. 2019_ASR12MON_NATIONAL_MASTER_FILE.txt

No additional information was provided.

3. **Stata Limitations:** Due to Stata limitations, the variables **ORI**, **GROUP**, **CORE**, and **OFFENSE** do not contain value labels for non-integer values within the Stata files.
4. **Data Discrepancies:**
 - a. There are reporting agencies (**AGENCY**) which use the same 7-digit Originating Agency Identifier (**ORI**). For these agencies, ICPSR has converted the 7-digit ORI to the agency's unique 9-digit ORI.
 - b. There are cases where a unique Header record has an associated Detail record with "000" in the **OFFENSE** variable, which is the code reserved for Header records. ICPSR has included these records as Detail records and preserved the "000" code in **OFFENSE** with the value label "HEADER Record".
 - c. The data in the variable **SEQNO** are inconsistent with the description of the variable in the codebook.
 - d. The variable **MSA** does not contain any valid responses.

No additional information was provided.

5. **Additional Information:** These studies are "static data snapshots" of the data available on the FBI website via the [Crime Data Explorer](#), which is continuously updated. For additional information on the Uniform Crime Reporting (UCR) Program, please visit the [UCR](#) website.

ICPSR 38780

Uniform Crime Reporting Program Data: Arrests by Age, Sex, and Race, Summarized Yearly, United States, 2019

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Twelve Months Dataset

ASR_ID: IDENTIFIER CODE FOR THE ASR MASTER FILE

Value	Label	Unweighted Frequency	%
3	-	223191	100.0 %
	Total	223,191	100%

Based upon 223,191 valid cases out of 223,191 total cases.

- Mean: 3.00
- Median: 3.00
- Mode: 3.00
- Minimum: 3.00
- Maximum: 3.00
- Standard Deviation: 0.00

Location: 1-1 (width: 1; decimal: 0)

Variable Type: numeric

CONTENTS: RECORD CONTENTS

Value	Label	Unweighted Frequency	%
1	Agency header only	3701	1.7 %
2	Detail record	219490	98.3 %
	Total	223,191	100%

Based upon 223,191 valid cases out of 223,191 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2-2 (width: 1; decimal: 0)

Variable Type: numeric

STATE: NUMERIC STATE CODE (UCR CODE)

Range is 01-62. Data records are in order by ORI code within numeric state code.

Value	Label	Unweighted Frequency	%
1	Alabama	4652	2.1 %
2	Arizona	2352	1.1 %
3	Arkansas	4832	2.2 %
4	California	16391	7.3 %
5	Colorado	3830	1.7 %
6	Connecticut	2435	1.1 %
7	Delaware	1028	0.5 %

Value	Label	Unweighted Frequency	%
8	District of Columbia	28	0.0 %
9	Florida	97	0.0 %
10	Georgia	4720	2.1 %
11	Idaho	1944	0.9 %
12	Illinois	36	0.0 %
13	Indiana	4124	1.8 %
14	Iowa	3951	1.8 %
15	Kansas	3926	1.8 %
16	Kentucky	6841	3.1 %
17	Louisiana	3580	1.6 %
18	Maine	2877	1.3 %
19	Maryland	5603	2.5 %
20	Massachusetts	5537	2.5 %
21	Michigan	10032	4.5 %
22	Minnesota	6212	2.8 %
23	Mississippi	1792	0.8 %
24	Missouri	6285	2.8 %
25	Montana	1418	0.6 %
26	Nebraska	2242	1.0 %
27	Nevada	1176	0.5 %
28	New Hampshire	3178	1.4 %
29	New Jersey	10485	4.7 %
30	New Mexico	1343	0.6 %
31	New York	7430	3.3 %
32	North Carolina	6855	3.1 %
33	North Dakota	1437	0.6 %
34	Ohio	8319	3.7 %
35	Oklahoma	5926	2.7 %
36	Oregon	3594	1.6 %
37	Pennsylvania	7389	3.3 %
38	Rhode Island	1069	0.5 %
39	South Carolina	4994	2.2 %
40	South Dakota	1512	0.7 %
41	Tennessee	7934	3.6 %
42	Texas	16104	7.2 %
43	Utah	2465	1.1 %
44	Vermont	1168	0.5 %
45	Virginia	7211	3.2 %
46	Washington	4372	2.0 %

Value	Label	Unweighted Frequency	%
47	West Virginia	2714	1.2 %
48	Wisconsin	7426	3.3 %
49	Wyoming	1374	0.6 %
50	Alaska	722	0.3 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 223,191 valid cases out of 223,191 total cases.

- Minimum: 1.00
- Maximum: 98.00

Location: 3-4 (width: 2; decimal: 0)

Variable Type: numeric

ORI: ORIGINATING AGENCY IDENTIFIER CODE

Originating Agency Identifier. Labels for ORIs are provided in the data file.

Value	Label	Unweighted Frequency	%
AK00101	ANCHORAGE	-	-
AK00102	FAIRBANKS	-	-
AK00103	JUNEAU	-	-
AK00104	KETCHIKAN	-	-
AK00105	KODIAK	-	-
AK00106	NOME	-	-
AK00107	PETERSBURG	-	-
AK00108	SEWARD	-	-
AK00109	SITKA	-	-
AK00110	SKAGWAY	-	-
AK00111	WRANGELL	-	-
AK00112	VALDEZ	-	-
AK00113	BETHEL	-	-
AK00114	CORDOVA	-	-
AK00116	KOTZEBUE	-	-
AK00117	PALMER	-	-
AK00118	NORTH SLOPE BOROUGH	-	-
AK00120	SOLDOTNA	-	-
AK00121	HAINES	-	-
AK00122	HOMER	-	-
AK00123	KENAI	-	-

Value	Label	Unweighted Frequency	%
AK00126	FAIRBANKS INTRNL AIRPORT	-	-
AK00127	TED STEVENS ANCHORAGE INT	-	-
AK00130	DILLINGHAM	-	-
AK00132	NORTH POLE	-	-
AK00133	UNALASKA	-	-
AK00142	UNIV OF AK: FAIRBANKS	-	-
AK00143	UNIV OF AK: ANCHORAGE	-	-
AK00145	CRAIG	-	-
AK00146	BRISTOL BAY BOROUGH	-	-
AK00156	WASILLA	-	-
AKAST01	ALASKA STATE TROOPERS	-	-
AL00100	JEFFERSON	-	-
AL00101	BESSEMER	-	-
AL00102	BIRMINGHAM	-	-
AL00103	MOUNTAIN BROOK	-	-
AL00104	FAIRFIELD	-	-
AL00105	GARDENDALE	-	-
AL00106	LEEDS	-	-
AL00107	MIDFIELD	-	-
AL00108	TARRANT	-	-
AL00109	VESTAVIA HILLS	-	-
AL00110	HOMEWOOD	-	-
AL00111	FULTONDALE	-	-
AL00112	HOOVER	-	-
AL00113	IRONDALE	-	-
AL00114	PLEASANT GROVE	-	-
AL00119	HUEYTOWN	-	-
AL00120	LIPSCOMB	-	-
AL00121	TRUSSVILLE	-	-
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 223,191 valid cases out of 223,191 total cases.

Location: 5-13 (width: 9; decimal: 0)

Variable Type: character

GROUP: GROUP

Group 0 is possessions; 1-7 are cities, 8-9 are counties. Sub-Group (position 12) is blank when not used. All populations are inclusive.

Value	Label	Unweighted Frequency	%
0	Possessions (Puerto Rico, Guam, Canal Zone, Virgin Islands, and American Samoa)	0	0.0 %
1	All cities 250,000 or over:	0	0.0 %
1A	Cities 1,000,000 or over	310	0.1 %
1B	Cities from 500,000 thru 999,999	905	0.4 %
1C	Cities from 250,000 thru 499,999	1620	0.7 %
2	Cities from 100,000 thru 249,000	6497	2.9 %
3	Cities from 50,000 thru 99,000	13361	6.0 %
4	Cities from 25,000 thru 49,999	21142	9.5 %
5	Cities from 10,000 thru 24,999	36091	16.2 %
6	Cities from 2,500 thru 9,999	51462	23.1 %
7	Cities under 2,500	28308	12.7 %
8	Non-MSA Counties:	0	0.0 %
8A	Non-MSA counties 100,000 or over	124	0.1 %
8B	Non-MSA counties from 25,000 thru 99,999	5987	2.7 %
8C	Non-MSA counties from 10,000 thru 24,999	10781	4.8 %
8D	Non-MSA counties under 10,000	15438	6.9 %
8E	Non-MSA State Police	886	0.4 %
9	MSA Counties:	0	0.0 %
9A	MSA counties 100,000 or over	4598	2.1 %
9B	MSA counties from 25,000 thru 99,999	10997	4.9 %
9C	MSA counties from 10,000 thru 24,999	4970	2.2 %
9D	MSA counties under 10,000	9571	4.3 %
9E	MSA State Police	143	0.1 %
	Total	223,191	100%

Based upon 223,191 valid cases out of 223,191 total cases.

Location: 14-15 (width: 2; decimal: 0)

Variable Type: character

DIV: GEOGRAPHIC DIVISION OF STATE

Geographic division in which the state is located (from 1 thru 9). Possessions are coded "0."

Value	Label	Unweighted Frequency	%
0	Possessions	0	0.0 %
1	New England	16264	7.3 %
2	Middle Atlantic	25304	11.3 %
3	East North Central	29937	13.4 %

Value	Label	Unweighted Frequency	%
4	West North Central	25565	11.5 %
5	South Atlantic	33250	14.9 %
6	East South Central	21219	9.5 %
7	West South Central	30442	13.6 %
8	Mountain	15902	7.1 %
9	Pacific	25308	11.3 %
	Total	223,191	100%

Based upon 223,191 valid cases out of 223,191 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 16-16 (width: 1; decimal: 0)

Variable Type: numeric

YEAR: YEAR

The year the data reflects.

Value	Label	Unweighted Frequency	%
2019	-	223191	100.0 %
	Total	223,191	100%

Based upon 223,191 valid cases out of 223,191 total cases.

- Mean: 2019.00
- Median: 2019.00
- Mode: 2019.00
- Minimum: 2019.00
- Maximum: 2019.00
- Standard Deviation: 0.00

Location: 17-20 (width: 4; decimal: 0)

Variable Type: numeric

MSA: METROPOLITAN STATISTICAL AREA OF CITY (UCR CODE)

Metropolitan Statistical Area (MSA) number in which the city is located, if any. Blank if not used.

Value	Label	Unweighted Frequency	%
	Missing Data		
9998	Not applicable	223191	100.0 %
	Total	223,191	100%

Based upon 0 valid cases out of 223,191 total cases.

Location: 21-24 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: 9998

SUB: SUBURBAN

A "suburban" agency is an MSA city with less than 50,000 population (groups 4 - 7) together with MSA counties (group 9).

Value	Label	Unweighted Frequency	%
0	Non-suburban	105964	47.5 %
1	Suburban	117227	52.5 %
	Total	223,191	100%

Based upon 223,191 valid cases out of 223,191 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 25-25 (width: 1; decimal: 0)
Variable Type: numeric

REPORT: REPORT INDICATION

Value	Label	Unweighted Frequency	%
0	Juvenile and adult reported	209101	93.7 %
1	Juvenile only reported	36	0.0 %
2	Adult only reported	14054	6.3 %
3	Not reported	0	0.0 %
	Total	223,191	100%

Based upon 223,191 valid cases out of 223,191 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 26-26 (width: 1; decimal: 0)
Variable Type: numeric

ADJUST: ADJUSTMENT

Value	Label	Unweighted Frequency	%
0	Age, race, and ethnic origin reported	217506	97.5 %
1	No age reported	0	0.0 %
2	No race reported	0	0.0 %
3	No ethnic origin reported	5685	2.5 %
4	No race or ethnic origin reported	0	0.0 %
5	No age or ethnic origin reported	0	0.0 %
6	No age or race reported	0	0.0 %

Value	Label	Unweighted Frequency	%
	Total	223,191	100%

Based upon 223,191 valid cases out of 223,191 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 27-27 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9

SEQNO: SEQUENCE NUMBER (5-DIGIT)

A five-digit number which places all cities in alphabetic order, regardless of state. This field is blank for groups 0, 8, and 9.

Value	Label	Unweighted Frequency	%
0	-	223191	100.0 %
	Total	223,191	100%

Based upon 223,191 valid cases out of 223,191 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 28-28 (width: 1; decimal: 0)

Variable Type: numeric

COUNTY: COUNTY (3-DIGIT UCR CODE)

Three-digit numeric code for the county in which the agency is located.

Value	Label	Unweighted Frequency	%
0	-	6961	3.1 %
1	-	5121	2.3 %
2	-	6474	2.9 %
3	-	5106	2.3 %
4	-	4522	2.0 %
5	-	4244	1.9 %
6	-	3687	1.7 %
7	-	5102	2.3 %
8	-	4212	1.9 %
9	-	4432	2.0 %

Value	Label	Unweighted Frequency	%
10	-	3761	1.7 %
11	-	3364	1.5 %
12	-	3109	1.4 %
13	-	4360	2.0 %
14	-	4317	1.9 %
15	-	4131	1.9 %
16	-	3517	1.6 %
17	-	2785	1.2 %
18	-	3455	1.5 %
19	-	5056	2.3 %
20	-	2528	1.1 %
21	-	2589	1.2 %
22	-	2197	1.0 %
23	-	2562	1.1 %
24	-	2396	1.1 %
25	-	3068	1.4 %
26	-	2073	0.9 %
27	-	3073	1.4 %
28	-	2302	1.0 %
29	-	1992	0.9 %
30	-	3132	1.4 %
31	-	2764	1.2 %
32	-	1752	0.8 %
33	-	2532	1.1 %
34	-	2367	1.1 %
35	-	1577	0.7 %
36	-	3291	1.5 %
37	-	2596	1.2 %
38	-	1412	0.6 %
39	-	2014	0.9 %
40	-	2397	1.1 %
41	-	2118	0.9 %
42	-	1836	0.8 %
43	-	2361	1.1 %
44	-	1664	0.7 %
45	-	1972	0.9 %
46	-	2016	0.9 %
47	-	1818	0.8 %
48	-	1947	0.9 %

Value	Label	Unweighted Frequency	%
49	-	2032	0.9 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 223,191 valid cases out of 223,191 total cases.

- Mean: 39.54
- Median: 29.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 300.00
- Standard Deviation: 40.58

Location: 29-31 (width: 3; decimal: 0)

Variable Type: numeric

CORE: CORE CITY

Value	Label	Unweighted Frequency	%
N	Agency not core city	205348	92.0 %
Y	Agency is core city	17843	8.0 %
	Total	223,191	100%

Based upon 223,191 valid cases out of 223,191 total cases.

Location: 32-32 (width: 1; decimal: 0)

Variable Type: character

POP: CURRENT POPULATION

Total population for the agency for the year reported.

Based upon 223,191 valid cases out of 223,191 total cases.

- Mean: 34581.58
- Minimum: 0.00
- Maximum: 4015546.00
- Standard Deviation: 110490.75

Location: 33-39 (width: 7; decimal: 0)

Variable Type: numeric

AGENCNT: AGENCY COUNT

Used to accumulate "agencies used" totals in various tabulations. This field is normally "1" but will be "0" for the U.S. Park Police and all State Police agencies whose ORI code ends in "SP" (or "99" in California).

Value	Label	Unweighted Frequency	%
1	-	223191	100.0 %
	Total	223,191	100%

Based upon 223,191 valid cases out of 223,191 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

Location: 40-40 (width: 1; decimal: 0)

Variable Type: numeric

AGENCY: AGENCY NAME

Based upon 223,191 valid cases out of 223,191 total cases.

Location: 41-65 (width: 25; decimal: 0)

Variable Type: character

STNAME: STATE NAME

Value	Label	Unweighted Frequency	%
ALABA M	-	4652	2.1 %
ALASK A	-	722	0.3 %
ARIZO N	-	2352	1.1 %
ARKA NS	-	4832	2.2 %
CALIF O	-	16391	7.3 %
COLO RA	-	3830	1.7 %
CONN EC	-	2435	1.1 %
DELA WA	-	1028	0.5 %
DISTRI	-	28	0.0 %
FEDER A	-	52	0.0 %
FLORI D	-	97	0.0 %
GEOR GI	-	4720	2.1 %

Value	Label	Unweighted Frequency	%
HAWAI I	-	177	0.1 %
IDAHO	-	1944	0.9 %
ILLINO	-	36	0.0 %
INDIAN	-	4124	1.8 %
IOWA	-	3951	1.8 %
KANSA S	-	3926	1.8 %
KENTU C	-	6841	3.1 %
LOUISI	-	3580	1.6 %
MAINE	-	2877	1.3 %
MARY LA	-	5603	2.5 %
MASS AC	-	5537	2.5 %
MICHI G	-	10032	4.5 %
MINNE S	-	6212	2.8 %
MISSIS	-	1792	0.8 %
MISSE U	-	6285	2.8 %
MONT AN	-	1418	0.6 %
NEBR AS	-	2242	1.0 %
NEVAD A	-	1176	0.5 %
NEW HA	-	3178	1.4 %
NEW JE	-	10485	4.7 %
NEW ME	-	1343	0.6 %
NEW YO	-	7430	3.3 %
NORT H	-	8292	3.7 %
OHIO	-	8319	3.7 %
OKLAH O	-	5926	2.7 %
OREG ON	-	3594	1.6 %

Value	Label	Unweighted Frequency	%
PENN SY	-	7389	3.3 %
RHOD E	-	1069	0.5 %
SOUT H	-	6506	2.9 %
TENNE S	-	7934	3.6 %
TEXAS	-	16104	7.2 %
UTAH	-	2465	1.1 %
VERM ON	-	1168	0.5 %
VIRGI N	-	7211	3.2 %
WASHI N	-	4372	2.0 %
WEST V	-	2714	1.2 %
WISCO N	-	7426	3.3 %
WYOM IN	-	1374	0.6 %
	Total	223,191	100%

Based upon 223,191 valid cases out of 223,191 total cases.

Location: 66-71 (width: 6; decimal: 0)

Variable Type: character

CARD1: CARD 1 INDICATOR

Value	Label	Unweighted Frequency	%
0	No adult male reported	12262	5.5 %
1	Adult male reported	207228	92.8 %
	Missing Data		
8	Not applicable	3701	1.7 %
	Total	223,191	100%

Based upon 219,490 valid cases out of 223,191 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 72-72 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

CARD2: CARD 2 INDICATOR

Value	Label	Unweighted Frequency	%
0	No adult female reported	32672	14.6 %
1	Adult female reported	186818	83.7 %
	Missing Data		
8	Not applicable	3701	1.7 %
	Total	223,191	100%

Based upon 219,490 valid cases out of 223,191 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 73-73 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

CARD3: CARD 3 INDICATOR

Value	Label	Unweighted Frequency	%
0	No juvenile reported	59189	26.5 %
1	Juvenile reported	160301	71.8 %
	Missing Data		
8	Not applicable	3701	1.7 %
	Total	223,191	100%

Based upon 219,490 valid cases out of 223,191 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 74-74 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

OFFENSE: OFFENSE CODE

Value	Label	Unweighted Frequency	%
000	HEADER Record	36	0.0 %
011	Murder and non-negligent manslaughter	2238	1.0 %
012	Manslaughter by negligence	755	0.3 %
020	Forcible rape	4242	1.9 %
030	Robbery	4211	1.9 %
040	Aggravated assault	8528	3.8 %
050	Burglary-breaking or entering	7316	3.3 %

Value	Label	Unweighted Frequency	%
060	Larceny-theft (not motor vehicle)	8875	4.0 %
070	Motor vehicle theft	6090	2.7 %
080	Other assaults	9742	4.4 %
090	Arson	2368	1.1 %
100	Forgery and counterfeiting	5312	2.4 %
110	Fraud	6669	3.0 %
120	Embezzlement	2231	1.0 %
130	Stolen property-buy, receive, poss.	5649	2.5 %
140	Vandalism	7533	3.4 %
150	Weapons-carry, posses, etc.	7148	3.2 %
160	Prostitution and commercialized vice	1385	0.6 %
161	Prostitution and commercialized vice - Prostitution	862	0.4 %
162	Prostitution and commercialized vice - Assisting or Promoting Prostitution	548	0.2 %
163	Prostitution and commercialized vice - Purchasing Prostitution	331	0.1 %
170	Sex offenses (not rape or prostitution)	4844	2.2 %
18	Total drug abuse violations	9796	4.4 %
180	Sale/manufacture (subtotal)	6984	3.1 %
181	Sale: Opium, coke, and their derivatives	3980	1.8 %
182	Sale: Marijuana	4646	2.1 %
183	Sale: Truly addicting synthetic narcotics	1981	0.9 %
184	Sale: Other dangerous non-narc drugs	4859	2.2 %
185	Possession (subtotal)	9693	4.3 %
186	Possession: Opium, coke, and their derivatives	6906	3.1 %
187	Possession: Marijuana	8343	3.7 %
188	Possession: Truly addicting synthetic narcotics	4675	2.1 %
189	Possession: Other dangerous non-narc drugs	8328	3.7 %
19	Gambling (total)	530	0.2 %
191	Bookmaking (horse and sports)	283	0.1 %
192	Number and lottery	263	0.1 %
193	All other gambling	403	0.2 %
200	Offenses against family and children	4783	2.1 %
210	Driving under the influence	9664	4.3 %
220	Liquor laws	6078	2.7 %
230	Drunkenness	5337	2.4 %
240	Disorderly conduct	7866	3.5 %
250	Vagrancy	1189	0.5 %
260	All other offenses (not traffic)	10238	4.6 %
270	Suspicion	271	0.1 %
280	Curfew and loitering violations	1232	0.6 %

Value	Label	Unweighted Frequency	%
290	Runaways	1248	0.6 %
301	Human Trafficking - Commercial Sex Acts	361	0.2 %
302	Human Trafficking - Involuntary Servitude	294	0.1 %
990	Juvenile Disposition Data	2346	1.1 %
	Missing Data		
998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

Location: 75-77 (width: 3; decimal: 0)

Variable Type: character

(Range of) Missing Values: 998

M0_9: MALE UNDER 10

Value	Label	Unweighted Frequency	%
-1	-	1	0.0 %
0	-	218041	97.7 %
1	-	1038	0.5 %
2	-	238	0.1 %
3	-	74	0.0 %
4	-	40	0.0 %
5	-	16	0.0 %
6	-	12	0.0 %
7	-	10	0.0 %
8	-	3	0.0 %
9	-	1	0.0 %
10	-	2	0.0 %
11	-	3	0.0 %
12	-	2	0.0 %
13	-	3	0.0 %
14	-	1	0.0 %
16	-	2	0.0 %
19	-	1	0.0 %
21	-	1	0.0 %
28	-	1	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %

Value	Label	Unweighted Frequency	%
	Total	223,191	100%

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: -1.00
- Maximum: 28.00
- Standard Deviation: 0.20

Location: 78-83 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M10_12: MALE 10-12

Value	Label	Unweighted Frequency	%
0	-	207494	93.0 %
1	-	6957	3.1 %
2	-	2163	1.0 %
3	-	1071	0.5 %
4	-	513	0.2 %
5	-	296	0.1 %
6	-	244	0.1 %
7	-	148	0.1 %
8	-	103	0.0 %
9	-	99	0.0 %
10	-	56	0.0 %
11	-	47	0.0 %
12	-	47	0.0 %
13	-	32	0.0 %
14	-	24	0.0 %
15	-	22	0.0 %
16	-	22	0.0 %
17	-	17	0.0 %
18	-	18	0.0 %
19	-	9	0.0 %
20	-	8	0.0 %
21	-	9	0.0 %
22	-	5	0.0 %
23	-	5	0.0 %
24	-	7	0.0 %

Value	Label	Unweighted Frequency	%
25	-	4	0.0 %
26	-	6	0.0 %
27	-	4	0.0 %
28	-	7	0.0 %
29	-	6	0.0 %
30	-	2	0.0 %
31	-	1	0.0 %
32	-	2	0.0 %
33	-	2	0.0 %
34	-	1	0.0 %
35	-	1	0.0 %
36	-	2	0.0 %
37	-	1	0.0 %
38	-	1	0.0 %
40	-	2	0.0 %
41	-	1	0.0 %
42	-	1	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	2	0.0 %
46	-	2	0.0 %
48	-	2	0.0 %
49	-	1	0.0 %
51	-	1	0.0 %
52	-	2	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 136.00
- Standard Deviation: 1.19

Location: 84-89 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M13_14: MALE 13-14

Value	Label	Unweighted Frequency	%
0	-	191038	85.6 %
1	-	14062	6.3 %
2	-	5247	2.4 %
3	-	2630	1.2 %
4	-	1557	0.7 %
5	-	989	0.4 %
6	-	747	0.3 %
7	-	533	0.2 %
8	-	370	0.2 %
9	-	309	0.1 %
10	-	270	0.1 %
11	-	222	0.1 %
12	-	171	0.1 %
13	-	133	0.1 %
14	-	121	0.1 %
15	-	97	0.0 %
16	-	98	0.0 %
17	-	77	0.0 %
18	-	76	0.0 %
19	-	54	0.0 %
20	-	50	0.0 %
21	-	54	0.0 %
22	-	46	0.0 %
23	-	47	0.0 %
24	-	40	0.0 %
25	-	32	0.0 %
26	-	31	0.0 %
27	-	29	0.0 %
28	-	34	0.0 %
29	-	18	0.0 %
30	-	20	0.0 %
31	-	20	0.0 %
32	-	14	0.0 %
33	-	20	0.0 %
34	-	8	0.0 %
35	-	9	0.0 %
36	-	19	0.0 %

Value	Label	Unweighted Frequency	%
37	-	7	0.0 %
38	-	10	0.0 %
39	-	16	0.0 %
40	-	11	0.0 %
41	-	10	0.0 %
42	-	7	0.0 %
43	-	7	0.0 %
44	-	7	0.0 %
45	-	6	0.0 %
46	-	5	0.0 %
47	-	6	0.0 %
48	-	6	0.0 %
49	-	3	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 0.46
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 266.00
- Standard Deviation: 2.88

Location: 90-95 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M15: MALE 15

Value	Label	Unweighted Frequency	%
0	-	190951	85.6 %
1	-	15112	6.8 %
2	-	5252	2.4 %
3	-	2495	1.1 %
4	-	1478	0.7 %
5	-	931	0.4 %
6	-	638	0.3 %
7	-	477	0.2 %

Value	Label	Unweighted Frequency	%
8	-	324	0.1 %
9	-	267	0.1 %
10	-	225	0.1 %
11	-	194	0.1 %
12	-	140	0.1 %
13	-	97	0.0 %
14	-	95	0.0 %
15	-	95	0.0 %
16	-	74	0.0 %
17	-	55	0.0 %
18	-	55	0.0 %
19	-	50	0.0 %
20	-	42	0.0 %
21	-	36	0.0 %
22	-	27	0.0 %
23	-	37	0.0 %
24	-	33	0.0 %
25	-	27	0.0 %
26	-	17	0.0 %
27	-	16	0.0 %
28	-	12	0.0 %
29	-	25	0.0 %
30	-	19	0.0 %
31	-	12	0.0 %
32	-	11	0.0 %
33	-	5	0.0 %
34	-	8	0.0 %
35	-	8	0.0 %
36	-	7	0.0 %
37	-	10	0.0 %
38	-	12	0.0 %
39	-	6	0.0 %
40	-	11	0.0 %
41	-	2	0.0 %
42	-	5	0.0 %
43	-	3	0.0 %
44	-	5	0.0 %
45	-	3	0.0 %
46	-	2	0.0 %

Value	Label	Unweighted Frequency	%
47	-	7	0.0 %
48	-	3	0.0 %
49	-	3	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 0.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 226.00
- Standard Deviation: 2.38

Location: 96-101 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M16: MALE 16

Value	Label	Unweighted Frequency	%
0	-	185198	83.0 %
1	-	17735	7.9 %
2	-	6466	2.9 %
3	-	3025	1.4 %
4	-	1818	0.8 %
5	-	1219	0.5 %
6	-	722	0.3 %
7	-	550	0.2 %
8	-	460	0.2 %
9	-	363	0.2 %
10	-	261	0.1 %
11	-	202	0.1 %
12	-	163	0.1 %
13	-	139	0.1 %
14	-	137	0.1 %
15	-	111	0.0 %
16	-	83	0.0 %
17	-	80	0.0 %

Value	Label	Unweighted Frequency	%
18	-	70	0.0 %
19	-	71	0.0 %
20	-	54	0.0 %
21	-	45	0.0 %
22	-	41	0.0 %
23	-	39	0.0 %
24	-	28	0.0 %
25	-	30	0.0 %
26	-	25	0.0 %
27	-	37	0.0 %
28	-	17	0.0 %
29	-	15	0.0 %
30	-	23	0.0 %
31	-	14	0.0 %
32	-	5	0.0 %
33	-	21	0.0 %
34	-	9	0.0 %
35	-	18	0.0 %
36	-	8	0.0 %
37	-	13	0.0 %
38	-	10	0.0 %
39	-	6	0.0 %
40	-	5	0.0 %
41	-	8	0.0 %
42	-	9	0.0 %
43	-	8	0.0 %
44	-	5	0.0 %
45	-	8	0.0 %
46	-	6	0.0 %
47	-	4	0.0 %
48	-	5	0.0 %
49	-	3	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 0.49
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 326.00
- Standard Deviation: 2.76

Location: 102-107 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M17: MALE 17

Value	Label	Unweighted Frequency	%
0	-	177744	79.6 %
1	-	21489	9.6 %
2	-	7673	3.4 %
3	-	3871	1.7 %
4	-	2235	1.0 %
5	-	1427	0.6 %
6	-	1033	0.5 %
7	-	692	0.3 %
8	-	503	0.2 %
9	-	431	0.2 %
10	-	278	0.1 %
11	-	273	0.1 %
12	-	216	0.1 %
13	-	158	0.1 %
14	-	167	0.1 %
15	-	136	0.1 %
16	-	112	0.1 %
17	-	103	0.0 %
18	-	83	0.0 %
19	-	104	0.0 %
20	-	79	0.0 %
21	-	58	0.0 %
22	-	40	0.0 %
23	-	42	0.0 %
24	-	43	0.0 %
25	-	43	0.0 %
26	-	33	0.0 %
27	-	33	0.0 %
28	-	30	0.0 %
29	-	14	0.0 %

Value	Label	Unweighted Frequency	%
30	-	13	0.0 %
31	-	21	0.0 %
32	-	12	0.0 %
33	-	13	0.0 %
34	-	8	0.0 %
35	-	25	0.0 %
36	-	14	0.0 %
37	-	13	0.0 %
38	-	9	0.0 %
39	-	8	0.0 %
40	-	5	0.0 %
41	-	12	0.0 %
42	-	5	0.0 %
43	-	10	0.0 %
44	-	12	0.0 %
45	-	1	0.0 %
46	-	9	0.0 %
47	-	6	0.0 %
48	-	7	0.0 %
49	-	4	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 0.61
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 351.00
- Standard Deviation: 3.10

Location: 108-113 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M18: MALE 18

Value	Label	Unweighted Frequency	%
0	-	166009	74.4 %

Value	Label	Unweighted Frequency	%
1	-	26376	11.8 %
2	-	9751	4.4 %
3	-	5072	2.3 %
4	-	2937	1.3 %
5	-	1943	0.9 %
6	-	1388	0.6 %
7	-	992	0.4 %
8	-	756	0.3 %
9	-	598	0.3 %
10	-	467	0.2 %
11	-	395	0.2 %
12	-	313	0.1 %
13	-	267	0.1 %
14	-	205	0.1 %
15	-	194	0.1 %
16	-	161	0.1 %
17	-	132	0.1 %
18	-	132	0.1 %
19	-	113	0.1 %
20	-	87	0.0 %
21	-	82	0.0 %
22	-	76	0.0 %
23	-	75	0.0 %
24	-	63	0.0 %
25	-	66	0.0 %
26	-	61	0.0 %
27	-	43	0.0 %
28	-	39	0.0 %
29	-	34	0.0 %
30	-	32	0.0 %
31	-	34	0.0 %
32	-	36	0.0 %
33	-	17	0.0 %
34	-	23	0.0 %
35	-	29	0.0 %
36	-	26	0.0 %
37	-	20	0.0 %
38	-	30	0.0 %
39	-	19	0.0 %

Value	Label	Unweighted Frequency	%
40	-	18	0.0 %
41	-	22	0.0 %
42	-	12	0.0 %
43	-	15	0.0 %
44	-	7	0.0 %
45	-	14	0.0 %
46	-	12	0.0 %
47	-	11	0.0 %
48	-	9	0.0 %
49	-	6	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 0.88
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 342.00
- Standard Deviation: 4.36

Location: 114-119 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M19: MALE 19

Value	Label	Unweighted Frequency	%
0	-	163738	73.4 %
1	-	27429	12.3 %
2	-	10044	4.5 %
3	-	5140	2.3 %
4	-	3009	1.3 %
5	-	2084	0.9 %
6	-	1505	0.7 %
7	-	1041	0.5 %
8	-	781	0.3 %
9	-	617	0.3 %
10	-	472	0.2 %

Value	Label	Unweighted Frequency	%
11	-	386	0.2 %
12	-	353	0.2 %
13	-	284	0.1 %
14	-	229	0.1 %
15	-	202	0.1 %
16	-	189	0.1 %
17	-	163	0.1 %
18	-	177	0.1 %
19	-	144	0.1 %
20	-	101	0.0 %
21	-	108	0.0 %
22	-	78	0.0 %
23	-	96	0.0 %
24	-	69	0.0 %
25	-	44	0.0 %
26	-	75	0.0 %
27	-	59	0.0 %
28	-	57	0.0 %
29	-	39	0.0 %
30	-	30	0.0 %
31	-	39	0.0 %
32	-	29	0.0 %
33	-	23	0.0 %
34	-	24	0.0 %
35	-	30	0.0 %
36	-	22	0.0 %
37	-	25	0.0 %
38	-	21	0.0 %
39	-	26	0.0 %
40	-	17	0.0 %
41	-	30	0.0 %
42	-	23	0.0 %
43	-	25	0.0 %
44	-	12	0.0 %
45	-	15	0.0 %
46	-	8	0.0 %
47	-	15	0.0 %
48	-	13	0.0 %
49	-	9	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 0.99
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1465.00
- Standard Deviation: 6.99

Location: 120-125 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M20: MALE 20

Value	Label	Unweighted Frequency	%
0	-	163413	73.2 %
1	-	27992	12.5 %
2	-	9902	4.4 %
3	-	5026	2.3 %
4	-	3108	1.4 %
5	-	2069	0.9 %
6	-	1456	0.7 %
7	-	1006	0.5 %
8	-	757	0.3 %
9	-	623	0.3 %
10	-	519	0.2 %
11	-	458	0.2 %
12	-	313	0.1 %
13	-	289	0.1 %
14	-	241	0.1 %
15	-	224	0.1 %
16	-	187	0.1 %
17	-	173	0.1 %
18	-	144	0.1 %
19	-	112	0.1 %
20	-	120	0.1 %

Value	Label	Unweighted Frequency	%
21	-	92	0.0 %
22	-	65	0.0 %
23	-	85	0.0 %
24	-	72	0.0 %
25	-	66	0.0 %
26	-	47	0.0 %
27	-	41	0.0 %
28	-	52	0.0 %
29	-	58	0.0 %
30	-	33	0.0 %
31	-	30	0.0 %
32	-	39	0.0 %
33	-	29	0.0 %
34	-	31	0.0 %
35	-	24	0.0 %
36	-	24	0.0 %
37	-	23	0.0 %
38	-	21	0.0 %
39	-	24	0.0 %
40	-	17	0.0 %
41	-	19	0.0 %
42	-	22	0.0 %
43	-	18	0.0 %
44	-	14	0.0 %
45	-	11	0.0 %
46	-	16	0.0 %
47	-	5	0.0 %
48	-	12	0.0 %
49	-	6	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 0.97
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 409.00
- Standard Deviation: 5.12

Location: 126-131 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M21: MALE 21

Value	Label	Unweighted Frequency	%
0	-	163642	73.3 %
1	-	27483	12.3 %
2	-	10024	4.5 %
3	-	5243	2.3 %
4	-	3105	1.4 %
5	-	1951	0.9 %
6	-	1330	0.6 %
7	-	1005	0.5 %
8	-	853	0.4 %
9	-	636	0.3 %
10	-	511	0.2 %
11	-	434	0.2 %
12	-	350	0.2 %
13	-	294	0.1 %
14	-	244	0.1 %
15	-	229	0.1 %
16	-	168	0.1 %
17	-	158	0.1 %
18	-	135	0.1 %
19	-	119	0.1 %
20	-	121	0.1 %
21	-	117	0.1 %
22	-	89	0.0 %
23	-	79	0.0 %
24	-	76	0.0 %
25	-	62	0.0 %
26	-	43	0.0 %
27	-	45	0.0 %
28	-	48	0.0 %
29	-	38	0.0 %
30	-	60	0.0 %
31	-	32	0.0 %
32	-	33	0.0 %

Value	Label	Unweighted Frequency	%
33	-	37	0.0 %
34	-	27	0.0 %
35	-	30	0.0 %
36	-	28	0.0 %
37	-	23	0.0 %
38	-	21	0.0 %
39	-	28	0.0 %
40	-	27	0.0 %
41	-	14	0.0 %
42	-	13	0.0 %
43	-	17	0.0 %
44	-	22	0.0 %
45	-	10	0.0 %
46	-	20	0.0 %
47	-	16	0.0 %
48	-	13	0.0 %
49	-	13	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 1.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 403.00
- Standard Deviation: 5.51

Location: 132-137 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M22: MALE 22

Value	Label	Unweighted Frequency	%
0	-	164399	73.7 %
1	-	27237	12.2 %
2	-	9715	4.4 %
3	-	4999	2.2 %

Value	Label	Unweighted Frequency	%
4	-	2997	1.3 %
5	-	2017	0.9 %
6	-	1462	0.7 %
7	-	1051	0.5 %
8	-	781	0.3 %
9	-	619	0.3 %
10	-	494	0.2 %
11	-	427	0.2 %
12	-	324	0.1 %
13	-	289	0.1 %
14	-	232	0.1 %
15	-	183	0.1 %
16	-	180	0.1 %
17	-	173	0.1 %
18	-	161	0.1 %
19	-	133	0.1 %
20	-	114	0.1 %
21	-	108	0.0 %
22	-	89	0.0 %
23	-	85	0.0 %
24	-	85	0.0 %
25	-	67	0.0 %
26	-	53	0.0 %
27	-	64	0.0 %
28	-	51	0.0 %
29	-	52	0.0 %
30	-	49	0.0 %
31	-	28	0.0 %
32	-	30	0.0 %
33	-	25	0.0 %
34	-	36	0.0 %
35	-	37	0.0 %
36	-	25	0.0 %
37	-	25	0.0 %
38	-	26	0.0 %
39	-	17	0.0 %
40	-	27	0.0 %
41	-	20	0.0 %
42	-	17	0.0 %

Value	Label	Unweighted Frequency	%
43	-	21	0.0 %
44	-	20	0.0 %
45	-	9	0.0 %
46	-	17	0.0 %
47	-	9	0.0 %
48	-	15	0.0 %
49	-	9	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 1.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 401.00
- Standard Deviation: 5.54

Location: 138-143 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M23: MALE 23

Value	Label	Unweighted Frequency	%
0	-	164182	73.6 %
1	-	27140	12.2 %
2	-	9694	4.3 %
3	-	5124	2.3 %
4	-	3022	1.4 %
5	-	2073	0.9 %
6	-	1410	0.6 %
7	-	1040	0.5 %
8	-	822	0.4 %
9	-	644	0.3 %
10	-	512	0.2 %
11	-	419	0.2 %
12	-	348	0.2 %
13	-	313	0.1 %

Value	Label	Unweighted Frequency	%
14	-	231	0.1 %
15	-	219	0.1 %
16	-	206	0.1 %
17	-	164	0.1 %
18	-	145	0.1 %
19	-	137	0.1 %
20	-	112	0.1 %
21	-	78	0.0 %
22	-	90	0.0 %
23	-	79	0.0 %
24	-	70	0.0 %
25	-	72	0.0 %
26	-	69	0.0 %
27	-	57	0.0 %
28	-	60	0.0 %
29	-	61	0.0 %
30	-	42	0.0 %
31	-	42	0.0 %
32	-	41	0.0 %
33	-	35	0.0 %
34	-	33	0.0 %
35	-	18	0.0 %
36	-	31	0.0 %
37	-	25	0.0 %
38	-	17	0.0 %
39	-	36	0.0 %
40	-	21	0.0 %
41	-	36	0.0 %
42	-	23	0.0 %
43	-	11	0.0 %
44	-	16	0.0 %
45	-	11	0.0 %
46	-	17	0.0 %
47	-	13	0.0 %
48	-	13	0.0 %
49	-	15	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 1.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 490.00
- Standard Deviation: 5.74

Location: 144-149 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M24: MALE 24

Value	Label	Unweighted Frequency	%
0	-	162913	73.0 %
1	-	27768	12.4 %
2	-	10058	4.5 %
3	-	5103	2.3 %
4	-	3097	1.4 %
5	-	2021	0.9 %
6	-	1415	0.6 %
7	-	1063	0.5 %
8	-	853	0.4 %
9	-	642	0.3 %
10	-	551	0.2 %
11	-	455	0.2 %
12	-	386	0.2 %
13	-	301	0.1 %
14	-	235	0.1 %
15	-	219	0.1 %
16	-	211	0.1 %
17	-	177	0.1 %
18	-	172	0.1 %
19	-	133	0.1 %
20	-	115	0.1 %
21	-	103	0.0 %
22	-	84	0.0 %
23	-	85	0.0 %
24	-	93	0.0 %
25	-	53	0.0 %

Value	Label	Unweighted Frequency	%
26	-	56	0.0 %
27	-	69	0.0 %
28	-	58	0.0 %
29	-	62	0.0 %
30	-	44	0.0 %
31	-	66	0.0 %
32	-	40	0.0 %
33	-	38	0.0 %
34	-	32	0.0 %
35	-	23	0.0 %
36	-	30	0.0 %
37	-	21	0.0 %
38	-	35	0.0 %
39	-	19	0.0 %
40	-	25	0.0 %
41	-	18	0.0 %
42	-	17	0.0 %
43	-	26	0.0 %
44	-	20	0.0 %
45	-	11	0.0 %
46	-	16	0.0 %
47	-	15	0.0 %
48	-	12	0.0 %
49	-	16	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 1.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 610.00
- Standard Deviation: 5.92

Location: 150-155 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M25_29: MALE 25-29

Value	Label	Unweighted Frequency	%
0	-	104995	47.0 %
1	-	38738	17.4 %
2	-	17730	7.9 %
3	-	10890	4.9 %
4	-	7103	3.2 %
5	-	5238	2.3 %
6	-	3964	1.8 %
7	-	3159	1.4 %
8	-	2550	1.1 %
9	-	2250	1.0 %
10	-	1884	0.8 %
11	-	1557	0.7 %
12	-	1410	0.6 %
13	-	1192	0.5 %
14	-	1076	0.5 %
15	-	965	0.4 %
16	-	797	0.4 %
17	-	773	0.3 %
18	-	683	0.3 %
19	-	641	0.3 %
20	-	558	0.3 %
21	-	517	0.2 %
22	-	487	0.2 %
23	-	427	0.2 %
24	-	411	0.2 %
25	-	402	0.2 %
26	-	368	0.2 %
27	-	326	0.1 %
28	-	282	0.1 %
29	-	297	0.1 %
30	-	252	0.1 %
31	-	246	0.1 %
32	-	255	0.1 %
33	-	260	0.1 %
34	-	177	0.1 %
35	-	215	0.1 %
36	-	208	0.1 %

Value	Label	Unweighted Frequency	%
37	-	174	0.1 %
38	-	191	0.1 %
39	-	191	0.1 %
40	-	157	0.1 %
41	-	174	0.1 %
42	-	135	0.1 %
43	-	118	0.1 %
44	-	125	0.1 %
45	-	126	0.1 %
46	-	127	0.1 %
47	-	126	0.1 %
48	-	107	0.0 %
49	-	108	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 5.64
- Minimum: 0.00
- Maximum: 4103.00
- Standard Deviation: 32.34

Location: 156-161 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M30_34: MALE 30-34

Value	Label	Unweighted Frequency	%
0	-	109097	48.9 %
1	-	38600	17.3 %
2	-	17587	7.9 %
3	-	10371	4.6 %
4	-	7006	3.1 %
5	-	4887	2.2 %
6	-	3847	1.7 %
7	-	3064	1.4 %
8	-	2335	1.0 %
9	-	2041	0.9 %

Value	Label	Unweighted Frequency	%
10	-	1743	0.8 %
11	-	1496	0.7 %
12	-	1265	0.6 %
13	-	1072	0.5 %
14	-	1061	0.5 %
15	-	885	0.4 %
16	-	746	0.3 %
17	-	693	0.3 %
18	-	639	0.3 %
19	-	556	0.2 %
20	-	476	0.2 %
21	-	517	0.2 %
22	-	427	0.2 %
23	-	415	0.2 %
24	-	371	0.2 %
25	-	344	0.2 %
26	-	320	0.1 %
27	-	312	0.1 %
28	-	284	0.1 %
29	-	264	0.1 %
30	-	247	0.1 %
31	-	228	0.1 %
32	-	203	0.1 %
33	-	185	0.1 %
34	-	213	0.1 %
35	-	166	0.1 %
36	-	162	0.1 %
37	-	170	0.1 %
38	-	139	0.1 %
39	-	160	0.1 %
40	-	142	0.1 %
41	-	112	0.1 %
42	-	113	0.1 %
43	-	118	0.1 %
44	-	111	0.0 %
45	-	108	0.0 %
46	-	108	0.0 %
47	-	100	0.0 %
48	-	116	0.1 %

Value	Label	Unweighted Frequency	%
49	-	99	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 4.96
- Minimum: 0.00
- Maximum: 4532.00
- Standard Deviation: 29.07

Location: 162-167 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M35_39: MALE 35-39

Value	Label	Unweighted Frequency	%
0	-	115905	51.9 %
1	-	37794	16.9 %
2	-	16887	7.6 %
3	-	9670	4.3 %
4	-	6558	2.9 %
5	-	4727	2.1 %
6	-	3469	1.6 %
7	-	2834	1.3 %
8	-	2220	1.0 %
9	-	1850	0.8 %
10	-	1493	0.7 %
11	-	1307	0.6 %
12	-	1182	0.5 %
13	-	1005	0.5 %
14	-	830	0.4 %
15	-	749	0.3 %
16	-	638	0.3 %
17	-	649	0.3 %
18	-	544	0.2 %
19	-	462	0.2 %
20	-	442	0.2 %
21	-	402	0.2 %

Value	Label	Unweighted Frequency	%
22	-	373	0.2 %
23	-	336	0.2 %
24	-	316	0.1 %
25	-	329	0.1 %
26	-	254	0.1 %
27	-	258	0.1 %
28	-	225	0.1 %
29	-	225	0.1 %
30	-	201	0.1 %
31	-	207	0.1 %
32	-	163	0.1 %
33	-	154	0.1 %
34	-	163	0.1 %
35	-	156	0.1 %
36	-	139	0.1 %
37	-	167	0.1 %
38	-	118	0.1 %
39	-	132	0.1 %
40	-	116	0.1 %
41	-	110	0.0 %
42	-	103	0.0 %
43	-	99	0.0 %
44	-	101	0.0 %
45	-	109	0.0 %
46	-	84	0.0 %
47	-	75	0.0 %
48	-	74	0.0 %
49	-	75	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 4.13
- Minimum: 0.00
- Maximum: 4165.00
- Standard Deviation: 24.35

Location: 168-173 (width: 6; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: 999998

M40_44: MALE 40-44

Value	Label	Unweighted Frequency	%
0	-	130130	58.3 %
1	-	35652	16.0 %
2	-	14898	6.7 %
3	-	8504	3.8 %
4	-	5478	2.5 %
5	-	3926	1.8 %
6	-	2889	1.3 %
7	-	2214	1.0 %
8	-	1760	0.8 %
9	-	1400	0.6 %
10	-	1166	0.5 %
11	-	1022	0.5 %
12	-	871	0.4 %
13	-	685	0.3 %
14	-	675	0.3 %
15	-	575	0.3 %
16	-	498	0.2 %
17	-	423	0.2 %
18	-	391	0.2 %
19	-	385	0.2 %
20	-	322	0.1 %
21	-	301	0.1 %
22	-	307	0.1 %
23	-	235	0.1 %
24	-	207	0.1 %
25	-	221	0.1 %
26	-	183	0.1 %
27	-	172	0.1 %
28	-	185	0.1 %
29	-	143	0.1 %
30	-	136	0.1 %
31	-	133	0.1 %
32	-	136	0.1 %
33	-	123	0.1 %
34	-	120	0.1 %

Value	Label	Unweighted Frequency	%
35	-	92	0.0 %
36	-	83	0.0 %
37	-	112	0.1 %
38	-	98	0.0 %
39	-	80	0.0 %
40	-	89	0.0 %
41	-	67	0.0 %
42	-	72	0.0 %
43	-	72	0.0 %
44	-	65	0.0 %
45	-	75	0.0 %
46	-	52	0.0 %
47	-	57	0.0 %
48	-	47	0.0 %
49	-	55	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 2.90
- Minimum: 0.00
- Maximum: 3236.00
- Standard Deviation: 17.84

Location: 174-179 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M45_49: MALE 45-49

Value	Label	Unweighted Frequency	%
0	-	141295	63.3 %
1	-	33253	14.9 %
2	-	13306	6.0 %
3	-	7262	3.3 %
4	-	4711	2.1 %
5	-	3277	1.5 %
6	-	2480	1.1 %
7	-	1858	0.8 %

Value	Label	Unweighted Frequency	%
8	-	1406	0.6 %
9	-	1136	0.5 %
10	-	967	0.4 %
11	-	790	0.4 %
12	-	670	0.3 %
13	-	562	0.3 %
14	-	491	0.2 %
15	-	423	0.2 %
16	-	390	0.2 %
17	-	364	0.2 %
18	-	293	0.1 %
19	-	298	0.1 %
20	-	241	0.1 %
21	-	250	0.1 %
22	-	207	0.1 %
23	-	178	0.1 %
24	-	151	0.1 %
25	-	168	0.1 %
26	-	147	0.1 %
27	-	141	0.1 %
28	-	124	0.1 %
29	-	96	0.0 %
30	-	106	0.0 %
31	-	112	0.1 %
32	-	77	0.0 %
33	-	93	0.0 %
34	-	77	0.0 %
35	-	67	0.0 %
36	-	65	0.0 %
37	-	61	0.0 %
38	-	58	0.0 %
39	-	74	0.0 %
40	-	63	0.0 %
41	-	52	0.0 %
42	-	61	0.0 %
43	-	45	0.0 %
44	-	53	0.0 %
45	-	37	0.0 %
46	-	32	0.0 %

Value	Label	Unweighted Frequency	%
47	-	51	0.0 %
48	-	34	0.0 %
49	-	35	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 2.17
- Minimum: 0.00
- Maximum: 2598.00
- Standard Deviation: 13.90

Location: 180-185 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M50_54: MALE 50-54

Value	Label	Unweighted Frequency	%
0	-	150064	67.2 %
1	-	30802	13.8 %
2	-	12103	5.4 %
3	-	6413	2.9 %
4	-	4045	1.8 %
5	-	2842	1.3 %
6	-	1994	0.9 %
7	-	1565	0.7 %
8	-	1189	0.5 %
9	-	971	0.4 %
10	-	740	0.3 %
11	-	636	0.3 %
12	-	562	0.3 %
13	-	444	0.2 %
14	-	427	0.2 %
15	-	352	0.2 %
16	-	318	0.1 %
17	-	266	0.1 %
18	-	239	0.1 %
19	-	200	0.1 %

Value	Label	Unweighted Frequency	%
20	-	161	0.1 %
21	-	183	0.1 %
22	-	163	0.1 %
23	-	146	0.1 %
24	-	136	0.1 %
25	-	122	0.1 %
26	-	109	0.0 %
27	-	112	0.1 %
28	-	81	0.0 %
29	-	90	0.0 %
30	-	91	0.0 %
31	-	84	0.0 %
32	-	57	0.0 %
33	-	67	0.0 %
34	-	72	0.0 %
35	-	60	0.0 %
36	-	65	0.0 %
37	-	58	0.0 %
38	-	45	0.0 %
39	-	49	0.0 %
40	-	41	0.0 %
41	-	51	0.0 %
42	-	43	0.0 %
43	-	51	0.0 %
44	-	39	0.0 %
45	-	47	0.0 %
46	-	30	0.0 %
47	-	32	0.0 %
48	-	26	0.0 %
49	-	23	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 1.76
- Minimum: 0.00

- Maximum: 2557.00
- Standard Deviation: 12.13

Location: 186-191 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M55_59: MALE 55-59

Value	Label	Unweighted Frequency	%
0	-	158396	71.0 %
1	-	28673	12.8 %
2	-	10728	4.8 %
3	-	5721	2.6 %
4	-	3435	1.5 %
5	-	2275	1.0 %
6	-	1597	0.7 %
7	-	1250	0.6 %
8	-	974	0.4 %
9	-	751	0.3 %
10	-	618	0.3 %
11	-	491	0.2 %
12	-	439	0.2 %
13	-	381	0.2 %
14	-	321	0.1 %
15	-	243	0.1 %
16	-	215	0.1 %
17	-	223	0.1 %
18	-	173	0.1 %
19	-	157	0.1 %
20	-	150	0.1 %
21	-	122	0.1 %
22	-	111	0.0 %
23	-	117	0.1 %
24	-	110	0.0 %
25	-	88	0.0 %
26	-	78	0.0 %
27	-	89	0.0 %
28	-	85	0.0 %
29	-	66	0.0 %
30	-	63	0.0 %
31	-	69	0.0 %
32	-	44	0.0 %

Value	Label	Unweighted Frequency	%
33	-	48	0.0 %
34	-	38	0.0 %
35	-	51	0.0 %
36	-	41	0.0 %
37	-	47	0.0 %
38	-	47	0.0 %
39	-	44	0.0 %
40	-	25	0.0 %
41	-	28	0.0 %
42	-	22	0.0 %
43	-	32	0.0 %
44	-	30	0.0 %
45	-	26	0.0 %
46	-	14	0.0 %
47	-	24	0.0 %
48	-	14	0.0 %
49	-	17	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 1.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1841.00
- Standard Deviation: 9.66

Location: 192-197 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M60_64: MALE 60-64

Value	Label	Unweighted Frequency	%
0	-	175697	78.7 %
1	-	23271	10.4 %
2	-	7801	3.5 %
3	-	3746	1.7 %

Value	Label	Unweighted Frequency	%
4	-	2225	1.0 %
5	-	1364	0.6 %
6	-	1001	0.4 %
7	-	703	0.3 %
8	-	562	0.3 %
9	-	419	0.2 %
10	-	331	0.1 %
11	-	233	0.1 %
12	-	231	0.1 %
13	-	173	0.1 %
14	-	142	0.1 %
15	-	150	0.1 %
16	-	123	0.1 %
17	-	105	0.0 %
18	-	92	0.0 %
19	-	74	0.0 %
20	-	58	0.0 %
21	-	72	0.0 %
22	-	47	0.0 %
23	-	48	0.0 %
24	-	56	0.0 %
25	-	32	0.0 %
26	-	32	0.0 %
27	-	40	0.0 %
28	-	31	0.0 %
29	-	32	0.0 %
30	-	19	0.0 %
31	-	32	0.0 %
32	-	24	0.0 %
33	-	24	0.0 %
34	-	31	0.0 %
35	-	14	0.0 %
36	-	19	0.0 %
37	-	24	0.0 %
38	-	16	0.0 %
39	-	13	0.0 %
40	-	11	0.0 %
41	-	12	0.0 %
42	-	15	0.0 %

Value	Label	Unweighted Frequency	%
43	-	11	0.0 %
44	-	16	0.0 %
45	-	16	0.0 %
46	-	7	0.0 %
47	-	7	0.0 %
48	-	13	0.0 %
49	-	8	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 0.72
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1042.00
- Standard Deviation: 5.40

Location: 198-203 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M65: MALE OVER 64

Value	Label	Unweighted Frequency	%
-1	-	1	0.0 %
0	-	185183	83.0 %
1	-	19665	8.8 %
2	-	6002	2.7 %
3	-	2887	1.3 %
4	-	1562	0.7 %
5	-	1005	0.5 %
6	-	661	0.3 %
7	-	466	0.2 %
8	-	326	0.1 %
9	-	236	0.1 %
10	-	205	0.1 %
11	-	168	0.1 %
12	-	129	0.1 %

Value	Label	Unweighted Frequency	%
13	-	119	0.1 %
14	-	95	0.0 %
15	-	80	0.0 %
16	-	52	0.0 %
17	-	45	0.0 %
18	-	43	0.0 %
19	-	43	0.0 %
20	-	36	0.0 %
21	-	28	0.0 %
22	-	39	0.0 %
23	-	21	0.0 %
24	-	24	0.0 %
25	-	19	0.0 %
26	-	19	0.0 %
27	-	14	0.0 %
28	-	21	0.0 %
29	-	12	0.0 %
30	-	17	0.0 %
31	-	14	0.0 %
32	-	16	0.0 %
33	-	12	0.0 %
34	-	9	0.0 %
35	-	7	0.0 %
36	-	12	0.0 %
37	-	8	0.0 %
38	-	9	0.0 %
39	-	5	0.0 %
40	-	10	0.0 %
41	-	8	0.0 %
42	-	5	0.0 %
43	-	5	0.0 %
44	-	9	0.0 %
45	-	5	0.0 %
46	-	10	0.0 %
47	-	6	0.0 %
48	-	4	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 0.46
- Median: 0.00
- Mode: 0.00
- Minimum: -1.00
- Maximum: 543.00
- Standard Deviation: 3.56

Location: 204-209 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F0_9: FEMALE UNDER 10

Value	Label	Unweighted Frequency	%
0	-	219072	98.2 %
1	-	325	0.1 %
2	-	57	0.0 %
3	-	18	0.0 %
4	-	6	0.0 %
5	-	3	0.0 %
6	-	3	0.0 %
8	-	1	0.0 %
10	-	4	0.0 %
13	-	1	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 13.00
- Standard Deviation: 0.09

Location: 210-215 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F10_12: FEMALE 10-12

Value	Label	Unweighted Frequency	%
0	-	213193	95.5 %

Value	Label	Unweighted Frequency	%
1	-	3880	1.7 %
2	-	1092	0.5 %
3	-	485	0.2 %
4	-	245	0.1 %
5	-	158	0.1 %
6	-	114	0.1 %
7	-	74	0.0 %
8	-	44	0.0 %
9	-	39	0.0 %
10	-	27	0.0 %
11	-	20	0.0 %
12	-	18	0.0 %
13	-	8	0.0 %
14	-	11	0.0 %
15	-	7	0.0 %
16	-	11	0.0 %
17	-	1	0.0 %
18	-	8	0.0 %
19	-	3	0.0 %
20	-	9	0.0 %
21	-	6	0.0 %
22	-	2	0.0 %
23	-	1	0.0 %
24	-	5	0.0 %
26	-	1	0.0 %
27	-	4	0.0 %
28	-	1	0.0 %
30	-	2	0.0 %
33	-	1	0.0 %
35	-	1	0.0 %
36	-	2	0.0 %
37	-	1	0.0 %
38	-	1	0.0 %
42	-	1	0.0 %
43	-	1	0.0 %
45	-	2	0.0 %
46	-	1	0.0 %
49	-	2	0.0 %
52	-	2	0.0 %

Value	Label	Unweighted Frequency	%
54	-	1	0.0 %
62	-	1	0.0 %
67	-	1	0.0 %
68	-	1	0.0 %
73	-	1	0.0 %
82	-	1	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 82.00
- Standard Deviation: 0.76

Location: 216-221 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F13_14: FEMALE 13-14

Value	Label	Unweighted Frequency	%
0	-	203440	91.2 %
1	-	8494	3.8 %
2	-	2958	1.3 %
3	-	1405	0.6 %
4	-	831	0.4 %
5	-	514	0.2 %
6	-	329	0.1 %
7	-	266	0.1 %
8	-	194	0.1 %
9	-	146	0.1 %
10	-	101	0.0 %
11	-	109	0.0 %
12	-	87	0.0 %
13	-	62	0.0 %
14	-	60	0.0 %
15	-	48	0.0 %
16	-	51	0.0 %

Value	Label	Unweighted Frequency	%
17	-	27	0.0 %
18	-	41	0.0 %
19	-	39	0.0 %
20	-	20	0.0 %
21	-	25	0.0 %
22	-	15	0.0 %
23	-	12	0.0 %
24	-	20	0.0 %
25	-	15	0.0 %
26	-	15	0.0 %
27	-	15	0.0 %
28	-	9	0.0 %
29	-	10	0.0 %
30	-	9	0.0 %
31	-	4	0.0 %
32	-	3	0.0 %
33	-	11	0.0 %
34	-	4	0.0 %
35	-	7	0.0 %
36	-	4	0.0 %
37	-	4	0.0 %
38	-	4	0.0 %
39	-	7	0.0 %
41	-	3	0.0 %
42	-	3	0.0 %
43	-	6	0.0 %
45	-	3	0.0 %
47	-	2	0.0 %
48	-	2	0.0 %
49	-	2	0.0 %
50	-	2	0.0 %
51	-	1	0.0 %
52	-	2	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 229.00
- Standard Deviation: 2.10

Location: 222-227 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F15: FEMALE 15

Value	Label	Unweighted Frequency	%
0	-	204593	91.7 %
1	-	8539	3.8 %
2	-	2658	1.2 %
3	-	1168	0.5 %
4	-	707	0.3 %
5	-	432	0.2 %
6	-	312	0.1 %
7	-	191	0.1 %
8	-	164	0.1 %
9	-	133	0.1 %
10	-	91	0.0 %
11	-	81	0.0 %
12	-	61	0.0 %
13	-	53	0.0 %
14	-	42	0.0 %
15	-	30	0.0 %
16	-	30	0.0 %
17	-	17	0.0 %
18	-	23	0.0 %
19	-	15	0.0 %
20	-	17	0.0 %
21	-	12	0.0 %
22	-	13	0.0 %
23	-	6	0.0 %
24	-	7	0.0 %
25	-	5	0.0 %
26	-	12	0.0 %
27	-	2	0.0 %

Value	Label	Unweighted Frequency	%
28	-	4	0.0 %
29	-	7	0.0 %
30	-	5	0.0 %
31	-	5	0.0 %
34	-	4	0.0 %
35	-	1	0.0 %
36	-	2	0.0 %
37	-	4	0.0 %
38	-	2	0.0 %
39	-	3	0.0 %
40	-	2	0.0 %
41	-	2	0.0 %
42	-	2	0.0 %
43	-	2	0.0 %
44	-	3	0.0 %
45	-	2	0.0 %
47	-	2	0.0 %
49	-	2	0.0 %
50	-	2	0.0 %
53	-	1	0.0 %
54	-	1	0.0 %
59	-	1	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 204.00
- Standard Deviation: 1.55

Location: 228-233 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F16: FEMALE 16

Value	Label	Unweighted Frequency	%
0	-	202286	90.6 %
1	-	9998	4.5 %
2	-	3105	1.4 %
3	-	1415	0.6 %
4	-	783	0.4 %
5	-	443	0.2 %
6	-	309	0.1 %
7	-	222	0.1 %
8	-	167	0.1 %
9	-	116	0.1 %
10	-	102	0.0 %
11	-	65	0.0 %
12	-	71	0.0 %
13	-	51	0.0 %
14	-	41	0.0 %
15	-	43	0.0 %
16	-	27	0.0 %
17	-	34	0.0 %
18	-	25	0.0 %
19	-	16	0.0 %
20	-	21	0.0 %
21	-	17	0.0 %
22	-	10	0.0 %
23	-	17	0.0 %
24	-	5	0.0 %
25	-	11	0.0 %
26	-	7	0.0 %
27	-	2	0.0 %
28	-	7	0.0 %
29	-	2	0.0 %
30	-	4	0.0 %
31	-	5	0.0 %
32	-	2	0.0 %
33	-	8	0.0 %
34	-	4	0.0 %
35	-	1	0.0 %
36	-	2	0.0 %
37	-	4	0.0 %
38	-	2	0.0 %

Value	Label	Unweighted Frequency	%
39	-	3	0.0 %
40	-	2	0.0 %
41	-	4	0.0 %
42	-	1	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %
47	-	1	0.0 %
48	-	2	0.0 %
50	-	1	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 219.00
- Standard Deviation: 1.57

Location: 234-239 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F17: FEMALE 17

Value	Label	Unweighted Frequency	%
0	-	198649	89.0 %
1	-	12271	5.5 %
2	-	3696	1.7 %
3	-	1744	0.8 %
4	-	939	0.4 %
5	-	561	0.3 %
6	-	333	0.1 %
7	-	272	0.1 %
8	-	187	0.1 %
9	-	160	0.1 %

Value	Label	Unweighted Frequency	%
10	-	107	0.0 %
11	-	85	0.0 %
12	-	89	0.0 %
13	-	50	0.0 %
14	-	46	0.0 %
15	-	34	0.0 %
16	-	34	0.0 %
17	-	14	0.0 %
18	-	17	0.0 %
19	-	19	0.0 %
20	-	16	0.0 %
21	-	12	0.0 %
22	-	13	0.0 %
23	-	17	0.0 %
24	-	10	0.0 %
25	-	10	0.0 %
26	-	7	0.0 %
27	-	7	0.0 %
28	-	4	0.0 %
29	-	4	0.0 %
30	-	3	0.0 %
31	-	4	0.0 %
32	-	7	0.0 %
33	-	4	0.0 %
34	-	2	0.0 %
35	-	8	0.0 %
36	-	1	0.0 %
37	-	5	0.0 %
38	-	2	0.0 %
39	-	5	0.0 %
40	-	4	0.0 %
41	-	2	0.0 %
42	-	1	0.0 %
43	-	2	0.0 %
44	-	1	0.0 %
45	-	2	0.0 %
46	-	2	0.0 %
48	-	4	0.0 %
49	-	2	0.0 %

Value	Label	Unweighted Frequency	%
50	-	1	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 140.00
- Standard Deviation: 1.50

Location: 240-245 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F18: FEMALE 18

Value	Label	Unweighted Frequency	%
0	-	192071	86.1 %
1	-	15857	7.1 %
2	-	4966	2.2 %
3	-	2256	1.0 %
4	-	1197	0.5 %
5	-	773	0.3 %
6	-	522	0.2 %
7	-	358	0.2 %
8	-	268	0.1 %
9	-	188	0.1 %
10	-	167	0.1 %
11	-	127	0.1 %
12	-	94	0.0 %
13	-	75	0.0 %
14	-	65	0.0 %
15	-	62	0.0 %
16	-	56	0.0 %
17	-	35	0.0 %
18	-	26	0.0 %
19	-	34	0.0 %

Value	Label	Unweighted Frequency	%
20	-	28	0.0 %
21	-	12	0.0 %
22	-	17	0.0 %
23	-	22	0.0 %
24	-	21	0.0 %
25	-	20	0.0 %
26	-	15	0.0 %
27	-	15	0.0 %
28	-	5	0.0 %
29	-	5	0.0 %
30	-	9	0.0 %
31	-	8	0.0 %
32	-	7	0.0 %
33	-	6	0.0 %
34	-	11	0.0 %
35	-	9	0.0 %
36	-	6	0.0 %
37	-	5	0.0 %
38	-	7	0.0 %
39	-	2	0.0 %
40	-	1	0.0 %
41	-	1	0.0 %
42	-	1	0.0 %
43	-	1	0.0 %
44	-	3	0.0 %
45	-	2	0.0 %
46	-	5	0.0 %
47	-	8	0.0 %
48	-	4	0.0 %
49	-	3	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 0.32
- Median: 0.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 188.00
- Standard Deviation: 1.85

Location: 246-251 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F19: FEMALE 19

Value	Label	Unweighted Frequency	%
0	-	189655	85.0 %
1	-	17006	7.6 %
2	-	5240	2.3 %
3	-	2546	1.1 %
4	-	1441	0.6 %
5	-	873	0.4 %
6	-	566	0.3 %
7	-	389	0.2 %
8	-	309	0.1 %
9	-	245	0.1 %
10	-	177	0.1 %
11	-	147	0.1 %
12	-	119	0.1 %
13	-	103	0.0 %
14	-	74	0.0 %
15	-	65	0.0 %
16	-	51	0.0 %
17	-	42	0.0 %
18	-	35	0.0 %
19	-	32	0.0 %
20	-	33	0.0 %
21	-	32	0.0 %
22	-	27	0.0 %
23	-	15	0.0 %
24	-	16	0.0 %
25	-	13	0.0 %
26	-	11	0.0 %
27	-	19	0.0 %
28	-	14	0.0 %
29	-	14	0.0 %
30	-	6	0.0 %

Value	Label	Unweighted Frequency	%
31	-	8	0.0 %
32	-	13	0.0 %
33	-	9	0.0 %
34	-	8	0.0 %
35	-	8	0.0 %
36	-	12	0.0 %
37	-	5	0.0 %
38	-	5	0.0 %
39	-	3	0.0 %
40	-	9	0.0 %
41	-	3	0.0 %
42	-	2	0.0 %
43	-	4	0.0 %
44	-	4	0.0 %
45	-	5	0.0 %
46	-	5	0.0 %
47	-	6	0.0 %
48	-	3	0.0 %
50	-	2	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 457.00
- Standard Deviation: 2.60

Location: 252-257 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F20: FEMALE 20

Value	Label	Unweighted Frequency	%
0	-	189025	84.7 %
1	-	17491	7.8 %

Value	Label	Unweighted Frequency	%
2	-	5544	2.5 %
3	-	2462	1.1 %
4	-	1404	0.6 %
5	-	873	0.4 %
6	-	581	0.3 %
7	-	386	0.2 %
8	-	272	0.1 %
9	-	246	0.1 %
10	-	181	0.1 %
11	-	138	0.1 %
12	-	95	0.0 %
13	-	97	0.0 %
14	-	51	0.0 %
15	-	67	0.0 %
16	-	49	0.0 %
17	-	49	0.0 %
18	-	44	0.0 %
19	-	28	0.0 %
20	-	27	0.0 %
21	-	34	0.0 %
22	-	31	0.0 %
23	-	20	0.0 %
24	-	24	0.0 %
25	-	19	0.0 %
26	-	17	0.0 %
27	-	10	0.0 %
28	-	19	0.0 %
29	-	17	0.0 %
30	-	17	0.0 %
31	-	14	0.0 %
32	-	6	0.0 %
33	-	6	0.0 %
34	-	4	0.0 %
35	-	6	0.0 %
36	-	3	0.0 %
37	-	12	0.0 %
38	-	7	0.0 %
39	-	5	0.0 %
40	-	5	0.0 %

Value	Label	Unweighted Frequency	%
41	-	4	0.0 %
42	-	8	0.0 %
43	-	4	0.0 %
44	-	3	0.0 %
45	-	6	0.0 %
46	-	3	0.0 %
47	-	3	0.0 %
48	-	4	0.0 %
49	-	1	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 200.00
- Standard Deviation: 2.18

Location: 258-263 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F21: FEMALE 21

Value	Label	Unweighted Frequency	%
0	-	188698	84.5 %
1	-	17617	7.9 %
2	-	5562	2.5 %
3	-	2545	1.1 %
4	-	1487	0.7 %
5	-	820	0.4 %
6	-	630	0.3 %
7	-	409	0.2 %
8	-	302	0.1 %
9	-	176	0.1 %
10	-	184	0.1 %
11	-	130	0.1 %

Value	Label	Unweighted Frequency	%
12	-	104	0.0 %
13	-	113	0.1 %
14	-	80	0.0 %
15	-	70	0.0 %
16	-	46	0.0 %
17	-	53	0.0 %
18	-	53	0.0 %
19	-	35	0.0 %
20	-	28	0.0 %
21	-	26	0.0 %
22	-	20	0.0 %
23	-	17	0.0 %
24	-	12	0.0 %
25	-	17	0.0 %
26	-	13	0.0 %
27	-	16	0.0 %
28	-	15	0.0 %
29	-	7	0.0 %
30	-	10	0.0 %
31	-	11	0.0 %
32	-	11	0.0 %
33	-	16	0.0 %
34	-	16	0.0 %
35	-	13	0.0 %
36	-	7	0.0 %
37	-	7	0.0 %
38	-	8	0.0 %
39	-	6	0.0 %
40	-	5	0.0 %
41	-	5	0.0 %
42	-	6	0.0 %
43	-	2	0.0 %
44	-	2	0.0 %
45	-	3	0.0 %
46	-	2	0.0 %
47	-	4	0.0 %
48	-	4	0.0 %
49	-	5	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 0.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 219.00
- Standard Deviation: 2.22

Location: 264-269 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F22: FEMALE 22

Value	Label	Unweighted Frequency	%
0	-	188832	84.6 %
1	-	17522	7.9 %
2	-	5598	2.5 %
3	-	2507	1.1 %
4	-	1415	0.6 %
5	-	860	0.4 %
6	-	565	0.3 %
7	-	442	0.2 %
8	-	276	0.1 %
9	-	226	0.1 %
10	-	190	0.1 %
11	-	142	0.1 %
12	-	144	0.1 %
13	-	86	0.0 %
14	-	59	0.0 %
15	-	67	0.0 %
16	-	41	0.0 %
17	-	51	0.0 %
18	-	42	0.0 %
19	-	43	0.0 %
20	-	23	0.0 %
21	-	30	0.0 %

Value	Label	Unweighted Frequency	%
22	-	19	0.0 %
23	-	25	0.0 %
24	-	18	0.0 %
25	-	19	0.0 %
26	-	17	0.0 %
27	-	16	0.0 %
28	-	12	0.0 %
29	-	14	0.0 %
30	-	8	0.0 %
31	-	12	0.0 %
32	-	7	0.0 %
33	-	7	0.0 %
34	-	10	0.0 %
35	-	5	0.0 %
36	-	7	0.0 %
37	-	8	0.0 %
38	-	7	0.0 %
39	-	6	0.0 %
40	-	8	0.0 %
41	-	5	0.0 %
42	-	4	0.0 %
43	-	9	0.0 %
44	-	4	0.0 %
45	-	4	0.0 %
46	-	2	0.0 %
47	-	5	0.0 %
48	-	4	0.0 %
49	-	4	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 0.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 387.00

• Standard Deviation: 2.33

Location: 270-275 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F23: FEMALE 23

Value	Label	Unweighted Frequency	%
0	-	188337	84.4 %
1	-	17891	8.0 %
2	-	5622	2.5 %
3	-	2497	1.1 %
4	-	1432	0.6 %
5	-	911	0.4 %
6	-	551	0.2 %
7	-	421	0.2 %
8	-	306	0.1 %
9	-	231	0.1 %
10	-	176	0.1 %
11	-	171	0.1 %
12	-	112	0.1 %
13	-	100	0.0 %
14	-	80	0.0 %
15	-	67	0.0 %
16	-	53	0.0 %
17	-	45	0.0 %
18	-	36	0.0 %
19	-	38	0.0 %
20	-	26	0.0 %
21	-	30	0.0 %
22	-	35	0.0 %
23	-	26	0.0 %
24	-	24	0.0 %
25	-	23	0.0 %
26	-	19	0.0 %
27	-	10	0.0 %
28	-	11	0.0 %
29	-	15	0.0 %
30	-	19	0.0 %
31	-	12	0.0 %
32	-	11	0.0 %

Value	Label	Unweighted Frequency	%
33	-	7	0.0 %
34	-	6	0.0 %
35	-	9	0.0 %
36	-	3	0.0 %
37	-	6	0.0 %
38	-	6	0.0 %
39	-	3	0.0 %
40	-	8	0.0 %
41	-	9	0.0 %
42	-	7	0.0 %
43	-	1	0.0 %
44	-	2	0.0 %
45	-	1	0.0 %
46	-	2	0.0 %
47	-	1	0.0 %
48	-	6	0.0 %
49	-	4	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 0.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 419.00
- Standard Deviation: 2.40

Location: 276-281 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F24: FEMALE 24

Value	Label	Unweighted Frequency	%
0	-	188334	84.4 %
1	-	17774	8.0 %
2	-	5590	2.5 %
3	-	2631	1.2 %

Value	Label	Unweighted Frequency	%
4	-	1408	0.6 %
5	-	896	0.4 %
6	-	614	0.3 %
7	-	393	0.2 %
8	-	307	0.1 %
9	-	220	0.1 %
10	-	196	0.1 %
11	-	165	0.1 %
12	-	125	0.1 %
13	-	91	0.0 %
14	-	79	0.0 %
15	-	60	0.0 %
16	-	58	0.0 %
17	-	56	0.0 %
18	-	39	0.0 %
19	-	37	0.0 %
20	-	35	0.0 %
21	-	15	0.0 %
22	-	30	0.0 %
23	-	21	0.0 %
24	-	22	0.0 %
25	-	17	0.0 %
26	-	13	0.0 %
27	-	12	0.0 %
28	-	13	0.0 %
29	-	13	0.0 %
30	-	12	0.0 %
31	-	11	0.0 %
32	-	14	0.0 %
33	-	14	0.0 %
34	-	12	0.0 %
35	-	7	0.0 %
36	-	10	0.0 %
37	-	9	0.0 %
38	-	5	0.0 %
39	-	7	0.0 %
40	-	7	0.0 %
41	-	6	0.0 %
42	-	5	0.0 %

Value	Label	Unweighted Frequency	%
43	-	4	0.0 %
44	-	5	0.0 %
45	-	3	0.0 %
46	-	6	0.0 %
47	-	3	0.0 %
48	-	6	0.0 %
49	-	7	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 0.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 382.00
- Standard Deviation: 2.45

Location: 282-287 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F25_29: FEMALE 25-29

Value	Label	Unweighted Frequency	%
0	-	143876	64.5 %
1	-	31241	14.0 %
2	-	12734	5.7 %
3	-	7036	3.2 %
4	-	4570	2.0 %
5	-	3237	1.5 %
6	-	2408	1.1 %
7	-	1766	0.8 %
8	-	1408	0.6 %
9	-	1195	0.5 %
10	-	1032	0.5 %
11	-	771	0.3 %
12	-	724	0.3 %
13	-	625	0.3 %

Value	Label	Unweighted Frequency	%
14	-	524	0.2 %
15	-	452	0.2 %
16	-	420	0.2 %
17	-	308	0.1 %
18	-	329	0.1 %
19	-	335	0.2 %
20	-	291	0.1 %
21	-	277	0.1 %
22	-	212	0.1 %
23	-	233	0.1 %
24	-	169	0.1 %
25	-	152	0.1 %
26	-	139	0.1 %
27	-	137	0.1 %
28	-	134	0.1 %
29	-	145	0.1 %
30	-	126	0.1 %
31	-	89	0.0 %
32	-	110	0.0 %
33	-	89	0.0 %
34	-	78	0.0 %
35	-	79	0.0 %
36	-	67	0.0 %
37	-	77	0.0 %
38	-	63	0.0 %
39	-	69	0.0 %
40	-	53	0.0 %
41	-	64	0.0 %
42	-	69	0.0 %
43	-	46	0.0 %
44	-	49	0.0 %
45	-	32	0.0 %
46	-	51	0.0 %
47	-	48	0.0 %
48	-	37	0.0 %
49	-	33	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 2.16
- Minimum: 0.00
- Maximum: 2155.00
- Standard Deviation: 12.73

Location: 288-293 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F30_34: FEMALE 30-34

Value	Label	Unweighted Frequency	%
0	-	145993	65.4 %
1	-	30919	13.9 %
2	-	12617	5.7 %
3	-	6832	3.1 %
4	-	4393	2.0 %
5	-	3125	1.4 %
6	-	2302	1.0 %
7	-	1694	0.8 %
8	-	1322	0.6 %
9	-	1159	0.5 %
10	-	919	0.4 %
11	-	756	0.3 %
12	-	670	0.3 %
13	-	575	0.3 %
14	-	509	0.2 %
15	-	438	0.2 %
16	-	379	0.2 %
17	-	356	0.2 %
18	-	315	0.1 %
19	-	251	0.1 %
20	-	240	0.1 %
21	-	205	0.1 %
22	-	186	0.1 %
23	-	178	0.1 %
24	-	166	0.1 %
25	-	157	0.1 %
26	-	138	0.1 %
27	-	122	0.1 %

Value	Label	Unweighted Frequency	%
28	-	124	0.1 %
29	-	113	0.1 %
30	-	100	0.0 %
31	-	96	0.0 %
32	-	97	0.0 %
33	-	84	0.0 %
34	-	71	0.0 %
35	-	66	0.0 %
36	-	73	0.0 %
37	-	70	0.0 %
38	-	51	0.0 %
39	-	62	0.0 %
40	-	55	0.0 %
41	-	44	0.0 %
42	-	52	0.0 %
43	-	57	0.0 %
44	-	42	0.0 %
45	-	43	0.0 %
46	-	42	0.0 %
47	-	34	0.0 %
48	-	32	0.0 %
49	-	30	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 1.97
- Minimum: 0.00
- Maximum: 1870.00
- Standard Deviation: 11.41

Location: 294-299 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F35_39: FEMALE 35-39

Value	Label	Unweighted Frequency	%
0	-	151225	67.8 %

Value	Label	Unweighted Frequency	%
1	-	29927	13.4 %
2	-	11760	5.3 %
3	-	6254	2.8 %
4	-	4219	1.9 %
5	-	2686	1.2 %
6	-	2048	0.9 %
7	-	1572	0.7 %
8	-	1193	0.5 %
9	-	969	0.4 %
10	-	828	0.4 %
11	-	639	0.3 %
12	-	579	0.3 %
13	-	450	0.2 %
14	-	448	0.2 %
15	-	359	0.2 %
16	-	314	0.1 %
17	-	300	0.1 %
18	-	274	0.1 %
19	-	222	0.1 %
20	-	210	0.1 %
21	-	206	0.1 %
22	-	164	0.1 %
23	-	146	0.1 %
24	-	126	0.1 %
25	-	128	0.1 %
26	-	115	0.1 %
27	-	109	0.0 %
28	-	114	0.1 %
29	-	89	0.0 %
30	-	85	0.0 %
31	-	71	0.0 %
32	-	81	0.0 %
33	-	57	0.0 %
34	-	68	0.0 %
35	-	66	0.0 %
36	-	57	0.0 %
37	-	43	0.0 %
38	-	58	0.0 %
39	-	34	0.0 %

Value	Label	Unweighted Frequency	%
40	-	42	0.0 %
41	-	44	0.0 %
42	-	41	0.0 %
43	-	40	0.0 %
44	-	31	0.0 %
45	-	40	0.0 %
46	-	36	0.0 %
47	-	37	0.0 %
48	-	21	0.0 %
49	-	26	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 1.64
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1395.00
- Standard Deviation: 9.38

Location: 300-305 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F40_44: FEMALE 40-44

Value	Label	Unweighted Frequency	%
0	-	163437	73.2 %
1	-	26725	12.0 %
2	-	9902	4.4 %
3	-	5137	2.3 %
4	-	3167	1.4 %
5	-	2126	1.0 %
6	-	1532	0.7 %
7	-	1082	0.5 %
8	-	948	0.4 %
9	-	666	0.3 %
10	-	567	0.3 %

Value	Label	Unweighted Frequency	%
11	-	434	0.2 %
12	-	369	0.2 %
13	-	327	0.1 %
14	-	289	0.1 %
15	-	244	0.1 %
16	-	206	0.1 %
17	-	169	0.1 %
18	-	144	0.1 %
19	-	143	0.1 %
20	-	139	0.1 %
21	-	121	0.1 %
22	-	113	0.1 %
23	-	101	0.0 %
24	-	77	0.0 %
25	-	78	0.0 %
26	-	71	0.0 %
27	-	65	0.0 %
28	-	51	0.0 %
29	-	65	0.0 %
30	-	53	0.0 %
31	-	36	0.0 %
32	-	36	0.0 %
33	-	36	0.0 %
34	-	41	0.0 %
35	-	35	0.0 %
36	-	29	0.0 %
37	-	36	0.0 %
38	-	24	0.0 %
39	-	24	0.0 %
40	-	25	0.0 %
41	-	26	0.0 %
42	-	18	0.0 %
43	-	24	0.0 %
44	-	16	0.0 %
45	-	17	0.0 %
46	-	23	0.0 %
47	-	18	0.0 %
48	-	15	0.0 %
49	-	18	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 1.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 929.00
- Standard Deviation: 6.21

Location: 306-311 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F45_49: FEMALE 45-49

Value	Label	Unweighted Frequency	%
0	-	172333	77.2 %
1	-	23886	10.7 %
2	-	8399	3.8 %
3	-	4241	1.9 %
4	-	2497	1.1 %
5	-	1693	0.8 %
6	-	1225	0.5 %
7	-	869	0.4 %
8	-	657	0.3 %
9	-	516	0.2 %
10	-	418	0.2 %
11	-	343	0.2 %
12	-	251	0.1 %
13	-	245	0.1 %
14	-	180	0.1 %
15	-	154	0.1 %
16	-	145	0.1 %
17	-	106	0.0 %
18	-	118	0.1 %
19	-	89	0.0 %
20	-	91	0.0 %

Value	Label	Unweighted Frequency	%
21	-	67	0.0 %
22	-	69	0.0 %
23	-	53	0.0 %
24	-	51	0.0 %
25	-	47	0.0 %
26	-	44	0.0 %
27	-	27	0.0 %
28	-	29	0.0 %
29	-	38	0.0 %
30	-	24	0.0 %
31	-	39	0.0 %
32	-	37	0.0 %
33	-	28	0.0 %
34	-	22	0.0 %
35	-	24	0.0 %
36	-	15	0.0 %
37	-	17	0.0 %
38	-	13	0.0 %
39	-	15	0.0 %
40	-	19	0.0 %
41	-	13	0.0 %
42	-	9	0.0 %
43	-	13	0.0 %
44	-	14	0.0 %
45	-	11	0.0 %
46	-	18	0.0 %
47	-	14	0.0 %
48	-	10	0.0 %
49	-	7	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 0.78
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 737.00
- Standard Deviation: 4.53

Location: 312-317 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F50_54: FEMALE 50-54

Value	Label	Unweighted Frequency	%
0	-	180120	80.7 %
1	-	20904	9.4 %
2	-	7229	3.2 %
3	-	3536	1.6 %
4	-	1939	0.9 %
5	-	1306	0.6 %
6	-	885	0.4 %
7	-	654	0.3 %
8	-	447	0.2 %
9	-	376	0.2 %
10	-	298	0.1 %
11	-	229	0.1 %
12	-	178	0.1 %
13	-	142	0.1 %
14	-	120	0.1 %
15	-	111	0.0 %
16	-	88	0.0 %
17	-	72	0.0 %
18	-	84	0.0 %
19	-	70	0.0 %
20	-	63	0.0 %
21	-	53	0.0 %
22	-	42	0.0 %
23	-	40	0.0 %
24	-	30	0.0 %
25	-	30	0.0 %
26	-	22	0.0 %
27	-	21	0.0 %
28	-	25	0.0 %
29	-	18	0.0 %
30	-	15	0.0 %
31	-	21	0.0 %
32	-	10	0.0 %

Value	Label	Unweighted Frequency	%
33	-	16	0.0 %
34	-	20	0.0 %
35	-	14	0.0 %
36	-	9	0.0 %
37	-	13	0.0 %
38	-	10	0.0 %
39	-	16	0.0 %
40	-	5	0.0 %
41	-	13	0.0 %
42	-	10	0.0 %
43	-	9	0.0 %
44	-	10	0.0 %
45	-	9	0.0 %
46	-	6	0.0 %
47	-	4	0.0 %
48	-	10	0.0 %
49	-	6	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 0.56
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 556.00
- Standard Deviation: 3.36

Location: 318-323 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F55_59: FEMALE 55-59

Value	Label	Unweighted Frequency	%
0	-	188362	84.4 %
1	-	17880	8.0 %
2	-	5611	2.5 %
3	-	2507	1.1 %

Value	Label	Unweighted Frequency	%
4	-	1482	0.7 %
5	-	902	0.4 %
6	-	625	0.3 %
7	-	402	0.2 %
8	-	323	0.1 %
9	-	224	0.1 %
10	-	167	0.1 %
11	-	145	0.1 %
12	-	101	0.0 %
13	-	83	0.0 %
14	-	79	0.0 %
15	-	68	0.0 %
16	-	48	0.0 %
17	-	43	0.0 %
18	-	41	0.0 %
19	-	39	0.0 %
20	-	28	0.0 %
21	-	25	0.0 %
22	-	25	0.0 %
23	-	25	0.0 %
24	-	12	0.0 %
25	-	12	0.0 %
26	-	22	0.0 %
27	-	12	0.0 %
28	-	12	0.0 %
29	-	12	0.0 %
30	-	10	0.0 %
31	-	9	0.0 %
32	-	8	0.0 %
33	-	3	0.0 %
34	-	13	0.0 %
35	-	7	0.0 %
36	-	4	0.0 %
37	-	9	0.0 %
38	-	4	0.0 %
39	-	4	0.0 %
40	-	3	0.0 %
41	-	3	0.0 %
42	-	8	0.0 %

Value	Label	Unweighted Frequency	%
43	-	6	0.0 %
44	-	5	0.0 %
45	-	4	0.0 %
46	-	1	0.0 %
47	-	1	0.0 %
48	-	2	0.0 %
49	-	6	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 0.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 344.00
- Standard Deviation: 2.35

Location: 324-329 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F60_64: FEMALE 60-64

Value	Label	Unweighted Frequency	%
0	-	200311	89.7 %
1	-	12503	5.6 %
2	-	3261	1.5 %
3	-	1373	0.6 %
4	-	691	0.3 %
5	-	343	0.2 %
6	-	228	0.1 %
7	-	156	0.1 %
8	-	111	0.0 %
9	-	95	0.0 %
10	-	77	0.0 %
11	-	61	0.0 %
12	-	34	0.0 %
13	-	30	0.0 %

Value	Label	Unweighted Frequency	%
14	-	21	0.0 %
15	-	22	0.0 %
16	-	10	0.0 %
17	-	18	0.0 %
18	-	18	0.0 %
19	-	11	0.0 %
20	-	12	0.0 %
21	-	12	0.0 %
22	-	10	0.0 %
23	-	9	0.0 %
24	-	8	0.0 %
25	-	9	0.0 %
26	-	3	0.0 %
27	-	1	0.0 %
28	-	1	0.0 %
29	-	3	0.0 %
30	-	2	0.0 %
31	-	5	0.0 %
32	-	4	0.0 %
33	-	1	0.0 %
37	-	5	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	2	0.0 %
41	-	2	0.0 %
42	-	1	0.0 %
44	-	2	0.0 %
46	-	2	0.0 %
47	-	4	0.0 %
50	-	3	0.0 %
52	-	1	0.0 %
54	-	1	0.0 %
58	-	1	0.0 %
62	-	1	0.0 %
63	-	1	0.0 %
66	-	1	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 165.00
- Standard Deviation: 1.22

Location: 330-335 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F65: FEMALE OVER 64

Value	Label	Unweighted Frequency	%
0	-	206497	92.5 %
1	-	8925	4.0 %
2	-	2041	0.9 %
3	-	845	0.4 %
4	-	396	0.2 %
5	-	228	0.1 %
6	-	130	0.1 %
7	-	95	0.0 %
8	-	64	0.0 %
9	-	50	0.0 %
10	-	34	0.0 %
11	-	29	0.0 %
12	-	21	0.0 %
13	-	17	0.0 %
14	-	14	0.0 %
15	-	13	0.0 %
16	-	8	0.0 %
17	-	9	0.0 %
18	-	10	0.0 %
19	-	5	0.0 %
20	-	12	0.0 %
21	-	6	0.0 %
22	-	4	0.0 %
23	-	1	0.0 %
24	-	1	0.0 %
25	-	2	0.0 %

Value	Label	Unweighted Frequency	%
26	-	5	0.0 %
27	-	1	0.0 %
28	-	1	0.0 %
29	-	3	0.0 %
31	-	3	0.0 %
32	-	2	0.0 %
34	-	2	0.0 %
35	-	2	0.0 %
38	-	1	0.0 %
45	-	2	0.0 %
50	-	1	0.0 %
53	-	1	0.0 %
58	-	1	0.0 %
70	-	1	0.0 %
79	-	1	0.0 %
85	-	1	0.0 %
87	-	1	0.0 %
97	-	1	0.0 %
105	-	1	0.0 %
114	-	1	0.0 %
158	-	1	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 158.00
- Standard Deviation: 0.97

Location: 336-341 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JW: JUVENILE-WHITE

Value	Label	Unweighted Frequency	%
0	-	153994	69.0 %
1	-	25543	11.4 %

Value	Label	Unweighted Frequency	%
2	-	11064	5.0 %
3	-	6297	2.8 %
4	-	4055	1.8 %
5	-	2952	1.3 %
6	-	2287	1.0 %
7	-	1739	0.8 %
8	-	1275	0.6 %
9	-	1167	0.5 %
10	-	892	0.4 %
11	-	794	0.4 %
12	-	608	0.3 %
13	-	608	0.3 %
14	-	505	0.2 %
15	-	453	0.2 %
16	-	360	0.2 %
17	-	305	0.1 %
18	-	329	0.1 %
19	-	272	0.1 %
20	-	209	0.1 %
21	-	225	0.1 %
22	-	188	0.1 %
23	-	169	0.1 %
24	-	135	0.1 %
25	-	123	0.1 %
26	-	127	0.1 %
27	-	120	0.1 %
28	-	139	0.1 %
29	-	108	0.0 %
30	-	92	0.0 %
31	-	92	0.0 %
32	-	93	0.0 %
33	-	85	0.0 %
34	-	87	0.0 %
35	-	89	0.0 %
36	-	67	0.0 %
37	-	59	0.0 %
38	-	63	0.0 %
39	-	63	0.0 %
40	-	69	0.0 %

Value	Label	Unweighted Frequency	%
41	-	52	0.0 %
42	-	46	0.0 %
43	-	56	0.0 %
44	-	46	0.0 %
45	-	41	0.0 %
46	-	51	0.0 %
47	-	56	0.0 %
48	-	27	0.0 %
49	-	39	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 1.90
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 933.00
- Standard Deviation: 10.02

Location: 342-347 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JB: JUVENILE-BLACK

Value	Label	Unweighted Frequency	%
0	-	186370	83.5 %
1	-	14581	6.5 %
2	-	5554	2.5 %
3	-	2973	1.3 %
4	-	1828	0.8 %
5	-	1308	0.6 %
6	-	959	0.4 %
7	-	747	0.3 %
8	-	540	0.2 %
9	-	517	0.2 %
10	-	371	0.2 %
11	-	321	0.1 %

Value	Label	Unweighted Frequency	%
12	-	273	0.1 %
13	-	253	0.1 %
14	-	200	0.1 %
15	-	173	0.1 %
16	-	174	0.1 %
17	-	147	0.1 %
18	-	125	0.1 %
19	-	107	0.0 %
20	-	104	0.0 %
21	-	116	0.1 %
22	-	88	0.0 %
23	-	84	0.0 %
24	-	69	0.0 %
25	-	79	0.0 %
26	-	72	0.0 %
27	-	56	0.0 %
28	-	42	0.0 %
29	-	54	0.0 %
30	-	52	0.0 %
31	-	41	0.0 %
32	-	39	0.0 %
33	-	41	0.0 %
34	-	41	0.0 %
35	-	43	0.0 %
36	-	35	0.0 %
37	-	30	0.0 %
38	-	29	0.0 %
39	-	27	0.0 %
40	-	29	0.0 %
41	-	21	0.0 %
42	-	24	0.0 %
43	-	29	0.0 %
44	-	23	0.0 %
45	-	19	0.0 %
46	-	15	0.0 %
47	-	16	0.0 %
48	-	20	0.0 %
49	-	18	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 0.95
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1543.00
- Standard Deviation: 8.83

Location: 348-353 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JJ: JUVENILE-INDIAN

Value	Label	Unweighted Frequency	%
0	-	215337	96.5 %
1	-	2344	1.1 %
2	-	702	0.3 %
3	-	304	0.1 %
4	-	180	0.1 %
5	-	118	0.1 %
6	-	73	0.0 %
7	-	71	0.0 %
8	-	51	0.0 %
9	-	35	0.0 %
10	-	34	0.0 %
11	-	26	0.0 %
12	-	18	0.0 %
13	-	14	0.0 %
14	-	11	0.0 %
15	-	14	0.0 %
16	-	12	0.0 %
17	-	12	0.0 %
18	-	11	0.0 %
19	-	14	0.0 %
20	-	11	0.0 %
21	-	9	0.0 %

Value	Label	Unweighted Frequency	%
22	-	5	0.0 %
23	-	8	0.0 %
24	-	4	0.0 %
25	-	4	0.0 %
26	-	3	0.0 %
27	-	6	0.0 %
28	-	4	0.0 %
29	-	4	0.0 %
30	-	3	0.0 %
31	-	1	0.0 %
33	-	4	0.0 %
34	-	1	0.0 %
35	-	2	0.0 %
36	-	3	0.0 %
37	-	2	0.0 %
38	-	3	0.0 %
39	-	1	0.0 %
40	-	1	0.0 %
41	-	1	0.0 %
42	-	1	0.0 %
43	-	1	0.0 %
44	-	4	0.0 %
45	-	2	0.0 %
46	-	2	0.0 %
47	-	1	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %
52	-	2	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 160.00

• Standard Deviation: 1.08

Location: 354-359 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JA: JUVENILE ASIAN

Value	Label	Unweighted Frequency	%
0	-	215176	96.4 %
1	-	2950	1.3 %
2	-	691	0.3 %
3	-	277	0.1 %
4	-	131	0.1 %
5	-	63	0.0 %
6	-	37	0.0 %
7	-	19	0.0 %
8	-	21	0.0 %
9	-	13	0.0 %
10	-	19	0.0 %
11	-	9	0.0 %
12	-	8	0.0 %
13	-	2	0.0 %
14	-	6	0.0 %
15	-	6	0.0 %
16	-	3	0.0 %
17	-	6	0.0 %
18	-	3	0.0 %
19	-	6	0.0 %
20	-	4	0.0 %
21	-	2	0.0 %
22	-	1	0.0 %
23	-	2	0.0 %
24	-	1	0.0 %
25	-	4	0.0 %
27	-	2	0.0 %
28	-	2	0.0 %
29	-	1	0.0 %
32	-	1	0.0 %
34	-	1	0.0 %
36	-	1	0.0 %
41	-	2	0.0 %

Value	Label	Unweighted Frequency	%
45	-	1	0.0 %
52	-	1	0.0 %
53	-	1	0.0 %
56	-	1	0.0 %
58	-	1	0.0 %
63	-	1	0.0 %
70	-	2	0.0 %
75	-	1	0.0 %
80	-	1	0.0 %
90	-	1	0.0 %
94	-	1	0.0 %
109	-	1	0.0 %
113	-	1	0.0 %
119	-	1	0.0 %
147	-	1	0.0 %
213	-	1	0.0 %
220	-	1	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 309.00
- Standard Deviation: 1.40

Location: 360-365 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JH: JUVENILE-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	193898	86.9 %
1	-	11993	5.4 %
2	-	4292	1.9 %
3	-	2208	1.0 %

Value	Label	Unweighted Frequency	%
4	-	1510	0.7 %
5	-	926	0.4 %
6	-	737	0.3 %
7	-	504	0.2 %
8	-	416	0.2 %
9	-	347	0.2 %
10	-	275	0.1 %
11	-	255	0.1 %
12	-	195	0.1 %
13	-	152	0.1 %
14	-	142	0.1 %
15	-	91	0.0 %
16	-	77	0.0 %
17	-	89	0.0 %
18	-	91	0.0 %
19	-	85	0.0 %
20	-	80	0.0 %
21	-	65	0.0 %
22	-	41	0.0 %
23	-	58	0.0 %
24	-	40	0.0 %
25	-	45	0.0 %
26	-	36	0.0 %
27	-	47	0.0 %
28	-	34	0.0 %
29	-	47	0.0 %
30	-	28	0.0 %
31	-	32	0.0 %
32	-	17	0.0 %
33	-	24	0.0 %
34	-	20	0.0 %
35	-	22	0.0 %
36	-	27	0.0 %
37	-	21	0.0 %
38	-	25	0.0 %
39	-	20	0.0 %
40	-	11	0.0 %
41	-	15	0.0 %
42	-	21	0.0 %

Value	Label	Unweighted Frequency	%
43	-	10	0.0 %
44	-	20	0.0 %
45	-	13	0.0 %
46	-	6	0.0 %
47	-	13	0.0 %
48	-	10	0.0 %
49	-	11	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 0.61
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 678.00
- Standard Deviation: 5.61

Location: 366-371 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JN: JUVENILE-NON-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	161584	72.4 %
1	-	22017	9.9 %
2	-	9712	4.4 %
3	-	5610	2.5 %
4	-	3518	1.6 %
5	-	2622	1.2 %
6	-	1900	0.9 %
7	-	1531	0.7 %
8	-	1284	0.6 %
9	-	982	0.4 %
10	-	820	0.4 %
11	-	645	0.3 %
12	-	615	0.3 %
13	-	492	0.2 %

Value	Label	Unweighted Frequency	%
14	-	435	0.2 %
15	-	421	0.2 %
16	-	344	0.2 %
17	-	320	0.1 %
18	-	253	0.1 %
19	-	250	0.1 %
20	-	237	0.1 %
21	-	177	0.1 %
22	-	180	0.1 %
23	-	157	0.1 %
24	-	188	0.1 %
25	-	134	0.1 %
26	-	142	0.1 %
27	-	134	0.1 %
28	-	131	0.1 %
29	-	118	0.1 %
30	-	112	0.1 %
31	-	91	0.0 %
32	-	77	0.0 %
33	-	96	0.0 %
34	-	83	0.0 %
35	-	73	0.0 %
36	-	76	0.0 %
37	-	60	0.0 %
38	-	69	0.0 %
39	-	68	0.0 %
40	-	71	0.0 %
41	-	50	0.0 %
42	-	47	0.0 %
43	-	53	0.0 %
44	-	55	0.0 %
45	-	43	0.0 %
46	-	40	0.0 %
47	-	46	0.0 %
48	-	37	0.0 %
49	-	35	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 1.88
- Minimum: 0.00
- Maximum: 1679.00
- Standard Deviation: 12.38

Location: 372-377 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AW: ADULT-WHITE

Value	Label	Unweighted Frequency	%
0	-	31259	14.0 %
1	-	40218	18.0 %
2	-	22225	10.0 %
3	-	14672	6.6 %
4	-	10728	4.8 %
5	-	8312	3.7 %
6	-	6800	3.0 %
7	-	5516	2.5 %
8	-	4747	2.1 %
9	-	4151	1.9 %
10	-	3647	1.6 %
11	-	3190	1.4 %
12	-	2908	1.3 %
13	-	2630	1.2 %
14	-	2268	1.0 %
15	-	2211	1.0 %
16	-	1976	0.9 %
17	-	1869	0.8 %
18	-	1715	0.8 %
19	-	1594	0.7 %
20	-	1416	0.6 %
21	-	1403	0.6 %
22	-	1266	0.6 %
23	-	1234	0.6 %
24	-	1131	0.5 %
25	-	1005	0.5 %
26	-	1076	0.5 %
27	-	929	0.4 %

Value	Label	Unweighted Frequency	%
28	-	949	0.4 %
29	-	945	0.4 %
30	-	905	0.4 %
31	-	816	0.4 %
32	-	762	0.3 %
33	-	730	0.3 %
34	-	686	0.3 %
35	-	642	0.3 %
36	-	602	0.3 %
37	-	635	0.3 %
38	-	615	0.3 %
39	-	551	0.2 %
40	-	536	0.2 %
41	-	541	0.2 %
42	-	490	0.2 %
43	-	454	0.2 %
44	-	499	0.2 %
45	-	467	0.2 %
46	-	445	0.2 %
47	-	416	0.2 %
48	-	422	0.2 %
49	-	423	0.2 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 29.17
- Minimum: 0.00
- Maximum: 21752.00
- Standard Deviation: 158.17

Location: 378-383 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AB: ADULT-BLACK

Value	Label	Unweighted Frequency	%
0	-	108322	48.5 %

Value	Label	Unweighted Frequency	%
1	-	33734	15.1 %
2	-	15837	7.1 %
3	-	9411	4.2 %
4	-	6480	2.9 %
5	-	4823	2.2 %
6	-	3833	1.7 %
7	-	3028	1.4 %
8	-	2595	1.2 %
9	-	2120	0.9 %
10	-	1872	0.8 %
11	-	1692	0.8 %
12	-	1385	0.6 %
13	-	1229	0.6 %
14	-	1097	0.5 %
15	-	976	0.4 %
16	-	892	0.4 %
17	-	880	0.4 %
18	-	743	0.3 %
19	-	687	0.3 %
20	-	683	0.3 %
21	-	647	0.3 %
22	-	535	0.2 %
23	-	530	0.2 %
24	-	483	0.2 %
25	-	486	0.2 %
26	-	424	0.2 %
27	-	422	0.2 %
28	-	399	0.2 %
29	-	374	0.2 %
30	-	349	0.2 %
31	-	344	0.2 %
32	-	288	0.1 %
33	-	268	0.1 %
34	-	257	0.1 %
35	-	267	0.1 %
36	-	249	0.1 %
37	-	237	0.1 %
38	-	230	0.1 %
39	-	222	0.1 %

Value	Label	Unweighted Frequency	%
40	-	218	0.1 %
41	-	196	0.1 %
42	-	189	0.1 %
43	-	188	0.1 %
44	-	175	0.1 %
45	-	175	0.1 %
46	-	190	0.1 %
47	-	151	0.1 %
48	-	169	0.1 %
49	-	161	0.1 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 11.20
- Minimum: 0.00
- Maximum: 13960.00
- Standard Deviation: 89.46

Location: 384-389 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AI: ADULT-INDIAN

Value	Label	Unweighted Frequency	%
0	-	197876	88.7 %
1	-	10874	4.9 %
2	-	3450	1.5 %
3	-	1678	0.8 %
4	-	990	0.4 %
5	-	709	0.3 %
6	-	548	0.2 %
7	-	419	0.2 %
8	-	287	0.1 %
9	-	220	0.1 %
10	-	198	0.1 %
11	-	156	0.1 %
12	-	122	0.1 %

Value	Label	Unweighted Frequency	%
13	-	137	0.1 %
14	-	122	0.1 %
15	-	89	0.0 %
16	-	78	0.0 %
17	-	86	0.0 %
18	-	70	0.0 %
19	-	70	0.0 %
20	-	52	0.0 %
21	-	48	0.0 %
22	-	53	0.0 %
23	-	35	0.0 %
24	-	38	0.0 %
25	-	36	0.0 %
26	-	36	0.0 %
27	-	19	0.0 %
28	-	35	0.0 %
29	-	27	0.0 %
30	-	39	0.0 %
31	-	21	0.0 %
32	-	28	0.0 %
33	-	21	0.0 %
34	-	17	0.0 %
35	-	25	0.0 %
36	-	19	0.0 %
37	-	20	0.0 %
38	-	18	0.0 %
39	-	15	0.0 %
40	-	14	0.0 %
41	-	18	0.0 %
42	-	18	0.0 %
43	-	15	0.0 %
44	-	12	0.0 %
45	-	14	0.0 %
46	-	15	0.0 %
47	-	7	0.0 %
48	-	7	0.0 %
49	-	11	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %

Value	Label	Unweighted Frequency	%
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 0.86
- Minimum: 0.00
- Maximum: 9658.00
- Standard Deviation: 27.74

Location: 390-395 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AA: ADULT-ASIAN

Value	Label	Unweighted Frequency	%
0	-	192262	86.1 %
1	-	14195	6.4 %
2	-	4568	2.0 %
3	-	2280	1.0 %
4	-	1251	0.6 %
5	-	871	0.4 %
6	-	622	0.3 %
7	-	494	0.2 %
8	-	336	0.2 %
9	-	272	0.1 %
10	-	232	0.1 %
11	-	202	0.1 %
12	-	174	0.1 %
13	-	148	0.1 %
14	-	140	0.1 %
15	-	125	0.1 %
16	-	100	0.0 %
17	-	82	0.0 %
18	-	70	0.0 %
19	-	62	0.0 %
20	-	59	0.0 %
21	-	55	0.0 %
22	-	50	0.0 %
23	-	45	0.0 %
24	-	46	0.0 %

Value	Label	Unweighted Frequency	%
25	-	30	0.0 %
26	-	38	0.0 %
27	-	26	0.0 %
28	-	33	0.0 %
29	-	21	0.0 %
30	-	19	0.0 %
31	-	25	0.0 %
32	-	28	0.0 %
33	-	17	0.0 %
34	-	12	0.0 %
35	-	20	0.0 %
36	-	14	0.0 %
37	-	16	0.0 %
38	-	16	0.0 %
39	-	12	0.0 %
40	-	12	0.0 %
41	-	10	0.0 %
42	-	18	0.0 %
43	-	9	0.0 %
44	-	9	0.0 %
45	-	14	0.0 %
46	-	8	0.0 %
47	-	8	0.0 %
48	-	6	0.0 %
49	-	7	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 0.65
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2341.00
- Standard Deviation: 11.52

Location: 396-401 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AH: ADULT-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	141748	63.5 %
1	-	26444	11.8 %
2	-	11535	5.2 %
3	-	6407	2.9 %
4	-	4422	2.0 %
5	-	3236	1.4 %
6	-	2496	1.1 %
7	-	2051	0.9 %
8	-	1660	0.7 %
9	-	1345	0.6 %
10	-	1137	0.5 %
11	-	1069	0.5 %
12	-	880	0.4 %
13	-	743	0.3 %
14	-	715	0.3 %
15	-	671	0.3 %
16	-	549	0.2 %
17	-	518	0.2 %
18	-	510	0.2 %
19	-	419	0.2 %
20	-	427	0.2 %
21	-	349	0.2 %
22	-	357	0.2 %
23	-	327	0.1 %
24	-	302	0.1 %
25	-	296	0.1 %
26	-	282	0.1 %
27	-	263	0.1 %
28	-	263	0.1 %
29	-	210	0.1 %
30	-	202	0.1 %
31	-	198	0.1 %
32	-	180	0.1 %
33	-	155	0.1 %
34	-	172	0.1 %
35	-	157	0.1 %
36	-	196	0.1 %

Value	Label	Unweighted Frequency	%
37	-	149	0.1 %
38	-	141	0.1 %
39	-	152	0.1 %
40	-	113	0.1 %
41	-	134	0.1 %
42	-	126	0.1 %
43	-	108	0.0 %
44	-	109	0.0 %
45	-	109	0.0 %
46	-	96	0.0 %
47	-	98	0.0 %
48	-	102	0.0 %
49	-	85	0.0 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 6.66
- Minimum: 0.00
- Maximum: 10022.00
- Standard Deviation: 65.54

Location: 402-407 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AN: ADULT-NON-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	52248	23.4 %
1	-	35612	16.0 %
2	-	19535	8.8 %
3	-	12775	5.7 %
4	-	9408	4.2 %
5	-	7247	3.2 %
6	-	5848	2.6 %
7	-	4817	2.2 %
8	-	4169	1.9 %
9	-	3679	1.6 %

Value	Label	Unweighted Frequency	%
10	-	3252	1.5 %
11	-	2880	1.3 %
12	-	2510	1.1 %
13	-	2383	1.1 %
14	-	2094	0.9 %
15	-	1870	0.8 %
16	-	1771	0.8 %
17	-	1608	0.7 %
18	-	1436	0.6 %
19	-	1451	0.7 %
20	-	1274	0.6 %
21	-	1275	0.6 %
22	-	1156	0.5 %
23	-	1091	0.5 %
24	-	1080	0.5 %
25	-	992	0.4 %
26	-	914	0.4 %
27	-	860	0.4 %
28	-	835	0.4 %
29	-	739	0.3 %
30	-	761	0.3 %
31	-	739	0.3 %
32	-	678	0.3 %
33	-	631	0.3 %
34	-	630	0.3 %
35	-	650	0.3 %
36	-	581	0.3 %
37	-	544	0.2 %
38	-	521	0.2 %
39	-	509	0.2 %
40	-	504	0.2 %
41	-	500	0.2 %
42	-	461	0.2 %
43	-	436	0.2 %
44	-	432	0.2 %
45	-	397	0.2 %
46	-	362	0.2 %
47	-	393	0.2 %
48	-	327	0.1 %

Value	Label	Unweighted Frequency	%
49	-	319	0.1 %
	Missing Data		
999998	Not applicable	3701	1.7 %
	Total	223,191	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 219,490 valid cases out of 223,191 total cases.

- Mean: 29.01
- Minimum: 0.00
- Maximum: 33696.00
- Standard Deviation: 179.36

Location: 408-413 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998