

ICPSR 38788

**Uniform Crime Reporting Program
Data: Arrests by Age, Sex, and
Race, Summarized Yearly, United
States, 2020**

*United States. Federal Bureau of
Investigation*

ICPSR Codebook for Six or More Months
Dataset

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/web/ICPSR/studies/38788/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #38788

Uniform Crime Reporting Program Data: Arrests by Age, Sex, and Race, Summarized Yearly, United States, 2020

DS 1: Six or More Months Dataset

1. **Changes in Methodology:** As of calendar year 2022, the Uniform Crime Reporting (UCR) Program has begun consolidating its data quality review and management practices to reduce differences between publication tables and the data displayed on the FBI website via the [Crime Data Explorer](#).
2. **Discrepancy in Collection:** This study contains data from two master files available on the [Crime Data Explorer](#): 2020_ASR6MON_NATIONAL_MASTER_FILE.txt and 2020_ASR12MON_NATIONAL_MASTER_FILE.txt. In previous years of this collection only one master file was curated. The data contained in this dataset are taken from:
 - a. 2020_ASR6MON_NATIONAL_MASTER_FILE.txt

No additional information was provided.

3. **Stata Limitations:** Due to Stata limitations, the variables **ORI**, **GROUP**, **CORE**, and **OFFENSE** do not contain value labels for non-integer values within the Stata files.
4. **Undocumented Codes:** The variable **REPORT** contains an undocumented value which ICPSR has labeled "UNDOCUMENTED CODE". No additional information was provided.
5. **Data Discrepancies:**
 - a. Several cases are inconsistent with the description of the data in the codebook.
 - b. There are reporting agencies (**AGENCY**) which use the same 7-digit Originating Agency Identifier (**ORI**). For these agencies, ICPSR has converted the 7-digit ORI to the agency's unique 9-digit ORI.
 - c. There are cases where a unique Header record has an associated Detail record with "000" in the **OFFENSE** variable, which is the code reserved for Header records. ICPSR has included these records as Detail records and preserved the "000" code in **OFFENSE** with the value label "HEADER Record".
 - d. The data in the variables **STATE**, **SEQNO**, and **AGENCNT** are inconsistent with the description of the variables in the codebook.
 - e. The variable **MSA** does not contain any valid responses.

No additional information was provided.

6. **Additional Information:** These studies are "static data snapshots" of the data available on the FBI website via the [Crime Data Explorer](#), which is continuously updated. For additional information on the Uniform Crime Reporting (UCR) Program, please visit the [UCR](#) website.

ICPSR 38788

Uniform Crime Reporting Program Data: Arrests by Age, Sex, and Race, Summarized Yearly, United States, 2020

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Six or More Months Dataset

ASR_ID: IDENTIFIER CODE FOR THE ASR MASTER FILE

Value	Label	Unweighted Frequency	%
3	-	223254	100.0 %
	Missing Data		
.	-	53	0.0 %
	Total	223,307	100%

Based upon 223,254 valid cases out of 223,307 total cases.

- Mean: 3.00
- Median: 3.00
- Mode: 3.00
- Minimum: 3.00
- Maximum: 3.00
- Standard Deviation: 0.00

Location: 1-1 (width: 1; decimal: 0)

Variable Type: numeric

CONTENTS: RECORD CONTENTS

Value	Label	Unweighted Frequency	%
1	Agency header only	7551	3.4 %
2	Detail record	215756	96.6 %
	Total	223,307	100%

Based upon 223,307 valid cases out of 223,307 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2-2 (width: 1; decimal: 0)

Variable Type: numeric

STATE: NUMERIC STATE CODE (UCR CODE)

Range is 01-62. Data records are in order by ORI code within numeric state code.

Value	Label	Unweighted Frequency	%
1	Alabama	3547	1.6 %
2	Arizona	2823	1.3 %
3	Arkansas	4679	2.1 %
4	California	16547	7.4 %
5	Colorado	3690	1.7 %

Value	Label	Unweighted Frequency	%
6	Connecticut	2230	1.0 %
7	Delaware	959	0.4 %
8	District of Columbia	36	0.0 %
9	Florida	790	0.4 %
10	Georgia	6225	2.8 %
11	Idaho	1835	0.8 %
12	Illinois	982	0.4 %
13	Indiana	3906	1.7 %
14	Iowa	4140	1.9 %
15	Kansas	4134	1.9 %
16	Kentucky	6432	2.9 %
17	Louisiana	3895	1.7 %
18	Maine	2714	1.2 %
19	Maryland	3246	1.5 %
20	Massachusetts	5331	2.4 %
21	Michigan	9279	4.2 %
22	Minnesota	6781	3.0 %
23	Mississippi	2328	1.0 %
24	Missouri	7402	3.3 %
25	Montana	1449	0.6 %
26	Nebraska	2307	1.0 %
27	Nevada	1404	0.6 %
28	New Hampshire	2990	1.3 %
29	New Jersey	10459	4.7 %
30	New Mexico	1603	0.7 %
31	New York	8061	3.6 %
32	North Carolina	7134	3.2 %
33	North Dakota	1563	0.7 %
34	Ohio	8267	3.7 %
35	Oklahoma	5859	2.6 %
36	Oregon	3469	1.6 %
37	Pennsylvania	2927	1.3 %
38	Rhode Island	970	0.4 %
39	South Carolina	5349	2.4 %
40	South Dakota	1669	0.7 %
41	Tennessee	7560	3.4 %
42	Texas	17282	7.7 %
43	Utah	2640	1.2 %
44	Vermont	1036	0.5 %

Value	Label	Unweighted Frequency	%
45	Virginia	6896	3.1 %
46	Washington	4372	2.0 %
47	West Virginia	3215	1.4 %
48	Wisconsin	7519	3.4 %
49	Wyoming	1350	0.6 %
50	Alaska	1422	0.6 %
	Missing Data		
.	-	53	0.0 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 223,254 valid cases out of 223,307 total cases.

- Minimum: 1.00
- Maximum: 99.00

Location: 3-4 (width: 2; decimal: 0)

Variable Type: numeric

ORI: ORIGINATING AGENCY IDENTIFIER CODE

Originating Agency Identifier. Labels for ORIs are provided in the data file.

Value	Label	Unweighted Frequency	%
AK00101	ANCHORAGE	-	-
AK00102	FAIRBANKS	-	-
AK00103	JUNEAU	-	-
AK00104	KETCHIKAN	-	-
AK00105	KODIAK	-	-
AK00106	NOME	-	-
AK00107	PETERSBURG	-	-
AK00108	SEWARD	-	-
AK00109	SITKA	-	-
AK00110	SKAGWAY	-	-
AK00111	WRANGELL	-	-
AK00112	VALDEZ	-	-
AK00113	BETHEL	-	-
AK00114	CORDOVA	-	-
AK00116	KOTZEBUE	-	-
AK00117	PALMER	-	-
AK00118	NORTH SLOPE BOROUGH	-	-

Value	Label	Unweighted Frequency	%
AK00119	SELDOVIA	-	-
AK00120	SOLDOTNA	-	-
AK00121	HAINES	-	-
AK00122	HOMER	-	-
AK00123	KENAI	-	-
AK00125	METLAKATLA TRIBAL	-	-
AK00126	FAIRBANKS INTRNL AIRPORT	-	-
AK00127	TED STEVENS ANCHORAGE INT	-	-
AK00128	WHITTIER	-	-
AK00130	DILLINGHAM	-	-
AK00131	HOONAH	-	-
AK00132	NORTH POLE	-	-
AK00133	UNALASKA	-	-
AK00135	KLAWOCK	-	-
AK00142	UNIV OF AK: FAIRBANKS	-	-
AK00143	UNIV OF AK: ANCHORAGE	-	-
AK00145	CRAIG	-	-
AK00146	BRISTOL BAY BOROUGH	-	-
AK00150	ST. PAUL	-	-
AK00152	SAND POINT	-	-
AK00156	WASILLA	-	-
AKAST00	STATE TROOPERS, JUNEAU	-	-
AKAST01	ALASKA STATE TROOPERS	-	-
AKAST06	STATE TROOPERS, BETHEL	-	-
AKAST15	STATE TROOPERS HQS, ANCHO	-	-
AKATF02	BUREAU OF ATF ANCHORAGE	-	-
AKFBIAN	FBI, ANCHORAGE	-	-
AL00100	JEFFERSON	-	-
AL00101	BESSEMER	-	-
AL00102	BIRMINGHAM	-	-
AL00103	MOUNTAIN BROOK	-	-
AL00104	FAIRFIELD	-	-
AL00105	GARDENDALE	-	-
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 223,307 valid cases out of 223,307 total cases.

Location: 5-13 (width: 9; decimal: 0)

Variable Type: character

GROUP: GROUP

Group 0 is possessions; 1-7 are cities, 8-9 are counties. Sub-Group (position 12) is blank when not used. All populations are inclusive.

Value	Label	Unweighted Frequency	%
-		53	0.0 %
0	Possessions (Puerto Rico, Guam, Canal Zone, Virgin Islands, and American Samoa)	32	0.0 %
1	All cities 250,000 or over:	0	0.0 %
1A	Cities 1,000,000 or over	361	0.2 %
1B	Cities from 500,000 thru 999,999	874	0.4 %
1C	Cities from 250,000 thru 499,999	1704	0.8 %
2	Cities from 100,000 thru 249,000	6549	2.9 %
3	Cities from 50,000 thru 99,000	13013	5.8 %
4	Cities from 25,000 thru 49,999	19999	9.0 %
5	Cities from 10,000 thru 24,999	34360	15.4 %
6	Cities from 2,500 thru 9,999	49878	22.3 %
7	Cities under 2,500	33522	15.0 %
8	Non-MSA Counties:	0	0.0 %
8A	Non-MSA counties 100,000 or over	122	0.1 %
8B	Non-MSA counties from 25,000 thru 99,999	5860	2.6 %
8C	Non-MSA counties from 10,000 thru 24,999	10491	4.7 %
8D	Non-MSA counties under 10,000	15692	7.0 %
8E	Non-MSA State Police	1162	0.5 %
9	MSA Counties:	0	0.0 %
9A	MSA counties 100,000 or over	4567	2.0 %
9B	MSA counties from 25,000 thru 99,999	10681	4.8 %
9C	MSA counties from 10,000 thru 24,999	5013	2.2 %
9D	MSA counties under 10,000	9101	4.1 %
9E	MSA State Police	273	0.1 %
	Total	223,307	100%

Based upon 223,307 valid cases out of 223,307 total cases.

Location: 14-15 (width: 2; decimal: 0)

Variable Type: character

DIV: GEOGRAPHIC DIVISION OF STATE

Geographic division in which the state is located (from 1 thru 9). Possessions are coded "0."

Value	Label	Unweighted Frequency	%
0	Possessions	39	0.0 %

Value	Label	Unweighted Frequency	%
1	New England	15271	6.8 %
2	Middle Atlantic	21447	9.6 %
3	East North Central	29953	13.4 %
4	West North Central	27996	12.5 %
5	South Atlantic	33850	15.2 %
6	East South Central	19867	8.9 %
7	West South Central	31715	14.2 %
8	Mountain	16794	7.5 %
9	Pacific	26322	11.8 %
	Missing Data		
.	-	53	0.0 %
	Total	223,307	100%

Based upon 223,254 valid cases out of 223,307 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 16-16 (width: 1; decimal: 0)

Variable Type: numeric

YEAR: YEAR

The year the data reflects.

Value	Label	Unweighted Frequency	%
2020	-	223254	100.0 %
	Missing Data		
.	-	53	0.0 %
	Total	223,307	100%

Based upon 223,254 valid cases out of 223,307 total cases.

- Mean: 2020.00
- Median: 2020.00
- Mode: 2020.00
- Minimum: 2020.00
- Maximum: 2020.00
- Standard Deviation: 0.00

Location: 17-20 (width: 4; decimal: 0)

Variable Type: numeric

MSA: METROPOLITAN STATISTICAL AREA OF CITY (UCR CODE)

Metropolitan Statistical Area (MSA) number in which the city is located, if any. Blank if not used.

Value	Label	Unweighted Frequency	%
	Missing Data		
9998	Not applicable	223307	100.0 %
	Total	223,307	100%

Based upon 0 valid cases out of 223,307 total cases.

Location: 21-24 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9998

SUB: SUBURBAN

A "suburban" agency is an MSA city with less than 50,000 population (groups 4 - 7) together with MSA counties (group 9).

Value	Label	Unweighted Frequency	%
0	Non-suburban	108219	48.5 %
1	Suburban	115035	51.5 %
	Missing Data		
.	-	53	0.0 %
	Total	223,307	100%

Based upon 223,254 valid cases out of 223,307 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 25-25 (width: 1; decimal: 0)

Variable Type: numeric

REPORT: REPORT INDICATION

Value	Label	Unweighted Frequency	%
0	Juvenile and adult reported	197652	88.5 %
1	Juvenile only reported	59	0.0 %
2	Adult only reported	20125	9.0 %
3	Not reported	0	0.0 %
5	UNDOCUMENTED CODE	5418	2.4 %
	Missing Data		
.	-	53	0.0 %
	Total	223,307	100%

Based upon 223,254 valid cases out of 223,307 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 26-26 (width: 1; decimal: 0)

Variable Type: numeric

ADJUST: ADJUSTMENT

Value	Label	Unweighted Frequency	%
0	Age, race, and ethnic origin reported	217299	97.3 %
1	No age reported	0	0.0 %
2	No race reported	0	0.0 %
3	No ethnic origin reported	5955	2.7 %
4	No race or ethnic origin reported	0	0.0 %
5	No age or ethnic origin reported	0	0.0 %
6	No age or race reported	0	0.0 %
	Missing Data		
9	Blank	53	0.0 %
	Total	223,307	100%

Based upon 223,254 valid cases out of 223,307 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 27-27 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9

SEQNO: SEQUENCE NUMBER (5-DIGIT)

A five-digit number which places all cities in alphabetic order, regardless of state. This field is blank for groups 0, 8, and 9.

Value	Label	Unweighted Frequency	%
0	-	223254	100.0 %
	Missing Data		
.	-	53	0.0 %
	Total	223,307	100%

Based upon 223,254 valid cases out of 223,307 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 28-28 (width: 1; decimal: 0)

Variable Type: numeric

COUNTY: COUNTY (3-DIGIT UCR CODE)

Three-digit numeric code for the county in which the agency is located.

Value	Label	Unweighted Frequency	%
0	-	9100	4.1 %
1	-	5017	2.2 %
2	-	5820	2.6 %
3	-	4820	2.2 %
4	-	4283	1.9 %
5	-	4133	1.9 %
6	-	3551	1.6 %
7	-	4995	2.2 %
8	-	3833	1.7 %
9	-	3995	1.8 %
10	-	3849	1.7 %
11	-	3326	1.5 %
12	-	2916	1.3 %
13	-	4201	1.9 %
14	-	4226	1.9 %
15	-	3971	1.8 %
16	-	3397	1.5 %
17	-	2739	1.2 %
18	-	3451	1.5 %
19	-	5037	2.3 %
20	-	2657	1.2 %
21	-	2442	1.1 %
22	-	1981	0.9 %
23	-	2380	1.1 %
24	-	2324	1.0 %
25	-	2880	1.3 %
26	-	2088	0.9 %
27	-	3110	1.4 %
28	-	2200	1.0 %
29	-	2085	0.9 %
30	-	3122	1.4 %
31	-	2919	1.3 %
32	-	1803	0.8 %
33	-	2521	1.1 %
34	-	2350	1.1 %
35	-	1533	0.7 %
36	-	3273	1.5 %

Value	Label	Unweighted Frequency	%
37	-	2499	1.1 %
38	-	1379	0.6 %
39	-	1896	0.8 %
40	-	2399	1.1 %
41	-	2019	0.9 %
42	-	1852	0.8 %
43	-	2448	1.1 %
44	-	1588	0.7 %
45	-	1794	0.8 %
46	-	1896	0.8 %
47	-	1785	0.8 %
48	-	1871	0.8 %
49	-	1953	0.9 %
	Missing Data		
.	-	53	0.0 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 223,254 valid cases out of 223,307 total cases.

- Mean: 40.45
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 41.60

Location: 29-31 (width: 3; decimal: 0)

Variable Type: numeric

CORE: CORE CITY

Value	Label	Unweighted Frequency	%
	-	53	0.0 %
N	Agency not core city	206008	92.3 %
Y	Agency is core city	17246	7.7 %
	Total	223,307	100%

Based upon 223,307 valid cases out of 223,307 total cases.

Location: 32-32 (width: 1; decimal: 0)

Variable Type: character

POP: CURRENT POPULATION

Total population for the agency for the year reported.

Based upon 223,254 valid cases out of 223,307 total cases.

- Mean: 34100.10
- Minimum: 0.00
- Maximum: 8300377.00
- Standard Deviation: 112596.48

Location: 33-39 (width: 7; decimal: 0)

Variable Type: numeric

AGENCNT: AGENCY COUNT

Used to accumulate "agencies used" totals in various tabulations. This field is normally "1" but will be "0" for the U.S. Park Police and all State Police agencies whose ORI code ends in "SP" (or "99" in California).

Value	Label	Unweighted Frequency	%
1	-	223254	100.0 %
	Missing Data		
.	-	53	0.0 %
	Total	223,307	100%

Based upon 223,254 valid cases out of 223,307 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

Location: 40-40 (width: 1; decimal: 0)

Variable Type: numeric

AGENCY: AGENCY NAME

Based upon 223,307 valid cases out of 223,307 total cases.

Location: 41-65 (width: 25; decimal: 0)

Variable Type: character

STNAME: STATE NAME

Value	Label	Unweighted Frequency	%
	-	53	0.0 %
ALABAMA	-	3547	1.6 %
ALASKA	-	1422	0.6 %
AMERICA	-	1	0.0 %

Value	Label	Unweighted Frequency	%
ARIZO N	-	2823	1.3 %
ARKA NS	-	4679	2.1 %
CALIF O	-	16547	7.4 %
CANAL	-	1	0.0 %
COLO RA	-	3690	1.7 %
CONN EC	-	2230	1.0 %
DELA WA	-	959	0.4 %
DISTRI	-	36	0.0 %
FEDER A	-	355	0.2 %
FLORI D	-	790	0.4 %
GEOR GI	-	6225	2.8 %
GUAM	-	4	0.0 %
HAWAI I	-	147	0.1 %
IDAHO	-	1835	0.8 %
ILLINO	-	982	0.4 %
INDIAN	-	3906	1.7 %
IOWA	-	4140	1.9 %
KANSA S	-	4134	1.9 %
KENTU C	-	6432	2.9 %
LOUISI	-	3895	1.7 %
MAINE	-	2714	1.2 %
MARIA N	-	1	0.0 %
MARY LA	-	3246	1.5 %
MASS AC	-	5331	2.4 %
MICHI G	-	9279	4.2 %
MINNE S	-	6781	3.0 %
MISSIS	-	2328	1.0 %

Value	Label	Unweighted Frequency	%
MISOU	-	7402	3.3 %
MONTAN	-	1449	0.6 %
NEBRAS	-	2307	1.0 %
NEVADA	-	1404	0.6 %
NEWHA	-	2990	1.3 %
NEWJE	-	10459	4.7 %
NEWME	-	1603	0.7 %
NEWYO	-	8061	3.6 %
NORTH	-	8697	3.9 %
OHIO	-	8267	3.7 %
OKLAHO	-	5859	2.6 %
OREGON	-	3469	1.6 %
OTHE R	-	10	0.0 %
PENNSY	-	2927	1.3 %
PUERTO	-	28	0.0 %
RHODE	-	970	0.4 %
SOUTH	-	7018	3.1 %
TENNES	-	7560	3.4 %
TEXAS	-	17282	7.7 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 223,307 valid cases out of 223,307 total cases.

Location: 66-71 (width: 6; decimal: 0)

Variable Type: character

CARD1: CARD 1 INDICATOR

Value	Label	Unweighted Frequency	%
0	No adult male reported	9223	4.1 %
1	Adult male reported	206533	92.5 %
	Missing Data		
8	Not applicable	7551	3.4 %
	Total	223,307	100%

Based upon 215,756 valid cases out of 223,307 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 72-72 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

CARD2: CARD 2 INDICATOR

Value	Label	Unweighted Frequency	%
0	No adult female reported	28410	12.7 %
1	Adult female reported	187346	83.9 %
	Missing Data		
8	Not applicable	7551	3.4 %
	Total	223,307	100%

Based upon 215,756 valid cases out of 223,307 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 73-73 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

CARD3: CARD 3 INDICATOR

Value	Label	Unweighted Frequency	%
0	No juvenile reported	52950	23.7 %
1	Juvenile reported	162806	72.9 %
	Missing Data		
8	Not applicable	7551	3.4 %
	Total	223,307	100%

Based upon 215,756 valid cases out of 223,307 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 74-74 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

OFFENSE: OFFENSE CODE

Value	Label	Unweighted Frequency	%
000	HEADER Record	43	0.0 %
011	Murder and non-negligent manslaughter	2302	1.0 %
012	Manslaughter by negligence	724	0.3 %
020	Forcible rape	3942	1.8 %
030	Robbery	4065	1.8 %
040	Aggravated assault	8929	4.0 %
050	Burglary-breaking or entering	7425	3.3 %
060	Larceny-theft (not motor vehicle)	8982	4.0 %
070	Motor vehicle theft	6136	2.7 %
080	Other assaults	10516	4.7 %
090	Arson	2409	1.1 %
100	Forgery and counterfeiting	4512	2.0 %
110	Fraud	6146	2.8 %
120	Embezzlement	1799	0.8 %
130	Stolen property-buy, receive, poss.	5515	2.5 %
140	Vandalism	7727	3.5 %
150	Weapons-carry, posses, etc.	7384	3.3 %
160	Prostitution and commercialized vice	999	0.4 %
161	Prostitution and commercialized vice - Prostitution	618	0.3 %
162	Prostitution and commercialized vice - Assisting or Promoting Prostitution	364	0.2 %
163	Prostitution and commercialized vice - Purchasing Prostitution	224	0.1 %
170	Sex offenses (not rape or prostitution)	4395	2.0 %
18	Total drug abuse violations	10510	4.7 %
180	Sale/manufacture (subtotal)	6793	3.0 %
181	Sale: Opium, coke, and their derivatives	3737	1.7 %
182	Sale: Marijuana	4160	1.9 %
183	Sale: Truly addicting synthetic narcotics	1642	0.7 %
184	Sale: Other dangerous non-narc drugs	4586	2.1 %
185	Possession (subtotal)	10308	4.6 %
186	Possession: Opium, coke, and their derivatives	6792	3.0 %
187	Possession: Marijuana	8388	3.8 %
188	Possession: Truly addicting synthetic narcotics	4318	1.9 %
189	Possession: Other dangerous non-narc drugs	8476	3.8 %
19	Gambling (total)	341	0.2 %
191	Bookmaking (horse and sports)	160	0.1 %

Value	Label	Unweighted Frequency	%
192	Number and lottery	144	0.1 %
193	All other gambling	246	0.1 %
200	Offenses against family and children	4494	2.0 %
210	Driving under the influence	10412	4.7 %
220	Liquor laws	5552	2.5 %
230	Drunkenness	4869	2.2 %
240	Disorderly conduct	7897	3.5 %
250	Vagrancy	1113	0.5 %
260	All other offenses (not traffic)	11272	5.0 %
270	Suspicion	176	0.1 %
280	Curfew and loitering violations	1035	0.5 %
290	Runaways	813	0.4 %
301	Human Trafficking - Commercial Sex Acts	266	0.1 %
302	Human Trafficking - Involuntary Servitude	184	0.1 %
990	Juvenile Disposition Data	1916	0.9 %
	Missing Data		
998	Not applicable	7551	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,756 valid cases out of 223,307 total cases.

Location: 75-77 (width: 3; decimal: 0)

Variable Type: character

(Range of) Missing Values: 998

MO_9: MALE UNDER 10

Value	Label	Unweighted Frequency	%
0	-	214962	96.3 %
1	-	629	0.3 %
2	-	149	0.1 %
3	-	38	0.0 %
4	-	16	0.0 %
5	-	4	0.0 %
6	-	3	0.0 %
7	-	3	0.0 %
8	-	2	0.0 %
9	-	1	0.0 %
10	-	1	0.0 %

Value	Label	Unweighted Frequency	%
13	-	1	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 13.00
- Standard Deviation: 0.11

Location: 78-83 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M10_12: MALE 10-12

Value	Label	Unweighted Frequency	%
0	-	208078	93.2 %
1	-	4906	2.2 %
2	-	1410	0.6 %
3	-	571	0.3 %
4	-	309	0.1 %
5	-	140	0.1 %
6	-	87	0.0 %
7	-	64	0.0 %
8	-	56	0.0 %
9	-	37	0.0 %
10	-	31	0.0 %
11	-	20	0.0 %
12	-	19	0.0 %
13	-	12	0.0 %
14	-	15	0.0 %
15	-	7	0.0 %
16	-	9	0.0 %
17	-	5	0.0 %
18	-	6	0.0 %
19	-	3	0.0 %
20	-	3	0.0 %
21	-	1	0.0 %

Value	Label	Unweighted Frequency	%
22	-	3	0.0 %
23	-	1	0.0 %
25	-	2	0.0 %
27	-	1	0.0 %
28	-	1	0.0 %
29	-	1	0.0 %
32	-	2	0.0 %
35	-	3	0.0 %
36	-	2	0.0 %
39	-	1	0.0 %
41	-	1	0.0 %
49	-	1	0.0 %
52	-	1	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 52.00
- Standard Deviation: 0.61

Location: 84-89 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M13_14: MALE 13-14

Value	Label	Unweighted Frequency	%
0	-	194463	87.1 %
1	-	11678	5.2 %
2	-	4108	1.8 %
3	-	1869	0.8 %
4	-	1041	0.5 %
5	-	650	0.3 %
6	-	445	0.2 %
7	-	271	0.1 %
8	-	215	0.1 %
9	-	174	0.1 %

Value	Label	Unweighted Frequency	%
10	-	127	0.1 %
11	-	116	0.1 %
12	-	98	0.0 %
13	-	71	0.0 %
14	-	62	0.0 %
15	-	53	0.0 %
16	-	33	0.0 %
17	-	39	0.0 %
18	-	32	0.0 %
19	-	23	0.0 %
20	-	18	0.0 %
21	-	22	0.0 %
22	-	16	0.0 %
23	-	17	0.0 %
24	-	14	0.0 %
25	-	10	0.0 %
26	-	7	0.0 %
27	-	11	0.0 %
28	-	7	0.0 %
29	-	10	0.0 %
30	-	12	0.0 %
31	-	7	0.0 %
32	-	4	0.0 %
33	-	5	0.0 %
34	-	8	0.0 %
35	-	5	0.0 %
36	-	4	0.0 %
37	-	3	0.0 %
38	-	2	0.0 %
39	-	4	0.0 %
40	-	5	0.0 %
41	-	4	0.0 %
42	-	2	0.0 %
43	-	4	0.0 %
44	-	4	0.0 %
45	-	1	0.0 %
46	-	5	0.0 %
48	-	1	0.0 %
50	-	4	0.0 %

Value	Label	Unweighted Frequency	%
52	-	3	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 0.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 126.00
- Standard Deviation: 1.61

Location: 90-95 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M15: MALE 15

Value	Label	Unweighted Frequency	%
0	-	193911	86.8 %
1	-	12761	5.7 %
2	-	4062	1.8 %
3	-	1811	0.8 %
4	-	953	0.4 %
5	-	580	0.3 %
6	-	392	0.2 %
7	-	291	0.1 %
8	-	199	0.1 %
9	-	149	0.1 %
10	-	103	0.0 %
11	-	88	0.0 %
12	-	92	0.0 %
13	-	57	0.0 %
14	-	50	0.0 %
15	-	46	0.0 %
16	-	31	0.0 %
17	-	36	0.0 %
18	-	18	0.0 %
19	-	12	0.0 %

Value	Label	Unweighted Frequency	%
20	-	15	0.0 %
21	-	10	0.0 %
22	-	15	0.0 %
23	-	12	0.0 %
24	-	6	0.0 %
25	-	7	0.0 %
26	-	7	0.0 %
27	-	12	0.0 %
28	-	4	0.0 %
29	-	4	0.0 %
30	-	9	0.0 %
31	-	2	0.0 %
32	-	2	0.0 %
33	-	5	0.0 %
34	-	4	0.0 %
35	-	2	0.0 %
36	-	7	0.0 %
37	-	5	0.0 %
38	-	3	0.0 %
39	-	6	0.0 %
40	-	1	0.0 %
41	-	2	0.0 %
42	-	1	0.0 %
43	-	2	0.0 %
44	-	2	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %
47	-	1	0.0 %
48	-	2	0.0 %
49	-	1	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 0.24
- Median: 0.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 1.38

Location: 96-101 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M16: MALE 16

Value	Label	Unweighted Frequency	%
0	-	188398	84.4 %
1	-	15582	7.0 %
2	-	5039	2.3 %
3	-	2362	1.1 %
4	-	1266	0.6 %
5	-	772	0.3 %
6	-	520	0.2 %
7	-	387	0.2 %
8	-	239	0.1 %
9	-	206	0.1 %
10	-	151	0.1 %
11	-	124	0.1 %
12	-	112	0.1 %
13	-	90	0.0 %
14	-	69	0.0 %
15	-	64	0.0 %
16	-	50	0.0 %
17	-	39	0.0 %
18	-	39	0.0 %
19	-	28	0.0 %
20	-	24	0.0 %
21	-	23	0.0 %
22	-	19	0.0 %
23	-	18	0.0 %
24	-	30	0.0 %
25	-	14	0.0 %
26	-	15	0.0 %
27	-	11	0.0 %
28	-	7	0.0 %
29	-	4	0.0 %
30	-	8	0.0 %

Value	Label	Unweighted Frequency	%
31	-	7	0.0 %
32	-	10	0.0 %
33	-	8	0.0 %
34	-	8	0.0 %
35	-	3	0.0 %
36	-	2	0.0 %
37	-	7	0.0 %
38	-	3	0.0 %
39	-	4	0.0 %
40	-	2	0.0 %
41	-	2	0.0 %
42	-	2	0.0 %
43	-	1	0.0 %
45	-	2	0.0 %
46	-	1	0.0 %
47	-	1	0.0 %
49	-	1	0.0 %
50	-	2	0.0 %
51	-	2	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 101.00
- Standard Deviation: 1.68

Location: 102-107 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M17: MALE 17

Value	Label	Unweighted Frequency	%
0	-	181495	81.3 %
1	-	19227	8.6 %

Value	Label	Unweighted Frequency	%
2	-	6304	2.8 %
3	-	2955	1.3 %
4	-	1635	0.7 %
5	-	989	0.4 %
6	-	716	0.3 %
7	-	504	0.2 %
8	-	338	0.2 %
9	-	293	0.1 %
10	-	178	0.1 %
11	-	168	0.1 %
12	-	128	0.1 %
13	-	115	0.1 %
14	-	83	0.0 %
15	-	68	0.0 %
16	-	70	0.0 %
17	-	51	0.0 %
18	-	53	0.0 %
19	-	44	0.0 %
20	-	40	0.0 %
21	-	32	0.0 %
22	-	33	0.0 %
23	-	26	0.0 %
24	-	22	0.0 %
25	-	19	0.0 %
26	-	19	0.0 %
27	-	14	0.0 %
28	-	10	0.0 %
29	-	12	0.0 %
30	-	15	0.0 %
31	-	9	0.0 %
32	-	7	0.0 %
33	-	9	0.0 %
34	-	10	0.0 %
35	-	3	0.0 %
36	-	8	0.0 %
37	-	4	0.0 %
38	-	5	0.0 %
39	-	2	0.0 %
40	-	4	0.0 %

Value	Label	Unweighted Frequency	%
41	-	8	0.0 %
42	-	6	0.0 %
43	-	3	0.0 %
44	-	2	0.0 %
45	-	6	0.0 %
46	-	3	0.0 %
47	-	5	0.0 %
48	-	2	0.0 %
49	-	2	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 0.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 157.00
- Standard Deviation: 2.08

Location: 108-113 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M18: MALE 18

Value	Label	Unweighted Frequency	%
0	-	169211	75.8 %
1	-	25012	11.2 %
2	-	8587	3.8 %
3	-	4054	1.8 %
4	-	2421	1.1 %
5	-	1425	0.6 %
6	-	938	0.4 %
7	-	751	0.3 %
8	-	543	0.2 %
9	-	475	0.2 %
10	-	329	0.1 %
11	-	263	0.1 %

Value	Label	Unweighted Frequency	%
12	-	226	0.1 %
13	-	180	0.1 %
14	-	139	0.1 %
15	-	135	0.1 %
16	-	112	0.1 %
17	-	103	0.0 %
18	-	63	0.0 %
19	-	79	0.0 %
20	-	49	0.0 %
21	-	46	0.0 %
22	-	55	0.0 %
23	-	45	0.0 %
24	-	35	0.0 %
25	-	36	0.0 %
26	-	24	0.0 %
27	-	29	0.0 %
28	-	29	0.0 %
29	-	23	0.0 %
30	-	19	0.0 %
31	-	21	0.0 %
32	-	19	0.0 %
33	-	21	0.0 %
34	-	14	0.0 %
35	-	10	0.0 %
36	-	14	0.0 %
37	-	16	0.0 %
38	-	16	0.0 %
39	-	6	0.0 %
40	-	15	0.0 %
41	-	9	0.0 %
42	-	16	0.0 %
43	-	13	0.0 %
44	-	12	0.0 %
45	-	13	0.0 %
46	-	7	0.0 %
47	-	8	0.0 %
48	-	4	0.0 %
49	-	5	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 0.65
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 258.00
- Standard Deviation: 3.08

Location: 114-119 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M19: MALE 19

Value	Label	Unweighted Frequency	%
0	-	166884	74.7 %
1	-	25754	11.5 %
2	-	9023	4.0 %
3	-	4188	1.9 %
4	-	2568	1.1 %
5	-	1542	0.7 %
6	-	1044	0.5 %
7	-	831	0.4 %
8	-	650	0.3 %
9	-	484	0.2 %
10	-	334	0.1 %
11	-	349	0.2 %
12	-	249	0.1 %
13	-	199	0.1 %
14	-	182	0.1 %
15	-	149	0.1 %
16	-	137	0.1 %
17	-	89	0.0 %
18	-	97	0.0 %
19	-	96	0.0 %
20	-	78	0.0 %
21	-	65	0.0 %

Value	Label	Unweighted Frequency	%
22	-	71	0.0 %
23	-	47	0.0 %
24	-	49	0.0 %
25	-	34	0.0 %
26	-	28	0.0 %
27	-	39	0.0 %
28	-	32	0.0 %
29	-	22	0.0 %
30	-	25	0.0 %
31	-	31	0.0 %
32	-	21	0.0 %
33	-	32	0.0 %
34	-	21	0.0 %
35	-	16	0.0 %
36	-	16	0.0 %
37	-	19	0.0 %
38	-	18	0.0 %
39	-	8	0.0 %
40	-	13	0.0 %
41	-	12	0.0 %
42	-	13	0.0 %
43	-	14	0.0 %
44	-	11	0.0 %
45	-	9	0.0 %
46	-	3	0.0 %
47	-	11	0.0 %
48	-	7	0.0 %
49	-	6	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 0.73
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 230.00

• Standard Deviation: 3.53

Location: 120-125 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M20: MALE 20

Value	Label	Unweighted Frequency	%
0	-	166223	74.4 %
1	-	26160	11.7 %
2	-	9013	4.0 %
3	-	4444	2.0 %
4	-	2632	1.2 %
5	-	1599	0.7 %
6	-	1102	0.5 %
7	-	776	0.3 %
8	-	583	0.3 %
9	-	467	0.2 %
10	-	374	0.2 %
11	-	284	0.1 %
12	-	246	0.1 %
13	-	203	0.1 %
14	-	179	0.1 %
15	-	134	0.1 %
16	-	129	0.1 %
17	-	111	0.0 %
18	-	85	0.0 %
19	-	78	0.0 %
20	-	75	0.0 %
21	-	64	0.0 %
22	-	67	0.0 %
23	-	49	0.0 %
24	-	52	0.0 %
25	-	48	0.0 %
26	-	34	0.0 %
27	-	36	0.0 %
28	-	29	0.0 %
29	-	32	0.0 %
30	-	21	0.0 %
31	-	25	0.0 %
32	-	16	0.0 %

Value	Label	Unweighted Frequency	%
33	-	18	0.0 %
34	-	25	0.0 %
35	-	22	0.0 %
36	-	12	0.0 %
37	-	13	0.0 %
38	-	23	0.0 %
39	-	15	0.0 %
40	-	6	0.0 %
41	-	14	0.0 %
42	-	8	0.0 %
43	-	11	0.0 %
44	-	9	0.0 %
45	-	9	0.0 %
46	-	7	0.0 %
47	-	12	0.0 %
48	-	8	0.0 %
49	-	8	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 0.76
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1000.00
- Standard Deviation: 5.35

Location: 126-131 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M21: MALE 21

Value	Label	Unweighted Frequency	%
0	-	165921	74.3 %
1	-	26475	11.9 %
2	-	8919	4.0 %
3	-	4338	1.9 %

Value	Label	Unweighted Frequency	%
4	-	2493	1.1 %
5	-	1692	0.8 %
6	-	1100	0.5 %
7	-	842	0.4 %
8	-	573	0.3 %
9	-	518	0.2 %
10	-	381	0.2 %
11	-	293	0.1 %
12	-	237	0.1 %
13	-	229	0.1 %
14	-	165	0.1 %
15	-	128	0.1 %
16	-	135	0.1 %
17	-	121	0.1 %
18	-	106	0.0 %
19	-	96	0.0 %
20	-	79	0.0 %
21	-	51	0.0 %
22	-	53	0.0 %
23	-	58	0.0 %
24	-	56	0.0 %
25	-	43	0.0 %
26	-	47	0.0 %
27	-	46	0.0 %
28	-	33	0.0 %
29	-	34	0.0 %
30	-	20	0.0 %
31	-	31	0.0 %
32	-	23	0.0 %
33	-	26	0.0 %
34	-	25	0.0 %
35	-	17	0.0 %
36	-	23	0.0 %
37	-	22	0.0 %
38	-	11	0.0 %
39	-	16	0.0 %
40	-	12	0.0 %
41	-	14	0.0 %
42	-	6	0.0 %

Value	Label	Unweighted Frequency	%
43	-	11	0.0 %
44	-	17	0.0 %
45	-	10	0.0 %
46	-	9	0.0 %
47	-	6	0.0 %
48	-	8	0.0 %
49	-	5	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 0.77
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 320.00
- Standard Deviation: 3.92

Location: 132-137 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M22: MALE 22

Value	Label	Unweighted Frequency	%
0	-	165985	74.3 %
1	-	26437	11.8 %
2	-	8795	3.9 %
3	-	4406	2.0 %
4	-	2530	1.1 %
5	-	1661	0.7 %
6	-	1071	0.5 %
7	-	851	0.4 %
8	-	625	0.3 %
9	-	477	0.2 %
10	-	352	0.2 %
11	-	308	0.1 %
12	-	241	0.1 %
13	-	198	0.1 %

Value	Label	Unweighted Frequency	%
14	-	185	0.1 %
15	-	134	0.1 %
16	-	148	0.1 %
17	-	131	0.1 %
18	-	96	0.0 %
19	-	102	0.0 %
20	-	88	0.0 %
21	-	76	0.0 %
22	-	58	0.0 %
23	-	62	0.0 %
24	-	45	0.0 %
25	-	43	0.0 %
26	-	49	0.0 %
27	-	37	0.0 %
28	-	25	0.0 %
29	-	38	0.0 %
30	-	39	0.0 %
31	-	28	0.0 %
32	-	21	0.0 %
33	-	24	0.0 %
34	-	24	0.0 %
35	-	20	0.0 %
36	-	15	0.0 %
37	-	14	0.0 %
38	-	15	0.0 %
39	-	8	0.0 %
40	-	14	0.0 %
41	-	12	0.0 %
42	-	15	0.0 %
43	-	20	0.0 %
44	-	7	0.0 %
45	-	14	0.0 %
46	-	8	0.0 %
47	-	4	0.0 %
48	-	13	0.0 %
49	-	8	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 0.77
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 324.00
- Standard Deviation: 4.04

Location: 138-143 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M23: MALE 23

Value	Label	Unweighted Frequency	%
0	-	166224	74.4 %
1	-	26124	11.7 %
2	-	8893	4.0 %
3	-	4287	1.9 %
4	-	2554	1.1 %
5	-	1638	0.7 %
6	-	1154	0.5 %
7	-	839	0.4 %
8	-	600	0.3 %
9	-	463	0.2 %
10	-	388	0.2 %
11	-	302	0.1 %
12	-	279	0.1 %
13	-	217	0.1 %
14	-	186	0.1 %
15	-	139	0.1 %
16	-	130	0.1 %
17	-	110	0.0 %
18	-	94	0.0 %
19	-	88	0.0 %
20	-	78	0.0 %
21	-	73	0.0 %
22	-	69	0.0 %
23	-	55	0.0 %
24	-	66	0.0 %
25	-	56	0.0 %

Value	Label	Unweighted Frequency	%
26	-	47	0.0 %
27	-	38	0.0 %
28	-	38	0.0 %
29	-	25	0.0 %
30	-	34	0.0 %
31	-	22	0.0 %
32	-	27	0.0 %
33	-	17	0.0 %
34	-	26	0.0 %
35	-	21	0.0 %
36	-	29	0.0 %
37	-	17	0.0 %
38	-	17	0.0 %
39	-	11	0.0 %
40	-	15	0.0 %
41	-	10	0.0 %
42	-	6	0.0 %
43	-	8	0.0 %
44	-	12	0.0 %
45	-	15	0.0 %
46	-	12	0.0 %
47	-	7	0.0 %
48	-	8	0.0 %
49	-	12	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 0.78
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 353.00
- Standard Deviation: 4.16

Location: 144-149 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M24: MALE 24

Value	Label	Unweighted Frequency	%
0	-	165947	74.3 %
1	-	25994	11.6 %
2	-	8820	3.9 %
3	-	4465	2.0 %
4	-	2537	1.1 %
5	-	1775	0.8 %
6	-	1147	0.5 %
7	-	843	0.4 %
8	-	639	0.3 %
9	-	479	0.2 %
10	-	388	0.2 %
11	-	320	0.1 %
12	-	276	0.1 %
13	-	216	0.1 %
14	-	186	0.1 %
15	-	182	0.1 %
16	-	124	0.1 %
17	-	108	0.0 %
18	-	97	0.0 %
19	-	91	0.0 %
20	-	87	0.0 %
21	-	80	0.0 %
22	-	62	0.0 %
23	-	62	0.0 %
24	-	62	0.0 %
25	-	52	0.0 %
26	-	36	0.0 %
27	-	45	0.0 %
28	-	37	0.0 %
29	-	34	0.0 %
30	-	33	0.0 %
31	-	27	0.0 %
32	-	34	0.0 %
33	-	24	0.0 %
34	-	20	0.0 %
35	-	18	0.0 %
36	-	21	0.0 %

Value	Label	Unweighted Frequency	%
37	-	17	0.0 %
38	-	23	0.0 %
39	-	18	0.0 %
40	-	13	0.0 %
41	-	25	0.0 %
42	-	11	0.0 %
43	-	11	0.0 %
44	-	15	0.0 %
45	-	12	0.0 %
46	-	16	0.0 %
47	-	10	0.0 %
48	-	10	0.0 %
49	-	12	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 0.80
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 391.00
- Standard Deviation: 4.29

Location: 150-155 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M25_29: MALE 25-29

Value	Label	Unweighted Frequency	%
0	-	107171	48.0 %
1	-	39694	17.8 %
2	-	17529	7.8 %
3	-	10019	4.5 %
4	-	6760	3.0 %
5	-	4812	2.2 %
6	-	3698	1.7 %
7	-	2883	1.3 %

Value	Label	Unweighted Frequency	%
8	-	2375	1.1 %
9	-	1983	0.9 %
10	-	1621	0.7 %
11	-	1356	0.6 %
12	-	1263	0.6 %
13	-	1037	0.5 %
14	-	939	0.4 %
15	-	810	0.4 %
16	-	718	0.3 %
17	-	714	0.3 %
18	-	553	0.2 %
19	-	527	0.2 %
20	-	480	0.2 %
21	-	427	0.2 %
22	-	421	0.2 %
23	-	346	0.2 %
24	-	342	0.2 %
25	-	305	0.1 %
26	-	310	0.1 %
27	-	272	0.1 %
28	-	260	0.1 %
29	-	232	0.1 %
30	-	212	0.1 %
31	-	214	0.1 %
32	-	190	0.1 %
33	-	195	0.1 %
34	-	185	0.1 %
35	-	144	0.1 %
36	-	166	0.1 %
37	-	152	0.1 %
38	-	153	0.1 %
39	-	126	0.1 %
40	-	130	0.1 %
41	-	123	0.1 %
42	-	119	0.1 %
43	-	104	0.0 %
44	-	113	0.1 %
45	-	113	0.1 %
46	-	89	0.0 %

Value	Label	Unweighted Frequency	%
47	-	94	0.0 %
48	-	85	0.0 %
49	-	91	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 4.45
- Minimum: 0.00
- Maximum: 2787.00
- Standard Deviation: 23.94

Location: 156-161 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M30_34: MALE 30-34

Value	Label	Unweighted Frequency	%
0	-	109429	49.0 %
1	-	39684	17.8 %
2	-	17307	7.8 %
3	-	9832	4.4 %
4	-	6565	2.9 %
5	-	4701	2.1 %
6	-	3657	1.6 %
7	-	2798	1.3 %
8	-	2249	1.0 %
9	-	1908	0.9 %
10	-	1530	0.7 %
11	-	1291	0.6 %
12	-	1104	0.5 %
13	-	1010	0.5 %
14	-	876	0.4 %
15	-	811	0.4 %
16	-	716	0.3 %
17	-	628	0.3 %
18	-	512	0.2 %
19	-	495	0.2 %

Value	Label	Unweighted Frequency	%
20	-	470	0.2 %
21	-	416	0.2 %
22	-	389	0.2 %
23	-	346	0.2 %
24	-	341	0.2 %
25	-	313	0.1 %
26	-	253	0.1 %
27	-	282	0.1 %
28	-	238	0.1 %
29	-	231	0.1 %
30	-	209	0.1 %
31	-	184	0.1 %
32	-	189	0.1 %
33	-	191	0.1 %
34	-	170	0.1 %
35	-	125	0.1 %
36	-	171	0.1 %
37	-	147	0.1 %
38	-	138	0.1 %
39	-	120	0.1 %
40	-	122	0.1 %
41	-	110	0.0 %
42	-	103	0.0 %
43	-	101	0.0 %
44	-	98	0.0 %
45	-	77	0.0 %
46	-	82	0.0 %
47	-	89	0.0 %
48	-	56	0.0 %
49	-	77	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 4.13
- Minimum: 0.00

- Maximum: 3237.00
- Standard Deviation: 22.60

Location: 162-167 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M35_39: MALE 35-39

Value	Label	Unweighted Frequency	%
0	-	116559	52.2 %
1	-	38952	17.4 %
2	-	16134	7.2 %
3	-	9256	4.1 %
4	-	6127	2.7 %
5	-	4338	1.9 %
6	-	3243	1.5 %
7	-	2543	1.1 %
8	-	2024	0.9 %
9	-	1695	0.8 %
10	-	1393	0.6 %
11	-	1152	0.5 %
12	-	1034	0.5 %
13	-	843	0.4 %
14	-	769	0.3 %
15	-	648	0.3 %
16	-	616	0.3 %
17	-	523	0.2 %
18	-	477	0.2 %
19	-	452	0.2 %
20	-	388	0.2 %
21	-	357	0.2 %
22	-	333	0.1 %
23	-	333	0.1 %
24	-	273	0.1 %
25	-	213	0.1 %
26	-	221	0.1 %
27	-	194	0.1 %
28	-	190	0.1 %
29	-	167	0.1 %
30	-	177	0.1 %
31	-	147	0.1 %
32	-	175	0.1 %

Value	Label	Unweighted Frequency	%
33	-	131	0.1 %
34	-	130	0.1 %
35	-	100	0.0 %
36	-	116	0.1 %
37	-	118	0.1 %
38	-	118	0.1 %
39	-	99	0.0 %
40	-	91	0.0 %
41	-	98	0.0 %
42	-	113	0.1 %
43	-	112	0.1 %
44	-	71	0.0 %
45	-	66	0.0 %
46	-	67	0.0 %
47	-	61	0.0 %
48	-	67	0.0 %
49	-	77	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 3.40
- Minimum: 0.00
- Maximum: 2833.00
- Standard Deviation: 18.52

Location: 168-173 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M40_44: MALE 40-44

Value	Label	Unweighted Frequency	%
0	-	129820	58.1 %
1	-	35651	16.0 %
2	-	14685	6.6 %
3	-	8102	3.6 %
4	-	5239	2.3 %
5	-	3583	1.6 %

Value	Label	Unweighted Frequency	%
6	-	2688	1.2 %
7	-	2112	0.9 %
8	-	1603	0.7 %
9	-	1282	0.6 %
10	-	1148	0.5 %
11	-	930	0.4 %
12	-	811	0.4 %
13	-	727	0.3 %
14	-	587	0.3 %
15	-	533	0.2 %
16	-	417	0.2 %
17	-	400	0.2 %
18	-	339	0.2 %
19	-	308	0.1 %
20	-	302	0.1 %
21	-	246	0.1 %
22	-	238	0.1 %
23	-	213	0.1 %
24	-	205	0.1 %
25	-	204	0.1 %
26	-	179	0.1 %
27	-	162	0.1 %
28	-	141	0.1 %
29	-	132	0.1 %
30	-	115	0.1 %
31	-	112	0.1 %
32	-	100	0.0 %
33	-	112	0.1 %
34	-	71	0.0 %
35	-	92	0.0 %
36	-	89	0.0 %
37	-	64	0.0 %
38	-	57	0.0 %
39	-	53	0.0 %
40	-	59	0.0 %
41	-	66	0.0 %
42	-	48	0.0 %
43	-	68	0.0 %
44	-	49	0.0 %

Value	Label	Unweighted Frequency	%
45	-	60	0.0 %
46	-	54	0.0 %
47	-	38	0.0 %
48	-	50	0.0 %
49	-	46	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 2.46
- Minimum: 0.00
- Maximum: 2073.00
- Standard Deviation: 13.66

Location: 174-179 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M45_49: MALE 45-49

Value	Label	Unweighted Frequency	%
0	-	144364	64.6 %
1	-	32298	14.5 %
2	-	12398	5.6 %
3	-	6512	2.9 %
4	-	4114	1.8 %
5	-	3004	1.3 %
6	-	2058	0.9 %
7	-	1486	0.7 %
8	-	1231	0.6 %
9	-	978	0.4 %
10	-	754	0.3 %
11	-	709	0.3 %
12	-	517	0.2 %
13	-	491	0.2 %
14	-	440	0.2 %
15	-	349	0.2 %
16	-	300	0.1 %
17	-	282	0.1 %

Value	Label	Unweighted Frequency	%
18	-	249	0.1 %
19	-	210	0.1 %
20	-	215	0.1 %
21	-	147	0.1 %
22	-	171	0.1 %
23	-	144	0.1 %
24	-	136	0.1 %
25	-	105	0.0 %
26	-	80	0.0 %
27	-	105	0.0 %
28	-	110	0.0 %
29	-	72	0.0 %
30	-	89	0.0 %
31	-	63	0.0 %
32	-	71	0.0 %
33	-	70	0.0 %
34	-	50	0.0 %
35	-	63	0.0 %
36	-	38	0.0 %
37	-	60	0.0 %
38	-	47	0.0 %
39	-	46	0.0 %
40	-	37	0.0 %
41	-	51	0.0 %
42	-	42	0.0 %
43	-	43	0.0 %
44	-	29	0.0 %
45	-	30	0.0 %
46	-	38	0.0 %
47	-	29	0.0 %
48	-	28	0.0 %
49	-	19	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 1.68
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1613.00
- Standard Deviation: 9.86

Location: 180-185 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M50_54: MALE 50-54

Value	Label	Unweighted Frequency	%
0	-	152301	68.2 %
1	-	30070	13.5 %
2	-	11217	5.0 %
3	-	5711	2.6 %
4	-	3628	1.6 %
5	-	2406	1.1 %
6	-	1719	0.8 %
7	-	1254	0.6 %
8	-	1018	0.5 %
9	-	848	0.4 %
10	-	640	0.3 %
11	-	477	0.2 %
12	-	438	0.2 %
13	-	337	0.2 %
14	-	309	0.1 %
15	-	293	0.1 %
16	-	228	0.1 %
17	-	209	0.1 %
18	-	208	0.1 %
19	-	172	0.1 %
20	-	143	0.1 %
21	-	131	0.1 %
22	-	116	0.1 %
23	-	89	0.0 %
24	-	89	0.0 %
25	-	94	0.0 %
26	-	106	0.0 %
27	-	75	0.0 %
28	-	87	0.0 %
29	-	67	0.0 %

Value	Label	Unweighted Frequency	%
30	-	56	0.0 %
31	-	56	0.0 %
32	-	53	0.0 %
33	-	49	0.0 %
34	-	53	0.0 %
35	-	36	0.0 %
36	-	44	0.0 %
37	-	48	0.0 %
38	-	34	0.0 %
39	-	40	0.0 %
40	-	33	0.0 %
41	-	29	0.0 %
42	-	28	0.0 %
43	-	20	0.0 %
44	-	27	0.0 %
45	-	32	0.0 %
46	-	18	0.0 %
47	-	28	0.0 %
48	-	25	0.0 %
49	-	17	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 1.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1381.00
- Standard Deviation: 8.28

Location: 186-191 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M55_59: MALE 55-59

Value	Label	Unweighted Frequency	%
0	-	161197	72.2 %

Value	Label	Unweighted Frequency	%
1	-	27109	12.1 %
2	-	9542	4.3 %
3	-	5016	2.2 %
4	-	3009	1.3 %
5	-	1912	0.9 %
6	-	1431	0.6 %
7	-	997	0.4 %
8	-	747	0.3 %
9	-	561	0.3 %
10	-	500	0.2 %
11	-	393	0.2 %
12	-	333	0.1 %
13	-	274	0.1 %
14	-	258	0.1 %
15	-	224	0.1 %
16	-	175	0.1 %
17	-	158	0.1 %
18	-	133	0.1 %
19	-	121	0.1 %
20	-	119	0.1 %
21	-	113	0.1 %
22	-	87	0.0 %
23	-	90	0.0 %
24	-	68	0.0 %
25	-	66	0.0 %
26	-	70	0.0 %
27	-	90	0.0 %
28	-	47	0.0 %
29	-	44	0.0 %
30	-	40	0.0 %
31	-	40	0.0 %
32	-	37	0.0 %
33	-	33	0.0 %
34	-	35	0.0 %
35	-	30	0.0 %
36	-	26	0.0 %
37	-	31	0.0 %
38	-	30	0.0 %
39	-	28	0.0 %

Value	Label	Unweighted Frequency	%
40	-	11	0.0 %
41	-	25	0.0 %
42	-	22	0.0 %
43	-	27	0.0 %
44	-	12	0.0 %
45	-	20	0.0 %
46	-	18	0.0 %
47	-	17	0.0 %
48	-	14	0.0 %
49	-	15	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 1.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1134.00
- Standard Deviation: 6.65

Location: 192-197 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M60_64: MALE 60-64

Value	Label	Unweighted Frequency	%
0	-	176508	79.0 %
1	-	21939	9.8 %
2	-	6892	3.1 %
3	-	3319	1.5 %
4	-	1830	0.8 %
5	-	1156	0.5 %
6	-	822	0.4 %
7	-	594	0.3 %
8	-	415	0.2 %
9	-	300	0.1 %
10	-	230	0.1 %

Value	Label	Unweighted Frequency	%
11	-	208	0.1 %
12	-	170	0.1 %
13	-	164	0.1 %
14	-	123	0.1 %
15	-	112	0.1 %
16	-	90	0.0 %
17	-	64	0.0 %
18	-	68	0.0 %
19	-	71	0.0 %
20	-	56	0.0 %
21	-	49	0.0 %
22	-	39	0.0 %
23	-	38	0.0 %
24	-	43	0.0 %
25	-	28	0.0 %
26	-	30	0.0 %
27	-	24	0.0 %
28	-	33	0.0 %
29	-	21	0.0 %
30	-	16	0.0 %
31	-	20	0.0 %
32	-	14	0.0 %
33	-	8	0.0 %
34	-	15	0.0 %
35	-	15	0.0 %
36	-	9	0.0 %
37	-	10	0.0 %
38	-	11	0.0 %
39	-	15	0.0 %
40	-	15	0.0 %
41	-	10	0.0 %
42	-	5	0.0 %
43	-	6	0.0 %
44	-	5	0.0 %
45	-	7	0.0 %
46	-	7	0.0 %
47	-	4	0.0 %
48	-	6	0.0 %
49	-	4	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 0.57
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 654.00
- Standard Deviation: 3.81

Location: 198-203 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M65: MALE OVER 64

Value	Label	Unweighted Frequency	%
0	-	185484	83.1 %
1	-	18332	8.2 %
2	-	5207	2.3 %
3	-	2350	1.1 %
4	-	1347	0.6 %
5	-	784	0.4 %
6	-	532	0.2 %
7	-	295	0.1 %
8	-	268	0.1 %
9	-	180	0.1 %
10	-	143	0.1 %
11	-	128	0.1 %
12	-	96	0.0 %
13	-	76	0.0 %
14	-	58	0.0 %
15	-	44	0.0 %
16	-	46	0.0 %
17	-	44	0.0 %
18	-	28	0.0 %
19	-	24	0.0 %
20	-	35	0.0 %

Value	Label	Unweighted Frequency	%
21	-	18	0.0 %
22	-	22	0.0 %
23	-	20	0.0 %
24	-	9	0.0 %
25	-	8	0.0 %
26	-	17	0.0 %
27	-	10	0.0 %
28	-	18	0.0 %
29	-	10	0.0 %
30	-	5	0.0 %
31	-	11	0.0 %
32	-	3	0.0 %
33	-	10	0.0 %
34	-	2	0.0 %
35	-	7	0.0 %
36	-	5	0.0 %
37	-	9	0.0 %
38	-	8	0.0 %
39	-	8	0.0 %
40	-	3	0.0 %
41	-	3	0.0 %
42	-	6	0.0 %
43	-	3	0.0 %
44	-	2	0.0 %
45	-	2	0.0 %
46	-	4	0.0 %
47	-	2	0.0 %
48	-	1	0.0 %
49	-	4	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 369.00
- Standard Deviation: 2.44

Location: 204-209 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F0_9: FEMALE UNDER 10

Value	Label	Unweighted Frequency	%
0	-	215551	96.5 %
1	-	217	0.1 %
2	-	28	0.0 %
3	-	5	0.0 %
4	-	3	0.0 %
5	-	5	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.05

Location: 210-215 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F10_12: FEMALE 10-12

Value	Label	Unweighted Frequency	%
0	-	211936	94.9 %
1	-	2517	1.1 %
2	-	693	0.3 %
3	-	289	0.1 %
4	-	149	0.1 %
5	-	68	0.0 %
6	-	29	0.0 %
7	-	33	0.0 %
8	-	27	0.0 %
9	-	22	0.0 %
10	-	5	0.0 %

Value	Label	Unweighted Frequency	%
11	-	4	0.0 %
12	-	9	0.0 %
13	-	7	0.0 %
14	-	3	0.0 %
15	-	1	0.0 %
16	-	1	0.0 %
17	-	2	0.0 %
19	-	2	0.0 %
20	-	1	0.0 %
21	-	2	0.0 %
22	-	1	0.0 %
23	-	1	0.0 %
24	-	1	0.0 %
27	-	1	0.0 %
30	-	1	0.0 %
33	-	1	0.0 %
34	-	1	0.0 %
38	-	1	0.0 %
56	-	1	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 56.00
- Standard Deviation: 0.40

Location: 216-221 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F13_14: FEMALE 13-14

Value	Label	Unweighted Frequency	%
0	-	204286	91.5 %
1	-	6689	3.0 %
2	-	2129	1.0 %
3	-	974	0.4 %

Value	Label	Unweighted Frequency	%
4	-	491	0.2 %
5	-	313	0.1 %
6	-	190	0.1 %
7	-	147	0.1 %
8	-	114	0.1 %
9	-	83	0.0 %
10	-	64	0.0 %
11	-	52	0.0 %
12	-	45	0.0 %
13	-	26	0.0 %
14	-	25	0.0 %
15	-	27	0.0 %
16	-	15	0.0 %
17	-	17	0.0 %
18	-	10	0.0 %
19	-	15	0.0 %
20	-	11	0.0 %
21	-	12	0.0 %
22	-	8	0.0 %
23	-	6	0.0 %
24	-	8	0.0 %
25	-	2	0.0 %
26	-	5	0.0 %
27	-	2	0.0 %
29	-	2	0.0 %
30	-	3	0.0 %
31	-	4	0.0 %
32	-	4	0.0 %
33	-	1	0.0 %
34	-	2	0.0 %
35	-	1	0.0 %
37	-	4	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
41	-	1	0.0 %
42	-	4	0.0 %
43	-	1	0.0 %
45	-	1	0.0 %
47	-	1	0.0 %

Value	Label	Unweighted Frequency	%
49	-	1	0.0 %
52	-	1	0.0 %
57	-	1	0.0 %
62	-	1	0.0 %
64	-	1	0.0 %
68	-	1	0.0 %
71	-	1	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 178.00
- Standard Deviation: 1.13

Location: 222-227 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F15: FEMALE 15

Value	Label	Unweighted Frequency	%
0	-	205175	91.9 %
1	-	6729	3.0 %
2	-	1850	0.8 %
3	-	788	0.4 %
4	-	430	0.2 %
5	-	232	0.1 %
6	-	143	0.1 %
7	-	98	0.0 %
8	-	78	0.0 %
9	-	53	0.0 %
10	-	41	0.0 %
11	-	42	0.0 %
12	-	27	0.0 %
13	-	20	0.0 %

Value	Label	Unweighted Frequency	%
14	-	18	0.0 %
15	-	14	0.0 %
16	-	13	0.0 %
17	-	7	0.0 %
18	-	9	0.0 %
19	-	5	0.0 %
20	-	4	0.0 %
21	-	2	0.0 %
22	-	3	0.0 %
23	-	2	0.0 %
25	-	2	0.0 %
26	-	3	0.0 %
27	-	3	0.0 %
28	-	2	0.0 %
33	-	2	0.0 %
34	-	1	0.0 %
37	-	1	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
41	-	1	0.0 %
43	-	2	0.0 %
44	-	2	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %
57	-	1	0.0 %
64	-	1	0.0 %
128	-	1	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 128.00
- Standard Deviation: 0.81

Location: 228-233 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F16: FEMALE 16

Value	Label	Unweighted Frequency	%
0	-	202731	90.8 %
1	-	8354	3.7 %
2	-	2249	1.0 %
3	-	963	0.4 %
4	-	502	0.2 %
5	-	273	0.1 %
6	-	168	0.1 %
7	-	135	0.1 %
8	-	83	0.0 %
9	-	57	0.0 %
10	-	58	0.0 %
11	-	47	0.0 %
12	-	25	0.0 %
13	-	39	0.0 %
14	-	15	0.0 %
15	-	10	0.0 %
16	-	26	0.0 %
17	-	10	0.0 %
18	-	5	0.0 %
19	-	7	0.0 %
20	-	7	0.0 %
21	-	2	0.0 %
22	-	4	0.0 %
23	-	6	0.0 %
24	-	6	0.0 %
25	-	1	0.0 %
26	-	5	0.0 %
27	-	1	0.0 %
28	-	2	0.0 %
29	-	2	0.0 %
30	-	2	0.0 %
32	-	3	0.0 %
33	-	1	0.0 %
36	-	1	0.0 %
40	-	1	0.0 %
47	-	2	0.0 %
48	-	1	0.0 %

Value	Label	Unweighted Frequency	%
61	-	1	0.0 %
70	-	1	0.0 %
72	-	1	0.0 %
96	-	1	0.0 %
99	-	1	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 0.89

Location: 234-239 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F17: FEMALE 17

Value	Label	Unweighted Frequency	%
0	-	200100	89.6 %
1	-	9978	4.5 %
2	-	2693	1.2 %
3	-	1160	0.5 %
4	-	664	0.3 %
5	-	362	0.2 %
6	-	227	0.1 %
7	-	137	0.1 %
8	-	105	0.0 %
9	-	74	0.0 %
10	-	56	0.0 %
11	-	34	0.0 %
12	-	27	0.0 %
13	-	30	0.0 %
14	-	24	0.0 %
15	-	20	0.0 %
16	-	14	0.0 %
17	-	19	0.0 %

Value	Label	Unweighted Frequency	%
18	-	7	0.0 %
19	-	10	0.0 %
20	-	12	0.0 %
21	-	10	0.0 %
22	-	7	0.0 %
23	-	3	0.0 %
24	-	3	0.0 %
25	-	5	0.0 %
26	-	2	0.0 %
27	-	3	0.0 %
28	-	3	0.0 %
30	-	1	0.0 %
31	-	4	0.0 %
32	-	2	0.0 %
33	-	2	0.0 %
34	-	1	0.0 %
35	-	1	0.0 %
37	-	1	0.0 %
40	-	1	0.0 %
44	-	1	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
60	-	1	0.0 %
71	-	2	0.0 %
87	-	1	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 87.00
- Standard Deviation: 0.92

Location: 240-245 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F18: FEMALE 18

Value	Label	Unweighted Frequency	%
0	-	193459	86.6 %
1	-	13889	6.2 %
2	-	3823	1.7 %
3	-	1732	0.8 %
4	-	939	0.4 %
5	-	526	0.2 %
6	-	334	0.1 %
7	-	243	0.1 %
8	-	159	0.1 %
9	-	130	0.1 %
10	-	74	0.0 %
11	-	87	0.0 %
12	-	52	0.0 %
13	-	57	0.0 %
14	-	44	0.0 %
15	-	41	0.0 %
16	-	29	0.0 %
17	-	24	0.0 %
18	-	14	0.0 %
19	-	14	0.0 %
20	-	11	0.0 %
21	-	21	0.0 %
22	-	8	0.0 %
23	-	7	0.0 %
24	-	9	0.0 %
25	-	13	0.0 %
26	-	14	0.0 %
27	-	7	0.0 %
28	-	7	0.0 %
29	-	2	0.0 %
30	-	3	0.0 %
31	-	8	0.0 %
32	-	4	0.0 %
33	-	2	0.0 %
34	-	1	0.0 %
35	-	1	0.0 %
37	-	1	0.0 %
41	-	1	0.0 %
44	-	1	0.0 %

Value	Label	Unweighted Frequency	%
47	-	2	0.0 %
49	-	2	0.0 %
51	-	2	0.0 %
52	-	2	0.0 %
53	-	1	0.0 %
56	-	1	0.0 %
57	-	2	0.0 %
64	-	1	0.0 %
69	-	1	0.0 %
88	-	1	0.0 %
91	-	1	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 160.00
- Standard Deviation: 1.28

Location: 246-251 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F19: FEMALE 19

Value	Label	Unweighted Frequency	%
0	-	191032	85.5 %
1	-	15097	6.8 %
2	-	4501	2.0 %
3	-	1768	0.8 %
4	-	1015	0.5 %
5	-	553	0.2 %
6	-	433	0.2 %
7	-	309	0.1 %
8	-	214	0.1 %
9	-	134	0.1 %

Value	Label	Unweighted Frequency	%
10	-	130	0.1 %
11	-	90	0.0 %
12	-	65	0.0 %
13	-	75	0.0 %
14	-	66	0.0 %
15	-	32	0.0 %
16	-	32	0.0 %
17	-	28	0.0 %
18	-	31	0.0 %
19	-	19	0.0 %
20	-	20	0.0 %
21	-	18	0.0 %
22	-	9	0.0 %
23	-	13	0.0 %
24	-	12	0.0 %
25	-	14	0.0 %
26	-	8	0.0 %
27	-	10	0.0 %
28	-	10	0.0 %
29	-	5	0.0 %
30	-	5	0.0 %
31	-	5	0.0 %
32	-	6	0.0 %
33	-	2	0.0 %
34	-	7	0.0 %
35	-	5	0.0 %
36	-	5	0.0 %
37	-	1	0.0 %
38	-	3	0.0 %
39	-	1	0.0 %
40	-	1	0.0 %
41	-	1	0.0 %
42	-	1	0.0 %
44	-	2	0.0 %
46	-	2	0.0 %
48	-	2	0.0 %
50	-	2	0.0 %
51	-	1	0.0 %
53	-	1	0.0 %

Value	Label	Unweighted Frequency	%
54	-	1	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 110.00
- Standard Deviation: 1.43

Location: 252-257 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F20: FEMALE 20

Value	Label	Unweighted Frequency	%
0	-	190082	85.1 %
1	-	15729	7.0 %
2	-	4599	2.1 %
3	-	2009	0.9 %
4	-	1013	0.5 %
5	-	611	0.3 %
6	-	385	0.2 %
7	-	251	0.1 %
8	-	185	0.1 %
9	-	155	0.1 %
10	-	115	0.1 %
11	-	107	0.0 %
12	-	84	0.0 %
13	-	58	0.0 %
14	-	55	0.0 %
15	-	35	0.0 %
16	-	40	0.0 %
17	-	34	0.0 %
18	-	28	0.0 %
19	-	21	0.0 %

Value	Label	Unweighted Frequency	%
20	-	16	0.0 %
21	-	12	0.0 %
22	-	14	0.0 %
23	-	22	0.0 %
24	-	15	0.0 %
25	-	14	0.0 %
26	-	12	0.0 %
27	-	8	0.0 %
28	-	9	0.0 %
29	-	10	0.0 %
30	-	7	0.0 %
31	-	6	0.0 %
32	-	5	0.0 %
33	-	1	0.0 %
34	-	10	0.0 %
35	-	4	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %
38	-	6	0.0 %
39	-	4	0.0 %
40	-	3	0.0 %
41	-	1	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	2	0.0 %
48	-	1	0.0 %
49	-	2	0.0 %
50	-	2	0.0 %
52	-	2	0.0 %
54	-	1	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 0.28
- Median: 0.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 337.00
- Standard Deviation: 2.00

Location: 258-263 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F21: FEMALE 21

Value	Label	Unweighted Frequency	%
0	-	189639	84.9 %
1	-	15984	7.2 %
2	-	4683	2.1 %
3	-	2046	0.9 %
4	-	1007	0.5 %
5	-	578	0.3 %
6	-	457	0.2 %
7	-	302	0.1 %
8	-	191	0.1 %
9	-	171	0.1 %
10	-	114	0.1 %
11	-	93	0.0 %
12	-	70	0.0 %
13	-	59	0.0 %
14	-	47	0.0 %
15	-	37	0.0 %
16	-	34	0.0 %
17	-	26	0.0 %
18	-	27	0.0 %
19	-	13	0.0 %
20	-	19	0.0 %
21	-	20	0.0 %
22	-	17	0.0 %
23	-	15	0.0 %
24	-	7	0.0 %
25	-	16	0.0 %
26	-	12	0.0 %
27	-	12	0.0 %
28	-	5	0.0 %
29	-	16	0.0 %
30	-	7	0.0 %

Value	Label	Unweighted Frequency	%
31	-	5	0.0 %
32	-	5	0.0 %
33	-	6	0.0 %
34	-	5	0.0 %
35	-	6	0.0 %
36	-	5	0.0 %
37	-	7	0.0 %
38	-	3	0.0 %
39	-	3	0.0 %
40	-	3	0.0 %
41	-	2	0.0 %
42	-	1	0.0 %
43	-	2	0.0 %
45	-	3	0.0 %
46	-	2	0.0 %
47	-	3	0.0 %
48	-	4	0.0 %
49	-	1	0.0 %
51	-	1	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 153.00
- Standard Deviation: 1.61

Location: 264-269 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F22: FEMALE 22

Value	Label	Unweighted Frequency	%
0	-	189821	85.0 %
1	-	15842	7.1 %

Value	Label	Unweighted Frequency	%
2	-	4598	2.1 %
3	-	1990	0.9 %
4	-	1069	0.5 %
5	-	659	0.3 %
6	-	387	0.2 %
7	-	281	0.1 %
8	-	211	0.1 %
9	-	157	0.1 %
10	-	117	0.1 %
11	-	96	0.0 %
12	-	76	0.0 %
13	-	55	0.0 %
14	-	60	0.0 %
15	-	60	0.0 %
16	-	30	0.0 %
17	-	20	0.0 %
18	-	35	0.0 %
19	-	24	0.0 %
20	-	24	0.0 %
21	-	14	0.0 %
22	-	17	0.0 %
23	-	16	0.0 %
24	-	15	0.0 %
25	-	7	0.0 %
26	-	11	0.0 %
27	-	8	0.0 %
28	-	6	0.0 %
29	-	7	0.0 %
30	-	7	0.0 %
31	-	6	0.0 %
32	-	7	0.0 %
33	-	7	0.0 %
34	-	6	0.0 %
35	-	7	0.0 %
36	-	6	0.0 %
37	-	2	0.0 %
38	-	5	0.0 %
40	-	6	0.0 %
42	-	1	0.0 %

Value	Label	Unweighted Frequency	%
43	-	2	0.0 %
44	-	4	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %
47	-	1	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
53	-	2	0.0 %
54	-	2	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 161.00
- Standard Deviation: 1.61

Location: 270-275 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F23: FEMALE 23

Value	Label	Unweighted Frequency	%
0	-	189308	84.8 %
1	-	16321	7.3 %
2	-	4534	2.0 %
3	-	2116	0.9 %
4	-	1082	0.5 %
5	-	620	0.3 %
6	-	397	0.2 %
7	-	282	0.1 %
8	-	202	0.1 %
9	-	152	0.1 %
10	-	110	0.0 %
11	-	100	0.0 %

Value	Label	Unweighted Frequency	%
12	-	68	0.0 %
13	-	67	0.0 %
14	-	63	0.0 %
15	-	43	0.0 %
16	-	33	0.0 %
17	-	32	0.0 %
18	-	21	0.0 %
19	-	25	0.0 %
20	-	31	0.0 %
21	-	14	0.0 %
22	-	17	0.0 %
23	-	19	0.0 %
24	-	13	0.0 %
25	-	8	0.0 %
26	-	9	0.0 %
27	-	12	0.0 %
28	-	9	0.0 %
29	-	9	0.0 %
30	-	4	0.0 %
31	-	5	0.0 %
32	-	6	0.0 %
33	-	8	0.0 %
34	-	4	0.0 %
35	-	4	0.0 %
36	-	2	0.0 %
37	-	7	0.0 %
38	-	5	0.0 %
39	-	2	0.0 %
40	-	3	0.0 %
41	-	3	0.0 %
43	-	5	0.0 %
44	-	2	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %
47	-	4	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 174.00
- Standard Deviation: 1.64

Location: 276-281 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F24: FEMALE 24

Value	Label	Unweighted Frequency	%
0	-	189073	84.7 %
1	-	16266	7.3 %
2	-	4767	2.1 %
3	-	2028	0.9 %
4	-	1172	0.5 %
5	-	614	0.3 %
6	-	444	0.2 %
7	-	273	0.1 %
8	-	189	0.1 %
9	-	155	0.1 %
10	-	135	0.1 %
11	-	86	0.0 %
12	-	75	0.0 %
13	-	62	0.0 %
14	-	55	0.0 %
15	-	48	0.0 %
16	-	44	0.0 %
17	-	32	0.0 %
18	-	27	0.0 %
19	-	20	0.0 %
20	-	26	0.0 %
21	-	21	0.0 %

Value	Label	Unweighted Frequency	%
22	-	20	0.0 %
23	-	13	0.0 %
24	-	19	0.0 %
25	-	14	0.0 %
26	-	12	0.0 %
27	-	13	0.0 %
28	-	7	0.0 %
29	-	12	0.0 %
30	-	3	0.0 %
31	-	5	0.0 %
32	-	3	0.0 %
33	-	5	0.0 %
34	-	4	0.0 %
35	-	3	0.0 %
36	-	5	0.0 %
37	-	1	0.0 %
38	-	3	0.0 %
39	-	4	0.0 %
40	-	3	0.0 %
41	-	3	0.0 %
42	-	2	0.0 %
43	-	4	0.0 %
44	-	1	0.0 %
45	-	2	0.0 %
46	-	3	0.0 %
47	-	3	0.0 %
49	-	3	0.0 %
51	-	1	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 185.00

• Standard Deviation: 1.69

Location: 282-287 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F25_29: FEMALE 25-29

Value	Label	Unweighted Frequency	%
0	-	147926	66.2 %
1	-	30097	13.5 %
2	-	11638	5.2 %
3	-	6298	2.8 %
4	-	3971	1.8 %
5	-	2729	1.2 %
6	-	2132	1.0 %
7	-	1498	0.7 %
8	-	1206	0.5 %
9	-	942	0.4 %
10	-	794	0.4 %
11	-	658	0.3 %
12	-	591	0.3 %
13	-	467	0.2 %
14	-	382	0.2 %
15	-	377	0.2 %
16	-	313	0.1 %
17	-	280	0.1 %
18	-	279	0.1 %
19	-	231	0.1 %
20	-	207	0.1 %
21	-	161	0.1 %
22	-	148	0.1 %
23	-	144	0.1 %
24	-	134	0.1 %
25	-	127	0.1 %
26	-	103	0.0 %
27	-	92	0.0 %
28	-	79	0.0 %
29	-	85	0.0 %
30	-	69	0.0 %
31	-	84	0.0 %
32	-	67	0.0 %

Value	Label	Unweighted Frequency	%
33	-	66	0.0 %
34	-	65	0.0 %
35	-	46	0.0 %
36	-	59	0.0 %
37	-	47	0.0 %
38	-	53	0.0 %
39	-	39	0.0 %
40	-	46	0.0 %
41	-	35	0.0 %
42	-	25	0.0 %
43	-	31	0.0 %
44	-	29	0.0 %
45	-	37	0.0 %
46	-	38	0.0 %
47	-	30	0.0 %
48	-	27	0.0 %
49	-	28	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 1.61
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1122.00
- Standard Deviation: 8.73

Location: 288-293 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F30_34: FEMALE 30-34

Value	Label	Unweighted Frequency	%
0	-	147981	66.3 %
1	-	30830	13.8 %
2	-	11571	5.2 %
3	-	6133	2.7 %

Value	Label	Unweighted Frequency	%
4	-	3941	1.8 %
5	-	2711	1.2 %
6	-	1900	0.9 %
7	-	1549	0.7 %
8	-	1167	0.5 %
9	-	932	0.4 %
10	-	800	0.4 %
11	-	622	0.3 %
12	-	582	0.3 %
13	-	470	0.2 %
14	-	374	0.2 %
15	-	359	0.2 %
16	-	313	0.1 %
17	-	257	0.1 %
18	-	228	0.1 %
19	-	202	0.1 %
20	-	186	0.1 %
21	-	155	0.1 %
22	-	143	0.1 %
23	-	156	0.1 %
24	-	132	0.1 %
25	-	105	0.0 %
26	-	117	0.1 %
27	-	98	0.0 %
28	-	84	0.0 %
29	-	62	0.0 %
30	-	68	0.0 %
31	-	69	0.0 %
32	-	75	0.0 %
33	-	63	0.0 %
34	-	54	0.0 %
35	-	59	0.0 %
36	-	53	0.0 %
37	-	46	0.0 %
38	-	52	0.0 %
39	-	45	0.0 %
40	-	45	0.0 %
41	-	39	0.0 %
42	-	32	0.0 %

Value	Label	Unweighted Frequency	%
43	-	30	0.0 %
44	-	29	0.0 %
45	-	25	0.0 %
46	-	34	0.0 %
47	-	34	0.0 %
48	-	23	0.0 %
49	-	22	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 1.55
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1032.00
- Standard Deviation: 8.18

Location: 294-299 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F35_39: FEMALE 35-39

Value	Label	Unweighted Frequency	%
0	-	153158	68.6 %
1	-	29347	13.1 %
2	-	10877	4.9 %
3	-	5820	2.6 %
4	-	3496	1.6 %
5	-	2398	1.1 %
6	-	1751	0.8 %
7	-	1349	0.6 %
8	-	1024	0.5 %
9	-	793	0.4 %
10	-	677	0.3 %
11	-	545	0.2 %
12	-	451	0.2 %
13	-	392	0.2 %

Value	Label	Unweighted Frequency	%
14	-	342	0.2 %
15	-	293	0.1 %
16	-	273	0.1 %
17	-	215	0.1 %
18	-	179	0.1 %
19	-	187	0.1 %
20	-	166	0.1 %
21	-	134	0.1 %
22	-	117	0.1 %
23	-	111	0.0 %
24	-	97	0.0 %
25	-	98	0.0 %
26	-	88	0.0 %
27	-	73	0.0 %
28	-	66	0.0 %
29	-	64	0.0 %
30	-	55	0.0 %
31	-	49	0.0 %
32	-	45	0.0 %
33	-	56	0.0 %
34	-	50	0.0 %
35	-	41	0.0 %
36	-	41	0.0 %
37	-	31	0.0 %
38	-	44	0.0 %
39	-	35	0.0 %
40	-	32	0.0 %
41	-	33	0.0 %
42	-	29	0.0 %
43	-	28	0.0 %
44	-	33	0.0 %
45	-	19	0.0 %
46	-	29	0.0 %
47	-	19	0.0 %
48	-	22	0.0 %
49	-	13	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 1.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 850.00
- Standard Deviation: 6.69

Location: 300-305 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F40_44: FEMALE 40-44

Value	Label	Unweighted Frequency	%
0	-	164605	73.7 %
1	-	25533	11.4 %
2	-	9137	4.1 %
3	-	4516	2.0 %
4	-	2847	1.3 %
5	-	1897	0.8 %
6	-	1330	0.6 %
7	-	963	0.4 %
8	-	740	0.3 %
9	-	589	0.3 %
10	-	428	0.2 %
11	-	359	0.2 %
12	-	330	0.1 %
13	-	240	0.1 %
14	-	235	0.1 %
15	-	194	0.1 %
16	-	172	0.1 %
17	-	140	0.1 %
18	-	114	0.1 %
19	-	119	0.1 %
20	-	110	0.0 %
21	-	79	0.0 %
22	-	89	0.0 %
23	-	69	0.0 %
24	-	48	0.0 %
25	-	48	0.0 %

Value	Label	Unweighted Frequency	%
26	-	46	0.0 %
27	-	45	0.0 %
28	-	40	0.0 %
29	-	44	0.0 %
30	-	41	0.0 %
31	-	35	0.0 %
32	-	33	0.0 %
33	-	31	0.0 %
34	-	30	0.0 %
35	-	30	0.0 %
36	-	25	0.0 %
37	-	21	0.0 %
38	-	27	0.0 %
39	-	23	0.0 %
40	-	20	0.0 %
41	-	15	0.0 %
42	-	16	0.0 %
43	-	18	0.0 %
44	-	7	0.0 %
45	-	9	0.0 %
46	-	18	0.0 %
47	-	13	0.0 %
48	-	13	0.0 %
49	-	5	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 0.88
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 641.00
- Standard Deviation: 4.65

Location: 306-311 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F45_49: FEMALE 45-49

Value	Label	Unweighted Frequency	%
0	-	175079	78.4 %
1	-	22024	9.9 %
2	-	7354	3.3 %
3	-	3556	1.6 %
4	-	2047	0.9 %
5	-	1308	0.6 %
6	-	917	0.4 %
7	-	645	0.3 %
8	-	458	0.2 %
9	-	371	0.2 %
10	-	277	0.1 %
11	-	205	0.1 %
12	-	186	0.1 %
13	-	155	0.1 %
14	-	131	0.1 %
15	-	121	0.1 %
16	-	79	0.0 %
17	-	66	0.0 %
18	-	64	0.0 %
19	-	61	0.0 %
20	-	56	0.0 %
21	-	43	0.0 %
22	-	46	0.0 %
23	-	27	0.0 %
24	-	30	0.0 %
25	-	31	0.0 %
26	-	30	0.0 %
27	-	22	0.0 %
28	-	35	0.0 %
29	-	24	0.0 %
30	-	26	0.0 %
31	-	21	0.0 %
32	-	24	0.0 %
33	-	13	0.0 %
34	-	22	0.0 %
35	-	18	0.0 %
36	-	12	0.0 %

Value	Label	Unweighted Frequency	%
37	-	11	0.0 %
38	-	14	0.0 %
39	-	7	0.0 %
40	-	12	0.0 %
41	-	13	0.0 %
42	-	7	0.0 %
43	-	10	0.0 %
44	-	9	0.0 %
45	-	8	0.0 %
46	-	5	0.0 %
47	-	3	0.0 %
48	-	2	0.0 %
49	-	4	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 0.57
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 550.00
- Standard Deviation: 3.20

Location: 312-317 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F50_54: FEMALE 50-54

Value	Label	Unweighted Frequency	%
0	-	182005	81.5 %
1	-	19258	8.6 %
2	-	6085	2.7 %
3	-	2875	1.3 %
4	-	1560	0.7 %
5	-	936	0.4 %
6	-	661	0.3 %
7	-	448	0.2 %

Value	Label	Unweighted Frequency	%
8	-	358	0.2 %
9	-	292	0.1 %
10	-	199	0.1 %
11	-	157	0.1 %
12	-	105	0.0 %
13	-	105	0.0 %
14	-	81	0.0 %
15	-	74	0.0 %
16	-	58	0.0 %
17	-	56	0.0 %
18	-	52	0.0 %
19	-	35	0.0 %
20	-	33	0.0 %
21	-	28	0.0 %
22	-	27	0.0 %
23	-	26	0.0 %
24	-	12	0.0 %
25	-	24	0.0 %
26	-	11	0.0 %
27	-	14	0.0 %
28	-	19	0.0 %
29	-	14	0.0 %
30	-	12	0.0 %
31	-	19	0.0 %
32	-	6	0.0 %
33	-	11	0.0 %
34	-	5	0.0 %
35	-	13	0.0 %
36	-	9	0.0 %
37	-	5	0.0 %
38	-	9	0.0 %
39	-	6	0.0 %
40	-	7	0.0 %
41	-	9	0.0 %
42	-	2	0.0 %
43	-	1	0.0 %
44	-	7	0.0 %
46	-	3	0.0 %
47	-	3	0.0 %

Value	Label	Unweighted Frequency	%
48	-	4	0.0 %
50	-	2	0.0 %
51	-	3	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 0.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 278.00
- Standard Deviation: 2.33

Location: 318-323 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F55_59: FEMALE 55-59

Value	Label	Unweighted Frequency	%
0	-	189738	85.0 %
1	-	15800	7.1 %
2	-	4648	2.1 %
3	-	2038	0.9 %
4	-	1093	0.5 %
5	-	657	0.3 %
6	-	418	0.2 %
7	-	287	0.1 %
8	-	202	0.1 %
9	-	156	0.1 %
10	-	135	0.1 %
11	-	78	0.0 %
12	-	83	0.0 %
13	-	60	0.0 %
14	-	61	0.0 %
15	-	31	0.0 %
16	-	33	0.0 %
17	-	32	0.0 %

Value	Label	Unweighted Frequency	%
18	-	32	0.0 %
19	-	12	0.0 %
20	-	17	0.0 %
21	-	17	0.0 %
22	-	17	0.0 %
23	-	13	0.0 %
24	-	13	0.0 %
25	-	12	0.0 %
26	-	15	0.0 %
27	-	5	0.0 %
28	-	9	0.0 %
29	-	8	0.0 %
30	-	2	0.0 %
31	-	10	0.0 %
32	-	7	0.0 %
33	-	3	0.0 %
34	-	3	0.0 %
35	-	6	0.0 %
36	-	6	0.0 %
37	-	5	0.0 %
38	-	2	0.0 %
39	-	2	0.0 %
40	-	3	0.0 %
41	-	2	0.0 %
42	-	1	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
46	-	3	0.0 %
47	-	1	0.0 %
50	-	2	0.0 %
52	-	3	0.0 %
53	-	1	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 222.00
- Standard Deviation: 1.68

Location: 324-329 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F60_64: FEMALE 60-64

Value	Label	Unweighted Frequency	%
0	-	200231	89.7 %
1	-	10535	4.7 %
2	-	2555	1.1 %
3	-	1033	0.5 %
4	-	518	0.2 %
5	-	260	0.1 %
6	-	156	0.1 %
7	-	116	0.1 %
8	-	88	0.0 %
9	-	51	0.0 %
10	-	34	0.0 %
11	-	37	0.0 %
12	-	35	0.0 %
13	-	27	0.0 %
14	-	17	0.0 %
15	-	14	0.0 %
16	-	13	0.0 %
17	-	10	0.0 %
18	-	7	0.0 %
19	-	7	0.0 %
20	-	8	0.0 %
21	-	3	0.0 %
22	-	8	0.0 %
23	-	7	0.0 %
24	-	4	0.0 %
25	-	2	0.0 %
26	-	3	0.0 %
27	-	3	0.0 %
28	-	1	0.0 %
30	-	2	0.0 %

Value	Label	Unweighted Frequency	%
32	-	4	0.0 %
33	-	1	0.0 %
35	-	1	0.0 %
36	-	2	0.0 %
37	-	2	0.0 %
38	-	4	0.0 %
44	-	1	0.0 %
49	-	1	0.0 %
60	-	1	0.0 %
64	-	2	0.0 %
67	-	1	0.0 %
72	-	1	0.0 %
79	-	1	0.0 %
88	-	1	0.0 %
96	-	1	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 96.00
- Standard Deviation: 0.93

Location: 330-335 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F65: FEMALE OVER 64

Value	Label	Unweighted Frequency	%
0	-	205021	91.8 %
1	-	7698	3.4 %
2	-	1674	0.7 %
3	-	590	0.3 %
4	-	278	0.1 %
5	-	176	0.1 %
6	-	112	0.1 %
7	-	50	0.0 %

Value	Label	Unweighted Frequency	%
8	-	49	0.0 %
9	-	34	0.0 %
10	-	25	0.0 %
11	-	13	0.0 %
12	-	10	0.0 %
13	-	10	0.0 %
14	-	12	0.0 %
15	-	10	0.0 %
16	-	8	0.0 %
17	-	3	0.0 %
18	-	8	0.0 %
19	-	4	0.0 %
20	-	4	0.0 %
21	-	2	0.0 %
22	-	1	0.0 %
23	-	1	0.0 %
24	-	4	0.0 %
27	-	1	0.0 %
29	-	2	0.0 %
39	-	1	0.0 %
40	-	1	0.0 %
41	-	1	0.0 %
51	-	1	0.0 %
53	-	1	0.0 %
59	-	1	0.0 %
75	-	1	0.0 %
80	-	1	0.0 %
88	-	1	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 88.00
- Standard Deviation: 0.68

Location: 336-341 (width: 6; decimal: 0)

Variable Type: numeric

JW: JUVENILE-WHITE

Value	Label	Unweighted Frequency	%
0	-	161518	72.3 %
1	-	23348	10.5 %
2	-	9658	4.3 %
3	-	5325	2.4 %
4	-	3420	1.5 %
5	-	2295	1.0 %
6	-	1659	0.7 %
7	-	1303	0.6 %
8	-	957	0.4 %
9	-	765	0.3 %
10	-	618	0.3 %
11	-	511	0.2 %
12	-	435	0.2 %
13	-	344	0.2 %
14	-	337	0.2 %
15	-	249	0.1 %
16	-	236	0.1 %
17	-	237	0.1 %
18	-	201	0.1 %
19	-	181	0.1 %
20	-	156	0.1 %
21	-	142	0.1 %
22	-	136	0.1 %
23	-	115	0.1 %
24	-	87	0.0 %
25	-	94	0.0 %
26	-	75	0.0 %
27	-	85	0.0 %
28	-	78	0.0 %
29	-	57	0.0 %
30	-	59	0.0 %
31	-	44	0.0 %
32	-	57	0.0 %
33	-	52	0.0 %
34	-	37	0.0 %
35	-	47	0.0 %

Value	Label	Unweighted Frequency	%
36	-	33	0.0 %
37	-	26	0.0 %
38	-	32	0.0 %
39	-	34	0.0 %
40	-	28	0.0 %
41	-	36	0.0 %
42	-	37	0.0 %
43	-	31	0.0 %
44	-	29	0.0 %
45	-	26	0.0 %
46	-	18	0.0 %
47	-	20	0.0 %
48	-	23	0.0 %
49	-	15	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 1.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 477.00
- Standard Deviation: 5.98

Location: 342-347 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JB: JUVENILE-BLACK

Value	Label	Unweighted Frequency	%
0	-	189082	84.7 %
1	-	12687	5.7 %
2	-	4651	2.1 %
3	-	2496	1.1 %
4	-	1478	0.7 %
5	-	974	0.4 %
6	-	678	0.3 %

Value	Label	Unweighted Frequency	%
7	-	492	0.2 %
8	-	404	0.2 %
9	-	299	0.1 %
10	-	273	0.1 %
11	-	225	0.1 %
12	-	188	0.1 %
13	-	166	0.1 %
14	-	147	0.1 %
15	-	128	0.1 %
16	-	101	0.0 %
17	-	98	0.0 %
18	-	94	0.0 %
19	-	69	0.0 %
20	-	72	0.0 %
21	-	46	0.0 %
22	-	48	0.0 %
23	-	56	0.0 %
24	-	54	0.0 %
25	-	41	0.0 %
26	-	38	0.0 %
27	-	48	0.0 %
28	-	30	0.0 %
29	-	43	0.0 %
30	-	25	0.0 %
31	-	31	0.0 %
32	-	22	0.0 %
33	-	30	0.0 %
34	-	17	0.0 %
35	-	16	0.0 %
36	-	16	0.0 %
37	-	16	0.0 %
38	-	17	0.0 %
39	-	14	0.0 %
40	-	18	0.0 %
41	-	10	0.0 %
42	-	12	0.0 %
43	-	14	0.0 %
44	-	15	0.0 %
45	-	7	0.0 %

Value	Label	Unweighted Frequency	%
46	-	10	0.0 %
47	-	10	0.0 %
48	-	12	0.0 %
49	-	9	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 0.57
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 676.00
- Standard Deviation: 4.79

Location: 348-353 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JJ: JUVENILE-INDIAN

Value	Label	Unweighted Frequency	%
0	-	212296	95.1 %
1	-	2044	0.9 %
2	-	564	0.3 %
3	-	249	0.1 %
4	-	131	0.1 %
5	-	102	0.0 %
6	-	79	0.0 %
7	-	56	0.0 %
8	-	34	0.0 %
9	-	36	0.0 %
10	-	34	0.0 %
11	-	24	0.0 %
12	-	16	0.0 %
13	-	15	0.0 %
14	-	7	0.0 %
15	-	16	0.0 %
16	-	11	0.0 %

Value	Label	Unweighted Frequency	%
17	-	8	0.0 %
18	-	7	0.0 %
19	-	7	0.0 %
20	-	11	0.0 %
21	-	6	0.0 %
22	-	1	0.0 %
23	-	9	0.0 %
24	-	5	0.0 %
25	-	3	0.0 %
26	-	6	0.0 %
27	-	2	0.0 %
28	-	1	0.0 %
29	-	2	0.0 %
30	-	2	0.0 %
31	-	2	0.0 %
33	-	1	0.0 %
36	-	2	0.0 %
37	-	2	0.0 %
40	-	1	0.0 %
44	-	2	0.0 %
45	-	1	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %
51	-	1	0.0 %
54	-	1	0.0 %
55	-	2	0.0 %
56	-	1	0.0 %
58	-	1	0.0 %
62	-	1	0.0 %
70	-	1	0.0 %
72	-	1	0.0 %
77	-	1	0.0 %
86	-	1	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 103.00
- Standard Deviation: 0.84

Location: 354-359 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JA: JUVENILE ASIAN

Value	Label	Unweighted Frequency	%
0	-	212769	95.3 %
1	-	2253	1.0 %
2	-	442	0.2 %
3	-	153	0.1 %
4	-	58	0.0 %
5	-	33	0.0 %
6	-	24	0.0 %
7	-	16	0.0 %
8	-	16	0.0 %
9	-	2	0.0 %
10	-	4	0.0 %
11	-	4	0.0 %
13	-	4	0.0 %
14	-	2	0.0 %
15	-	4	0.0 %
16	-	1	0.0 %
17	-	8	0.0 %
18	-	1	0.0 %
19	-	2	0.0 %
20	-	3	0.0 %
21	-	1	0.0 %
22	-	1	0.0 %
24	-	1	0.0 %
28	-	1	0.0 %
35	-	1	0.0 %
53	-	1	0.0 %
55	-	1	0.0 %
60	-	1	0.0 %

Value	Label	Unweighted Frequency	%
106	-	1	0.0 %
160	-	1	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 160.00
- Standard Deviation: 0.56

Location: 360-365 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JH: JUVENILE-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	195202	87.4 %
1	-	10445	4.7 %
2	-	3626	1.6 %
3	-	1803	0.8 %
4	-	1089	0.5 %
5	-	703	0.3 %
6	-	462	0.2 %
7	-	394	0.2 %
8	-	289	0.1 %
9	-	222	0.1 %
10	-	199	0.1 %
11	-	144	0.1 %
12	-	132	0.1 %
13	-	116	0.1 %
14	-	79	0.0 %
15	-	84	0.0 %
16	-	59	0.0 %
17	-	45	0.0 %
18	-	41	0.0 %
19	-	45	0.0 %
20	-	58	0.0 %

Value	Label	Unweighted Frequency	%
21	-	34	0.0 %
22	-	37	0.0 %
23	-	42	0.0 %
24	-	34	0.0 %
25	-	23	0.0 %
26	-	23	0.0 %
27	-	18	0.0 %
28	-	23	0.0 %
29	-	25	0.0 %
30	-	15	0.0 %
31	-	21	0.0 %
32	-	13	0.0 %
33	-	14	0.0 %
34	-	7	0.0 %
35	-	13	0.0 %
36	-	9	0.0 %
37	-	10	0.0 %
38	-	8	0.0 %
39	-	9	0.0 %
40	-	8	0.0 %
41	-	8	0.0 %
42	-	11	0.0 %
43	-	4	0.0 %
44	-	8	0.0 %
45	-	6	0.0 %
46	-	3	0.0 %
47	-	5	0.0 %
48	-	5	0.0 %
49	-	2	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 383.00
- Standard Deviation: 3.19

Location: 366-371 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JN: JUVENILE-NON-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	167141	74.8 %
1	-	20575	9.2 %
2	-	8398	3.8 %
3	-	4827	2.2 %
4	-	3039	1.4 %
5	-	2124	1.0 %
6	-	1465	0.7 %
7	-	1154	0.5 %
8	-	926	0.4 %
9	-	688	0.3 %
10	-	577	0.3 %
11	-	470	0.2 %
12	-	425	0.2 %
13	-	314	0.1 %
14	-	315	0.1 %
15	-	275	0.1 %
16	-	241	0.1 %
17	-	212	0.1 %
18	-	188	0.1 %
19	-	181	0.1 %
20	-	160	0.1 %
21	-	128	0.1 %
22	-	131	0.1 %
23	-	135	0.1 %
24	-	88	0.0 %
25	-	87	0.0 %
26	-	81	0.0 %
27	-	73	0.0 %
28	-	73	0.0 %
29	-	81	0.0 %
30	-	58	0.0 %
31	-	49	0.0 %
32	-	50	0.0 %

Value	Label	Unweighted Frequency	%
33	-	47	0.0 %
34	-	49	0.0 %
35	-	33	0.0 %
36	-	27	0.0 %
37	-	40	0.0 %
38	-	37	0.0 %
39	-	38	0.0 %
40	-	27	0.0 %
41	-	30	0.0 %
42	-	24	0.0 %
43	-	16	0.0 %
44	-	33	0.0 %
45	-	23	0.0 %
46	-	19	0.0 %
47	-	20	0.0 %
48	-	17	0.0 %
49	-	18	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 1.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 961.00
- Standard Deviation: 6.81

Location: 372-377 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AW: ADULT-WHITE

Value	Label	Unweighted Frequency	%
0	-	29458	13.2 %
1	-	44251	19.8 %
2	-	23181	10.4 %
3	-	15208	6.8 %

Value	Label	Unweighted Frequency	%
4	-	10987	4.9 %
5	-	8255	3.7 %
6	-	6795	3.0 %
7	-	5524	2.5 %
8	-	4699	2.1 %
9	-	4215	1.9 %
10	-	3479	1.6 %
11	-	3028	1.4 %
12	-	2803	1.3 %
13	-	2473	1.1 %
14	-	2208	1.0 %
15	-	2141	1.0 %
16	-	1838	0.8 %
17	-	1690	0.8 %
18	-	1673	0.7 %
19	-	1428	0.6 %
20	-	1356	0.6 %
21	-	1286	0.6 %
22	-	1145	0.5 %
23	-	1104	0.5 %
24	-	1060	0.5 %
25	-	985	0.4 %
26	-	947	0.4 %
27	-	883	0.4 %
28	-	813	0.4 %
29	-	815	0.4 %
30	-	769	0.3 %
31	-	736	0.3 %
32	-	685	0.3 %
33	-	670	0.3 %
34	-	653	0.3 %
35	-	616	0.3 %
36	-	549	0.2 %
37	-	576	0.3 %
38	-	530	0.2 %
39	-	501	0.2 %
40	-	488	0.2 %
41	-	465	0.2 %
42	-	469	0.2 %

Value	Label	Unweighted Frequency	%
43	-	420	0.2 %
44	-	457	0.2 %
45	-	430	0.2 %
46	-	387	0.2 %
47	-	374	0.2 %
48	-	382	0.2 %
49	-	383	0.2 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 23.11
- Minimum: 0.00
- Maximum: 13536.00
- Standard Deviation: 117.65

Location: 378-383 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AB: ADULT-BLACK

Value	Label	Unweighted Frequency	%
0	-	108897	48.8 %
1	-	35035	15.7 %
2	-	15656	7.0 %
3	-	9348	4.2 %
4	-	6329	2.8 %
5	-	4579	2.1 %
6	-	3643	1.6 %
7	-	2873	1.3 %
8	-	2316	1.0 %
9	-	1944	0.9 %
10	-	1621	0.7 %
11	-	1497	0.7 %
12	-	1271	0.6 %
13	-	1130	0.5 %
14	-	1095	0.5 %
15	-	902	0.4 %

Value	Label	Unweighted Frequency	%
16	-	878	0.4 %
17	-	759	0.3 %
18	-	715	0.3 %
19	-	652	0.3 %
20	-	534	0.2 %
21	-	546	0.2 %
22	-	512	0.2 %
23	-	427	0.2 %
24	-	406	0.2 %
25	-	407	0.2 %
26	-	364	0.2 %
27	-	350	0.2 %
28	-	319	0.1 %
29	-	299	0.1 %
30	-	313	0.1 %
31	-	277	0.1 %
32	-	290	0.1 %
33	-	269	0.1 %
34	-	263	0.1 %
35	-	231	0.1 %
36	-	216	0.1 %
37	-	223	0.1 %
38	-	210	0.1 %
39	-	181	0.1 %
40	-	176	0.1 %
41	-	176	0.1 %
42	-	167	0.1 %
43	-	139	0.1 %
44	-	145	0.1 %
45	-	133	0.1 %
46	-	129	0.1 %
47	-	125	0.1 %
48	-	114	0.1 %
49	-	115	0.1 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 8.58
- Minimum: 0.00
- Maximum: 8743.00
- Standard Deviation: 61.90

Location: 384-389 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AI: ADULT-INDIAN

Value	Label	Unweighted Frequency	%
0	-	194609	87.1 %
1	-	10473	4.7 %
2	-	3417	1.5 %
3	-	1621	0.7 %
4	-	1094	0.5 %
5	-	759	0.3 %
6	-	523	0.2 %
7	-	370	0.2 %
8	-	278	0.1 %
9	-	224	0.1 %
10	-	205	0.1 %
11	-	172	0.1 %
12	-	147	0.1 %
13	-	120	0.1 %
14	-	120	0.1 %
15	-	94	0.0 %
16	-	84	0.0 %
17	-	80	0.0 %
18	-	60	0.0 %
19	-	66	0.0 %
20	-	51	0.0 %
21	-	52	0.0 %
22	-	40	0.0 %
23	-	57	0.0 %
24	-	46	0.0 %
25	-	40	0.0 %
26	-	36	0.0 %
27	-	30	0.0 %

Value	Label	Unweighted Frequency	%
28	-	29	0.0 %
29	-	29	0.0 %
30	-	23	0.0 %
31	-	21	0.0 %
32	-	30	0.0 %
33	-	22	0.0 %
34	-	18	0.0 %
35	-	15	0.0 %
36	-	15	0.0 %
37	-	10	0.0 %
38	-	16	0.0 %
39	-	18	0.0 %
40	-	8	0.0 %
41	-	19	0.0 %
42	-	12	0.0 %
43	-	15	0.0 %
44	-	21	0.0 %
45	-	13	0.0 %
46	-	12	0.0 %
47	-	15	0.0 %
48	-	12	0.0 %
49	-	10	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 0.80
- Minimum: 0.00
- Maximum: 4264.00
- Standard Deviation: 18.47

Location: 390-395 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AA: ADULT-ASIAN

Value	Label	Unweighted Frequency	%
0	-	191661	85.8 %

Value	Label	Unweighted Frequency	%
1	-	13133	5.9 %
2	-	4041	1.8 %
3	-	1959	0.9 %
4	-	1103	0.5 %
5	-	769	0.3 %
6	-	501	0.2 %
7	-	359	0.2 %
8	-	293	0.1 %
9	-	216	0.1 %
10	-	176	0.1 %
11	-	159	0.1 %
12	-	134	0.1 %
13	-	117	0.1 %
14	-	85	0.0 %
15	-	77	0.0 %
16	-	74	0.0 %
17	-	76	0.0 %
18	-	59	0.0 %
19	-	39	0.0 %
20	-	50	0.0 %
21	-	37	0.0 %
22	-	44	0.0 %
23	-	30	0.0 %
24	-	38	0.0 %
25	-	30	0.0 %
26	-	35	0.0 %
27	-	26	0.0 %
28	-	24	0.0 %
29	-	29	0.0 %
30	-	17	0.0 %
31	-	25	0.0 %
32	-	16	0.0 %
33	-	18	0.0 %
34	-	10	0.0 %
35	-	14	0.0 %
36	-	13	0.0 %
37	-	8	0.0 %
38	-	11	0.0 %
39	-	12	0.0 %

Value	Label	Unweighted Frequency	%
40	-	7	0.0 %
41	-	7	0.0 %
42	-	5	0.0 %
43	-	4	0.0 %
44	-	9	0.0 %
45	-	7	0.0 %
46	-	10	0.0 %
47	-	6	0.0 %
48	-	3	0.0 %
49	-	7	0.0 %
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 0.51
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1948.00
- Standard Deviation: 8.62

Location: 396-401 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AH: ADULT-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	139780	62.6 %
1	-	27234	12.2 %
2	-	11405	5.1 %
3	-	6510	2.9 %
4	-	4320	1.9 %
5	-	3070	1.4 %
6	-	2416	1.1 %
7	-	1894	0.8 %
8	-	1568	0.7 %
9	-	1238	0.6 %
10	-	1073	0.5 %

Value	Label	Unweighted Frequency	%
11	-	956	0.4 %
12	-	851	0.4 %
13	-	750	0.3 %
14	-	673	0.3 %
15	-	608	0.3 %
16	-	559	0.3 %
17	-	454	0.2 %
18	-	496	0.2 %
19	-	438	0.2 %
20	-	349	0.2 %
21	-	369	0.2 %
22	-	306	0.1 %
23	-	288	0.1 %
24	-	270	0.1 %
25	-	270	0.1 %
26	-	232	0.1 %
27	-	219	0.1 %
28	-	219	0.1 %
29	-	199	0.1 %
30	-	177	0.1 %
31	-	193	0.1 %
32	-	161	0.1 %
33	-	159	0.1 %
34	-	156	0.1 %
35	-	150	0.1 %
36	-	137	0.1 %
37	-	127	0.1 %
38	-	126	0.1 %
39	-	117	0.1 %
40	-	120	0.1 %
41	-	121	0.1 %
42	-	104	0.0 %
43	-	108	0.0 %
44	-	109	0.0 %
45	-	103	0.0 %
46	-	70	0.0 %
47	-	93	0.0 %
48	-	60	0.0 %
49	-	76	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
999998	Not applicable	7498	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,809 valid cases out of 223,307 total cases.

- Mean: 5.67
- Minimum: 0.00
- Maximum: 6681.00
- Standard Deviation: 52.72

Location: 402-407 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AN: ADULT-NON-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	47506	21.3 %
1	-	39425	17.7 %
2	-	20653	9.2 %
3	-	13454	6.0 %
4	-	9900	4.4 %
5	-	7605	3.4 %
6	-	5985	2.7 %
7	-	4953	2.2 %
8	-	4233	1.9 %
9	-	3608	1.6 %
10	-	3219	1.4 %
11	-	2881	1.3 %
12	-	2590	1.2 %
13	-	2193	1.0 %
14	-	2012	0.9 %
15	-	1880	0.8 %
16	-	1692	0.8 %
17	-	1522	0.7 %
18	-	1537	0.7 %
19	-	1388	0.6 %
20	-	1260	0.6 %
21	-	1148	0.5 %
22	-	1087	0.5 %

Value	Label	Unweighted Frequency	%
23	-	954	0.4 %
24	-	946	0.4 %
25	-	968	0.4 %
26	-	841	0.4 %
27	-	735	0.3 %
28	-	722	0.3 %
29	-	725	0.3 %
30	-	730	0.3 %
31	-	622	0.3 %
32	-	642	0.3 %
33	-	607	0.3 %
34	-	585	0.3 %
35	-	546	0.2 %
36	-	505	0.2 %
37	-	515	0.2 %
38	-	481	0.2 %
39	-	457	0.2 %
40	-	495	0.2 %
41	-	398	0.2 %
42	-	385	0.2 %
43	-	384	0.2 %
44	-	398	0.2 %
45	-	354	0.2 %
46	-	355	0.2 %
47	-	352	0.2 %
48	-	343	0.2 %
49	-	352	0.2 %
	Missing Data		
999998	Not applicable	7551	3.4 %
	Total	223,307	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 215,756 valid cases out of 223,307 total cases.

- Mean: 22.83
- Minimum: 0.00
- Maximum: 20251.00
- Standard Deviation: 124.91

Location: 408-413 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998