

ICPSR 38788

**Uniform Crime Reporting Program
Data: Arrests by Age, Sex, and
Race, Summarized Yearly, United
States, 2020**

*United States. Federal Bureau of
Investigation*

ICPSR Codebook for Twelve Months Dataset

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/web/ICPSR/studies/38788/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #38788

Uniform Crime Reporting Program Data: Arrests by Age, Sex, and Race, Summarized Yearly, United States, 2020

DS 2: Twelve Months Dataset

1. **Changes in Methodology:** As of calendar year 2022, the Uniform Crime Reporting (UCR) Program has begun consolidating its data quality review and management practices to reduce differences between publication tables and the data displayed on the FBI website via the [Crime Data Explorer](#).
2. **Discrepancy in Collection:** This study contains data from two master files available on the [Crime Data Explorer](#): 2020_ASR6MON_NATIONAL_MASTER_FILE.txt and 2020_ASR12MON_NATIONAL_MASTER_FILE.txt. In previous years of this collection only one master file was curated. The data contained in this dataset are taken from:
 - a. 2020_ASR12MON_NATIONAL_MASTER_FILE.txt

No additional information was provided.

3. **Stata Limitations:** Due to Stata limitations, the variables **ORI**, **GROUP**, **CORE**, and **OFFENSE** do not contain value labels for non-integer values within the Stata files.
4. **Data Discrepancies:**
 - a. There are reporting agencies (**AGENCY**) which use the same 7-digit Originating Agency Identifier (**ORI**). For these agencies, ICPSR has converted the 7-digit ORI to the agency's unique 9-digit ORI.
 - b. There are cases where a unique Header record has an associated Detail record with "000" in the **OFFENSE** variable, which is the code reserved for Header records. ICPSR has included these records as Detail records and preserved the "000" code in **OFFENSE** with the value label "HEADER Record".
 - c. The data in the variables **STATE**, **SEQNO**, and **AGENCNT** are inconsistent with the description of the variable in the codebook.
 - d. The variable **MSA** does not contain any valid responses.

No additional information was provided.

5. **Additional Information:** These studies are "static data snapshots" of the data available on the FBI website via the [Crime Data Explorer](#), which is continuously updated. For additional information on the Uniform Crime Reporting (UCR) Program, please visit the [UCR](#) website.

ICPSR 38788

Uniform Crime Reporting Program Data: Arrests by Age, Sex, and Race, Summarized Yearly, United States, 2020

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Twelve Months Dataset

ASR_ID: IDENTIFIER CODE FOR THE ASR MASTER FILE

Value	Label	Unweighted Frequency	%
3	-	188451	100.0 %
	Total	188,451	100%

Based upon 188,451 valid cases out of 188,451 total cases.

- Mean: 3.00
- Median: 3.00
- Mode: 3.00
- Minimum: 3.00
- Maximum: 3.00
- Standard Deviation: 0.00

Location: 1-1 (width: 1; decimal: 0)

Variable Type: numeric

CONTENTS: RECORD CONTENTS

Value	Label	Unweighted Frequency	%
1	Agency header only	4547	2.4 %
2	Detail record	183904	97.6 %
	Total	188,451	100%

Based upon 188,451 valid cases out of 188,451 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2-2 (width: 1; decimal: 0)

Variable Type: numeric

STATE: NUMERIC STATE CODE (UCR CODE)

Range is 01-62. Data records are in order by ORI code within numeric state code.

Value	Label	Unweighted Frequency	%
1	Alabama	568	0.3 %
2	Arizona	2264	1.2 %
3	Arkansas	4398	2.3 %
4	California	15730	8.3 %
5	Colorado	3412	1.8 %
6	Connecticut	2213	1.2 %
7	Delaware	935	0.5 %

Value	Label	Unweighted Frequency	%
8	District of Columbia	29	0.0 %
9	Florida	612	0.3 %
10	Georgia	5432	2.9 %
11	Idaho	1710	0.9 %
12	Illinois	42	0.0 %
13	Indiana	2537	1.3 %
14	Iowa	4003	2.1 %
15	Kansas	3482	1.8 %
16	Kentucky	6132	3.3 %
17	Louisiana	2914	1.5 %
18	Maine	2333	1.2 %
19	Maryland	279	0.1 %
20	Massachusetts	5070	2.7 %
21	Michigan	9091	4.8 %
22	Minnesota	5974	3.2 %
23	Mississippi	1788	0.9 %
24	Missouri	5634	3.0 %
25	Montana	1418	0.8 %
26	Nebraska	1361	0.7 %
27	Nevada	1107	0.6 %
28	New Hampshire	2907	1.5 %
29	New Jersey	8496	4.5 %
30	New Mexico	542	0.3 %
31	New York	6164	3.3 %
32	North Carolina	6364	3.4 %
33	North Dakota	1482	0.8 %
34	Ohio	6870	3.6 %
35	Oklahoma	5562	3.0 %
36	Oregon	3121	1.7 %
37	Pennsylvania	853	0.5 %
38	Rhode Island	956	0.5 %
39	South Carolina	4779	2.5 %
40	South Dakota	1574	0.8 %
41	Tennessee	7510	4.0 %
42	Texas	15004	8.0 %
43	Utah	2374	1.3 %
44	Vermont	1025	0.5 %
45	Virginia	6399	3.4 %
46	Washington	4127	2.2 %

Value	Label	Unweighted Frequency	%
47	West Virginia	2546	1.4 %
48	Wisconsin	6833	3.6 %
49	Wyoming	1122	0.6 %
50	Alaska	1228	0.7 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 188,451 valid cases out of 188,451 total cases.

- Minimum: 1.00
- Maximum: 98.00

Location: 3-4 (width: 2; decimal: 0)

Variable Type: numeric

ORI: ORIGINATING AGENCY IDENTIFIER CODE

Originating Agency Identifier. Labels for ORIs are provided in the data file.

Value	Label	Unweighted Frequency	%
AK00101	ANCHORAGE	-	-
AK00102	FAIRBANKS	-	-
AK00103	JUNEAU	-	-
AK00104	KETCHIKAN	-	-
AK00105	KODIAK	-	-
AK00106	NOME	-	-
AK00107	PETERSBURG	-	-
AK00108	SEWARD	-	-
AK00109	SITKA	-	-
AK00110	SKAGWAY	-	-
AK00111	WRANGELL	-	-
AK00112	VALDEZ	-	-
AK00113	BETHEL	-	-
AK00114	CORDOVA	-	-
AK00116	KOTZEBUE	-	-
AK00117	PALMER	-	-
AK00118	NORTH SLOPE BOROUGH	-	-
AK00120	SOLDOTNA	-	-
AK00121	HAINES	-	-
AK00122	HOMER	-	-
AK00123	KENAI	-	-

Value	Label	Unweighted Frequency	%
AK00126	FAIRBANKS INTRNL AIRPORT	-	-
AK00127	TED STEVENS ANCHORAGE INT	-	-
AK00130	DILLINGHAM	-	-
AK00132	NORTH POLE	-	-
AK00133	UNALASKA	-	-
AK00142	UNIV OF AK: FAIRBANKS	-	-
AK00143	UNIV OF AK: ANCHORAGE	-	-
AK00145	CRAIG	-	-
AK00146	BRISTOL BAY BOROUGH	-	-
AK00156	WASILLA	-	-
AKAST01	ALASKA STATE TROOPERS	-	-
AL00100	JEFFERSON	-	-
AL00101	BESSEMER	-	-
AL00102	BIRMINGHAM	-	-
AL00104	FAIRFIELD	-	-
AL00106	LEEDS	-	-
AL00107	MIDFIELD	-	-
AL00108	TARRANT	-	-
AL00109	VESTAVIA HILLS	-	-
AL00110	HOMEWOOD	-	-
AL00111	FULTONDALE	-	-
AL00112	HOOVER	-	-
AL00113	IRONDALE	-	-
AL00114	PLEASANT GROVE	-	-
AL00119	HUEYTOWN	-	-
AL00120	LIPSCOMB	-	-
AL00121	TRUSSVILLE	-	-
AL00122	ADAMSVILLE	-	-
AL00123	WARRIOR	-	-
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 188,451 valid cases out of 188,451 total cases.

Location: 5-13 (width: 9; decimal: 0)

Variable Type: character

GROUP: GROUP

Group 0 is possessions; 1-7 are cities, 8-9 are counties. Sub-Group (position 12) is blank when not used. All populations are inclusive.

Value	Label	Unweighted Frequency	%
0	Possessions (Puerto Rico, Guam, Canal Zone, Virgin Islands, and American Samoa)	0	0.0 %
1	All cities 250,000 or over:	0	0.0 %
1A	Cities 1,000,000 or over	359	0.2 %
1B	Cities from 500,000 thru 999,999	789	0.4 %
1C	Cities from 250,000 thru 499,999	1554	0.8 %
2	Cities from 100,000 thru 249,000	6384	3.4 %
3	Cities from 50,000 thru 99,000	12544	6.7 %
4	Cities from 25,000 thru 49,999	18344	9.7 %
5	Cities from 10,000 thru 24,999	31250	16.6 %
6	Cities from 2,500 thru 9,999	41697	22.1 %
7	Cities under 2,500	21705	11.5 %
8	Non-MSA Counties:	0	0.0 %
8A	Non-MSA counties 100,000 or over	122	0.1 %
8B	Non-MSA counties from 25,000 thru 99,999	5176	2.7 %
8C	Non-MSA counties from 10,000 thru 24,999	9399	5.0 %
8D	Non-MSA counties under 10,000	12789	6.8 %
8E	Non-MSA State Police	1040	0.6 %
9	MSA Counties:	0	0.0 %
9A	MSA counties 100,000 or over	4117	2.2 %
9B	MSA counties from 25,000 thru 99,999	9429	5.0 %
9C	MSA counties from 10,000 thru 24,999	4506	2.4 %
9D	MSA counties under 10,000	7132	3.8 %
9E	MSA State Police	115	0.1 %
	Total	188,451	100%

Based upon 188,451 valid cases out of 188,451 total cases.

Location: 14-15 (width: 2; decimal: 0)

Variable Type: character

DIV: GEOGRAPHIC DIVISION OF STATE

Geographic division in which the state is located (from 1 thru 9). Possessions are coded "0."

Value	Label	Unweighted Frequency	%
0	Possessions	0	0.0 %
1	New England	14504	7.7 %
2	Middle Atlantic	15513	8.2 %
3	East North Central	25373	13.5 %

Value	Label	Unweighted Frequency	%
4	West North Central	23510	12.5 %
5	South Atlantic	27375	14.5 %
6	East South Central	15998	8.5 %
7	West South Central	27878	14.8 %
8	Mountain	13949	7.4 %
9	Pacific	24351	12.9 %
	Total	188,451	100%

Based upon 188,451 valid cases out of 188,451 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 16-16 (width: 1; decimal: 0)

Variable Type: numeric

YEAR: YEAR

The year the data reflects.

Value	Label	Unweighted Frequency	%
2020	-	188451	100.0 %
	Total	188,451	100%

Based upon 188,451 valid cases out of 188,451 total cases.

- Mean: 2020.00
- Median: 2020.00
- Mode: 2020.00
- Minimum: 2020.00
- Maximum: 2020.00
- Standard Deviation: 0.00

Location: 17-20 (width: 4; decimal: 0)

Variable Type: numeric

MSA: METROPOLITAN STATISTICAL AREA OF CITY (UCR CODE)

Metropolitan Statistical Area (MSA) number in which the city is located, if any. Blank if not used.

Value	Label	Unweighted Frequency	%
	Missing Data		
9998	Not applicable	188451	100.0 %
	Total	188,451	100%

Based upon 0 valid cases out of 188,451 total cases.

Location: 21-24 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: 9998

SUB: SUBURBAN

A "suburban" agency is an MSA city with less than 50,000 population (groups 4 - 7) together with MSA counties (group 9).

Value	Label	Unweighted Frequency	%
0	Non-suburban	92769	49.2 %
1	Suburban	95682	50.8 %
	Total	188,451	100%

Based upon 188,451 valid cases out of 188,451 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 25-25 (width: 1; decimal: 0)
Variable Type: numeric

REPORT: REPORT INDICATION

Value	Label	Unweighted Frequency	%
0	Juvenile and adult reported	170943	90.7 %
1	Juvenile only reported	43	0.0 %
2	Adult only reported	17465	9.3 %
3	Not reported	0	0.0 %
	Total	188,451	100%

Based upon 188,451 valid cases out of 188,451 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 26-26 (width: 1; decimal: 0)
Variable Type: numeric

ADJUST: ADJUSTMENT

Value	Label	Unweighted Frequency	%
0	Age, race, and ethnic origin reported	182915	97.1 %
1	No age reported	0	0.0 %
2	No race reported	0	0.0 %
3	No ethnic origin reported	5536	2.9 %
4	No race or ethnic origin reported	0	0.0 %
5	No age or ethnic origin reported	0	0.0 %
6	No age or race reported	0	0.0 %

Value	Label	Unweighted Frequency	%
	Total	188,451	100%

Based upon 188,451 valid cases out of 188,451 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 27-27 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9

SEQNO: SEQUENCE NUMBER (5-DIGIT)

A five-digit number which places all cities in alphabetic order, regardless of state. This field is blank for groups 0, 8, and 9.

Value	Label	Unweighted Frequency	%
0	-	188451	100.0 %
	Total	188,451	100%

Based upon 188,451 valid cases out of 188,451 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 28-28 (width: 1; decimal: 0)

Variable Type: numeric

COUNTY: COUNTY (3-DIGIT UCR CODE)

Three-digit numeric code for the county in which the agency is located.

Value	Label	Unweighted Frequency	%
0	-	6423	3.4 %
1	-	4357	2.3 %
2	-	4415	2.3 %
3	-	4174	2.2 %
4	-	3695	2.0 %
5	-	3496	1.9 %
6	-	2990	1.6 %
7	-	4363	2.3 %
8	-	3280	1.7 %
9	-	3474	1.8 %

Value	Label	Unweighted Frequency	%
10	-	3276	1.7 %
11	-	2892	1.5 %
12	-	2322	1.2 %
13	-	3549	1.9 %
14	-	3567	1.9 %
15	-	3262	1.7 %
16	-	2613	1.4 %
17	-	2348	1.2 %
18	-	2927	1.6 %
19	-	4418	2.3 %
20	-	2038	1.1 %
21	-	1955	1.0 %
22	-	1315	0.7 %
23	-	1805	1.0 %
24	-	2083	1.1 %
25	-	2401	1.3 %
26	-	1698	0.9 %
27	-	2781	1.5 %
28	-	1804	1.0 %
29	-	1878	1.0 %
30	-	2778	1.5 %
31	-	2456	1.3 %
32	-	1564	0.8 %
33	-	2282	1.2 %
34	-	2180	1.2 %
35	-	1247	0.7 %
36	-	2744	1.5 %
37	-	2062	1.1 %
38	-	1040	0.6 %
39	-	1672	0.9 %
40	-	2077	1.1 %
41	-	1815	1.0 %
42	-	1679	0.9 %
43	-	2249	1.2 %
44	-	1415	0.8 %
45	-	1447	0.8 %
46	-	1667	0.9 %
47	-	1466	0.8 %
48	-	1525	0.8 %

Value	Label	Unweighted Frequency	%
49	-	1581	0.8 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 188,451 valid cases out of 188,451 total cases.

- Mean: 41.17
- Median: 30.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 300.00
- Standard Deviation: 41.83

Location: 29-31 (width: 3; decimal: 0)

Variable Type: numeric

CORE: CORE CITY

Value	Label	Unweighted Frequency	%
N	Agency not core city	172467	91.5 %
Y	Agency is core city	15984	8.5 %
	Total	188,451	100%

Based upon 188,451 valid cases out of 188,451 total cases.

Location: 32-32 (width: 1; decimal: 0)

Variable Type: character

POP: CURRENT POPULATION

Total population for the agency for the year reported.

Based upon 188,451 valid cases out of 188,451 total cases.

- Mean: 37316.66
- Minimum: 0.00
- Maximum: 4000587.00
- Standard Deviation: 118042.68

Location: 33-39 (width: 7; decimal: 0)

Variable Type: numeric

AGENCNT: AGENCY COUNT

Used to accumulate "agencies used" totals in various tabulations. This field is normally "1" but will be "0" for the U.S. Park Police and all State Police agencies whose ORI code ends in "SP" (or "99" in California).

Value	Label	Unweighted Frequency	%
1	-	188451	100.0 %
	Total	188,451	100%

Based upon 188,451 valid cases out of 188,451 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

Location: 40-40 (width: 1; decimal: 0)

Variable Type: numeric

AGENCY: AGENCY NAME

Based upon 188,451 valid cases out of 188,451 total cases.

Location: 41-65 (width: 25; decimal: 0)

Variable Type: character

STNAME: STATE NAME

Value	Label	Unweighted Frequency	%
ALABA M	-	568	0.3 %
ALASK A	-	1228	0.7 %
ARIZO N	-	2264	1.2 %
ARKA NS	-	4398	2.3 %
CALIF O	-	15730	8.3 %
COLO RA	-	3412	1.8 %
CONN EC	-	2213	1.2 %
DELA WA	-	935	0.5 %
DISTRI	-	29	0.0 %
FEDER A	-	37	0.0 %
FLORI D	-	612	0.3 %
GEOR GI	-	5432	2.9 %

Value	Label	Unweighted Frequency	%
HAWAI I	-	108	0.1 %
IDAHO	-	1710	0.9 %
ILLINO	-	42	0.0 %
INDIAN	-	2537	1.3 %
IOWA	-	4003	2.1 %
KANSA S	-	3482	1.8 %
KENTU C	-	6132	3.3 %
LOUISI	-	2914	1.5 %
MAINE	-	2333	1.2 %
MARY LA	-	279	0.1 %
MASS AC	-	5070	2.7 %
MICHI G	-	9091	4.8 %
MINNE S	-	5974	3.2 %
MISSIS	-	1788	0.9 %
MISSE U	-	5634	3.0 %
MONT AN	-	1418	0.8 %
NEBR AS	-	1361	0.7 %
NEVAD A	-	1107	0.6 %
NEW HA	-	2907	1.5 %
NEW JE	-	8496	4.5 %
NEW ME	-	542	0.3 %
NEW YO	-	6164	3.3 %
NORT H	-	7846	4.2 %
OHIO	-	6870	3.6 %
OKLAH O	-	5562	3.0 %
OREG ON	-	3121	1.7 %

Value	Label	Unweighted Frequency	%
PENN SY	-	853	0.5 %
RHOD E	-	956	0.5 %
SOUT H	-	6353	3.4 %
TENNE S	-	7510	4.0 %
TEXAS	-	15004	8.0 %
UTAH	-	2374	1.3 %
VERM ON	-	1025	0.5 %
VIRGI N	-	6399	3.4 %
WASHI N	-	4127	2.2 %
WEST V	-	2546	1.4 %
WISCO N	-	6833	3.6 %
WYOM IN	-	1122	0.6 %
	Total	188,451	100%

Based upon 188,451 valid cases out of 188,451 total cases.

Location: 66-71 (width: 6; decimal: 0)

Variable Type: character

CARD1: CARD 1 INDICATOR

Value	Label	Unweighted Frequency	%
0	No adult male reported	5884	3.1 %
1	Adult male reported	178020	94.5 %
	Missing Data		
8	Not applicable	4547	2.4 %
	Total	188,451	100%

Based upon 183,904 valid cases out of 188,451 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 72-72 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

CARD2: CARD 2 INDICATOR

Value	Label	Unweighted Frequency	%
0	No adult female reported	17850	9.5 %
1	Adult female reported	166054	88.1 %
	Missing Data		
8	Not applicable	4547	2.4 %
	Total	188,451	100%

Based upon 183,904 valid cases out of 188,451 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 73-73 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

CARD3: CARD 3 INDICATOR

Value	Label	Unweighted Frequency	%
0	No juvenile reported	35015	18.6 %
1	Juvenile reported	148889	79.0 %
	Missing Data		
8	Not applicable	4547	2.4 %
	Total	188,451	100%

Based upon 183,904 valid cases out of 188,451 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 74-74 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

OFFENSE: OFFENSE CODE

Value	Label	Unweighted Frequency	%
000	HEADER Record	36	0.0 %
011	Murder and non-negligent manslaughter	2050	1.1 %
012	Manslaughter by negligence	623	0.3 %
020	Forcible rape	3545	1.9 %
030	Robbery	3612	1.9 %
040	Aggravated assault	7591	4.0 %
050	Burglary-breaking or entering	6414	3.4 %

Value	Label	Unweighted Frequency	%
060	Larceny-theft (not motor vehicle)	7580	4.0 %
070	Motor vehicle theft	5422	2.9 %
080	Other assaults	8656	4.6 %
090	Arson	2174	1.2 %
100	Forgery and counterfeiting	4015	2.1 %
110	Fraud	5436	2.9 %
120	Embezzlement	1638	0.9 %
130	Stolen property-buy, receive, poss.	4842	2.6 %
140	Vandalism	6702	3.6 %
150	Weapons-carry, posses, etc.	6364	3.4 %
160	Prostitution and commercialized vice	891	0.5 %
161	Prostitution and commercialized vice - Prostitution	535	0.3 %
162	Prostitution and commercialized vice - Assisting or Promoting Prostitution	304	0.2 %
163	Prostitution and commercialized vice - Purchasing Prostitution	168	0.1 %
170	Sex offenses (not rape or prostitution)	3856	2.0 %
18	Total drug abuse violations	8584	4.6 %
180	Sale/manufacture (subtotal)	5868	3.1 %
181	Sale: Opium, coke, and their derivatives	3289	1.7 %
182	Sale: Marijuana	3580	1.9 %
183	Sale: Truly addicting synthetic narcotics	1342	0.7 %
184	Sale: Other dangerous non-narc drugs	4162	2.2 %
185	Possession (subtotal)	8453	4.5 %
186	Possession: Opium, coke, and their derivatives	5925	3.1 %
187	Possession: Marijuana	6952	3.7 %
188	Possession: Truly addicting synthetic narcotics	3646	1.9 %
189	Possession: Other dangerous non-narc drugs	7297	3.9 %
19	Gambling (total)	268	0.1 %
191	Bookmaking (horse and sports)	106	0.1 %
192	Number and lottery	91	0.0 %
193	All other gambling	174	0.1 %
200	Offenses against family and children	3862	2.0 %
210	Driving under the influence	8606	4.6 %
220	Liquor laws	4782	2.5 %
230	Drunkenness	4188	2.2 %
240	Disorderly conduct	6706	3.6 %
250	Vagrancy	964	0.5 %
260	All other offenses (not traffic)	9110	4.8 %
270	Suspicion	104	0.1 %
280	Curfew and loitering violations	923	0.5 %

Value	Label	Unweighted Frequency	%
290	Runaways	682	0.4 %
301	Human Trafficking - Commercial Sex Acts	202	0.1 %
302	Human Trafficking - Involuntary Servitude	124	0.1 %
990	Juvenile Disposition Data	1460	0.8 %
	Missing Data		
998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

Location: 75-77 (width: 3; decimal: 0)

Variable Type: character

(Range of) Missing Values: 998

M0_9: MALE UNDER 10

Value	Label	Unweighted Frequency	%
0	-	183195	97.2 %
1	-	529	0.3 %
2	-	125	0.1 %
3	-	26	0.0 %
4	-	16	0.0 %
5	-	3	0.0 %
6	-	3	0.0 %
7	-	2	0.0 %
8	-	2	0.0 %
9	-	1	0.0 %
10	-	1	0.0 %
13	-	1	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 13.00
- Standard Deviation: 0.11

Location: 78-83 (width: 6; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: 999998

M10_12: MALE 10-12

Value	Label	Unweighted Frequency	%
0	-	176966	93.9 %
1	-	4424	2.3 %
2	-	1270	0.7 %
3	-	511	0.3 %
4	-	273	0.1 %
5	-	115	0.1 %
6	-	76	0.0 %
7	-	59	0.0 %
8	-	46	0.0 %
9	-	31	0.0 %
10	-	29	0.0 %
11	-	17	0.0 %
12	-	18	0.0 %
13	-	9	0.0 %
14	-	12	0.0 %
15	-	7	0.0 %
16	-	7	0.0 %
17	-	5	0.0 %
18	-	5	0.0 %
19	-	3	0.0 %
20	-	3	0.0 %
21	-	1	0.0 %
22	-	3	0.0 %
23	-	1	0.0 %
25	-	1	0.0 %
27	-	1	0.0 %
29	-	1	0.0 %
32	-	2	0.0 %
35	-	3	0.0 %
36	-	1	0.0 %
39	-	1	0.0 %
41	-	1	0.0 %
49	-	1	0.0 %
52	-	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 52.00
- Standard Deviation: 0.62

Location: 84-89 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M13_14: MALE 13-14

Value	Label	Unweighted Frequency	%
0	-	164512	87.3 %
1	-	10582	5.6 %
2	-	3720	2.0 %
3	-	1719	0.9 %
4	-	955	0.5 %
5	-	602	0.3 %
6	-	406	0.2 %
7	-	240	0.1 %
8	-	205	0.1 %
9	-	163	0.1 %
10	-	112	0.1 %
11	-	107	0.1 %
12	-	90	0.0 %
13	-	62	0.0 %
14	-	57	0.0 %
15	-	50	0.0 %
16	-	30	0.0 %
17	-	36	0.0 %
18	-	24	0.0 %
19	-	20	0.0 %
20	-	17	0.0 %
21	-	20	0.0 %
22	-	14	0.0 %
23	-	14	0.0 %

Value	Label	Unweighted Frequency	%
24	-	12	0.0 %
25	-	8	0.0 %
26	-	7	0.0 %
27	-	11	0.0 %
28	-	7	0.0 %
29	-	7	0.0 %
30	-	10	0.0 %
31	-	7	0.0 %
32	-	4	0.0 %
33	-	4	0.0 %
34	-	7	0.0 %
35	-	4	0.0 %
36	-	4	0.0 %
37	-	3	0.0 %
38	-	2	0.0 %
39	-	4	0.0 %
40	-	5	0.0 %
41	-	4	0.0 %
42	-	2	0.0 %
43	-	2	0.0 %
44	-	3	0.0 %
45	-	1	0.0 %
46	-	3	0.0 %
48	-	1	0.0 %
50	-	3	0.0 %
52	-	2	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 126.00
- Standard Deviation: 1.64

Location: 90-95 (width: 6; decimal: 0)

Variable Type: numeric

M15: MALE 15

Value	Label	Unweighted Frequency	%
0	-	163914	87.0 %
1	-	11589	6.1 %
2	-	3722	2.0 %
3	-	1677	0.9 %
4	-	867	0.5 %
5	-	553	0.3 %
6	-	360	0.2 %
7	-	267	0.1 %
8	-	180	0.1 %
9	-	134	0.1 %
10	-	92	0.0 %
11	-	81	0.0 %
12	-	84	0.0 %
13	-	52	0.0 %
14	-	48	0.0 %
15	-	42	0.0 %
16	-	29	0.0 %
17	-	35	0.0 %
18	-	16	0.0 %
19	-	11	0.0 %
20	-	15	0.0 %
21	-	10	0.0 %
22	-	13	0.0 %
23	-	11	0.0 %
24	-	6	0.0 %
25	-	5	0.0 %
26	-	5	0.0 %
27	-	10	0.0 %
28	-	4	0.0 %
29	-	3	0.0 %
30	-	8	0.0 %
31	-	1	0.0 %
32	-	2	0.0 %
33	-	5	0.0 %
34	-	3	0.0 %
35	-	2	0.0 %

Value	Label	Unweighted Frequency	%
36	-	7	0.0 %
37	-	4	0.0 %
38	-	3	0.0 %
39	-	5	0.0 %
40	-	1	0.0 %
41	-	2	0.0 %
42	-	1	0.0 %
43	-	2	0.0 %
44	-	2	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %
47	-	1	0.0 %
48	-	2	0.0 %
49	-	1	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 1.43

Location: 96-101 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M16: MALE 16

Value	Label	Unweighted Frequency	%
0	-	158947	84.3 %
1	-	14087	7.5 %
2	-	4606	2.4 %
3	-	2168	1.2 %
4	-	1176	0.6 %
5	-	709	0.4 %
6	-	486	0.3 %

Value	Label	Unweighted Frequency	%
7	-	359	0.2 %
8	-	223	0.1 %
9	-	190	0.1 %
10	-	134	0.1 %
11	-	116	0.1 %
12	-	105	0.1 %
13	-	85	0.0 %
14	-	64	0.0 %
15	-	61	0.0 %
16	-	49	0.0 %
17	-	35	0.0 %
18	-	34	0.0 %
19	-	25	0.0 %
20	-	23	0.0 %
21	-	19	0.0 %
22	-	18	0.0 %
23	-	12	0.0 %
24	-	27	0.0 %
25	-	12	0.0 %
26	-	13	0.0 %
27	-	10	0.0 %
28	-	6	0.0 %
29	-	4	0.0 %
30	-	8	0.0 %
31	-	7	0.0 %
32	-	9	0.0 %
33	-	7	0.0 %
34	-	7	0.0 %
35	-	3	0.0 %
36	-	2	0.0 %
37	-	6	0.0 %
38	-	3	0.0 %
39	-	4	0.0 %
40	-	2	0.0 %
41	-	2	0.0 %
42	-	2	0.0 %
43	-	1	0.0 %
45	-	2	0.0 %
46	-	1	0.0 %

Value	Label	Unweighted Frequency	%
47	-	1	0.0 %
49	-	1	0.0 %
50	-	2	0.0 %
51	-	2	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 0.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 101.00
- Standard Deviation: 1.75

Location: 102-107 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M17: MALE 17

Value	Label	Unweighted Frequency	%
0	-	152765	81.1 %
1	-	17262	9.2 %
2	-	5772	3.1 %
3	-	2719	1.4 %
4	-	1491	0.8 %
5	-	929	0.5 %
6	-	657	0.3 %
7	-	470	0.2 %
8	-	315	0.2 %
9	-	269	0.1 %
10	-	165	0.1 %
11	-	157	0.1 %
12	-	122	0.1 %
13	-	104	0.1 %
14	-	80	0.0 %
15	-	61	0.0 %
16	-	66	0.0 %

Value	Label	Unweighted Frequency	%
17	-	46	0.0 %
18	-	48	0.0 %
19	-	42	0.0 %
20	-	36	0.0 %
21	-	30	0.0 %
22	-	32	0.0 %
23	-	23	0.0 %
24	-	21	0.0 %
25	-	17	0.0 %
26	-	18	0.0 %
27	-	13	0.0 %
28	-	8	0.0 %
29	-	11	0.0 %
30	-	15	0.0 %
31	-	8	0.0 %
32	-	7	0.0 %
33	-	7	0.0 %
34	-	7	0.0 %
35	-	3	0.0 %
36	-	8	0.0 %
37	-	4	0.0 %
38	-	4	0.0 %
39	-	2	0.0 %
40	-	4	0.0 %
41	-	7	0.0 %
42	-	5	0.0 %
43	-	3	0.0 %
44	-	2	0.0 %
45	-	6	0.0 %
46	-	2	0.0 %
47	-	5	0.0 %
48	-	2	0.0 %
49	-	2	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 0.46
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 157.00
- Standard Deviation: 2.17

Location: 108-113 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M18: MALE 18

Value	Label	Unweighted Frequency	%
0	-	141984	75.3 %
1	-	22166	11.8 %
2	-	7794	4.1 %
3	-	3706	2.0 %
4	-	2256	1.2 %
5	-	1306	0.7 %
6	-	866	0.5 %
7	-	685	0.4 %
8	-	504	0.3 %
9	-	437	0.2 %
10	-	291	0.2 %
11	-	241	0.1 %
12	-	199	0.1 %
13	-	166	0.1 %
14	-	130	0.1 %
15	-	127	0.1 %
16	-	105	0.1 %
17	-	96	0.1 %
18	-	58	0.0 %
19	-	77	0.0 %
20	-	46	0.0 %
21	-	44	0.0 %
22	-	51	0.0 %
23	-	42	0.0 %
24	-	33	0.0 %
25	-	32	0.0 %
26	-	22	0.0 %
27	-	27	0.0 %

Value	Label	Unweighted Frequency	%
28	-	26	0.0 %
29	-	23	0.0 %
30	-	19	0.0 %
31	-	17	0.0 %
32	-	17	0.0 %
33	-	17	0.0 %
34	-	14	0.0 %
35	-	10	0.0 %
36	-	12	0.0 %
37	-	16	0.0 %
38	-	16	0.0 %
39	-	6	0.0 %
40	-	12	0.0 %
41	-	8	0.0 %
42	-	16	0.0 %
43	-	12	0.0 %
44	-	10	0.0 %
45	-	12	0.0 %
46	-	6	0.0 %
47	-	8	0.0 %
48	-	3	0.0 %
49	-	5	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 0.70
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 258.00
- Standard Deviation: 3.21

Location: 114-119 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M19: MALE 19

Value	Label	Unweighted Frequency	%
0	-	139950	74.3 %
1	-	22794	12.1 %
2	-	8147	4.3 %
3	-	3803	2.0 %
4	-	2369	1.3 %
5	-	1422	0.8 %
6	-	971	0.5 %
7	-	763	0.4 %
8	-	602	0.3 %
9	-	449	0.2 %
10	-	315	0.2 %
11	-	322	0.2 %
12	-	231	0.1 %
13	-	176	0.1 %
14	-	161	0.1 %
15	-	144	0.1 %
16	-	133	0.1 %
17	-	84	0.0 %
18	-	94	0.0 %
19	-	84	0.0 %
20	-	66	0.0 %
21	-	58	0.0 %
22	-	68	0.0 %
23	-	45	0.0 %
24	-	48	0.0 %
25	-	32	0.0 %
26	-	25	0.0 %
27	-	37	0.0 %
28	-	32	0.0 %
29	-	20	0.0 %
30	-	25	0.0 %
31	-	29	0.0 %
32	-	18	0.0 %
33	-	29	0.0 %
34	-	18	0.0 %
35	-	15	0.0 %
36	-	14	0.0 %
37	-	19	0.0 %
38	-	18	0.0 %

Value	Label	Unweighted Frequency	%
39	-	6	0.0 %
40	-	12	0.0 %
41	-	11	0.0 %
42	-	11	0.0 %
43	-	12	0.0 %
44	-	11	0.0 %
45	-	9	0.0 %
46	-	3	0.0 %
47	-	11	0.0 %
48	-	7	0.0 %
49	-	6	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 0.79
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 230.00
- Standard Deviation: 3.69

Location: 120-125 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M20: MALE 20

Value	Label	Unweighted Frequency	%
0	-	139421	74.0 %
1	-	23131	12.3 %
2	-	8081	4.3 %
3	-	4089	2.2 %
4	-	2413	1.3 %
5	-	1466	0.8 %
6	-	1018	0.5 %
7	-	711	0.4 %
8	-	540	0.3 %
9	-	440	0.2 %

Value	Label	Unweighted Frequency	%
10	-	350	0.2 %
11	-	261	0.1 %
12	-	228	0.1 %
13	-	188	0.1 %
14	-	166	0.1 %
15	-	121	0.1 %
16	-	121	0.1 %
17	-	108	0.1 %
18	-	73	0.0 %
19	-	70	0.0 %
20	-	67	0.0 %
21	-	60	0.0 %
22	-	54	0.0 %
23	-	46	0.0 %
24	-	47	0.0 %
25	-	42	0.0 %
26	-	33	0.0 %
27	-	33	0.0 %
28	-	29	0.0 %
29	-	31	0.0 %
30	-	18	0.0 %
31	-	24	0.0 %
32	-	15	0.0 %
33	-	17	0.0 %
34	-	24	0.0 %
35	-	19	0.0 %
36	-	12	0.0 %
37	-	12	0.0 %
38	-	22	0.0 %
39	-	14	0.0 %
40	-	6	0.0 %
41	-	13	0.0 %
42	-	8	0.0 %
43	-	9	0.0 %
44	-	9	0.0 %
45	-	9	0.0 %
46	-	6	0.0 %
47	-	12	0.0 %
48	-	6	0.0 %

Value	Label	Unweighted Frequency	%
49	-	8	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 0.82
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1000.00
- Standard Deviation: 5.70

Location: 126-131 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M21: MALE 21

Value	Label	Unweighted Frequency	%
0	-	139032	73.8 %
1	-	23392	12.4 %
2	-	8074	4.3 %
3	-	3990	2.1 %
4	-	2319	1.2 %
5	-	1555	0.8 %
6	-	1024	0.5 %
7	-	782	0.4 %
8	-	527	0.3 %
9	-	474	0.3 %
10	-	354	0.2 %
11	-	272	0.1 %
12	-	222	0.1 %
13	-	223	0.1 %
14	-	153	0.1 %
15	-	117	0.1 %
16	-	125	0.1 %
17	-	110	0.1 %
18	-	96	0.1 %
19	-	89	0.0 %

Value	Label	Unweighted Frequency	%
20	-	73	0.0 %
21	-	45	0.0 %
22	-	51	0.0 %
23	-	53	0.0 %
24	-	54	0.0 %
25	-	42	0.0 %
26	-	42	0.0 %
27	-	39	0.0 %
28	-	31	0.0 %
29	-	32	0.0 %
30	-	17	0.0 %
31	-	29	0.0 %
32	-	23	0.0 %
33	-	26	0.0 %
34	-	24	0.0 %
35	-	16	0.0 %
36	-	22	0.0 %
37	-	20	0.0 %
38	-	11	0.0 %
39	-	15	0.0 %
40	-	12	0.0 %
41	-	11	0.0 %
42	-	6	0.0 %
43	-	10	0.0 %
44	-	15	0.0 %
45	-	9	0.0 %
46	-	9	0.0 %
47	-	6	0.0 %
48	-	8	0.0 %
49	-	3	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 0.83
- Median: 0.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 320.00
- Standard Deviation: 4.10

Location: 132-137 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M22: MALE 22

Value	Label	Unweighted Frequency	%
0	-	138917	73.7 %
1	-	23439	12.4 %
2	-	7989	4.2 %
3	-	4077	2.2 %
4	-	2339	1.2 %
5	-	1572	0.8 %
6	-	994	0.5 %
7	-	796	0.4 %
8	-	570	0.3 %
9	-	451	0.2 %
10	-	332	0.2 %
11	-	286	0.2 %
12	-	221	0.1 %
13	-	181	0.1 %
14	-	173	0.1 %
15	-	125	0.1 %
16	-	134	0.1 %
17	-	126	0.1 %
18	-	85	0.0 %
19	-	96	0.1 %
20	-	81	0.0 %
21	-	70	0.0 %
22	-	55	0.0 %
23	-	53	0.0 %
24	-	40	0.0 %
25	-	41	0.0 %
26	-	44	0.0 %
27	-	33	0.0 %
28	-	23	0.0 %
29	-	33	0.0 %
30	-	38	0.0 %

Value	Label	Unweighted Frequency	%
31	-	26	0.0 %
32	-	20	0.0 %
33	-	24	0.0 %
34	-	19	0.0 %
35	-	17	0.0 %
36	-	14	0.0 %
37	-	14	0.0 %
38	-	15	0.0 %
39	-	8	0.0 %
40	-	14	0.0 %
41	-	12	0.0 %
42	-	15	0.0 %
43	-	18	0.0 %
44	-	7	0.0 %
45	-	14	0.0 %
46	-	7	0.0 %
47	-	4	0.0 %
48	-	12	0.0 %
49	-	8	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 0.84
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 324.00
- Standard Deviation: 4.26

Location: 138-143 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M23: MALE 23

Value	Label	Unweighted Frequency	%
0	-	139227	73.9 %
1	-	23038	12.2 %

Value	Label	Unweighted Frequency	%
2	-	8111	4.3 %
3	-	3939	2.1 %
4	-	2389	1.3 %
5	-	1544	0.8 %
6	-	1067	0.6 %
7	-	785	0.4 %
8	-	541	0.3 %
9	-	430	0.2 %
10	-	368	0.2 %
11	-	284	0.2 %
12	-	265	0.1 %
13	-	195	0.1 %
14	-	166	0.1 %
15	-	132	0.1 %
16	-	117	0.1 %
17	-	104	0.1 %
18	-	82	0.0 %
19	-	81	0.0 %
20	-	71	0.0 %
21	-	67	0.0 %
22	-	67	0.0 %
23	-	51	0.0 %
24	-	63	0.0 %
25	-	56	0.0 %
26	-	43	0.0 %
27	-	32	0.0 %
28	-	38	0.0 %
29	-	24	0.0 %
30	-	32	0.0 %
31	-	21	0.0 %
32	-	27	0.0 %
33	-	16	0.0 %
34	-	23	0.0 %
35	-	21	0.0 %
36	-	25	0.0 %
37	-	17	0.0 %
38	-	17	0.0 %
39	-	11	0.0 %
40	-	14	0.0 %

Value	Label	Unweighted Frequency	%
41	-	10	0.0 %
42	-	6	0.0 %
43	-	8	0.0 %
44	-	10	0.0 %
45	-	13	0.0 %
46	-	12	0.0 %
47	-	7	0.0 %
48	-	8	0.0 %
49	-	12	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 0.84
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 353.00
- Standard Deviation: 4.39

Location: 144-149 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M24: MALE 24

Value	Label	Unweighted Frequency	%
0	-	138856	73.7 %
1	-	23065	12.2 %
2	-	8061	4.3 %
3	-	4087	2.2 %
4	-	2348	1.2 %
5	-	1642	0.9 %
6	-	1074	0.6 %
7	-	777	0.4 %
8	-	590	0.3 %
9	-	448	0.2 %
10	-	363	0.2 %
11	-	297	0.2 %

Value	Label	Unweighted Frequency	%
12	-	259	0.1 %
13	-	201	0.1 %
14	-	172	0.1 %
15	-	172	0.1 %
16	-	113	0.1 %
17	-	95	0.1 %
18	-	91	0.0 %
19	-	84	0.0 %
20	-	83	0.0 %
21	-	75	0.0 %
22	-	54	0.0 %
23	-	58	0.0 %
24	-	55	0.0 %
25	-	52	0.0 %
26	-	32	0.0 %
27	-	41	0.0 %
28	-	35	0.0 %
29	-	32	0.0 %
30	-	32	0.0 %
31	-	25	0.0 %
32	-	31	0.0 %
33	-	22	0.0 %
34	-	19	0.0 %
35	-	17	0.0 %
36	-	21	0.0 %
37	-	17	0.0 %
38	-	23	0.0 %
39	-	17	0.0 %
40	-	13	0.0 %
41	-	24	0.0 %
42	-	11	0.0 %
43	-	10	0.0 %
44	-	15	0.0 %
45	-	12	0.0 %
46	-	15	0.0 %
47	-	10	0.0 %
48	-	10	0.0 %
49	-	12	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 0.87
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 391.00
- Standard Deviation: 4.53

Location: 150-155 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M25_29: MALE 25-29

Value	Label	Unweighted Frequency	%
0	-	87660	46.5 %
1	-	33755	17.9 %
2	-	15365	8.2 %
3	-	8936	4.7 %
4	-	6127	3.3 %
5	-	4416	2.3 %
6	-	3381	1.8 %
7	-	2622	1.4 %
8	-	2181	1.2 %
9	-	1831	1.0 %
10	-	1505	0.8 %
11	-	1265	0.7 %
12	-	1166	0.6 %
13	-	970	0.5 %
14	-	890	0.5 %
15	-	767	0.4 %
16	-	676	0.4 %
17	-	663	0.4 %
18	-	514	0.3 %
19	-	487	0.3 %
20	-	441	0.2 %
21	-	389	0.2 %

Value	Label	Unweighted Frequency	%
22	-	394	0.2 %
23	-	315	0.2 %
24	-	321	0.2 %
25	-	285	0.2 %
26	-	283	0.2 %
27	-	254	0.1 %
28	-	247	0.1 %
29	-	214	0.1 %
30	-	189	0.1 %
31	-	201	0.1 %
32	-	180	0.1 %
33	-	186	0.1 %
34	-	168	0.1 %
35	-	136	0.1 %
36	-	156	0.1 %
37	-	148	0.1 %
38	-	141	0.1 %
39	-	122	0.1 %
40	-	120	0.1 %
41	-	115	0.1 %
42	-	111	0.1 %
43	-	98	0.1 %
44	-	108	0.1 %
45	-	105	0.1 %
46	-	85	0.0 %
47	-	85	0.0 %
48	-	79	0.0 %
49	-	85	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 4.85
- Minimum: 0.00
- Maximum: 2787.00
- Standard Deviation: 25.37

Location: 156-161 (width: 6; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: 999998

M30_34: MALE 30-34

Value	Label	Unweighted Frequency	%
0	-	89418	47.4 %
1	-	33817	17.9 %
2	-	15288	8.1 %
3	-	8839	4.7 %
4	-	5955	3.2 %
5	-	4276	2.3 %
6	-	3350	1.8 %
7	-	2584	1.4 %
8	-	2083	1.1 %
9	-	1767	0.9 %
10	-	1407	0.7 %
11	-	1207	0.6 %
12	-	1039	0.6 %
13	-	949	0.5 %
14	-	821	0.4 %
15	-	756	0.4 %
16	-	671	0.4 %
17	-	578	0.3 %
18	-	470	0.2 %
19	-	464	0.2 %
20	-	441	0.2 %
21	-	384	0.2 %
22	-	367	0.2 %
23	-	319	0.2 %
24	-	316	0.2 %
25	-	295	0.2 %
26	-	233	0.1 %
27	-	257	0.1 %
28	-	225	0.1 %
29	-	218	0.1 %
30	-	188	0.1 %
31	-	174	0.1 %
32	-	184	0.1 %
33	-	182	0.1 %
34	-	163	0.1 %

Value	Label	Unweighted Frequency	%
35	-	120	0.1 %
36	-	154	0.1 %
37	-	137	0.1 %
38	-	134	0.1 %
39	-	113	0.1 %
40	-	115	0.1 %
41	-	102	0.1 %
42	-	94	0.0 %
43	-	95	0.1 %
44	-	91	0.0 %
45	-	71	0.0 %
46	-	77	0.0 %
47	-	85	0.0 %
48	-	52	0.0 %
49	-	72	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 4.52
- Minimum: 0.00
- Maximum: 3237.00
- Standard Deviation: 23.93

Location: 162-167 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M35_39: MALE 35-39

Value	Label	Unweighted Frequency	%
0	-	95521	50.7 %
1	-	33391	17.7 %
2	-	14262	7.6 %
3	-	8340	4.4 %
4	-	5630	3.0 %
5	-	3971	2.1 %
6	-	3012	1.6 %
7	-	2339	1.2 %

Value	Label	Unweighted Frequency	%
8	-	1868	1.0 %
9	-	1551	0.8 %
10	-	1296	0.7 %
11	-	1087	0.6 %
12	-	966	0.5 %
13	-	776	0.4 %
14	-	721	0.4 %
15	-	610	0.3 %
16	-	572	0.3 %
17	-	499	0.3 %
18	-	440	0.2 %
19	-	429	0.2 %
20	-	362	0.2 %
21	-	336	0.2 %
22	-	310	0.2 %
23	-	308	0.2 %
24	-	259	0.1 %
25	-	201	0.1 %
26	-	204	0.1 %
27	-	177	0.1 %
28	-	183	0.1 %
29	-	153	0.1 %
30	-	166	0.1 %
31	-	140	0.1 %
32	-	168	0.1 %
33	-	124	0.1 %
34	-	125	0.1 %
35	-	92	0.0 %
36	-	112	0.1 %
37	-	116	0.1 %
38	-	110	0.1 %
39	-	93	0.0 %
40	-	90	0.0 %
41	-	93	0.0 %
42	-	105	0.1 %
43	-	107	0.1 %
44	-	66	0.0 %
45	-	64	0.0 %
46	-	64	0.0 %

Value	Label	Unweighted Frequency	%
47	-	56	0.0 %
48	-	61	0.0 %
49	-	72	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 3.72
- Minimum: 0.00
- Maximum: 2833.00
- Standard Deviation: 19.56

Location: 168-173 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M40_44: MALE 40-44

Value	Label	Unweighted Frequency	%
0	-	106915	56.7 %
1	-	30868	16.4 %
2	-	13143	7.0 %
3	-	7332	3.9 %
4	-	4839	2.6 %
5	-	3302	1.8 %
6	-	2478	1.3 %
7	-	1971	1.0 %
8	-	1504	0.8 %
9	-	1185	0.6 %
10	-	1077	0.6 %
11	-	861	0.5 %
12	-	757	0.4 %
13	-	681	0.4 %
14	-	549	0.3 %
15	-	505	0.3 %
16	-	389	0.2 %
17	-	370	0.2 %
18	-	322	0.2 %
19	-	281	0.1 %

Value	Label	Unweighted Frequency	%
20	-	280	0.1 %
21	-	233	0.1 %
22	-	222	0.1 %
23	-	198	0.1 %
24	-	193	0.1 %
25	-	195	0.1 %
26	-	167	0.1 %
27	-	157	0.1 %
28	-	133	0.1 %
29	-	120	0.1 %
30	-	108	0.1 %
31	-	110	0.1 %
32	-	96	0.1 %
33	-	105	0.1 %
34	-	68	0.0 %
35	-	86	0.0 %
36	-	87	0.0 %
37	-	62	0.0 %
38	-	54	0.0 %
39	-	51	0.0 %
40	-	57	0.0 %
41	-	59	0.0 %
42	-	47	0.0 %
43	-	66	0.0 %
44	-	47	0.0 %
45	-	59	0.0 %
46	-	47	0.0 %
47	-	33	0.0 %
48	-	45	0.0 %
49	-	43	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 2.69
- Minimum: 0.00

- Maximum: 2073.00
- Standard Deviation: 14.41

Location: 174-179 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M45_49: MALE 45-49

Value	Label	Unweighted Frequency	%
0	-	119747	63.5 %
1	-	28209	15.0 %
2	-	11161	5.9 %
3	-	5972	3.2 %
4	-	3773	2.0 %
5	-	2761	1.5 %
6	-	1922	1.0 %
7	-	1375	0.7 %
8	-	1156	0.6 %
9	-	887	0.5 %
10	-	716	0.4 %
11	-	662	0.4 %
12	-	484	0.3 %
13	-	472	0.3 %
14	-	415	0.2 %
15	-	331	0.2 %
16	-	281	0.1 %
17	-	261	0.1 %
18	-	231	0.1 %
19	-	195	0.1 %
20	-	206	0.1 %
21	-	137	0.1 %
22	-	164	0.1 %
23	-	136	0.1 %
24	-	134	0.1 %
25	-	98	0.1 %
26	-	78	0.0 %
27	-	99	0.1 %
28	-	97	0.1 %
29	-	63	0.0 %
30	-	83	0.0 %
31	-	59	0.0 %
32	-	62	0.0 %

Value	Label	Unweighted Frequency	%
33	-	67	0.0 %
34	-	45	0.0 %
35	-	61	0.0 %
36	-	34	0.0 %
37	-	55	0.0 %
38	-	46	0.0 %
39	-	45	0.0 %
40	-	35	0.0 %
41	-	47	0.0 %
42	-	38	0.0 %
43	-	39	0.0 %
44	-	27	0.0 %
45	-	29	0.0 %
46	-	36	0.0 %
47	-	28	0.0 %
48	-	26	0.0 %
49	-	18	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 1.83
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1613.00
- Standard Deviation: 10.36

Location: 180-185 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M50_54: MALE 50-54

Value	Label	Unweighted Frequency	%
0	-	126797	67.3 %
1	-	26351	14.0 %
2	-	10130	5.4 %
3	-	5226	2.8 %

Value	Label	Unweighted Frequency	%
4	-	3352	1.8 %
5	-	2211	1.2 %
6	-	1606	0.9 %
7	-	1164	0.6 %
8	-	975	0.5 %
9	-	792	0.4 %
10	-	611	0.3 %
11	-	439	0.2 %
12	-	408	0.2 %
13	-	316	0.2 %
14	-	293	0.2 %
15	-	270	0.1 %
16	-	211	0.1 %
17	-	203	0.1 %
18	-	196	0.1 %
19	-	159	0.1 %
20	-	135	0.1 %
21	-	123	0.1 %
22	-	106	0.1 %
23	-	83	0.0 %
24	-	86	0.0 %
25	-	87	0.0 %
26	-	102	0.1 %
27	-	71	0.0 %
28	-	84	0.0 %
29	-	63	0.0 %
30	-	49	0.0 %
31	-	53	0.0 %
32	-	49	0.0 %
33	-	43	0.0 %
34	-	52	0.0 %
35	-	33	0.0 %
36	-	43	0.0 %
37	-	41	0.0 %
38	-	28	0.0 %
39	-	37	0.0 %
40	-	33	0.0 %
41	-	28	0.0 %
42	-	28	0.0 %

Value	Label	Unweighted Frequency	%
43	-	18	0.0 %
44	-	25	0.0 %
45	-	30	0.0 %
46	-	17	0.0 %
47	-	27	0.0 %
48	-	24	0.0 %
49	-	16	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 1.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1381.00
- Standard Deviation: 8.71

Location: 186-191 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M55_59: MALE 55-59

Value	Label	Unweighted Frequency	%
0	-	134542	71.4 %
1	-	23958	12.7 %
2	-	8679	4.6 %
3	-	4639	2.5 %
4	-	2802	1.5 %
5	-	1761	0.9 %
6	-	1325	0.7 %
7	-	929	0.5 %
8	-	697	0.4 %
9	-	530	0.3 %
10	-	470	0.2 %
11	-	372	0.2 %
12	-	312	0.2 %
13	-	262	0.1 %

Value	Label	Unweighted Frequency	%
14	-	245	0.1 %
15	-	213	0.1 %
16	-	162	0.1 %
17	-	147	0.1 %
18	-	124	0.1 %
19	-	106	0.1 %
20	-	112	0.1 %
21	-	110	0.1 %
22	-	80	0.0 %
23	-	85	0.0 %
24	-	61	0.0 %
25	-	63	0.0 %
26	-	64	0.0 %
27	-	85	0.0 %
28	-	43	0.0 %
29	-	43	0.0 %
30	-	39	0.0 %
31	-	37	0.0 %
32	-	35	0.0 %
33	-	32	0.0 %
34	-	34	0.0 %
35	-	28	0.0 %
36	-	25	0.0 %
37	-	31	0.0 %
38	-	29	0.0 %
39	-	24	0.0 %
40	-	9	0.0 %
41	-	24	0.0 %
42	-	21	0.0 %
43	-	24	0.0 %
44	-	10	0.0 %
45	-	20	0.0 %
46	-	17	0.0 %
47	-	16	0.0 %
48	-	14	0.0 %
49	-	15	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 1.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1134.00
- Standard Deviation: 7.02

Location: 192-197 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M60_64: MALE 60-64

Value	Label	Unweighted Frequency	%
0	-	148294	78.7 %
1	-	19546	10.4 %
2	-	6323	3.4 %
3	-	3060	1.6 %
4	-	1709	0.9 %
5	-	1067	0.6 %
6	-	773	0.4 %
7	-	545	0.3 %
8	-	385	0.2 %
9	-	284	0.2 %
10	-	215	0.1 %
11	-	194	0.1 %
12	-	162	0.1 %
13	-	158	0.1 %
14	-	109	0.1 %
15	-	105	0.1 %
16	-	86	0.0 %
17	-	61	0.0 %
18	-	66	0.0 %
19	-	65	0.0 %
20	-	55	0.0 %
21	-	44	0.0 %
22	-	37	0.0 %
23	-	37	0.0 %
24	-	41	0.0 %
25	-	28	0.0 %

Value	Label	Unweighted Frequency	%
26	-	27	0.0 %
27	-	22	0.0 %
28	-	33	0.0 %
29	-	20	0.0 %
30	-	16	0.0 %
31	-	19	0.0 %
32	-	14	0.0 %
33	-	8	0.0 %
34	-	15	0.0 %
35	-	14	0.0 %
36	-	9	0.0 %
37	-	8	0.0 %
38	-	10	0.0 %
39	-	12	0.0 %
40	-	15	0.0 %
41	-	8	0.0 %
42	-	5	0.0 %
43	-	6	0.0 %
44	-	5	0.0 %
45	-	7	0.0 %
46	-	6	0.0 %
47	-	4	0.0 %
48	-	6	0.0 %
49	-	2	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 0.62
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 654.00
- Standard Deviation: 4.00

Location: 198-203 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M65: MALE OVER 64

Value	Label	Unweighted Frequency	%
0	-	156367	83.0 %
1	-	16402	8.7 %
2	-	4785	2.5 %
3	-	2197	1.2 %
4	-	1258	0.7 %
5	-	728	0.4 %
6	-	497	0.3 %
7	-	276	0.1 %
8	-	257	0.1 %
9	-	167	0.1 %
10	-	131	0.1 %
11	-	121	0.1 %
12	-	91	0.0 %
13	-	75	0.0 %
14	-	58	0.0 %
15	-	40	0.0 %
16	-	42	0.0 %
17	-	41	0.0 %
18	-	25	0.0 %
19	-	24	0.0 %
20	-	35	0.0 %
21	-	17	0.0 %
22	-	19	0.0 %
23	-	20	0.0 %
24	-	9	0.0 %
25	-	8	0.0 %
26	-	15	0.0 %
27	-	10	0.0 %
28	-	15	0.0 %
29	-	10	0.0 %
30	-	4	0.0 %
31	-	10	0.0 %
32	-	3	0.0 %
33	-	10	0.0 %
34	-	2	0.0 %
35	-	7	0.0 %
36	-	5	0.0 %

Value	Label	Unweighted Frequency	%
37	-	7	0.0 %
38	-	8	0.0 %
39	-	8	0.0 %
40	-	3	0.0 %
41	-	3	0.0 %
42	-	5	0.0 %
43	-	2	0.0 %
44	-	2	0.0 %
45	-	2	0.0 %
46	-	4	0.0 %
47	-	2	0.0 %
48	-	1	0.0 %
49	-	4	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 0.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 369.00
- Standard Deviation: 2.50

Location: 204-209 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F0_9: FEMALE UNDER 10

Value	Label	Unweighted Frequency	%
0	-	183697	97.5 %
1	-	173	0.1 %
2	-	23	0.0 %
3	-	4	0.0 %
4	-	3	0.0 %
5	-	4	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %

Value	Label	Unweighted Frequency	%
	Total	188,451	100%

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.05

Location: 210-215 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F10_12: FEMALE 10-12

Value	Label	Unweighted Frequency	%
0	-	180436	95.7 %
1	-	2275	1.2 %
2	-	614	0.3 %
3	-	250	0.1 %
4	-	131	0.1 %
5	-	58	0.0 %
6	-	28	0.0 %
7	-	30	0.0 %
8	-	25	0.0 %
9	-	17	0.0 %
10	-	5	0.0 %
11	-	3	0.0 %
12	-	7	0.0 %
13	-	7	0.0 %
14	-	3	0.0 %
16	-	1	0.0 %
17	-	2	0.0 %
19	-	2	0.0 %
20	-	1	0.0 %
21	-	1	0.0 %
22	-	1	0.0 %
23	-	1	0.0 %
24	-	1	0.0 %
27	-	1	0.0 %
33	-	1	0.0 %

Value	Label	Unweighted Frequency	%
34	-	1	0.0 %
38	-	1	0.0 %
56	-	1	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 56.00
- Standard Deviation: 0.41

Location: 216-221 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F13_14: FEMALE 13-14

Value	Label	Unweighted Frequency	%
0	-	173453	92.0 %
1	-	6049	3.2 %
2	-	1955	1.0 %
3	-	890	0.5 %
4	-	439	0.2 %
5	-	279	0.1 %
6	-	169	0.1 %
7	-	130	0.1 %
8	-	107	0.1 %
9	-	78	0.0 %
10	-	60	0.0 %
11	-	51	0.0 %
12	-	39	0.0 %
13	-	23	0.0 %
14	-	22	0.0 %
15	-	26	0.0 %
16	-	12	0.0 %
17	-	13	0.0 %
18	-	9	0.0 %
19	-	13	0.0 %

Value	Label	Unweighted Frequency	%
20	-	11	0.0 %
21	-	10	0.0 %
22	-	7	0.0 %
23	-	5	0.0 %
24	-	8	0.0 %
25	-	2	0.0 %
26	-	5	0.0 %
27	-	2	0.0 %
29	-	2	0.0 %
30	-	3	0.0 %
31	-	2	0.0 %
32	-	4	0.0 %
33	-	1	0.0 %
34	-	2	0.0 %
35	-	1	0.0 %
37	-	3	0.0 %
38	-	1	0.0 %
41	-	1	0.0 %
42	-	3	0.0 %
43	-	1	0.0 %
45	-	1	0.0 %
47	-	1	0.0 %
49	-	1	0.0 %
52	-	1	0.0 %
57	-	1	0.0 %
62	-	1	0.0 %
64	-	1	0.0 %
68	-	1	0.0 %
72	-	1	0.0 %
90	-	1	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 0.14
- Median: 0.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 178.00
- Standard Deviation: 1.17

Location: 222-227 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F15: FEMALE 15

Value	Label	Unweighted Frequency	%
0	-	174203	92.4 %
1	-	6125	3.3 %
2	-	1691	0.9 %
3	-	730	0.4 %
4	-	394	0.2 %
5	-	214	0.1 %
6	-	128	0.1 %
7	-	84	0.0 %
8	-	74	0.0 %
9	-	47	0.0 %
10	-	36	0.0 %
11	-	40	0.0 %
12	-	26	0.0 %
13	-	17	0.0 %
14	-	16	0.0 %
15	-	11	0.0 %
16	-	13	0.0 %
17	-	7	0.0 %
18	-	9	0.0 %
19	-	4	0.0 %
20	-	4	0.0 %
21	-	2	0.0 %
22	-	3	0.0 %
23	-	2	0.0 %
25	-	2	0.0 %
26	-	3	0.0 %
27	-	2	0.0 %
28	-	2	0.0 %
33	-	2	0.0 %
34	-	1	0.0 %
37	-	1	0.0 %

Value	Label	Unweighted Frequency	%
39	-	1	0.0 %
41	-	1	0.0 %
43	-	2	0.0 %
44	-	2	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %
57	-	1	0.0 %
64	-	1	0.0 %
128	-	1	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 128.00
- Standard Deviation: 0.84

Location: 228-233 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F16: FEMALE 16

Value	Label	Unweighted Frequency	%
0	-	171934	91.2 %
1	-	7622	4.0 %
2	-	2047	1.1 %
3	-	903	0.5 %
4	-	471	0.2 %
5	-	244	0.1 %
6	-	159	0.1 %
7	-	127	0.1 %
8	-	75	0.0 %
9	-	57	0.0 %
10	-	53	0.0 %
11	-	38	0.0 %
12	-	23	0.0 %
13	-	37	0.0 %

Value	Label	Unweighted Frequency	%
14	-	12	0.0 %
15	-	10	0.0 %
16	-	26	0.0 %
17	-	7	0.0 %
18	-	5	0.0 %
19	-	6	0.0 %
20	-	6	0.0 %
21	-	2	0.0 %
22	-	3	0.0 %
23	-	6	0.0 %
24	-	6	0.0 %
25	-	1	0.0 %
26	-	5	0.0 %
27	-	1	0.0 %
28	-	2	0.0 %
29	-	1	0.0 %
30	-	2	0.0 %
32	-	3	0.0 %
33	-	1	0.0 %
36	-	1	0.0 %
47	-	2	0.0 %
48	-	1	0.0 %
61	-	1	0.0 %
70	-	1	0.0 %
72	-	1	0.0 %
96	-	1	0.0 %
99	-	1	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 0.93

Location: 234-239 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F17: FEMALE 17

Value	Label	Unweighted Frequency	%
0	-	169579	90.0 %
1	-	9050	4.8 %
2	-	2467	1.3 %
3	-	1069	0.6 %
4	-	612	0.3 %
5	-	326	0.2 %
6	-	215	0.1 %
7	-	129	0.1 %
8	-	97	0.1 %
9	-	72	0.0 %
10	-	53	0.0 %
11	-	32	0.0 %
12	-	24	0.0 %
13	-	28	0.0 %
14	-	23	0.0 %
15	-	17	0.0 %
16	-	13	0.0 %
17	-	18	0.0 %
18	-	7	0.0 %
19	-	10	0.0 %
20	-	11	0.0 %
21	-	9	0.0 %
22	-	7	0.0 %
23	-	2	0.0 %
24	-	3	0.0 %
25	-	5	0.0 %
26	-	2	0.0 %
27	-	3	0.0 %
28	-	2	0.0 %
30	-	1	0.0 %
31	-	4	0.0 %
32	-	2	0.0 %
33	-	2	0.0 %
35	-	1	0.0 %
37	-	1	0.0 %
40	-	1	0.0 %
44	-	1	0.0 %

Value	Label	Unweighted Frequency	%
48	-	1	0.0 %
49	-	1	0.0 %
60	-	1	0.0 %
71	-	2	0.0 %
87	-	1	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 87.00
- Standard Deviation: 0.97

Location: 240-245 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F18: FEMALE 18

Value	Label	Unweighted Frequency	%
0	-	163695	86.9 %
1	-	12432	6.6 %
2	-	3502	1.9 %
3	-	1590	0.8 %
4	-	862	0.5 %
5	-	483	0.3 %
6	-	310	0.2 %
7	-	226	0.1 %
8	-	149	0.1 %
9	-	118	0.1 %
10	-	68	0.0 %
11	-	82	0.0 %
12	-	47	0.0 %
13	-	56	0.0 %
14	-	39	0.0 %
15	-	39	0.0 %
16	-	26	0.0 %
17	-	21	0.0 %

Value	Label	Unweighted Frequency	%
18	-	13	0.0 %
19	-	13	0.0 %
20	-	10	0.0 %
21	-	19	0.0 %
22	-	7	0.0 %
23	-	7	0.0 %
24	-	9	0.0 %
25	-	13	0.0 %
26	-	14	0.0 %
27	-	7	0.0 %
28	-	7	0.0 %
29	-	2	0.0 %
30	-	3	0.0 %
31	-	8	0.0 %
32	-	4	0.0 %
33	-	1	0.0 %
34	-	1	0.0 %
35	-	1	0.0 %
37	-	1	0.0 %
41	-	1	0.0 %
44	-	1	0.0 %
47	-	2	0.0 %
49	-	2	0.0 %
51	-	2	0.0 %
52	-	2	0.0 %
53	-	1	0.0 %
56	-	1	0.0 %
57	-	2	0.0 %
64	-	1	0.0 %
69	-	1	0.0 %
88	-	1	0.0 %
91	-	1	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 160.00
- Standard Deviation: 1.34

Location: 246-251 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F19: FEMALE 19

Value	Label	Unweighted Frequency	%
0	-	161378	85.6 %
1	-	13645	7.2 %
2	-	4137	2.2 %
3	-	1612	0.9 %
4	-	921	0.5 %
5	-	506	0.3 %
6	-	390	0.2 %
7	-	291	0.2 %
8	-	192	0.1 %
9	-	124	0.1 %
10	-	123	0.1 %
11	-	84	0.0 %
12	-	62	0.0 %
13	-	68	0.0 %
14	-	60	0.0 %
15	-	28	0.0 %
16	-	30	0.0 %
17	-	27	0.0 %
18	-	30	0.0 %
19	-	19	0.0 %
20	-	20	0.0 %
21	-	17	0.0 %
22	-	7	0.0 %
23	-	13	0.0 %
24	-	12	0.0 %
25	-	13	0.0 %
26	-	7	0.0 %
27	-	9	0.0 %
28	-	9	0.0 %
29	-	5	0.0 %

Value	Label	Unweighted Frequency	%
30	-	5	0.0 %
31	-	5	0.0 %
32	-	6	0.0 %
33	-	2	0.0 %
34	-	7	0.0 %
35	-	5	0.0 %
36	-	5	0.0 %
37	-	1	0.0 %
38	-	2	0.0 %
39	-	1	0.0 %
40	-	1	0.0 %
41	-	1	0.0 %
42	-	1	0.0 %
44	-	2	0.0 %
46	-	2	0.0 %
48	-	2	0.0 %
50	-	2	0.0 %
51	-	1	0.0 %
53	-	1	0.0 %
54	-	1	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 110.00
- Standard Deviation: 1.51

Location: 252-257 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F20: FEMALE 20

Value	Label	Unweighted Frequency	%
0	-	160611	85.2 %

Value	Label	Unweighted Frequency	%
1	-	14094	7.5 %
2	-	4225	2.2 %
3	-	1853	1.0 %
4	-	921	0.5 %
5	-	564	0.3 %
6	-	352	0.2 %
7	-	226	0.1 %
8	-	169	0.1 %
9	-	143	0.1 %
10	-	107	0.1 %
11	-	101	0.1 %
12	-	73	0.0 %
13	-	56	0.0 %
14	-	53	0.0 %
15	-	33	0.0 %
16	-	39	0.0 %
17	-	34	0.0 %
18	-	26	0.0 %
19	-	20	0.0 %
20	-	16	0.0 %
21	-	9	0.0 %
22	-	14	0.0 %
23	-	22	0.0 %
24	-	14	0.0 %
25	-	12	0.0 %
26	-	12	0.0 %
27	-	8	0.0 %
28	-	8	0.0 %
29	-	10	0.0 %
30	-	7	0.0 %
31	-	6	0.0 %
32	-	5	0.0 %
34	-	9	0.0 %
35	-	4	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %
38	-	6	0.0 %
39	-	4	0.0 %
40	-	3	0.0 %

Value	Label	Unweighted Frequency	%
41	-	1	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	2	0.0 %
48	-	1	0.0 %
49	-	2	0.0 %
50	-	2	0.0 %
52	-	2	0.0 %
54	-	1	0.0 %
56	-	1	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 0.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 337.00
- Standard Deviation: 2.14

Location: 258-263 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F21: FEMALE 21

Value	Label	Unweighted Frequency	%
0	-	160048	84.9 %
1	-	14456	7.7 %
2	-	4297	2.3 %
3	-	1893	1.0 %
4	-	920	0.5 %
5	-	539	0.3 %
6	-	426	0.2 %
7	-	277	0.1 %
8	-	176	0.1 %
9	-	158	0.1 %
10	-	110	0.1 %

Value	Label	Unweighted Frequency	%
11	-	83	0.0 %
12	-	66	0.0 %
13	-	54	0.0 %
14	-	44	0.0 %
15	-	35	0.0 %
16	-	32	0.0 %
17	-	26	0.0 %
18	-	27	0.0 %
19	-	13	0.0 %
20	-	18	0.0 %
21	-	20	0.0 %
22	-	16	0.0 %
23	-	15	0.0 %
24	-	7	0.0 %
25	-	14	0.0 %
26	-	11	0.0 %
27	-	12	0.0 %
28	-	5	0.0 %
29	-	16	0.0 %
30	-	7	0.0 %
31	-	5	0.0 %
32	-	5	0.0 %
33	-	6	0.0 %
34	-	4	0.0 %
35	-	6	0.0 %
36	-	5	0.0 %
37	-	7	0.0 %
38	-	3	0.0 %
39	-	3	0.0 %
40	-	3	0.0 %
41	-	2	0.0 %
42	-	1	0.0 %
43	-	2	0.0 %
45	-	3	0.0 %
46	-	2	0.0 %
47	-	3	0.0 %
48	-	4	0.0 %
49	-	1	0.0 %
51	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 0.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 153.00
- Standard Deviation: 1.70

Location: 264-269 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F22: FEMALE 22

Value	Label	Unweighted Frequency	%
0	-	160237	85.0 %
1	-	14277	7.6 %
2	-	4250	2.3 %
3	-	1822	1.0 %
4	-	977	0.5 %
5	-	619	0.3 %
6	-	365	0.2 %
7	-	259	0.1 %
8	-	195	0.1 %
9	-	148	0.1 %
10	-	113	0.1 %
11	-	91	0.0 %
12	-	67	0.0 %
13	-	54	0.0 %
14	-	57	0.0 %
15	-	55	0.0 %
16	-	28	0.0 %
17	-	20	0.0 %
18	-	32	0.0 %
19	-	22	0.0 %
20	-	24	0.0 %

Value	Label	Unweighted Frequency	%
21	-	14	0.0 %
22	-	17	0.0 %
23	-	16	0.0 %
24	-	15	0.0 %
25	-	7	0.0 %
26	-	11	0.0 %
27	-	7	0.0 %
28	-	5	0.0 %
29	-	7	0.0 %
30	-	7	0.0 %
31	-	6	0.0 %
32	-	6	0.0 %
33	-	6	0.0 %
34	-	6	0.0 %
35	-	7	0.0 %
36	-	6	0.0 %
37	-	2	0.0 %
38	-	5	0.0 %
40	-	6	0.0 %
42	-	1	0.0 %
43	-	2	0.0 %
44	-	4	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %
47	-	1	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
53	-	2	0.0 %
54	-	1	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 0.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 161.00
- Standard Deviation: 1.71

Location: 270-275 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F23: FEMALE 23

Value	Label	Unweighted Frequency	%
0	-	159725	84.8 %
1	-	14772	7.8 %
2	-	4146	2.2 %
3	-	1977	1.0 %
4	-	995	0.5 %
5	-	574	0.3 %
6	-	368	0.2 %
7	-	266	0.1 %
8	-	189	0.1 %
9	-	137	0.1 %
10	-	100	0.1 %
11	-	92	0.0 %
12	-	67	0.0 %
13	-	65	0.0 %
14	-	59	0.0 %
15	-	41	0.0 %
16	-	31	0.0 %
17	-	28	0.0 %
18	-	20	0.0 %
19	-	25	0.0 %
20	-	31	0.0 %
21	-	14	0.0 %
22	-	17	0.0 %
23	-	18	0.0 %
24	-	12	0.0 %
25	-	8	0.0 %
26	-	8	0.0 %
27	-	12	0.0 %
28	-	9	0.0 %
29	-	9	0.0 %
30	-	4	0.0 %
31	-	5	0.0 %
32	-	6	0.0 %

Value	Label	Unweighted Frequency	%
33	-	8	0.0 %
34	-	4	0.0 %
35	-	4	0.0 %
36	-	2	0.0 %
37	-	7	0.0 %
38	-	5	0.0 %
39	-	2	0.0 %
40	-	3	0.0 %
41	-	3	0.0 %
43	-	5	0.0 %
44	-	2	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %
47	-	3	0.0 %
48	-	1	0.0 %
50	-	1	0.0 %
52	-	1	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 0.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 174.00
- Standard Deviation: 1.74

Location: 276-281 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F24: FEMALE 24

Value	Label	Unweighted Frequency	%
0	-	159473	84.6 %
1	-	14697	7.8 %
2	-	4379	2.3 %
3	-	1902	1.0 %

Value	Label	Unweighted Frequency	%
4	-	1092	0.6 %
5	-	576	0.3 %
6	-	406	0.2 %
7	-	254	0.1 %
8	-	179	0.1 %
9	-	147	0.1 %
10	-	131	0.1 %
11	-	83	0.0 %
12	-	69	0.0 %
13	-	59	0.0 %
14	-	54	0.0 %
15	-	46	0.0 %
16	-	44	0.0 %
17	-	31	0.0 %
18	-	26	0.0 %
19	-	20	0.0 %
20	-	25	0.0 %
21	-	19	0.0 %
22	-	19	0.0 %
23	-	13	0.0 %
24	-	19	0.0 %
25	-	14	0.0 %
26	-	12	0.0 %
27	-	13	0.0 %
28	-	7	0.0 %
29	-	12	0.0 %
30	-	2	0.0 %
31	-	5	0.0 %
32	-	3	0.0 %
33	-	5	0.0 %
34	-	4	0.0 %
35	-	2	0.0 %
36	-	5	0.0 %
37	-	1	0.0 %
38	-	3	0.0 %
39	-	4	0.0 %
40	-	3	0.0 %
41	-	3	0.0 %
42	-	2	0.0 %

Value	Label	Unweighted Frequency	%
43	-	3	0.0 %
44	-	1	0.0 %
45	-	2	0.0 %
46	-	3	0.0 %
47	-	3	0.0 %
49	-	3	0.0 %
51	-	1	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 185.00
- Standard Deviation: 1.79

Location: 282-287 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F25_29: FEMALE 25-29

Value	Label	Unweighted Frequency	%
0	-	122800	65.2 %
1	-	26442	14.0 %
2	-	10544	5.6 %
3	-	5726	3.0 %
4	-	3669	1.9 %
5	-	2523	1.3 %
6	-	1946	1.0 %
7	-	1388	0.7 %
8	-	1121	0.6 %
9	-	886	0.5 %
10	-	739	0.4 %
11	-	605	0.3 %
12	-	546	0.3 %
13	-	430	0.2 %

Value	Label	Unweighted Frequency	%
14	-	343	0.2 %
15	-	347	0.2 %
16	-	299	0.2 %
17	-	258	0.1 %
18	-	253	0.1 %
19	-	221	0.1 %
20	-	195	0.1 %
21	-	149	0.1 %
22	-	136	0.1 %
23	-	130	0.1 %
24	-	128	0.1 %
25	-	125	0.1 %
26	-	93	0.0 %
27	-	85	0.0 %
28	-	72	0.0 %
29	-	81	0.0 %
30	-	60	0.0 %
31	-	79	0.0 %
32	-	61	0.0 %
33	-	63	0.0 %
34	-	61	0.0 %
35	-	46	0.0 %
36	-	54	0.0 %
37	-	46	0.0 %
38	-	49	0.0 %
39	-	35	0.0 %
40	-	42	0.0 %
41	-	33	0.0 %
42	-	25	0.0 %
43	-	30	0.0 %
44	-	27	0.0 %
45	-	33	0.0 %
46	-	36	0.0 %
47	-	29	0.0 %
48	-	26	0.0 %
49	-	26	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 1.75
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1122.00
- Standard Deviation: 9.25

Location: 288-293 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F30_34: FEMALE 30-34

Value	Label	Unweighted Frequency	%
0	-	122783	65.2 %
1	-	27091	14.4 %
2	-	10432	5.5 %
3	-	5592	3.0 %
4	-	3646	1.9 %
5	-	2515	1.3 %
6	-	1772	0.9 %
7	-	1443	0.8 %
8	-	1093	0.6 %
9	-	876	0.5 %
10	-	738	0.4 %
11	-	585	0.3 %
12	-	549	0.3 %
13	-	445	0.2 %
14	-	356	0.2 %
15	-	333	0.2 %
16	-	295	0.2 %
17	-	236	0.1 %
18	-	216	0.1 %
19	-	186	0.1 %
20	-	175	0.1 %
21	-	146	0.1 %
22	-	136	0.1 %
23	-	149	0.1 %
24	-	122	0.1 %
25	-	99	0.1 %

Value	Label	Unweighted Frequency	%
26	-	113	0.1 %
27	-	90	0.0 %
28	-	79	0.0 %
29	-	58	0.0 %
30	-	65	0.0 %
31	-	60	0.0 %
32	-	70	0.0 %
33	-	60	0.0 %
34	-	50	0.0 %
35	-	54	0.0 %
36	-	50	0.0 %
37	-	42	0.0 %
38	-	50	0.0 %
39	-	45	0.0 %
40	-	42	0.0 %
41	-	36	0.0 %
42	-	29	0.0 %
43	-	27	0.0 %
44	-	27	0.0 %
45	-	20	0.0 %
46	-	32	0.0 %
47	-	34	0.0 %
48	-	23	0.0 %
49	-	21	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 1.69
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1032.00
- Standard Deviation: 8.64

Location: 294-299 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F35_39: FEMALE 35-39

Value	Label	Unweighted Frequency	%
0	-	127443	67.6 %
1	-	25770	13.7 %
2	-	9872	5.2 %
3	-	5328	2.8 %
4	-	3210	1.7 %
5	-	2238	1.2 %
6	-	1637	0.9 %
7	-	1246	0.7 %
8	-	963	0.5 %
9	-	753	0.4 %
10	-	616	0.3 %
11	-	515	0.3 %
12	-	415	0.2 %
13	-	371	0.2 %
14	-	324	0.2 %
15	-	279	0.1 %
16	-	261	0.1 %
17	-	204	0.1 %
18	-	162	0.1 %
19	-	172	0.1 %
20	-	156	0.1 %
21	-	128	0.1 %
22	-	106	0.1 %
23	-	106	0.1 %
24	-	93	0.0 %
25	-	90	0.0 %
26	-	86	0.0 %
27	-	69	0.0 %
28	-	59	0.0 %
29	-	63	0.0 %
30	-	55	0.0 %
31	-	43	0.0 %
32	-	44	0.0 %
33	-	52	0.0 %
34	-	47	0.0 %
35	-	39	0.0 %
36	-	38	0.0 %

Value	Label	Unweighted Frequency	%
37	-	30	0.0 %
38	-	40	0.0 %
39	-	34	0.0 %
40	-	32	0.0 %
41	-	33	0.0 %
42	-	28	0.0 %
43	-	26	0.0 %
44	-	31	0.0 %
45	-	17	0.0 %
46	-	28	0.0 %
47	-	19	0.0 %
48	-	20	0.0 %
49	-	13	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 1.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 850.00
- Standard Deviation: 7.08

Location: 300-305 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F40_44: FEMALE 40-44

Value	Label	Unweighted Frequency	%
0	-	137434	72.9 %
1	-	22729	12.1 %
2	-	8324	4.4 %
3	-	4170	2.2 %
4	-	2643	1.4 %
5	-	1758	0.9 %
6	-	1243	0.7 %
7	-	908	0.5 %

Value	Label	Unweighted Frequency	%
8	-	691	0.4 %
9	-	549	0.3 %
10	-	409	0.2 %
11	-	336	0.2 %
12	-	309	0.2 %
13	-	224	0.1 %
14	-	220	0.1 %
15	-	183	0.1 %
16	-	164	0.1 %
17	-	135	0.1 %
18	-	107	0.1 %
19	-	111	0.1 %
20	-	104	0.1 %
21	-	72	0.0 %
22	-	84	0.0 %
23	-	65	0.0 %
24	-	47	0.0 %
25	-	47	0.0 %
26	-	41	0.0 %
27	-	43	0.0 %
28	-	38	0.0 %
29	-	42	0.0 %
30	-	40	0.0 %
31	-	33	0.0 %
32	-	31	0.0 %
33	-	30	0.0 %
34	-	28	0.0 %
35	-	30	0.0 %
36	-	23	0.0 %
37	-	21	0.0 %
38	-	27	0.0 %
39	-	23	0.0 %
40	-	18	0.0 %
41	-	14	0.0 %
42	-	15	0.0 %
43	-	18	0.0 %
44	-	7	0.0 %
45	-	9	0.0 %
46	-	18	0.0 %

Value	Label	Unweighted Frequency	%
47	-	12	0.0 %
48	-	13	0.0 %
49	-	5	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 0.96
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 641.00
- Standard Deviation: 4.93

Location: 306-311 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F45_49: FEMALE 45-49

Value	Label	Unweighted Frequency	%
0	-	146826	77.9 %
1	-	19734	10.5 %
2	-	6737	3.6 %
3	-	3284	1.7 %
4	-	1927	1.0 %
5	-	1230	0.7 %
6	-	846	0.4 %
7	-	606	0.3 %
8	-	430	0.2 %
9	-	344	0.2 %
10	-	257	0.1 %
11	-	189	0.1 %
12	-	179	0.1 %
13	-	150	0.1 %
14	-	121	0.1 %
15	-	117	0.1 %
16	-	74	0.0 %
17	-	64	0.0 %

Value	Label	Unweighted Frequency	%
18	-	62	0.0 %
19	-	59	0.0 %
20	-	53	0.0 %
21	-	42	0.0 %
22	-	43	0.0 %
23	-	27	0.0 %
24	-	29	0.0 %
25	-	28	0.0 %
26	-	28	0.0 %
27	-	19	0.0 %
28	-	35	0.0 %
29	-	23	0.0 %
30	-	25	0.0 %
31	-	21	0.0 %
32	-	23	0.0 %
33	-	13	0.0 %
34	-	21	0.0 %
35	-	16	0.0 %
36	-	11	0.0 %
37	-	11	0.0 %
38	-	12	0.0 %
39	-	7	0.0 %
40	-	11	0.0 %
41	-	13	0.0 %
42	-	7	0.0 %
43	-	10	0.0 %
44	-	9	0.0 %
45	-	4	0.0 %
46	-	5	0.0 %
47	-	3	0.0 %
49	-	3	0.0 %
50	-	4	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 0.63
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 550.00
- Standard Deviation: 3.39

Location: 312-317 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F50_54: FEMALE 50-54

Value	Label	Unweighted Frequency	%
0	-	153118	81.3 %
1	-	17266	9.2 %
2	-	5596	3.0 %
3	-	2683	1.4 %
4	-	1459	0.8 %
5	-	877	0.5 %
6	-	620	0.3 %
7	-	415	0.2 %
8	-	332	0.2 %
9	-	270	0.1 %
10	-	183	0.1 %
11	-	150	0.1 %
12	-	98	0.1 %
13	-	102	0.1 %
14	-	77	0.0 %
15	-	72	0.0 %
16	-	57	0.0 %
17	-	55	0.0 %
18	-	47	0.0 %
19	-	34	0.0 %
20	-	31	0.0 %
21	-	26	0.0 %
22	-	27	0.0 %
23	-	25	0.0 %
24	-	12	0.0 %
25	-	21	0.0 %
26	-	11	0.0 %
27	-	14	0.0 %
28	-	17	0.0 %
29	-	13	0.0 %

Value	Label	Unweighted Frequency	%
30	-	12	0.0 %
31	-	18	0.0 %
32	-	6	0.0 %
33	-	11	0.0 %
34	-	5	0.0 %
35	-	12	0.0 %
36	-	9	0.0 %
37	-	5	0.0 %
38	-	9	0.0 %
39	-	6	0.0 %
40	-	7	0.0 %
41	-	9	0.0 %
42	-	2	0.0 %
43	-	1	0.0 %
44	-	7	0.0 %
46	-	3	0.0 %
47	-	3	0.0 %
48	-	4	0.0 %
50	-	2	0.0 %
51	-	3	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 0.46
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 278.00
- Standard Deviation: 2.47

Location: 318-323 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F55_59: FEMALE 55-59

Value	Label	Unweighted Frequency	%
0	-	160019	84.9 %

Value	Label	Unweighted Frequency	%
1	-	14275	7.6 %
2	-	4327	2.3 %
3	-	1912	1.0 %
4	-	1008	0.5 %
5	-	620	0.3 %
6	-	390	0.2 %
7	-	267	0.1 %
8	-	194	0.1 %
9	-	149	0.1 %
10	-	129	0.1 %
11	-	76	0.0 %
12	-	81	0.0 %
13	-	60	0.0 %
14	-	61	0.0 %
15	-	26	0.0 %
16	-	33	0.0 %
17	-	27	0.0 %
18	-	30	0.0 %
19	-	12	0.0 %
20	-	17	0.0 %
21	-	17	0.0 %
22	-	16	0.0 %
23	-	13	0.0 %
24	-	12	0.0 %
25	-	12	0.0 %
26	-	15	0.0 %
27	-	5	0.0 %
28	-	9	0.0 %
29	-	7	0.0 %
30	-	2	0.0 %
31	-	9	0.0 %
32	-	7	0.0 %
33	-	2	0.0 %
34	-	3	0.0 %
35	-	6	0.0 %
36	-	6	0.0 %
37	-	5	0.0 %
38	-	2	0.0 %
39	-	2	0.0 %

Value	Label	Unweighted Frequency	%
40	-	3	0.0 %
41	-	2	0.0 %
42	-	1	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
46	-	2	0.0 %
47	-	1	0.0 %
50	-	2	0.0 %
52	-	3	0.0 %
53	-	1	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 0.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 222.00
- Standard Deviation: 1.78

Location: 324-329 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F60_64: FEMALE 60-64

Value	Label	Unweighted Frequency	%
0	-	169570	90.0 %
1	-	9604	5.1 %
2	-	2387	1.3 %
3	-	975	0.5 %
4	-	485	0.3 %
5	-	246	0.1 %
6	-	147	0.1 %
7	-	107	0.1 %
8	-	83	0.0 %
9	-	45	0.0 %
10	-	34	0.0 %

Value	Label	Unweighted Frequency	%
11	-	35	0.0 %
12	-	32	0.0 %
13	-	26	0.0 %
14	-	17	0.0 %
15	-	14	0.0 %
16	-	13	0.0 %
17	-	9	0.0 %
18	-	6	0.0 %
19	-	7	0.0 %
20	-	8	0.0 %
21	-	3	0.0 %
22	-	7	0.0 %
23	-	6	0.0 %
24	-	4	0.0 %
25	-	2	0.0 %
26	-	3	0.0 %
27	-	3	0.0 %
28	-	1	0.0 %
30	-	2	0.0 %
32	-	4	0.0 %
33	-	1	0.0 %
35	-	1	0.0 %
36	-	2	0.0 %
37	-	1	0.0 %
38	-	4	0.0 %
44	-	1	0.0 %
49	-	1	0.0 %
60	-	1	0.0 %
64	-	2	0.0 %
67	-	1	0.0 %
72	-	1	0.0 %
79	-	1	0.0 %
88	-	1	0.0 %
96	-	1	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 96.00
- Standard Deviation: 0.98

Location: 330-335 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F65: FEMALE OVER 64

Value	Label	Unweighted Frequency	%
0	-	174003	92.3 %
1	-	7026	3.7 %
2	-	1550	0.8 %
3	-	551	0.3 %
4	-	261	0.1 %
5	-	165	0.1 %
6	-	107	0.1 %
7	-	49	0.0 %
8	-	45	0.0 %
9	-	29	0.0 %
10	-	24	0.0 %
11	-	13	0.0 %
12	-	10	0.0 %
13	-	10	0.0 %
14	-	10	0.0 %
15	-	8	0.0 %
16	-	7	0.0 %
17	-	3	0.0 %
18	-	7	0.0 %
19	-	4	0.0 %
20	-	3	0.0 %
21	-	2	0.0 %
22	-	1	0.0 %
23	-	1	0.0 %
24	-	4	0.0 %
27	-	1	0.0 %
29	-	2	0.0 %
39	-	1	0.0 %
40	-	1	0.0 %
41	-	1	0.0 %

Value	Label	Unweighted Frequency	%
51	-	1	0.0 %
53	-	1	0.0 %
75	-	1	0.0 %
80	-	1	0.0 %
88	-	1	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 88.00
- Standard Deviation: 0.70

Location: 336-341 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JW: JUVENILE-WHITE

Value	Label	Unweighted Frequency	%
0	-	134812	71.5 %
1	-	20779	11.0 %
2	-	8742	4.6 %
3	-	4898	2.6 %
4	-	3128	1.7 %
5	-	2105	1.1 %
6	-	1505	0.8 %
7	-	1200	0.6 %
8	-	878	0.5 %
9	-	716	0.4 %
10	-	571	0.3 %
11	-	475	0.3 %
12	-	394	0.2 %
13	-	320	0.2 %
14	-	315	0.2 %
15	-	231	0.1 %
16	-	219	0.1 %
17	-	218	0.1 %

Value	Label	Unweighted Frequency	%
18	-	187	0.1 %
19	-	166	0.1 %
20	-	144	0.1 %
21	-	131	0.1 %
22	-	126	0.1 %
23	-	103	0.1 %
24	-	80	0.0 %
25	-	88	0.0 %
26	-	71	0.0 %
27	-	74	0.0 %
28	-	73	0.0 %
29	-	54	0.0 %
30	-	55	0.0 %
31	-	41	0.0 %
32	-	52	0.0 %
33	-	46	0.0 %
34	-	35	0.0 %
35	-	45	0.0 %
36	-	31	0.0 %
37	-	24	0.0 %
38	-	30	0.0 %
39	-	30	0.0 %
40	-	27	0.0 %
41	-	32	0.0 %
42	-	34	0.0 %
43	-	29	0.0 %
44	-	28	0.0 %
45	-	23	0.0 %
46	-	16	0.0 %
47	-	18	0.0 %
48	-	22	0.0 %
49	-	14	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 1.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 477.00
- Standard Deviation: 6.27

Location: 342-347 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JB: JUVENILE-BLACK

Value	Label	Unweighted Frequency	%
0	-	159726	84.8 %
1	-	11411	6.1 %
2	-	4225	2.2 %
3	-	2279	1.2 %
4	-	1337	0.7 %
5	-	893	0.5 %
6	-	617	0.3 %
7	-	450	0.2 %
8	-	359	0.2 %
9	-	270	0.1 %
10	-	246	0.1 %
11	-	204	0.1 %
12	-	170	0.1 %
13	-	155	0.1 %
14	-	139	0.1 %
15	-	113	0.1 %
16	-	91	0.0 %
17	-	93	0.0 %
18	-	85	0.0 %
19	-	63	0.0 %
20	-	69	0.0 %
21	-	45	0.0 %
22	-	46	0.0 %
23	-	50	0.0 %
24	-	46	0.0 %
25	-	37	0.0 %
26	-	36	0.0 %
27	-	44	0.0 %
28	-	29	0.0 %
29	-	39	0.0 %

Value	Label	Unweighted Frequency	%
30	-	19	0.0 %
31	-	28	0.0 %
32	-	18	0.0 %
33	-	29	0.0 %
34	-	17	0.0 %
35	-	16	0.0 %
36	-	13	0.0 %
37	-	16	0.0 %
38	-	16	0.0 %
39	-	11	0.0 %
40	-	16	0.0 %
41	-	9	0.0 %
42	-	11	0.0 %
43	-	14	0.0 %
44	-	13	0.0 %
45	-	7	0.0 %
46	-	9	0.0 %
47	-	9	0.0 %
48	-	10	0.0 %
49	-	9	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 0.61
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 676.00
- Standard Deviation: 4.85

Location: 348-353 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JJ: JUVENILE-INDIAN

Value	Label	Unweighted Frequency	%
0	-	180806	95.9 %

Value	Label	Unweighted Frequency	%
1	-	1828	1.0 %
2	-	495	0.3 %
3	-	209	0.1 %
4	-	108	0.1 %
5	-	90	0.0 %
6	-	67	0.0 %
7	-	52	0.0 %
8	-	28	0.0 %
9	-	31	0.0 %
10	-	32	0.0 %
11	-	17	0.0 %
12	-	15	0.0 %
13	-	14	0.0 %
14	-	7	0.0 %
15	-	14	0.0 %
16	-	7	0.0 %
17	-	8	0.0 %
18	-	4	0.0 %
19	-	7	0.0 %
20	-	10	0.0 %
21	-	6	0.0 %
22	-	1	0.0 %
23	-	8	0.0 %
24	-	3	0.0 %
25	-	2	0.0 %
26	-	4	0.0 %
27	-	2	0.0 %
28	-	1	0.0 %
29	-	2	0.0 %
30	-	2	0.0 %
31	-	2	0.0 %
33	-	1	0.0 %
36	-	2	0.0 %
37	-	2	0.0 %
40	-	1	0.0 %
44	-	2	0.0 %
45	-	1	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %

Value	Label	Unweighted Frequency	%
51	-	1	0.0 %
55	-	2	0.0 %
56	-	1	0.0 %
58	-	1	0.0 %
62	-	1	0.0 %
70	-	1	0.0 %
72	-	1	0.0 %
77	-	1	0.0 %
86	-	1	0.0 %
103	-	1	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 103.00
- Standard Deviation: 0.86

Location: 354-359 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JA: JUVENILE ASIAN

Value	Label	Unweighted Frequency	%
0	-	181071	96.1 %
1	-	2110	1.1 %
2	-	415	0.2 %
3	-	140	0.1 %
4	-	51	0.0 %
5	-	29	0.0 %
6	-	22	0.0 %
7	-	16	0.0 %
8	-	15	0.0 %
9	-	1	0.0 %
10	-	4	0.0 %

Value	Label	Unweighted Frequency	%
11	-	4	0.0 %
13	-	3	0.0 %
14	-	2	0.0 %
15	-	3	0.0 %
16	-	1	0.0 %
17	-	7	0.0 %
18	-	1	0.0 %
19	-	2	0.0 %
20	-	1	0.0 %
28	-	1	0.0 %
53	-	1	0.0 %
55	-	1	0.0 %
60	-	1	0.0 %
106	-	1	0.0 %
160	-	1	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 160.00
- Standard Deviation: 0.58

Location: 360-365 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JH: JUVENILE-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	164744	87.4 %
1	-	9645	5.1 %
2	-	3405	1.8 %
3	-	1680	0.9 %
4	-	1016	0.5 %
5	-	660	0.4 %
6	-	433	0.2 %
7	-	367	0.2 %

Value	Label	Unweighted Frequency	%
8	-	277	0.1 %
9	-	210	0.1 %
10	-	185	0.1 %
11	-	136	0.1 %
12	-	125	0.1 %
13	-	106	0.1 %
14	-	74	0.0 %
15	-	83	0.0 %
16	-	53	0.0 %
17	-	39	0.0 %
18	-	38	0.0 %
19	-	39	0.0 %
20	-	54	0.0 %
21	-	30	0.0 %
22	-	33	0.0 %
23	-	39	0.0 %
24	-	33	0.0 %
25	-	22	0.0 %
26	-	20	0.0 %
27	-	18	0.0 %
28	-	22	0.0 %
29	-	24	0.0 %
30	-	14	0.0 %
31	-	19	0.0 %
32	-	13	0.0 %
33	-	14	0.0 %
34	-	6	0.0 %
35	-	11	0.0 %
36	-	9	0.0 %
37	-	10	0.0 %
38	-	8	0.0 %
39	-	9	0.0 %
40	-	8	0.0 %
41	-	8	0.0 %
42	-	9	0.0 %
43	-	3	0.0 %
44	-	8	0.0 %
45	-	5	0.0 %
46	-	3	0.0 %

Value	Label	Unweighted Frequency	%
47	-	5	0.0 %
48	-	5	0.0 %
49	-	2	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 0.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 383.00
- Standard Deviation: 3.35

Location: 366-371 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JN: JUVENILE-NON-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	139948	74.3 %
1	-	18391	9.8 %
2	-	7610	4.0 %
3	-	4416	2.3 %
4	-	2754	1.5 %
5	-	1935	1.0 %
6	-	1347	0.7 %
7	-	1047	0.6 %
8	-	841	0.4 %
9	-	633	0.3 %
10	-	521	0.3 %
11	-	428	0.2 %
12	-	381	0.2 %
13	-	291	0.2 %
14	-	289	0.2 %
15	-	248	0.1 %
16	-	224	0.1 %
17	-	187	0.1 %

Value	Label	Unweighted Frequency	%
18	-	175	0.1 %
19	-	167	0.1 %
20	-	147	0.1 %
21	-	119	0.1 %
22	-	126	0.1 %
23	-	124	0.1 %
24	-	83	0.0 %
25	-	84	0.0 %
26	-	76	0.0 %
27	-	67	0.0 %
28	-	68	0.0 %
29	-	73	0.0 %
30	-	50	0.0 %
31	-	45	0.0 %
32	-	47	0.0 %
33	-	43	0.0 %
34	-	43	0.0 %
35	-	32	0.0 %
36	-	25	0.0 %
37	-	36	0.0 %
38	-	33	0.0 %
39	-	32	0.0 %
40	-	21	0.0 %
41	-	28	0.0 %
42	-	21	0.0 %
43	-	13	0.0 %
44	-	31	0.0 %
45	-	21	0.0 %
46	-	18	0.0 %
47	-	17	0.0 %
48	-	17	0.0 %
49	-	16	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 1.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 961.00
- Standard Deviation: 6.92

Location: 372-377 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AW: ADULT-WHITE

Value	Label	Unweighted Frequency	%
0	-	22284	11.8 %
1	-	36213	19.2 %
2	-	19432	10.3 %
3	-	12889	6.8 %
4	-	9372	5.0 %
5	-	7104	3.8 %
6	-	5915	3.1 %
7	-	4828	2.6 %
8	-	4112	2.2 %
9	-	3708	2.0 %
10	-	3107	1.6 %
11	-	2734	1.5 %
12	-	2511	1.3 %
13	-	2203	1.2 %
14	-	1961	1.0 %
15	-	1914	1.0 %
16	-	1666	0.9 %
17	-	1541	0.8 %
18	-	1540	0.8 %
19	-	1299	0.7 %
20	-	1226	0.7 %
21	-	1172	0.6 %
22	-	1052	0.6 %
23	-	1012	0.5 %
24	-	972	0.5 %
25	-	899	0.5 %
26	-	874	0.5 %
27	-	800	0.4 %
28	-	753	0.4 %
29	-	746	0.4 %

Value	Label	Unweighted Frequency	%
30	-	705	0.4 %
31	-	675	0.4 %
32	-	624	0.3 %
33	-	616	0.3 %
34	-	593	0.3 %
35	-	563	0.3 %
36	-	508	0.3 %
37	-	532	0.3 %
38	-	493	0.3 %
39	-	458	0.2 %
40	-	453	0.2 %
41	-	431	0.2 %
42	-	449	0.2 %
43	-	387	0.2 %
44	-	425	0.2 %
45	-	402	0.2 %
46	-	354	0.2 %
47	-	347	0.2 %
48	-	348	0.2 %
49	-	356	0.2 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 25.40
- Minimum: 0.00
- Maximum: 13536.00
- Standard Deviation: 125.07

Location: 378-383 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AB: ADULT-BLACK

Value	Label	Unweighted Frequency	%
0	-	90435	48.0 %
1	-	29649	15.7 %
2	-	13423	7.1 %

Value	Label	Unweighted Frequency	%
3	-	8202	4.4 %
4	-	5555	2.9 %
5	-	4086	2.2 %
6	-	3212	1.7 %
7	-	2580	1.4 %
8	-	2039	1.1 %
9	-	1745	0.9 %
10	-	1458	0.8 %
11	-	1346	0.7 %
12	-	1149	0.6 %
13	-	1005	0.5 %
14	-	1005	0.5 %
15	-	810	0.4 %
16	-	801	0.4 %
17	-	707	0.4 %
18	-	650	0.3 %
19	-	592	0.3 %
20	-	479	0.3 %
21	-	489	0.3 %
22	-	460	0.2 %
23	-	388	0.2 %
24	-	375	0.2 %
25	-	376	0.2 %
26	-	344	0.2 %
27	-	319	0.2 %
28	-	298	0.2 %
29	-	270	0.1 %
30	-	289	0.2 %
31	-	253	0.1 %
32	-	266	0.1 %
33	-	249	0.1 %
34	-	243	0.1 %
35	-	207	0.1 %
36	-	202	0.1 %
37	-	202	0.1 %
38	-	194	0.1 %
39	-	164	0.1 %
40	-	153	0.1 %
41	-	163	0.1 %

Value	Label	Unweighted Frequency	%
42	-	149	0.1 %
43	-	129	0.1 %
44	-	138	0.1 %
45	-	121	0.1 %
46	-	121	0.1 %
47	-	113	0.1 %
48	-	110	0.1 %
49	-	106	0.1 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 9.21
- Minimum: 0.00
- Maximum: 8743.00
- Standard Deviation: 64.25

Location: 384-389 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AI: ADULT-INDIAN

Value	Label	Unweighted Frequency	%
0	-	165000	87.6 %
1	-	9380	5.0 %
2	-	3044	1.6 %
3	-	1456	0.8 %
4	-	981	0.5 %
5	-	673	0.4 %
6	-	470	0.2 %
7	-	323	0.2 %
8	-	258	0.1 %
9	-	199	0.1 %
10	-	183	0.1 %
11	-	150	0.1 %
12	-	124	0.1 %
13	-	106	0.1 %
14	-	110	0.1 %

Value	Label	Unweighted Frequency	%
15	-	81	0.0 %
16	-	75	0.0 %
17	-	66	0.0 %
18	-	52	0.0 %
19	-	60	0.0 %
20	-	47	0.0 %
21	-	44	0.0 %
22	-	38	0.0 %
23	-	52	0.0 %
24	-	42	0.0 %
25	-	31	0.0 %
26	-	29	0.0 %
27	-	23	0.0 %
28	-	26	0.0 %
29	-	26	0.0 %
30	-	20	0.0 %
31	-	18	0.0 %
32	-	27	0.0 %
33	-	18	0.0 %
34	-	17	0.0 %
35	-	9	0.0 %
36	-	12	0.0 %
37	-	9	0.0 %
38	-	15	0.0 %
39	-	15	0.0 %
40	-	8	0.0 %
41	-	15	0.0 %
42	-	10	0.0 %
43	-	13	0.0 %
44	-	17	0.0 %
45	-	13	0.0 %
46	-	11	0.0 %
47	-	13	0.0 %
48	-	11	0.0 %
49	-	9	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 0.79
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3385.00
- Standard Deviation: 15.74

Location: 390-395 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AA: ADULT-ASIAN

Value	Label	Unweighted Frequency	%
0	-	161449	85.7 %
1	-	12006	6.4 %
2	-	3781	2.0 %
3	-	1868	1.0 %
4	-	1060	0.6 %
5	-	727	0.4 %
6	-	485	0.3 %
7	-	345	0.2 %
8	-	285	0.2 %
9	-	210	0.1 %
10	-	169	0.1 %
11	-	153	0.1 %
12	-	128	0.1 %
13	-	110	0.1 %
14	-	76	0.0 %
15	-	75	0.0 %
16	-	73	0.0 %
17	-	75	0.0 %
18	-	55	0.0 %
19	-	38	0.0 %
20	-	50	0.0 %
21	-	36	0.0 %
22	-	43	0.0 %
23	-	29	0.0 %
24	-	36	0.0 %
25	-	30	0.0 %

Value	Label	Unweighted Frequency	%
26	-	32	0.0 %
27	-	25	0.0 %
28	-	24	0.0 %
29	-	26	0.0 %
30	-	17	0.0 %
31	-	25	0.0 %
32	-	15	0.0 %
33	-	14	0.0 %
34	-	8	0.0 %
35	-	13	0.0 %
36	-	12	0.0 %
37	-	8	0.0 %
38	-	11	0.0 %
39	-	12	0.0 %
40	-	7	0.0 %
41	-	7	0.0 %
42	-	4	0.0 %
43	-	3	0.0 %
44	-	8	0.0 %
45	-	8	0.0 %
46	-	10	0.0 %
47	-	7	0.0 %
48	-	3	0.0 %
49	-	7	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 0.55
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1948.00
- Standard Deviation: 8.64

Location: 396-401 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AH: ADULT-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	114755	60.9 %
1	-	24016	12.7 %
2	-	10213	5.4 %
3	-	5934	3.1 %
4	-	3950	2.1 %
5	-	2814	1.5 %
6	-	2237	1.2 %
7	-	1749	0.9 %
8	-	1459	0.8 %
9	-	1161	0.6 %
10	-	1004	0.5 %
11	-	898	0.5 %
12	-	805	0.4 %
13	-	700	0.4 %
14	-	628	0.3 %
15	-	566	0.3 %
16	-	532	0.3 %
17	-	438	0.2 %
18	-	468	0.2 %
19	-	407	0.2 %
20	-	336	0.2 %
21	-	357	0.2 %
22	-	287	0.2 %
23	-	279	0.1 %
24	-	245	0.1 %
25	-	260	0.1 %
26	-	222	0.1 %
27	-	208	0.1 %
28	-	207	0.1 %
29	-	192	0.1 %
30	-	171	0.1 %
31	-	181	0.1 %
32	-	151	0.1 %
33	-	148	0.1 %
34	-	153	0.1 %
35	-	140	0.1 %
36	-	134	0.1 %

Value	Label	Unweighted Frequency	%
37	-	116	0.1 %
38	-	121	0.1 %
39	-	112	0.1 %
40	-	115	0.1 %
41	-	118	0.1 %
42	-	100	0.1 %
43	-	105	0.1 %
44	-	108	0.1 %
45	-	100	0.1 %
46	-	68	0.0 %
47	-	91	0.0 %
48	-	59	0.0 %
49	-	71	0.0 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 6.44
- Minimum: 0.00
- Maximum: 6681.00
- Standard Deviation: 56.73

Location: 402-407 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AN: ADULT-NON-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	36243	19.2 %
1	-	32942	17.5 %
2	-	17610	9.3 %
3	-	11559	6.1 %
4	-	8582	4.6 %
5	-	6594	3.5 %
6	-	5307	2.8 %
7	-	4353	2.3 %
8	-	3752	2.0 %
9	-	3202	1.7 %

Value	Label	Unweighted Frequency	%
10	-	2860	1.5 %
11	-	2591	1.4 %
12	-	2347	1.2 %
13	-	1974	1.0 %
14	-	1803	1.0 %
15	-	1717	0.9 %
16	-	1536	0.8 %
17	-	1393	0.7 %
18	-	1397	0.7 %
19	-	1271	0.7 %
20	-	1154	0.6 %
21	-	1043	0.6 %
22	-	990	0.5 %
23	-	892	0.5 %
24	-	870	0.5 %
25	-	881	0.5 %
26	-	786	0.4 %
27	-	682	0.4 %
28	-	665	0.4 %
29	-	666	0.4 %
30	-	674	0.4 %
31	-	573	0.3 %
32	-	601	0.3 %
33	-	557	0.3 %
34	-	538	0.3 %
35	-	502	0.3 %
36	-	469	0.2 %
37	-	483	0.3 %
38	-	445	0.2 %
39	-	420	0.2 %
40	-	465	0.2 %
41	-	377	0.2 %
42	-	356	0.2 %
43	-	351	0.2 %
44	-	344	0.2 %
45	-	339	0.2 %
46	-	330	0.2 %
47	-	326	0.2 %
48	-	323	0.2 %

Value	Label	Unweighted Frequency	%
49	-	330	0.2 %
	Missing Data		
999998	Not applicable	4547	2.4 %
	Total	188,451	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 183,904 valid cases out of 188,451 total cases.

- Mean: 24.83
- Minimum: 0.00
- Maximum: 20251.00
- Standard Deviation: 130.78

Location: 408-413 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998