

ICPSR 38796

**Uniform Crime Reporting Program
Data: Arrests by Age, Sex, and
Race, Summarized Yearly, United
States, 2021**

*United States. Federal Bureau of
Investigation*

ICPSR Codebook for Six or More Months
Dataset

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/web/ICPSR/studies/38796/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #38796

Uniform Crime Reporting Program Data: Arrests by Age, Sex, and Race, Summarized Yearly, United States, 2021

DS 1: Six or More Months Dataset

1. **Changes in Methodology:** As of calendar year 2022, the Uniform Crime Reporting (UCR) Program has begun consolidating its data quality review and management practices to reduce differences between publication tables and the data displayed on the FBI website via the [Crime Data Explorer](#).
2. **Discrepancy in Collection:** This study contains data from two master files available on the [Crime Data Explorer](#): 2021_ASR6MON_NATIONAL_MASTER_FILE.txt and 2021_ASR12MON_NATIONAL_MASTER_FILE.txt. In previous years of this collection only one master file was curated. The data contained in this dataset are taken from:
 - a. 2021_ASR6MON_NATIONAL_MASTER_FILE.txt

No additional information was provided.

3. **Stata Limitations:** Due to Stata limitations, the variables **ORI**, **GROUP**, **CORE**, and **OFFENSE** do not contain value labels for non-integer values within the Stata files.
4. **Data Discrepancies:**
 - a. Several cases are inconsistent with the description of the data in the codebook.
 - b. There are reporting agencies (**AGENCY**) which use the same 7-digit Originating Agency Identifier (**ORI**). For these agencies, ICPSR has converted the 7-digit ORI to the agency's unique 9-digit ORI.
 - c. The data in the variables **STATE**, **SEQNO**, and **AGENCNT** are inconsistent with the description of the variables in the codebook.
 - d. The variable **AGENCNT** does not contain any valid responses.

No additional information was provided.

5. **Additional Information:** These studies are "static data snapshots" of the data available on the FBI website via the [Crime Data Explorer](#), which is continuously updated. For additional information on the Uniform Crime Reporting (UCR) Program, please visit the [UCR](#) website.

ICPSR 38796

Uniform Crime Reporting Program Data: Arrests by Age, Sex, and Race, Summarized Yearly, United States, 2021

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Six or More Months Dataset

ASR_ID: IDENTIFIER CODE FOR THE ASR MASTER FILE

Value	Label	Unweighted Frequency	%
3	-	190830	100.0 %
	Total	190,830	100%

Based upon 190,830 valid cases out of 190,830 total cases.

- Mean: 3.00
- Median: 3.00
- Mode: 3.00
- Minimum: 3.00
- Maximum: 3.00
- Standard Deviation: 0.00

Location: 1-1 (width: 1; decimal: 0)

Variable Type: numeric

CONTENTS: RECORD CONTENTS

Value	Label	Unweighted Frequency	%
1	Agency header only	641	0.3 %
2	Detail record	190189	99.7 %
	Total	190,830	100%

Based upon 190,830 valid cases out of 190,830 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2-2 (width: 1; decimal: 0)

Variable Type: numeric

STATE: NUMERIC STATE CODE (UCR CODE)

Range is 01-62. Data records are in order by ORI code within numeric state code.

Value	Label	Unweighted Frequency	%
1	Alabama	4617	2.4 %
2	Arizona	1766	0.9 %
3	Arkansas	4570	2.4 %
4	California	3005	1.6 %
5	Colorado	3873	2.0 %
6	Connecticut	2110	1.1 %
7	Delaware	912	0.5 %

Value	Label	Unweighted Frequency	%
8	District of Columbia	56	0.0 %
9	Florida	893	0.5 %
10	Georgia	7125	3.7 %
11	Idaho	1863	1.0 %
12	Illinois	4578	2.4 %
13	Indiana	3522	1.8 %
14	Iowa	3597	1.9 %
15	Kansas	4255	2.2 %
16	Kentucky	6369	3.3 %
17	Louisiana	2771	1.5 %
18	Maine	1952	1.0 %
19	Maryland	1031	0.5 %
20	Massachusetts	5124	2.7 %
21	Michigan	9129	4.8 %
22	Minnesota	6285	3.3 %
23	Mississippi	2142	1.1 %
24	Missouri	6786	3.6 %
25	Montana	1369	0.7 %
26	Nebraska	2657	1.4 %
27	Nevada	912	0.5 %
28	New Hampshire	2900	1.5 %
29	New Jersey	5763	3.0 %
30	New Mexico	1258	0.7 %
31	New York	2344	1.2 %
32	North Carolina	7729	4.1 %
33	North Dakota	1422	0.7 %
34	Ohio	7923	4.2 %
35	Oklahoma	5722	3.0 %
36	Oregon	3357	1.8 %
37	Pennsylvania	3156	1.7 %
38	Rhode Island	994	0.5 %
39	South Carolina	5474	2.9 %
40	South Dakota	1407	0.7 %
41	Tennessee	7333	3.8 %
42	Texas	15549	8.1 %
43	Utah	2659	1.4 %
44	Vermont	1097	0.6 %
45	Virginia	6280	3.3 %
46	Washington	3778	2.0 %

Value	Label	Unweighted Frequency	%
47	West Virginia	3095	1.6 %
48	Wisconsin	6678	3.5 %
49	Wyoming	849	0.4 %
50	Alaska	454	0.2 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,830 valid cases out of 190,830 total cases.

- Minimum: 1.00
- Maximum: 98.00

Location: 3-4 (width: 2; decimal: 0)

Variable Type: numeric

ORI: ORIGINATING AGENCY IDENTIFIER CODE

Originating Agency Identifier. Labels for ORIs are provided in the data file.

Value	Label	Unweighted Frequency	%
AK00102	FAIRBANKS	-	-
AK00104	KETCHIKAN	-	-
AK00105	KODIAK	-	-
AK00106	NOME	-	-
AK00107	PETERSBURG	-	-
AK00108	SEWARD	-	-
AK00109	SITKA	-	-
AK00110	SKAGWAY	-	-
AK00111	WRANGELL	-	-
AK00112	VALDEZ	-	-
AK00113	BETHEL	-	-
AK00114	CORDOVA	-	-
AK00116	KOTZEBUE	-	-
AK00117	PALMER	-	-
AK00118	NORTH SLOPE BOROUGH	-	-
AK00120	SOLDOTNA	-	-
AK00121	HAINES	-	-
AK00122	HOMER	-	-
AK00123	KENAI	-	-
AK00125	METLAKATLA TRIBAL	-	-
AK00126	FAIRBANKS INTRNL AIRPORT	-	-

Value	Label	Unweighted Frequency	%
AK00127	TED STEVENS ANCHORAGE INT	-	-
AK00130	DILLINGHAM	-	-
AK00132	NORTH POLE	-	-
AK00133	UNALASKA	-	-
AK00142	UNIV OF AK: FAIRBANKS	-	-
AK00143	UNIV OF AK: ANCHORAGE	-	-
AK00145	CRAIG	-	-
AK00146	BRISTOL BAY BOROUGH	-	-
AK00156	WASILLA	-	-
AKAST01	ALASKA STATE TROOPERS	-	-
AL00100	JEFFERSON	-	-
AL00101	BESSEMER	-	-
AL00102	BIRMINGHAM	-	-
AL00103	MOUNTAIN BROOK	-	-
AL00105	GARDENDALE	-	-
AL00106	LEEDS	-	-
AL00107	MIDFIELD	-	-
AL00108	TARRANT	-	-
AL00109	VESTAVIA HILLS	-	-
AL00110	HOMEWOOD	-	-
AL00111	FULTONDALE	-	-
AL00112	HOOVER	-	-
AL00113	IRONDALE	-	-
AL00114	PLEASANT GROVE	-	-
AL00118	BRIGHTON	-	-
AL00119	HUEYTOWN	-	-
AL00120	LIPSCOMB	-	-
AL00121	TRUSSVILLE	-	-
AL00122	ADAMSVILLE	-	-
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,830 valid cases out of 190,830 total cases.

Location: 5-13 (width: 9; decimal: 0)

Variable Type: character

GROUP: GROUP

Group 0 is possessions; 1-7 are cities, 8-9 are counties. Sub-Group (position 12) is blank when not used. All populations are inclusive.

Value	Label	Unweighted Frequency	%
0	Possessions (Puerto Rico, Guam, Canal Zone, Virgin Islands, and American Samoa)	264	0.1 %
1	All cities 250,000 or over:	0	0.0 %
1A	Cities 1,000,000 or over	291	0.2 %
1B	Cities from 500,000 thru 999,999	842	0.4 %
1C	Cities from 250,000 thru 499,999	1219	0.6 %
2	Cities from 100,000 thru 249,000	5081	2.7 %
3	Cities from 50,000 thru 99,000	10316	5.4 %
4	Cities from 25,000 thru 49,999	17069	8.9 %
5	Cities from 10,000 thru 24,999	29347	15.4 %
6	Cities from 2,500 thru 9,999	41581	21.8 %
7	Cities under 2,500	27340	14.3 %
8	Non-MSA Counties:	0	0.0 %
8A	Non-MSA counties 100,000 or over	69	0.0 %
8B	Non-MSA counties from 25,000 thru 99,999	5773	3.0 %
8C	Non-MSA counties from 10,000 thru 24,999	10204	5.3 %
8D	Non-MSA counties under 10,000	14200	7.4 %
8E	Non-MSA State Police	941	0.5 %
9	MSA Counties:	0	0.0 %
9A	MSA counties 100,000 or over	4064	2.1 %
9B	MSA counties from 25,000 thru 99,999	10434	5.5 %
9C	MSA counties from 10,000 thru 24,999	4987	2.6 %
9D	MSA counties under 10,000	6359	3.3 %
9E	MSA State Police	449	0.2 %
	Total	190,830	100%

Based upon 190,830 valid cases out of 190,830 total cases.

Location: 14-15 (width: 2; decimal: 0)

Variable Type: character

DIV: GEOGRAPHIC DIVISION OF STATE

Geographic division in which the state is located (from 1 thru 9). Possessions are coded "0."

Value	Label	Unweighted Frequency	%
0	Possessions	30	0.0 %
1	New England	14177	7.4 %
2	Middle Atlantic	11263	5.9 %
3	East North Central	31830	16.7 %

Value	Label	Unweighted Frequency	%
4	West North Central	26409	13.8 %
5	South Atlantic	32595	17.1 %
6	East South Central	20461	10.7 %
7	West South Central	28612	15.0 %
8	Mountain	14549	7.6 %
9	Pacific	10696	5.6 %
	Missing Data		
.	-	208	0.1 %
	Total	190,830	100%

Based upon 190,622 valid cases out of 190,830 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 16-16 (width: 1; decimal: 0)

Variable Type: numeric

YEAR: YEAR

The year the data reflects.

Value	Label	Unweighted Frequency	%
2021	-	190830	100.0 %
	Total	190,830	100%

Based upon 190,830 valid cases out of 190,830 total cases.

- Mean: 2021.00
- Median: 2021.00
- Mode: 2021.00
- Minimum: 2021.00
- Maximum: 2021.00
- Standard Deviation: 0.00

Location: 17-20 (width: 4; decimal: 0)

Variable Type: numeric

MSA: METROPOLITAN STATISTICAL AREA OF CITY (UCR CODE)

Metropolitan Statistical Area (MSA) number in which the city is located, if any. Blank if not used.

Value	Label	Unweighted Frequency	%
0	-	73473	38.5 %
4	-	122	0.1 %
9	-	500	0.3 %

Value	Label	Unweighted Frequency	%
13	-	172	0.1 %
15	-	125	0.1 %
18	-	128	0.1 %
23	-	285	0.1 %
25	-	85	0.0 %
27	-	279	0.1 %
32	-	29	0.0 %
36	-	127	0.1 %
37	-	80	0.0 %
38	-	65	0.0 %
41	-	233	0.1 %
42	-	96	0.1 %
43	-	265	0.1 %
46	-	348	0.2 %
48	-	134	0.1 %
50	-	2634	1.4 %
55	-	239	0.1 %
57	-	74	0.0 %
59	-	318	0.2 %
64	-	750	0.4 %
73	-	311	0.2 %
74	-	225	0.1 %
76	-	277	0.1 %
78	-	449	0.2 %
80	-	144	0.1 %
82	-	93	0.0 %
87	-	322	0.2 %
88	-	189	0.1 %
89	-	143	0.1 %
90	-	120	0.1 %
92	-	117	0.1 %
96	-	127	0.1 %
98	-	888	0.5 %
99	-	139	0.1 %
100	-	290	0.2 %
101	-	119	0.1 %
102	-	58	0.0 %
103	-	39	0.0 %
104	-	337	0.2 %

Value	Label	Unweighted Frequency	%
105	-	1035	0.5 %
106	-	1516	0.8 %
108	-	860	0.5 %
109	-	172	0.1 %
110	-	184	0.1 %
115	-	114	0.1 %
117	-	424	0.2 %
119	-	286	0.1 %
	Missing Data		
9998	Not applicable	33	0.0 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,797 valid cases out of 190,830 total cases.

- Mean: 274.66
- Minimum: 0.00
- Maximum: 992.00
- Standard Deviation: 308.80

Location: 21-24 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9998

SUB: SUBURBAN

A "suburban" agency is an MSA city with less than 50,000 population (groups 4 - 7) together with MSA counties (group 9).

Value	Label	Unweighted Frequency	%
0	Non-suburban	121214	63.5 %
1	Suburban	69616	36.5 %
	Total	190,830	100%

Based upon 190,830 valid cases out of 190,830 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 25-25 (width: 1; decimal: 0)

Variable Type: numeric

REPORT: REPORT INDICATION

Value	Label	Unweighted Frequency	%
0	Juvenile and adult reported	159788	83.7 %

Value	Label	Unweighted Frequency	%
1	Juvenile only reported	112	0.1 %
2	Adult only reported	30289	15.9 %
3	Not reported	641	0.3 %
	Total	190,830	100%

Based upon 190,830 valid cases out of 190,830 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 26-26 (width: 1; decimal: 0)

Variable Type: numeric

ADJUST: ADJUSTMENT

Value	Label	Unweighted Frequency	%
0	Age, race, and ethnic origin reported	190571	99.9 %
1	No age reported	0	0.0 %
2	No race reported	182	0.1 %
3	No ethnic origin reported	77	0.0 %
4	No race or ethnic origin reported	0	0.0 %
5	No age or ethnic origin reported	0	0.0 %
6	No age or race reported	0	0.0 %
	Total	190,830	100%

Based upon 190,830 valid cases out of 190,830 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 27-27 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9

SEQNO: SEQUENCE NUMBER (5-DIGIT)

A five-digit number which places all cities in alphabetic order, regardless of state. This field is blank for groups 0, 8, and 9.

Value	Label	Unweighted Frequency	%
0	-	190830	100.0 %
	Total	190,830	100%

Based upon 190,830 valid cases out of 190,830 total cases.

- Mean: 0.00
- Median: 0.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 28-28 (width: 1; decimal: 0)

Variable Type: numeric

COUNTY: COUNTY (3-DIGIT UCR CODE)

Three-digit numeric code for the county in which the agency is located.

Value	Label	Unweighted Frequency	%
0	-	6210	3.3 %
1	-	3814	2.0 %
2	-	4766	2.5 %
3	-	3856	2.0 %
4	-	3123	1.6 %
5	-	3508	1.8 %
6	-	2930	1.5 %
7	-	3753	2.0 %
8	-	3125	1.6 %
9	-	3336	1.7 %
10	-	3042	1.6 %
11	-	2965	1.6 %
12	-	2286	1.2 %
13	-	3222	1.7 %
14	-	3539	1.9 %
15	-	2664	1.4 %
16	-	3665	1.9 %
17	-	2369	1.2 %
18	-	3199	1.7 %
19	-	2606	1.4 %
20	-	2258	1.2 %
21	-	2079	1.1 %
22	-	1670	0.9 %
23	-	2065	1.1 %
24	-	2017	1.1 %
25	-	2928	1.5 %
26	-	1963	1.0 %
27	-	2734	1.4 %
28	-	1971	1.0 %
29	-	1875	1.0 %

Value	Label	Unweighted Frequency	%
30	-	2116	1.1 %
31	-	2617	1.4 %
32	-	1731	0.9 %
33	-	1560	0.8 %
34	-	1746	0.9 %
35	-	1357	0.7 %
36	-	2119	1.1 %
37	-	2332	1.2 %
38	-	1192	0.6 %
39	-	1689	0.9 %
40	-	1956	1.0 %
41	-	1585	0.8 %
42	-	1531	0.8 %
43	-	1796	0.9 %
44	-	1567	0.8 %
45	-	1888	1.0 %
46	-	1647	0.9 %
47	-	1581	0.8 %
48	-	1449	0.8 %
49	-	1651	0.9 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,830 valid cases out of 190,830 total cases.

- Mean: 43.18
- Median: 32.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 300.00
- Standard Deviation: 42.47

Location: 29-31 (width: 3; decimal: 0)

Variable Type: numeric

CORE: CORE CITY

Value	Label	Unweighted Frequency	%
N	Agency not core city	176179	92.3 %
Y	Agency is core city	14651	7.7 %
	Total	190,830	100%

Based upon 190,830 valid cases out of 190,830 total cases.

Location: 32-32 (width: 1; decimal: 0)

Variable Type: character

POP: CURRENT POPULATION

Total population for the agency for the year reported.

Based upon 190,830 valid cases out of 190,830 total cases.

- Mean: 33488.41
- Minimum: 0.00
- Maximum: 2721948.00
- Standard Deviation: 102006.14

Location: 33-39 (width: 7; decimal: 0)

Variable Type: numeric

AGENCNT: AGENCY COUNT

Used to accumulate "agencies used" totals in various tabulations. This field is normally "1" but will be "0" for the U.S. Park Police and all State Police agencies whose ORI code ends in "SP" (or "99" in California).

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	190830	100.0 %
	Total	190,830	100%

Based upon 0 valid cases out of 190,830 total cases.

Location: 40-40 (width: 1; decimal: 0)

Variable Type: numeric

AGENCY: AGENCY NAME

Based upon 190,830 valid cases out of 190,830 total cases.

Location: 41-65 (width: 25; decimal: 0)

Variable Type: character

STNAME: STATE NAME

Value	Label	Unweighted Frequency	%
Alabam	-	4617	2.4 %
Alaska	-	454	0.2 %
Arizon	-	1766	0.9 %
Arkans	-	4570	2.4 %
Califo	-	3005	1.6 %
Colora	-	3873	2.0 %

Value	Label	Unweighted Frequency	%
Conne c	-	2110	1.1 %
Delawa	-	912	0.5 %
Distri	-	56	0.0 %
Federa	-	208	0.1 %
Florid	-	893	0.5 %
Georgi	-	7125	3.7 %
Guam	-	30	0.0 %
Hawaii	-	102	0.1 %
Idaho	-	1863	1.0 %
Illino	-	4578	2.4 %
Indian	-	3522	1.8 %
Iowa	-	3597	1.9 %
Kansas	-	4255	2.2 %
Kentuc	-	6369	3.3 %
Louisi	-	2771	1.5 %
Maine	-	1952	1.0 %
Maryla	-	1031	0.5 %
Massa c	-	5124	2.7 %
Michig	-	9129	4.8 %
Minnes	-	6285	3.3 %
Missis	-	2142	1.1 %
Missou	-	6786	3.6 %
Montan	-	1369	0.7 %
Nebras	-	2657	1.4 %
Nevad a	-	912	0.5 %
New Ha	-	2900	1.5 %
New Je	-	5763	3.0 %
New Me	-	1258	0.7 %
New Yo	-	2344	1.2 %
North	-	9151	4.8 %
Ohio	-	7923	4.2 %
Oklaho	-	5722	3.0 %
Oregon	-	3357	1.8 %
Pennsy	-	3156	1.7 %
Rhode	-	994	0.5 %

Value	Label	Unweighted Frequency	%
South	-	6881	3.6 %
Tennes	-	7333	3.8 %
Texas	-	15549	8.1 %
Utah	-	2659	1.4 %
Vermont	-	1097	0.6 %
Virgin	-	6280	3.3 %
Washin	-	3778	2.0 %
West V	-	3095	1.6 %
Wiscon	-	6678	3.5 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,830 valid cases out of 190,830 total cases.

Location: 66-71 (width: 6; decimal: 0)

Variable Type: character

CARD1: CARD 1 INDICATOR

Value	Label	Unweighted Frequency	%
0	No adult male reported	15820	8.3 %
1	Adult male reported	174369	91.4 %
	Missing Data		
8	Not applicable	641	0.3 %
	Total	190,830	100%

Based upon 190,189 valid cases out of 190,830 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 72-72 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

CARD2: CARD 2 INDICATOR

Value	Label	Unweighted Frequency	%
0	No adult female reported	67875	35.6 %
1	Adult female reported	122314	64.1 %
	Missing Data		
8	Not applicable	641	0.3 %

Value	Label	Unweighted Frequency	%
	Total	190,830	100%

Based upon 190,189 valid cases out of 190,830 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 73-73 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

CARD3: CARD 3 INDICATOR

Value	Label	Unweighted Frequency	%
0	No juvenile reported	134126	70.3 %
1	Juvenile reported	56063	29.4 %
	Missing Data		
8	Not applicable	641	0.3 %
	Total	190,830	100%

Based upon 190,189 valid cases out of 190,830 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 74-74 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

OFFENSE: OFFENSE CODE

Value	Label	Unweighted Frequency	%
000	HEADER Record	0	0.0 %
011	Murder and non-negligent manslaughter	2022	1.1 %
012	Manslaughter by negligence	580	0.3 %
020	Forcible rape	3614	1.9 %
030	Robbery	3168	1.7 %
040	Aggravated assault	8452	4.4 %
050	Burglary-breaking or entering	6665	3.5 %
060	Larceny-theft (not motor vehicle)	8305	4.4 %
070	Motor vehicle theft	5584	2.9 %
080	Other assaults	10151	5.3 %
090	Arson	1990	1.0 %
100	Forgery and counterfeiting	3684	1.9 %
110	Fraud	5539	2.9 %

Value	Label	Unweighted Frequency	%
120	Embezzlement	1484	0.8 %
130	Stolen property-buy, receive, poss.	4902	2.6 %
140	Vandalism	7331	3.8 %
150	Weapons-carry, posses, etc.	7068	3.7 %
160	Prostitution and commercialized vice	697	0.4 %
161	Prostitution and commercialized vice - Prostitution	482	0.3 %
162	Prostitution and commercialized vice - Assisting or Promoting Prostitution	316	0.2 %
163	Prostitution and commercialized vice - Purchasing Prostitution	155	0.1 %
170	Sex offenses (not rape or prostitution)	3621	1.9 %
18	Total drug abuse violations	9943	5.2 %
180	Sale/manufacture (subtotal)	5954	3.1 %
181	Sale: Opium, coke, and their derivatives	3204	1.7 %
182	Sale: Marijuana	3267	1.7 %
183	Sale: Truly addicting synthetic narcotics	1224	0.6 %
184	Sale: Other dangerous non-narc drugs	4399	2.3 %
185	Possession (subtotal)	9750	5.1 %
186	Possession: Opium, coke, and their derivatives	6531	3.4 %
187	Possession: Marijuana	7438	3.9 %
188	Possession: Truly addicting synthetic narcotics	4209	2.2 %
189	Possession: Other dangerous non-narc drugs	8431	4.4 %
19	Gambling (total)	175	0.1 %
191	Bookmaking (horse and sports)	0	0.0 %
192	Number and lottery	0	0.0 %
193	All other gambling	3	0.0 %
200	Offenses against family and children	4283	2.2 %
210	Driving under the influence	9750	5.1 %
220	Liquor laws	5303	2.8 %
230	Drunkenness	10	0.0 %
240	Disorderly conduct	7592	4.0 %
250	Vagrancy	709	0.4 %
260	All other offenses (not traffic)	11004	5.8 %
270	Suspicion	6	0.0 %
280	Curfew and loitering violations	767	0.4 %
290	Runaways	264	0.1 %
301	Human Trafficking - Commercial Sex Acts	128	0.1 %
302	Human Trafficking - Involuntary Servitude	35	0.0 %
990	Juvenile Disposition Data	0	0.0 %
	Missing Data		
998	Not applicable	641	0.3 %

Value	Label	Unweighted Frequency	%
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

Location: 75-77 (width: 3; decimal: 0)

Variable Type: character

(Range of) Missing Values: 998

MO_9: MALE UNDER 10

Value	Label	Unweighted Frequency	%
0	-	189533	99.3 %
1	-	523	0.3 %
2	-	84	0.0 %
3	-	23	0.0 %
4	-	9	0.0 %
5	-	5	0.0 %
6	-	4	0.0 %
7	-	2	0.0 %
8	-	1	0.0 %
9	-	1	0.0 %
12	-	1	0.0 %
15	-	1	0.0 %
45	-	1	0.0 %
50	-	1	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 0.19

Location: 78-83 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M10_12: MALE 10-12

Value	Label	Unweighted Frequency	%
0	-	182673	95.7 %
1	-	4599	2.4 %
2	-	1413	0.7 %
3	-	584	0.3 %
4	-	337	0.2 %
5	-	161	0.1 %
6	-	103	0.1 %
7	-	74	0.0 %
8	-	41	0.0 %
9	-	37	0.0 %
10	-	34	0.0 %
11	-	25	0.0 %
12	-	13	0.0 %
13	-	14	0.0 %
14	-	13	0.0 %
15	-	6	0.0 %
16	-	11	0.0 %
17	-	3	0.0 %
18	-	7	0.0 %
19	-	4	0.0 %
20	-	3	0.0 %
21	-	3	0.0 %
22	-	2	0.0 %
23	-	2	0.0 %
24	-	2	0.0 %
25	-	2	0.0 %
26	-	4	0.0 %
27	-	1	0.0 %
28	-	1	0.0 %
29	-	2	0.0 %
30	-	2	0.0 %
31	-	1	0.0 %
34	-	1	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
42	-	1	0.0 %
43	-	3	0.0 %
50	-	1	0.0 %
58	-	1	0.0 %

Value	Label	Unweighted Frequency	%
60	-	1	0.0 %
64	-	1	0.0 %
77	-	1	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 77.00
- Standard Deviation: 0.74

Location: 84-89 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M13_14: MALE 13-14

Value	Label	Unweighted Frequency	%
0	-	170786	89.5 %
1	-	10364	5.4 %
2	-	3620	1.9 %
3	-	1741	0.9 %
4	-	953	0.5 %
5	-	621	0.3 %
6	-	390	0.2 %
7	-	335	0.2 %
8	-	218	0.1 %
9	-	184	0.1 %
10	-	150	0.1 %
11	-	102	0.1 %
12	-	100	0.1 %
13	-	86	0.0 %
14	-	71	0.0 %
15	-	57	0.0 %
16	-	38	0.0 %
17	-	39	0.0 %
18	-	37	0.0 %
19	-	32	0.0 %

Value	Label	Unweighted Frequency	%
20	-	23	0.0 %
21	-	19	0.0 %
22	-	28	0.0 %
23	-	18	0.0 %
24	-	24	0.0 %
25	-	8	0.0 %
26	-	3	0.0 %
27	-	5	0.0 %
28	-	10	0.0 %
29	-	11	0.0 %
30	-	13	0.0 %
31	-	11	0.0 %
32	-	10	0.0 %
33	-	4	0.0 %
34	-	5	0.0 %
35	-	5	0.0 %
36	-	2	0.0 %
37	-	8	0.0 %
38	-	6	0.0 %
39	-	2	0.0 %
40	-	3	0.0 %
41	-	4	0.0 %
42	-	1	0.0 %
43	-	2	0.0 %
45	-	1	0.0 %
46	-	3	0.0 %
47	-	3	0.0 %
48	-	2	0.0 %
49	-	1	0.0 %
50	-	2	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 0.29
- Median: 0.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 152.00
- Standard Deviation: 1.83

Location: 90-95 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M15: MALE 15

Value	Label	Unweighted Frequency	%
0	-	171369	89.8 %
1	-	10979	5.8 %
2	-	3321	1.7 %
3	-	1499	0.8 %
4	-	841	0.4 %
5	-	532	0.3 %
6	-	374	0.2 %
7	-	253	0.1 %
8	-	197	0.1 %
9	-	144	0.1 %
10	-	116	0.1 %
11	-	87	0.0 %
12	-	60	0.0 %
13	-	61	0.0 %
14	-	36	0.0 %
15	-	35	0.0 %
16	-	33	0.0 %
17	-	31	0.0 %
18	-	28	0.0 %
19	-	21	0.0 %
20	-	20	0.0 %
21	-	11	0.0 %
22	-	17	0.0 %
23	-	18	0.0 %
24	-	9	0.0 %
25	-	8	0.0 %
26	-	7	0.0 %
27	-	6	0.0 %
28	-	5	0.0 %
29	-	9	0.0 %
30	-	7	0.0 %

Value	Label	Unweighted Frequency	%
31	-	1	0.0 %
32	-	6	0.0 %
33	-	1	0.0 %
34	-	3	0.0 %
35	-	5	0.0 %
36	-	2	0.0 %
37	-	1	0.0 %
39	-	3	0.0 %
40	-	2	0.0 %
42	-	1	0.0 %
43	-	3	0.0 %
44	-	3	0.0 %
45	-	2	0.0 %
46	-	2	0.0 %
47	-	5	0.0 %
50	-	2	0.0 %
52	-	2	0.0 %
55	-	1	0.0 %
57	-	1	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 142.00
- Standard Deviation: 1.48

Location: 96-101 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M16: MALE 16

Value	Label	Unweighted Frequency	%
0	-	167177	87.6 %
1	-	13244	6.9 %

Value	Label	Unweighted Frequency	%
2	-	4093	2.1 %
3	-	1886	1.0 %
4	-	1086	0.6 %
5	-	622	0.3 %
6	-	451	0.2 %
7	-	351	0.2 %
8	-	253	0.1 %
9	-	153	0.1 %
10	-	148	0.1 %
11	-	99	0.1 %
12	-	80	0.0 %
13	-	75	0.0 %
14	-	60	0.0 %
15	-	65	0.0 %
16	-	42	0.0 %
17	-	30	0.0 %
18	-	22	0.0 %
19	-	28	0.0 %
20	-	24	0.0 %
21	-	19	0.0 %
22	-	14	0.0 %
23	-	20	0.0 %
24	-	12	0.0 %
25	-	10	0.0 %
26	-	6	0.0 %
27	-	6	0.0 %
28	-	16	0.0 %
29	-	7	0.0 %
30	-	9	0.0 %
31	-	8	0.0 %
32	-	2	0.0 %
33	-	2	0.0 %
34	-	1	0.0 %
35	-	9	0.0 %
36	-	4	0.0 %
37	-	5	0.0 %
38	-	3	0.0 %
39	-	5	0.0 %
40	-	2	0.0 %

Value	Label	Unweighted Frequency	%
41	-	3	0.0 %
42	-	4	0.0 %
43	-	1	0.0 %
44	-	2	0.0 %
46	-	3	0.0 %
47	-	3	0.0 %
48	-	2	0.0 %
50	-	1	0.0 %
51	-	1	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 0.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 136.00
- Standard Deviation: 1.69

Location: 102-107 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M17: MALE 17

Value	Label	Unweighted Frequency	%
0	-	162051	84.9 %
1	-	16236	8.5 %
2	-	4929	2.6 %
3	-	2347	1.2 %
4	-	1288	0.7 %
5	-	875	0.5 %
6	-	579	0.3 %
7	-	362	0.2 %
8	-	281	0.1 %
9	-	205	0.1 %
10	-	153	0.1 %
11	-	124	0.1 %

Value	Label	Unweighted Frequency	%
12	-	109	0.1 %
13	-	74	0.0 %
14	-	64	0.0 %
15	-	55	0.0 %
16	-	48	0.0 %
17	-	34	0.0 %
18	-	54	0.0 %
19	-	38	0.0 %
20	-	33	0.0 %
21	-	25	0.0 %
22	-	12	0.0 %
23	-	16	0.0 %
24	-	14	0.0 %
25	-	14	0.0 %
26	-	13	0.0 %
27	-	6	0.0 %
28	-	12	0.0 %
29	-	13	0.0 %
30	-	5	0.0 %
31	-	8	0.0 %
32	-	15	0.0 %
33	-	10	0.0 %
34	-	7	0.0 %
35	-	6	0.0 %
36	-	4	0.0 %
37	-	2	0.0 %
38	-	2	0.0 %
39	-	2	0.0 %
40	-	4	0.0 %
41	-	3	0.0 %
42	-	2	0.0 %
43	-	4	0.0 %
44	-	3	0.0 %
45	-	2	0.0 %
46	-	1	0.0 %
47	-	2	0.0 %
48	-	1	0.0 %
49	-	2	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 0.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 196.00
- Standard Deviation: 2.02

Location: 108-113 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M18: MALE 18

Value	Label	Unweighted Frequency	%
0	-	152580	80.0 %
1	-	20928	11.0 %
2	-	6883	3.6 %
3	-	3168	1.7 %
4	-	1796	0.9 %
5	-	1078	0.6 %
6	-	773	0.4 %
7	-	538	0.3 %
8	-	444	0.2 %
9	-	290	0.2 %
10	-	271	0.1 %
11	-	209	0.1 %
12	-	155	0.1 %
13	-	154	0.1 %
14	-	106	0.1 %
15	-	78	0.0 %
16	-	69	0.0 %
17	-	65	0.0 %
18	-	57	0.0 %
19	-	46	0.0 %
20	-	45	0.0 %
21	-	31	0.0 %

Value	Label	Unweighted Frequency	%
22	-	41	0.0 %
23	-	31	0.0 %
24	-	30	0.0 %
25	-	24	0.0 %
26	-	16	0.0 %
27	-	20	0.0 %
28	-	22	0.0 %
29	-	13	0.0 %
30	-	12	0.0 %
31	-	12	0.0 %
32	-	5	0.0 %
33	-	12	0.0 %
34	-	12	0.0 %
35	-	17	0.0 %
36	-	10	0.0 %
37	-	15	0.0 %
38	-	7	0.0 %
39	-	3	0.0 %
40	-	5	0.0 %
41	-	6	0.0 %
42	-	8	0.0 %
43	-	6	0.0 %
44	-	1	0.0 %
45	-	3	0.0 %
46	-	4	0.0 %
47	-	6	0.0 %
48	-	4	0.0 %
49	-	4	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 0.55
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 238.00

• Standard Deviation: 2.72

Location: 114-119 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M19: MALE 19

Value	Label	Unweighted Frequency	%
0	-	149726	78.5 %
1	-	22164	11.6 %
2	-	7258	3.8 %
3	-	3531	1.9 %
4	-	1936	1.0 %
5	-	1144	0.6 %
6	-	887	0.5 %
7	-	618	0.3 %
8	-	459	0.2 %
9	-	334	0.2 %
10	-	311	0.2 %
11	-	234	0.1 %
12	-	210	0.1 %
13	-	149	0.1 %
14	-	134	0.1 %
15	-	111	0.1 %
16	-	94	0.0 %
17	-	73	0.0 %
18	-	68	0.0 %
19	-	68	0.0 %
20	-	61	0.0 %
21	-	49	0.0 %
22	-	52	0.0 %
23	-	40	0.0 %
24	-	31	0.0 %
25	-	27	0.0 %
26	-	23	0.0 %
27	-	23	0.0 %
28	-	25	0.0 %
29	-	19	0.0 %
30	-	26	0.0 %
31	-	27	0.0 %
32	-	10	0.0 %

Value	Label	Unweighted Frequency	%
33	-	12	0.0 %
34	-	14	0.0 %
35	-	14	0.0 %
36	-	14	0.0 %
37	-	12	0.0 %
38	-	10	0.0 %
39	-	5	0.0 %
40	-	16	0.0 %
41	-	1	0.0 %
42	-	9	0.0 %
43	-	4	0.0 %
44	-	7	0.0 %
45	-	6	0.0 %
46	-	2	0.0 %
47	-	5	0.0 %
48	-	6	0.0 %
49	-	10	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 0.64
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 330.00
- Standard Deviation: 3.33

Location: 120-125 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M20: MALE 20

Value	Label	Unweighted Frequency	%
0	-	149098	78.1 %
1	-	22760	11.9 %
2	-	7262	3.8 %
3	-	3357	1.8 %

Value	Label	Unweighted Frequency	%
4	-	1963	1.0 %
5	-	1259	0.7 %
6	-	907	0.5 %
7	-	633	0.3 %
8	-	421	0.2 %
9	-	371	0.2 %
10	-	284	0.1 %
11	-	238	0.1 %
12	-	220	0.1 %
13	-	125	0.1 %
14	-	121	0.1 %
15	-	109	0.1 %
16	-	99	0.1 %
17	-	76	0.0 %
18	-	86	0.0 %
19	-	61	0.0 %
20	-	51	0.0 %
21	-	48	0.0 %
22	-	40	0.0 %
23	-	29	0.0 %
24	-	38	0.0 %
25	-	41	0.0 %
26	-	30	0.0 %
27	-	32	0.0 %
28	-	24	0.0 %
29	-	26	0.0 %
30	-	24	0.0 %
31	-	14	0.0 %
32	-	17	0.0 %
33	-	27	0.0 %
34	-	14	0.0 %
35	-	10	0.0 %
36	-	7	0.0 %
37	-	15	0.0 %
38	-	11	0.0 %
39	-	9	0.0 %
40	-	11	0.0 %
41	-	7	0.0 %
42	-	10	0.0 %

Value	Label	Unweighted Frequency	%
43	-	8	0.0 %
44	-	14	0.0 %
45	-	5	0.0 %
46	-	9	0.0 %
47	-	5	0.0 %
48	-	7	0.0 %
49	-	6	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 0.67
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 392.00
- Standard Deviation: 3.61

Location: 126-131 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M21: MALE 21

Value	Label	Unweighted Frequency	%
0	-	148894	78.0 %
1	-	22602	11.8 %
2	-	7342	3.8 %
3	-	3371	1.8 %
4	-	2060	1.1 %
5	-	1272	0.7 %
6	-	843	0.4 %
7	-	645	0.3 %
8	-	495	0.3 %
9	-	389	0.2 %
10	-	300	0.2 %
11	-	244	0.1 %
12	-	187	0.1 %
13	-	175	0.1 %

Value	Label	Unweighted Frequency	%
14	-	150	0.1 %
15	-	111	0.1 %
16	-	101	0.1 %
17	-	107	0.1 %
18	-	88	0.0 %
19	-	65	0.0 %
20	-	58	0.0 %
21	-	38	0.0 %
22	-	50	0.0 %
23	-	53	0.0 %
24	-	34	0.0 %
25	-	28	0.0 %
26	-	37	0.0 %
27	-	28	0.0 %
28	-	37	0.0 %
29	-	20	0.0 %
30	-	22	0.0 %
31	-	12	0.0 %
32	-	11	0.0 %
33	-	19	0.0 %
34	-	16	0.0 %
35	-	16	0.0 %
36	-	12	0.0 %
37	-	8	0.0 %
38	-	10	0.0 %
39	-	10	0.0 %
40	-	13	0.0 %
41	-	5	0.0 %
42	-	5	0.0 %
43	-	5	0.0 %
44	-	6	0.0 %
45	-	7	0.0 %
46	-	5	0.0 %
47	-	6	0.0 %
48	-	2	0.0 %
49	-	4	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 0.69
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 435.00
- Standard Deviation: 3.85

Location: 132-137 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M22: MALE 22

Value	Label	Unweighted Frequency	%
0	-	148890	78.0 %
1	-	22623	11.9 %
2	-	7244	3.8 %
3	-	3461	1.8 %
4	-	2011	1.1 %
5	-	1275	0.7 %
6	-	888	0.5 %
7	-	649	0.3 %
8	-	549	0.3 %
9	-	361	0.2 %
10	-	277	0.1 %
11	-	254	0.1 %
12	-	173	0.1 %
13	-	161	0.1 %
14	-	158	0.1 %
15	-	121	0.1 %
16	-	105	0.1 %
17	-	97	0.1 %
18	-	82	0.0 %
19	-	66	0.0 %
20	-	53	0.0 %
21	-	45	0.0 %
22	-	37	0.0 %
23	-	42	0.0 %
24	-	50	0.0 %
25	-	27	0.0 %

Value	Label	Unweighted Frequency	%
26	-	26	0.0 %
27	-	37	0.0 %
28	-	20	0.0 %
29	-	23	0.0 %
30	-	25	0.0 %
31	-	16	0.0 %
32	-	22	0.0 %
33	-	21	0.0 %
34	-	13	0.0 %
35	-	16	0.0 %
36	-	13	0.0 %
37	-	6	0.0 %
38	-	16	0.0 %
39	-	7	0.0 %
40	-	8	0.0 %
41	-	12	0.0 %
42	-	7	0.0 %
43	-	9	0.0 %
44	-	4	0.0 %
45	-	3	0.0 %
46	-	4	0.0 %
47	-	8	0.0 %
48	-	2	0.0 %
49	-	6	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 0.69
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 407.00
- Standard Deviation: 3.89

Location: 138-143 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M23: MALE 23

Value	Label	Unweighted Frequency	%
0	-	148465	77.8 %
1	-	22847	12.0 %
2	-	7322	3.8 %
3	-	3547	1.9 %
4	-	2067	1.1 %
5	-	1260	0.7 %
6	-	907	0.5 %
7	-	652	0.3 %
8	-	523	0.3 %
9	-	369	0.2 %
10	-	259	0.1 %
11	-	251	0.1 %
12	-	176	0.1 %
13	-	150	0.1 %
14	-	128	0.1 %
15	-	144	0.1 %
16	-	91	0.0 %
17	-	100	0.1 %
18	-	72	0.0 %
19	-	63	0.0 %
20	-	58	0.0 %
21	-	41	0.0 %
22	-	56	0.0 %
23	-	49	0.0 %
24	-	39	0.0 %
25	-	29	0.0 %
26	-	43	0.0 %
27	-	29	0.0 %
28	-	16	0.0 %
29	-	23	0.0 %
30	-	19	0.0 %
31	-	19	0.0 %
32	-	24	0.0 %
33	-	25	0.0 %
34	-	19	0.0 %
35	-	12	0.0 %
36	-	14	0.0 %

Value	Label	Unweighted Frequency	%
37	-	8	0.0 %
38	-	7	0.0 %
39	-	16	0.0 %
40	-	11	0.0 %
41	-	6	0.0 %
42	-	12	0.0 %
43	-	10	0.0 %
44	-	4	0.0 %
45	-	5	0.0 %
46	-	5	0.0 %
47	-	5	0.0 %
48	-	6	0.0 %
49	-	5	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 0.70
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 407.00
- Standard Deviation: 4.02

Location: 144-149 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M24: MALE 24

Value	Label	Unweighted Frequency	%
0	-	148173	77.6 %
1	-	22926	12.0 %
2	-	7605	4.0 %
3	-	3448	1.8 %
4	-	2033	1.1 %
5	-	1281	0.7 %
6	-	881	0.5 %
7	-	652	0.3 %

Value	Label	Unweighted Frequency	%
8	-	476	0.2 %
9	-	379	0.2 %
10	-	302	0.2 %
11	-	236	0.1 %
12	-	210	0.1 %
13	-	152	0.1 %
14	-	157	0.1 %
15	-	141	0.1 %
16	-	96	0.1 %
17	-	113	0.1 %
18	-	73	0.0 %
19	-	71	0.0 %
20	-	62	0.0 %
21	-	52	0.0 %
22	-	37	0.0 %
23	-	47	0.0 %
24	-	33	0.0 %
25	-	32	0.0 %
26	-	34	0.0 %
27	-	30	0.0 %
28	-	27	0.0 %
29	-	21	0.0 %
30	-	14	0.0 %
31	-	23	0.0 %
32	-	8	0.0 %
33	-	30	0.0 %
34	-	14	0.0 %
35	-	22	0.0 %
36	-	18	0.0 %
37	-	17	0.0 %
38	-	9	0.0 %
39	-	6	0.0 %
40	-	13	0.0 %
41	-	5	0.0 %
42	-	5	0.0 %
43	-	7	0.0 %
44	-	9	0.0 %
45	-	5	0.0 %
46	-	8	0.0 %

Value	Label	Unweighted Frequency	%
47	-	4	0.0 %
48	-	4	0.0 %
49	-	7	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 0.71
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 420.00
- Standard Deviation: 4.08

Location: 150-155 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M25_29: MALE 25-29

Value	Label	Unweighted Frequency	%
0	-	95665	50.1 %
1	-	36465	19.1 %
2	-	15657	8.2 %
3	-	8827	4.6 %
4	-	5577	2.9 %
5	-	4153	2.2 %
6	-	3158	1.7 %
7	-	2483	1.3 %
8	-	1981	1.0 %
9	-	1635	0.9 %
10	-	1291	0.7 %
11	-	1093	0.6 %
12	-	930	0.5 %
13	-	894	0.5 %
14	-	691	0.4 %
15	-	702	0.4 %
16	-	629	0.3 %
17	-	523	0.3 %

Value	Label	Unweighted Frequency	%
18	-	461	0.2 %
19	-	394	0.2 %
20	-	385	0.2 %
21	-	359	0.2 %
22	-	343	0.2 %
23	-	271	0.1 %
24	-	260	0.1 %
25	-	228	0.1 %
26	-	224	0.1 %
27	-	203	0.1 %
28	-	163	0.1 %
29	-	203	0.1 %
30	-	180	0.1 %
31	-	170	0.1 %
32	-	146	0.1 %
33	-	153	0.1 %
34	-	120	0.1 %
35	-	130	0.1 %
36	-	115	0.1 %
37	-	115	0.1 %
38	-	118	0.1 %
39	-	106	0.1 %
40	-	97	0.1 %
41	-	82	0.0 %
42	-	89	0.0 %
43	-	74	0.0 %
44	-	83	0.0 %
45	-	79	0.0 %
46	-	80	0.0 %
47	-	69	0.0 %
48	-	55	0.0 %
49	-	45	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 3.83
- Minimum: 0.00
- Maximum: 2253.00
- Standard Deviation: 21.74

Location: 156-161 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M30_34: MALE 30-34

Value	Label	Unweighted Frequency	%
0	-	95031	49.8 %
1	-	36740	19.3 %
2	-	15477	8.1 %
3	-	8695	4.6 %
4	-	6008	3.1 %
5	-	4194	2.2 %
6	-	3119	1.6 %
7	-	2429	1.3 %
8	-	2036	1.1 %
9	-	1631	0.9 %
10	-	1423	0.7 %
11	-	1142	0.6 %
12	-	987	0.5 %
13	-	890	0.5 %
14	-	714	0.4 %
15	-	682	0.4 %
16	-	579	0.3 %
17	-	548	0.3 %
18	-	488	0.3 %
19	-	434	0.2 %
20	-	358	0.2 %
21	-	358	0.2 %
22	-	316	0.2 %
23	-	253	0.1 %
24	-	293	0.2 %
25	-	227	0.1 %
26	-	233	0.1 %
27	-	208	0.1 %
28	-	201	0.1 %
29	-	195	0.1 %
30	-	186	0.1 %

Value	Label	Unweighted Frequency	%
31	-	157	0.1 %
32	-	172	0.1 %
33	-	141	0.1 %
34	-	113	0.1 %
35	-	119	0.1 %
36	-	130	0.1 %
37	-	118	0.1 %
38	-	115	0.1 %
39	-	98	0.1 %
40	-	94	0.0 %
41	-	92	0.0 %
42	-	80	0.0 %
43	-	74	0.0 %
44	-	81	0.0 %
45	-	77	0.0 %
46	-	65	0.0 %
47	-	66	0.0 %
48	-	72	0.0 %
49	-	56	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 3.84
- Minimum: 0.00
- Maximum: 2488.00
- Standard Deviation: 21.75

Location: 162-167 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M35_39: MALE 35-39

Value	Label	Unweighted Frequency	%
0	-	100797	52.8 %
1	-	35961	18.8 %
2	-	14693	7.7 %
3	-	8354	4.4 %

Value	Label	Unweighted Frequency	%
4	-	5332	2.8 %
5	-	3937	2.1 %
6	-	2923	1.5 %
7	-	2291	1.2 %
8	-	1706	0.9 %
9	-	1463	0.8 %
10	-	1308	0.7 %
11	-	983	0.5 %
12	-	898	0.5 %
13	-	750	0.4 %
14	-	691	0.4 %
15	-	565	0.3 %
16	-	540	0.3 %
17	-	463	0.2 %
18	-	417	0.2 %
19	-	417	0.2 %
20	-	331	0.2 %
21	-	306	0.2 %
22	-	267	0.1 %
23	-	253	0.1 %
24	-	221	0.1 %
25	-	210	0.1 %
26	-	185	0.1 %
27	-	183	0.1 %
28	-	168	0.1 %
29	-	147	0.1 %
30	-	148	0.1 %
31	-	164	0.1 %
32	-	115	0.1 %
33	-	102	0.1 %
34	-	113	0.1 %
35	-	122	0.1 %
36	-	82	0.0 %
37	-	91	0.0 %
38	-	88	0.0 %
39	-	74	0.0 %
40	-	98	0.1 %
41	-	73	0.0 %
42	-	60	0.0 %

Value	Label	Unweighted Frequency	%
43	-	55	0.0 %
44	-	61	0.0 %
45	-	61	0.0 %
46	-	58	0.0 %
47	-	58	0.0 %
48	-	52	0.0 %
49	-	55	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 3.22
- Minimum: 0.00
- Maximum: 2422.00
- Standard Deviation: 18.24

Location: 168-173 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M40_44: MALE 40-44

Value	Label	Unweighted Frequency	%
0	-	110691	58.0 %
1	-	33688	17.7 %
2	-	13421	7.0 %
3	-	7359	3.9 %
4	-	4837	2.5 %
5	-	3446	1.8 %
6	-	2450	1.3 %
7	-	1924	1.0 %
8	-	1437	0.8 %
9	-	1191	0.6 %
10	-	1016	0.5 %
11	-	845	0.4 %
12	-	686	0.4 %
13	-	613	0.3 %
14	-	538	0.3 %
15	-	506	0.3 %

Value	Label	Unweighted Frequency	%
16	-	396	0.2 %
17	-	328	0.2 %
18	-	340	0.2 %
19	-	279	0.1 %
20	-	251	0.1 %
21	-	255	0.1 %
22	-	220	0.1 %
23	-	195	0.1 %
24	-	165	0.1 %
25	-	169	0.1 %
26	-	148	0.1 %
27	-	151	0.1 %
28	-	157	0.1 %
29	-	109	0.1 %
30	-	107	0.1 %
31	-	91	0.0 %
32	-	94	0.0 %
33	-	85	0.0 %
34	-	91	0.0 %
35	-	86	0.0 %
36	-	56	0.0 %
37	-	51	0.0 %
38	-	63	0.0 %
39	-	53	0.0 %
40	-	61	0.0 %
41	-	38	0.0 %
42	-	47	0.0 %
43	-	51	0.0 %
44	-	42	0.0 %
45	-	40	0.0 %
46	-	39	0.0 %
47	-	55	0.0 %
48	-	45	0.0 %
49	-	39	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 2.46
- Minimum: 0.00
- Maximum: 1645.00
- Standard Deviation: 13.95

Location: 174-179 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M45_49: MALE 45-49

Value	Label	Unweighted Frequency	%
0	-	125896	66.0 %
1	-	29494	15.5 %
2	-	11207	5.9 %
3	-	6112	3.2 %
4	-	3730	2.0 %
5	-	2502	1.3 %
6	-	1897	1.0 %
7	-	1414	0.7 %
8	-	1055	0.6 %
9	-	845	0.4 %
10	-	699	0.4 %
11	-	574	0.3 %
12	-	442	0.2 %
13	-	390	0.2 %
14	-	342	0.2 %
15	-	309	0.2 %
16	-	289	0.2 %
17	-	231	0.1 %
18	-	232	0.1 %
19	-	155	0.1 %
20	-	149	0.1 %
21	-	129	0.1 %
22	-	128	0.1 %
23	-	117	0.1 %
24	-	99	0.1 %
25	-	85	0.0 %
26	-	86	0.0 %
27	-	90	0.0 %

Value	Label	Unweighted Frequency	%
28	-	78	0.0 %
29	-	67	0.0 %
30	-	88	0.0 %
31	-	56	0.0 %
32	-	49	0.0 %
33	-	48	0.0 %
34	-	43	0.0 %
35	-	44	0.0 %
36	-	39	0.0 %
37	-	34	0.0 %
38	-	45	0.0 %
39	-	39	0.0 %
40	-	37	0.0 %
41	-	32	0.0 %
42	-	24	0.0 %
43	-	19	0.0 %
44	-	24	0.0 %
45	-	22	0.0 %
46	-	22	0.0 %
47	-	18	0.0 %
48	-	22	0.0 %
49	-	14	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 1.60
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1121.00
- Standard Deviation: 9.45

Location: 180-185 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M50_54: MALE 50-54

Value	Label	Unweighted Frequency	%
0	-	133358	69.9 %
1	-	27338	14.3 %
2	-	9853	5.2 %
3	-	5385	2.8 %
4	-	3246	1.7 %
5	-	2083	1.1 %
6	-	1520	0.8 %
7	-	1172	0.6 %
8	-	885	0.5 %
9	-	687	0.4 %
10	-	527	0.3 %
11	-	490	0.3 %
12	-	393	0.2 %
13	-	334	0.2 %
14	-	279	0.1 %
15	-	201	0.1 %
16	-	201	0.1 %
17	-	144	0.1 %
18	-	144	0.1 %
19	-	143	0.1 %
20	-	138	0.1 %
21	-	113	0.1 %
22	-	119	0.1 %
23	-	106	0.1 %
24	-	69	0.0 %
25	-	71	0.0 %
26	-	71	0.0 %
27	-	59	0.0 %
28	-	46	0.0 %
29	-	46	0.0 %
30	-	38	0.0 %
31	-	30	0.0 %
32	-	38	0.0 %
33	-	30	0.0 %
34	-	35	0.0 %
35	-	28	0.0 %
36	-	26	0.0 %
37	-	25	0.0 %
38	-	24	0.0 %

Value	Label	Unweighted Frequency	%
39	-	30	0.0 %
40	-	14	0.0 %
41	-	20	0.0 %
42	-	16	0.0 %
43	-	26	0.0 %
44	-	19	0.0 %
45	-	18	0.0 %
46	-	19	0.0 %
47	-	13	0.0 %
48	-	20	0.0 %
49	-	19	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 1.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1080.00
- Standard Deviation: 8.22

Location: 186-191 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M55_59: MALE 55-59

Value	Label	Unweighted Frequency	%
0	-	141666	74.2 %
1	-	24652	12.9 %
2	-	8500	4.5 %
3	-	4410	2.3 %
4	-	2652	1.4 %
5	-	1694	0.9 %
6	-	1211	0.6 %
7	-	882	0.5 %
8	-	676	0.4 %
9	-	508	0.3 %

Value	Label	Unweighted Frequency	%
10	-	430	0.2 %
11	-	351	0.2 %
12	-	274	0.1 %
13	-	215	0.1 %
14	-	182	0.1 %
15	-	195	0.1 %
16	-	130	0.1 %
17	-	110	0.1 %
18	-	114	0.1 %
19	-	95	0.0 %
20	-	98	0.1 %
21	-	80	0.0 %
22	-	63	0.0 %
23	-	70	0.0 %
24	-	50	0.0 %
25	-	42	0.0 %
26	-	51	0.0 %
27	-	46	0.0 %
28	-	34	0.0 %
29	-	24	0.0 %
30	-	33	0.0 %
31	-	30	0.0 %
32	-	23	0.0 %
33	-	27	0.0 %
34	-	27	0.0 %
35	-	23	0.0 %
36	-	21	0.0 %
37	-	16	0.0 %
38	-	25	0.0 %
39	-	18	0.0 %
40	-	20	0.0 %
41	-	11	0.0 %
42	-	26	0.0 %
43	-	15	0.0 %
44	-	7	0.0 %
45	-	16	0.0 %
46	-	7	0.0 %
47	-	8	0.0 %
48	-	11	0.0 %

Value	Label	Unweighted Frequency	%
49	-	10	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 0.98
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1058.00
- Standard Deviation: 6.68

Location: 192-197 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M60_64: MALE 60-64

Value	Label	Unweighted Frequency	%
0	-	154351	80.9 %
1	-	20218	10.6 %
2	-	6314	3.3 %
3	-	2893	1.5 %
4	-	1811	0.9 %
5	-	1042	0.5 %
6	-	754	0.4 %
7	-	512	0.3 %
8	-	386	0.2 %
9	-	273	0.1 %
10	-	209	0.1 %
11	-	179	0.1 %
12	-	145	0.1 %
13	-	114	0.1 %
14	-	107	0.1 %
15	-	92	0.0 %
16	-	58	0.0 %
17	-	58	0.0 %
18	-	52	0.0 %
19	-	43	0.0 %

Value	Label	Unweighted Frequency	%
20	-	32	0.0 %
21	-	35	0.0 %
22	-	32	0.0 %
23	-	27	0.0 %
24	-	38	0.0 %
25	-	27	0.0 %
26	-	24	0.0 %
27	-	21	0.0 %
28	-	18	0.0 %
29	-	22	0.0 %
30	-	10	0.0 %
31	-	15	0.0 %
32	-	20	0.0 %
33	-	9	0.0 %
34	-	12	0.0 %
35	-	12	0.0 %
36	-	7	0.0 %
37	-	9	0.0 %
38	-	7	0.0 %
39	-	8	0.0 %
40	-	3	0.0 %
41	-	9	0.0 %
42	-	2	0.0 %
43	-	4	0.0 %
44	-	7	0.0 %
45	-	4	0.0 %
46	-	7	0.0 %
47	-	5	0.0 %
48	-	2	0.0 %
49	-	1	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 0.57
- Median: 0.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 723.00
- Standard Deviation: 4.28

Location: 198-203 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M65: MALE OVER 64

Value	Label	Unweighted Frequency	%
0	-	162332	85.1 %
1	-	16859	8.8 %
2	-	4864	2.5 %
3	-	2088	1.1 %
4	-	1220	0.6 %
5	-	702	0.4 %
6	-	483	0.3 %
7	-	295	0.2 %
8	-	204	0.1 %
9	-	164	0.1 %
10	-	177	0.1 %
11	-	109	0.1 %
12	-	94	0.0 %
13	-	55	0.0 %
14	-	40	0.0 %
15	-	40	0.0 %
16	-	44	0.0 %
17	-	39	0.0 %
18	-	35	0.0 %
19	-	27	0.0 %
20	-	17	0.0 %
21	-	22	0.0 %
22	-	20	0.0 %
23	-	22	0.0 %
24	-	21	0.0 %
25	-	16	0.0 %
26	-	11	0.0 %
27	-	13	0.0 %
28	-	9	0.0 %
29	-	8	0.0 %
30	-	7	0.0 %

Value	Label	Unweighted Frequency	%
31	-	7	0.0 %
32	-	6	0.0 %
33	-	8	0.0 %
34	-	4	0.0 %
35	-	8	0.0 %
36	-	5	0.0 %
37	-	3	0.0 %
38	-	4	0.0 %
39	-	4	0.0 %
40	-	3	0.0 %
41	-	2	0.0 %
42	-	5	0.0 %
43	-	2	0.0 %
44	-	3	0.0 %
45	-	3	0.0 %
46	-	2	0.0 %
47	-	6	0.0 %
48	-	5	0.0 %
49	-	4	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 0.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 684.00
- Standard Deviation: 3.31

Location: 204-209 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F0_9: FEMALE UNDER 10

Value	Label	Unweighted Frequency	%
0	-	190006	99.6 %
1	-	143	0.1 %

Value	Label	Unweighted Frequency	%
2	-	23	0.0 %
3	-	6	0.0 %
4	-	4	0.0 %
5	-	2	0.0 %
8	-	1	0.0 %
9	-	1	0.0 %
13	-	1	0.0 %
14	-	1	0.0 %
22	-	1	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 22.00
- Standard Deviation: 0.09

Location: 210-215 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F10_12: FEMALE 10-12

Value	Label	Unweighted Frequency	%
0	-	185941	97.4 %
1	-	2696	1.4 %
2	-	781	0.4 %
3	-	302	0.2 %
4	-	149	0.1 %
5	-	69	0.0 %
6	-	67	0.0 %
7	-	51	0.0 %
8	-	26	0.0 %
9	-	15	0.0 %
10	-	15	0.0 %
11	-	14	0.0 %
12	-	14	0.0 %
13	-	8	0.0 %

Value	Label	Unweighted Frequency	%
14	-	9	0.0 %
15	-	6	0.0 %
16	-	5	0.0 %
17	-	2	0.0 %
18	-	2	0.0 %
19	-	1	0.0 %
20	-	1	0.0 %
21	-	2	0.0 %
22	-	1	0.0 %
25	-	1	0.0 %
29	-	1	0.0 %
31	-	1	0.0 %
32	-	2	0.0 %
33	-	1	0.0 %
36	-	2	0.0 %
52	-	1	0.0 %
55	-	1	0.0 %
90	-	1	0.0 %
118	-	1	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 118.00
- Standard Deviation: 0.61

Location: 216-221 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F13_14: FEMALE 13-14

Value	Label	Unweighted Frequency	%
0	-	178993	93.8 %
1	-	6268	3.3 %
2	-	2132	1.1 %
3	-	903	0.5 %

Value	Label	Unweighted Frequency	%
4	-	541	0.3 %
5	-	286	0.1 %
6	-	224	0.1 %
7	-	145	0.1 %
8	-	102	0.1 %
9	-	94	0.0 %
10	-	67	0.0 %
11	-	65	0.0 %
12	-	48	0.0 %
13	-	50	0.0 %
14	-	29	0.0 %
15	-	37	0.0 %
16	-	18	0.0 %
17	-	23	0.0 %
18	-	14	0.0 %
19	-	10	0.0 %
20	-	9	0.0 %
21	-	9	0.0 %
22	-	9	0.0 %
23	-	13	0.0 %
24	-	7	0.0 %
25	-	12	0.0 %
26	-	7	0.0 %
27	-	10	0.0 %
28	-	4	0.0 %
29	-	5	0.0 %
30	-	3	0.0 %
31	-	4	0.0 %
32	-	4	0.0 %
33	-	1	0.0 %
34	-	5	0.0 %
35	-	2	0.0 %
38	-	4	0.0 %
39	-	3	0.0 %
40	-	4	0.0 %
41	-	1	0.0 %
42	-	2	0.0 %
43	-	2	0.0 %
44	-	1	0.0 %

Value	Label	Unweighted Frequency	%
45	-	1	0.0 %
48	-	1	0.0 %
51	-	1	0.0 %
53	-	3	0.0 %
56	-	3	0.0 %
57	-	2	0.0 %
70	-	1	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 229.00
- Standard Deviation: 1.50

Location: 222-227 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F15: FEMALE 15

Value	Label	Unweighted Frequency	%
0	-	180571	94.6 %
1	-	5911	3.1 %
2	-	1715	0.9 %
3	-	692	0.4 %
4	-	421	0.2 %
5	-	230	0.1 %
6	-	165	0.1 %
7	-	109	0.1 %
8	-	81	0.0 %
9	-	59	0.0 %
10	-	44	0.0 %
11	-	31	0.0 %
12	-	31	0.0 %
13	-	13	0.0 %

Value	Label	Unweighted Frequency	%
14	-	18	0.0 %
15	-	16	0.0 %
16	-	8	0.0 %
17	-	6	0.0 %
18	-	8	0.0 %
19	-	8	0.0 %
20	-	6	0.0 %
21	-	5	0.0 %
22	-	8	0.0 %
23	-	4	0.0 %
24	-	3	0.0 %
25	-	2	0.0 %
27	-	1	0.0 %
28	-	3	0.0 %
29	-	1	0.0 %
30	-	1	0.0 %
31	-	2	0.0 %
32	-	2	0.0 %
35	-	1	0.0 %
36	-	2	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	1	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
48	-	1	0.0 %
50	-	1	0.0 %
104	-	1	0.0 %
111	-	1	0.0 %
127	-	1	0.0 %
157	-	1	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00

- Minimum: 0.00
- Maximum: 157.00
- Standard Deviation: 0.99

Location: 228-233 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F16: FEMALE 16

Value	Label	Unweighted Frequency	%
0	-	178988	93.8 %
1	-	7026	3.7 %
2	-	1978	1.0 %
3	-	874	0.5 %
4	-	449	0.2 %
5	-	245	0.1 %
6	-	185	0.1 %
7	-	99	0.1 %
8	-	83	0.0 %
9	-	49	0.0 %
10	-	35	0.0 %
11	-	33	0.0 %
12	-	21	0.0 %
13	-	19	0.0 %
14	-	15	0.0 %
15	-	10	0.0 %
16	-	9	0.0 %
17	-	10	0.0 %
18	-	6	0.0 %
19	-	1	0.0 %
20	-	9	0.0 %
21	-	8	0.0 %
22	-	2	0.0 %
23	-	3	0.0 %
24	-	2	0.0 %
25	-	4	0.0 %
26	-	3	0.0 %
28	-	1	0.0 %
29	-	2	0.0 %
30	-	2	0.0 %
31	-	2	0.0 %
32	-	3	0.0 %

Value	Label	Unweighted Frequency	%
33	-	1	0.0 %
34	-	1	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %
42	-	2	0.0 %
43	-	2	0.0 %
47	-	1	0.0 %
96	-	1	0.0 %
130	-	1	0.0 %
137	-	1	0.0 %
139	-	1	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 139.00
- Standard Deviation: 0.98

Location: 234-239 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F17: FEMALE 17

Value	Label	Unweighted Frequency	%
0	-	177018	92.8 %
1	-	8441	4.4 %
2	-	2292	1.2 %
3	-	993	0.5 %
4	-	495	0.3 %
5	-	294	0.2 %
6	-	159	0.1 %
7	-	126	0.1 %
8	-	79	0.0 %
9	-	74	0.0 %
10	-	44	0.0 %
11	-	31	0.0 %

Value	Label	Unweighted Frequency	%
12	-	21	0.0 %
13	-	25	0.0 %
14	-	21	0.0 %
15	-	12	0.0 %
16	-	9	0.0 %
17	-	5	0.0 %
18	-	3	0.0 %
19	-	4	0.0 %
20	-	3	0.0 %
21	-	3	0.0 %
22	-	2	0.0 %
23	-	3	0.0 %
24	-	3	0.0 %
25	-	2	0.0 %
26	-	3	0.0 %
27	-	3	0.0 %
28	-	5	0.0 %
29	-	1	0.0 %
32	-	2	0.0 %
33	-	1	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %
39	-	1	0.0 %
47	-	1	0.0 %
48	-	2	0.0 %
63	-	1	0.0 %
80	-	1	0.0 %
82	-	2	0.0 %
99	-	1	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00

• Standard Deviation: 0.90

Location: 240-245 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F18: FEMALE 18

Value	Label	Unweighted Frequency	%
0	-	172418	90.4 %
1	-	11210	5.9 %
2	-	3081	1.6 %
3	-	1338	0.7 %
4	-	713	0.4 %
5	-	376	0.2 %
6	-	264	0.1 %
7	-	177	0.1 %
8	-	146	0.1 %
9	-	81	0.0 %
10	-	69	0.0 %
11	-	49	0.0 %
12	-	44	0.0 %
13	-	27	0.0 %
14	-	35	0.0 %
15	-	13	0.0 %
16	-	16	0.0 %
17	-	18	0.0 %
18	-	14	0.0 %
19	-	7	0.0 %
20	-	9	0.0 %
21	-	9	0.0 %
22	-	6	0.0 %
23	-	7	0.0 %
24	-	9	0.0 %
25	-	3	0.0 %
26	-	3	0.0 %
27	-	8	0.0 %
28	-	1	0.0 %
29	-	3	0.0 %
30	-	2	0.0 %
31	-	3	0.0 %
32	-	3	0.0 %

Value	Label	Unweighted Frequency	%
33	-	1	0.0 %
34	-	1	0.0 %
37	-	2	0.0 %
39	-	1	0.0 %
40	-	1	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
46	-	2	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %
52	-	1	0.0 %
53	-	1	0.0 %
55	-	1	0.0 %
57	-	1	0.0 %
59	-	2	0.0 %
67	-	1	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 125.00
- Standard Deviation: 1.20

Location: 246-251 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F19: FEMALE 19

Value	Label	Unweighted Frequency	%
0	-	169999	89.1 %
1	-	12564	6.6 %
2	-	3473	1.8 %
3	-	1580	0.8 %

Value	Label	Unweighted Frequency	%
4	-	781	0.4 %
5	-	482	0.3 %
6	-	300	0.2 %
7	-	201	0.1 %
8	-	150	0.1 %
9	-	135	0.1 %
10	-	100	0.1 %
11	-	63	0.0 %
12	-	54	0.0 %
13	-	28	0.0 %
14	-	41	0.0 %
15	-	32	0.0 %
16	-	23	0.0 %
17	-	20	0.0 %
18	-	16	0.0 %
19	-	19	0.0 %
20	-	12	0.0 %
21	-	8	0.0 %
22	-	8	0.0 %
23	-	15	0.0 %
24	-	2	0.0 %
25	-	6	0.0 %
26	-	5	0.0 %
27	-	3	0.0 %
28	-	5	0.0 %
29	-	5	0.0 %
31	-	4	0.0 %
32	-	3	0.0 %
33	-	3	0.0 %
34	-	1	0.0 %
35	-	5	0.0 %
36	-	2	0.0 %
37	-	2	0.0 %
38	-	1	0.0 %
39	-	2	0.0 %
40	-	2	0.0 %
41	-	2	0.0 %
42	-	2	0.0 %
43	-	2	0.0 %

Value	Label	Unweighted Frequency	%
44	-	2	0.0 %
46	-	3	0.0 %
47	-	1	0.0 %
48	-	3	0.0 %
49	-	1	0.0 %
50	-	2	0.0 %
53	-	1	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 133.00
- Standard Deviation: 1.40

Location: 252-257 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F20: FEMALE 20

Value	Label	Unweighted Frequency	%
0	-	169137	88.6 %
1	-	13081	6.9 %
2	-	3684	1.9 %
3	-	1566	0.8 %
4	-	823	0.4 %
5	-	479	0.3 %
6	-	359	0.2 %
7	-	217	0.1 %
8	-	148	0.1 %
9	-	123	0.1 %
10	-	80	0.0 %
11	-	67	0.0 %
12	-	58	0.0 %
13	-	41	0.0 %

Value	Label	Unweighted Frequency	%
14	-	37	0.0 %
15	-	46	0.0 %
16	-	36	0.0 %
17	-	25	0.0 %
18	-	16	0.0 %
19	-	12	0.0 %
20	-	11	0.0 %
21	-	15	0.0 %
22	-	15	0.0 %
23	-	12	0.0 %
24	-	11	0.0 %
25	-	5	0.0 %
26	-	10	0.0 %
27	-	2	0.0 %
28	-	3	0.0 %
29	-	4	0.0 %
30	-	1	0.0 %
31	-	6	0.0 %
32	-	5	0.0 %
33	-	1	0.0 %
34	-	2	0.0 %
35	-	3	0.0 %
36	-	4	0.0 %
37	-	2	0.0 %
38	-	4	0.0 %
39	-	2	0.0 %
40	-	2	0.0 %
41	-	3	0.0 %
42	-	2	0.0 %
43	-	2	0.0 %
45	-	1	0.0 %
47	-	2	0.0 %
48	-	1	0.0 %
50	-	1	0.0 %
51	-	2	0.0 %
55	-	1	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 174.00
- Standard Deviation: 1.56

Location: 258-263 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F21: FEMALE 21

Value	Label	Unweighted Frequency	%
0	-	168715	88.4 %
1	-	13410	7.0 %
2	-	3693	1.9 %
3	-	1586	0.8 %
4	-	794	0.4 %
5	-	544	0.3 %
6	-	337	0.2 %
7	-	205	0.1 %
8	-	182	0.1 %
9	-	128	0.1 %
10	-	113	0.1 %
11	-	76	0.0 %
12	-	55	0.0 %
13	-	44	0.0 %
14	-	40	0.0 %
15	-	29	0.0 %
16	-	25	0.0 %
17	-	18	0.0 %
18	-	19	0.0 %
19	-	21	0.0 %
20	-	12	0.0 %
21	-	14	0.0 %
22	-	17	0.0 %
23	-	11	0.0 %
24	-	6	0.0 %
25	-	11	0.0 %

Value	Label	Unweighted Frequency	%
26	-	4	0.0 %
27	-	4	0.0 %
28	-	5	0.0 %
29	-	4	0.0 %
30	-	5	0.0 %
31	-	3	0.0 %
32	-	6	0.0 %
33	-	3	0.0 %
34	-	2	0.0 %
35	-	3	0.0 %
36	-	2	0.0 %
37	-	4	0.0 %
38	-	2	0.0 %
39	-	1	0.0 %
40	-	2	0.0 %
42	-	1	0.0 %
44	-	1	0.0 %
45	-	3	0.0 %
46	-	1	0.0 %
47	-	1	0.0 %
48	-	3	0.0 %
49	-	1	0.0 %
51	-	2	0.0 %
52	-	2	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 204.00
- Standard Deviation: 1.58

Location: 264-269 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F22: FEMALE 22

Value	Label	Unweighted Frequency	%
0	-	168330	88.2 %
1	-	13691	7.2 %
2	-	3752	2.0 %
3	-	1586	0.8 %
4	-	878	0.5 %
5	-	465	0.2 %
6	-	361	0.2 %
7	-	226	0.1 %
8	-	148	0.1 %
9	-	137	0.1 %
10	-	98	0.1 %
11	-	78	0.0 %
12	-	50	0.0 %
13	-	49	0.0 %
14	-	39	0.0 %
15	-	40	0.0 %
16	-	31	0.0 %
17	-	34	0.0 %
18	-	23	0.0 %
19	-	18	0.0 %
20	-	11	0.0 %
21	-	13	0.0 %
22	-	10	0.0 %
23	-	8	0.0 %
24	-	5	0.0 %
25	-	9	0.0 %
26	-	9	0.0 %
27	-	6	0.0 %
28	-	11	0.0 %
29	-	5	0.0 %
30	-	4	0.0 %
31	-	2	0.0 %
32	-	6	0.0 %
33	-	2	0.0 %
34	-	4	0.0 %
35	-	2	0.0 %
36	-	2	0.0 %

Value	Label	Unweighted Frequency	%
37	-	1	0.0 %
38	-	2	0.0 %
39	-	3	0.0 %
41	-	2	0.0 %
43	-	1	0.0 %
44	-	3	0.0 %
45	-	1	0.0 %
46	-	2	0.0 %
47	-	2	0.0 %
49	-	1	0.0 %
50	-	3	0.0 %
51	-	1	0.0 %
52	-	1	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 208.00
- Standard Deviation: 1.66

Location: 270-275 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F23: FEMALE 23

Value	Label	Unweighted Frequency	%
0	-	168107	88.1 %
1	-	13701	7.2 %
2	-	3793	2.0 %
3	-	1660	0.9 %
4	-	928	0.5 %
5	-	515	0.3 %
6	-	350	0.2 %
7	-	229	0.1 %

Value	Label	Unweighted Frequency	%
8	-	159	0.1 %
9	-	136	0.1 %
10	-	105	0.1 %
11	-	80	0.0 %
12	-	55	0.0 %
13	-	39	0.0 %
14	-	38	0.0 %
15	-	43	0.0 %
16	-	25	0.0 %
17	-	19	0.0 %
18	-	24	0.0 %
19	-	18	0.0 %
20	-	19	0.0 %
21	-	14	0.0 %
22	-	10	0.0 %
23	-	14	0.0 %
24	-	11	0.0 %
25	-	9	0.0 %
26	-	10	0.0 %
27	-	7	0.0 %
28	-	3	0.0 %
29	-	4	0.0 %
30	-	4	0.0 %
32	-	4	0.0 %
33	-	3	0.0 %
34	-	4	0.0 %
35	-	3	0.0 %
37	-	2	0.0 %
38	-	2	0.0 %
40	-	1	0.0 %
41	-	4	0.0 %
42	-	1	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	3	0.0 %
46	-	3	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %

Value	Label	Unweighted Frequency	%
51	-	1	0.0 %
52	-	1	0.0 %
53	-	1	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 0.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 226.00
- Standard Deviation: 1.67

Location: 276-281 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F24: FEMALE 24

Value	Label	Unweighted Frequency	%
0	-	167852	88.0 %
1	-	13971	7.3 %
2	-	3916	2.1 %
3	-	1657	0.9 %
4	-	868	0.5 %
5	-	513	0.3 %
6	-	311	0.2 %
7	-	212	0.1 %
8	-	181	0.1 %
9	-	114	0.1 %
10	-	96	0.1 %
11	-	89	0.0 %
12	-	51	0.0 %
13	-	43	0.0 %
14	-	30	0.0 %
15	-	33	0.0 %
16	-	19	0.0 %
17	-	27	0.0 %

Value	Label	Unweighted Frequency	%
18	-	17	0.0 %
19	-	16	0.0 %
20	-	20	0.0 %
21	-	16	0.0 %
22	-	16	0.0 %
23	-	12	0.0 %
24	-	6	0.0 %
25	-	7	0.0 %
26	-	4	0.0 %
27	-	7	0.0 %
28	-	8	0.0 %
29	-	8	0.0 %
30	-	2	0.0 %
31	-	7	0.0 %
32	-	4	0.0 %
33	-	5	0.0 %
34	-	4	0.0 %
35	-	2	0.0 %
36	-	2	0.0 %
37	-	2	0.0 %
38	-	4	0.0 %
39	-	1	0.0 %
40	-	4	0.0 %
41	-	1	0.0 %
44	-	2	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %
51	-	1	0.0 %
52	-	3	0.0 %
54	-	3	0.0 %
55	-	1	0.0 %
56	-	1	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 208.00
- Standard Deviation: 1.64

Location: 282-287 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F25_29: FEMALE 25-29

Value	Label	Unweighted Frequency	%
0	-	131718	69.0 %
1	-	27039	14.2 %
2	-	10053	5.3 %
3	-	5237	2.7 %
4	-	3373	1.8 %
5	-	2312	1.2 %
6	-	1679	0.9 %
7	-	1268	0.7 %
8	-	952	0.5 %
9	-	815	0.4 %
10	-	628	0.3 %
11	-	542	0.3 %
12	-	459	0.2 %
13	-	385	0.2 %
14	-	313	0.2 %
15	-	325	0.2 %
16	-	227	0.1 %
17	-	209	0.1 %
18	-	217	0.1 %
19	-	169	0.1 %
20	-	142	0.1 %
21	-	134	0.1 %
22	-	112	0.1 %
23	-	104	0.1 %
24	-	107	0.1 %
25	-	118	0.1 %
26	-	107	0.1 %
27	-	63	0.0 %
28	-	78	0.0 %
29	-	64	0.0 %

Value	Label	Unweighted Frequency	%
30	-	52	0.0 %
31	-	57	0.0 %
32	-	61	0.0 %
33	-	46	0.0 %
34	-	49	0.0 %
35	-	42	0.0 %
36	-	37	0.0 %
37	-	23	0.0 %
38	-	32	0.0 %
39	-	37	0.0 %
40	-	44	0.0 %
41	-	26	0.0 %
42	-	26	0.0 %
43	-	21	0.0 %
44	-	18	0.0 %
45	-	28	0.0 %
46	-	25	0.0 %
47	-	17	0.0 %
48	-	21	0.0 %
49	-	19	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 1.46
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 988.00
- Standard Deviation: 8.48

Location: 288-293 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F30_34: FEMALE 30-34

Value	Label	Unweighted Frequency	%
0	-	129411	67.8 %

Value	Label	Unweighted Frequency	%
1	-	27587	14.5 %
2	-	10526	5.5 %
3	-	5695	3.0 %
4	-	3531	1.9 %
5	-	2354	1.2 %
6	-	1787	0.9 %
7	-	1325	0.7 %
8	-	1047	0.5 %
9	-	819	0.4 %
10	-	694	0.4 %
11	-	579	0.3 %
12	-	461	0.2 %
13	-	405	0.2 %
14	-	384	0.2 %
15	-	289	0.2 %
16	-	249	0.1 %
17	-	241	0.1 %
18	-	237	0.1 %
19	-	189	0.1 %
20	-	145	0.1 %
21	-	149	0.1 %
22	-	111	0.1 %
23	-	105	0.1 %
24	-	112	0.1 %
25	-	92	0.0 %
26	-	91	0.0 %
27	-	95	0.0 %
28	-	79	0.0 %
29	-	75	0.0 %
30	-	71	0.0 %
31	-	57	0.0 %
32	-	58	0.0 %
33	-	43	0.0 %
34	-	48	0.0 %
35	-	45	0.0 %
36	-	31	0.0 %
37	-	55	0.0 %
38	-	30	0.0 %
39	-	36	0.0 %

Value	Label	Unweighted Frequency	%
40	-	32	0.0 %
41	-	39	0.0 %
42	-	32	0.0 %
43	-	26	0.0 %
44	-	21	0.0 %
45	-	23	0.0 %
46	-	16	0.0 %
47	-	22	0.0 %
48	-	21	0.0 %
49	-	18	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 1.53
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 990.00
- Standard Deviation: 8.44

Location: 294-299 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F35_39: FEMALE 35-39

Value	Label	Unweighted Frequency	%
0	-	133690	70.1 %
1	-	26517	13.9 %
2	-	9829	5.2 %
3	-	5309	2.8 %
4	-	3196	1.7 %
5	-	2203	1.2 %
6	-	1552	0.8 %
7	-	1195	0.6 %
8	-	926	0.5 %
9	-	683	0.4 %
10	-	574	0.3 %

Value	Label	Unweighted Frequency	%
11	-	513	0.3 %
12	-	429	0.2 %
13	-	370	0.2 %
14	-	299	0.2 %
15	-	247	0.1 %
16	-	255	0.1 %
17	-	184	0.1 %
18	-	149	0.1 %
19	-	151	0.1 %
20	-	135	0.1 %
21	-	139	0.1 %
22	-	109	0.1 %
23	-	91	0.0 %
24	-	82	0.0 %
25	-	98	0.1 %
26	-	70	0.0 %
27	-	62	0.0 %
28	-	51	0.0 %
29	-	60	0.0 %
30	-	42	0.0 %
31	-	43	0.0 %
32	-	40	0.0 %
33	-	49	0.0 %
34	-	29	0.0 %
35	-	41	0.0 %
36	-	43	0.0 %
37	-	41	0.0 %
38	-	26	0.0 %
39	-	23	0.0 %
40	-	20	0.0 %
41	-	31	0.0 %
42	-	20	0.0 %
43	-	24	0.0 %
44	-	15	0.0 %
45	-	18	0.0 %
46	-	19	0.0 %
47	-	10	0.0 %
48	-	12	0.0 %
49	-	16	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 1.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 749.00
- Standard Deviation: 6.98

Location: 300-305 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F40_44: FEMALE 40-44

Value	Label	Unweighted Frequency	%
0	-	142327	74.6 %
1	-	23913	12.5 %
2	-	8456	4.4 %
3	-	4296	2.3 %
4	-	2648	1.4 %
5	-	1750	0.9 %
6	-	1247	0.7 %
7	-	859	0.5 %
8	-	749	0.4 %
9	-	584	0.3 %
10	-	457	0.2 %
11	-	317	0.2 %
12	-	311	0.2 %
13	-	227	0.1 %
14	-	175	0.1 %
15	-	174	0.1 %
16	-	154	0.1 %
17	-	116	0.1 %
18	-	115	0.1 %
19	-	90	0.0 %
20	-	96	0.1 %

Value	Label	Unweighted Frequency	%
21	-	77	0.0 %
22	-	74	0.0 %
23	-	65	0.0 %
24	-	76	0.0 %
25	-	49	0.0 %
26	-	39	0.0 %
27	-	53	0.0 %
28	-	35	0.0 %
29	-	27	0.0 %
30	-	36	0.0 %
31	-	29	0.0 %
32	-	26	0.0 %
33	-	21	0.0 %
34	-	34	0.0 %
35	-	20	0.0 %
36	-	25	0.0 %
37	-	21	0.0 %
38	-	13	0.0 %
39	-	21	0.0 %
40	-	16	0.0 %
41	-	20	0.0 %
42	-	18	0.0 %
43	-	11	0.0 %
44	-	14	0.0 %
45	-	13	0.0 %
46	-	8	0.0 %
47	-	10	0.0 %
48	-	9	0.0 %
49	-	9	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 0.94
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 523.00
- Standard Deviation: 5.03

Location: 306-311 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F45_49: FEMALE 45-49

Value	Label	Unweighted Frequency	%
0	-	153663	80.5 %
1	-	19737	10.3 %
2	-	6691	3.5 %
3	-	3260	1.7 %
4	-	1829	1.0 %
5	-	1171	0.6 %
6	-	776	0.4 %
7	-	568	0.3 %
8	-	392	0.2 %
9	-	349	0.2 %
10	-	264	0.1 %
11	-	182	0.1 %
12	-	145	0.1 %
13	-	132	0.1 %
14	-	106	0.1 %
15	-	93	0.0 %
16	-	72	0.0 %
17	-	68	0.0 %
18	-	60	0.0 %
19	-	48	0.0 %
20	-	56	0.0 %
21	-	45	0.0 %
22	-	38	0.0 %
23	-	31	0.0 %
24	-	36	0.0 %
25	-	20	0.0 %
26	-	19	0.0 %
27	-	23	0.0 %
28	-	15	0.0 %
29	-	19	0.0 %
30	-	22	0.0 %
31	-	8	0.0 %
32	-	18	0.0 %

Value	Label	Unweighted Frequency	%
33	-	9	0.0 %
34	-	10	0.0 %
35	-	7	0.0 %
36	-	13	0.0 %
37	-	12	0.0 %
38	-	7	0.0 %
39	-	8	0.0 %
40	-	8	0.0 %
41	-	6	0.0 %
42	-	9	0.0 %
43	-	4	0.0 %
44	-	3	0.0 %
45	-	7	0.0 %
46	-	6	0.0 %
47	-	4	0.0 %
48	-	2	0.0 %
49	-	5	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 0.58
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 312.00
- Standard Deviation: 3.28

Location: 312-317 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F50_54: FEMALE 50-54

Value	Label	Unweighted Frequency	%
0	-	160080	83.9 %
1	-	17198	9.0 %
2	-	5498	2.9 %
3	-	2591	1.4 %

Value	Label	Unweighted Frequency	%
4	-	1414	0.7 %
5	-	843	0.4 %
6	-	573	0.3 %
7	-	395	0.2 %
8	-	282	0.1 %
9	-	228	0.1 %
10	-	163	0.1 %
11	-	111	0.1 %
12	-	105	0.1 %
13	-	85	0.0 %
14	-	68	0.0 %
15	-	68	0.0 %
16	-	50	0.0 %
17	-	33	0.0 %
18	-	32	0.0 %
19	-	22	0.0 %
20	-	32	0.0 %
21	-	34	0.0 %
22	-	24	0.0 %
23	-	17	0.0 %
24	-	21	0.0 %
25	-	18	0.0 %
26	-	15	0.0 %
27	-	20	0.0 %
28	-	7	0.0 %
29	-	6	0.0 %
30	-	6	0.0 %
31	-	10	0.0 %
32	-	8	0.0 %
33	-	5	0.0 %
34	-	8	0.0 %
35	-	7	0.0 %
36	-	4	0.0 %
37	-	4	0.0 %
38	-	3	0.0 %
39	-	5	0.0 %
40	-	8	0.0 %
41	-	6	0.0 %
42	-	1	0.0 %

Value	Label	Unweighted Frequency	%
43	-	5	0.0 %
44	-	7	0.0 %
45	-	6	0.0 %
46	-	4	0.0 %
47	-	3	0.0 %
48	-	5	0.0 %
49	-	4	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 0.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 399.00
- Standard Deviation: 2.65

Location: 318-323 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F55_59: FEMALE 55-59

Value	Label	Unweighted Frequency	%
0	-	167258	87.6 %
1	-	14065	7.4 %
2	-	4120	2.2 %
3	-	1761	0.9 %
4	-	932	0.5 %
5	-	560	0.3 %
6	-	343	0.2 %
7	-	242	0.1 %
8	-	179	0.1 %
9	-	121	0.1 %
10	-	91	0.0 %
11	-	71	0.0 %
12	-	61	0.0 %
13	-	45	0.0 %

Value	Label	Unweighted Frequency	%
14	-	33	0.0 %
15	-	25	0.0 %
16	-	29	0.0 %
17	-	20	0.0 %
18	-	21	0.0 %
19	-	13	0.0 %
20	-	18	0.0 %
21	-	12	0.0 %
22	-	13	0.0 %
23	-	15	0.0 %
24	-	12	0.0 %
25	-	10	0.0 %
26	-	7	0.0 %
27	-	15	0.0 %
28	-	11	0.0 %
29	-	2	0.0 %
30	-	6	0.0 %
31	-	8	0.0 %
32	-	8	0.0 %
33	-	7	0.0 %
34	-	5	0.0 %
35	-	3	0.0 %
36	-	2	0.0 %
37	-	4	0.0 %
38	-	2	0.0 %
39	-	3	0.0 %
40	-	4	0.0 %
41	-	2	0.0 %
43	-	2	0.0 %
46	-	2	0.0 %
47	-	1	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
52	-	1	0.0 %
53	-	1	0.0 %
54	-	1	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 220.00
- Standard Deviation: 1.77

Location: 324-329 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F60_64: FEMALE 60-64

Value	Label	Unweighted Frequency	%
0	-	175510	92.0 %
1	-	9937	5.2 %
2	-	2445	1.3 %
3	-	966	0.5 %
4	-	457	0.2 %
5	-	234	0.1 %
6	-	159	0.1 %
7	-	86	0.0 %
8	-	77	0.0 %
9	-	63	0.0 %
10	-	33	0.0 %
11	-	36	0.0 %
12	-	36	0.0 %
13	-	25	0.0 %
14	-	19	0.0 %
15	-	15	0.0 %
16	-	13	0.0 %
17	-	11	0.0 %
18	-	9	0.0 %
19	-	4	0.0 %
20	-	4	0.0 %
21	-	2	0.0 %
22	-	7	0.0 %
24	-	7	0.0 %
25	-	3	0.0 %
26	-	3	0.0 %

Value	Label	Unweighted Frequency	%
27	-	3	0.0 %
28	-	1	0.0 %
29	-	1	0.0 %
31	-	1	0.0 %
32	-	1	0.0 %
33	-	2	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	2	0.0 %
52	-	1	0.0 %
58	-	1	0.0 %
61	-	1	0.0 %
63	-	1	0.0 %
75	-	1	0.0 %
76	-	1	0.0 %
92	-	1	0.0 %
109	-	1	0.0 %
132	-	1	0.0 %
138	-	1	0.0 %
161	-	1	0.0 %
301	-	1	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 301.00
- Standard Deviation: 1.30

Location: 330-335 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F65: FEMALE OVER 64

Value	Label	Unweighted Frequency	%
0	-	180292	94.5 %
1	-	6970	3.7 %
2	-	1559	0.8 %
3	-	604	0.3 %
4	-	251	0.1 %
5	-	172	0.1 %
6	-	80	0.0 %
7	-	57	0.0 %
8	-	28	0.0 %
9	-	44	0.0 %
10	-	20	0.0 %
11	-	15	0.0 %
12	-	16	0.0 %
13	-	8	0.0 %
14	-	8	0.0 %
15	-	12	0.0 %
16	-	6	0.0 %
17	-	2	0.0 %
18	-	4	0.0 %
20	-	4	0.0 %
21	-	1	0.0 %
22	-	2	0.0 %
23	-	4	0.0 %
24	-	5	0.0 %
25	-	1	0.0 %
26	-	1	0.0 %
27	-	3	0.0 %
28	-	1	0.0 %
29	-	1	0.0 %
30	-	2	0.0 %
33	-	1	0.0 %
35	-	2	0.0 %
41	-	1	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %
49	-	2	0.0 %
56	-	1	0.0 %

Value	Label	Unweighted Frequency	%
61	-	1	0.0 %
65	-	1	0.0 %
84	-	1	0.0 %
110	-	1	0.0 %
119	-	1	0.0 %
179	-	1	0.0 %
274	-	1	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 274.00
- Standard Deviation: 1.10

Location: 336-341 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JW: JUVENILE-WHITE

Value	Label	Unweighted Frequency	%
0	-	145182	76.1 %
1	-	19687	10.3 %
2	-	7774	4.1 %
3	-	4238	2.2 %
4	-	2728	1.4 %
5	-	1864	1.0 %
6	-	1468	0.8 %
7	-	1055	0.6 %
8	-	784	0.4 %
9	-	638	0.3 %
10	-	534	0.3 %
11	-	442	0.2 %
12	-	336	0.2 %
13	-	293	0.2 %
14	-	281	0.1 %
15	-	237	0.1 %

Value	Label	Unweighted Frequency	%
16	-	212	0.1 %
17	-	161	0.1 %
18	-	162	0.1 %
19	-	144	0.1 %
20	-	127	0.1 %
21	-	126	0.1 %
22	-	95	0.0 %
23	-	100	0.1 %
24	-	90	0.0 %
25	-	88	0.0 %
26	-	85	0.0 %
27	-	71	0.0 %
28	-	63	0.0 %
29	-	59	0.0 %
30	-	44	0.0 %
31	-	48	0.0 %
32	-	48	0.0 %
33	-	50	0.0 %
34	-	35	0.0 %
35	-	29	0.0 %
36	-	30	0.0 %
37	-	29	0.0 %
38	-	36	0.0 %
39	-	36	0.0 %
40	-	26	0.0 %
41	-	30	0.0 %
42	-	19	0.0 %
43	-	21	0.0 %
44	-	20	0.0 %
45	-	21	0.0 %
46	-	20	0.0 %
47	-	16	0.0 %
48	-	16	0.0 %
49	-	15	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 1.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1056.00
- Standard Deviation: 6.73

Location: 342-347 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JB: JUVENILE-BLACK

Value	Label	Unweighted Frequency	%
0	-	166098	87.0 %
1	-	11364	6.0 %
2	-	4087	2.1 %
3	-	2272	1.2 %
4	-	1316	0.7 %
5	-	895	0.5 %
6	-	607	0.3 %
7	-	481	0.3 %
8	-	340	0.2 %
9	-	295	0.2 %
10	-	246	0.1 %
11	-	209	0.1 %
12	-	167	0.1 %
13	-	176	0.1 %
14	-	119	0.1 %
15	-	96	0.1 %
16	-	109	0.1 %
17	-	81	0.0 %
18	-	85	0.0 %
19	-	83	0.0 %
20	-	77	0.0 %
21	-	57	0.0 %
22	-	61	0.0 %
23	-	57	0.0 %
24	-	50	0.0 %
25	-	35	0.0 %

Value	Label	Unweighted Frequency	%
26	-	37	0.0 %
27	-	27	0.0 %
28	-	34	0.0 %
29	-	27	0.0 %
30	-	30	0.0 %
31	-	22	0.0 %
32	-	20	0.0 %
33	-	25	0.0 %
34	-	23	0.0 %
35	-	21	0.0 %
36	-	21	0.0 %
37	-	14	0.0 %
38	-	13	0.0 %
39	-	11	0.0 %
40	-	19	0.0 %
41	-	17	0.0 %
42	-	10	0.0 %
43	-	9	0.0 %
44	-	10	0.0 %
45	-	12	0.0 %
46	-	9	0.0 %
47	-	13	0.0 %
48	-	10	0.0 %
49	-	12	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 0.62
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 677.00
- Standard Deviation: 5.24

Location: 348-353 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JI: JUVENILE-INDIAN

Value	Label	Unweighted Frequency	%
0	-	187230	98.1 %
1	-	1795	0.9 %
2	-	450	0.2 %
3	-	200	0.1 %
4	-	125	0.1 %
5	-	59	0.0 %
6	-	45	0.0 %
7	-	46	0.0 %
8	-	38	0.0 %
9	-	35	0.0 %
10	-	22	0.0 %
11	-	17	0.0 %
12	-	12	0.0 %
13	-	6	0.0 %
14	-	13	0.0 %
15	-	9	0.0 %
16	-	7	0.0 %
17	-	9	0.0 %
18	-	2	0.0 %
19	-	4	0.0 %
20	-	5	0.0 %
21	-	5	0.0 %
22	-	1	0.0 %
23	-	3	0.0 %
24	-	3	0.0 %
25	-	5	0.0 %
26	-	6	0.0 %
27	-	4	0.0 %
28	-	2	0.0 %
29	-	3	0.0 %
32	-	1	0.0 %
33	-	2	0.0 %
35	-	2	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %
38	-	2	0.0 %
39	-	4	0.0 %

Value	Label	Unweighted Frequency	%
41	-	1	0.0 %
42	-	1	0.0 %
44	-	3	0.0 %
49	-	1	0.0 %
53	-	1	0.0 %
54	-	1	0.0 %
55	-	1	0.0 %
58	-	1	0.0 %
63	-	2	0.0 %
69	-	1	0.0 %
72	-	1	0.0 %
89	-	1	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 89.00
- Standard Deviation: 0.81

Location: 354-359 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JA: JUVENILE ASIAN

Value	Label	Unweighted Frequency	%
0	-	187774	98.4 %
1	-	1776	0.9 %
2	-	342	0.2 %
3	-	123	0.1 %
4	-	55	0.0 %
5	-	30	0.0 %
6	-	19	0.0 %
7	-	8	0.0 %
8	-	4	0.0 %
9	-	8	0.0 %
10	-	4	0.0 %

Value	Label	Unweighted Frequency	%
11	-	5	0.0 %
12	-	3	0.0 %
13	-	2	0.0 %
14	-	3	0.0 %
16	-	1	0.0 %
17	-	6	0.0 %
18	-	1	0.0 %
19	-	2	0.0 %
20	-	2	0.0 %
22	-	2	0.0 %
23	-	1	0.0 %
24	-	1	0.0 %
29	-	1	0.0 %
30	-	2	0.0 %
35	-	3	0.0 %
36	-	1	0.0 %
38	-	1	0.0 %
41	-	1	0.0 %
42	-	2	0.0 %
43	-	2	0.0 %
44	-	1	0.0 %
91	-	1	0.0 %
187	-	1	0.0 %
200	-	1	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 200.00
- Standard Deviation: 0.79

Location: 360-365 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JH: JUVENILE-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	174335	91.4 %
1	-	8298	4.3 %
2	-	2888	1.5 %
3	-	1350	0.7 %
4	-	778	0.4 %
5	-	455	0.2 %
6	-	366	0.2 %
7	-	268	0.1 %
8	-	188	0.1 %
9	-	138	0.1 %
10	-	112	0.1 %
11	-	120	0.1 %
12	-	79	0.0 %
13	-	82	0.0 %
14	-	60	0.0 %
15	-	47	0.0 %
16	-	66	0.0 %
17	-	39	0.0 %
18	-	46	0.0 %
19	-	31	0.0 %
20	-	30	0.0 %
21	-	32	0.0 %
22	-	23	0.0 %
23	-	21	0.0 %
24	-	25	0.0 %
25	-	17	0.0 %
26	-	18	0.0 %
27	-	8	0.0 %
28	-	18	0.0 %
29	-	13	0.0 %
30	-	12	0.0 %
31	-	17	0.0 %
32	-	11	0.0 %
33	-	17	0.0 %
34	-	6	0.0 %
35	-	9	0.0 %
36	-	6	0.0 %
37	-	6	0.0 %
38	-	4	0.0 %

Value	Label	Unweighted Frequency	%
39	-	6	0.0 %
40	-	6	0.0 %
41	-	6	0.0 %
42	-	5	0.0 %
43	-	3	0.0 %
44	-	7	0.0 %
45	-	5	0.0 %
46	-	3	0.0 %
47	-	4	0.0 %
48	-	1	0.0 %
49	-	3	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 0.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 238.00
- Standard Deviation: 2.76

Location: 366-371 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JN: JUVENILE-NON-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	148505	77.8 %
1	-	17761	9.3 %
2	-	7010	3.7 %
3	-	3924	2.1 %
4	-	2519	1.3 %
5	-	1744	0.9 %
6	-	1312	0.7 %
7	-	1043	0.5 %
8	-	821	0.4 %
9	-	610	0.3 %

Value	Label	Unweighted Frequency	%
10	-	486	0.3 %
11	-	398	0.2 %
12	-	335	0.2 %
13	-	329	0.2 %
14	-	255	0.1 %
15	-	245	0.1 %
16	-	201	0.1 %
17	-	177	0.1 %
18	-	162	0.1 %
19	-	153	0.1 %
20	-	125	0.1 %
21	-	122	0.1 %
22	-	119	0.1 %
23	-	100	0.1 %
24	-	114	0.1 %
25	-	96	0.1 %
26	-	84	0.0 %
27	-	70	0.0 %
28	-	73	0.0 %
29	-	62	0.0 %
30	-	65	0.0 %
31	-	53	0.0 %
32	-	45	0.0 %
33	-	48	0.0 %
34	-	45	0.0 %
35	-	50	0.0 %
36	-	40	0.0 %
37	-	28	0.0 %
38	-	34	0.0 %
39	-	30	0.0 %
40	-	15	0.0 %
41	-	36	0.0 %
42	-	38	0.0 %
43	-	25	0.0 %
44	-	31	0.0 %
45	-	22	0.0 %
46	-	16	0.0 %
47	-	30	0.0 %
48	-	14	0.0 %

Value	Label	Unweighted Frequency	%
49	-	16	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 1.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1048.00
- Standard Deviation: 7.43

Location: 372-377 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AW: ADULT-WHITE

Value	Label	Unweighted Frequency	%
0	-	23034	12.1 %
1	-	42744	22.4 %
2	-	22044	11.6 %
3	-	13867	7.3 %
4	-	9809	5.1 %
5	-	7462	3.9 %
6	-	5904	3.1 %
7	-	4768	2.5 %
8	-	3962	2.1 %
9	-	3597	1.9 %
10	-	3150	1.7 %
11	-	2645	1.4 %
12	-	2340	1.2 %
13	-	2194	1.1 %
14	-	1897	1.0 %
15	-	1829	1.0 %
16	-	1580	0.8 %
17	-	1487	0.8 %
18	-	1314	0.7 %
19	-	1242	0.7 %

Value	Label	Unweighted Frequency	%
20	-	1180	0.6 %
21	-	1123	0.6 %
22	-	1027	0.5 %
23	-	973	0.5 %
24	-	891	0.5 %
25	-	836	0.4 %
26	-	749	0.4 %
27	-	784	0.4 %
28	-	705	0.4 %
29	-	692	0.4 %
30	-	661	0.3 %
31	-	564	0.3 %
32	-	558	0.3 %
33	-	594	0.3 %
34	-	543	0.3 %
35	-	497	0.3 %
36	-	466	0.2 %
37	-	462	0.2 %
38	-	466	0.2 %
39	-	449	0.2 %
40	-	419	0.2 %
41	-	426	0.2 %
42	-	386	0.2 %
43	-	399	0.2 %
44	-	354	0.2 %
45	-	390	0.2 %
46	-	352	0.2 %
47	-	341	0.2 %
48	-	300	0.2 %
49	-	306	0.2 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 20.38
- Minimum: 0.00

- Maximum: 16412.00
- Standard Deviation: 108.64

Location: 378-383 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AB: ADULT-BLACK

Value	Label	Unweighted Frequency	%
0	-	93413	49.0 %
1	-	32506	17.0 %
2	-	14587	7.6 %
3	-	8440	4.4 %
4	-	5674	3.0 %
5	-	4195	2.2 %
6	-	3136	1.6 %
7	-	2571	1.3 %
8	-	2050	1.1 %
9	-	1746	0.9 %
10	-	1466	0.8 %
11	-	1312	0.7 %
12	-	1171	0.6 %
13	-	989	0.5 %
14	-	869	0.5 %
15	-	875	0.5 %
16	-	687	0.4 %
17	-	661	0.3 %
18	-	622	0.3 %
19	-	546	0.3 %
20	-	439	0.2 %
21	-	464	0.2 %
22	-	445	0.2 %
23	-	428	0.2 %
24	-	358	0.2 %
25	-	331	0.2 %
26	-	284	0.1 %
27	-	358	0.2 %
28	-	282	0.1 %
29	-	279	0.1 %
30	-	253	0.1 %
31	-	261	0.1 %
32	-	250	0.1 %

Value	Label	Unweighted Frequency	%
33	-	201	0.1 %
34	-	198	0.1 %
35	-	190	0.1 %
36	-	189	0.1 %
37	-	189	0.1 %
38	-	156	0.1 %
39	-	154	0.1 %
40	-	152	0.1 %
41	-	121	0.1 %
42	-	176	0.1 %
43	-	149	0.1 %
44	-	122	0.1 %
45	-	138	0.1 %
46	-	140	0.1 %
47	-	131	0.1 %
48	-	111	0.1 %
49	-	91	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 8.33
- Minimum: 0.00
- Maximum: 7989.00
- Standard Deviation: 64.83

Location: 384-389 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AI: ADULT-INDIAN

Value	Label	Unweighted Frequency	%
0	-	171565	89.9 %
1	-	9454	5.0 %
2	-	3050	1.6 %
3	-	1443	0.8 %
4	-	831	0.4 %
5	-	584	0.3 %

Value	Label	Unweighted Frequency	%
6	-	411	0.2 %
7	-	338	0.2 %
8	-	276	0.1 %
9	-	216	0.1 %
10	-	175	0.1 %
11	-	142	0.1 %
12	-	125	0.1 %
13	-	113	0.1 %
14	-	104	0.1 %
15	-	75	0.0 %
16	-	89	0.0 %
17	-	53	0.0 %
18	-	56	0.0 %
19	-	54	0.0 %
20	-	57	0.0 %
21	-	47	0.0 %
22	-	47	0.0 %
23	-	32	0.0 %
24	-	41	0.0 %
25	-	35	0.0 %
26	-	25	0.0 %
27	-	27	0.0 %
28	-	24	0.0 %
29	-	28	0.0 %
30	-	18	0.0 %
31	-	22	0.0 %
32	-	17	0.0 %
33	-	19	0.0 %
34	-	15	0.0 %
35	-	15	0.0 %
36	-	15	0.0 %
37	-	14	0.0 %
38	-	17	0.0 %
39	-	8	0.0 %
40	-	14	0.0 %
41	-	18	0.0 %
42	-	12	0.0 %
43	-	16	0.0 %
44	-	12	0.0 %

Value	Label	Unweighted Frequency	%
45	-	10	0.0 %
46	-	12	0.0 %
47	-	6	0.0 %
48	-	8	0.0 %
49	-	8	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 0.71
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3568.00
- Standard Deviation: 15.44

Location: 390-395 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AA: ADULT-ASIAN

Value	Label	Unweighted Frequency	%
0	-	170662	89.4 %
1	-	11117	5.8 %
2	-	3398	1.8 %
3	-	1525	0.8 %
4	-	826	0.4 %
5	-	551	0.3 %
6	-	362	0.2 %
7	-	269	0.1 %
8	-	186	0.1 %
9	-	159	0.1 %
10	-	134	0.1 %
11	-	120	0.1 %
12	-	74	0.0 %
13	-	78	0.0 %
14	-	60	0.0 %
15	-	41	0.0 %

Value	Label	Unweighted Frequency	%
16	-	44	0.0 %
17	-	42	0.0 %
18	-	32	0.0 %
19	-	34	0.0 %
20	-	20	0.0 %
21	-	34	0.0 %
22	-	24	0.0 %
23	-	12	0.0 %
24	-	28	0.0 %
25	-	16	0.0 %
26	-	15	0.0 %
27	-	18	0.0 %
28	-	9	0.0 %
29	-	8	0.0 %
30	-	11	0.0 %
31	-	13	0.0 %
32	-	9	0.0 %
33	-	12	0.0 %
34	-	12	0.0 %
35	-	11	0.0 %
36	-	8	0.0 %
37	-	4	0.0 %
38	-	7	0.0 %
39	-	6	0.0 %
40	-	5	0.0 %
41	-	4	0.0 %
42	-	4	0.0 %
43	-	4	0.0 %
44	-	8	0.0 %
45	-	1	0.0 %
46	-	3	0.0 %
47	-	1	0.0 %
48	-	1	0.0 %
49	-	5	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 0.46
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6404.00
- Standard Deviation: 17.31

Location: 396-401 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AH: ADULT-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	125125	65.6 %
1	-	25754	13.5 %
2	-	10382	5.4 %
3	-	5725	3.0 %
4	-	3589	1.9 %
5	-	2673	1.4 %
6	-	2044	1.1 %
7	-	1592	0.8 %
8	-	1179	0.6 %
9	-	1081	0.6 %
10	-	867	0.5 %
11	-	712	0.4 %
12	-	679	0.4 %
13	-	571	0.3 %
14	-	496	0.3 %
15	-	430	0.2 %
16	-	402	0.2 %
17	-	370	0.2 %
18	-	317	0.2 %
19	-	313	0.2 %
20	-	248	0.1 %
21	-	282	0.1 %
22	-	253	0.1 %
23	-	193	0.1 %
24	-	181	0.1 %
25	-	187	0.1 %

Value	Label	Unweighted Frequency	%
26	-	176	0.1 %
27	-	154	0.1 %
28	-	157	0.1 %
29	-	140	0.1 %
30	-	127	0.1 %
31	-	134	0.1 %
32	-	127	0.1 %
33	-	102	0.1 %
34	-	112	0.1 %
35	-	106	0.1 %
36	-	80	0.0 %
37	-	81	0.0 %
38	-	95	0.0 %
39	-	66	0.0 %
40	-	72	0.0 %
41	-	64	0.0 %
42	-	74	0.0 %
43	-	63	0.0 %
44	-	71	0.0 %
45	-	59	0.0 %
46	-	67	0.0 %
47	-	63	0.0 %
48	-	59	0.0 %
49	-	48	0.0 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 3.73
- Minimum: 0.00
- Maximum: 12543.00
- Standard Deviation: 44.50

Location: 402-407 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AN: ADULT-NON-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	36506	19.1 %
1	-	38765	20.3 %
2	-	19671	10.3 %
3	-	12771	6.7 %
4	-	8965	4.7 %
5	-	6833	3.6 %
6	-	5384	2.8 %
7	-	4373	2.3 %
8	-	3741	2.0 %
9	-	3168	1.7 %
10	-	2899	1.5 %
11	-	2440	1.3 %
12	-	2319	1.2 %
13	-	2040	1.1 %
14	-	1737	0.9 %
15	-	1627	0.9 %
16	-	1507	0.8 %
17	-	1409	0.7 %
18	-	1236	0.6 %
19	-	1215	0.6 %
20	-	1109	0.6 %
21	-	971	0.5 %
22	-	948	0.5 %
23	-	911	0.5 %
24	-	831	0.4 %
25	-	764	0.4 %
26	-	745	0.4 %
27	-	719	0.4 %
28	-	658	0.3 %
29	-	630	0.3 %
30	-	539	0.3 %
31	-	527	0.3 %
32	-	530	0.3 %
33	-	556	0.3 %
34	-	453	0.2 %
35	-	469	0.2 %
36	-	435	0.2 %
37	-	417	0.2 %
38	-	403	0.2 %

Value	Label	Unweighted Frequency	%
39	-	420	0.2 %
40	-	408	0.2 %
41	-	372	0.2 %
42	-	318	0.2 %
43	-	351	0.2 %
44	-	310	0.2 %
45	-	320	0.2 %
46	-	330	0.2 %
47	-	323	0.2 %
48	-	283	0.1 %
49	-	270	0.1 %
	Missing Data		
999998	Not applicable	641	0.3 %
	Total	190,830	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 190,189 valid cases out of 190,830 total cases.

- Mean: 21.29
- Minimum: 0.00
- Maximum: 12577.00
- Standard Deviation: 120.57

Location: 408-413 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998