

ICPSR 38796

**Uniform Crime Reporting Program
Data: Arrests by Age, Sex, and
Race, Summarized Yearly, United
States, 2021**

*United States. Federal Bureau of
Investigation*

ICPSR Codebook for Twelve Months Dataset

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/web/ICPSR/studies/38796/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #38796

Uniform Crime Reporting Program Data: Arrests by Age, Sex, and Race, Summarized Yearly, United States, 2021

DS 2: Twelve Months Dataset

1. **Changes in Methodology:** As of calendar year 2022, the Uniform Crime Reporting (UCR) Program has begun consolidating its data quality review and management practices to reduce differences between publication tables and the data displayed on the FBI website via the [Crime Data Explorer](#).
2. **Discrepancy in Collection:** This study contains data from two master files available on the [Crime Data Explorer](#): 2021_ASR6MON_NATIONAL_MASTER_FILE.txt and 2021_ASR12MON_NATIONAL_MASTER_FILE.txt. In previous years of this collection only one master file was curated. The data contained in this dataset are taken from:
 - a. 2021_ASR12MON_NATIONAL_MASTER_FILE.txt

No additional information was provided.

3. **Stata Limitations:** Due to Stata limitations, the variables **ORI**, **GROUP**, **CORE**, and **OFFENSE** do not contain value labels for non-integer values within the Stata files.

4. Data Discrepancies:

- a. There are reporting agencies (**AGENCY**) which use the same 7-digit Originating Agency Identifier (**ORI**). For these agencies, ICPSR has converted the 7-digit ORI to the agency's unique 9-digit ORI.
- b. The data in the variables **STATE**, **SEQNO**, and **AGENCNT** are inconsistent with the description of the variable in the codebook.
- c. The variable **AGENCNT** does not contain any valid responses.

No additional information was provided.

5. **Additional Information:** These studies are "static data snapshots" of the data available on the FBI website via the [Crime Data Explorer](#), which is continuously updated. For additional information on the Uniform Crime Reporting (UCR) Program, please visit the [UCR](#) website.

ICPSR 38796

Uniform Crime Reporting Program Data: Arrests by Age, Sex, and Race, Summarized Yearly, United States, 2021

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Twelve Months Dataset

ASR_ID: IDENTIFIER CODE FOR THE ASR MASTER FILE

Value	Label	Unweighted Frequency	%
3	-	175289	100.0 %
	Total	175,289	100%

Based upon 175,289 valid cases out of 175,289 total cases.

- Mean: 3.00
- Median: 3.00
- Mode: 3.00
- Minimum: 3.00
- Maximum: 3.00
- Standard Deviation: 0.00

Location: 1-1 (width: 1; decimal: 0)

Variable Type: numeric

CONTENTS: RECORD CONTENTS

Value	Label	Unweighted Frequency	%
1	Agency header only	379	0.2 %
2	Detail record	174910	99.8 %
	Total	175,289	100%

Based upon 175,289 valid cases out of 175,289 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2-2 (width: 1; decimal: 0)

Variable Type: numeric

STATE: NUMERIC STATE CODE (UCR CODE)

Range is 01-62. Data records are in order by ORI code within numeric state code.

Value	Label	Unweighted Frequency	%
1	Alabama	4359	2.5 %
2	Arizona	1717	1.0 %
3	Arkansas	4467	2.5 %
4	California	1530	0.9 %
5	Colorado	3720	2.1 %
6	Connecticut	2109	1.2 %
7	Delaware	883	0.5 %

Value	Label	Unweighted Frequency	%
8	District of Columbia	56	0.0 %
9	Florida	844	0.5 %
10	Georgia	6939	4.0 %
11	Idaho	1736	1.0 %
12	Illinois	3396	1.9 %
13	Indiana	3158	1.8 %
14	Iowa	3413	1.9 %
15	Kansas	3805	2.2 %
16	Kentucky	6369	3.6 %
17	Louisiana	2709	1.5 %
18	Maine	1951	1.1 %
19	Maryland	978	0.6 %
20	Massachusetts	5118	2.9 %
21	Michigan	9081	5.2 %
22	Minnesota	6094	3.5 %
23	Mississippi	2093	1.2 %
24	Missouri	6259	3.6 %
25	Montana	1280	0.7 %
26	Nebraska	2132	1.2 %
27	Nevada	874	0.5 %
28	New Hampshire	2821	1.6 %
29	New Jersey	1999	1.1 %
30	New Mexico	1200	0.7 %
31	New York	2117	1.2 %
32	North Carolina	7490	4.3 %
33	North Dakota	1376	0.8 %
34	Ohio	7201	4.1 %
35	Oklahoma	5714	3.3 %
36	Oregon	3120	1.8 %
37	Pennsylvania	2847	1.6 %
38	Rhode Island	994	0.6 %
39	South Carolina	4705	2.7 %
40	South Dakota	1123	0.6 %
41	Tennessee	6565	3.7 %
42	Texas	15182	8.7 %
43	Utah	2454	1.4 %
44	Vermont	1070	0.6 %
45	Virginia	6024	3.4 %
46	Washington	3696	2.1 %

Value	Label	Unweighted Frequency	%
47	West Virginia	2593	1.5 %
48	Wisconsin	6362	3.6 %
49	Wyoming	816	0.5 %
50	Alaska	439	0.3 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 175,289 valid cases out of 175,289 total cases.

- Minimum: 1.00
- Maximum: 98.00

Location: 3-4 (width: 2; decimal: 0)

Variable Type: numeric

ORI: ORIGINATING AGENCY IDENTIFIER CODE

Originating Agency Identifier. Labels for ORIs are provided in the data file.

Value	Label	Unweighted Frequency	%
AK00102	FAIRBANKS	-	-
AK00104	KETCHIKAN	-	-
AK00105	KODIAK	-	-
AK00106	NOME	-	-
AK00107	PETERSBURG	-	-
AK00108	SEWARD	-	-
AK00109	SITKA	-	-
AK00110	SKAGWAY	-	-
AK00111	WRANGELL	-	-
AK00112	VALDEZ	-	-
AK00113	BETHEL	-	-
AK00114	CORDOVA	-	-
AK00116	KOTZEBUE	-	-
AK00117	PALMER	-	-
AK00118	NORTH SLOPE BOROUGH	-	-
AK00120	SOLDOTNA	-	-
AK00121	HAINES	-	-
AK00122	HOMER	-	-
AK00123	KENAI	-	-
AK00125	METLAKATLA TRIBAL	-	-
AK00126	FAIRBANKS INTRNL AIRPORT	-	-

Value	Label	Unweighted Frequency	%
AK00130	DILLINGHAM	-	-
AK00132	NORTH POLE	-	-
AK00133	UNALASKA	-	-
AK00142	UNIV OF AK: FAIRBANKS	-	-
AK00143	UNIV OF AK: ANCHORAGE	-	-
AK00145	CRAIG	-	-
AK00146	BRISTOL BAY BOROUGH	-	-
AK00156	WASILLA	-	-
AKAST01	ALASKA STATE TROOPERS	-	-
AL00100	JEFFERSON	-	-
AL00101	BESSEMER	-	-
AL00103	MOUNTAIN BROOK	-	-
AL00105	GARDENDALE	-	-
AL00106	LEEDS	-	-
AL00107	MIDFIELD	-	-
AL00108	TARRANT	-	-
AL00109	VESTAVIA HILLS	-	-
AL00110	HOMEWOOD	-	-
AL00111	FULTONDALE	-	-
AL00112	HOOVER	-	-
AL00113	IRONDALE	-	-
AL00114	PLEASANT GROVE	-	-
AL00118	BRIGHTON	-	-
AL00119	HUEYTOWN	-	-
AL00121	TRUSSVILLE	-	-
AL00122	ADAMSVILLE	-	-
AL00123	WARRIOR	-	-
AL00124	UNIV OF AL: BIRMINGHAM	-	-
AL00125	TRAFFORD	-	-
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 175,289 valid cases out of 175,289 total cases.

Location: 5-13 (width: 9; decimal: 0)

Variable Type: character

GROUP: GROUP

Group 0 is possessions; 1-7 are cities, 8-9 are counties. Sub-Group (position 12) is blank when not used. All populations are inclusive.

Value	Label	Unweighted Frequency	%
0	Possessions (Puerto Rico, Guam, Canal Zone, Virgin Islands, and American Samoa)	214	0.1 %
1	All cities 250,000 or over:	0	0.0 %
1A	Cities 1,000,000 or over	267	0.2 %
1B	Cities from 500,000 thru 999,999	813	0.5 %
1C	Cities from 250,000 thru 499,999	1180	0.7 %
2	Cities from 100,000 thru 249,000	4844	2.8 %
3	Cities from 50,000 thru 99,000	9349	5.3 %
4	Cities from 25,000 thru 49,999	15766	9.0 %
5	Cities from 10,000 thru 24,999	27570	15.7 %
6	Cities from 2,500 thru 9,999	38684	22.1 %
7	Cities under 2,500	23044	13.1 %
8	Non-MSA Counties:	0	0.0 %
8A	Non-MSA counties 100,000 or over	69	0.0 %
8B	Non-MSA counties from 25,000 thru 99,999	5562	3.2 %
8C	Non-MSA counties from 10,000 thru 24,999	9946	5.7 %
8D	Non-MSA counties under 10,000	12569	7.2 %
8E	Non-MSA State Police	933	0.5 %
9	MSA Counties:	0	0.0 %
9A	MSA counties 100,000 or over	3946	2.3 %
9B	MSA counties from 25,000 thru 99,999	10306	5.9 %
9C	MSA counties from 10,000 thru 24,999	4730	2.7 %
9D	MSA counties under 10,000	5057	2.9 %
9E	MSA State Police	440	0.3 %
	Total	175,289	100%

Based upon 175,289 valid cases out of 175,289 total cases.

Location: 14-15 (width: 2; decimal: 0)

Variable Type: character

DIV: GEOGRAPHIC DIVISION OF STATE

Geographic division in which the state is located (from 1 thru 9). Possessions are coded "0."

Value	Label	Unweighted Frequency	%
0	Possessions	30	0.0 %
1	New England	14063	8.0 %
2	Middle Atlantic	6963	4.0 %
3	East North Central	29198	16.7 %

Value	Label	Unweighted Frequency	%
4	West North Central	24202	13.8 %
5	South Atlantic	30512	17.4 %
6	East South Central	19386	11.1 %
7	West South Central	28072	16.0 %
8	Mountain	13797	7.9 %
9	Pacific	8887	5.1 %
	Missing Data		
.	-	179	0.1 %
	Total	175,289	100%

Based upon 175,110 valid cases out of 175,289 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 16-16 (width: 1; decimal: 0)

Variable Type: numeric

YEAR: YEAR

The year the data reflects.

Value	Label	Unweighted Frequency	%
2021	-	175289	100.0 %
	Total	175,289	100%

Based upon 175,289 valid cases out of 175,289 total cases.

- Mean: 2021.00
- Median: 2021.00
- Mode: 2021.00
- Minimum: 2021.00
- Maximum: 2021.00
- Standard Deviation: 0.00

Location: 17-20 (width: 4; decimal: 0)

Variable Type: numeric

MSA: METROPOLITAN STATISTICAL AREA OF CITY (UCR CODE)

Metropolitan Statistical Area (MSA) number in which the city is located, if any. Blank if not used.

Value	Label	Unweighted Frequency	%
0	-	68177	38.9 %
4	-	114	0.1 %
9	-	450	0.3 %

Value	Label	Unweighted Frequency	%
13	-	166	0.1 %
15	-	125	0.1 %
18	-	128	0.1 %
23	-	279	0.2 %
25	-	85	0.0 %
27	-	90	0.1 %
32	-	29	0.0 %
36	-	121	0.1 %
37	-	80	0.0 %
38	-	50	0.0 %
41	-	233	0.1 %
42	-	96	0.1 %
43	-	241	0.1 %
46	-	336	0.2 %
48	-	134	0.1 %
50	-	2598	1.5 %
55	-	90	0.1 %
57	-	74	0.0 %
59	-	264	0.2 %
64	-	707	0.4 %
73	-	270	0.2 %
74	-	225	0.1 %
76	-	277	0.2 %
78	-	432	0.2 %
80	-	144	0.1 %
82	-	93	0.1 %
87	-	322	0.2 %
88	-	167	0.1 %
89	-	143	0.1 %
90	-	106	0.1 %
92	-	117	0.1 %
96	-	127	0.1 %
98	-	833	0.5 %
99	-	139	0.1 %
100	-	277	0.2 %
101	-	116	0.1 %
102	-	58	0.0 %
103	-	39	0.0 %
104	-	286	0.2 %

Value	Label	Unweighted Frequency	%
105	-	1034	0.6 %
106	-	1516	0.9 %
108	-	838	0.5 %
109	-	172	0.1 %
110	-	184	0.1 %
115	-	114	0.1 %
117	-	424	0.2 %
119	-	286	0.2 %
	Missing Data		
9998	Not applicable	12	0.0 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 175,277 valid cases out of 175,289 total cases.

- Mean: 269.81
- Minimum: 0.00
- Maximum: 992.00
- Standard Deviation: 307.82

Location: 21-24 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9998

SUB: SUBURBAN

A "suburban" agency is an MSA city with less than 50,000 population (groups 4 - 7) together with MSA counties (group 9).

Value	Label	Unweighted Frequency	%
0	Non-suburban	112715	64.3 %
1	Suburban	62574	35.7 %
	Total	175,289	100%

Based upon 175,289 valid cases out of 175,289 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 25-25 (width: 1; decimal: 0)

Variable Type: numeric

REPORT: REPORT INDICATION

Value	Label	Unweighted Frequency	%
0	Juvenile and adult reported	150396	85.8 %

Value	Label	Unweighted Frequency	%
1	Juvenile only reported	68	0.0 %
2	Adult only reported	24446	13.9 %
3	Not reported	379	0.2 %
	Total	175,289	100%

Based upon 175,289 valid cases out of 175,289 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 26-26 (width: 1; decimal: 0)

Variable Type: numeric

ADJUST: ADJUSTMENT

Value	Label	Unweighted Frequency	%
0	Age, race, and ethnic origin reported	175044	99.9 %
1	No age reported	0	0.0 %
2	No race reported	168	0.1 %
3	No ethnic origin reported	77	0.0 %
4	No race or ethnic origin reported	0	0.0 %
5	No age or ethnic origin reported	0	0.0 %
6	No age or race reported	0	0.0 %
	Total	175,289	100%

Based upon 175,289 valid cases out of 175,289 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 27-27 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9

SEQNO: SEQUENCE NUMBER (5-DIGIT)

A five-digit number which places all cities in alphabetic order, regardless of state. This field is blank for groups 0, 8, and 9.

Value	Label	Unweighted Frequency	%
0	-	175289	100.0 %
	Total	175,289	100%

Based upon 175,289 valid cases out of 175,289 total cases.

- Mean: 0.00
- Median: 0.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 28-28 (width: 1; decimal: 0)

Variable Type: numeric

COUNTY: COUNTY (3-DIGIT UCR CODE)

Three-digit numeric code for the county in which the agency is located.

Value	Label	Unweighted Frequency	%
0	-	5818	3.3 %
1	-	3446	2.0 %
2	-	4140	2.4 %
3	-	3610	2.1 %
4	-	2646	1.5 %
5	-	3281	1.9 %
6	-	2827	1.6 %
7	-	3495	2.0 %
8	-	2787	1.6 %
9	-	3044	1.7 %
10	-	2786	1.6 %
11	-	2692	1.5 %
12	-	1809	1.0 %
13	-	2522	1.4 %
14	-	3189	1.8 %
15	-	2350	1.3 %
16	-	2952	1.7 %
17	-	2180	1.2 %
18	-	2839	1.6 %
19	-	2259	1.3 %
20	-	1969	1.1 %
21	-	1838	1.0 %
22	-	1487	0.8 %
23	-	1934	1.1 %
24	-	1863	1.1 %
25	-	2788	1.6 %
26	-	1852	1.1 %
27	-	2491	1.4 %
28	-	1835	1.0 %
29	-	1825	1.0 %

Value	Label	Unweighted Frequency	%
30	-	1723	1.0 %
31	-	2443	1.4 %
32	-	1632	0.9 %
33	-	1469	0.8 %
34	-	1652	0.9 %
35	-	1232	0.7 %
36	-	1829	1.0 %
37	-	2153	1.2 %
38	-	1085	0.6 %
39	-	1551	0.9 %
40	-	1780	1.0 %
41	-	1443	0.8 %
42	-	1435	0.8 %
43	-	1709	1.0 %
44	-	1418	0.8 %
45	-	1731	1.0 %
46	-	1529	0.9 %
47	-	1510	0.9 %
48	-	1373	0.8 %
49	-	1497	0.9 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 175,289 valid cases out of 175,289 total cases.

- Mean: 44.13
- Median: 33.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 300.00
- Standard Deviation: 43.24

Location: 29-31 (width: 3; decimal: 0)

Variable Type: numeric

CORE: CORE CITY

Value	Label	Unweighted Frequency	%
N	Agency not core city	161125	91.9 %
Y	Agency is core city	14164	8.1 %
	Total	175,289	100%

Based upon 175,289 valid cases out of 175,289 total cases.

Location: 32-32 (width: 1; decimal: 0)

Variable Type: character

POP: CURRENT POPULATION

Total population for the agency for the year reported.

Based upon 175,289 valid cases out of 175,289 total cases.

- Mean: 34599.53
- Minimum: 0.00
- Maximum: 2290746.00
- Standard Deviation: 100875.14

Location: 33-39 (width: 7; decimal: 0)

Variable Type: numeric

AGENCNT: AGENCY COUNT

Used to accumulate "agencies used" totals in various tabulations. This field is normally "1" but will be "0" for the U.S. Park Police and all State Police agencies whose ORI code ends in "SP" (or "99" in California).

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	175289	100.0 %
	Total	175,289	100%

Based upon 0 valid cases out of 175,289 total cases.

Location: 40-40 (width: 1; decimal: 0)

Variable Type: numeric

AGENCY: AGENCY NAME

Based upon 175,289 valid cases out of 175,289 total cases.

Location: 41-65 (width: 25; decimal: 0)

Variable Type: character

STNAME: STATE NAME

Value	Label	Unweighted Frequency	%
Alabam	-	4359	2.5 %
Alaska	-	439	0.3 %
Arizon	-	1717	1.0 %
Arkans	-	4467	2.5 %
Califo	-	1530	0.9 %
Colora	-	3720	2.1 %

Value	Label	Unweighted Frequency	%
Conne c	-	2109	1.2 %
Delawa	-	883	0.5 %
Distri	-	56	0.0 %
Federa	-	179	0.1 %
Florid	-	844	0.5 %
Georgi	-	6939	4.0 %
Guam	-	30	0.0 %
Hawaii	-	102	0.1 %
Idaho	-	1736	1.0 %
Illino	-	3396	1.9 %
Indian	-	3158	1.8 %
Iowa	-	3413	1.9 %
Kansas	-	3805	2.2 %
Kentuc	-	6369	3.6 %
Louisi	-	2709	1.5 %
Maine	-	1951	1.1 %
Maryla	-	978	0.6 %
Massa c	-	5118	2.9 %
Michig	-	9081	5.2 %
Minnes	-	6094	3.5 %
Missis	-	2093	1.2 %
Missou	-	6259	3.6 %
Montan	-	1280	0.7 %
Nebras	-	2132	1.2 %
Nevad a	-	874	0.5 %
New Ha	-	2821	1.6 %
New Je	-	1999	1.1 %
New Me	-	1200	0.7 %
New Yo	-	2117	1.2 %
North	-	8866	5.1 %
Ohio	-	7201	4.1 %
Oklaho	-	5714	3.3 %
Oregon	-	3120	1.8 %
Pennsy	-	2847	1.6 %
Rhode	-	994	0.6 %

Value	Label	Unweighted Frequency	%
South	-	5828	3.3 %
Tennes	-	6565	3.7 %
Texas	-	15182	8.7 %
Utah	-	2454	1.4 %
Vermont	-	1070	0.6 %
Virgin	-	6024	3.4 %
Washin	-	3696	2.1 %
West V	-	2593	1.5 %
Wiscon	-	6362	3.6 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 175,289 valid cases out of 175,289 total cases.

Location: 66-71 (width: 6; decimal: 0)

Variable Type: character

CARD1: CARD 1 INDICATOR

Value	Label	Unweighted Frequency	%
0	No adult male reported	14159	8.1 %
1	Adult male reported	160751	91.7 %
	Missing Data		
8	Not applicable	379	0.2 %
	Total	175,289	100%

Based upon 174,910 valid cases out of 175,289 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 72-72 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

CARD2: CARD 2 INDICATOR

Value	Label	Unweighted Frequency	%
0	No adult female reported	60962	34.8 %
1	Adult female reported	113948	65.0 %
	Missing Data		
8	Not applicable	379	0.2 %

Value	Label	Unweighted Frequency	%
	Total	175,289	100%

Based upon 174,910 valid cases out of 175,289 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 73-73 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

CARD3: CARD 3 INDICATOR

Value	Label	Unweighted Frequency	%
0	No juvenile reported	121516	69.3 %
1	Juvenile reported	53394	30.5 %
	Missing Data		
8	Not applicable	379	0.2 %
	Total	175,289	100%

Based upon 174,910 valid cases out of 175,289 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 74-74 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8

OFFENSE: OFFENSE CODE

Value	Label	Unweighted Frequency	%
000	HEADER Record	0	0.0 %
011	Murder and non-negligent manslaughter	1932	1.1 %
012	Manslaughter by negligence	564	0.3 %
020	Forcible rape	3453	2.0 %
030	Robbery	3000	1.7 %
040	Aggravated assault	7746	4.4 %
050	Burglary-breaking or entering	6237	3.6 %
060	Larceny-theft (not motor vehicle)	7636	4.4 %
070	Motor vehicle theft	5303	3.0 %
080	Other assaults	9103	5.2 %
090	Arson	1886	1.1 %
100	Forgery and counterfeiting	3492	2.0 %
110	Fraud	5155	2.9 %

Value	Label	Unweighted Frequency	%
120	Embezzlement	1439	0.8 %
130	Stolen property-buy, receive, poss.	4591	2.6 %
140	Vandalism	6800	3.9 %
150	Weapons-carry, posses, etc.	6494	3.7 %
160	Prostitution and commercialized vice	660	0.4 %
161	Prostitution and commercialized vice - Prostitution	454	0.3 %
162	Prostitution and commercialized vice - Assisting or Promoting Prostitution	302	0.2 %
163	Prostitution and commercialized vice - Purchasing Prostitution	148	0.1 %
170	Sex offenses (not rape or prostitution)	3416	1.9 %
18	Total drug abuse violations	8830	5.0 %
180	Sale/manufacture (subtotal)	5502	3.1 %
181	Sale: Opium, coke, and their derivatives	2981	1.7 %
182	Sale: Marijuana	3069	1.8 %
183	Sale: Truly addicting synthetic narcotics	1147	0.7 %
184	Sale: Other dangerous non-narc drugs	4154	2.4 %
185	Possession (subtotal)	8688	5.0 %
186	Possession: Opium, coke, and their derivatives	6021	3.4 %
187	Possession: Marijuana	6801	3.9 %
188	Possession: Truly addicting synthetic narcotics	3933	2.2 %
189	Possession: Other dangerous non-narc drugs	7749	4.4 %
19	Gambling (total)	168	0.1 %
191	Bookmaking (horse and sports)	0	0.0 %
192	Number and lottery	0	0.0 %
193	All other gambling	1	0.0 %
200	Offenses against family and children	4034	2.3 %
210	Driving under the influence	8680	5.0 %
220	Liquor laws	4944	2.8 %
230	Drunkenness	3	0.0 %
240	Disorderly conduct	6949	4.0 %
250	Vagrancy	668	0.4 %
260	All other offenses (not traffic)	9630	5.5 %
270	Suspicion	0	0.0 %
280	Curfew and loitering violations	734	0.4 %
290	Runaways	262	0.1 %
301	Human Trafficking - Commercial Sex Acts	123	0.1 %
302	Human Trafficking - Involuntary Servitude	28	0.0 %
990	Juvenile Disposition Data	0	0.0 %
	Missing Data		
998	Not applicable	379	0.2 %

Value	Label	Unweighted Frequency	%
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

Location: 75-77 (width: 3; decimal: 0)

Variable Type: character

(Range of) Missing Values: 998

MO_9: MALE UNDER 10

Value	Label	Unweighted Frequency	%
0	-	174273	99.4 %
1	-	509	0.3 %
2	-	80	0.0 %
3	-	22	0.0 %
4	-	9	0.0 %
5	-	5	0.0 %
6	-	4	0.0 %
7	-	2	0.0 %
8	-	1	0.0 %
9	-	1	0.0 %
12	-	1	0.0 %
15	-	1	0.0 %
45	-	1	0.0 %
50	-	1	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 0.19

Location: 78-83 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M10_12: MALE 10-12

Value	Label	Unweighted Frequency	%
0	-	167625	95.6 %
1	-	4432	2.5 %
2	-	1374	0.8 %
3	-	574	0.3 %
4	-	329	0.2 %
5	-	158	0.1 %
6	-	103	0.1 %
7	-	73	0.0 %
8	-	41	0.0 %
9	-	37	0.0 %
10	-	33	0.0 %
11	-	23	0.0 %
12	-	13	0.0 %
13	-	14	0.0 %
14	-	13	0.0 %
15	-	6	0.0 %
16	-	11	0.0 %
17	-	3	0.0 %
18	-	7	0.0 %
19	-	4	0.0 %
20	-	3	0.0 %
21	-	3	0.0 %
22	-	2	0.0 %
23	-	2	0.0 %
24	-	2	0.0 %
25	-	2	0.0 %
26	-	4	0.0 %
27	-	1	0.0 %
28	-	1	0.0 %
29	-	2	0.0 %
30	-	2	0.0 %
31	-	1	0.0 %
34	-	1	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
42	-	1	0.0 %
43	-	3	0.0 %
50	-	1	0.0 %
58	-	1	0.0 %

Value	Label	Unweighted Frequency	%
60	-	1	0.0 %
64	-	1	0.0 %
77	-	1	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 77.00
- Standard Deviation: 0.77

Location: 84-89 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M13_14: MALE 13-14

Value	Label	Unweighted Frequency	%
0	-	156234	89.1 %
1	-	9908	5.7 %
2	-	3488	2.0 %
3	-	1675	1.0 %
4	-	925	0.5 %
5	-	607	0.3 %
6	-	380	0.2 %
7	-	331	0.2 %
8	-	214	0.1 %
9	-	184	0.1 %
10	-	148	0.1 %
11	-	101	0.1 %
12	-	100	0.1 %
13	-	85	0.0 %
14	-	71	0.0 %
15	-	57	0.0 %
16	-	38	0.0 %
17	-	37	0.0 %
18	-	35	0.0 %
19	-	32	0.0 %

Value	Label	Unweighted Frequency	%
20	-	23	0.0 %
21	-	19	0.0 %
22	-	26	0.0 %
23	-	18	0.0 %
24	-	23	0.0 %
25	-	8	0.0 %
26	-	3	0.0 %
27	-	5	0.0 %
28	-	10	0.0 %
29	-	11	0.0 %
30	-	13	0.0 %
31	-	11	0.0 %
32	-	10	0.0 %
33	-	4	0.0 %
34	-	5	0.0 %
35	-	4	0.0 %
36	-	2	0.0 %
37	-	8	0.0 %
38	-	6	0.0 %
39	-	2	0.0 %
40	-	2	0.0 %
41	-	4	0.0 %
42	-	1	0.0 %
43	-	2	0.0 %
45	-	1	0.0 %
46	-	3	0.0 %
47	-	3	0.0 %
48	-	2	0.0 %
49	-	1	0.0 %
50	-	2	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 0.31
- Median: 0.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 152.00
- Standard Deviation: 1.89

Location: 90-95 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M15: MALE 15

Value	Label	Unweighted Frequency	%
0	-	156800	89.5 %
1	-	10512	6.0 %
2	-	3198	1.8 %
3	-	1444	0.8 %
4	-	812	0.5 %
5	-	524	0.3 %
6	-	362	0.2 %
7	-	251	0.1 %
8	-	195	0.1 %
9	-	142	0.1 %
10	-	113	0.1 %
11	-	86	0.0 %
12	-	57	0.0 %
13	-	61	0.0 %
14	-	36	0.0 %
15	-	35	0.0 %
16	-	33	0.0 %
17	-	29	0.0 %
18	-	28	0.0 %
19	-	21	0.0 %
20	-	20	0.0 %
21	-	11	0.0 %
22	-	17	0.0 %
23	-	17	0.0 %
24	-	9	0.0 %
25	-	8	0.0 %
26	-	7	0.0 %
27	-	6	0.0 %
28	-	5	0.0 %
29	-	9	0.0 %
30	-	7	0.0 %

Value	Label	Unweighted Frequency	%
31	-	1	0.0 %
32	-	6	0.0 %
33	-	1	0.0 %
34	-	3	0.0 %
35	-	5	0.0 %
36	-	2	0.0 %
37	-	1	0.0 %
39	-	3	0.0 %
40	-	2	0.0 %
42	-	1	0.0 %
43	-	3	0.0 %
44	-	3	0.0 %
45	-	2	0.0 %
46	-	2	0.0 %
47	-	5	0.0 %
50	-	2	0.0 %
52	-	2	0.0 %
55	-	1	0.0 %
57	-	1	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 142.00
- Standard Deviation: 1.54

Location: 96-101 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M16: MALE 16

Value	Label	Unweighted Frequency	%
0	-	152791	87.2 %
1	-	12630	7.2 %

Value	Label	Unweighted Frequency	%
2	-	3953	2.3 %
3	-	1833	1.0 %
4	-	1060	0.6 %
5	-	599	0.3 %
6	-	439	0.3 %
7	-	345	0.2 %
8	-	251	0.1 %
9	-	151	0.1 %
10	-	144	0.1 %
11	-	97	0.1 %
12	-	80	0.0 %
13	-	74	0.0 %
14	-	59	0.0 %
15	-	63	0.0 %
16	-	41	0.0 %
17	-	29	0.0 %
18	-	21	0.0 %
19	-	28	0.0 %
20	-	24	0.0 %
21	-	18	0.0 %
22	-	14	0.0 %
23	-	20	0.0 %
24	-	12	0.0 %
25	-	10	0.0 %
26	-	6	0.0 %
27	-	6	0.0 %
28	-	15	0.0 %
29	-	7	0.0 %
30	-	9	0.0 %
31	-	8	0.0 %
32	-	2	0.0 %
33	-	2	0.0 %
34	-	1	0.0 %
35	-	9	0.0 %
36	-	4	0.0 %
37	-	5	0.0 %
38	-	3	0.0 %
39	-	5	0.0 %
40	-	2	0.0 %

Value	Label	Unweighted Frequency	%
41	-	3	0.0 %
42	-	4	0.0 %
43	-	1	0.0 %
44	-	2	0.0 %
46	-	3	0.0 %
47	-	3	0.0 %
48	-	2	0.0 %
50	-	1	0.0 %
51	-	1	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 136.00
- Standard Deviation: 1.75

Location: 102-107 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M17: MALE 17

Value	Label	Unweighted Frequency	%
0	-	147895	84.4 %
1	-	15448	8.8 %
2	-	4751	2.7 %
3	-	2289	1.3 %
4	-	1260	0.7 %
5	-	857	0.5 %
6	-	567	0.3 %
7	-	352	0.2 %
8	-	277	0.2 %
9	-	196	0.1 %
10	-	150	0.1 %
11	-	122	0.1 %

Value	Label	Unweighted Frequency	%
12	-	105	0.1 %
13	-	72	0.0 %
14	-	64	0.0 %
15	-	54	0.0 %
16	-	48	0.0 %
17	-	33	0.0 %
18	-	53	0.0 %
19	-	38	0.0 %
20	-	32	0.0 %
21	-	25	0.0 %
22	-	12	0.0 %
23	-	15	0.0 %
24	-	13	0.0 %
25	-	14	0.0 %
26	-	13	0.0 %
27	-	6	0.0 %
28	-	12	0.0 %
29	-	13	0.0 %
30	-	4	0.0 %
31	-	8	0.0 %
32	-	15	0.0 %
33	-	10	0.0 %
34	-	7	0.0 %
35	-	6	0.0 %
36	-	4	0.0 %
37	-	2	0.0 %
38	-	2	0.0 %
39	-	2	0.0 %
40	-	4	0.0 %
41	-	3	0.0 %
42	-	2	0.0 %
43	-	4	0.0 %
44	-	3	0.0 %
45	-	2	0.0 %
46	-	1	0.0 %
47	-	2	0.0 %
48	-	1	0.0 %
49	-	2	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 0.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 196.00
- Standard Deviation: 2.10

Location: 108-113 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M18: MALE 18

Value	Label	Unweighted Frequency	%
0	-	139002	79.3 %
1	-	19745	11.3 %
2	-	6608	3.8 %
3	-	3064	1.7 %
4	-	1760	1.0 %
5	-	1049	0.6 %
6	-	761	0.4 %
7	-	527	0.3 %
8	-	433	0.2 %
9	-	284	0.2 %
10	-	267	0.2 %
11	-	204	0.1 %
12	-	152	0.1 %
13	-	150	0.1 %
14	-	104	0.1 %
15	-	77	0.0 %
16	-	65	0.0 %
17	-	65	0.0 %
18	-	56	0.0 %
19	-	45	0.0 %
20	-	44	0.0 %
21	-	31	0.0 %

Value	Label	Unweighted Frequency	%
22	-	41	0.0 %
23	-	30	0.0 %
24	-	30	0.0 %
25	-	24	0.0 %
26	-	16	0.0 %
27	-	20	0.0 %
28	-	18	0.0 %
29	-	12	0.0 %
30	-	12	0.0 %
31	-	12	0.0 %
32	-	5	0.0 %
33	-	12	0.0 %
34	-	12	0.0 %
35	-	16	0.0 %
36	-	10	0.0 %
37	-	15	0.0 %
38	-	7	0.0 %
39	-	3	0.0 %
40	-	5	0.0 %
41	-	6	0.0 %
42	-	8	0.0 %
43	-	6	0.0 %
44	-	1	0.0 %
45	-	3	0.0 %
46	-	4	0.0 %
47	-	6	0.0 %
48	-	4	0.0 %
49	-	4	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 0.58
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 238.00

• Standard Deviation: 2.81

Location: 114-119 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M19: MALE 19

Value	Label	Unweighted Frequency	%
0	-	136421	77.8 %
1	-	20833	11.9 %
2	-	6926	4.0 %
3	-	3418	1.9 %
4	-	1859	1.1 %
5	-	1108	0.6 %
6	-	867	0.5 %
7	-	605	0.3 %
8	-	447	0.3 %
9	-	332	0.2 %
10	-	306	0.2 %
11	-	230	0.1 %
12	-	206	0.1 %
13	-	148	0.1 %
14	-	130	0.1 %
15	-	109	0.1 %
16	-	93	0.1 %
17	-	71	0.0 %
18	-	66	0.0 %
19	-	67	0.0 %
20	-	61	0.0 %
21	-	48	0.0 %
22	-	49	0.0 %
23	-	39	0.0 %
24	-	31	0.0 %
25	-	26	0.0 %
26	-	23	0.0 %
27	-	23	0.0 %
28	-	25	0.0 %
29	-	18	0.0 %
30	-	25	0.0 %
31	-	27	0.0 %
32	-	10	0.0 %

Value	Label	Unweighted Frequency	%
33	-	12	0.0 %
34	-	12	0.0 %
35	-	14	0.0 %
36	-	14	0.0 %
37	-	12	0.0 %
38	-	10	0.0 %
39	-	5	0.0 %
40	-	16	0.0 %
41	-	1	0.0 %
42	-	9	0.0 %
43	-	4	0.0 %
44	-	7	0.0 %
45	-	6	0.0 %
46	-	2	0.0 %
47	-	5	0.0 %
48	-	6	0.0 %
49	-	10	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 0.68
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 330.00
- Standard Deviation: 3.40

Location: 120-125 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M20: MALE 20

Value	Label	Unweighted Frequency	%
0	-	135855	77.5 %
1	-	21355	12.2 %
2	-	6932	4.0 %
3	-	3251	1.9 %

Value	Label	Unweighted Frequency	%
4	-	1889	1.1 %
5	-	1225	0.7 %
6	-	890	0.5 %
7	-	613	0.3 %
8	-	413	0.2 %
9	-	367	0.2 %
10	-	277	0.2 %
11	-	235	0.1 %
12	-	218	0.1 %
13	-	124	0.1 %
14	-	120	0.1 %
15	-	107	0.1 %
16	-	99	0.1 %
17	-	76	0.0 %
18	-	84	0.0 %
19	-	61	0.0 %
20	-	49	0.0 %
21	-	48	0.0 %
22	-	39	0.0 %
23	-	29	0.0 %
24	-	37	0.0 %
25	-	39	0.0 %
26	-	28	0.0 %
27	-	31	0.0 %
28	-	24	0.0 %
29	-	24	0.0 %
30	-	24	0.0 %
31	-	13	0.0 %
32	-	15	0.0 %
33	-	27	0.0 %
34	-	14	0.0 %
35	-	10	0.0 %
36	-	6	0.0 %
37	-	15	0.0 %
38	-	11	0.0 %
39	-	8	0.0 %
40	-	11	0.0 %
41	-	7	0.0 %
42	-	10	0.0 %

Value	Label	Unweighted Frequency	%
43	-	8	0.0 %
44	-	14	0.0 %
45	-	5	0.0 %
46	-	9	0.0 %
47	-	5	0.0 %
48	-	7	0.0 %
49	-	6	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 0.70
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 392.00
- Standard Deviation: 3.66

Location: 126-131 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M21: MALE 21

Value	Label	Unweighted Frequency	%
0	-	135787	77.5 %
1	-	21129	12.1 %
2	-	6985	4.0 %
3	-	3226	1.8 %
4	-	2010	1.1 %
5	-	1242	0.7 %
6	-	818	0.5 %
7	-	632	0.4 %
8	-	485	0.3 %
9	-	371	0.2 %
10	-	286	0.2 %
11	-	238	0.1 %
12	-	182	0.1 %
13	-	174	0.1 %

Value	Label	Unweighted Frequency	%
14	-	150	0.1 %
15	-	108	0.1 %
16	-	99	0.1 %
17	-	105	0.1 %
18	-	86	0.0 %
19	-	64	0.0 %
20	-	57	0.0 %
21	-	38	0.0 %
22	-	49	0.0 %
23	-	52	0.0 %
24	-	33	0.0 %
25	-	28	0.0 %
26	-	37	0.0 %
27	-	26	0.0 %
28	-	34	0.0 %
29	-	19	0.0 %
30	-	22	0.0 %
31	-	12	0.0 %
32	-	11	0.0 %
33	-	19	0.0 %
34	-	16	0.0 %
35	-	16	0.0 %
36	-	12	0.0 %
37	-	8	0.0 %
38	-	10	0.0 %
39	-	10	0.0 %
40	-	13	0.0 %
41	-	5	0.0 %
42	-	5	0.0 %
43	-	5	0.0 %
44	-	6	0.0 %
45	-	7	0.0 %
46	-	5	0.0 %
47	-	6	0.0 %
48	-	2	0.0 %
49	-	4	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 0.72
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 435.00
- Standard Deviation: 3.93

Location: 132-137 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M22: MALE 22

Value	Label	Unweighted Frequency	%
0	-	135799	77.5 %
1	-	21134	12.1 %
2	-	6900	3.9 %
3	-	3325	1.9 %
4	-	1939	1.1 %
5	-	1234	0.7 %
6	-	865	0.5 %
7	-	629	0.4 %
8	-	534	0.3 %
9	-	356	0.2 %
10	-	271	0.2 %
11	-	252	0.1 %
12	-	170	0.1 %
13	-	156	0.1 %
14	-	158	0.1 %
15	-	120	0.1 %
16	-	104	0.1 %
17	-	93	0.1 %
18	-	82	0.0 %
19	-	66	0.0 %
20	-	50	0.0 %
21	-	44	0.0 %
22	-	35	0.0 %
23	-	41	0.0 %
24	-	48	0.0 %
25	-	26	0.0 %

Value	Label	Unweighted Frequency	%
26	-	26	0.0 %
27	-	37	0.0 %
28	-	20	0.0 %
29	-	22	0.0 %
30	-	23	0.0 %
31	-	16	0.0 %
32	-	21	0.0 %
33	-	20	0.0 %
34	-	12	0.0 %
35	-	16	0.0 %
36	-	13	0.0 %
37	-	6	0.0 %
38	-	16	0.0 %
39	-	7	0.0 %
40	-	8	0.0 %
41	-	12	0.0 %
42	-	7	0.0 %
43	-	9	0.0 %
44	-	4	0.0 %
45	-	2	0.0 %
46	-	4	0.0 %
47	-	8	0.0 %
48	-	2	0.0 %
49	-	6	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 0.72
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 407.00
- Standard Deviation: 3.99

Location: 138-143 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M23: MALE 23

Value	Label	Unweighted Frequency	%
0	-	135300	77.2 %
1	-	21454	12.2 %
2	-	6978	4.0 %
3	-	3424	2.0 %
4	-	1977	1.1 %
5	-	1218	0.7 %
6	-	873	0.5 %
7	-	633	0.4 %
8	-	511	0.3 %
9	-	364	0.2 %
10	-	248	0.1 %
11	-	247	0.1 %
12	-	174	0.1 %
13	-	145	0.1 %
14	-	127	0.1 %
15	-	138	0.1 %
16	-	90	0.1 %
17	-	99	0.1 %
18	-	71	0.0 %
19	-	62	0.0 %
20	-	57	0.0 %
21	-	40	0.0 %
22	-	53	0.0 %
23	-	49	0.0 %
24	-	37	0.0 %
25	-	29	0.0 %
26	-	41	0.0 %
27	-	27	0.0 %
28	-	16	0.0 %
29	-	23	0.0 %
30	-	18	0.0 %
31	-	19	0.0 %
32	-	24	0.0 %
33	-	25	0.0 %
34	-	19	0.0 %
35	-	11	0.0 %
36	-	14	0.0 %

Value	Label	Unweighted Frequency	%
37	-	7	0.0 %
38	-	7	0.0 %
39	-	16	0.0 %
40	-	11	0.0 %
41	-	5	0.0 %
42	-	12	0.0 %
43	-	10	0.0 %
44	-	4	0.0 %
45	-	5	0.0 %
46	-	4	0.0 %
47	-	5	0.0 %
48	-	6	0.0 %
49	-	4	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 0.74
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 407.00
- Standard Deviation: 4.14

Location: 144-149 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M24: MALE 24

Value	Label	Unweighted Frequency	%
0	-	135049	77.0 %
1	-	21482	12.3 %
2	-	7286	4.2 %
3	-	3313	1.9 %
4	-	1959	1.1 %
5	-	1229	0.7 %
6	-	848	0.5 %
7	-	631	0.4 %

Value	Label	Unweighted Frequency	%
8	-	458	0.3 %
9	-	372	0.2 %
10	-	294	0.2 %
11	-	230	0.1 %
12	-	203	0.1 %
13	-	148	0.1 %
14	-	156	0.1 %
15	-	139	0.1 %
16	-	95	0.1 %
17	-	113	0.1 %
18	-	72	0.0 %
19	-	69	0.0 %
20	-	61	0.0 %
21	-	52	0.0 %
22	-	37	0.0 %
23	-	45	0.0 %
24	-	33	0.0 %
25	-	28	0.0 %
26	-	33	0.0 %
27	-	29	0.0 %
28	-	25	0.0 %
29	-	21	0.0 %
30	-	13	0.0 %
31	-	22	0.0 %
32	-	8	0.0 %
33	-	28	0.0 %
34	-	14	0.0 %
35	-	22	0.0 %
36	-	18	0.0 %
37	-	16	0.0 %
38	-	8	0.0 %
39	-	6	0.0 %
40	-	13	0.0 %
41	-	5	0.0 %
42	-	5	0.0 %
43	-	7	0.0 %
44	-	9	0.0 %
45	-	5	0.0 %
46	-	8	0.0 %

Value	Label	Unweighted Frequency	%
47	-	4	0.0 %
48	-	3	0.0 %
49	-	7	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 0.74
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 420.00
- Standard Deviation: 4.21

Location: 150-155 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M25_29: MALE 25-29

Value	Label	Unweighted Frequency	%
0	-	86385	49.3 %
1	-	33500	19.1 %
2	-	14667	8.4 %
3	-	8268	4.7 %
4	-	5290	3.0 %
5	-	3940	2.2 %
6	-	3012	1.7 %
7	-	2346	1.3 %
8	-	1872	1.1 %
9	-	1564	0.9 %
10	-	1233	0.7 %
11	-	1059	0.6 %
12	-	891	0.5 %
13	-	848	0.5 %
14	-	666	0.4 %
15	-	663	0.4 %
16	-	596	0.3 %
17	-	506	0.3 %

Value	Label	Unweighted Frequency	%
18	-	434	0.2 %
19	-	380	0.2 %
20	-	371	0.2 %
21	-	350	0.2 %
22	-	336	0.2 %
23	-	267	0.2 %
24	-	253	0.1 %
25	-	221	0.1 %
26	-	218	0.1 %
27	-	197	0.1 %
28	-	160	0.1 %
29	-	199	0.1 %
30	-	167	0.1 %
31	-	168	0.1 %
32	-	139	0.1 %
33	-	148	0.1 %
34	-	117	0.1 %
35	-	125	0.1 %
36	-	113	0.1 %
37	-	113	0.1 %
38	-	115	0.1 %
39	-	103	0.1 %
40	-	93	0.1 %
41	-	82	0.0 %
42	-	87	0.0 %
43	-	70	0.0 %
44	-	79	0.0 %
45	-	78	0.0 %
46	-	78	0.0 %
47	-	67	0.0 %
48	-	52	0.0 %
49	-	43	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 4.02
- Minimum: 0.00
- Maximum: 2253.00
- Standard Deviation: 22.51

Location: 156-161 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M30_34: MALE 30-34

Value	Label	Unweighted Frequency	%
0	-	85756	48.9 %
1	-	33690	19.2 %
2	-	14512	8.3 %
3	-	8196	4.7 %
4	-	5670	3.2 %
5	-	3967	2.3 %
6	-	2973	1.7 %
7	-	2325	1.3 %
8	-	1945	1.1 %
9	-	1565	0.9 %
10	-	1359	0.8 %
11	-	1106	0.6 %
12	-	939	0.5 %
13	-	865	0.5 %
14	-	685	0.4 %
15	-	653	0.4 %
16	-	562	0.3 %
17	-	528	0.3 %
18	-	466	0.3 %
19	-	419	0.2 %
20	-	347	0.2 %
21	-	345	0.2 %
22	-	308	0.2 %
23	-	239	0.1 %
24	-	280	0.2 %
25	-	221	0.1 %
26	-	225	0.1 %
27	-	201	0.1 %
28	-	198	0.1 %
29	-	184	0.1 %
30	-	179	0.1 %

Value	Label	Unweighted Frequency	%
31	-	152	0.1 %
32	-	169	0.1 %
33	-	133	0.1 %
34	-	112	0.1 %
35	-	115	0.1 %
36	-	126	0.1 %
37	-	114	0.1 %
38	-	114	0.1 %
39	-	94	0.1 %
40	-	91	0.1 %
41	-	89	0.1 %
42	-	77	0.0 %
43	-	72	0.0 %
44	-	79	0.0 %
45	-	76	0.0 %
46	-	61	0.0 %
47	-	66	0.0 %
48	-	69	0.0 %
49	-	55	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 4.03
- Minimum: 0.00
- Maximum: 2488.00
- Standard Deviation: 22.54

Location: 162-167 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 999998

M35_39: MALE 35-39

Value	Label	Unweighted Frequency	%
0	-	90980	51.9 %
1	-	33180	18.9 %
2	-	13746	7.8 %
3	-	7898	4.5 %

Value	Label	Unweighted Frequency	%
4	-	5028	2.9 %
5	-	3755	2.1 %
6	-	2809	1.6 %
7	-	2181	1.2 %
8	-	1621	0.9 %
9	-	1390	0.8 %
10	-	1246	0.7 %
11	-	931	0.5 %
12	-	874	0.5 %
13	-	722	0.4 %
14	-	677	0.4 %
15	-	552	0.3 %
16	-	521	0.3 %
17	-	447	0.3 %
18	-	406	0.2 %
19	-	409	0.2 %
20	-	325	0.2 %
21	-	289	0.2 %
22	-	253	0.1 %
23	-	243	0.1 %
24	-	217	0.1 %
25	-	204	0.1 %
26	-	176	0.1 %
27	-	176	0.1 %
28	-	166	0.1 %
29	-	140	0.1 %
30	-	144	0.1 %
31	-	159	0.1 %
32	-	109	0.1 %
33	-	99	0.1 %
34	-	110	0.1 %
35	-	119	0.1 %
36	-	81	0.0 %
37	-	89	0.1 %
38	-	88	0.1 %
39	-	72	0.0 %
40	-	93	0.1 %
41	-	70	0.0 %
42	-	60	0.0 %

Value	Label	Unweighted Frequency	%
43	-	53	0.0 %
44	-	58	0.0 %
45	-	60	0.0 %
46	-	57	0.0 %
47	-	58	0.0 %
48	-	52	0.0 %
49	-	53	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 3.38
- Minimum: 0.00
- Maximum: 2422.00
- Standard Deviation: 18.91

Location: 168-173 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M40_44: MALE 40-44

Value	Label	Unweighted Frequency	%
0	-	100190	57.2 %
1	-	31135	17.8 %
2	-	12573	7.2 %
3	-	6965	4.0 %
4	-	4611	2.6 %
5	-	3302	1.9 %
6	-	2340	1.3 %
7	-	1850	1.1 %
8	-	1372	0.8 %
9	-	1138	0.6 %
10	-	980	0.6 %
11	-	808	0.5 %
12	-	663	0.4 %
13	-	591	0.3 %
14	-	514	0.3 %
15	-	487	0.3 %

Value	Label	Unweighted Frequency	%
16	-	384	0.2 %
17	-	321	0.2 %
18	-	330	0.2 %
19	-	273	0.2 %
20	-	238	0.1 %
21	-	250	0.1 %
22	-	207	0.1 %
23	-	191	0.1 %
24	-	154	0.1 %
25	-	166	0.1 %
26	-	144	0.1 %
27	-	147	0.1 %
28	-	155	0.1 %
29	-	107	0.1 %
30	-	101	0.1 %
31	-	91	0.1 %
32	-	90	0.1 %
33	-	82	0.0 %
34	-	89	0.1 %
35	-	84	0.0 %
36	-	54	0.0 %
37	-	49	0.0 %
38	-	61	0.0 %
39	-	53	0.0 %
40	-	60	0.0 %
41	-	38	0.0 %
42	-	45	0.0 %
43	-	49	0.0 %
44	-	41	0.0 %
45	-	38	0.0 %
46	-	39	0.0 %
47	-	55	0.0 %
48	-	44	0.0 %
49	-	39	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 2.59
- Minimum: 0.00
- Maximum: 1645.00
- Standard Deviation: 14.48

Location: 174-179 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M45_49: MALE 45-49

Value	Label	Unweighted Frequency	%
0	-	114370	65.2 %
1	-	27346	15.6 %
2	-	10577	6.0 %
3	-	5777	3.3 %
4	-	3572	2.0 %
5	-	2402	1.4 %
6	-	1819	1.0 %
7	-	1368	0.8 %
8	-	1004	0.6 %
9	-	816	0.5 %
10	-	669	0.4 %
11	-	552	0.3 %
12	-	429	0.2 %
13	-	377	0.2 %
14	-	332	0.2 %
15	-	300	0.2 %
16	-	278	0.2 %
17	-	225	0.1 %
18	-	226	0.1 %
19	-	150	0.1 %
20	-	146	0.1 %
21	-	124	0.1 %
22	-	125	0.1 %
23	-	115	0.1 %
24	-	97	0.1 %
25	-	83	0.0 %
26	-	86	0.0 %
27	-	88	0.1 %

Value	Label	Unweighted Frequency	%
28	-	74	0.0 %
29	-	62	0.0 %
30	-	87	0.0 %
31	-	54	0.0 %
32	-	47	0.0 %
33	-	46	0.0 %
34	-	42	0.0 %
35	-	44	0.0 %
36	-	39	0.0 %
37	-	34	0.0 %
38	-	45	0.0 %
39	-	35	0.0 %
40	-	36	0.0 %
41	-	32	0.0 %
42	-	23	0.0 %
43	-	18	0.0 %
44	-	24	0.0 %
45	-	22	0.0 %
46	-	22	0.0 %
47	-	17	0.0 %
48	-	22	0.0 %
49	-	14	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 1.68
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1121.00
- Standard Deviation: 9.80

Location: 180-185 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M50_54: MALE 50-54

Value	Label	Unweighted Frequency	%
0	-	121326	69.2 %
1	-	25443	14.5 %
2	-	9329	5.3 %
3	-	5109	2.9 %
4	-	3086	1.8 %
5	-	1987	1.1 %
6	-	1463	0.8 %
7	-	1137	0.6 %
8	-	856	0.5 %
9	-	659	0.4 %
10	-	512	0.3 %
11	-	472	0.3 %
12	-	373	0.2 %
13	-	323	0.2 %
14	-	272	0.2 %
15	-	190	0.1 %
16	-	191	0.1 %
17	-	140	0.1 %
18	-	143	0.1 %
19	-	143	0.1 %
20	-	134	0.1 %
21	-	106	0.1 %
22	-	118	0.1 %
23	-	100	0.1 %
24	-	66	0.0 %
25	-	70	0.0 %
26	-	68	0.0 %
27	-	56	0.0 %
28	-	45	0.0 %
29	-	45	0.0 %
30	-	35	0.0 %
31	-	29	0.0 %
32	-	38	0.0 %
33	-	28	0.0 %
34	-	35	0.0 %
35	-	28	0.0 %
36	-	25	0.0 %
37	-	25	0.0 %
38	-	24	0.0 %

Value	Label	Unweighted Frequency	%
39	-	30	0.0 %
40	-	14	0.0 %
41	-	19	0.0 %
42	-	16	0.0 %
43	-	23	0.0 %
44	-	19	0.0 %
45	-	18	0.0 %
46	-	19	0.0 %
47	-	13	0.0 %
48	-	20	0.0 %
49	-	19	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 1.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1080.00
- Standard Deviation: 8.52

Location: 186-191 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M55_59: MALE 55-59

Value	Label	Unweighted Frequency	%
0	-	129161	73.7 %
1	-	22959	13.1 %
2	-	8019	4.6 %
3	-	4216	2.4 %
4	-	2538	1.4 %
5	-	1626	0.9 %
6	-	1157	0.7 %
7	-	848	0.5 %
8	-	657	0.4 %
9	-	495	0.3 %

Value	Label	Unweighted Frequency	%
10	-	417	0.2 %
11	-	338	0.2 %
12	-	265	0.2 %
13	-	207	0.1 %
14	-	174	0.1 %
15	-	185	0.1 %
16	-	127	0.1 %
17	-	104	0.1 %
18	-	111	0.1 %
19	-	89	0.1 %
20	-	98	0.1 %
21	-	80	0.0 %
22	-	61	0.0 %
23	-	66	0.0 %
24	-	49	0.0 %
25	-	42	0.0 %
26	-	49	0.0 %
27	-	44	0.0 %
28	-	32	0.0 %
29	-	23	0.0 %
30	-	33	0.0 %
31	-	30	0.0 %
32	-	22	0.0 %
33	-	27	0.0 %
34	-	27	0.0 %
35	-	22	0.0 %
36	-	21	0.0 %
37	-	15	0.0 %
38	-	25	0.0 %
39	-	18	0.0 %
40	-	19	0.0 %
41	-	10	0.0 %
42	-	25	0.0 %
43	-	14	0.0 %
44	-	7	0.0 %
45	-	16	0.0 %
46	-	7	0.0 %
47	-	8	0.0 %
48	-	11	0.0 %

Value	Label	Unweighted Frequency	%
49	-	10	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 1.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1058.00
- Standard Deviation: 6.93

Location: 192-197 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M60_64: MALE 60-64

Value	Label	Unweighted Frequency	%
0	-	141038	80.5 %
1	-	18903	10.8 %
2	-	6000	3.4 %
3	-	2786	1.6 %
4	-	1726	1.0 %
5	-	1003	0.6 %
6	-	727	0.4 %
7	-	498	0.3 %
8	-	368	0.2 %
9	-	268	0.2 %
10	-	201	0.1 %
11	-	171	0.1 %
12	-	141	0.1 %
13	-	108	0.1 %
14	-	106	0.1 %
15	-	90	0.1 %
16	-	58	0.0 %
17	-	58	0.0 %
18	-	52	0.0 %
19	-	42	0.0 %

Value	Label	Unweighted Frequency	%
20	-	32	0.0 %
21	-	34	0.0 %
22	-	30	0.0 %
23	-	26	0.0 %
24	-	35	0.0 %
25	-	27	0.0 %
26	-	24	0.0 %
27	-	21	0.0 %
28	-	17	0.0 %
29	-	22	0.0 %
30	-	10	0.0 %
31	-	15	0.0 %
32	-	20	0.0 %
33	-	9	0.0 %
34	-	12	0.0 %
35	-	12	0.0 %
36	-	7	0.0 %
37	-	9	0.0 %
38	-	7	0.0 %
39	-	8	0.0 %
40	-	3	0.0 %
41	-	9	0.0 %
42	-	2	0.0 %
43	-	4	0.0 %
44	-	7	0.0 %
45	-	4	0.0 %
46	-	7	0.0 %
47	-	5	0.0 %
48	-	2	0.0 %
49	-	1	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 0.60
- Median: 0.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 723.00
- Standard Deviation: 4.44

Location: 198-203 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

M65: MALE OVER 64

Value	Label	Unweighted Frequency	%
0	-	148563	84.8 %
1	-	15814	9.0 %
2	-	4618	2.6 %
3	-	1994	1.1 %
4	-	1175	0.7 %
5	-	679	0.4 %
6	-	470	0.3 %
7	-	287	0.2 %
8	-	195	0.1 %
9	-	159	0.1 %
10	-	170	0.1 %
11	-	108	0.1 %
12	-	91	0.1 %
13	-	54	0.0 %
14	-	38	0.0 %
15	-	39	0.0 %
16	-	44	0.0 %
17	-	38	0.0 %
18	-	35	0.0 %
19	-	26	0.0 %
20	-	17	0.0 %
21	-	22	0.0 %
22	-	19	0.0 %
23	-	21	0.0 %
24	-	21	0.0 %
25	-	16	0.0 %
26	-	11	0.0 %
27	-	13	0.0 %
28	-	9	0.0 %
29	-	8	0.0 %
30	-	7	0.0 %

Value	Label	Unweighted Frequency	%
31	-	7	0.0 %
32	-	6	0.0 %
33	-	8	0.0 %
34	-	4	0.0 %
35	-	7	0.0 %
36	-	5	0.0 %
37	-	3	0.0 %
38	-	4	0.0 %
39	-	4	0.0 %
40	-	3	0.0 %
41	-	2	0.0 %
42	-	5	0.0 %
43	-	2	0.0 %
44	-	3	0.0 %
45	-	3	0.0 %
46	-	2	0.0 %
47	-	6	0.0 %
48	-	5	0.0 %
49	-	4	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 0.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 684.00
- Standard Deviation: 3.43

Location: 204-209 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F0_9: FEMALE UNDER 10

Value	Label	Unweighted Frequency	%
0	-	174733	99.7 %
1	-	137	0.1 %

Value	Label	Unweighted Frequency	%
2	-	23	0.0 %
3	-	6	0.0 %
4	-	4	0.0 %
5	-	2	0.0 %
8	-	1	0.0 %
9	-	1	0.0 %
13	-	1	0.0 %
14	-	1	0.0 %
22	-	1	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 22.00
- Standard Deviation: 0.09

Location: 210-215 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F10_12: FEMALE 10-12

Value	Label	Unweighted Frequency	%
0	-	170763	97.4 %
1	-	2613	1.5 %
2	-	769	0.4 %
3	-	300	0.2 %
4	-	146	0.1 %
5	-	69	0.0 %
6	-	67	0.0 %
7	-	51	0.0 %
8	-	26	0.0 %
9	-	15	0.0 %
10	-	15	0.0 %
11	-	13	0.0 %
12	-	14	0.0 %
13	-	8	0.0 %

Value	Label	Unweighted Frequency	%
14	-	9	0.0 %
15	-	6	0.0 %
16	-	5	0.0 %
17	-	2	0.0 %
18	-	2	0.0 %
19	-	1	0.0 %
20	-	1	0.0 %
21	-	2	0.0 %
22	-	1	0.0 %
25	-	1	0.0 %
29	-	1	0.0 %
31	-	1	0.0 %
32	-	2	0.0 %
33	-	1	0.0 %
36	-	2	0.0 %
52	-	1	0.0 %
55	-	1	0.0 %
90	-	1	0.0 %
118	-	1	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 118.00
- Standard Deviation: 0.63

Location: 216-221 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F13_14: FEMALE 13-14

Value	Label	Unweighted Frequency	%
0	-	164053	93.6 %
1	-	6051	3.5 %
2	-	2068	1.2 %
3	-	875	0.5 %

Value	Label	Unweighted Frequency	%
4	-	529	0.3 %
5	-	284	0.2 %
6	-	223	0.1 %
7	-	141	0.1 %
8	-	100	0.1 %
9	-	93	0.1 %
10	-	67	0.0 %
11	-	64	0.0 %
12	-	48	0.0 %
13	-	50	0.0 %
14	-	29	0.0 %
15	-	35	0.0 %
16	-	18	0.0 %
17	-	22	0.0 %
18	-	14	0.0 %
19	-	10	0.0 %
20	-	7	0.0 %
21	-	9	0.0 %
22	-	9	0.0 %
23	-	13	0.0 %
24	-	7	0.0 %
25	-	11	0.0 %
26	-	7	0.0 %
27	-	10	0.0 %
28	-	4	0.0 %
29	-	5	0.0 %
30	-	3	0.0 %
31	-	4	0.0 %
32	-	4	0.0 %
33	-	1	0.0 %
34	-	5	0.0 %
35	-	2	0.0 %
38	-	4	0.0 %
39	-	2	0.0 %
40	-	4	0.0 %
41	-	1	0.0 %
42	-	2	0.0 %
43	-	2	0.0 %
44	-	1	0.0 %

Value	Label	Unweighted Frequency	%
45	-	1	0.0 %
48	-	1	0.0 %
51	-	1	0.0 %
53	-	3	0.0 %
56	-	3	0.0 %
57	-	2	0.0 %
70	-	1	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 229.00
- Standard Deviation: 1.56

Location: 222-227 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F15: FEMALE 15

Value	Label	Unweighted Frequency	%
0	-	165614	94.5 %
1	-	5673	3.2 %
2	-	1664	0.9 %
3	-	680	0.4 %
4	-	412	0.2 %
5	-	225	0.1 %
6	-	164	0.1 %
7	-	107	0.1 %
8	-	79	0.0 %
9	-	58	0.0 %
10	-	44	0.0 %
11	-	31	0.0 %
12	-	31	0.0 %
13	-	13	0.0 %

Value	Label	Unweighted Frequency	%
14	-	18	0.0 %
15	-	15	0.0 %
16	-	8	0.0 %
17	-	6	0.0 %
18	-	8	0.0 %
19	-	8	0.0 %
20	-	6	0.0 %
21	-	5	0.0 %
22	-	8	0.0 %
23	-	4	0.0 %
24	-	3	0.0 %
25	-	2	0.0 %
27	-	1	0.0 %
28	-	3	0.0 %
29	-	1	0.0 %
30	-	1	0.0 %
31	-	2	0.0 %
32	-	2	0.0 %
35	-	1	0.0 %
36	-	2	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	1	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
48	-	1	0.0 %
50	-	1	0.0 %
104	-	1	0.0 %
111	-	1	0.0 %
127	-	1	0.0 %
157	-	1	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00

- Minimum: 0.00
- Maximum: 157.00
- Standard Deviation: 1.02

Location: 228-233 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F16: FEMALE 16

Value	Label	Unweighted Frequency	%
0	-	164052	93.6 %
1	-	6767	3.9 %
2	-	1929	1.1 %
3	-	850	0.5 %
4	-	446	0.3 %
5	-	242	0.1 %
6	-	184	0.1 %
7	-	98	0.1 %
8	-	82	0.0 %
9	-	49	0.0 %
10	-	34	0.0 %
11	-	32	0.0 %
12	-	21	0.0 %
13	-	19	0.0 %
14	-	15	0.0 %
15	-	10	0.0 %
16	-	9	0.0 %
17	-	10	0.0 %
18	-	6	0.0 %
19	-	1	0.0 %
20	-	9	0.0 %
21	-	8	0.0 %
22	-	2	0.0 %
23	-	3	0.0 %
24	-	2	0.0 %
25	-	4	0.0 %
26	-	3	0.0 %
28	-	1	0.0 %
29	-	2	0.0 %
30	-	2	0.0 %
31	-	2	0.0 %
32	-	3	0.0 %

Value	Label	Unweighted Frequency	%
33	-	1	0.0 %
34	-	1	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %
42	-	2	0.0 %
43	-	2	0.0 %
47	-	1	0.0 %
96	-	1	0.0 %
130	-	1	0.0 %
137	-	1	0.0 %
139	-	1	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 139.00
- Standard Deviation: 1.02

Location: 234-239 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F17: FEMALE 17

Value	Label	Unweighted Frequency	%
0	-	162111	92.5 %
1	-	8150	4.6 %
2	-	2247	1.3 %
3	-	972	0.6 %
4	-	489	0.3 %
5	-	287	0.2 %
6	-	159	0.1 %
7	-	126	0.1 %
8	-	78	0.0 %
9	-	74	0.0 %
10	-	44	0.0 %
11	-	31	0.0 %

Value	Label	Unweighted Frequency	%
12	-	21	0.0 %
13	-	25	0.0 %
14	-	21	0.0 %
15	-	11	0.0 %
16	-	9	0.0 %
17	-	5	0.0 %
18	-	3	0.0 %
19	-	4	0.0 %
20	-	3	0.0 %
21	-	3	0.0 %
22	-	2	0.0 %
23	-	3	0.0 %
24	-	3	0.0 %
25	-	2	0.0 %
26	-	3	0.0 %
27	-	3	0.0 %
28	-	5	0.0 %
29	-	1	0.0 %
32	-	2	0.0 %
33	-	1	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %
39	-	1	0.0 %
47	-	1	0.0 %
48	-	2	0.0 %
63	-	1	0.0 %
80	-	1	0.0 %
82	-	2	0.0 %
99	-	1	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 99.00

• Standard Deviation: 0.94

Location: 240-245 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F18: FEMALE 18

Value	Label	Unweighted Frequency	%
0	-	157781	90.0 %
1	-	10704	6.1 %
2	-	2999	1.7 %
3	-	1314	0.7 %
4	-	701	0.4 %
5	-	370	0.2 %
6	-	259	0.1 %
7	-	177	0.1 %
8	-	145	0.1 %
9	-	81	0.0 %
10	-	68	0.0 %
11	-	49	0.0 %
12	-	42	0.0 %
13	-	27	0.0 %
14	-	35	0.0 %
15	-	12	0.0 %
16	-	15	0.0 %
17	-	18	0.0 %
18	-	14	0.0 %
19	-	7	0.0 %
20	-	9	0.0 %
21	-	9	0.0 %
22	-	5	0.0 %
23	-	7	0.0 %
24	-	9	0.0 %
25	-	3	0.0 %
26	-	3	0.0 %
27	-	8	0.0 %
28	-	1	0.0 %
29	-	3	0.0 %
30	-	2	0.0 %
31	-	3	0.0 %
32	-	3	0.0 %

Value	Label	Unweighted Frequency	%
33	-	1	0.0 %
34	-	1	0.0 %
37	-	2	0.0 %
39	-	1	0.0 %
40	-	1	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
46	-	2	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %
52	-	1	0.0 %
53	-	1	0.0 %
55	-	1	0.0 %
57	-	1	0.0 %
59	-	2	0.0 %
67	-	1	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 125.00
- Standard Deviation: 1.24

Location: 246-251 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F19: FEMALE 19

Value	Label	Unweighted Frequency	%
0	-	155476	88.7 %
1	-	11989	6.8 %
2	-	3362	1.9 %
3	-	1548	0.9 %

Value	Label	Unweighted Frequency	%
4	-	767	0.4 %
5	-	470	0.3 %
6	-	298	0.2 %
7	-	198	0.1 %
8	-	150	0.1 %
9	-	134	0.1 %
10	-	98	0.1 %
11	-	63	0.0 %
12	-	54	0.0 %
13	-	28	0.0 %
14	-	41	0.0 %
15	-	32	0.0 %
16	-	23	0.0 %
17	-	19	0.0 %
18	-	15	0.0 %
19	-	19	0.0 %
20	-	11	0.0 %
21	-	8	0.0 %
22	-	8	0.0 %
23	-	15	0.0 %
24	-	2	0.0 %
25	-	6	0.0 %
26	-	5	0.0 %
27	-	3	0.0 %
28	-	5	0.0 %
29	-	5	0.0 %
31	-	4	0.0 %
32	-	3	0.0 %
33	-	3	0.0 %
34	-	1	0.0 %
35	-	5	0.0 %
36	-	2	0.0 %
37	-	2	0.0 %
38	-	1	0.0 %
39	-	2	0.0 %
40	-	2	0.0 %
41	-	2	0.0 %
42	-	2	0.0 %
43	-	2	0.0 %

Value	Label	Unweighted Frequency	%
44	-	2	0.0 %
46	-	3	0.0 %
47	-	1	0.0 %
48	-	3	0.0 %
49	-	1	0.0 %
50	-	2	0.0 %
57	-	2	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 133.00
- Standard Deviation: 1.45

Location: 252-257 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F20: FEMALE 20

Value	Label	Unweighted Frequency	%
0	-	154668	88.2 %
1	-	12468	7.1 %
2	-	3562	2.0 %
3	-	1526	0.9 %
4	-	814	0.5 %
5	-	476	0.3 %
6	-	350	0.2 %
7	-	212	0.1 %
8	-	145	0.1 %
9	-	120	0.1 %
10	-	80	0.0 %
11	-	67	0.0 %
12	-	58	0.0 %
13	-	41	0.0 %

Value	Label	Unweighted Frequency	%
14	-	37	0.0 %
15	-	46	0.0 %
16	-	36	0.0 %
17	-	25	0.0 %
18	-	16	0.0 %
19	-	11	0.0 %
20	-	10	0.0 %
21	-	15	0.0 %
22	-	15	0.0 %
23	-	12	0.0 %
24	-	11	0.0 %
25	-	5	0.0 %
26	-	10	0.0 %
27	-	2	0.0 %
28	-	3	0.0 %
29	-	4	0.0 %
30	-	1	0.0 %
31	-	6	0.0 %
32	-	5	0.0 %
33	-	1	0.0 %
34	-	2	0.0 %
35	-	3	0.0 %
36	-	4	0.0 %
37	-	2	0.0 %
38	-	4	0.0 %
39	-	2	0.0 %
40	-	2	0.0 %
41	-	3	0.0 %
42	-	2	0.0 %
43	-	2	0.0 %
45	-	1	0.0 %
47	-	1	0.0 %
48	-	1	0.0 %
50	-	1	0.0 %
51	-	2	0.0 %
55	-	1	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 0.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 174.00
- Standard Deviation: 1.61

Location: 258-263 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F21: FEMALE 21

Value	Label	Unweighted Frequency	%
0	-	154321	88.0 %
1	-	12730	7.3 %
2	-	3574	2.0 %
3	-	1545	0.9 %
4	-	778	0.4 %
5	-	535	0.3 %
6	-	331	0.2 %
7	-	202	0.1 %
8	-	180	0.1 %
9	-	126	0.1 %
10	-	112	0.1 %
11	-	75	0.0 %
12	-	55	0.0 %
13	-	44	0.0 %
14	-	39	0.0 %
15	-	28	0.0 %
16	-	25	0.0 %
17	-	18	0.0 %
18	-	19	0.0 %
19	-	20	0.0 %
20	-	12	0.0 %
21	-	14	0.0 %
22	-	17	0.0 %
23	-	11	0.0 %
24	-	5	0.0 %
25	-	11	0.0 %

Value	Label	Unweighted Frequency	%
26	-	4	0.0 %
27	-	4	0.0 %
28	-	5	0.0 %
29	-	4	0.0 %
30	-	5	0.0 %
31	-	3	0.0 %
32	-	6	0.0 %
33	-	3	0.0 %
34	-	2	0.0 %
35	-	3	0.0 %
36	-	2	0.0 %
37	-	4	0.0 %
38	-	2	0.0 %
39	-	1	0.0 %
40	-	2	0.0 %
42	-	1	0.0 %
44	-	1	0.0 %
45	-	3	0.0 %
46	-	1	0.0 %
47	-	1	0.0 %
48	-	3	0.0 %
49	-	1	0.0 %
51	-	1	0.0 %
52	-	2	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 0.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 204.00
- Standard Deviation: 1.64

Location: 264-269 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F22: FEMALE 22

Value	Label	Unweighted Frequency	%
0	-	153937	87.8 %
1	-	13012	7.4 %
2	-	3636	2.1 %
3	-	1534	0.9 %
4	-	867	0.5 %
5	-	454	0.3 %
6	-	359	0.2 %
7	-	220	0.1 %
8	-	147	0.1 %
9	-	135	0.1 %
10	-	96	0.1 %
11	-	77	0.0 %
12	-	50	0.0 %
13	-	49	0.0 %
14	-	39	0.0 %
15	-	39	0.0 %
16	-	31	0.0 %
17	-	34	0.0 %
18	-	23	0.0 %
19	-	18	0.0 %
20	-	11	0.0 %
21	-	13	0.0 %
22	-	9	0.0 %
23	-	8	0.0 %
24	-	5	0.0 %
25	-	9	0.0 %
26	-	9	0.0 %
27	-	6	0.0 %
28	-	11	0.0 %
29	-	5	0.0 %
30	-	4	0.0 %
31	-	2	0.0 %
32	-	6	0.0 %
33	-	2	0.0 %
34	-	4	0.0 %
35	-	2	0.0 %
36	-	2	0.0 %

Value	Label	Unweighted Frequency	%
37	-	1	0.0 %
38	-	2	0.0 %
39	-	3	0.0 %
41	-	2	0.0 %
43	-	1	0.0 %
44	-	3	0.0 %
45	-	1	0.0 %
46	-	2	0.0 %
47	-	2	0.0 %
49	-	1	0.0 %
50	-	3	0.0 %
51	-	1	0.0 %
52	-	1	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 208.00
- Standard Deviation: 1.72

Location: 270-275 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F23: FEMALE 23

Value	Label	Unweighted Frequency	%
0	-	153768	87.7 %
1	-	12988	7.4 %
2	-	3648	2.1 %
3	-	1624	0.9 %
4	-	906	0.5 %
5	-	507	0.3 %
6	-	344	0.2 %
7	-	227	0.1 %

Value	Label	Unweighted Frequency	%
8	-	159	0.1 %
9	-	134	0.1 %
10	-	104	0.1 %
11	-	80	0.0 %
12	-	54	0.0 %
13	-	38	0.0 %
14	-	38	0.0 %
15	-	42	0.0 %
16	-	25	0.0 %
17	-	19	0.0 %
18	-	24	0.0 %
19	-	18	0.0 %
20	-	19	0.0 %
21	-	14	0.0 %
22	-	10	0.0 %
23	-	14	0.0 %
24	-	11	0.0 %
25	-	9	0.0 %
26	-	10	0.0 %
27	-	7	0.0 %
28	-	3	0.0 %
29	-	4	0.0 %
30	-	3	0.0 %
32	-	4	0.0 %
33	-	3	0.0 %
34	-	4	0.0 %
35	-	3	0.0 %
37	-	2	0.0 %
38	-	2	0.0 %
40	-	1	0.0 %
41	-	4	0.0 %
42	-	1	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	3	0.0 %
46	-	3	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %

Value	Label	Unweighted Frequency	%
51	-	1	0.0 %
52	-	1	0.0 %
53	-	1	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 226.00
- Standard Deviation: 1.73

Location: 276-281 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F24: FEMALE 24

Value	Label	Unweighted Frequency	%
0	-	153518	87.6 %
1	-	13259	7.6 %
2	-	3779	2.2 %
3	-	1606	0.9 %
4	-	848	0.5 %
5	-	503	0.3 %
6	-	305	0.2 %
7	-	211	0.1 %
8	-	179	0.1 %
9	-	114	0.1 %
10	-	95	0.1 %
11	-	88	0.1 %
12	-	51	0.0 %
13	-	42	0.0 %
14	-	30	0.0 %
15	-	33	0.0 %
16	-	18	0.0 %
17	-	26	0.0 %

Value	Label	Unweighted Frequency	%
18	-	17	0.0 %
19	-	16	0.0 %
20	-	20	0.0 %
21	-	16	0.0 %
22	-	16	0.0 %
23	-	12	0.0 %
24	-	6	0.0 %
25	-	7	0.0 %
26	-	4	0.0 %
27	-	7	0.0 %
28	-	8	0.0 %
29	-	8	0.0 %
30	-	2	0.0 %
31	-	7	0.0 %
32	-	3	0.0 %
33	-	5	0.0 %
34	-	4	0.0 %
35	-	2	0.0 %
36	-	2	0.0 %
37	-	2	0.0 %
38	-	4	0.0 %
39	-	1	0.0 %
40	-	4	0.0 %
41	-	1	0.0 %
44	-	2	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %
51	-	1	0.0 %
52	-	3	0.0 %
54	-	3	0.0 %
55	-	1	0.0 %
56	-	1	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 208.00
- Standard Deviation: 1.70

Location: 282-287 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F25_29: FEMALE 25-29

Value	Label	Unweighted Frequency	%
0	-	119681	68.3 %
1	-	25083	14.3 %
2	-	9524	5.4 %
3	-	4996	2.9 %
4	-	3221	1.8 %
5	-	2223	1.3 %
6	-	1618	0.9 %
7	-	1228	0.7 %
8	-	920	0.5 %
9	-	793	0.5 %
10	-	609	0.3 %
11	-	529	0.3 %
12	-	442	0.3 %
13	-	382	0.2 %
14	-	307	0.2 %
15	-	322	0.2 %
16	-	221	0.1 %
17	-	206	0.1 %
18	-	208	0.1 %
19	-	165	0.1 %
20	-	139	0.1 %
21	-	131	0.1 %
22	-	108	0.1 %
23	-	101	0.1 %
24	-	106	0.1 %
25	-	115	0.1 %
26	-	105	0.1 %
27	-	63	0.0 %
28	-	75	0.0 %
29	-	63	0.0 %

Value	Label	Unweighted Frequency	%
30	-	52	0.0 %
31	-	57	0.0 %
32	-	59	0.0 %
33	-	46	0.0 %
34	-	49	0.0 %
35	-	41	0.0 %
36	-	37	0.0 %
37	-	23	0.0 %
38	-	31	0.0 %
39	-	37	0.0 %
40	-	44	0.0 %
41	-	25	0.0 %
42	-	26	0.0 %
43	-	20	0.0 %
44	-	18	0.0 %
45	-	27	0.0 %
46	-	25	0.0 %
47	-	17	0.0 %
48	-	20	0.0 %
49	-	18	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 1.54
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 988.00
- Standard Deviation: 8.80

Location: 288-293 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F30_34: FEMALE 30-34

Value	Label	Unweighted Frequency	%
0	-	117320	66.9 %

Value	Label	Unweighted Frequency	%
1	-	25730	14.7 %
2	-	9950	5.7 %
3	-	5446	3.1 %
4	-	3394	1.9 %
5	-	2281	1.3 %
6	-	1725	1.0 %
7	-	1279	0.7 %
8	-	1020	0.6 %
9	-	792	0.5 %
10	-	679	0.4 %
11	-	564	0.3 %
12	-	447	0.3 %
13	-	388	0.2 %
14	-	373	0.2 %
15	-	282	0.2 %
16	-	241	0.1 %
17	-	231	0.1 %
18	-	234	0.1 %
19	-	187	0.1 %
20	-	143	0.1 %
21	-	147	0.1 %
22	-	107	0.1 %
23	-	105	0.1 %
24	-	110	0.1 %
25	-	92	0.1 %
26	-	89	0.1 %
27	-	94	0.1 %
28	-	76	0.0 %
29	-	74	0.0 %
30	-	69	0.0 %
31	-	57	0.0 %
32	-	58	0.0 %
33	-	43	0.0 %
34	-	46	0.0 %
35	-	45	0.0 %
36	-	31	0.0 %
37	-	55	0.0 %
38	-	30	0.0 %
39	-	36	0.0 %

Value	Label	Unweighted Frequency	%
40	-	32	0.0 %
41	-	39	0.0 %
42	-	31	0.0 %
43	-	26	0.0 %
44	-	20	0.0 %
45	-	21	0.0 %
46	-	16	0.0 %
47	-	22	0.0 %
48	-	21	0.0 %
49	-	18	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 1.62
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 990.00
- Standard Deviation: 8.77

Location: 294-299 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F35_39: FEMALE 35-39

Value	Label	Unweighted Frequency	%
0	-	121441	69.3 %
1	-	24669	14.1 %
2	-	9324	5.3 %
3	-	5070	2.9 %
4	-	3070	1.8 %
5	-	2118	1.2 %
6	-	1504	0.9 %
7	-	1161	0.7 %
8	-	898	0.5 %
9	-	671	0.4 %
10	-	555	0.3 %

Value	Label	Unweighted Frequency	%
11	-	498	0.3 %
12	-	423	0.2 %
13	-	364	0.2 %
14	-	296	0.2 %
15	-	239	0.1 %
16	-	246	0.1 %
17	-	182	0.1 %
18	-	144	0.1 %
19	-	148	0.1 %
20	-	133	0.1 %
21	-	138	0.1 %
22	-	107	0.1 %
23	-	88	0.1 %
24	-	79	0.0 %
25	-	92	0.1 %
26	-	69	0.0 %
27	-	62	0.0 %
28	-	51	0.0 %
29	-	60	0.0 %
30	-	40	0.0 %
31	-	42	0.0 %
32	-	39	0.0 %
33	-	49	0.0 %
34	-	29	0.0 %
35	-	41	0.0 %
36	-	42	0.0 %
37	-	39	0.0 %
38	-	26	0.0 %
39	-	23	0.0 %
40	-	20	0.0 %
41	-	31	0.0 %
42	-	20	0.0 %
43	-	24	0.0 %
44	-	15	0.0 %
45	-	18	0.0 %
46	-	19	0.0 %
47	-	10	0.0 %
48	-	12	0.0 %
49	-	16	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 1.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 749.00
- Standard Deviation: 7.25

Location: 300-305 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F40_44: FEMALE 40-44

Value	Label	Unweighted Frequency	%
0	-	129526	73.9 %
1	-	22308	12.7 %
2	-	8034	4.6 %
3	-	4135	2.4 %
4	-	2553	1.5 %
5	-	1703	1.0 %
6	-	1212	0.7 %
7	-	838	0.5 %
8	-	734	0.4 %
9	-	567	0.3 %
10	-	445	0.3 %
11	-	313	0.2 %
12	-	302	0.2 %
13	-	225	0.1 %
14	-	173	0.1 %
15	-	173	0.1 %
16	-	151	0.1 %
17	-	110	0.1 %
18	-	113	0.1 %
19	-	87	0.0 %
20	-	94	0.1 %

Value	Label	Unweighted Frequency	%
21	-	77	0.0 %
22	-	74	0.0 %
23	-	65	0.0 %
24	-	73	0.0 %
25	-	49	0.0 %
26	-	38	0.0 %
27	-	53	0.0 %
28	-	34	0.0 %
29	-	26	0.0 %
30	-	36	0.0 %
31	-	28	0.0 %
32	-	26	0.0 %
33	-	20	0.0 %
34	-	34	0.0 %
35	-	20	0.0 %
36	-	24	0.0 %
37	-	20	0.0 %
38	-	12	0.0 %
39	-	21	0.0 %
40	-	16	0.0 %
41	-	20	0.0 %
42	-	17	0.0 %
43	-	10	0.0 %
44	-	14	0.0 %
45	-	13	0.0 %
46	-	8	0.0 %
47	-	10	0.0 %
48	-	9	0.0 %
49	-	9	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 0.99
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 523.00
- Standard Deviation: 5.22

Location: 306-311 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F45_49: FEMALE 45-49

Value	Label	Unweighted Frequency	%
0	-	140132	79.9 %
1	-	18575	10.6 %
2	-	6361	3.6 %
3	-	3156	1.8 %
4	-	1780	1.0 %
5	-	1139	0.6 %
6	-	757	0.4 %
7	-	556	0.3 %
8	-	383	0.2 %
9	-	346	0.2 %
10	-	261	0.1 %
11	-	178	0.1 %
12	-	143	0.1 %
13	-	127	0.1 %
14	-	104	0.1 %
15	-	91	0.1 %
16	-	69	0.0 %
17	-	67	0.0 %
18	-	59	0.0 %
19	-	48	0.0 %
20	-	55	0.0 %
21	-	45	0.0 %
22	-	38	0.0 %
23	-	30	0.0 %
24	-	34	0.0 %
25	-	20	0.0 %
26	-	19	0.0 %
27	-	23	0.0 %
28	-	15	0.0 %
29	-	19	0.0 %
30	-	22	0.0 %
31	-	8	0.0 %
32	-	18	0.0 %

Value	Label	Unweighted Frequency	%
33	-	9	0.0 %
34	-	10	0.0 %
35	-	6	0.0 %
36	-	13	0.0 %
37	-	12	0.0 %
38	-	7	0.0 %
39	-	8	0.0 %
40	-	8	0.0 %
41	-	6	0.0 %
42	-	9	0.0 %
43	-	4	0.0 %
44	-	3	0.0 %
45	-	7	0.0 %
46	-	6	0.0 %
47	-	4	0.0 %
48	-	2	0.0 %
49	-	5	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 0.61
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 312.00
- Standard Deviation: 3.41

Location: 312-317 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F50_54: FEMALE 50-54

Value	Label	Unweighted Frequency	%
0	-	146298	83.5 %
1	-	16171	9.2 %
2	-	5243	3.0 %
3	-	2500	1.4 %

Value	Label	Unweighted Frequency	%
4	-	1371	0.8 %
5	-	818	0.5 %
6	-	556	0.3 %
7	-	381	0.2 %
8	-	279	0.2 %
9	-	224	0.1 %
10	-	158	0.1 %
11	-	110	0.1 %
12	-	98	0.1 %
13	-	83	0.0 %
14	-	68	0.0 %
15	-	68	0.0 %
16	-	50	0.0 %
17	-	33	0.0 %
18	-	31	0.0 %
19	-	22	0.0 %
20	-	32	0.0 %
21	-	34	0.0 %
22	-	24	0.0 %
23	-	17	0.0 %
24	-	21	0.0 %
25	-	17	0.0 %
26	-	15	0.0 %
27	-	20	0.0 %
28	-	7	0.0 %
29	-	6	0.0 %
30	-	6	0.0 %
31	-	10	0.0 %
32	-	8	0.0 %
33	-	4	0.0 %
34	-	8	0.0 %
35	-	7	0.0 %
36	-	4	0.0 %
37	-	4	0.0 %
38	-	3	0.0 %
39	-	5	0.0 %
40	-	8	0.0 %
41	-	6	0.0 %
42	-	1	0.0 %

Value	Label	Unweighted Frequency	%
43	-	5	0.0 %
44	-	7	0.0 %
45	-	6	0.0 %
46	-	4	0.0 %
47	-	3	0.0 %
48	-	5	0.0 %
49	-	4	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 0.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 399.00
- Standard Deviation: 2.75

Location: 318-323 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F55_59: FEMALE 55-59

Value	Label	Unweighted Frequency	%
0	-	153065	87.3 %
1	-	13270	7.6 %
2	-	3945	2.3 %
3	-	1711	1.0 %
4	-	912	0.5 %
5	-	549	0.3 %
6	-	332	0.2 %
7	-	236	0.1 %
8	-	172	0.1 %
9	-	118	0.1 %
10	-	89	0.1 %
11	-	69	0.0 %
12	-	60	0.0 %
13	-	45	0.0 %

Value	Label	Unweighted Frequency	%
14	-	33	0.0 %
15	-	24	0.0 %
16	-	29	0.0 %
17	-	20	0.0 %
18	-	21	0.0 %
19	-	13	0.0 %
20	-	18	0.0 %
21	-	12	0.0 %
22	-	13	0.0 %
23	-	15	0.0 %
24	-	12	0.0 %
25	-	9	0.0 %
26	-	7	0.0 %
27	-	15	0.0 %
28	-	10	0.0 %
29	-	2	0.0 %
30	-	6	0.0 %
31	-	8	0.0 %
32	-	8	0.0 %
33	-	7	0.0 %
34	-	5	0.0 %
35	-	3	0.0 %
36	-	2	0.0 %
37	-	4	0.0 %
38	-	2	0.0 %
39	-	3	0.0 %
40	-	4	0.0 %
41	-	2	0.0 %
43	-	2	0.0 %
46	-	2	0.0 %
47	-	1	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
52	-	1	0.0 %
53	-	1	0.0 %
54	-	1	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 220.00
- Standard Deviation: 1.84

Location: 324-329 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F60_64: FEMALE 60-64

Value	Label	Unweighted Frequency	%
0	-	160929	91.8 %
1	-	9388	5.4 %
2	-	2354	1.3 %
3	-	942	0.5 %
4	-	443	0.3 %
5	-	224	0.1 %
6	-	155	0.1 %
7	-	86	0.0 %
8	-	76	0.0 %
9	-	61	0.0 %
10	-	32	0.0 %
11	-	36	0.0 %
12	-	36	0.0 %
13	-	24	0.0 %
14	-	19	0.0 %
15	-	15	0.0 %
16	-	13	0.0 %
17	-	11	0.0 %
18	-	9	0.0 %
19	-	3	0.0 %
20	-	4	0.0 %
21	-	2	0.0 %
22	-	7	0.0 %
24	-	7	0.0 %
25	-	3	0.0 %
26	-	3	0.0 %

Value	Label	Unweighted Frequency	%
27	-	3	0.0 %
28	-	1	0.0 %
29	-	1	0.0 %
31	-	1	0.0 %
32	-	1	0.0 %
33	-	2	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	2	0.0 %
52	-	1	0.0 %
58	-	1	0.0 %
61	-	1	0.0 %
63	-	1	0.0 %
75	-	1	0.0 %
76	-	1	0.0 %
92	-	1	0.0 %
109	-	1	0.0 %
132	-	1	0.0 %
138	-	1	0.0 %
161	-	1	0.0 %
301	-	1	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 301.00
- Standard Deviation: 1.35

Location: 330-335 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

F65: FEMALE OVER 64

Value	Label	Unweighted Frequency	%
0	-	165489	94.4 %
1	-	6574	3.8 %
2	-	1504	0.9 %
3	-	593	0.3 %
4	-	245	0.1 %
5	-	166	0.1 %
6	-	80	0.0 %
7	-	57	0.0 %
8	-	28	0.0 %
9	-	44	0.0 %
10	-	19	0.0 %
11	-	14	0.0 %
12	-	16	0.0 %
13	-	8	0.0 %
14	-	8	0.0 %
15	-	12	0.0 %
16	-	6	0.0 %
17	-	2	0.0 %
18	-	4	0.0 %
20	-	4	0.0 %
21	-	1	0.0 %
22	-	2	0.0 %
23	-	4	0.0 %
24	-	5	0.0 %
25	-	1	0.0 %
26	-	1	0.0 %
27	-	3	0.0 %
28	-	1	0.0 %
29	-	1	0.0 %
30	-	2	0.0 %
33	-	1	0.0 %
35	-	2	0.0 %
41	-	1	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %
49	-	2	0.0 %
56	-	1	0.0 %

Value	Label	Unweighted Frequency	%
61	-	1	0.0 %
65	-	1	0.0 %
84	-	1	0.0 %
110	-	1	0.0 %
119	-	1	0.0 %
179	-	1	0.0 %
274	-	1	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 274.00
- Standard Deviation: 1.15

Location: 336-341 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JW: JUVENILE-WHITE

Value	Label	Unweighted Frequency	%
0	-	131921	75.3 %
1	-	18556	10.6 %
2	-	7423	4.2 %
3	-	4047	2.3 %
4	-	2636	1.5 %
5	-	1810	1.0 %
6	-	1433	0.8 %
7	-	1012	0.6 %
8	-	766	0.4 %
9	-	623	0.4 %
10	-	521	0.3 %
11	-	426	0.2 %
12	-	331	0.2 %
13	-	284	0.2 %
14	-	273	0.2 %
15	-	230	0.1 %

Value	Label	Unweighted Frequency	%
16	-	208	0.1 %
17	-	159	0.1 %
18	-	162	0.1 %
19	-	139	0.1 %
20	-	126	0.1 %
21	-	125	0.1 %
22	-	94	0.1 %
23	-	95	0.1 %
24	-	90	0.1 %
25	-	87	0.0 %
26	-	85	0.0 %
27	-	70	0.0 %
28	-	63	0.0 %
29	-	58	0.0 %
30	-	43	0.0 %
31	-	47	0.0 %
32	-	48	0.0 %
33	-	50	0.0 %
34	-	35	0.0 %
35	-	29	0.0 %
36	-	30	0.0 %
37	-	29	0.0 %
38	-	35	0.0 %
39	-	36	0.0 %
40	-	26	0.0 %
41	-	30	0.0 %
42	-	19	0.0 %
43	-	21	0.0 %
44	-	20	0.0 %
45	-	21	0.0 %
46	-	20	0.0 %
47	-	16	0.0 %
48	-	16	0.0 %
49	-	15	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 1.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1056.00
- Standard Deviation: 6.99

Location: 342-347 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JB: JUVENILE-BLACK

Value	Label	Unweighted Frequency	%
0	-	151787	86.6 %
1	-	10820	6.2 %
2	-	3925	2.2 %
3	-	2193	1.3 %
4	-	1269	0.7 %
5	-	874	0.5 %
6	-	588	0.3 %
7	-	461	0.3 %
8	-	331	0.2 %
9	-	286	0.2 %
10	-	241	0.1 %
11	-	205	0.1 %
12	-	162	0.1 %
13	-	172	0.1 %
14	-	117	0.1 %
15	-	93	0.1 %
16	-	106	0.1 %
17	-	78	0.0 %
18	-	83	0.0 %
19	-	83	0.0 %
20	-	73	0.0 %
21	-	55	0.0 %
22	-	59	0.0 %
23	-	52	0.0 %
24	-	47	0.0 %
25	-	34	0.0 %

Value	Label	Unweighted Frequency	%
26	-	37	0.0 %
27	-	26	0.0 %
28	-	34	0.0 %
29	-	27	0.0 %
30	-	30	0.0 %
31	-	20	0.0 %
32	-	20	0.0 %
33	-	25	0.0 %
34	-	23	0.0 %
35	-	21	0.0 %
36	-	21	0.0 %
37	-	14	0.0 %
38	-	13	0.0 %
39	-	11	0.0 %
40	-	18	0.0 %
41	-	17	0.0 %
42	-	10	0.0 %
43	-	9	0.0 %
44	-	10	0.0 %
45	-	12	0.0 %
46	-	9	0.0 %
47	-	13	0.0 %
48	-	10	0.0 %
49	-	11	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 0.65
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 677.00
- Standard Deviation: 5.43

Location: 348-353 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JI: JUVENILE-INDIAN

Value	Label	Unweighted Frequency	%
0	-	172056	98.2 %
1	-	1736	1.0 %
2	-	432	0.2 %
3	-	191	0.1 %
4	-	119	0.1 %
5	-	54	0.0 %
6	-	44	0.0 %
7	-	46	0.0 %
8	-	37	0.0 %
9	-	35	0.0 %
10	-	21	0.0 %
11	-	17	0.0 %
12	-	12	0.0 %
13	-	6	0.0 %
14	-	12	0.0 %
15	-	9	0.0 %
16	-	6	0.0 %
17	-	9	0.0 %
18	-	1	0.0 %
19	-	3	0.0 %
20	-	5	0.0 %
21	-	4	0.0 %
22	-	1	0.0 %
23	-	3	0.0 %
24	-	3	0.0 %
25	-	5	0.0 %
26	-	6	0.0 %
27	-	4	0.0 %
28	-	2	0.0 %
29	-	3	0.0 %
32	-	1	0.0 %
33	-	2	0.0 %
35	-	2	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %
38	-	2	0.0 %
39	-	4	0.0 %

Value	Label	Unweighted Frequency	%
41	-	1	0.0 %
42	-	1	0.0 %
44	-	3	0.0 %
49	-	1	0.0 %
53	-	1	0.0 %
54	-	1	0.0 %
55	-	1	0.0 %
58	-	1	0.0 %
63	-	2	0.0 %
69	-	1	0.0 %
72	-	1	0.0 %
89	-	1	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 89.00
- Standard Deviation: 0.84

Location: 354-359 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JA: JUVENILE ASIAN

Value	Label	Unweighted Frequency	%
0	-	172582	98.5 %
1	-	1708	1.0 %
2	-	335	0.2 %
3	-	118	0.1 %
4	-	52	0.0 %
5	-	29	0.0 %
6	-	19	0.0 %
7	-	8	0.0 %
8	-	4	0.0 %
9	-	7	0.0 %
10	-	4	0.0 %

Value	Label	Unweighted Frequency	%
11	-	5	0.0 %
12	-	3	0.0 %
13	-	1	0.0 %
14	-	2	0.0 %
16	-	1	0.0 %
17	-	6	0.0 %
18	-	1	0.0 %
19	-	2	0.0 %
20	-	2	0.0 %
22	-	2	0.0 %
23	-	1	0.0 %
24	-	1	0.0 %
29	-	1	0.0 %
30	-	2	0.0 %
35	-	3	0.0 %
36	-	1	0.0 %
38	-	1	0.0 %
41	-	1	0.0 %
42	-	2	0.0 %
43	-	2	0.0 %
44	-	1	0.0 %
91	-	1	0.0 %
187	-	1	0.0 %
200	-	1	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 200.00
- Standard Deviation: 0.82

Location: 360-365 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JH: JUVENILE-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	159807	91.2 %
1	-	7858	4.5 %
2	-	2750	1.6 %
3	-	1282	0.7 %
4	-	747	0.4 %
5	-	432	0.2 %
6	-	356	0.2 %
7	-	260	0.1 %
8	-	185	0.1 %
9	-	132	0.1 %
10	-	110	0.1 %
11	-	116	0.1 %
12	-	77	0.0 %
13	-	81	0.0 %
14	-	57	0.0 %
15	-	45	0.0 %
16	-	63	0.0 %
17	-	39	0.0 %
18	-	46	0.0 %
19	-	31	0.0 %
20	-	28	0.0 %
21	-	32	0.0 %
22	-	23	0.0 %
23	-	21	0.0 %
24	-	25	0.0 %
25	-	16	0.0 %
26	-	18	0.0 %
27	-	8	0.0 %
28	-	18	0.0 %
29	-	13	0.0 %
30	-	12	0.0 %
31	-	17	0.0 %
32	-	10	0.0 %
33	-	17	0.0 %
34	-	6	0.0 %
35	-	9	0.0 %
36	-	6	0.0 %
37	-	6	0.0 %
38	-	4	0.0 %

Value	Label	Unweighted Frequency	%
39	-	5	0.0 %
40	-	5	0.0 %
41	-	5	0.0 %
42	-	5	0.0 %
43	-	3	0.0 %
44	-	7	0.0 %
45	-	5	0.0 %
46	-	3	0.0 %
47	-	4	0.0 %
48	-	1	0.0 %
49	-	3	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 238.00
- Standard Deviation: 2.86

Location: 366-371 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

JN: JUVENILE-NON-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	135023	77.0 %
1	-	16772	9.6 %
2	-	6690	3.8 %
3	-	3790	2.2 %
4	-	2435	1.4 %
5	-	1668	1.0 %
6	-	1278	0.7 %
7	-	1012	0.6 %
8	-	794	0.5 %
9	-	594	0.3 %

Value	Label	Unweighted Frequency	%
10	-	477	0.3 %
11	-	394	0.2 %
12	-	329	0.2 %
13	-	324	0.2 %
14	-	249	0.1 %
15	-	236	0.1 %
16	-	193	0.1 %
17	-	174	0.1 %
18	-	161	0.1 %
19	-	153	0.1 %
20	-	123	0.1 %
21	-	118	0.1 %
22	-	114	0.1 %
23	-	97	0.1 %
24	-	110	0.1 %
25	-	95	0.1 %
26	-	82	0.0 %
27	-	68	0.0 %
28	-	71	0.0 %
29	-	62	0.0 %
30	-	64	0.0 %
31	-	52	0.0 %
32	-	45	0.0 %
33	-	48	0.0 %
34	-	44	0.0 %
35	-	50	0.0 %
36	-	40	0.0 %
37	-	28	0.0 %
38	-	33	0.0 %
39	-	30	0.0 %
40	-	14	0.0 %
41	-	36	0.0 %
42	-	38	0.0 %
43	-	24	0.0 %
44	-	31	0.0 %
45	-	22	0.0 %
46	-	15	0.0 %
47	-	30	0.0 %
48	-	14	0.0 %

Value	Label	Unweighted Frequency	%
49	-	16	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 1.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1048.00
- Standard Deviation: 7.71

Location: 372-377 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AW: ADULT-WHITE

Value	Label	Unweighted Frequency	%
0	-	20677	11.8 %
1	-	38059	21.7 %
2	-	20012	11.4 %
3	-	12768	7.3 %
4	-	9025	5.1 %
5	-	6898	3.9 %
6	-	5456	3.1 %
7	-	4450	2.5 %
8	-	3686	2.1 %
9	-	3379	1.9 %
10	-	2950	1.7 %
11	-	2492	1.4 %
12	-	2196	1.3 %
13	-	2045	1.2 %
14	-	1793	1.0 %
15	-	1727	1.0 %
16	-	1501	0.9 %
17	-	1408	0.8 %
18	-	1250	0.7 %
19	-	1170	0.7 %

Value	Label	Unweighted Frequency	%
20	-	1114	0.6 %
21	-	1069	0.6 %
22	-	980	0.6 %
23	-	921	0.5 %
24	-	836	0.5 %
25	-	790	0.5 %
26	-	711	0.4 %
27	-	748	0.4 %
28	-	671	0.4 %
29	-	652	0.4 %
30	-	631	0.4 %
31	-	537	0.3 %
32	-	529	0.3 %
33	-	556	0.3 %
34	-	529	0.3 %
35	-	481	0.3 %
36	-	451	0.3 %
37	-	441	0.3 %
38	-	443	0.3 %
39	-	423	0.2 %
40	-	392	0.2 %
41	-	399	0.2 %
42	-	369	0.2 %
43	-	386	0.2 %
44	-	344	0.2 %
45	-	373	0.2 %
46	-	343	0.2 %
47	-	326	0.2 %
48	-	283	0.2 %
49	-	291	0.2 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 21.43
- Minimum: 0.00

- Maximum: 16412.00
- Standard Deviation: 112.72

Location: 378-383 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AB: ADULT-BLACK

Value	Label	Unweighted Frequency	%
0	-	84456	48.2 %
1	-	29809	17.0 %
2	-	13592	7.8 %
3	-	7888	4.5 %
4	-	5341	3.0 %
5	-	3947	2.3 %
6	-	2970	1.7 %
7	-	2432	1.4 %
8	-	1928	1.1 %
9	-	1659	0.9 %
10	-	1367	0.8 %
11	-	1249	0.7 %
12	-	1112	0.6 %
13	-	945	0.5 %
14	-	816	0.5 %
15	-	828	0.5 %
16	-	651	0.4 %
17	-	623	0.4 %
18	-	591	0.3 %
19	-	515	0.3 %
20	-	426	0.2 %
21	-	444	0.3 %
22	-	419	0.2 %
23	-	401	0.2 %
24	-	338	0.2 %
25	-	313	0.2 %
26	-	276	0.2 %
27	-	339	0.2 %
28	-	270	0.2 %
29	-	266	0.2 %
30	-	243	0.1 %
31	-	251	0.1 %
32	-	238	0.1 %

Value	Label	Unweighted Frequency	%
33	-	191	0.1 %
34	-	190	0.1 %
35	-	186	0.1 %
36	-	182	0.1 %
37	-	179	0.1 %
38	-	150	0.1 %
39	-	146	0.1 %
40	-	146	0.1 %
41	-	117	0.1 %
42	-	169	0.1 %
43	-	141	0.1 %
44	-	117	0.1 %
45	-	130	0.1 %
46	-	135	0.1 %
47	-	129	0.1 %
48	-	109	0.1 %
49	-	85	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 8.72
- Minimum: 0.00
- Maximum: 7989.00
- Standard Deviation: 67.04

Location: 384-389 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AI: ADULT-INDIAN

Value	Label	Unweighted Frequency	%
0	-	157072	89.6 %
1	-	8972	5.1 %
2	-	2931	1.7 %
3	-	1391	0.8 %
4	-	808	0.5 %
5	-	558	0.3 %

Value	Label	Unweighted Frequency	%
6	-	401	0.2 %
7	-	332	0.2 %
8	-	270	0.2 %
9	-	211	0.1 %
10	-	173	0.1 %
11	-	138	0.1 %
12	-	122	0.1 %
13	-	110	0.1 %
14	-	101	0.1 %
15	-	73	0.0 %
16	-	88	0.1 %
17	-	50	0.0 %
18	-	53	0.0 %
19	-	54	0.0 %
20	-	57	0.0 %
21	-	47	0.0 %
22	-	44	0.0 %
23	-	31	0.0 %
24	-	41	0.0 %
25	-	33	0.0 %
26	-	24	0.0 %
27	-	26	0.0 %
28	-	24	0.0 %
29	-	27	0.0 %
30	-	17	0.0 %
31	-	21	0.0 %
32	-	17	0.0 %
33	-	19	0.0 %
34	-	15	0.0 %
35	-	14	0.0 %
36	-	15	0.0 %
37	-	14	0.0 %
38	-	17	0.0 %
39	-	8	0.0 %
40	-	14	0.0 %
41	-	17	0.0 %
42	-	11	0.0 %
43	-	16	0.0 %
44	-	12	0.0 %

Value	Label	Unweighted Frequency	%
45	-	10	0.0 %
46	-	12	0.0 %
47	-	6	0.0 %
48	-	6	0.0 %
49	-	8	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 0.75
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3568.00
- Standard Deviation: 16.06

Location: 390-395 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AA: ADULT-ASIAN

Value	Label	Unweighted Frequency	%
0	-	156609	89.3 %
1	-	10366	5.9 %
2	-	3209	1.8 %
3	-	1436	0.8 %
4	-	779	0.4 %
5	-	518	0.3 %
6	-	324	0.2 %
7	-	246	0.1 %
8	-	175	0.1 %
9	-	150	0.1 %
10	-	128	0.1 %
11	-	115	0.1 %
12	-	71	0.0 %
13	-	76	0.0 %
14	-	58	0.0 %
15	-	39	0.0 %

Value	Label	Unweighted Frequency	%
16	-	44	0.0 %
17	-	42	0.0 %
18	-	32	0.0 %
19	-	32	0.0 %
20	-	19	0.0 %
21	-	34	0.0 %
22	-	23	0.0 %
23	-	12	0.0 %
24	-	28	0.0 %
25	-	15	0.0 %
26	-	14	0.0 %
27	-	18	0.0 %
28	-	9	0.0 %
29	-	7	0.0 %
30	-	8	0.0 %
31	-	13	0.0 %
32	-	9	0.0 %
33	-	12	0.0 %
34	-	12	0.0 %
35	-	11	0.0 %
36	-	7	0.0 %
37	-	4	0.0 %
38	-	7	0.0 %
39	-	5	0.0 %
40	-	4	0.0 %
41	-	4	0.0 %
42	-	4	0.0 %
43	-	4	0.0 %
44	-	8	0.0 %
45	-	1	0.0 %
46	-	3	0.0 %
47	-	1	0.0 %
48	-	1	0.0 %
49	-	5	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 0.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6404.00
- Standard Deviation: 18.02

Location: 396-401 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AH: ADULT-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	114609	65.4 %
1	-	23638	13.5 %
2	-	9643	5.5 %
3	-	5343	3.0 %
4	-	3327	1.9 %
5	-	2492	1.4 %
6	-	1903	1.1 %
7	-	1480	0.8 %
8	-	1108	0.6 %
9	-	1012	0.6 %
10	-	809	0.5 %
11	-	655	0.4 %
12	-	641	0.4 %
13	-	536	0.3 %
14	-	458	0.3 %
15	-	398	0.2 %
16	-	376	0.2 %
17	-	352	0.2 %
18	-	305	0.2 %
19	-	288	0.2 %
20	-	229	0.1 %
21	-	268	0.2 %
22	-	235	0.1 %
23	-	179	0.1 %
24	-	169	0.1 %
25	-	175	0.1 %

Value	Label	Unweighted Frequency	%
26	-	163	0.1 %
27	-	147	0.1 %
28	-	151	0.1 %
29	-	131	0.1 %
30	-	116	0.1 %
31	-	129	0.1 %
32	-	117	0.1 %
33	-	96	0.1 %
34	-	106	0.1 %
35	-	94	0.1 %
36	-	76	0.0 %
37	-	78	0.0 %
38	-	90	0.1 %
39	-	60	0.0 %
40	-	67	0.0 %
41	-	60	0.0 %
42	-	67	0.0 %
43	-	57	0.0 %
44	-	68	0.0 %
45	-	55	0.0 %
46	-	66	0.0 %
47	-	61	0.0 %
48	-	56	0.0 %
49	-	48	0.0 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 3.85
- Minimum: 0.00
- Maximum: 12543.00
- Standard Deviation: 46.13

Location: 402-407 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998

AN: ADULT-NON-HISPANIC

Value	Label	Unweighted Frequency	%
0	-	33116	18.9 %
1	-	34612	19.7 %
2	-	17811	10.2 %
3	-	11678	6.7 %
4	-	8244	4.7 %
5	-	6342	3.6 %
6	-	4992	2.8 %
7	-	4043	2.3 %
8	-	3458	2.0 %
9	-	2958	1.7 %
10	-	2720	1.6 %
11	-	2299	1.3 %
12	-	2181	1.2 %
13	-	1898	1.1 %
14	-	1630	0.9 %
15	-	1537	0.9 %
16	-	1419	0.8 %
17	-	1343	0.8 %
18	-	1182	0.7 %
19	-	1149	0.7 %
20	-	1050	0.6 %
21	-	921	0.5 %
22	-	907	0.5 %
23	-	868	0.5 %
24	-	785	0.4 %
25	-	715	0.4 %
26	-	715	0.4 %
27	-	681	0.4 %
28	-	622	0.4 %
29	-	593	0.3 %
30	-	513	0.3 %
31	-	496	0.3 %
32	-	504	0.3 %
33	-	520	0.3 %
34	-	436	0.2 %
35	-	448	0.3 %
36	-	414	0.2 %
37	-	391	0.2 %
38	-	386	0.2 %

Value	Label	Unweighted Frequency	%
39	-	402	0.2 %
40	-	386	0.2 %
41	-	354	0.2 %
42	-	302	0.2 %
43	-	338	0.2 %
44	-	290	0.2 %
45	-	307	0.2 %
46	-	319	0.2 %
47	-	310	0.2 %
48	-	271	0.2 %
49	-	256	0.1 %
	Missing Data		
999998	Not applicable	379	0.2 %
	Total	175,289	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 174,910 valid cases out of 175,289 total cases.

- Mean: 22.40
- Minimum: 0.00
- Maximum: 12577.00
- Standard Deviation: 124.99

Location: 408-413 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999998