

Package ‘demeter’

November 27, 2019

Type Package

Title Functions for connectivity on Demeter

Version 0.1.0

Author Alex Betts

Maintainer Alex Betts <alex.betts@evobio.eu>

Description Contains functions for connecting to the internet from inside R on demeter.

License GPL (>= 2)

Encoding UTF-8

LazyData true

RoxygenNote 6.1.1

Imports getPass (>= 0.2.2)

R topics documented:

lazy_proxy_connect	1
proxy_connect	2

Index	3
--------------	----------

lazy_proxy_connect	<i>Connect through proxy with Demeter credentials in environment</i>
--------------------	--

Description

Connect through proxy with Demeter credentials in environment

Usage

```
lazy_proxy_connect(username = "m123456", password = "password")
```

Arguments

username	Your demeter username.
password	Your demeter password.

Value

Allows internet connectivity, e.g. APIs, webscraping, installing packages from github.

Examples

```
lazy_proxy_connect (username="m123456", password="password")
```

proxy_connect	<i>Connect through proxy with Demeter credentials hidden</i>
---------------	--

Description

Connect through proxy with Demeter credentials hidden

Usage

```
proxy_connect (show_characters = FALSE)
```

Arguments

`show_characters`
logical indicating whether the characters of the password whould be visible.

Value

Allows internet connectivity, e.g. APIs, webscraping, installing packages from github.

Examples

```
proxy_connect ()
```

Index

`lazy_proxy_connect`, [1](#)

`proxy_connect`, [2](#)