01204211 Discrete Mathematics Lecture 1: Introduction

Jittat Fakcharoenphol

August 14, 2015

The goals of this course

There are two goals:

▶ To learn how to make mathematical arguments.

The goals of this course

There are two goals:

- ▶ To learn how to make mathematical arguments.
- ► To learn various fundamental mathematical concepts that are very useful in computer science.

What is mathematics?

What is mathematics?

Ah... that's a philosopical question.

What is mathematics?

Ah... that's a philosopical question. IMHO, mathematics is a mean to communicate *precise* ideas.

It's like learning a new language

Look at this program.

```
if a > b:
    return a
else:
    return b
```

The author claims that this program takes two variables a and b and returns the larger one.

Look at this program.

```
if a > b:
    return a
else:
    return b
```

The author claims that this program takes two variables a and b and returns the larger one.

Do you believe the author of the code?

Look at this program.

```
if a > b:
    return a
else:
    return b
```

The author claims that this program takes two variables a and b and returns the larger one.

Do you believe the author of the code? Why?

Now look at this program.

```
if a > b:
    if a > c:
        return a
    else:
        return c
else:
    if c > b:
        return c
else:
        return c
```

The author claims that this program takes three variables a, b and c and returns the largest one.

Now look at this program.

```
if a > b:
    if a > c:
        return a
    else:
        return c
else:
    if c > b:
        return c
else:
        return c
```

The author claims that this program takes three variables a, b and c and returns the largest one.

Do you believe the author of the code?

Now look at this program.

```
if a > b:
    if a > c:
        return a
    else:
        return c
else:
    if c > b:
        return c
else:
        return c
```

The author claims that this program takes three variables a, b and c and returns the largest one.

Do you believe the author of the code? Why?

Finally, look at this program.

```
// Input: array A with n elements: A[0],...,A[n-1]
m = A[0]
for i = 0, 1, 2, ..., n-1:
    if A[i] > m:
        m = A[i]
return m
```

The author claims that this program takes an array A with n elements and returns the maximum element.

Finally, look at this program.

```
// Input: array A with n elements: A[0],...,A[n-1]
m = A[0]
for i = 0, 1, 2, ..., n-1:
   if A[i] > m:
      m = A[i]
return m
```

The author claims that this program takes an array A with n elements and returns the maximum element.

Do you believe the author of the code?

Finally, look at this program.

```
// Input: array A with n elements: A[0],...,A[n-1]
m = A[0]
for i = 0, 1, 2, ..., n-1:
   if A[i] > m:
      m = A[i]
return m
```

The author claims that this program takes an array A with n elements and returns the maximum element.

Do you believe the author of the code? Why?

Finally, look at this program.

```
// Input: array A with n elements: A[0],...,A[n-1]
m = A[0]
for i = 0, 1, 2, ..., n-1:
   if A[i] > m:
      m = A[i]
return m
```

The author claims that this program takes an array A with n elements and returns the maximum element.

Do you believe the author of the code? Why?

Can we try to test the code with all possible inputs?